




Seja um Profissional Python !

Preparação do Ambiente

CIÊNCIA DE DADOS
do ZERO ao MERCADO DE TRABALHO


Anaconda – Instalação Linux

- <https://www.anaconda.com/download>




Anaconda - Instalação Linux

- <https://www.anaconda.com/download>




Anaconda - Instalação Linux

- <https://www.anaconda.com/download>



Anaconda – Instalação Linux

- <https://www.anaconda.com/download#downloads>



The screenshot shows the Anaconda website's download page for Linux. The page has a purple header with the Anaconda logo and navigation links. Below the header, there's a section titled 'Anaconda Installers' with three columns for Windows, Mac, and Linux. The Linux column lists several Python 3.11 installers with their respective sizes.


ANACONDA. Platform Solutions Pricing Partners Resources Company Sign In Contact Sales

Anaconda Installers

Windows	Mac	Linux
		
Python 3.11	Python 3.11	Python 3.11
↓ 64-Bit Graphical Installer (898.6 MB)	↓ 64-Bit Graphical Installer (610.5 MB)	↓ 64-Bit (x86) Installer (1015.6 MB)
	↓ 64-Bit Command Line Installer (612.1 MB)	↓ 64-Bit (Power8 and Power9) Installer (473.8 MB)
	↓ 64-Bit (M1) Graphical Installer (643.9 MB)	↓ 64-Bit (AWS Graviton2 / ARM64) Installer (727.4 MB)
	↓ 64-Bit (M1) Command Line Installer (645.6 MB)	↓ 64-bit (Linux on IBM Z & LinuxONE) Installer (340.8 MB)

Anaconda - Instalação Linux


- <https://www.anaconda.com/download>



Anaconda - Instalação Linux



Seja um Profissional Python !

A screenshot of a web browser showing the Anaconda download success page. The browser's address bar shows 'anaconda.com/download-success'. The page has a navigation bar with links: Platform, Solutions, Pricing, Partners, Resources, and Company. A red dashed circle highlights a download notification in the top right corner of the browser window, which shows a file named 'Anaconda3-2023.09-0-Linux-x86_64.sh' with a size of '1.1 GB' and status 'Done'. Below the notification is a large green circle containing a white checkmark. The main content of the page says 'Thank you for downloading!' and includes a link to download the version if it didn't work. At the bottom, there is a green button that says 'Launch Cloud Notebooks >'.

Download Success | Anaconda

anaconda.com/download-success

ANACONDA. Platform Solutions Pricing Partners Resources Company

Thank you for downloading!


Didn't download? [Go here](#) to download your version. For installation assistance, refer to [Troubleshooting](#).

Skip the installation process with our cloud-based, JupyterLab notebook experience – fully-loaded with Anaconda packages, Panel app deployment, sample data catalogs, and notebook templates.

[Launch Cloud Notebooks >](#)

Anaconda - Instalação Linux

Abra o terminal...




A screenshot of a Linux terminal window. The title bar shows 'Activities', 'Terminal', and the date/time 'fev 17 13:46'. The terminal prompt is 'piva@pivajr-VirtualBox: ~/Downloads'. The user has entered 'cd Downloads/' and 'ls'. The output of 'ls' shows several files: 'Anaconda3-2023.09-0-Linux-x86_64.sh' (green), 'code_1.74.3-1673284829_amd64.deb' (red), 'banner_pypro.png' (purple), and 'google-chrome-stable_current_amd64.deb' (red). The terminal window has a dark background and a sidebar on the left with icons for Firefox, Files, and the terminal.

```
piva@pivajr-VirtualBox:~$ cd Downloads/  
piva@pivajr-VirtualBox:~/Downloads$ ls  
Anaconda3-2023.09-0-Linux-x86_64.sh  code_1.74.3-1673284829_amd64.deb  
banner_pypro.png                    google-chrome-stable_current_amd64.deb  
piva@pivajr-VirtualBox:~/Downloads$
```

Anaconda - Instalação Linux

Abra o terminal...



```
Activities Terminal fev 17 13:46
piva@pivajr-VirtualBox: ~/Downloads
piva@pivajr-VirtualBox:~$ cd Downloads/
piva@pivajr-VirtualBox:~/Downloads$ ls
Anaconda3-2023.09-0-Linux-x86_64.sh  code_1.74.3-1673284829_amd64.deb
banner_pypro.png                    google-chrome-stable_current_amd64.deb
piva@pivajr-VirtualBox:~/Downloads$
```

Anaconda - Instalação Linux

Instalar o Anaconda...

```
banner_pypro.png google-chrome-stable_current_amd64.deb  
piva@pivajr-VirtualBox:~/Downloads$ bash Anaconda3-2023.09-0-Linux-x86_64.sh
```



```
banner_pypro.png google-chrome-stable_current_amd64.deb  
piva@pivajr-VirtualBox:~/Downloads$ bash Anaconda3-2023.09-0-Linux-x86_64.sh  
  
Welcome to Anaconda3 2023.09-0  
  
In order to continue the installation process, please review the license  
agreement.  
Please, press ENTER to continue  
>>>
```

Anaconda - Instalação Linux

Aceitar os termos de uso...

```
=====
End User License Agreement - Anaconda Distribution
=====

Copyright 2015-2023, Anaconda, Inc.

All rights reserved under the 3-clause BSD License:

This End User License Agreement (the "Agreement") is a legal agreement between y
ou and Anaconda, Inc. ("Anaconda") and governs your use of Anaconda Distribution
(which was formerly known as Anaconda Individual Edition).

Subject to the terms of this Agreement, Anaconda hereby grants you a non-exclusi
ve, non-transferable license to:

    * Install and use the Anaconda Distribution (which was formerly known as Anaco
nda Individual Edition),
    * Modify and create derivative works of sample source code delivered in Anacon
da Distribution from Anaconda's repository, and;
    * Redistribute code files in source (if provided to you by Anaconda as source)
and binary forms, with or without modification subject to the requirements set
forth below, and;

--More--
```

Anaconda - Instalação Linux

Aceitar os termos de uso...

```
Anaconda has self-classified this software as Export Commodity Control Number (ECCN) EAR99 which includes mass market information security software using or performing cryptographic functions with asymmetric algorithms. No license is required for export of this software to non-embargoed countries.
```

```
The Intel Math Kernel Library contained in Anaconda Distribution is classified by Intel as ECCN 5D992.c with no license required for export to non-embargoed countries.
```

```
The following packages listed on https://www.anaconda.com/cryptography are included in the repository accessible through Anaconda Distribution that relate to cryptography.
```

```
Last updated February 25, 2022
```

```
Do you accept the license terms? [yes|no]  
[no] >>> yes
```


Anaconda - Instalação Linux

Confirma o diretório de instalação...

```
The Intel Math Kernel Library contained in Anaconda Distribution is classified  
by Intel as ECCN 5D992.c with no license required for export to non-embargoed co  
untries.
```

```
The following packages listed on https://www.anaconda.com/cryptography are incl  
ded in the repository accessible through Anaconda Distribution that relate to c  
ryptography.
```

```
Last updated February 25, 2022
```

```
Do you accept the license terms? [yes|no]  
[no] >>> yes
```

```
Anaconda3 will now be installed into this location:  
/home/piva/anaconda3
```

- Press ENTER to confirm the location
- Press CTRL-C to abort the installation
- Or specify a different location below

```
[/home/piva/anaconda3] >>>
```

Anaconda - Instalação Linux

No final da instalação ele vai perguntar se quer rodar o conda init...

```
Preparing transaction: done
Executing transaction: /

Installed package of scikit-learn can be accelerated using scikit-learn-intelex.
More details are available here: https://intel.github.io/scikit-learn-intelex

For example:


$ conda install scikit-learn-intelex
$ python -m sklearnex my_application.py

done
installation finished.
Do you wish the installer to initialize Anaconda3
by running conda init? [yes|no]
[no] >>> ye
```

Se vc não fizer isso, ele não vai funcionar !!

Anaconda - Instalação Linux

Recarregue o Terminal... E verifique a versão do Python



```
piva@IAServer: ~  
(base) piva@IAServer:~$ python --version  
Python 3.11.5  
(base) piva@IAServer:~$
```

Anaconda - Instalação Linux

Crie uma estrutura de diretórios para armazenar os arquivos das aulas

```
piva@IAServer: ~/algoritmos/aula01

(base) piva@IAServer:~$ python --version
Python 3.11.5
(base) piva@IAServer:~$ pwd
/home/piva
(base) piva@IAServer:~$ mkdir algoritmos
(base) piva@IAServer:~$ cd algoritmos
(base) piva@IAServer:~/algoritmos$ mkdir aula01
(base) piva@IAServer:~/algoritmos$ cd aula01
(base) piva@IAServer:~/algoritmos/aula01$
```

Anaconda - Instalação Linux


Vamos executar o JUPYTER NOTEBOOK

```
piva@IAServer: ~/algoritmos/aula01

(base) piva@IAServer:~$ python --version
Python 3.11.5
(base) piva@IAServer:~$ pwd
/home/piva
(base) piva@IAServer:~$ mkdir algoritmos
(base) piva@IAServer:~$ cd algoritmos
(base) piva@IAServer:~/algoritmos$ mkdir aula01
(base) piva@IAServer:~/algoritmos$ cd aula01
(base) piva@IAServer:~/algoritmos/aula01$
(base) piva@IAServer:~/algoritmos/aula01$
(base) piva@IAServer:~/algoritmos/aula01$ jupyter notebook
```



Anaconda - Instalação Linux

Vamos executar o JUPYTER NOTEBOOK



Anaconda - Instalação Linux

Criando um novo Notebook



The screenshot shows the JupyterLab web interface in a browser. The address bar indicates the URL is `localhost:8888/tree`. The interface has tabs for 'Files', 'Running', and 'Clusters'. Below these, there's a message 'Select items to perform actions on them.' and a file browser area showing '0' items and a folder icon. A red box highlights the 'New' button in the top right, which has opened a dropdown menu. The menu lists 'Notebook: Python 3 (ipykernel)' as the first option, followed by 'Other:' and then 'Text File', 'Folder', and 'Terminal'.

Home Page - Select or create X

localhost:8888/tree

jupyter

Quit Logout

Files Running Clusters

Select items to perform actions on them.

0 /

The notebook list is empty.


Upload New

Notebook:
Python 3 (ipykernel)

Other:
Text File
Folder
Terminal

Anaconda - Instalação Linux

Criando um novo Notebook



Home Page - Select or create a new notebook | teste - Jupyter Notebook

localhost:8888/notebooks/teste.ipynb

jupyter teste Last Checkpoint: a few seconds ago (unsaved changes) Logout

File Edit View Insert Cell Kernel Widgets Help Trusted Python 3 (ipykernel)


In [1]: 2+2
Out[1]: 4

In [2]: print('Olá Mundo!')
Olá Mundo!

In []:

Anaconda - Instalação Linux

Salvar e Fechar navegador...



Anaconda - Instalação Linux

Parar o servidor do Jupyter Notebook...

```
piva@IAServer: ~/algoritmos/aula01
become a hard error in future nbformat versions. You may want to use `normalize(
)` on your notebooks before validations (available since nbformat 5.1.4). Previo
us versions of nbformat are fixing this issue transparently, and will stop doing
so in the future.
  validate_nb(model['content'])
[I 18:13:19.609 NotebookApp] Saving file at /teste.ipynb
[I 18:13:24.340 NotebookApp] Starting buffering for 7a884363-9375-4d8e-a860-f83e
f0027bac:204df69cb76244cb8fed24cd2da5d3cf
^C[I 18:13:29.964 NotebookApp] interrupted
Serving notebooks from local directory: /home/piva/algoritmos/aula01
1 active kernel
Jupyter Notebook 6.5.4 is running at:
http://localhost:8888/?token=55a75c6b2ce35749810f0a8436522dd57b437002ff802b61
or http://127.0.0.1:8888/?token=55a75c6b2ce35749810f0a8436522dd57b437002ff802b6
1
Shutdown this notebook server (y/[n])? No answer for 5s: resuming operation...
^C[I 18:14:02.547 NotebookApp] interrupted
Serving notebooks from local directory: /home/piva/algoritmos/aula01
1 active kernel
Jupyter Notebook 6.5.4 is running at:
http://localhost:8888/?token=55a75c6b2ce35749810f0a8436522dd57b437002ff802b61
or http://127.0.0.1:8888/?token=55a75c6b2ce35749810f0a8436522dd57b437002ff802b6
1
Shutdown this notebook server (y/[n])? █
```

```
Shutdown this notebook server (y/[n])? y
[C 18:15:47.537 NotebookApp] Shutdown confirmed
[I 18:15:47.537 NotebookApp] Shutting down 1 kernel
[I 18:15:47.539 NotebookApp] Kernel shutdown: 7a884363-9375-4d8e-a860-f83ef0027b
ac
[I 18:15:47.757 NotebookApp] Shutting down 0 terminals
(base) piva@IAServer:~/algoritmos/aula01$ █
```

Anaconda - Instalação Linux


Notebook Criado ...

```
piva@IAServer: ~/algoritmos/aula01
(base) piva@IAServer:~/algoritmos/aula01$ ls
teste.ipynb
(base) piva@IAServer:~/algoritmos/aula01$ ls -lt
total 4
-rw-rw-r-- 1 piva piva 1176 fev 17 18:13 teste.ipynb
(base) piva@IAServer:~/algoritmos/aula01$
```

Ao executar novamente o jupyter notebook ...

Anaconda - Instalação Linux

Entrando novamente no JUPYTER NOTEBOOK...



The image shows a JupyterLab interface in a web browser. The top bar displays the Jupyter logo and navigation tabs: Files, Running, and Clusters. Below this, there's a section for file management with buttons for Upload, New, and Refresh. A file browser view shows a directory structure with a file named 'teste.ipynb' highlighted. A blue arrow points from this file to a second browser window below it. This second window shows the Jupyter Notebook interface for 'teste.ipynb'. It includes a menu bar (File, Edit, View, Insert, Cell, Kernel, Widgets, Help) and a toolbar with icons for file operations and execution. The main area contains two code cells. The first cell has the input 'In [1]: 2+2' and the output 'Out[1]: 4'. The second cell has the input 'In [2]: print('Olá Mundo!')' and the output 'Olá Mundo!'. The bottom of the notebook shows an empty input field 'In []:'.

localhost:8888/tree

jupyter

Quit Logout

Files Running Clusters

Select items to perform actions on them.

Upload New Refresh

0 /

teste.ipynb 7 minutes ago 1.18 kB

Home Page - Select or create a new notebook teste - Jupyter Notebook

localhost:8888/notebooks/teste.ipynb

jupyter teste Last Checkpoint: 8 minutes ago (autosaved)

Logout

File Edit View Insert Cell Kernel Widgets Help

Not Trusted Python 3 (ipykernel)

Run

In [1]: 2+2

Out[1]: 4

In [2]: print('Olá Mundo!')

Olá Mundo!

In []: