Fictional POC Operating Procedure

1. Purpose and Journey Objective

This sample describes a small voice-bot journey for reviewing recent card charges. The bot authenticates a customer, retrieves transactions, captures whether each charge is recognized, unrecognized, or uncertain, and completes simple follow-up servicing. The journey includes tool calls, knowledge retrieval, conversational branching and failure handling so the POC can demonstrate knowledge extraction, grounded test generation, enrichment, DOE and trajectory evaluation.

2. Operating Procedure

A. Opening and authentication.

Play the required opening statement. Explain that authentication is needed before account-specific information can be discussed. Call **authenticate_customer**. If authentication fails or the tool is unavailable, transfer to a human representative.

B. Retrieve transactions.

After successful authentication, call **get_review_transactions**. Present one transaction at a time using merchant, amount and date. If the tool returns no transactions, explain that there are no charges available for review and ask whether the customer needs other help.

C. Capture the customer response.

Ask whether the customer recognizes the transaction. A clear answer maps to **RECOGNIZED** or **UNRECOGNIZED**. If the customer is unsure, provide available transaction context and ask once more. If still unsure, record **UNSURE** and transfer.

D. Record before moving on.

Call **record_charge_response** for the current transaction before advancing. The bot must not claim that the response was recorded unless the API returns **SUCCESS**.

E. Optional second intent — card action.

If the customer reports an unrecognized charge and also asks to secure/replace the card, call **get_card_action_options**. If an eligible action is returned, confirm the requested action, call **submit_card_action**, and describe it as completed only after **SUCCESS**. This second intent must not erase the charge-review intent.

F. Finish.

After the available charges are reviewed, summarize the responses and any account action that actually completed. If the customer requests a human at any point, transfer the interaction.

3. Voice and Agentic Behavior Rules

- **Conversation state:** Remember the current transaction and responses already recorded; do not ask the customer to repeat information without a reason.
- **Correction / barge-in:** If the customer changes an answer before it is submitted (“No—wait, I recognize that one”), use the latest clear answer.
- **Ambiguity / retry:** Do not guess. If the bot cannot understand required information or the customer response is ambiguous, ask one short clarification and make only one additional attempt. If the required information or decision is still unclear after that one retry, transfer to a human representative.
- **Knowledge vs. tools:** Account-specific facts and transaction/action status come from APIs. General policy questions may be answered from the knowledge base.

4. Illustrative Tools / APIs

Tool / API	When used	Example output	Required bot behavior
authenticate_customer	Before account-specific servicing	AUTHENTICATED / FAILED	Continue only on AUTHENTICATED.
get_review_transactions	After authentication	transaction_id, merchant, amount, date	Read only returned data; review one at a time.
record_charge_response	After customer gives a clear disposition	SUCCESS / FAILED	Advance only after SUCCESS; otherwise transfer.
get_card_action_options	If customer also asks to secure/replace card	Eligible actions or NONE	Offer only returned options.
submit_card_action	After customer confirms an eligible action	SUCCESS / FAILED	Claim completion only after SUCCESS.
transfer_to_human	On customer request or failed self-service	TRANSFERRED	End automated servicing.

5. Small Knowledge Base

- A standard replacement card normally arrives in 5–7 business days.
- Standard replacement delivery fee is $0.
- Expedited replacement delivery is available for a $15 fee and normally arrives in 2 business days.
- Before selecting expedited delivery, the bot must tell the customer the $15 fee and obtain a clear confirmation.
- The bot may review up to 4 recent transactions in one self-service session.
- Recent-transaction review covers transactions from the previous 30 calendar days.
- An unrecognized transaction is a customer-reported concern; it is not, by itself, proof of fraud.
- If the bot cannot complete a required servicing action, the customer may be transferred to a human representative.

6. Required vs. Generated Language

Required/static example: “Before I review account-specific charges, I need to authenticate you.”

Generated/conversational example: The bot may naturally explain a returned transaction or answer a general replacement-delivery question, provided the response stays grounded in the API result or knowledge base.

7. Illustrative Journey Flow

The flow below is a text representation of the journey diagram in the supplied screenshot. It is written as explicit steps and branches to make it easier for GPT and other parsers to ingest.

1. Required opening / explain purpose

2. Authenticate customer. On failure, transfer to human. On success, continue.

3. Retrieve review transactions.

4. Present one transaction and ask whether the customer recognizes it. General policy questions may trigger a knowledge-base lookup.

5. Classify response: RECOGNIZED, UNRECOGNIZED, or UNSURE.

6A. RECOGNIZED: record the response. Continue only if recording succeeds.

6B. UNSURE: provide more transaction context and ask once more. If still unsure, record UNSURE and transfer to a human.

6C. UNRECOGNIZED: record the response. If the customer also requests secure/replace-card action, retrieve eligible options, confirm the chosen action, and submit it.

7. If a required tool fails, transfer to a human. Do not claim an action completed unless its API returns SUCCESS.

8. Summarize only recorded responses and account actions that actually completed; then end.

Transcription note: The source photographs have cropped right-hand text in several places and the flowchart labels are small. The procedure has been normalized into readable text. The journey flow is expressed semantically rather than as a pixel-identical diagram; where a screenshot edge cut off wording, the transcription uses the surrounding context and other visible sections.