Chapter 3

3.1

Derivative of a Constant Function $\frac{d}{dx}(c) = 0$

Power Rule $\frac{d}{dx}(x)^n = nx^{n-1}$

Constant Multiple Rule $\frac{d}{dx}[cf(x)] = c\frac{d}{dx}f(x)$

Sum Rule $\frac{d}{dx}[f(x) + g(x)] = \frac{d}{dx}f(x) + \frac{d}{dx}g(x)$

Difference Rule $\frac{d}{dx}[f(x) - g(x)] = \frac{d}{dx}f(x) - \frac{d}{dx}g(x)$

Definition of the Number e $\lim_{h\to 0} \frac{e^h - 1}{h} = 1$

Derivative of the Natural Exponential Function $\frac{d}{dx}(e^x) = e^x$

Derivative of the Exponential Function $\frac{d}{dx}(a^x) = a^x \ln a$

3.2

The Product Rule $\frac{d}{dx}[f(x)g(x)] = f(x)\frac{d}{dx}[g(x)] + g(x)\frac{d}{dx}[f(x)]$

The Quotient Rule $\frac{d}{dx}\left[\frac{f(x)}{g(x)}\right] = \frac{g(x)\frac{d}{dx}[f(x)] - f(x)\frac{d}{dx}[g(x)]}{[g(x)]^2}$

Table of Differentiation Formulas

$$\frac{d}{dx}(c) = 0 \qquad \frac{d}{dx}(x^n) = nx^{n-1} \qquad \frac{d}{dx}(e^x) = e^x$$

$$(cf)' = cf' \qquad (f+g)' = f' + g' \qquad (f-g)' = f' - g'$$

$$(fg)' = f'g + fg' \qquad (\frac{f}{g})' = \frac{f'g - fg'}{g^2} \qquad (a^x)' = a^x \ln a$$

Trig Identities

$$\lim_{\theta \to 0} \frac{\sin \theta}{\theta} = 1 \qquad \lim_{\theta \to 0} \frac{\cos \theta - 1}{\theta} = 0$$

Derivatives of Trigonometric Functions

$$\frac{d}{dx}sin(x) = cos(x)$$

$$\frac{d}{dx}csc(x) = -csc(x)cot(x)$$

$$\frac{d}{dx}cos(x) = -sin(x)$$

$$\frac{d}{dx}sec(x) = sec(x)tan(x)$$

$$\frac{d}{dx}tan(x) = sec^{2}(x)$$

$$\frac{d}{dx}cot(x) = -csc^{2}(x)$$

3.4

The Chain Rule

$$F = f \circ g = f(g(x))$$

$$F'(x) = f'(g(x)) * g'(x)$$

$$y = f(u), u = g(x)$$

$$\frac{dy}{dx} = \frac{dy}{du} \frac{du}{dx}$$

3.5

Derivatives of Inverse Trigonometric Functions

$$\frac{d}{dx}sin^{-1}(x) = \frac{1}{\sqrt{1-x^2}} \qquad \frac{d}{dx}csc^{-1}(x) = -\frac{1}{x\sqrt{x^2-1}}$$

$$\frac{d}{dx}cos^{-1}(x) = -\frac{1}{\sqrt{1-x^2}} \qquad \frac{d}{dx}sec^{-1}(x) = \frac{1}{x\sqrt{x^2-1}}$$

$$\frac{d}{dx}tan^{-1}(x) = \frac{1}{1+x^2} \qquad \frac{d}{dx}cot^{-1}(x) = -\frac{1}{1+x^2}$$

Derivatives of Logorithmic Functions

$$\frac{d}{dx}(\log_a x) = \frac{1}{x \ln a} \qquad \frac{d}{dx}(\ln x) = \frac{x'}{x} \qquad \frac{d}{dx}\ln|x| = \frac{1}{x} \qquad \frac{d}{dx}e^{f(x)} = e^{f(x)}f'(x)$$

Applying the Chain Rule to Derivatives of Logorithmic Functions

$$\frac{d}{dx}(\ln u) = \frac{1}{u}\frac{du}{dx}$$
 $\frac{d}{dx}[\ln g(x)] = \frac{g'(x)}{g(x)}$

The number e as a Limit

$$e = \lim_{x \to 0} (1+x)^{1/2}$$
 $e = \lim_{n \to \infty} \left(1 + \frac{1}{n}\right)^n$

Logarithmic Differentiation

- 1. Take natural logarithms of both sides of an equation and use Log Laws to Simplify.
- **2.** Differentiate implicitly with respect to x.
- **3.** Solve the resulting equation for y'

Log Rules

$$log_b(mn) = log_b(m) + log_b(n)$$
$$log_b(m) = log_b(m) - log_b(n)$$
$$log_b(m) = nlog_b(m)$$

Linear Approximation

$$f(x) \approx f(a) + f'(a)(x - a)$$

$$L(x) = f(a) + f'(a)(x - a)$$

Differentials

$$dy = f'(x)dx$$
$$\Delta y = f(x + \Delta x) - f(x)$$

3.11

Definition of Hyperbolic Functions

$$\sinh x = \frac{e^x - e^{-x}}{2} \qquad \operatorname{csch} x = \frac{1}{\sinh x}$$

$$\cosh x = \frac{e^x + e^{-x}}{2} \qquad \operatorname{sech} x = \frac{1}{\cosh x}$$

$$\tanh x = \frac{\sinh x}{\cosh x} \qquad \operatorname{coth} x = \frac{\cosh x}{\sinh x}$$

Hyperbolic Identities

$$sinh(-x) = -sinh x$$
 $cosh(-x) = cosh x$
 $cosh^2x - sinh^2x = 1$ $1 - tanh^2x = sech^2x$
 $sinh(x + y) = sinh x cosh y + cosh x sinh y$
 $cosh(x + y) = cosh x cosh y + sinh x sinh y$

Derivatives of Hyperbolic Functions

$$\frac{d}{dx}(\sinh x) = \cosh x \qquad \qquad \frac{d}{dx}(\operatorname{csch} x) = -\operatorname{csch} x \operatorname{coth} x$$

$$\frac{d}{dx}(\cosh x) = \sinh x \qquad \qquad \frac{d}{dx}(\operatorname{sech} x) = -\operatorname{sech} x \operatorname{tanh} x$$

$$\frac{d}{dx}(\tanh x) = \operatorname{sech}^2 x \qquad \qquad \frac{d}{dx}(\coth x) = -\operatorname{csch}^2 x$$

Inverse Hyperbolic Functions

$$y = \sinh^{-1}x \Leftrightarrow \sinh y = x$$

 $y = \cosh^{-1}x \Leftrightarrow \cosh y = x \text{ and } y \ge 0$
 $y = \tanh^{-1}x \Leftrightarrow \tanh y = x$

Inverse Hyperbolic Functions in Logarithmic Terms

$$sinh^{-1}x = ln(x + \sqrt{x^2 + 1}) \quad x \in \mathbb{R}$$

 $cosh^{-1}x = ln(x + \sqrt{x^2 - 1}) \quad x \ge 1$
 $tanh^{-1}x = \frac{1}{2}ln\left(\frac{1+x}{1-x}\right)t \quad -1 < x < 1$

Derivatives of Inverse Hyperbolic Functions

$$\frac{d}{dx}(sinh^{-1}x) = \frac{1}{\sqrt{1+x^2}} \qquad \frac{d}{dx}(csch^{-1}x) = -\frac{1}{|x|\sqrt{x^2+1}}$$

$$\frac{d}{dx}(cosh^{-1}x) = \frac{1}{\sqrt{x^2-1}} \qquad \frac{d}{dx}(sech^{-1}x) = -\frac{1}{x\sqrt{1-x^2}}$$

$$\frac{d}{dx}(tanh^{-1}x) = \frac{1}{1-x^2} \qquad \frac{d}{dx}(coth^{-1}x) = \frac{1}{1-x^2}$$