







## Boxplots showing a comparison of dietary factors and microbes found with different AP groups


|    | Boxplots showing a comparison of dietary factors found with different AP groups<br><br>(**** adjusted $p < 0.0001$ , *** adjusted $p < 0.001$ , ** adjusted $p < 0.01$ , * adjusted $p < 0.05$ , ns $p > 0.05$ , significance calculated by $-\log(qval)*\text{sign}(coeff)\text{equation.}$ ) | Boxplots showing a comparison of microbes found with different AP groups<br><br>(**** adjusted $p < 0.0001$ , *** adjusted $p < 0.001$ , ** adjusted $p < 0.01$ , * adjusted $p < 0.05$ , ns $p > 0.05$ , significance calculated by $-\log(qval)*\text{sign}(coeff)\text{equation.}$ ) |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| a. | <p>NonFriedFishServings</p> <p>Control (n=22) Case (n=25)</p> <p>FDR: 5.245e-01<br/>Coefficient: -1.82e+00<br/>Value: Case</p>                                                                                                                                                                 | <p>Haemophilus</p> <p>Control (n=22) Case (n=25)</p> <p>FDR: 4.518e-02<br/>Coefficient: 2.19e+00<br/>Value: Case</p>                                                                                                                                                                    |
| b. | <p>FishServings</p> <p>Control (n=22) Case (n=25)</p> <p>FDR: 5.245e-01<br/>Coefficient: -1.08e+00<br/>Value: Case</p>                                                                                                                                                                         | <p>Gordonibacter</p> <p>Control (n=22) Case (n=25)</p> <p>FDR: 5.584e-02<br/>Coefficient: -1.04e+00<br/>Value: Case</p>                                                                                                                                                                 |
| c. | <p>M_FISH_LO</p> <p>Control (n=22) Case (n=25)</p> <p>FDR: 5.245e-01<br/>Coefficient: -2.21e+00<br/>Value: Case</p>                                                                                                                                                                            | <p>Parabacteroides</p> <p>Control (n=22) Case (n=25)</p> <p>FDR: 1.321e-01<br/>Coefficient: 4.78e-01<br/>Value: Case</p>                                                                                                                                                                |



|    |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| h. |  <p>Box plot showing the distribution of <i>pfa204</i> for Control (n=22) and Case (n=25) groups. The y-axis ranges from 0.00 to 0.15. The Control group (yellow) has a median around 0.07, and the Case group (orange) has a median around 0.05. Statistical values: FDR: 7.986e-01, Coefficient: -3.30e-01, Value: Case.</p>       |  |  |
| i. |  <p>Box plot showing the distribution of <i>tfa181t</i> for Control (n=22) and Case (n=25) groups. The y-axis ranges from 0 to 2. The Control group (yellow) has a median around 1.1, and the Case group (orange) has a median around 0.9. Statistical values: FDR: 8.946e-01, Coefficient: -1.89e-01, Value: Case.</p>              |  |  |
| j  |  <p>Box plot showing the distribution of <i>pfa225</i> for Control (n=22) and Case (n=25) groups. The y-axis ranges from 0.000 to 0.020. The Control group (yellow) has a median around 0.010, and the Case group (orange) has a median around 0.007. Statistical values: FDR: 7.434e-01, Coefficient: -4.98e-01, Value: Case.</p> |  |  |
| k  |  <p>Box plot showing the distribution of <i>totaltfa</i> for Control (n=22) and Case (n=25) groups. The y-axis ranges from 0 to 3. The Control group (yellow) has a median around 1.3, and the Case group (orange) has a median around 1.2. Statistical values: FDR: 6.488e-01, Coefficient: 2.07e-01, Value: Case.</p>            |  |  |



Top 50 features with significant associations  $(-\log(qval) \cdot \text{sign}(coeff))$



Top 50 features with significant associations (-log(qval)\*sign(coeff))

