

Covenant Planner - Reconnect after restart

Printable checklist for Windows after a laptop restart (Docker + planner + cloud sync + pgAdmin).

Host sync API port is 18787 (not 8787).

1. Start Docker Desktop

Start Docker Desktop and wait until it shows Running.

2. Open PowerShell in the repo

```
cd C:\Users\arian\the-covenant-wedding-planner
git checkout cursor/offline-cloud-sync-017e
git pull origin cursor/offline-cloud-sync-017e
```

3. Start the stack

```
docker compose down
docker compose up -d
```

4. Confirm sync-api is up

```
docker compose ps
```

Host API port is 18787 (not 8787). Confirm the sync/api service is up.

5. Start planner on :8000 (if needed)

```
npx --yes serve -l 8000
```

Open: <http://localhost:8000/>

6. Browser console - enable cloud sync

Open DevTools > Console, paste:

```
localStorage.setItem('covenant_cloud_api', 'http://localhost:18787');
localStorage.setItem('covenant_cloud_enabled', '1');
location.reload();
```

7. Settings > Cloud sync (beta)

In the planner UI, open Settings > Cloud sync (beta) and confirm it is connected.

8. Demo login

```
demo@covenant.local
covenant-demo
```

9. pgAdmin (browser)

URL: `http://localhost:5050/browser/`

```
admin@covenant.dev
covenant
```

10. Desktop pgAdmin (database connection)

```
Host:      127.0.0.1
Port:      15432
Database:  covenant
Username:  covenant
Password:  covenant
SSL mode:  Disable
```

Troubleshooting: port 8787 forbidden

If an error mentions 8787 bind / access permissions:

- Confirm docker-compose.yml has "18787:8787":

```
findstr 18787 docker-compose.yml
```

Expect something like: "18787:8787"

- Pull the latest branch again:

```
git pull origin cursor/offline-cloud-sync-017e
```

- Do not use an old Docker Desktop Compose profile still mapping host 8787.
- Update localStorage if it still points at 8787:

```
localStorage.setItem('covenant_cloud_api', 'http://localhost:18787');
location.reload();
```

Hosted mode (optional)

Local Docker above is still the day-to-day reconnect path. For public HTTPS (Railway / Fly), see docs/HOSTED_DEPLOY.md. Point Cloud sync at your HTTPS PUBLIC_URL - not localhost. Demo login is for local stacks only.

Keep this PDF with your laptop notes. Demo credentials are intentional for local reconnect.