PHASE 3 · AGENT CODE (LOCAL)

Phase 3·Code — Add cargo by camera and Hindi voice

You can show after it: Owner or loader photographs boxes or says "दस बाई दस का बॉक्स, ऊँचाई बीस, पचास पीस, नाज़ुक है" → checks the items → they appear in the cargo list; re-plan.

RUN WITH	BRANCH	TIME · MODEL
Agent Code — Claude desktop app, local (Account 1)	`code/phase3-camera-voice`	≈ 3 h · Sonnet

Starts after	Runs at the same time as	Builds (Architecture section 8)
Merge 2 (tag v2)	3·Git — Extra loads and marketplace	F17 Add cargo by camera F18 Hindi voice input

1. Your lane and the other agent's lane

	You — 3·Code	Other agent — 3·Git
Builds	F17 Add cargo by camera F18 Hindi voice input	F19 Extra loads on the way F20 Loads marketplace
Writes only in	`src/features/smart-input`, `supabase/functions/ai-cargo`, `supabase/sql/phase3code_*.sql`.	`src/features/extra-loads`.

Never touch: `src/features/extra-loads` (Agent Git). Need something from the other lane? Use the fallback in your build plan or write a CONTRACT CHANGE REQUEST (Engineering Reference 12.4).

2. Already built when you start

- Project, database (+ real POIs), contracts, module + slot system, router.
- Sign-in pages, accounts, demo trucks for every new company.
- Design system incl. Hindi button, `td()` demo-data translation, NextStepCard, StepTabs, BigTile, MapView.
- Shell (rail / bottom tabs, top bar with Hindi button, bell, avatar menu), Home with slots `home.actions` + `home.widgets`, Settings with slot `settings.sections`.
- Trucks (/trucks, slot `truck.tabs`), Trips (/trips, trip page with StepTabs, slots `trip.steps` + `trip.actions`), Cargo list (slot `cargo.addMethods`).
- Packing engine + 3D load plan (public API pack, fitAdditional, TruckScene, TopView, SideView, usePlanForTrip); dark map style in `public/map/`.
- Loader step + /load/:token loader page (slot `loader.actions`); route-plan Edge Function deployed; live map /map.
- Route step with three costed routes and driver WhatsApp (public API costRoute, planSchedule, RouteLine, useSelectedRoute).

Read before planning: CLAUDE.md, docs/PROGRESS.md, the Plan PDF (sections 0, 1, 4 and your features in 8), Design System sections 2–6, 7.12, 13, Engineering Reference sections 1, 3, 5, 6, 8, and the code in `src/app`, `src/components/common`, `src/types/domain.ts` and the `index.ts` of features you use.

3. Start the session

1. Open the **Claude desktop app** (Account 1) → **Code** → **Local** → folder `spareway`.
2. New session, **Plan mode**, model as shown, paste the prompt.


```
You are Agent Code (local, with the Supabase MCP) for Spareway. Start Phase 3·Code. Read
docs/Spareway_01_Plan_Architecture_and_Spec.pdf, docs/Spareway_02_Design_System.pdf and
docs/Spareway_03_Engineering_Reference.pdf (all pages, in parts) and
docs/phases/Phase3_Code_Camera_and_Hindi_Voice.pdf. Also read CLAUDE.md and
docs/PROGRESS.md if they exist. Work on branch code/phase3-camera-voice (create it from
main). Ask me your questions first, then show your plan. Do not write code before I
approve the plan.
```

4. Questions Claude must ask first

1. Please give the **Gemini API key** and the current fast “Flash” model name.
2. What do “ऊपर से” and “नीचे से” mean in “10 by 10 ka box upar se / niche se”? Two real sentences please.
3. Photo size reference: A4 sheet (default), ₹ note, bottle?

5. Build plan (in this order)

1. **ai-cargo** (F17): secrets, owner JWT or loader token, store photos, Gemini JSON, ai_scans, deploy, test both ways.
2. **Validator + voice parser + tests** (F17, F18) with Vansh's sentences.
3. **Camera flow and voice flow** as Design System 7.12; plug into `cargo.addMethods` and `loader.actions`.
4. Test on the phone (https LAN): camera and mic, owner and loader. Hindi; push.



Haulix reference 5 — Cargo grid + Packages list close-up — Check items sheet rows and chips.

6. Check before saying done

- ☐ `npm run check` and `npm run build` pass with zero errors.
- ☐ Photo with an A4 sheet → suggestions → edit → add → rows with AI badge; loader link adds items → owner sees “Loader added cargo” (Hindi too).
- ☐ Voice sentences give correct rows; missing height triggers the question; Firefox shows typing.
- ☐ Keys never in the browser; every AI call in ai_scans.
- ☐ Every new screen tested with the Hindi button (labels + demo data).
- ☐ Design System section 13 check done.

7. Hand-off

1. Update the Phase 3·Code section of `docs/PROGRESS.md` (Engineering Reference 12.2): built, how to show it, open points.
2. Add assumptions to `docs/DECISIONS.md`.
3. Push `code/phase3-camera-voice` (do not merge to main).
4. Tell the user “Phase 3·Code ready to merge” + the 3 most important things to check.

8. Merge session (fresh Agent Code session, after both parts say “ready to merge”)

```
You are Agent Code. Merge Phase 3: merge origin/code/phase3-camera-voice and then
origin/git/phase3-extra-loads into main (Engineering Reference 11). Apply any
supabase/sql/phase3git_*.sql with the MCP, regenerate src/types/database.ts, run npm run
check and npm run build after each merge, then run the "Code must verify" list for Phase
3·Git in the real app (laptop + phone, English + Hindi) and fix small integration issues
(note them in DECISIONS.md). Report, then push main and tag v3.
```

- Merge `code/phase3-camera-voice`, then `git/phase3-extra-loads`; add LD-1045 to the demo trip; public load from a second account; camera/voice on the phone; tag `v3` (mentor checkpoint 2).
- After the tag, start Phase 4 on both agents from the new main.