PHASE 3 · AGENT GIT (CLOUD)

Phase 3·Git — Extra loads on the way and marketplace

You can show after it: Extra loads step lists profitable loads on the way and rejects four with plain reasons; “Add to trip” adds stops and cargo and re-plans; owners can post public loads.

RUN WITH	BRANCH	TIME · MODEL
Agent Git — claude.ai/code, cloud (Account 2)	`git/phase3-extra-loads`	≈ 3 h · Opus for the logic, Sonnet for the UI

Starts after	Runs at the same time as	Builds (Architecture section 8)
Merge 2 (tag v2)	3·Code — Camera and Hindi voice	F19 Extra loads on the way F20 Loads marketplace

1. Your lane and the other agent's lane

	You — 3·Git	Other agent — 3·Code
Builds	F19 Extra loads on the way F20 Loads marketplace	F17 Add cargo by camera F18 Hindi voice input
Writes only in	`src/features/extra-loads`.	`src/features/smart-input`, `supabase/functions/ai-cargo`, `supabase/sql/phase3code_*.sql`.

Never touch: `src/features/smart-input`, `supabase/functions/ai-cargo` (Agent Code). Need something from the other lane? Use the fallback in your build plan or write a CONTRACT CHANGE REQUEST (Engineering Reference 12.4).

2. Already built when you start

- Project, database (+ real POIs), contracts, module + slot system, router.
- Sign-in pages, accounts, demo trucks for every new company.
- Design system incl. Hindi button, `td()` demo-data translation, NextStepCard, StepTabs, BigTile, MapView.
- Shell (rail / bottom tabs, top bar with Hindi button, bell, avatar menu), Home with slots `home.actions` + `home.widgets`, Settings with slot `settings.sections`.
- Trucks (/trucks, slot `truck.tabs`), Trips (/trips, trip page with StepTabs, slots `trip.steps` + `trip.actions`), Cargo list (slot `cargo.addMethods`).
- Packing engine + 3D load plan (public API pack, fitAdditional, TruckScene, TopView, SideView, usePlanForTrip); dark map style in `public/map/`.
- Loader step + /load/:token loader page (slot `loader.actions`); route-plan Edge Function deployed; live map /map.
- Route step with three costed routes and driver WhatsApp (public API costRoute, planSchedule, RouteLine, useSelectedRoute).

Read before planning: CLAUDE.md, docs/PROGRESS.md, the Plan PDF (sections 0, 1, 4 and your features in 8), Design System sections 2–6, 7.13, 7.14, 13, Engineering Reference sections 1, 2, 3, 5, 7, 8,

and the code in `src/app`, `src/components/common`, `src/types/domain.ts` and the `index.ts` of features you use.

3. Start the session

1. Open **claude.ai/code** in the browser (Account 2 — keeps its limit separate from Agent Code).
2. Repository `spareway`, branch `main`, environment `spareway-cloud`, **Plan mode**, model as shown, paste the prompt.


```
You are Agent Git (cloud session) for Spareway. Start Phase 3·Git. Read
docs/Spareway_01_Plan_Architecture_and_Spec.pdf, docs/Spareway_02_Design_System.pdf and
docs/Spareway_03_Engineering_Reference.pdf (all pages, in parts) and
docs/phases/Phase3_Git_Extra_Loads_and_Marketplace.pdf. Also read CLAUDE.md and
docs/PROGRESS.md. Create branch git/phase3-extra-loads from main and push only there. You
have no Supabase, secrets or real phone: never try to connect; use the committed types,
fixtures and mocks. Ask me your questions first, then show your plan. Do not write code
before I approve the plan.
```

4. Questions Claude must ask first


1. Look up to 20 km off route and minimum profit ₹500 — keep?
2. Show unsuitable loads in a collapsed list (default) or hide them?
3. After “Add to trip”: re-pack everything if loading hasn't started, else keep loaded boxes fixed (default)?

5. Build plan (in this order)

1. **Logic + tests first** (F19) with the fixture NH48 line and the demo listings.
2. **Extra loads step** as Design System 7.13 with fixture mode; “See in truck” uses TruckScene + fitAdditional.
3. **Add to trip**: accept_extra_load → plan → activate → “Space used 34% → 52%” (mocked tests).
4. **Loads marketplace** (F20) as Design System 7.14; Home button + widget.
5. “Code must verify” list; Hindi; push.



Haulix reference 1 — Operations Dashboard — tinted cards for loads and reasons.



Haulix reference 7 — Board view (columns by status) with person cards — card list style for Loads.

6. Check before saying done

- ☐ `npm run check` and `npm run build` pass with zero errors.
- ☐ Decoys rejected with the right reasons; ≥ 3 recommended; deterministic.
- ☐ Add-to-trip flow passes mocked tests.
- ☐ Design checklist; “Code must verify” list written.
- ☐ Every new screen tested with the Hindi button (labels + demo data).
- ☐ Design System section 13 check done.

7. Hand-off

1. Update the Phase 3·Git section of `docs/PROGRESS.md` (Engineering Reference 12.2): built, how to show it, open points.
2. Write the **“Code must verify”** list: what you couldn't test without the database, keys or a phone — exact clicks and expected results.
3. Add assumptions to `docs/DECISIONS.md`.
4. Push `git/phase3-extra-loads` (do not merge to main).
5. Tell the user “Phase 3·Git ready to merge” + the 3 most important things to check.