### Comparing cross-language phonological profiles

George Moroz

Linguistic Convergence Laboratory (HSE University)

November 9, 2021



presentation is available here: tinyurl.com/yj2tacek

1

• During the talk in our Lab with Misha and Ezequiel

**Jeff Good:** How you came up with the idea of calculating phonological distances? Is it some established procedure?

Me: No, we thought that it is the most obvious step...


2

• During the talk in our Lab with Misha and Ezequiel

**Jeff Good:** How you came up with the idea of calculating phonological distances? Is it some established procedure?

Me: No, we thought that it is the most obvious step...

The second reason:



The main reason for this talk is that I performed calculation of phonological distances (or caused people to do so) for Circassian languages [Mopos 2021] and Andic branch of East Caucasian languages [Moroz 2020; Давиденко 2021; Tsyzova and Zhang 2021] in order to get a simple less-connected to language phylogeny distance between different idioms.

The main reason for this talk is that I performed calculation of phonological distances (or caused people to do so) for Circassian languages [Mopos 2021] and Andic branch of East Caucasian languages [Moroz 2020; Давиденко 2021; Tsyzova and Zhang 2021] in order to get a simple less-connected to language phylogeny distance between different idioms.

But does this measure make any sense? How can we compare phonological profiles of languages?

The main reason for this talk is that I performed calculation of phonological distances (or caused people to do so) for Circassian languages [Mopos 2021] and Andic branch of East Caucasian languages [Moroz 2020; Давиденко 2021; Tsyzova and Zhang 2021] in order to get a simple less-connected to language phylogeny distance between different idioms.

But does this measure make any sense? How can we compare phonological profiles of languages?

Unlike lexicostatistical distance the phonological distance can be an evidence for language contact, since languages can adopt some feature or property of another (see [Andersson et al. 2017]). This can be possible explained by Perceptual Magnet framework [Blevins 2017]. In most cases phonological change in unrelated languages is more salient to linguists, however it is worth mentioning that there is a work about how to catch contact-induced change in related languages [Bowern 2013].

### Materials for the analysis

Materials for the phonological distance calculation can be different:

- segment¹ inventory (and grammar, if you are lucky);
- dictionaries;
- parallel corpora;
- unparalleled corpora.

<sup>&</sup>lt;sup>1</sup>Lets leave the phonology vs. phonetics debate aside.

### Overview

Criticism by [Simpson 1999]

Complexity based approaches

Distance based approaches



## Criticism by [Simpson 1999]

### [Simpson 1999] attacks UPSID¹-like researches:

- phoneme masks allophones
  - Standard High German  $/\varsigma/$  stands for  $[\varsigma]$ , [x] and  $[\chi]$ ;
  - "The allophone no longer represents the phoneme, it *replaces* it";
- phonological relations between segments is lost
  - comparing just vowel inventories it is impossible to get information about e. g. vowel harmony;
- there is no non-arbitrary way of assign phonological features (e. g. SPE [Chomsky and Halle 1968]) to segments.

<sup>&</sup>lt;sup>1</sup>UPSID stands for UCLA Phonological Segment Inventory Database [Maddieson and Abramson 1987] which consists of the phonemic systems of a representative sample of 451 (this number changes from publication to publication) of the world's languages in machine-readable form. Now UPSID can be accessed via PHOIBLE database [Moran and McCloy 2019].



## Criticism by [Simpson 1999]

### [Simpson 1999] attacks UPSID¹-like researches:

- phoneme masks allophones
  - Standard High German  $/\varsigma/$  stands for  $[\varsigma]$ , [x] and  $[\chi]$ ;
  - "The allophone no longer represents the phoneme, it replaces it";
- phonological relations between segments is lost
  - comparing just vowel inventories it is impossible to get information about e. g. vowel harmony;
- there is no non-arbitrary way of assign phonological features (e. g. SPE [Chomsky and Halle 1968]) to segments.

My metaphor: omelet and pancakes share all ingredients, but they are significantly different meals.

<sup>1</sup>UPSID stands for UCLA Phonological Segment Inventory Database [Maddieson and Abramson 1987] which consists of the phonemic systems of a representative sample of 451 (this number changes from publication to publication) of the world's languages in machine-readable form. Now UPSID can be accessed via PHOIBLE database [Moran and McCloy 2019].




### Overview

Criticism by [Simpson 1999]

Complexity based approaches

Distance based approaches

# [Pellegrino et al. 2009] and [Sampson et al. 2009]



# [Pellegrino et al. 2009] and [Sampson et al. 2009]

- [Pellegrino et al. 2009]
  - [Ohala 2009]
  - [Maddieson 2009]
  - [Coupé et al. 2009]
- [Sampson et al. 2009]
  - [Nichols 2009]
  - [Deutscher 2009]

# [Nichols 2009]

The main goal of this paper is to calculate overall complexity for a typological sample of languages based on phonology, synthesis, classification (gender, numeral classifiers), syntax, and lexicon. The main goal is too prove:

- that all languages are not equal in complexity;
- that different parts of grammar do not compensate for complexity in other parts of grammar.

# [Nichols 2009]

The main goal of this paper is to calculate overall complexity for a typological sample of languages based on phonology, synthesis, classification (gender, numeral classifiers), syntax, and lexicon. The main goal is too prove:


- that all languages are not equal in complexity;
- that different parts of grammar do not compensate for complexity in other parts of grammar.

#### Phonological features in the

- number of contrastive manners of articulation in stops;
- number of vowel quality distinctions;
- tone system (none/simple/complex, after [Maddieson 2013b]);
- syllable structure (after [Maddieson 2013a]).



# [Nichols 2009: 116]: results



Phonological complexity (N = 137)



# [Ohala 2009]

'Secondary distinctive features' are important for phonologization:

- nasals in French: saint [s\vec{\varepsilon}] < Latin sanctus 'holy';</li>
- average Fo contour of vowels following English stops is falling after voiceless and rising after voiced.

They are not captured by the segmental inventories.

Allophones, like English /t/: [th] vs [t] vs [t] (cf [Simpson 1999]).



# [Maddieson 2009]



# [Coupé et al. 2009]

• In this work authors use phonological features as a distances between segments and then use graphs with segments in the nodes and distances in the edges:

STEP 1	STEP 2	STEP 3
We compute the <u>direct</u> phonetic	Identification of pairs of	Suppression of costly
distance for each phonemes	phonemes for which an	direct paths.
pair.	indirect path requires	
	smaller "jumps" than the	
	direct one.	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c c} i & 2 & u \\ 2 & 4 & 4 & 2 \\ e: & 2 & 0: \\ 3 & 4 & 3 \end{array} $	$ \begin{array}{c c} i & 2 & u \\ 2 & 2 & o \\ 2 & a & a \end{array} $

# [Coupé et al. 2009]

- In this work authors use phonological features as a distances between segments and then use graphs with segments in the nodes and distances in the edges.
- Afterwords authors use off-diagonal complexity proposed by [Claussen 2007]¹ that make it possible to disassociate from linguistics and phonology and rely purely on graph structure.

- does not explicitly take into account graph size;
- is sensitive to the presence of hierarchical sub-structures in the network;
- is minimal for regular graphs and maximal for free-scale graphs. Unfortunately, off-diagonal complexity can not be calculated for valued graphs, so authors were ought to drop phonological distance values from their graphs.

<sup>&</sup>lt;sup>1</sup>Authors motivated their choice, because this measure

### [Deutscher 2009]

- 'All Languages are Equally Complex' is a legend (actually, a lot of papers from [Sampson et al. 2009] state the same).
- Complexity is a polysemous notion: some scholars focus on multipartite nature of language, others on complicated relations within the system.
- Overall complexity is better to present as a vector of values rather then one value.



#### Conclusions

Despite of the critics that language phonological system is a complex system that can not be reduced to the set of its elements [Simpson 1999; Ohala 2009; Coupé et al. 2009; Deutscher 2009] I think that any phonological complexity measure can be used in order to compare different languages. The sophistication and granularity of this measure will influence the possible effect size gathered by this measure.



### Overview

Criticism by [Simpson 1999]

Complexity based approaches

Distance based approaches



### Distance based approaches

- [Hoppenbrouwers and Hoppenbrouwers 2001] (after [Heeringa 2004])
- [Heeringa 2004]
- [Eden 2018]
- [Anderson et al. 2021]



### [Anderson et al. 2021]

In this paper authors apply **Jaccard similarity** between two phoneme inventories, that is ratio of similar segments in two languages out of all possible segments in two languages.



### [Anderson et al. 2021]

In this paper authors apply **Jaccard similarity** between two phoneme inventories, that is ratio of similar segments in two languages out of all possible segments in two languages.

The reason, why authors do that is because their goal is to compare different inventories of the same languages across four databases of phonological inventories (UPSID [Maddieson and Abramson 1987], LAPSyD [Maddieson et al. 2013], Core PHOIBLE [Moran and McCloy 2019], JIPA [Baird et al. 2021]). The results are unfavorable: researchers found a high degree of variation across datasets.



[Heeringa 2004]



[Eden 2018]



# Conclusions



Thank you for your attention!



- Anderson, C., Tresoldi, T., Greenhill, S. J., Forkel, R., Gray, R. D., and List, J.-M. (2021). Measuring variation in phoneme inventories (preprint v1). *Research Square*.
- Andersson, S., Sayeed, O., and Vaux, B. (2017). The phonology of language contact. *Oxford Handbooks Online*.
- Baird, L., Evans, N., and Greenhill, S. J. (2021). Blowing in the wind: Using 'north wind and the sun'texts to sample phoneme inventories. *Journal of the International Phonetic Association*, pages 1–42.
- Blevins, J. (2017). Areal sound patterns: From perceptual magnets to stone soup. *The Cambridge handbook of areal linguistics*, 5587.
- Bowern, C. (2013). Relatedness as a factor in language contact. *Journal of Language Contact*, 6(2):411–432.



- Chomsky, N. and Halle, M. (1968). *The sound pattern of English*. Harper and Row.
- Claussen, J. C. (2007). Off-diagonal complexity: A computationally quick complexity measure for graphs and networks. *Physica A: Statistical Mechanics and its Applications*, 375(1):365–373.
- Coupé, C., Marsico, E., and Pellegrino, F. (2009). Structural complexity of phonological systems. In *Approaches to phonological complexity*, pages 141–170. De Gruyter Mouton.
- Deutscher, G. (2009). "overall complexity": a wild goose chase? In *Language complexity as an evolving variable*, pages 243–252. Oxford University Press.
- Eden, S. E. (2018). *Measuring phonological distance between languages*. PhD thesis, University College London.



- Heeringa, W. J. (2004). *Measuring dialect pronunciation differences using Levenshtein distance*. PhD thesis, University Library Groningen.
- Hoppenbrouwers, C. A. J. and Hoppenbrouwers, G. A. (2001). *De indeling van de Nederlandse streektalen: dialecten van 156 steden en dorpen geklasseerd volgens de FFM*. Uitgeverij Van Gorcum.
- Maddieson, I. (2009). Calculating phonological complexity. In *Approaches to phonological complexity*, pages 83–110. De Gruyter Mouton.
- Maddieson, I. (2013a). Syllable structure. In Dryer, M. S. and Haspelmath, M., editors, *The World Atlas of Language Structures Online*. Max Planck Institute for Evolutionary Anthropology, Leipzig.



- Maddieson, I. (2013b). Tone. In Dryer, M. S. and Haspelmath, M., editors, *The World Atlas of Language Structures Online*. Max Planck Institute for Evolutionary Anthropology, Leipzig.
- Maddieson, I. and Abramson, A. S. (1987). Patterns of Sounds. *The Journal of the Acoustical Society of America*, 82(S1):720–721.
- Maddieson, I., Flavier, S., Marsico, E., Coupé, C., and Pellegrino, F. (2013). Lapsyd: Lyon-Albuquerque phonological systems database. In *Proceedings of the Annual Conference of the International Speech Communication Association, INTERSPEECH.*
- Moran, S. and McCloy, D., editors (2019). *PHOIBLE* 2.0. Max Planck Institute for the Science of Human History, Jena.
- Moroz, G. (2020). Comparing phonological systems and syllable structure of Botlikh and Zilo Andi: a data—driven analysis.



- Nichols, J. (2009). Linguistic complexity: a comprehensive definition and survey. In *Language complexity as an evolving variable*, pages 110–125. Oxford University Press.
- Ohala, J. J. (2009). Languages' sound inventories: the devil in the details. In *Approaches to phonological complexity*, pages 47–58. De Gruyter Mouton.
- Pellegrino, F., Marsico, E., Chitoran, I., and Coupé, C. (2009). Approaches to phonological complexity, volume 16. Walter de Gruyter.
- Sampson, G., Gil, D., and Trudgill, P. (2009). *Language complexity* as an evolving variable. Oxford University Press.

- Simpson, A. P. (1999). Fundamental problems in comparative phonetics and phonology: does UPSID help to solve them. In *Proceedings of the 14th international congress of phonetic sciences*, volume 1, pages 349–352.
- Tsyzova, A. and Zhang, W. (2021). Harmony effects in andic languages. Term paper.
- Давиденко, 🗓 🗓 (2021). Сравнение фонологических систем, полученных на основе словарей и корпусов: данные андийских языков. Выпускная курсовая работа.
- Мороз,  $\mathbb{Z}$ .  $\mathbb{Z}$ . (2021). Некоторые вопросы сегментной и супрасегментной фонологии и фонетики адыгских языков. PhD thesis, Higher School of Economics, Moscow.