



SAFETY | SECURITY | RELIABILITY

DIGITAL VOLTAGE STABILIZER

www.livpower.in


MISSION 1000 CRORE



BIGGER
BETTER
STRONGER



SPIKE
PROTECTION



DIGITAL
PROCESSOR



OVERHEAT
PROTECTION



OVERLOAD
PROTECTION



INTELLIGENT TIME
DELAY SYSTEM



SURGE
PROTECTION

That schematic diagram has been created with full compliance with

USA ANSI Y32.2

Electric and Electronic Wiring Diagrams Standard and approved to use in:

UNITED STATES OF AMERICA

APPROVED

OUR VISION

“Be India’s Leading Brand”



NURTURING A BETTER TOMORROW

As a future-focused organization, we are dedicated to create an environment that fosters a better tomorrow for our consumers. By aligning with evolving consumer trends, we continuously build on our core strengths to innovate and enhance the future, making it more exciting for all who trust in the **LIVPOWER**.

01

BRAND EQUITY

Our brand equity provides us the ability to innovate for the future, we continue to enhance the brand strength with strategic investments.

02

DIVERSIFIED PRODUCT PORTFOLIO

Our diverse range of innovative products allows us to meet the unique aspirations and desires of our varied customer base across India.

03

QUALITY & SAFETY FOCUS

The quality and safety of our products are fundamental to our consistent growth and value delivery. We adhere strictly to the highest quality standards and safety indices throughout the product lifecycle.

04

MANUFACTURING EXCELLENCE

Our manufacturing facilities comply with the highest quality and safety standards through best-in-class systems, processes, equipment, and technologies.

05

R&D AND INNOVATION CAPABILITY

Sustained investments in R&D empower us to develop new designs that align with the evolving needs and demands of our consumers.



DIGITAL VOLTAGE STABILIZER

*Specially Designed For
Inverter Ac &
Home Appliances*



Low & High Cut



Smart Time Delay



Silver Caked Relay



Intelli Auto Start



Intelli Thermal Management



SAFETY | SECURITY | RELIABILITY



SPECIALLY DESIGNED FOR
INVERTER AIR CONDITIONER

INTRODUCING THE STABILIZER RANGE OF LIVPOWER FOR AIR CONDITIONER!

Series	Model Name	KVA Rating	Voltage Range	Application	Aluminium	MRP	Copper	MRP	Warranty	Std Pack
Standard AC	4170	4 KVA Upto 1.5 Ton	170V- 270V	1.5 Ton A/C	1595	4500	2145	5000	3 Years	3
Standard AC	4160	4 KVA Upto 1.5 Ton	160V-270V	1.5 Ton A/C	2090	4800	2915	6000	3 Years	3
Standard AC	4150	4 KVA Upto 1.5 Ton	150V-300V	1.5 Ton A/C	2530	5200	3410	7000	3 Years	3
Standard AC	4140	4 KVA Upto 1.5 Ton	140V-280V	1.5 Ton A/C	2970	6500	4070	8500	3 Years	3
Standard AC	4130	4 KVA Upto 1.5 Ton	130V-300V	1.5 Ton A/C	3355	6900	4730	9900	3 Years	3
Standard AC	4120	4 KVA Upto 1.5 Ton	130V-300V	1.5 Ton A/C	3740	8000	5005	10900	3 Years	2
Standard AC	4100	4 KVA Upto 1.5 Ton	100V-290V	1.5 Ton A/C	4950	9000	6600	12000	3 Years	2
Star AC	4090 STAR	4 KVA Upto 1.5 Ton	90V-300V	1.5 Ton A/C	6050	12900	7700	14000	3 Years	2
Standard AC	4090	4 KVA Upto 1.5 Ton	90V-290V	1.5 Ton A/C	7040	14000	8580	16000	3 Years	2
Special AC	4070	4 KVA Upto 1.5 Ton	70V-280V	1.5 Ton A/C	7975	16000	9460	19000	3 Years	2
PRIME AC	4050	4 KVA Upto 1.5 Ton	50V-270V	1.5 Ton A/C	9350	19000	11275	23000	2 Years	2
Double Phase	4100	4 KVA Upto 1.5 Ton	100V- 500V	1.5 Ton A/C	8360	15500	10120	18000	2 Years	2

Today, Livpower stands at an inflection point in its journey towards becoming a formidable player in the industry and is marching ahead in the future, driving the larger purpose of the brand of bringing home a better tomorrow for its discerning customers.



SAFETY | SECURITY | RELIABILITY

INTRODUCING THE STABILIZER RANGE OF LIVPOWER FOR AIR CONDITIONER!



Series	Model Name	KVA Rating	Voltage Range	Application	Aluminium	MRP	Copper	MRP	Warranty	Std Pack
Standard AC	5170	5 KVA Upto 2.0 Ton	170V- 270V	2.0 Ton A/C	2035	5500	2640	6000	3 Years	3
Standard AC	5160	5 KVA Upto 2.0 Ton	160V-270V	2.0 Ton A/C	2420	6000	3190	7000	3 Years	3
Standard AC	5150	5 KVA Upto 2.0 Ton	150V-300V	2.0 Ton A/C	2695	6500	3960	8100	3 Years	3
Standard AC	5140	5 KVA Upto 2.0 Ton	140V-280V	2.0 Ton A/C	3355	7500	4840	9500	3 Years	3
Standard AC	5130	5 KVA Upto 2.0 Ton	130V-300V	2.0 Ton A/C	3850	8800	5280	11000	3 Years	3
Standard AC	5120	5 KVA Upto 2.0 Ton	120V-300V	2.0 Ton A/C	4169	9500	6600	13000	3 Years	2
Standard AC	5100	5 KVA Upto 2.0 Ton	110V-290V	2.0 Ton A/C	6050	12500	7590	15000	3 Years	2
Star AC	5090 STAR	5 KVA Upto 2.0 Ton	90V-290V	2.0 Ton A/C	6490	14000	8800	18000	3 Years	2
Standard AC	5090	5 KVA Upto 2.0 Ton	90V-290V	2.0 Ton A/C	7975	16000	9460	19500	3 Years	2
Special AC	5070	5 KVA Upto 2.0 Ton	70V-280V	2.0 Ton A/C	8800	18000	10120	21000	3 Years	2
PRIME AC	5050	5 KVA Upto 2.0 Ton	50V-270V	2.0 Ton A/C	10450	21000	13090	25000	2 Years	2
PRIME AC	6120	6 KVA Upto 2.5 Ton	120V-300V	2.5 Ton A/C	5940	13000	7700	15000	2 Years	2
PRIME AC	7120	7 KVA Upto 3.0 Ton	120V-300V	3.0 Ton A/C	6600	15000	8800	18000	2 Years	2

Livpower remains focused on powering ahead, creating and delivering innovative, high quality products, designed to delight it's customers.



SAFETY | SECURITY | RELIABILITY



STABILIZER RANGE OF LIVPOWER FOR DEEP FREEZER & REFRIGERATORS!

SERIES	MODEL NAME	KVA RATING	VOLTAGE RANGE	APPLICATION	ALUMINIUM	MRP	COPPER	MRP	WARRANTY	STD PACK
Ref Series	0.5090ML	0.5 KVA	90V-270V	2 Amp ,1 Ref. Up to 300 L	2090	4300	2640	5400	2 Years	3
Ref Series	0.5070ML	0.5 KVA	70V-280V	2 Amp ,1 Ref. Up to 300 L	2695	5500	3355	6900	2 Years	3
Ref Series	0.5050ML	0.5 KVA	50V-270V	2 Amp ,1 Ref. Up to 300 L	3795	7800	4455	9100	1 Years	3
Deep Freezer & Refrigerator	1090ML	1 KVA	90V-290V	4 Amp , 1 Ref. up to 600 L/1 Deep Freezer/ Water Cooler/Air cooler/1000VA Digital UPS up to 4 amp	3300	6800	4290	8000	2 Years	3
Deep Freezer & Refrigerator	1070ML	1 KVA	70V-290V	4 Amp , 1 Ref. up to 600 L/1 Deep Freezer/ Water Cooler/Air cooler/1000VA Digital UPS up to 4 amp	3960	8200	4950	9500	2 Years	3
Deep Freezer & Refrigerator	1050ML	1 KVA	50V-270V	4 Amp , 1 Ref. up to 600 L/1 Deep Freezer/ Water Cooler/Air cooler/1000VA Digital UPS up to 4 amp	5940	12000	7150	14500	1 Years	2

Livpower remains focused on powering ahead, creating and delivering innovative, high quality products, designed to delight it's customers.



SAFETY | SECURITY | RELIABILITY

STABILIZER RANGE FOR MAINLINE APPLIANCES



SERIES	MODEL	KVA RATING	VOLTAGE RANGE	APPLICATION	ALUMINIUM	MRP	COPPER	MRP	WARRANTY	STD PACK
Standard WMT	2150 WMT	2.0 KVA	150V-290V	1Washing Machine (Top Load & Front Load)/ 1 Treadmill/1 Microwave Oven	3080	6300	4620	9500	2 Years	3
Mainline	2090 ML	2.0 KVA	90V-270V	6 Amp, 1Refrigerator/ 1 Deep Freezer/ Water Cooler/ Air cooler / 0.5 Ton AC / Digital UPS/ E-Rickshaw Battery Charging	3960	8500	5830	12000	2 Years	2
Mainline	2070 ML	2.0 KVA	70V-290V	6 Amp, 1Refrigerator/ 1 Deep Freezer/ Water Cooler/ Air cooler / 0.5 Ton AC / Digital UPS/ E-Rickshaw Battery Charging	5280	11000	6160	12600	2 Years	2
Mainline	2050 ML	2.0 KVA	50V-270V	6 Amp, 1Refrigerator/ 1 Deep Freezer/ Water Cooler/ Air cooler / 0.5 Ton AC / Digital UPS/ E-Rickshaw Battery Charging	8030	16000	9680	19800	1 Years	2
Mainline	3090 ML	3.0 KVA	90V-270V	2 Bedroom Flat, 5 Tube Light, 6 Bulbs, 5 fans, 1 T.V. & 1 Washing Machine - General Purpose Mainline	6380	14500	9570	18000	2 Years	1

Livpower has, over the years, built on its strength to emerge as a leading manufacturer and marketer of innovative products designed to enrich customer experience.



SAFETY | SECURITY | RELIABILITY

STABILIZER RANGE FOR MAINLINE APPLIANCES



SERIES	MODEL	KVA RATING	VOLTAGE RANGE	APPLICATION	ALUMINIUM	MRP	COPPER	MRP	WARRANTY	STD PACK
Mainline	3070 ML	3.0 KVA	70V-290V	2 Bedroom Flat, 5 Tube Light, 6 Bulbs, 5 fans, 1 T.V. & 1 Washing Machine - General Purpose Mainline	8800	17500	10450	21000	2 Years	1
Mainline	3050 ML	3.0 KVA	50V-270V	2 Bedroom Flat, 5 Tube Light, 6 Bulbs, 5 fans, 1 T.V. & 1 Washing Machine - General Purpose Mainline	9350	19000	11550	24000	1 Years	1
Mainline	50090ML	5.0 KVA	90V-270V	3 Bedroom Flat, 6 Tube Light, 6 Bulbs, 5 fans, 1 T.V., 1 Washing Machine & 1 Cooler/Upto 2 HP Single Phase Submersible Pump	8525	16000	11770	22000	2 Years	1
Mainline	50070ML	5.0 KVA	70V-270V	3 Bedroom Flat, 6 Tube Light, 6 Bulbs, 5 fans, 1 T.V., 1 Washing Machine & 1 Cooler/Upto 2 HP Single Phase Submersible Pump	10450	18000	13200	23000	2 Years	1
Mainline	50050ML	5.0 KVA	50V-270V	3 Bedroom Flat, 6 Tube Light, 6 Bulbs, 5 fans, 1 T.V., 1 Washing Machine & 1 Cooler/Upto 2 HP Single Phase Submersible Pump	13200	27000	17600	32500	1 Years	1



SAFETY | SECURITY | RELIABILITY

STABILIZER RANGE FOR MAINLINE APPLIANCES



SERIES	MODEL	KVA RATING	VOLTAGE RANGE	APPLICATION	ALUMINIUM	MRP	COPPER	MRP	WARRANTY	STD PACK
Double Phase ML	50100DP ML	5.0 KVA	90V-500V	3 Bedroom Flat, 6 Tube Light, 6 Bulbs, 5 fans, 1 T.V., 1 Washing Machine & 1 Cooler/Upto 2 HP Single Phase Submersible Pump	12100	24500	14300	28500	1 Years	1
Mainline	80070 ML	8.0 KVA	70V-270V	4 Bedroom Flat, 10 Tube Light, 10 Bulbs, 5 fans, 1 T.V., 1 Washing Machine, 1 Cooler, & 1 Geyser/Upto 3 HP Single Phase Submersible Pump	15400	28000	19800	55000	1 Years	1
Mainline	80050 ML	8.0 KVA	50V-270V	4 Bedroom Flat, 10 Tube Light, 10 Bulbs, 5 fans, 1 T.V., 1 Washing Machine, 1 Cooler, & 1 Geyser/Upto 3 HP Single Phase Submersible Pump	22000	40000	26400	60000	1 Years	1



DIGITAL
PROCESSOR
INSIDE



HIGH/LOW
VOLTAGE
CUTOFF



OVER
HEAT
PROTECTION



ELECTRONIC
OVERLOAD
TRIP



REVERSE
COUNTDOWN
TIMER



DIGITAL
DISPLAY

CERTIFIED BY



At Livpower , we Grace under pressure Grit amidst challenges Result is India's fastest growing company



SAFETY | SECURITY | RELIABILITY

STABILIZER RANGE FOR MAINLINE APPLIANCES




SERIES	MODEL	KVA RATING	VOLTAGE RANGE	APPLICATION	ALUMINIUM	MRP	COPPER	MRP	WARRANTY	STD PACK
Mainline	100070 ML	10 KVA	70V-290V	4 Bedroom Flat, 10 Tube Light, 10 Bulbs, 5 fans, 1 T.V., 1 Washing Machine, 3 Cooler, & 1 Geyser/Upto 5 HP Single Phase Submersible Pump	18700	38000	28600	52000	1 Years	1
Mainline	100050 ML	10 KVA	50V-270V	4 Bedroom Flat, 10 Tube Light, 10 Bulbs, 5 fans, 1 T.V., 1 Washing Machine, 3 Cooler, & 1 Geyser/Upto 5 HP Single Phase Submersible Pump	28050	58000	37400	71000	1 Years	1

SUSTAINABLE **TOMORROW**

Today, **Livpower** stands at an inflection point in its journey towards becoming a formidable player in the industry and is marching ahead in the future, driving the larger purpose of the brand of bringing home a better tomorrow for its discerning customers.

Account Name :- LIVPOWER INDUSTRIES INDIA PRIVATE LIMITED
Bank Name.: ICICI Bank

Ifsc Code :- ICIC0000160
Account No. :- 016005009983
Branch :- Model Town Delhi



PERFECT CARE FOR WASHING MACHINE & TREADMILL

2KVA Voltage Stabilizer For Washing Machine (Top Load & Front Load)

Livpower voltage stabilizer specifically designed to protect appliances such as washing machines, microwave ovens, and treadmills, from voltage fluctuations and spikes. Designed using the latest IC-based circuits, the features like thermal overload protection, safe start and under/over voltage protection, to ensure that your appliance operates smoothly and is protected against all kinds of power fluctuations.



OUTPUT SOCKET



HIGH TENSILE METAL BODY



DIGITAL METER



That schematic diagram has been created with full compliance with

USA ANSY Y32.2

Electric and Electronic Wiring Diagrams Standard and approved to use in:

UNITED STATES OF AMERICA

APPROVED



DIGITAL
PROCESSOR
INSIDE



HIGH/LOW
VOLTAGE
CUTOFF



OVER
HEAT
PROTECTION



ELECTRONIC
OVERLOAD
TRIP



REVERSE
COUNTDOWN
TIMER



DIGITAL
DISPLAY



Livpower remains focused on powering ahead, creating and delivering innovative, high quality products, designed to delight its customers.

SINGLE PHASE STABILIZER FOR

SOLAR



- ★ INPUT VOLTAGE RANGE : 140V TO 450V
- ★ DIGITAL METER
- ★ EMERGENCY STABILIZER BYPASS
- ★ HIGH-LOW VOLTAGE CUTOFF AND DELAY TIME CIRCUITS
- ★ STANDARD PARTS AND COMPONENTS
- ★ OVER LOAD PROTECTION - MCB (MICRO CONTROLLER BASED)
- ★ ZERO CROSSING RELAY (FOR PERFECT AND FAST VOLTAGE CORRECTION)
- ★ TABLE TOP MODEL
- ★ 7 TANK PROCESS POWDER COATED (IP-60) BODY
- ★ 12 MONTH WARRANTY- MODAL: 5KVA (18AMP)-10KVA (30AMP) 15KVA - (50AMP) - 20KAV (70AMP)
- ★ QUALITY ASSURED QUALITY
- ★ MAKE IN INDIA
- ★ WARRANTY 12 MONTHS

WITH LATEST MICROPROCESSOR IC BASED
JAPANESE TECHNOLOGY
FIRST TIME IN INDIA



That schematic diagram has been created with full compliance with

USA ANSY Y32.2


Electric and Electronic Wiring Diagrams Standard and approved to use in:

UNITED STATES OF AMERICA

APPROVED



SPIKE
PROTECTION



DIGITAL
PROCESSOR



OVERHEAT
PROTECTION



OVERLOAD
PROTECTION



INTELLIGENT TIME
DELAY SYSTEM



SURGE
PROTECTION

Today, Livpower stands at an inflection point in its journey towards becoming a formidable player in the industry and is marching ahead in the future, driving the larger purpose of the brand of bringing home a better tomorrow for its discerning customers.

WIDE VOLTAGE RANGE TO PROTECT APPLIANCES FROM HIGH VOLTAGE



LIV S 4120

120V-310V

LIV S 4130

130V-310V

LIV S 4150

150V-310V

AVAILABLE IN BOTH 4 KVA AND 5 KVA FOR 1.5 TON AND 2.0 TON AC

That schematic diagram has been created with full compliance with

USA ANSI Y32.2

Electric and Electronic Wiring Diagrams Standard and approved to use in:


UNITED STATES OF AMERICA

APPROVED

SPIKE AND SURGE PROTECTOR



**SPIKE
PROTECTION**



**DIGITAL
PROCESSOR**



**OVERHEAT
PROTECTION**



**OVERLOAD
PROTECTION**



**INTELLIGENT TIME
DELAY SYSTEM**



**SURGE
PROTECTION**

WITH LATEST MICROPROCESSOR IC BASED
**JAPANESE
TECHNOLOGY**
FIRST TIME IN INDIA

Livpower has, over the years, built on its strength to emerge as a leading manufacturer and marketer of innovative products designed to enrich customer experience



SAFETY | SECURITY | RELIABILITY

DIGITAL VOLTAGE STABILIZER

KEEP YOUR APPLIANCES SAFE From Voltage Fluctuation



SPIKE
PROTECTION



DIGITAL
PROCESSOR



OVERHEAT
PROTECTION



OVERLOAD
PROTECTION



INTELLIGENT TIME
DELAY SYSTEM



SURGE
PROTECTION



Protect Your Home Appliances from Voltage Fluctuations.



SAFETY | SECURITY | RELIABILITY





SAFETY | SECURITY | RELIABILITY

WITH LATEST MICROPROCESSOR IC BASED
JAPANESE TECHNOLOGY
FIRST TIME IN INDIA



ELECTRIC-RICKSHAW



STABILIZER FOR SUBMERSIBLE



STABILIZER FOR DJ PA SYSTEM



STABILIZER FOR TV & FRIDGE



STABILIZER FOR LED TV



STABILIZER FOR EV VEHICLES

LIVPOWER INDUSTRIES INDIA PVT. LTD. ADDRESS :- BLOCK: H, 1433 DSIIIDC INDUSTRIAL AREA NARELA DELHI - 110040

Manufacturers for Automatic Voltage Stabilizers, Solar DC Inverters, Battery, Led TV and PVC Wires

For Corporate Enquiries : +91 7011943712

Toll Free Number : 1800-202-2269

Email: info@livpower.in

Website: www.livpower.in