



Digital VOLTAGE STABILIZER

That schematic diagram has been created with full compliance with

USA ANSI Y32.2

Electric and Electronic Wiring Diagrammes Standard and approved to use in:

UNITED STATES OF AMERICA

APPROVED



Introducing the Range of **LIVVOLT** Digital Voltage Stabilizer

FOR AIR CONDITIONER



SERIES	MODEL NAME	KVA RATING	VOLTAGE RANGE	APPLICATION	ALUMINIUM	MRP
Standard AC	4170	4 KVA Upto 1.5 Ton	170V- 270V	1.5 Ton A/C	1450	4500
Standard AC	4160	4 KVA Upto 1.5 Ton	160V-270V	1.5 Ton A/C	1900	4800
Standard AC	4150	4 KVA Upto 1.5 Ton	150V-300V	1.5 Ton A/C	2300	5200
Standard AC	4140	4 KVA Upto 1.5 Ton	140V-280V	1.5 Ton A/C	2700	6500
Standard AC	4130	4 KVA Upto 1.5 Ton	130V-300V	1.5 Ton A/C	3050	6900
Standard AC	4120	4 KVA Upto 1.5 Ton	130V-300V	1.5 Ton A/C	3400	8000
Standard AC	4100	4 KVA Upto 1.5 Ton	100V-290V	1.5 Ton A/C	4500	9000
Star AC	4090 STAR	4 KVA Upto 1.5 Ton	90V-300V	1.5 Ton A/C	5500	12900
Standard AC	4090	4 KVA Upto 1.5 Ton	90V-290V	1.5 Ton A/C	6400	14000
Special AC	4070	4 KVA Upto 1.5 Ton	70V-280V	1.5 Ton A/C	7250	16000
PRIME AC	4050	4 KVA Upto 1.5 Ton	50V-270V	1.5 Ton A/C	8500	19000
Double Phase	4100	4 KVA Upto 1.5 Ton	100V- 500V	1.5 Ton A/C	7600	15500

SERIES	MODEL NAME	KVA RATING	VOLTAGE RANGE	APPLICATION	ALUMINIUM	MRP
Standard AC	5170	5 KVA Upto 2.0 Ton	170V- 270V	2.0 Ton A/C	1850	5500
Standard AC	5160	5 KVA Upto 2.0 Ton	160V-270V	2.0 Ton A/C	2200	6000
Standard AC	5150	5 KVA Upto 2.0 Ton	150V-300V	2.0 Ton A/C	2450	6500
Standard AC	5140	5 KVA Upto 2.0 Ton	140V-280V	2.0 Ton A/C	3050	7500
Standard AC	5130	5 KVA Upto 2.0 Ton	130V-300V	2.0 Ton A/C	3500	8800
Standard AC	5120	5 KVA Upto 2.0 Ton	120V-300V	2.0 Ton A/C	3790	9500
Standard AC	5100	5 KVA Upto 2.0 Ton	110V-290V	2.0 Ton A/C	5500	12500
Star AC	5090 STAR	5 KVA Upto 2.0 Ton	90V-290V	2.0 Ton A/C	5900	14000
Standard AC	5090	5 KVA Upto 2.0 Ton	90V-290V	2.0 Ton A/C	7250	16000
Special AC	5070	5 KVA Upto 2.0 Ton	70V-280V	2.0 Ton A/C	8000	18000
PRIME AC	5050	5 KVA Upto 2.0 Ton	50V-270V	2.0 Ton A/C	9500	21000
PRIME AC	6120	6 KVA Upto 2.5 Ton	120V-300V	2.5 Ton A/C	5400	13000
PRIME AC	7120	7 KVA Upto 3.0 Ton	120V-300V	3.0 Ton A/C	6000	15000

Introducing the Range of **LIVVOLT** Digital Voltage Stabilizer

FOR REFRIGERATOR & MAINLINE



SERIES	MODEL NAME	KVA RATING	VOLTAGE RANGE	APPLICATION	ALUMINIUM	MRP
Ref Series	0.5090ML	0.5 KVA	90V-270V	2 Amp, 1 Ref. up to 300L	1900	4300
Ref Series	0.5070ML	0.5 KVA	70V-280V	2 Amp, 1 Ref. up to 300L	2450	5500
Ref Series	0.5050ML	0.5 KVA	50V-270V	2 Amp, 1 Ref. up to 300L	3450	7800
Deep Freezer & Refrigerator	1090ML	1 KVA	90V-290V	4 Amp, 1 Ref. up to 600L/1 Deep Freezer/Water Cooler/Air Cooler/1000VA Digital UPS up to 4 Amp	3000	6800
Deep Freezer & Refrigerator	1070ML	1 KVA	70V-290V	4 Amp, 1 Ref. up to 600L/1 Deep Freezer/Water Cooler/Air Cooler/1000VA Digital UPS up to 4 Amp	3600	8200
Deep Freezer & Refrigerator	1050ML	1 KVA	50V-270V	4 Amp, 1 Ref. up to 600L/1 Deep Freezer/Water Cooler/Air Cooler/1000VA Digital UPS up to 4 Amp	5400	12000

SERIES	MODEL NAME	KVA RATING	VOLTAGE RANGE	APPLICATION	ALUMINIUM	MRP
Standard WMT	2150WMT	2.0 KVA	150V-290V	1 Washing Machine (Top & Front Load) 1 Treadmill/1 Microwave Oven	2800	6300
Mainline	2090 ML	2.0 KVA	90V-270V	6 Amp, 1 Ref/1 Deep Freezer/Water Cooler Air Cooler/0.5 Ton AC/Digital UPS/E-Rickshaw Battery Charging	3600	8500
Mainline	2070 ML	2.0 KVA	70V-290V	6 Amp, 1 Ref/1 Deep Freezer/Water Cooler Air Cooler/0.5 Ton AC/Digital UPS/E-Rickshaw Battery Charging	4800	11000
Mainline	2050 ML	2.0 KVA	50V-270V	6 Amp, 1 Ref/1 Deep Freezer/Water Cooler Air Cooler/0.5 Ton AC/Digital UPS/E-Rickshaw Battery Charging	7300	16000
Mainline	3090 ML	3.0 KVA	90V-270V	2 Bedroom Flat, 5 Tube Light, 6 Bulbs, 5 Fans, 1T.V. & 1 Washing Machine - General Purpose Mainline	5800	14500

Series	Model	KVA Rating	Voltage Range	Application	Aluminium	MRP
Mainline	3070 ML	3.0 KVA	70V-290V	2 Bedroom Flat, 5 Tube Light, 6 Bulbs, 5 Fans, 1T.V. & 1 Washing Machine - General Purpose Mainline	8000	17500
Mainline	3050 ML	3.0 KVA	50V-270V	2 Bedroom Flat, 5 Tube Light, 6 Bulbs, 5 Fans, 1T.V. & 1 Washing Machine - General Purpose Mainline	8500	19000
Mainline	50090ML	5.0 KVA	90V-270V	3 Bedroom Flat, 6 Tube Light, 6 Bulbs, 5 Fans, 1T.V., 1 Washing Machine/ 1 Cooler/ 2HP Single Phase Submersible Pump	7700	16000
Mainline	50070ML	5.0 KVA	70V-270V	3 Bedroom Flat, 6 Tube Light, 6 Bulbs, 5 Fans, 1T.V., 1 Washing Machine/ 1 Cooler/ 2HP Single Phase Submersible Pump	9500	18000
Mainline	50050ML	5.0 KVA	50V-270V	3 Bedroom Flat, 6 Tube Light, 6 Bulbs, 5 Fans, 1T.V., 1 Washing Machine/ 1 Cooler/ 2HP Single Phase Submersible Pump	12000	27000
Double Phase ML	50100DP ML	5.0 KVA	90V-500V	3 Bedroom Flat, 6 Tube Light, 6 Bulbs, 5 Fans, 1T.V., 1 Washing Machine/ 1 Cooler/ 2HP Single Phase Submersible Pump	11000	24500
Mainline	80070 ML	8.0 KVA	70V-270V	4 Bedroom Flat, 10 Tube Light, 10 Bulbs, 5 Fans, 1T.V., 1 Washing Machine/ 1 Geyser/1 Cooler/ 3HP Single Phase Submersible Pump	14000	28000
Mainline	80050 ML	8.0 KVA	50V-270V	4 Bedroom Flat, 10 Tube Light, 10 Bulbs, 5 Fans, 1T.V., 1 Washing Machine/ 1 Geyser/1 Cooler/ 3HP Single Phase Submersible Pump	20000	40000
Mainline	100070 ML	10 KVA	70V-290V	4 Bedroom Flat, 10 Tube Light, 10 Bulbs, 5 Fans, 1T.V., 1 Washing Machine/ 1 Geyser/3 Cooler/ 5HP Single Phase Submersible Pump	17000	38000
Mainline	100050 ML	10 KVA	50V-270V	4 Bedroom Flat, 10 Tube Light, 10 Bulbs, 5 Fans, 1T.V., 1 Washing Machine/ 1 Geyser/3 Cooler/ 5HP Single Phase Submersible Pump	25500	58000

LIVPOWER INDUSTRIES INDIA PVT. LTD. ADDRESS :- BLOCK: H, 1433 DSIDC INDUSTRIAL AREA NARELA DELHI - 110040

Manufacturers for Automatic Voltage Stabilizers, Solar DC Inverters, Battery, Led TV and PVC Wires