



LIVSMART™
INNOVATE. INTEGRATE. INSPIRE

VOLTAGE
Digital STABILIZER


That schematic diagram has been created with full compliance with

USA ANSY Y32.2

Electric and Electronic Wiring Diagrams Standard and approved to use in:

UNITED STATES OF AMERICA

APPROVED



LIVPOWER INDUSTRIES INDIA PVT. LTD.

Toll Free Number : 1800-202-2269
email.: info@livpower.in web.: www.livpower.in

Introducing the Range of **LIVSMART** Digital Voltage Stabilizer

FOR AIR CONDITIONER



| SERIES | MODEL NAME | KVA RATING | VOLTAGE RANGE | APPLICATION | ALUMINIUM | MRP |
|--------------|------------|--------------------|---------------|-------------|-----------|-------|
| Standard AC | 4170 | 4 KVA Upto 1.5 Ton | 170V- 270V | 1.5 Ton A/C | 1450 | 4500 |
| Standard AC | 4160 | 4 KVA Upto 1.5 Ton | 160V-270V | 1.5 Ton A/C | 1900 | 4800 |
| Standard AC | 4150 | 4 KVA Upto 1.5 Ton | 150V-300V | 1.5 Ton A/C | 2300 | 5200 |
| Standard AC | 4140 | 4 KVA Upto 1.5 Ton | 140V-280V | 1.5 Ton A/C | 2700 | 6500 |
| Standard AC | 4130 | 4 KVA Upto 1.5 Ton | 130V-300V | 1.5 Ton A/C | 3050 | 6900 |
| Standard AC | 4120 | 4 KVA Upto 1.5 Ton | 130V-300V | 1.5 Ton A/C | 3400 | 8000 |
| Standard AC | 4100 | 4 KVA Upto 1.5 Ton | 100V-290V | 1.5 Ton A/C | 4500 | 9000 |
| Star AC | 4090 STAR | 4 KVA Upto 1.5 Ton | 90V-300V | 1.5 Ton A/C | 5500 | 12900 |
| Standard AC | 4090 | 4 KVA Upto 1.5 Ton | 90V-290V | 1.5 Ton A/C | 6400 | 14000 |
| Special AC | 4070 | 4 KVA Upto 1.5 Ton | 70V-280V | 1.5 Ton A/C | 7250 | 16000 |
| PRIME AC | 4050 | 4 KVA Upto 1.5 Ton | 50V-270V | 1.5 Ton A/C | 8500 | 19000 |
| Double Phase | 4100 | 4 KVA Upto 1.5 Ton | 100V- 500V | 1.5 Ton A/C | 7600 | 15500 |

| SERIES | MODEL NAME | KVA RATING | VOLTAGE RANGE | APPLICATION | ALUMINIUM | MRP |
|-------------|------------|--------------------|---------------|-------------|-----------|-------|
| Standard AC | 5170 | 5 KVA Upto 2.0 Ton | 170V- 270V | 2.0 Ton A/C | 1850 | 5500 |
| Standard AC | 5160 | 5 KVA Upto 2.0 Ton | 160V-270V | 2.0 Ton A/C | 2200 | 6000 |
| Standard AC | 5150 | 5 KVA Upto 2.0 Ton | 150V-300V | 2.0 Ton A/C | 2450 | 6500 |
| Standard AC | 5140 | 5 KVA Upto 2.0 Ton | 140V-280V | 2.0 Ton A/C | 3050 | 7500 |
| Standard AC | 5130 | 5 KVA Upto 2.0 Ton | 130V-300V | 2.0 Ton A/C | 3500 | 8800 |
| Standard AC | 5120 | 5 KVA Upto 2.0 Ton | 120V-300V | 2.0 Ton A/C | 3790 | 9500 |
| Standard AC | 5100 | 5 KVA Upto 2.0 Ton | 110V-290V | 2.0 Ton A/C | 5500 | 12500 |
| Star AC | 5090 STAR | 5 KVA Upto 2.0 Ton | 90V-290V | 2.0 Ton A/C | 5900 | 14000 |
| Standard AC | 5090 | 5 KVA Upto 2.0 Ton | 90V-290V | 2.0 Ton A/C | 7250 | 16000 |
| Special AC | 5070 | 5 KVA Upto 2.0 Ton | 70V-280V | 2.0 Ton A/C | 8000 | 18000 |
| PRIME AC | 5050 | 5 KVA Upto 2.0 Ton | 50V-270V | 2.0 Ton A/C | 9500 | 21000 |
| PRIME AC | 6120 | 6 KVA Upto 2.5 Ton | 120V-300V | 2.5 Ton A/C | 5400 | 13000 |
| PRIME AC | 7120 | 7 KVA Upto 3.0 Ton | 120V-300V | 3.0 Ton A/C | 6000 | 15000 |

Introducing the Range of **LIVSMART** Digital Voltage Stabilizer

FOR REFRIGERATOR & MAINLINE



| SERIES | MODEL NAME | KVA RATING | VOLTAGE RANGE | APPLICATION | ALUMINIUM | MRP |
|-----------------------------|------------|------------|---------------|--|-----------|-------|
| Ref Series | 0.5090ML | 0.5 KVA | 90V-270V | 2 Amp, 1 Ref. up to 300L | 1900 | 4300 |
| Ref Series | 0.5070ML | 0.5 KVA | 70V-280V | 2 Amp, 1 Ref. up to 300L | 2450 | 5500 |
| Ref Series | 0.5050ML | 0.5 KVA | 50V-270V | 2 Amp, 1 Ref. up to 300L | 3450 | 7800 |
| Deep Freezer & Refrigerator | 1090ML | 1 KVA | 90V-290V | 4 Amp, 1 Ref. up to 600L/1 Deep Freezer/Water Cooler/Air Cooler/1000VA Digital UPS up to 4 Amp | 3000 | 6800 |
| Deep Freezer & Refrigerator | 1070ML | 1 KVA | 70V-290V | 4 Amp, 1 Ref. up to 600L/1 Deep Freezer/Water Cooler/Air Cooler/1000VA Digital UPS up to 4 Amp | 3600 | 8200 |
| Deep Freezer & Refrigerator | 1050ML | 1 KVA | 50V-270V | 4 Amp, 1 Ref. up to 600L/1 Deep Freezer/Water Cooler/Air Cooler/1000VA Digital UPS up to 4 Amp | 5400 | 12000 |

| SERIES | MODEL NAME | KVA RATING | VOLTAGE RANGE | APPLICATION | ALUMINIUM | MRP |
|--------------|------------|------------|---------------|--|-----------|-------|
| Standard WMT | 2150WMT | 2.0 KVA | 150V-290V | 1 Washing Machine (Top & Front Load) 1 Treadmill/1 Microwave Oven | 2800 | 6300 |
| Mainline | 2090 ML | 2.0 KVA | 90V-270V | 6 Amp, 1 Ref/1 Deep Freezer/Water Cooler Air Cooler/0.5 Ton AC/Digital UPS/E-Rickshaw Battery Charging | 3600 | 8500 |
| Mainline | 2070 ML | 2.0 KVA | 70V-290V | 6 Amp, 1 Ref/1 Deep Freezer/Water Cooler Air Cooler/0.5 Ton AC/Digital UPS/E-Rickshaw Battery Charging | 4800 | 11000 |
| Mainline | 2050 ML | 2.0 KVA | 50V-270V | 6 Amp, 1 Ref/1 Deep Freezer/Water Cooler Air Cooler/0.5 Ton AC/Digital UPS/E-Rickshaw Battery Charging | 7300 | 16000 |
| Mainline | 3090 ML | 3.0 KVA | 90V-270V | 2 Bedroom Flat, 5 Tube Light, 6 Bulbs, 5 Fans, 1T.V. & 1 Washing Machine - General Purpose Mainline | 5800 | 14500 |

| Series | Model | KVA Rating | Voltage Range | Application | Aluminium | MRP |
|-----------------|------------|------------|---------------|---|-----------|-------|
| Mainline | 3070 ML | 3.0 KVA | 70V-290V | 2 Bedroom Flat, 5 Tube Light, 6 Bulbs, 5 Fans, 1T.V. & 1 Washing Machine - General Purpose Mainline | 8000 | 17500 |
| Mainline | 3050 ML | 3.0 KVA | 50V-270V | 2 Bedroom Flat, 5 Tube Light, 6 Bulbs, 5 Fans, 1T.V. & 1 Washing Machine - General Purpose Mainline | 8500 | 19000 |
| Mainline | 50090ML | 5.0 KVA | 90V-270V | 3 Bedroom Flat, 6 Tube Light, 6 Bulbs, 5 Fans, 1T.V., 1 Washing Machine/ 1 Cooler/ 2HP Single Phase Submersible Pump | 7700 | 16000 |
| Mainline | 50070ML | 5.0 KVA | 70V-270V | 3 Bedroom Flat, 6 Tube Light, 6 Bulbs, 5 Fans, 1T.V., 1 Washing Machine/ 1 Cooler/ 2HP Single Phase Submersible Pump | 9500 | 18000 |
| Mainline | 50050ML | 5.0 KVA | 50V-270V | 3 Bedroom Flat, 6 Tube Light, 6 Bulbs, 5 Fans, 1T.V., 1 Washing Machine/ 1 Cooler/ 2HP Single Phase Submersible Pump | 12000 | 27000 |
| Double Phase ML | 50100DP ML | 5.0 KVA | 90V-500V | 3 Bedroom Flat, 6 Tube Light, 6 Bulbs, 5 Fans, 1T.V., 1 Washing Machine/ 1 Cooler/ 2HP Single Phase Submersible Pump | 11000 | 24500 |
| Mainline | 80070 ML | 8.0 KVA | 70V-270V | 4 Bedroom Flat, 10 Tube Light, 10 Bulbs, 5 Fans, 1T.V., 1 Washing Machine/ 1 Geyser/1 Cooler/ 3HP Single Phase Submersible Pump | 14000 | 28000 |
| Mainline | 80050 ML | 8.0 KVA | 50V-270V | 4 Bedroom Flat, 10 Tube Light, 10 Bulbs, 5 Fans, 1T.V., 1 Washing Machine/ 1 Geyser/1 Cooler/ 3HP Single Phase Submersible Pump | 20000 | 40000 |
| Mainline | 100070 ML | 10 KVA | 70V-290V | 4 Bedroom Flat, 10 Tube Light, 10 Bulbs, 5 Fans, 1T.V., 1 Washing Machine/ 1 Geyser/3 Cooler/ 5HP Single Phase Submersible Pump | 17000 | 38000 |
| Mainline | 100050 ML | 10 KVA | 50V-270V | 4 Bedroom Flat, 10 Tube Light, 10 Bulbs, 5 Fans, 1T.V., 1 Washing Machine/ 1 Geyser/3 Cooler/ 5HP Single Phase Submersible Pump | 25500 | 58000 |

LIVPOWER INDUSTRIES INDIA PVT. LTD. ADDRESS :- BLOCK: H, 1433 DSIDC INDUSTRIAL AREA NARELA DELHI - 110040

Manufacturers for Automatic Voltage Stabilizers, Solar DC Inverters, Battery, Led TV and PVC Wires