

10' CONCRETE HIGH DOME


ASTRO MASONRY©2025-26 I ALL RIGHTS RESERVED




TOP VIEW 1:20



ISOMETRIC VIEW 1:20



SECTION A-A
SCALE 1:20



3D RENDER

PRODUCT NO.	AR 10 HD
DESCRIPTION	10' HIGH DOME
STANDARD	SUFFOLK & NASSAU COUNTY
HEIGHT	3'6"
SLAB DIAMETER	10'
ACCESS OPENING	24" DIA STANDARD
THICKNESS	TOP SLAB - 4"
	SIDE WALL- 4"
WEIGHT	4500 LBS
LOAD RATING	A.A.S.H.T.O. HS20-44
TESTING BY	ALL ISLAND TESTING
ENGINEERING BY	FIONA S.

ENGINEERS APPROVAL SPACE

SPECIFICATIONS

1. CONCRETE TO HAVE A MINIMUM 28 DAY
2. COMPRESSIVE STRENGTH OF 4000 PSI.
3. REINFORCING STEEL TO COMPLY WITH ASTM A-615 GRADE 60 ASTM A-185-02
4. DRAWING SCALE 1:20
5. ALL DIMENSIONS ARE IN INCHES
6. TOLERANCE X ± 0.5"
7. CONFORMS TO LOCAL STANDARDS & SPECIFICATIONS AS APPLICABLE
8. INSTALLING INSTRUCTIONS AVAILABLE SEPERATELY

PROPRIETARY & CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DOCUMENTS IS THE SOLE PROPERTY OF ASTRO MASONRY. ANY REPRODUCTION, MANUFACTURING, DISCLOSURE IN PART OR AS A WHOLE WITHOUT THE WRITTEN CONSENT OF IS PROHIBITED.

COMPANY ADDRESS

928, LONG ISLAND AVENUE
DEER PARK, NY 11729
☎ 631-667-3300
www.astromasonry.com


ASTRO

ADDITIONAL NOTES:

REINFORCEMENT: WWF 6" × 12" - 6&8,
W2.0 × W2.0 (ASTM A1064)
MESH CENTERED IN 4" WALL WITH 1.5"
MIN COVER

ASTRO™

PRECAST CONCRETE CURB STOPS




CURB STOPS

6 X 4 CURB STOP


6 X 5.5 CURB STOP

6' X 4" CURB STOP


ASTRO MASONRY©2025-26 I ALL RIGHTS RESERVED




TOP VIEW 1:10




ISOMETRIC VIEW 1:10



PLAN VIEW 1:10



SECTION A-A
SCALE 1:10



3D RENDER
REFERENCE ONLY

PRODUCT NO.	AR 64 CS
DESCRIPTION	6' X 4" CURB STOP
STANDARD	SUFFOLK & NASSAU COUNTY
SIZE	TOP - 4" HEIGHT - 8.5" BOTTOM - 8.5"
WEIGHT	2200 LBS
LOAD RATING	A.A.S.H.T.O. HS20-44
TESTING BY	ALL ISLAND TESTING
ENGINEERING BY	FIONA S.

ENGINEERS APPROVAL SPACE

SPECIFICATIONS

1. CONCRETE TO HAVE A MINIMUM 28 DAY
2. COMPRESSIVE STRENGTH OF 4000 PSI.
3. REINFORCING STEEL TO COMPLY WITH ASTM A-615 GRADE 60 ASTM A-185-02
4. DRAWING SCALE 1:10
5. ALL DIMENSIONS ARE IN INCHES
6. TOLERANCE X ± 0.5"
7. CONFORMS TO LOCAL STANDARDS & SPECIFICATIONS AS APPLICABLE
8. INSTALLING INSTRUCTIONS AVAILABLE SEPERATELY

PROPRIETARY & CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DOCUMENTS IS THE SOLE PROPERTY OF ASTRO MASONRY. ANY REPRODUCTION, MANUFACTURING, DISCLOSURE IN PART OR AS A WHOLE WITHOUT THE WRITTEN CONSENT OF IS PROHIBITED

COMPANY ADDRESS

928, LONG ISLAND AVENUE
DEER PARK, NY 11729
☎ 631-667-3300
www.astromasonry.com

ASTRO

ADDITIONAL NOTES:

REINFORCEMENT: (ASTM A1064)
MESH CENTERED IN SLAB WITH 1.5"
MIN COVER