


ASTRO MASONRY©2025-26 | ALL RIGHTS RESERVED




TOP VIEW 1:25




ISOMETRIC VIEW 1:25



3D RENDER



PLAN VIEW 1:25



SECTION A-A
SCALE 1:25

PRODUCT NO.	AR 57 DB
DESCRIPTION	5' X 7' D-BOX
STANDARD	SUFFOLK & NASSAU COUNTY
ACCESS OPENING	24" DIA STANDARD
WALL THICKNESS	BOTTOM - 6"
	SIDE WALL- 4"
WEIGHT	4500 LBS
LOAD RATING	A.A.S.H.T.O. HS20-44
TESTING BY	ALL ISLAND TESTING
ENGINEERING BY	FIONA S.

ENGINEERS APPROVAL SPACE

SPECIFICATIONS

1. CONCRETE TO HAVE A MINIMUM 28 DAY
2. COMPRESSIVE STRENGTH OF 4000 PSI.
3. REINFORCING STEEL TO COMPLY WITH ASTM A-615 GRADE 60 ASTM A-185-02
4. DRAWING SCALE 1:25
5. ALL DIMENSIONS ARE IN INCHES
6. TOLERANCE X ± 0.5"
7. CONFORMS TO LOCAL STANDARDS & SPECIFICATIONS AS APPLICABLE
8. INSTALLING INSTRUCTIONS AVAILABLE SEPERATELY

PROPRIETARY & CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DOCUMENTS IS THE SOLE PROPERTY OF ASTRO MASONRY. ANY REPRODUCTION, MANUFACTURING, DISCLOSURE IN PART OR AS A WHOLE WITHOUT THE WRITTEN CONSENT OF IS PROHIBITED.

COMPANY ADDRESS

928, LONG ISLAND AVENUE
DEER PARK, NY 11729
☎ 631-667-3300
www.astromasonry.com


ASTRO


ADDITIONAL NOTES:

REINFORCEMENT: WWF 6" × 12" - 6&8,
W2.0 × W2.0 (ASTM A1064)
MESH CENTERED IN 4" AND 6" WALL WITH 1.5"
MIN COVER

ASTRO™

PRECAST CONCRETE LEACHING GALLEYS








1' LEACHING GALLEY
2' LEACHING GALLEY
LEACHING GALLEYS
3' LEACHING GALLEY
4' LEACHING GALLEY

1' LEACHING GALLEY FOR SUFFOLK & NASSAU COUNTY


ASTRO MASONRY©2025-26 | ALL RIGHTS RESERVED




TOP VIEW (1:25)




ISOMETRIC VIEW (1:25)




3D RENDER



PLAN VIEW (1:25)



DETAIL A
SCALE 1" = 1'-0"



SECTION B-B
SCALE 1:25

PRODUCT NO.	AR 1 LG
DESCRIPTION	1' LEACHING GALLEY
STANDARD	SUFFOLK & NASSAU COUNTY
THICKNESS	4"
SIZES	HEIGHT - 1'
	WIDTH - 5'4"
	LENGTH - 8'4"
OPENINGS	NO. OF OPENING - 16
	SIZE - 10"/4"
WEIGHT	3200 LBS
LOAD RATING	A.A.S.H.T.O. HS20-44
TESTING BY	ALL ISLAND TESTING
ENGINEERING BY	FIONA S.

ENGINEERS APPROVAL SPACE

SPECIFICATIONS

1. CONCRETE TO HAVE A MINIMUM 28 DAY
2. COMPRESSIVE STRENGTH OF 4000 PSI.
3. REINFORCING STEEL TO COMPLY WITH ASTM A-615 GRADE 60 ASTM A-185-02
4. DRAWING SCALE 1:25
5. ALL DIMENSIONS ARE IN INCHES
6. TOLERANCE X ± 0.5"
7. CONFORMS TO LOCAL STANDARDS & SPECIFICATIONS AS APPLICABLE
8. INSTALLING INSTRUCTIONS AVAILABLE SEPERATELY

PROPRIETARY & CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DOCUMENTS IS THE SOLE PROPERTY OF ASTRO MASONRY. ANY REPRODUCTION, MANUFACTURING, DISCLOSURE IN PART OR AS A WHOLE WITHOUT THE WRITTEN CONSENT OF IS PROHIBITED.

COMPANY ADDRESS


928, LONG ISLAND AVENUE
DEER PARK, NY 11729
☎ 631-667-3300
www.astromasonry.com

ASTRO


ADDITIONAL NOTES:

REINFORCEMENT: WWF 6" × 12" - 6&8,
W2.0 × W2.0 (ASTM A1064) GRADE 60 ASTM A-185-02
MESH CENTERED WITH 1.5"MIN COVER


ASTRO MASONRY©2025-26 | ALL RIGHTS RESERVED




TOP VIEW (1:25)




ISOMETRIC VIEW (1:25)




3D RENDER



PLAN VIEW (1:25)



DETAIL A
SCALE 1" = 1'-0"



SECTION B-B
SCALE 1:25

PRODUCT NO.	AR 2 LG
DESCRIPTION	2' LEACHING GALLEY
STANDARD	SUFFOLK & NASSAU COUNTY
THICKNESS	4"
SIZES	HEIGHT - 2'
	WIDTH - 5'4"
	LENGTH - 8'4"
OPENINGS	NO. OF OPENING - 60
	SIZE - 10"/4"
WEIGHT	4000 LBS
LOAD RATING	A.A.S.H.T.O. HS20-44
TESTING BY	ALL ISLAND TESTING
ENGINEERING BY	FIONA S.

ENGINEERS APPROVAL SPACE

SPECIFICATIONS

1. CONCRETE TO HAVE A MINIMUM 28 DAY
2. COMPRESSIVE STRENGTH OF 4000 PSI.
3. REINFORCING STEEL TO COMPLY WITH ASTM A-615 GRADE 60 ASTM A-185-02
4. DRAWING SCALE 1:25
5. ALL DIMENSIONS ARE IN INCHES
6. TOLERANCE X ± 0.5"
7. CONFORMS TO LOCAL STANDARDS & SPECIFICATIONS AS APPLICABLE
8. INSTALLING INSTRUCTIONS AVAILABLE SEPERATELY

PROPRIETARY & CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DOCUMENTS IS THE SOLE PROPERTY OF ASTRO MASONRY. ANY REPRODUCTION, MANUFACTURING, DISCLOSURE IN PART OR AS A WHOLE WITHOUT THE WRITTEN CONSENT OF IS PROHIBITED.

COMPANY ADDRESS

928, LONG ISLAND AVENUE
DEER PARK, NY 11729
☎ 631-667-3300
www.astromasonry.com


ASTRO

ADDITIONAL NOTES:


REINFORCEMENT: WWF 6" × 12" - 6&8,
W2.0 × W2.0 (ASTM A1064) GRADE 60 ASTM A-185-02
MESH CENTERED WITH 1.5"MIN COVER

3' LEACHING GALLEY FOR SUFFOLK & NASSAU COUNTY


ASTRO MASONRY©2025-26 I ALL RIGHTS RESERVED




TOP VIEW (1:25)




ISOMETRIC VIEW (1:25)




3D RENDER



PLAN VIEW (1:25)



DETAIL A
SCALE 1" = 1'-0"



SECTION B-B
SCALE 1:25

PRODUCT NO.	AR 3 LG
DESCRIPTION	3' LEACHING GALLEY
STANDARD	SUFFOLK & NASSAU COUNTY
THICKNESS	4"
SIZES	HEIGHT - 3'
	WIDTH - 5'4"
	LENGTH - 8'4"
OPENINGS	NO. OF OPENING - 104
	SIZE - 10"/4"
WEIGHT	4800 LBS
LOAD RATING	A.A.S.H.T.O. HS20-44
TESTING BY	ALL ISLAND TESTING
ENGINEERING BY	FIONA S.

ENGINEERS APPROVAL SPACE

SPECIFICATIONS

1. CONCRETE TO HAVE A MINIMUM 28 DAY
2. COMPRESSIVE STRENGTH OF 4000 PSI.
3. REINFORCING STEEL TO COMPLY WITH ASTM A-615 GRADE 60 ASTM A-185-02
4. DRAWING SCALE 1:25
5. ALL DIMENSIONS ARE IN INCHES
6. TOLERANCE X ± 0.5"
7. CONFORMS TO LOCAL STANDARDS & SPECIFICATIONS AS APPLICABLE
8. INSTALLING INSTRUCTIONS AVAILABLE SEPERATELY

PROPRIETARY & CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DOCUMENTS IS THE SOLE PROPERTY OF ASTRO MASONRY. ANY REPRODUCTION, MANUFACTURING, DISCLOSURE IN PART OR AS A WHOLE WITHOUT THE WRITTEN CONSENT OF IS PROHIBITED.

COMPANY ADDRESS

928, LONG ISLAND AVENUE
DEER PARK, NY 11729
☎ 631-667-3300
www.astromasonry.com

ASTRO

ADDITIONAL NOTES:

REINFORCEMENT: WWF 6" × 12" - 6&8,
W2.0 × W2.0 (ASTM A1064) GRADE 60 ASTM A-185-02
MESH CENTERED WITH 1.5"MIN COVER