
CATCH BASINS


- 12 X 12 CATCH BASIN
- 18 X 18 CATCH BASIN
- 24 X 24 CATCH BASIN
- 30 X 48 CATCH BASIN
- 36 X 36 CATCH BASIN
- 60 X 60 CATCH BASIN
- 72 X 72 CATCH BASIN
- 84 X 84 CATCH BASIN

12 X12 PRECAST CONCRETE CATCH BASIN


ASTRO MASONRY©2025-26 I ALL RIGHTS RESERVED




TOP VIEW 1:8




ISOMETRIC VIEW 1:8



3D RENDER



PLAN VIEW 1:8



SECTION A-A
SCALE 1:8

PRODUCT NO.	AR 12 CB
DESCRIPTION	12 X 12 CATCH BASIN
STANDARD	SUFFOLK & NASSAU COUNTY
WALL THICKNESS	4"
CUT OUT SIZE	12 X 12
COVER TYPE	SOLID COVER
WEIGHT	500 LBS
LOAD RATING	A.A.S.H.T.O. HS20-44
TESTING BY	ALL ISLAND TESTING
ENGINEERING BY	FIONA S.

ENGINEERS APPROVAL SPACE

SPECIFICATIONS

1. CONCRETE TO HAVE A MINIMUM 28 DAY
2. COMPRESSIVE STRENGTH OF 4000 PSI.
3. REINFORCING STEEL TO COMPLY WITH ASTM A-615 GRADE 60 ASTM A-185-02
4. DRAWING SCALE 1:8
5. ALL DIMENSIONS ARE IN INCHES
6. TOLERANCE X ± 0.5"
7. CONFORMS TO LOCAL STANDARDS & SPECIFICATIONS AS APPLICABLE
8. INSTALLING INSTRUCTIONS AVAILABLE SEPERATELY

PROPRIETARY & CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DOCUMENTS IS THE SOLE PROPERTY OF ASTRO MASONRY. ANY REPRODUCTION, MANUFACTURING, DISCLOSURE IN PART OR AS A WHOLE WITHOUT THE WRITTEN CONSENT OF IS PROHIBITED.

ADDITIONAL NOTES:

REINFORCEMENT: WWF 6" × 12" - 6&8,
W2.0 × W2.0 (ASTM A1064)
MESH CENTERED IN 4" WALL WITH 1.5"
MIN COVER


COMPANY ADDRESS

928, LONG ISLAND AVENUE
DEER PARK, NY 11729
☎ 631-667-3300
www.astromasonry.com


ASTRO

18 X 18 PRECAST CONCRETE CATCH BASIN


ASTRO MASONRY©2025-26 I ALL RIGHTS RESERVED




TOP VIEW 1:8




ISOMETRIC VIEW 1:10



3D RENDER



PLAN VIEW 1:8



SECTION A-A
SCALE 1:8

PRODUCT NO.	AR 18 CB
DESCRIPTION	18 X 18 CATCH BASIN
STANDARD	SUFFOLK & NASSAU COUNTY
WALL THICKNESS	4"
CUT OUT SIZE	18" X 14"
COVER TYPE	SOLID COVER
WEIGHT	700 LBS
LOAD RATING	A.A.S.H.T.O. HS20-44
TESTING BY	ALL ISLAND TESTING
ENGINEERING BY	FIONA S.

ENGINEERS APPROVAL SPACE

SPECIFICATIONS

1. CONCRETE TO HAVE A MINIMUM 28 DAY
2. COMPRESSIVE STRENGTH OF 4000 PSI.
3. REINFORCING STEEL TO COMPLY WITH ASTM A-615 GRADE 60 ASTM A-185-02
4. DRAWING SCALE 1:10
5. ALL DIMENSIONS ARE IN INCHES
6. TOLERANCE X ± 0.5"
7. CONFORMS TO LOCAL STANDARDS & SPECIFICATIONS AS APPLICABLE
8. INSTALLING INSTRUCTIONS AVAILABLE SEPERATELY

PROPRIETARY & CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DOCUMENTS IS THE SOLE PROPERTY OF ASTRO MASONRY. ANY REPRODUCTION, MANUFACTURING, DISCLOSURE IN PART OR AS A WHOLE WITHOUT THE WRITTEN CONSENT OF IS PROHIBITED.

COMPANY ADDRESS

928, LONG ISLAND AVENUE
DEER PARK, NY 11729
☎ 631-667-3300
www.astromasonry.com


ASTRO

ADDITIONAL NOTES:


REINFORCEMENT: WWF 6" × 12" - 6&8,
W2.0 × W2.0 (ASTM A1064)
MESH CENTERED IN 4" WALL WITH 1.5"
MIN COVER

24 X 24 PRECAST CONCRETE CATCH BASIN


ASTRO MASONRY©2025-26 I ALL RIGHTS RESERVED




TOP VIEW 1:10




ISOMETRIC VIEW 1:10



3D RENDER



PLAN VIEW 1:10



SECTION A-A
SCALE 1:10

PRODUCT NO.	AR 24 CB
DESCRIPTION	24 X 24 CATCH BASIN
STANDARD	SUFFOLK & NASSAU COUNTY
WALL THICKNESS	4"
CUT OUT SIZE	24" X 20"
COVER TYPE	SOLID COVER
WEIGHT	1000 LBS
LOAD RATING	A.A.S.H.T.O. HS20-44
TESTING BY	ALL ISLAND TESTING
ENGINEERING BY	FIONA S.

ENGINEERS APPROVAL SPACE

SPECIFICATIONS

1. CONCRETE TO HAVE A MINIMUM 28 DAY
2. COMPRESSIVE STRENGTH OF 4000 PSI.
3. REINFORCING STEEL TO COMPLY WITH ASTM A-615 GRADE 60 ASTM A-185-02
4. DRAWING SCALE 1:25
5. ALL DIMENSIONS ARE IN INCHES
6. TOLERANCE X ± 0.5"
7. CONFORMS TO LOCAL STANDARDS & SPECIFICATIONS AS APPLICABLE
8. INSTALLING INSTRUCTIONS AVAILABLE SEPERATELY

PROPRIETARY & CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DOCUMENTS IS THE SOLE PROPERTY OF ASTRO MASONRY. ANY REPRODUCTION, MANUFACTURING, DISCLOSURE IN PART OR AS A WHOLE WITHOUT THE WRITTEN CONSENT OF IS PROHIBITED.

COMPANY ADDRESS

928, LONG ISLAND AVENUE
DEER PARK, NY 11729
☎ 631-667-3300
www.astromasonry.com


ASTRO

ADDITIONAL NOTES:


REINFORCEMENT: WWF 6" × 12" - 6&8,
W2.0 × W2.0 (ASTM A1064)
MESH CENTERED IN 4" WALL WITH 1.5"
MIN COVER

30 X 30 PRECAST CONCRETE CATCH BASIN


ASTRO MASONRY©2025-26 I ALL RIGHTS RESERVED




TOP VIEW 1:12




ISOMETRIC VIEW 1:14



3D RENDER



PLAN VIEW 1:12



SECTION A-A
SCALE 1:12

PRODUCT NO.	AR 36 CB
DESCRIPTION	36 X 36 CATCH BASIN
STANDARD	SUFFOLK & NASSAU COUNTY
WALL THICKNESS	4"
CUT OUT SIZE	36" X 32"
COVER TYPE	SOLID COVER
WEIGHT	1250 LBS
LOAD RATING	A.A.S.H.T.O. HS20-44
TESTING BY	ALL ISLAND TESTING
ENGINEERING BY	FIONA S.

ENGINEERS APPROVAL SPACE

SPECIFICATIONS

1. CONCRETE TO HAVE A MINIMUM 28 DAY
2. COMPRESSIVE STRENGTH OF 4000 PSI.
3. REINFORCING STEEL TO COMPLY WITH ASTM A-615 GRADE 60 ASTM A-185-02
4. DRAWING SCALE 1:12
5. ALL DIMENSIONS ARE IN INCHES
6. TOLERANCE X ± 0.5"
7. CONFORMS TO LOCAL STANDARDS & SPECIFICATIONS AS APPLICABLE
8. INSTALLING INSTRUCTIONS AVAILABLE SEPERATELY

PROPRIETARY & CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DOCUMENTS IS THE SOLE PROPERTY OF ASTRO MASONRY. ANY REPRODUCTION, MANUFACTURING, DISCLOSURE IN PART OR AS A WHOLE WITHOUT THE WRITTEN CONSENT OF IS PROHIBITED.

COMPANY ADDRESS

928, LONG ISLAND AVENUE
DEER PARK, NY 11729
☎ 631-667-3300
www.astromasonry.com


ASTRO

ADDITIONAL NOTES:


REINFORCEMENT: WWF 6" × 12" - 6&8,
W2.0 × W2.0 (ASTM A1064)
MESH CENTERED IN 4" WALL WITH 1.5"
MIN COVER

60 X 60 PRECAST CONCRETE CATCH BASIN


ASTRO MASONRY©2025-26 I ALL RIGHTS RESERVED





TOP VIEW 1:22




ISOMETRIC VIEW 1:22








3D RENDER



PLAN VIEW 1:22



SECTION A-A
SCALE 1:22

ADDITIONAL NOTES:

REINFORCEMENT: WWF 6" × 12" - 6&8,
W2.0 × W2.0 (ASTM A1064)
MESH CENTERED IN 8" WALL WITH 1.5"
MIN COVER

PRODUCT NO.	AR 60 CB
DESCRIPTION	60 X 60 CATCH BASIN
STANDARD	SUFFOLK & NASSAU COUNTY
WALL THICKNESS	8"
CUT OUT SIZE	2'-6" X 2'-6"
COVER TYPE	SOLID COVER
WEIGHT	2000 LBS
LOAD RATING	A.A.S.H.T.O. HS20-44
TESTING BY	ALL ISLAND TESTING
ENGINEERING BY	FIONA S.

ENGINEERS APPROVAL SPACE

SPECIFICATIONS

1. CONCRETE TO HAVE A MINIMUM 28 DAY
2. COMPRESSIVE STRENGTH OF 4000 PSI.
3. REINFORCING STEEL TO COMPLY WITH ASTM A-615 GRADE 60 ASTM A-185-02
4. DRAWING SCALE 1:22
5. ALL DIMENSIONS ARE IN INCHES
6. TOLERANCE X ± 0.5"
7. CONFORMS TO LOCAL STANDARDS & SPECIFICATIONS AS APPLICABLE
8. INSTALLING INSTRUCTIONS AVAILABLE SEPERATELY

PROPRIETARY & CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DOCUMENTS IS THE SOLE PROPERTY OF ASTRO MASONRY. ANY REPRODUCTION, MANUFACTURING, DISCLOSURE IN PART OR AS A WHOLE WITHOUT THE WRITTEN CONSENT OF IS PROHIBITED.


COMPANY ADDRESS

928, LONG ISLAND AVENUE
DEER PARK, NY 11729
☎ 631-667-3300
www.astromasonry.com


ASTRO

60 X 60 PRECAST CONCRETE CATCH BASIN


ASTRO MASONRY©2025-26 I ALL RIGHTS RESERVED





TOP VIEW 1:22




ISOMETRIC VIEW 1:22








3D RENDER



PLAN VIEW 1:22



SECTION A-A
SCALE 1:22

ADDITIONAL NOTES:

REINFORCEMENT: WWF 6" × 12" - 6&8,
W2.0 × W2.0 (ASTM A1064)
MESH CENTERED IN 8" WALL WITH 1.5"
MIN COVER

PRODUCT NO.	AR 60 CB
DESCRIPTION	60 X 60 CATCH BASIN
STANDARD	SUFFOLK & NASSAU COUNTY
WALL THICKNESS	8"
CUT OUT SIZE	2'-6" X 2'-6"
COVER TYPE	SOLID COVER
WEIGHT	2000 LBS
LOAD RATING	A.A.S.H.T.O. HS20-44
TESTING BY	ALL ISLAND TESTING
ENGINEERING BY	FIONA S.

ENGINEERS APPROVAL SPACE

SPECIFICATIONS

1. CONCRETE TO HAVE A MINIMUM 28 DAY
2. COMPRESSIVE STRENGTH OF 4000 PSI.
3. REINFORCING STEEL TO COMPLY WITH ASTM A-615 GRADE 60 ASTM A-185-02
4. DRAWING SCALE 1:22
5. ALL DIMENSIONS ARE IN INCHES
6. TOLERANCE X ± 0.5"
7. CONFORMS TO LOCAL STANDARDS & SPECIFICATIONS AS APPLICABLE
8. INSTALLING INSTRUCTIONS AVAILABLE SEPERATELY

PROPRIETARY & CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DOCUMENTS IS THE SOLE PROPERTY OF ASTRO MASONRY. ANY REPRODUCTION, MANUFACTURING, DISCLOSURE IN PART OR AS A WHOLE WITHOUT THE WRITTEN CONSENT OF IS PROHIBITED.


COMPANY ADDRESS

928, LONG ISLAND AVENUE
DEER PARK, NY 11729
☎ 631-667-3300
www.astromasonry.com


ASTRO

60 X 60 PRECAST CONCRETE CATCH BASIN


ASTRO MASONRY©2025-26 I ALL RIGHTS RESERVED





TOP VIEW 1:22




ISOMETRIC VIEW 1:22








3D RENDER



PLAN VIEW 1:22



SECTION A-A
SCALE 1:22

ADDITIONAL NOTES:

REINFORCEMENT: WWF 6" × 12" - 6&8,
W2.0 × W2.0 (ASTM A1064)
MESH CENTERED IN 8" WALL WITH 1.5"
MIN COVER

PRODUCT NO.	AR 60 CB
DESCRIPTION	60 X 60 CATCH BASIN
STANDARD	SUFFOLK & NASSAU COUNTY
WALL THICKNESS	8"
CUT OUT SIZE	2'-6" X 2'-6"
COVER TYPE	SOLID COVER
WEIGHT	2000 LBS
LOAD RATING	A.A.S.H.T.O. HS20-44
TESTING BY	ALL ISLAND TESTING
ENGINEERING BY	FIONA S.

ENGINEERS APPROVAL SPACE

SPECIFICATIONS

1. CONCRETE TO HAVE A MINIMUM 28 DAY
2. COMPRESSIVE STRENGTH OF 4000 PSI.
3. REINFORCING STEEL TO COMPLY WITH ASTM A-615 GRADE 60 ASTM A-185-02
4. DRAWING SCALE 1:22
5. ALL DIMENSIONS ARE IN INCHES
6. TOLERANCE X ± 0.5"
7. CONFORMS TO LOCAL STANDARDS & SPECIFICATIONS AS APPLICABLE
8. INSTALLING INSTRUCTIONS AVAILABLE SEPERATELY

PROPRIETARY & CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DOCUMENTS IS THE SOLE PROPERTY OF ASTRO MASONRY. ANY REPRODUCTION, MANUFACTURING, DISCLOSURE IN PART OR AS A WHOLE WITHOUT THE WRITTEN CONSENT OF IS PROHIBITED.


COMPANY ADDRESS

928, LONG ISLAND AVENUE
DEER PARK, NY 11729
☎ 631-667-3300
www.astromasonry.com


ASTRO

30 X 48 PRECAST CONCRETE CATCH BASIN


ASTRO MASONRY©2025-26 | ALL RIGHTS RESERVED




TOP VIEW 1:15




ISOMETRIC VIEW 1:15



3D RENDER



PLAN VIEW 1:15



SIDE VIEW 1:15

PRODUCT NO.	AR 3048 CB
DESCRIPTION	30 X 48 CATCH BASIN
STANDARD	SUFFOLK & NASSAU COUNTY
WALL THICKNESS	4”
CUT OUTSIZE	2’8” X 3’
COVER TYPE	SOLID COVER
WEIGHT	1800 LBS
LOAD RATING	A.A.S.H.T.O. HS20-44
TESTING BY	ALL ISLAND TESTING
ENGINEERING BY	FIONA S.

ENGINEERS APPROVAL SPACE

SPECIFICATIONS

1.CONCRETE TO HAVE A MINIMUM 28 DAY
2.COMPRESSIVE STRENGTH OF 4000 PSI.
3.REINFORCING STEEL TO COMPLY WITH ASTM A-615 GRADE 60 ASTM A-185-02
4.DRAWING SCALE 1:15
5.ALL DIMENSIONS ARE IN INCHES
6.TOLERANCE X ± 0.5"
7.CONFORMS TO LOCAL STANDARDS & SPECIFICATIONS AS APPLICABLE
8.INSTALLING INSTRUCTIONS AVAILABLE SEPERATELY

PROPRIETARY & CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DOCUMENTS IS THE SOLE PROPERTY OF ASTRO MASONRY. ANY REPRODUCTION, MANUFACTURING, DISCLOSURE IN PART OR AS A WHOLE WITHOUT THE WRITTEN CONSENT OF IS PROHIBITED.

ADDITIONAL NOTES:

REINFORCEMENT: WWF 6" × 12" - 6&8,
W2.0 × W2.0 (ASTM A1064)
MESH CENTERED IN 6" WALL WITH 1.5"
MIN COVER

COMPANY ADDRESS


928, LONG ISLAND AVENUE
DEER PARK, NY 11729
☎ 631-667-3300
www.astromasonry.com

ASTRO


30 X 30 PRECAST CONCRETE CATCH BASIN

ASTRO MASONRY©2025-26 I ALL RIGHTS RESERVED


TOP SLAB




TOP VIEW 1:12




ISOMETRIC VIEW 1:14







3D RENDER



PLAN VIEW 1:12



SECTION A-A
SCALE 1:15



PRODUCT NO.	AR 36 CB
DESCRIPTION	36 X 36 CATCH BASIN
STANDARD	SUFFOLK & NASSAU COUNTY
WALL THICKNESS	4"
CUT OUT SIZE	36" X 32"
COVER TYPE	SOLID COVER
WEIGHT	1250 LBS
LOAD RATING	A.A.S.H.T.O. HS20-44
TESTING BY	ALL ISLAND TESTING
ENGINEERING BY	FIONA S.

ENGINEERS APPROVAL SPACE

SPECIFICATIONS

1. CONCRETE TO HAVE A MINIMUM 28 DAY
2. COMPRESSIVE STRENGTH OF 4000 PSI.
3. REINFORCING STEEL TO COMPLY WITH ASTM A-615 GRADE 60 ASTM A-185-02
4. DRAWING SCALE 1:12
5. ALL DIMENSIONS ARE IN INCHES
6. TOLERANCE X ± 0.5"
7. CONFORMS TO LOCAL STANDARDS & SPECIFICATIONS AS APPLICABLE
8. INSTALLING INSTRUCTIONS AVAILABLE SEPERATELY

PROPRIETARY & CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DOCUMENTS IS THE SOLE PROPERTY OF ASTRO MASONRY. ANY REPRODUCTION, MANUFACTURING, DISCLOSURE IN PART OR AS A WHOLE WITHOUT THE WRITTEN CONSENT OF IS PROHIBITED.

COMPANY ADDRESS

928, LONG ISLAND AVENUE
DEER PARK, NY 11729
☎ 631-667-3300
www.astromasonry.com


ASTRO

ADDITIONAL NOTES:


REINFORCEMENT: WWF 6" × 12" - 6&8,
W2.0 × W2.0 (ASTM A1064)
MESH CENTERED IN 4" WALL WITH 1.5"
MIN COVER

ASTRO MASONRY©2025-26 I ALL RIGHTS RESERVED


SLAB WITH RECTANGLE OPENING




TOP VIEW 1:22





ISOMETRIC VIEW 1:22




TOP VIEW 1:22









PLAN VIEW 1:22



SECTION A-A
SCALE 1:22



PLAN VIEW 1:22



3D RENDER

PRODUCT NO.	AR 60 CB
DESCRIPTION	60 X 60 CATCH BASIN
STANDARD	SUFFOLK & NASSAU COUNTY
WALL THICKNESS	8"
CUT OUT SIZE	2'-6" X 2'-6"
COVER TYPE	RECTANGLE CUT COVER
WEIGHT	2000 LBS
LOAD RATING	A.A.S.H.T.O. HS20-44
TESTING BY	ALL ISLAND TESTING
ENGINEERING BY	FIONA S.

ENGINEERS APPROVAL SPACE

SPECIFICATIONS

1. CONCRETE TO HAVE A MINIMUM 28 DAY
2. COMPRESSIVE STRENGTH OF 4000 PSI.
3. REINFORCING STEEL TO COMPLY WITH ASTM A-615 GRADE 60 ASTM A-185-02
4. DRAWING SCALE 1:22
5. ALL DIMENSIONS ARE IN INCHES
6. TOLERANCE X ± 0.5"
7. CONFORMS TO LOCAL STANDARDS & SPECIFICATIONS AS APPLICABLE
8. INSTALLING INSTRUCTIONS AVAILABLE SEPERATELY

PROPRIETARY & CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DOCUMENTS IS THE SOLE PROPERTY OF ASTRO MASONRY. ANY REPRODUCTION, MANUFACTURING, DISCLOSURE IN PART OR AS A WHOLE WITHOUT THE WRITTEN CONSENT OF IS PROHIBITED.

COMPANY ADDRESS

928, LONG ISLAND AVENUE
DEER PARK, NY 11729
☎ 631-667-3300
www.astromasonry.com


ASTRO

ADDITIONAL NOTES:


REINFORCEMENT: WWF 6" × 12" - 6&8,
W2.0 × W2.0 (ASTM A1064)
MESH CENTERED IN 8" WALL WITH 1.5"
MIN COVER

ASTRO MASONRY©2025-26 I ALL RIGHTS RESERVED


SLAB WITH ROUND OPENING




TOP VIEW 1:22





ISOMETRIC VIEW 1:22




TOP VIEW 1:22









PLAN VIEW 1:22



SECTION A-A
SCALE 1:22



PLAN VIEW 1:22



3D RENDER

PRODUCT NO.	AR 60 CB
DESCRIPTION	60 X 60 CATCH BASIN
STANDARD	SUFFOLK & NASSAU COUNTY
WALL THICKNESS	8"
CUT OUT SIZE	2'-6" X 2'-6"
COVER TYPE	ROUND CUT COVER
WEIGHT	2000 LBS
LOAD RATING	A.A.S.H.T.O. HS20-44
TESTING BY	ALL ISLAND TESTING
ENGINEERING BY	FIONA S.

ENGINEERS APPROVAL SPACE

SPECIFICATIONS

1. CONCRETE TO HAVE A MINIMUM 28 DAY
2. COMPRESSIVE STRENGTH OF 4000 PSI.
3. REINFORCING STEEL TO COMPLY WITH ASTM A-615 GRADE 60 ASTM A-185-02
4. DRAWING SCALE 1:25
5. ALL DIMENSIONS ARE IN INCHES
6. TOLERANCE X ± 0.5"
7. CONFORMS TO LOCAL STANDARDS & SPECIFICATIONS AS APPLICABLE
8. INSTALLING INSTRUCTIONS AVAILABLE SEPERATELY

PROPRIETARY & CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DOCUMENTS IS THE SOLE PROPERTY OF ASTRO MASONRY. ANY REPRODUCTION, MANUFACTURING, DISCLOSURE IN PART OR AS A WHOLE WITHOUT THE WRITTEN CONSENT OF IS PROHIBITED.

COMPANY ADDRESS

928, LONG ISLAND AVENUE
DEER PARK, NY 11729
☎ 631-667-3300
www.astromasonry.com


ASTRO

ADDITIONAL NOTES:


REINFORCEMENT: WWF 6" × 12" - 6&8,
W2.0 × W2.0 (ASTM A1064)
MESH CENTERED IN 8" WALL WITH 1.5"
MIN COVER

ASTRO MASONRY©2025-26 I ALL RIGHTS RESERVED


SLAB WITH SQUARE OPENING




TOP VIEW 1:22




ISOMETRIC VIEW 1:22




TOP VIEW 1:22







PLAN VIEW 1:22



SECTION A-A
SCALE 1:22



PLAN VIEW 1:22



3D RENDER

PRODUCT NO.	AR 60 CB
DESCRIPTION	60 X 60 CATCH BASIN
STANDARD	SUFFOLK & NASSAU COUNTY
WALL THICKNESS	8"
CUT OUT SIZE	2'-6" X 2'-6"
COVER TYPE	SQUARE CUT COVER
WEIGHT	2000 LBS
LOAD RATING	A.A.S.H.T.O. HS20-44
TESTING BY	ALL ISLAND TESTING
ENGINEERING BY	FIONA S.

ENGINEERS APPROVAL SPACE

SPECIFICATIONS

1. CONCRETE TO HAVE A MINIMUM 28 DAY
2. COMPRESSIVE STRENGTH OF 4000 PSI.
3. REINFORCING STEEL TO COMPLY WITH ASTM A-615 GRADE 60 ASTM A-185-02
4. DRAWING SCALE 1:22
5. ALL DIMENSIONS ARE IN INCHES
6. TOLERANCE X ± 0.5"
7. CONFORMS TO LOCAL STANDARDS & SPECIFICATIONS AS APPLICABLE
8. INSTALLING INSTRUCTIONS AVAILABLE SEPERATELY

PROPRIETARY & CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DOCUMENTS IS THE SOLE PROPERTY OF ASTRO MASONRY. ANY REPRODUCTION, MANUFACTURING, DISCLOSURE IN PART OR AS A WHOLE WITHOUT THE WRITTEN CONSENT OF IS PROHIBITED.

COMPANY ADDRESS

928, LONG ISLAND AVENUE
DEER PARK, NY 11729
☎ 631-667-3300
www.astromasonry.com


ASTRO

ADDITIONAL NOTES:


REINFORCEMENT: WWF 6" × 12" - 6&8,
W2.0 × W2.0 (ASTM A1064)
MESH CENTERED IN 8" WALL WITH 1.5"
MIN COVER

ASTRO MASONRY©2025-26 I ALL RIGHTS RESERVED


SOLID SLAB




TOP VIEW 1:22





ISOMETRIC VIEW 1:22




TOP VIEW 1:22








PLAN VIEW 1:22



SECTION A-A
SCALE 1:22



PLAN VIEW 1:22



3D RENDER

PRODUCT NO.	AR 60 CB
DESCRIPTION	60 X 60 CATCH BASIN
STANDARD	SUFFOLK & NASSAU COUNTY
WALL THICKNESS	8"
CUT OUT SIZE	2'-6" X 2'-6"
COVER TYPE	SOLID COVER
WEIGHT	2000 LBS
LOAD RATING	A.A.S.H.T.O. HS20-44
TESTING BY	ALL ISLAND TESTING
ENGINEERING BY	FIONA S.

ENGINEERS APPROVAL SPACE

SPECIFICATIONS

1. CONCRETE TO HAVE A MINIMUM 28 DAY
2. COMPRESSIVE STRENGTH OF 4000 PSI.
3. REINFORCING STEEL TO COMPLY WITH ASTM A-615 GRADE 60 ASTM A-185-02
4. DRAWING SCALE 1:25
5. ALL DIMENSIONS ARE IN INCHES
6. TOLERANCE X ± 0.5"
7. CONFORMS TO LOCAL STANDARDS & SPECIFICATIONS AS APPLICABLE
8. INSTALLING INSTRUCTIONS AVAILABLE SEPERATELY

PROPRIETARY & CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DOCUMENTS IS THE SOLE PROPERTY OF ASTRO MASONRY. ANY REPRODUCTION, MANUFACTURING, DISCLOSURE IN PART OR AS A WHOLE WITHOUT THE WRITTEN CONSENT OF IS PROHIBITED.

COMPANY ADDRESS

928, LONG ISLAND AVENUE
DEER PARK, NY 11729
☎ 631-667-3300
www.astromasonry.com

ASTRO

ADDITIONAL NOTES:

REINFORCEMENT: WWF 6" × 12" - 6&8,
W2.0 × W2.0 (ASTM A1064)
MESH CENTERED IN 8" WALL WITH 1.5"
MIN COVER