Multilevel Visualization

Andrew Grogan-Kaylor

2024-05-25

Table of contents

1	Multilevel Visualization							
	1.1	Introduction	5					
	1.2	The Data	5					
2	Graphs 7							
	2.1	Scatterplots	7					
		2.1.1 Stata	7					
		2.1.2 R	9					
		2.1.3 Julia	10					
	2.2	Line Graph (Linear Trend)	11					
		2.2.1 Stata	11					
		2.2.2 R	12					
		2.2.3 Julia	13					
	2.3	Spaghetti Plots	15					
		2.3.1 Stata	15					
		2.3.2 R	15					
		2.3.3 Julia	17					
Re	eferen	ices	20					

List of Figures

2.1	Outcome by Parental Warmth (Stata)
2.2	Outcome by Parental Warmth (R)
2.3	Outcome by Parental Warmth (Julia)
2.4	Outcome by Parental Warmth (Stata)
2.5	Outcome by Parental Warmth (R)
2.6	Outcome by Parental Warmth (Julia)
2.7	Outcome by Parental Warmth (Stata)
2.8	Outcome by Parental Warmth (R)
2.9	Outcome by Parental Warmth (Julia)

List of Tables

1.1	Sample of Simulated Multilevel Data	5
1.1	Table continues below	5
1.2	Sample of Simulated Multilevel Data	6

1 Multilevel Visualization

"Persist and verify... The power that we abdicate to others out of our insecurity to others who insult us with their faux-intuition or their authoritarian smugness - that comes back to hurt us so deeply... But the power we wrest from our own certitude - that saves us." (Cash 2017)

1.1 Introduction

Below, I describe the use of Stata (StataCorp 2023), R¹ (R Core Team 2023; Wickham 2016), and Julia (Bezanson et al. 2017) to visualize multilevel models.



Comparison of Software

See my discussion of the advantages and disadvantages of different software in the Appendix on estimation of multilevel models with different software.

1.2 The Data

The examples use the simulated_multilevel_data.dta file from *Multilevel Thinking*. Here is a direct link to download the data.

Table 1.1: Sample of Simulated Multilevel Data

Table 1.1: Table continues below

country	HDI	family	id	identity	intervention	physical_punishment
1	69	1	1.1	1	0	3
1	69	2	1.2	1	1	2
1	69	3	1.3	0	1	3
1	69	4	1.4	1	0	0
1	69	5	1.5	1	0	4

¹In R, I use the ggplot2 (Wickham 2016) library.

country	HDI	family	id	identity	intervention	physical_punishment
1	69	6	1.6	0	1	5

 ${\bf Table~1.2:~Sample~of~Simulated~Multilevel~Data}$

warmth	outcome
3	57.47
1	50.1
2	52.92
5	60.17
4	55.05
3	49.81

2 Graphs



Order of Variables

Across software platforms pay attention to the order of variables. I generally use x for an independent variable along the horizontal axis and y for a dependent variable along the vertical axis. Different software asks for the variables to be listed in different order so it is worth paying close attention to the syntax.

2.1 Scatterplots

A scatterplot is one of the most basic of all data visualizations. At the same time, a scatterplot can be tremendously informative because it provides: the location of every data point (data points may be overprinted); a sense of the distribution of both the x and y variables; and a sense of the overall trend in the relationship between the two variables, if there is one.

2.1.1 Stata

2.1.1.1 Get The Data

```
use simulated_multilevel_data.dta
```

2.1.1.2 Scatterplot

```
twoway scatter outcome warmth, ///
 xtitle("warmth") ytitle("outcome") ///
 title("Outcome by Parental Warmth")
quietly graph export scatter.png, replace
```




Figure 2.1: Outcome by Parental Warmth (Stata)

2.1.2 R

2.1.2.1 Get The Data

```
library(haven)

df <- read_dta("simulated_multilevel_data.dta")</pre>
```

2.1.2.2 Scatterplot

```
library(ggplot2)

ggplot(df,
    aes(x = warmth,
        y = outcome)) +
    geom_point() +
    labs(title = "Outcome by Parental Warmth")
```

Outcome by Parental Warmth




Figure 2.2: Outcome by Parental Warmth (R)

2.1.3 Julia

2.1.3.1 Get The Data

```
using Tables, MixedModels, StatFiles, DataFrames, CategoricalArrays, DataFramesMeta

df = DataFrame(load("simulated_multilevel_data.dta"))
```

2.1.3.2 Scatterplot




Figure 2.3: Outcome by Parental Warmth (Julia)

2.2 Line Graph (Linear Trend)

A line graph of the data focuses in on the linear trend in the data.

2.2.1 Stata

2.2.1.1 Get The Data

use simulated_multilevel_data.dta

2.2.1.2 Line Graph

```
twoway lfit outcome warmth, ///
   xtitle("warmth") ytitle("outcome") ///
   title("Outcome by Parental Warmth")

quietly graph export lfit.png, replace
```




Figure 2.4: Outcome by Parental Warmth (Stata)

2.2.2 R

2.2.2.1 Get The Data

```
library(haven)

df <- read_dta("simulated_multilevel_data.dta")</pre>
```

2.2.2.2 Line Graph

Outcome by Parental Warmth




Figure 2.5: Outcome by Parental Warmth (R)

2.2.3 Julia

2.2.3.1 Get The Data

```
using Tables, MixedModels, StatFiles, DataFrames, CategoricalArrays, DataFramesMeta
dfL = DataFrame(load("simulated_multilevel_data.dta"))
```

2.2.3.2 Line Graph

To make our plot with a smoother in Julia, we set the markercolor and markerstrokecolor to be *white*, and the smooth option to :true.




Figure 2.6: Outcome by Parental Warmth (Julia)

2.3 Spaghetti Plots

A spaghetti plot might be considered the most multilevel of the visualizations here considered. A spaghetti plot shows the group specific slopes and intercepts for all of the groups in the data.

2.3.1 Stata

In Stata, spaghetti plots are most easily generated using the user written spagplot command. Type findit spagplot to install this command.

2.3.1.1 Get The Data

```
use simulated_multilevel_data.dta
```

2.3.1.2 Spaghetti Plot

```
Installing spagplot
spagplot is a user written command. Type findit spagplot to install.
```

```
spagplot outcome warmth, ///
id(country) ///
xtitle("parental warmth") ytitle("outcome") ///
title("Outcome by Parental Warmth")
quietly graph export spagplot.png, replace
```

2.3.2 R

2.3.2.1 Get The Data

```
library(haven)

df <- read_dta("simulated_multilevel_data.dta")</pre>
```




Figure 2.7: Outcome by Parental Warmth (Stata)

2.3.2.2 Spaghetti Plot




Figure 2.8: Outcome by Parental Warmth (R)

2.3.3 Julia

2.3.3.1 Get The Data

```
using Tables, MixedModels, StatFiles, DataFrames, CategoricalArrays, DataFramesMeta

dfL = DataFrame(load("simulated_multilevel_data.dta"))
```

2.3.3.2 Spaghetti Plot




Figure 2.9: Outcome by Parental Warmth (Julia)

References

- Bezanson, Jeff, Alan Edelman, Stefan Karpinski, and Viral B. Shah. 2017. "Julia: A Fresh Approach to Numerical Computing." *SIAM Review* 59 (1): 65–98. https://doi.org/10.1137/141000671.
- Cash, Roseanne. 2017. "Roseanne Cash Reads 'Power' by Adrienne Rich." In *The Universe in Verse*.
- R Core Team. 2023. R: A Language and Environment for Statistical Computing. Vienna, Austria: R Foundation for Statistical Computing. https://www.R-project.org/.
- StataCorp. 2023. Stata 18 Graphics Reference Manual. Stata Press.
- Wickham, Hadley. 2016. ggplot2: Elegant Graphics for Data Analysis. Springer-Verlag New York. https://ggplot2.tidyverse.org.