




cosmo-numba: B-modes and COSEBIs computations accelerated by Numba

Axel Guinot ¹ and Rachel Mandelbaum ¹

¹ Department of Physics, McWilliams Center for Cosmology, Carnegie Mellon University, Pittsburgh, PA 15213, USA

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Open Journals](#) 

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

Cosmic shear important probe. B-modes computation as null test

Statement of need

Cosmo-numba facilitate the computation of E/B-modes decomposition using two methods. One of them is COSEBIs as presented in P. Schneider et al. (2010). COSEBIs relies on very high precision computation requiring more than 80 decimal numbers. P. Schneider et al. (2010) propose an implementation using mathematica. cosmo-numba make use of combination of sympy and mpmath to reach the required precision. This python version enable an easier integration in cosmology pipeline and facilitate the null tests.

The second decomposition has been presented in Peter Schneider et al. (2022).

Mathematics

Single dollars (\$) are required for inline mathematics e.g. $f(x) = e^{\pi/x}$

Double dollars make self-standing equations:

$$\Theta(x) = \begin{cases} 0 & \text{if } x < 0 \\ 1 & \text{else} \end{cases}$$

You can also use plain \LaTeX for equations

$$\hat{f}(\omega) = \int_{-\infty}^{\infty} f(x) e^{i\omega x} dx \quad (1)$$

and refer to [Equation 1](#) from text.

Citations

Citations to entries in paper.bib should be in [rMarkdown](#) format.

If you want to cite a software repository URL (e.g. something on GitHub without a preferred citation) then you can do it with the example BibTeX entry below for (?).

For a quick reference, the following citation commands can be used: - @author:2001 -> "Author et al. (2001)" - [@author:2001] -> "(Author et al., 2001)" - [@author1:2001; @author2:2001] -> "(Author1 et al., 2001; Author2 et al., 2002)"

Figures

Figures can be included like this: Caption for example figure. and referenced from text using [section](#) .

Figure sizes can be customized by adding an optional second parameter: Caption for example figure.

Acknowledgements

We acknowledge contributions from Brigitta Sipocz, Syrtis Major, and Semyeong Oh, and support from Kathryn Johnston during the genesis of this project.

References

- Schneider, Peter, Asgari, M., Jozani, Y. N., Dvornik, A., Giblin, B., Harnois-Déraps, J., Heymans, C., Hildebrandt, H., Hoekstra, H., Kuijken, K., Shan, H., Tröster, T., & Wright, A. H. (2022). Pure-mode correlation functions for cosmic shear and application to KiDS-1000. *Astronomy & Astrophysics*, 664, A77. <https://doi.org/10.1051/0004-6361/202142479>
- Schneider, P., Eifler, T., & Krause, E. (2010). COSEBIs: Extracting the full e-/b-mode information from cosmic shear correlation functions. *Astronomy and Astrophysics*, 520, A116. <https://doi.org/10.1051/0004-6361/201014235>