

**Student**: Agustin Luques

**Subject**: MIE-DDW


**Homework 1** 

**Deadline**: 17.03.2019

Homework 1 Agustin Luques

Firstly, the domain that was crawled id Ebay.com.

I searched for "watches" and changed the amount of iems per page in order to crawl as much websites as I could.



After that, I copied the link<sup>1</sup> and set it as the "start url".

I get all the products which are in the main page by searching for all the <a> tags which have the class "s-item\_\_link". For each product, I extracted the href attribute and the text from the <h3> inside.

If the product link was not in the items I had crawled, I added it to the list and crawl it.

In the new type of website, I searched for the product's owner information. To get it, I had to search by the id "mbgLink" where from I took the "href" pointing to the owner profile and the text from the <span> inside.

```
▼<a href="https://www.ebay.com/usr/uktoper? trksid=p2047675.l2559" aria-label="Member ID:&nbsp;uktoper" id="mbgLink">
    <span class="mbg-nw">uktoper</span>
</a>
```

Before, I'd saved the product information in order to make a clear JSON output. Here, I did not have a list with the owners I had crawled because it could be that the same owner had many products.

Then, I crawled the owner's profile and got the information of the feedback people gave to him/her. To do this, I simply took the text from the element in which that info was.

<sup>&</sup>lt;sup>1</sup> https://www.ebay.com/sch/i.html?\_from=R40&\_nkw=watches&\_sacat=0&\_ipg=200

Homework 1 Agustin Luques