Techstream Lite Kit Installation Instructions for Mongoose-Plus and MongoosePro Vehicle Interface Modules (VIMs)



Table of Contents

Installing Mongoose-Plus and MongoosePro Software from Techinfo Website 2

Installing Agent Lite from Techinfo Website 7

Downloading & Installing GTS+ Software 10

Launching GTS+ & VIM Selection 13

Connecting to Vehicle to Verify Techstream Lite Operation 14

Techstream Lite Technical Support Information 16

Installing Mongoose-Plus and MongoosePro Software from Techinfo Website

Required to proceed:


System Requirements

Verify the PC is compatible with the requirements of GTS+:

- **Your PC should meet or exceed the following hardware specifications:**
- Recommended: Intel i5, Ryzen 5, or better
- Recommended disk space: 256 GB or more
- Recommended memory: 8 GB of RAM or more
- **Windows 10 or 11 (64bits) operating system** (older operating systems are not supported)
- **PC has .NET 4.7.2 installed**
- **PC has 1 of the 3 supported browsers listed below installed:**
- Chrome (version 107.0 or newer)
- Edge (version 107.0 or newer)
- Firefox (version 80.0 or newer)
- **Admin rights on the PC**- the installer needs admin privileges.
- **The PC has a good internet connection of 100 Mbps or greater** (minimum 10 Mb/s)
- **Your network firewall allows access to https://gtsplus.toyota.com**

Perform the following:


1. Go to https://techinfo.toyota.com, enter **User Name** and **Password** then click **Login**.



2. Click on **TIS → Diagnostics → ScanTool**


   In the Techstream Lite section, click on **Mongoose-Plus MFC3**, **MongoosePro MFC2** or **MongoosePro MFC** to display the available software versions. Select the applicable software link to download the installation file.

   NOTE: The software versions shown are for reference, as updated versions may be available.


Home
TIS
Library
Diagnostics
Tech Assistance
Vehicle Inquiry
ScanTool
Reprogramming
Autono-MaaS
Immobilizer Reset
Add
Techstream Software
Global Techstream+
NEXT GENERATION DIAGNOSTICS SOFTWARE
New GTS+ Agent Lite Software
Global Techstream Software + (GTS+) software is now available for download via the GTS+ Agent Lite Software. Install Agent Lite to begin downloading and installing the GTS+ software. Only download and install the Agent Lite once and it will manage all current and future GTS+ update, download and install needs.
Click here for GTS+ Agent Lite Software Install
Agent Lite Install Reference Material
Agent Lite Installation Instructions
GTS+ Quick Start Guide
Software Release Table
GTS+ Version
Release Date
V2023.04.003.02
11/28/2023
V2023.03.002.02
9/21/2023
V2023.03.001.02
8/14/2023
V2023.02.001.02
5/8/2023
V2022.04.004.02
1/30/2023
Techstream Lite
techstream
Techstream Lite Getting Started
After you obtain a PC that meets the minimum network and hardware requirements, follow these easy steps to get your Techstream Lite configured quickly. For detailed instructions refer to the Agent Lite Installation Instructions.
1. Install Mongoose VIM Software (Choose the link below that corresponds to the device you have. NOTE: If you install the incorrect driver, your Mongoose cable will not operate correctly.)
2. Install full version of GTS+ Software GTS+ Agent Lite Software Install
3. Set Techstream VIM Selection to the appropriate device
Mongoose Cable/VIM Software
NOTE: Mongoose-Plus MFC3 32-bit and 64-bit drivers are now separate
Mongoose-Plus MFC3 VIM
Application: Techstream Lite w/Blue & Black Case w/Detachable Cable | Techstream ADVi w/Grey Case
Install Mongoose-Plus MFC3 VIM Software
32-bit Mongoose-Plus MFC3 Software Installer v1.0.20
64-bit Mongoose-Plus MFC3 Software Installer v1.0.20
MongoosePro MFC2 VIM
Application: Techstream Lite w/Green Case | Techstream ADVi w/Black Case
Install MongoosePro MFC2 VIM Software
32-bit MongoosePro MFC2 Software Installer v1.8.2
64-bit MongoosePro MFC2 Software Installer v1.8.2
MongoosePro MFC VIM
Application: Techstream Lite w/Blue Case | Techstream Lite w/Updated Clear Case | Techstream 2.0
Install MongoosePro MFC VIM Software
32-bit MongoosePro MFC Software Installer v1.2.10
64-bit MongoosePro MFC Software Installer v1.2.10


3. From the Downloads folder on your PC, double click on the downloaded installation file.

   NOTE: mongooseplus_mfc3_0404_0500_setup.exe shown as an example. Your content may differ depending on the downloaded version.



4. A setup screen will appear as shown. Check the box labeled "**I accept the terms in the license agreement**" then click **Install**.


   NOTE: Mongoose-Plus MFC3 installation screen shown as an example. MongoosePro MFC2/MFC installation screens differ but follow a similar setup procedure.



5. You will be instructed to attach the Mongoose-Plus or MongoosePro device to the computer *after* the installation is complete. Click **Exit** to complete the setup

   NOTE: Mongoose-Plus MFC3 installation screen shown as an example. MongoosePro MFC2/MFC installation screens differ but follow a similar setup procedure.


   NOTE: Some devices require activation. If prompted, complete device activation for proper operation and functionality.



Installing Agent Lite from Techinfo Website

Perform the following:


1. Go to https://techinfo.toyota.com, enter **User Name** and **Password** then click **Login**.




2. Click on **TIS → Diagnostics → ScanTool**

   In the Techstream Software section, select **GTS+ Agent Lite Software Install** to download the Agent Lite installer.


   NOTE: The most recent GTS+ version is displayed in the table; below is only for reference.




3. From the Downloads folder on your PC, double click on the downloaded Agent Lite file.




4. Choose setup language and click **Next** to continue.




5. Click **Next** again to continue.




6. Select **Next**.




7. Select **Install**.



8. Agent Lite program will begin installing.




9. Click **Finish** to complete the installation




Downloading & Installing GTS+ Software

After Agent Lite is installed, the following prompt will be displayed at the bottom, right-hand corner of the screen:


1. Select Yes, then a web browser window will open.




2. Login using your Techinfo credentials.




3. After the login is successful, select **Open AgentLiteSsoLogin.**




4. After about one minute a new window will open. This is the Agent Lite home screen.




5. To download the latest GTS+ software, select the **Install Now** button. Then select **Yes** in the popup.




6. Once Install Now is selected, Agent Lite will uninstall the currently installed version of GTS+ then download the latest version available. If GTS+ is not currently installed on the PC, the latest GTS+ version will begin downloading.



7. Once the software is downloaded completely, you will be asked if you want to install GTS+ now. Select **Yes**.



8. Agent Lite will begin installing GTS+. This may take up to 15 minutes. Once installed, you will have a GTS+ icon on the desktop. Select **Please Reboot Now** when the popup appears. If a PC reboot is not prompted, it is recommended. Note: There is no progress indicator during the installation step.




Launching GTS+ & VIM Selection


1. Double click the GTS+ Icon on the desktop, it will open a browser based on Windows Default Browser Setting (use Chrome, Edge, or Firefox).



2. Select appropriate Country and User Type (public User), then click **Server Login**.



3. At Initial login to a new PC, you will receive a user information message. Proceed with the on-screen prompts and set your user preferences as desired.




Connecting to Vehicle to Verify Techstream Lite Operation

Perform the following:


1. Connect **Mongoose-Plus MFC3**, **MongoosePro MFC2** or **MongoosePro MFC** device to PC via USB port.
2. Connect **Mongoose-Plus MFC3**, **MongoosePro MFC2** or **MongoosePro MFC** device to vehicle's **DLC3 (OBD-II)** port.
3. From the GTS+ main menu, click **Connect to Vehicle.**




4. Vehicle information should be prepopulated as in the example below. Select the appropriate vehicle **Option** and click **Next**.



5. From the **Main Menu**, select the Health Check button. If GTS advances to the Health Check screen and you see a list of ECUs, communication has been established and you are done!





Techstream Lite Technical Support Information

Technical support: **1-877-762-7666**

Email support: **Techinfo@Toyota.com**