PCS Data Report

This report created by PCS Data Viewer.
PCS Data Viewer data output

1. General information
2. File information
3. User selected FFD data and graph
4. Image FFD
5. Hexadecimal Data

1.General Information

1.1.Data Limitations

- Due to limitations of the data recorded, such as the resolution, data range, sampling interval, time period of the recording, and the items recorded, the information provided by this data may not be sufficient to capture the entire event.
- The recorded data is recorded in discrete intervals. Due to different refresh rates within the vehicle's electronics, the data recorded may not be synchronous to each other.
- When a new event on PCS FFD have happened, the data of the past event will be overwritten by a new event.
- If power supply to the airbag ECU and/or other systems are lost during an event, all or part of the data may not be recorded.
- This Global TechStream, TaSCAN, or Intelligent Tester II devices (or any other Toyota genuine diagnostic tool) can be used to obtain detailed information on the diagnostic trouble codes from the airbag system, as well as diagnostic information from other systems.

1.2.About PCS Data


- The vehicle control history is a function that records control data (record data) when triggered by specific vehicle behavior. When DTCs are not detected according to information provided by customers, by checking the vehicle control history, it is possible to gain a quantitative grasp on diagnostic information and the history can be used as a reference to proceed with malfunction diagnosis.
- Maximum recording number, Sampling period for recording and Data sampling rate depend on the triggers and recording data.
- VCH data is recorded in the memory of the airbag ECU, and some of the data recorded by the airbag ECU is transmitted from various vehicle control modules by the vehicle’s Control Area Network (CAN).
- In some cases, the airbag ECU part number printed on the ECU label may not match the airbag ECU part number that the PCS data viewer reports. The part number retrieved by the PCS data viewer should be considered as the official ECU part number.

Basic data		Power train system	Brake control system	Driver Assistance system
・num. of IG-ON ・Progressed time from IG_ON ・odometer ・opening rate of Accelerator pedal ・shift position ・Stop Switch ・braking fluid pressure ・steering angle	・CC SW ・Sport Mode ・ECO Mode ・SNOW Mode ・EV Mode ・vehicle speed ・Gx ・Gy ・Yaw rate	・engine revolution speed ・gear position ・turbine revolution speed ・RDY-ON(HV) ・opening rate of throttle（for Gas)	・VSC/ABS/TRC activation ・VSC/TRC 0ff-SW ・wheel rotating speed	・CC control SW ・request of CC ・target vehicle speed of CC ・relative distance ・relative speed ・PCS activation ・LKA control condition ・steering maneuver torque


- The following PCS data (Operation FFD) is recorded upon the PCS operation.
  - Vehicle velocity
  - Accelerator pedal position
  - Brake pedal ON/OFF)
  - The operation situation of each function of PCS
  - Information such as the distance with objects such as preceding vehicles and their relative velocity
- PCS data (Image FFD) is recorded upon the pre-collision brake operation (PBA, PB).
  - In addition to the above, system records image information (Image FFD) of the camera sensor.
- Image information, Image FFD, is recorded 20 shots×3 events in TSS-P/LSS+, 2 shots×3events in TSS-C and 20 shots×10 events in LSS+A, and also maximum 10 shots at every trigger including the first trigger each event if another trigger occurs after the first trigger for six seconds.

Image FFD
- TSS-P/LSS+ PCS : 20shots
- LSS+A PCS : 20 shots+ Maximum 10 shots at every trigger including the first trigger

a) Pattern A




b) PatternB




- TSS-P/LSS+ system captures image FFD of a certain period of time,
  and records 10 image FFDs before trigger and 10 image FFDs
  after trigger that PBA/PB was activated at a certain timing.
- If the timing when PBA/PB are activated coincides with
  the timing when the system takes image FFD
  the system records image FFD at the timing (0) and
  9 image FFDs before the such timing and 10 image FFDs after the such timing.

c) Additional Pattern; LSS+A only



- An image FFD at the first trigger is recorded additionally in only LSS+A. And also the system in LSS+A can record up to maximum 9 image FFDs at every trigger after the first trigger for six seconds.

TSS-C PCS:2shots



- Note: TSS -C records only 2 image FFDs due to the memory capacity of TSS-C ECU.

- Data Element Sign Convention:
  - The following table provides an explanation of the sign notation for data
    elements that may be included in this PCS Data report.

Data Element Name	Positive Sign Notation Indicates
Longitudinal Acceleration Value	Forward
Lateral Acceleration Value	Left to Right
Yaw rate	Left Turn
Steering angle	Left Turn
Lateral position for control target	Right Side

1.3 Appendix : The meaning of Abbreviation

Abbreviation	Meaning
ABS	Antilock Brake System
ACC	Adaptive Cruise Control
AEB	Autonomous Emergency Braking
AHB	Automatic High-Beam
AIM	AIM (Camera axis)
ALM	ALarM
ARS	Adaptive Radar Sensor
ASL	Adaptive Speed Limiter
AVS	Adaptive Variable Suspension
CAA	Collision Avoidance Assist
CAN	Controller Area Network
CC	Cruise Control
DDR	Drive Data Recorder
DRCC	Dynamic Radar Cruise Control
DW	Distance Warning
ECB	Electrical Control Brake
EDA	Emergency Driver Assist
EDR	Event Data Recorder
ETTC	Enhanced TTC
FFD	Freeze Frame Data
FPB	Former Pre-collision Brake
FSN	FuSioN
GTS	Global TechStream
ICS	Intelligent Clearance Sonar
IG-ON	Ignition ON
LDA	Lane Departure Alert
LKA	Lane Keeping Assist
MFC	Monocular Forward Camera
MWR	Millimeter Wave Radar
PB	Pre-collision Brake
PBA	Pre-collision Brake Assist
PBH	Pre-collision Brake Hold
PBR	Pre-Brake Request
PCS	Pre-Collision Safety
PSB	Pre-collision SeatBelt
PW	Pedestrian Warning
STP SW	SToP SWitch
TRC	TRaction Control
TTC	Time To Collision
VCH	Vehicle Control History
VDAS	Vehicle Data Analysis System
VSC	Vehicle Stability Control

2.File Information

File Information	Value	ECU Information	Value
VIN	2T3WFREV2JW472764	Parts No.	0R191
Key Cycle	1078	Software No.	8917F0R092
ODO	17371km		
Dealer Code	1		
Retrieval Date	20181127		
.vdas File Name	2T3WFREV2JW472764_20181127172957		

3.User Selected VCH or FFD Data

Set No: 1

Trigger Name:PCS operation history


Elapsed Time: 02:33:02.0

3.1 Type of the object for control target

Time Stamp	Parameter Value
-4.736	3
-4.640	3
-4.544	3
-4.448	3
-4.352	3
-4.256	3
-4.160	3
-4.064	3
-3.968	3
-3.872	3
-3.776	3
-3.680	3
-3.584	3
-3.488	3
-3.392	3
-3.296	3
-3.200	3
-3.104	3
-3.008	3
-2.912	3
-2.816	3
-2.720	3
-2.624	3
-2.528	3
-2.432	3
-2.336	3
-2.240	3
-2.144	3
-2.048	3
-1.952	3
-1.856	3
-1.760	3
-1.664	3
-1.568	3
-1.472	3
-1.376	3
-1.280	3
-1.184	3
-1.088	3
-0.992	3
-0.896	3
-0.800	3
-0.704	3
-0.608	3
-0.512	3
-0.416	3
-0.320	3
-0.224	3
-0.128	3
-0.032	3
0.000	3
0.064	3
0.160	3
0.256	3
0.352	3

Time Stamp	Parameter Value
0.448	3
0.544	3
0.640	3
0.736	3
0.832	3
0.928	3
1.024	3
1.120	3
1.216	3
1.312	3
1.408	6
1.504	6
1.600	6
1.696	6
1.792	3
1.888	6
1.984	6
2.080	6
2.176	3
2.272	6
2.368	6
2.464	6
2.560	6
2.656	6
2.752	6
2.848	6
2.944	6
3.040	6
3.136	6
3.232	6
3.328	6
3.424	6
3.520	6
3.616	6
3.712	6
3.808	6

Type of the object for control target




3.2 TTC 1 for control target [s]

Time Stamp	Parameter Value
-4.736	12.75
-4.640	12.75
-4.544	12.75
-4.448	12.75
-4.352	12.75
-4.256	12.75
-4.160	12.75
-4.064	12.75
-3.968	12.75
-3.872	12.75
-3.776	12.75
-3.680	12.75
-3.584	12.75
-3.488	12.75
-3.392	12.75
-3.296	12.75
-3.200	12.75
-3.104	12.75
-3.008	12.75
-2.912	12.75
-2.816	12.75
-2.720	4
-2.624	4
-2.528	4
-2.432	3.95
-2.336	3.95
-2.240	3.9
-2.144	3.85
-2.048	3.85
-1.952	3.8
-1.856	3.75
-1.760	3.7
-1.664	3.65
-1.568	3.6
-1.472	3.5
-1.376	3.45
-1.280	3.4
-1.184	3.35
-1.088	3.35
-0.992	3.25
-0.896	3.15
-0.800	3.05
-0.704	2.95
-0.608	2.85
-0.512	2.75
-0.416	2.65
-0.320	2.5
-0.224	2.4
-0.128	2.3
-0.032	2.2
0.000	2.2
0.064	2.15
0.160	2.05
0.256	1.95
0.352	1.85

Time Stamp	Parameter Value
0.448	1.8
0.544	1.7
0.640	1.6
0.736	1.55
0.832	1.45
0.928	11.2
1.024	11.1
1.120	10.95
1.216	1.05
1.312	1.05
1.408	3
1.504	0.65
1.600	0.55
1.696	0.45
1.792	12.75
1.888	2.5
1.984	2.4
2.080	0.4
2.176	12.75
2.272	0.45
2.368	0.85
2.464	2.45
2.560	2.35
2.656	2.25
2.752	0.5
2.848	0.9
2.944	0.8
3.040	0.7
3.136	0.6
3.232	1.6
3.328	1.5
3.424	0.6
3.520	1.3
3.616	1.2
3.712	3.25
3.808	0.75


TTC 1 for control target [s]



3.3 Estimated Curve R [deg/s]

Time Stamp	Parameter Value
-4.736	10235
-4.640	-10240
-4.544	-10240
-4.448	-10240
-4.352	-10240
-4.256	-10240
-4.160	-10240
-4.064	-10240
-3.968	-10240
-3.872	-10240
-3.776	-10240
-3.680	-10240
-3.584	-10240
-3.488	-10240
-3.392	-10240
-3.296	-10240
-3.200	-10240
-3.104	-10240
-3.008	-10240
-2.912	-10240
-2.816	-10240
-2.720	-10240
-2.624	-10240
-2.528	-10240
-2.432	-10240
-2.336	-10240
-2.240	-10240
-2.144	-10240
-2.048	-10240
-1.952	-10240
-1.856	-6270
-1.760	-4425
-1.664	-2990
-1.568	-2020
-1.472	-1620
-1.376	-1530
-1.280	-1545
-1.184	-1580
-1.088	-1595
-0.992	-1620
-0.896	-1625
-0.800	-1570
-0.704	-1505
-0.608	-1540
-0.512	-1475
-0.416	-1310
-0.320	-1185
-0.224	-1075
-0.128	-1005
-0.032	-940
0.000	-940
0.064	-930
0.160	-940
0.256	-990
0.352	-1120

Time Stamp	Parameter Value
0.448	-1260
0.544	-1665
0.640	-2870
0.736	-10005
0.832	10235
0.928	4290
1.024	2810
1.120	2070
1.216	1740
1.312	1610
1.408	1320
1.504	1110
1.600	995
1.696	885
1.792	825
1.888	815
1.984	840
2.080	875
2.176	930
2.272	1055
2.368	1315
2.464	1535
2.560	2205
2.656	2920
2.752	3065
2.848	2660
2.944	2545
3.040	2775
3.136	3250
3.232	4990
3.328	8965
3.424	10235
3.520	10235
3.616	-10240
3.712	-10240
3.808	-10240




3.4 PCS warning display request

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	1
0.064	1
0.160	1
0.256	1
0.352	1

Time Stamp	Parameter Value
0.448	1
0.544	1
0.640	1
0.736	1
0.832	1
0.928	1
1.024	1
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS warning display request




3.5 PBH Request Flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0


PBH Request Flag



3.6 ALM Request Flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	1
0.064	1
0.160	1
0.256	1
0.352	1

Time Stamp	Parameter Value
0.448	1
0.544	1
0.640	1
0.736	1
0.832	1
0.928	1
1.024	1
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0




3.7 PBA Request Status

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0


PBA Request Status



3.8 FPB Request Flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0


Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0



3.9 PB Request Flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0


Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0



3.10 ALM Request Flag 2

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	1
0.064	1
0.160	1
0.256	1
0.352	1

Time Stamp	Parameter Value
0.448	1
0.544	1
0.640	1
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0




3.11 valid/invalid status of PCS system

Time Stamp	Parameter Value
-4.736	1
-4.640	1
-4.544	1
-4.448	1
-4.352	1
-4.256	1
-4.160	1
-4.064	1
-3.968	1
-3.872	1
-3.776	1
-3.680	1
-3.584	1
-3.488	1
-3.392	1
-3.296	1
-3.200	1
-3.104	1
-3.008	1
-2.912	1
-2.816	1
-2.720	1
-2.624	1
-2.528	1
-2.432	1
-2.336	1
-2.240	1
-2.144	1
-2.048	1
-1.952	1
-1.856	1
-1.760	1
-1.664	1
-1.568	1
-1.472	1
-1.376	1
-1.280	1
-1.184	1
-1.088	1
-0.992	1
-0.896	1
-0.800	1
-0.704	1
-0.608	1
-0.512	1
-0.416	1
-0.320	1
-0.224	1
-0.128	1
-0.032	1
0.000	1
0.064	1
0.160	1
0.256	1
0.352	1

Time Stamp	Parameter Value
0.448	1
0.544	1
0.640	1
0.736	1
0.832	1
0.928	1
1.024	1
1.120	1
1.216	1
1.312	1
1.408	1
1.504	1
1.600	1
1.696	1
1.792	1
1.888	1
1.984	1
2.080	1
2.176	1
2.272	1
2.368	1
2.464	1
2.560	1
2.656	1
2.752	1
2.848	1
2.944	1
3.040	1
3.136	1
3.232	1
3.328	1
3.424	1
3.520	1
3.616	1
3.712	1
3.808	1

valid/invalid status of PCS system




3.12 PCS control status

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0


PCS control status



3.13 Deceleration Request Output Value [m/s^2]

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0


Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0



3.14 Target Object Number


Time Stamp	Parameter Value
-4.736	3
-4.640	3
-4.544	3
-4.448	3
-4.352	3
-4.256	3
-4.160	3
-4.064	3
-3.968	3
-3.872	3
-3.776	3
-3.680	3
-3.584	3
-3.488	3
-3.392	3
-3.296	3
-3.200	3
-3.104	3
-3.008	3
-2.912	3
-2.816	3
-2.720	2
-2.624	2
-2.528	2
-2.432	2
-2.336	2
-2.240	2
-2.144	2
-2.048	2
-1.952	2
-1.856	2
-1.760	2
-1.664	2
-1.568	2
-1.472	2
-1.376	2
-1.280	2
-1.184	2
-1.088	2
-0.992	2
-0.896	2
-0.800	2
-0.704	2
-0.608	2
-0.512	2
-0.416	2
-0.320	2
-0.224	2
-0.128	2
-0.032	2
0.000	2
0.064	2
0.160	2
0.256	2
0.352	2

Time Stamp	Parameter Value
0.448	2
0.544	2
0.640	2
0.736	2
0.832	2
0.928	3
1.024	3
1.120	3
1.216	2
1.312	2
1.408	5
1.504	3
1.600	3
1.696	3
1.792	2
1.888	5
1.984	5
2.080	3
2.176	2
2.272	1
2.368	4
2.464	6
2.560	6
2.656	6
2.752	1
2.848	4
2.944	4
3.040	4
3.136	4
3.232	6
3.328	6
3.424	1
3.520	6
3.616	6
3.712	7
3.808	1



3.15 Relative acceleration for control target [m/s^2]

Time Stamp	Parameter Value
-4.736	0.6
-4.640	0.4
-4.544	0.8
-4.448	1.4
-4.352	0.8
-4.256	1.6
-4.160	1.6
-4.064	2.4
-3.968	2.6
-3.872	2
-3.776	1.8
-3.680	1.8
-3.584	1.6
-3.488	1.6
-3.392	1.6
-3.296	1.8
-3.200	1.6
-3.104	1.8
-3.008	1.4
-2.912	2.2
-2.816	1.8
-2.720	2
-2.624	1.6
-2.528	1.2
-2.432	1.6
-2.336	0.8
-2.240	1.2
-2.144	1.4
-2.048	1.4
-1.952	1
-1.856	1
-1.760	0.8
-1.664	1
-1.568	0.6
-1.472	0
-1.376	0.8
-1.280	0.8
-1.184	0.8
-1.088	0.6
-0.992	0.2
-0.896	-0.2
-0.800	0
-0.704	-0.2
-0.608	0
-0.512	-0.2
-0.416	0
-0.320	-0.4
-0.224	0
-0.128	0.2
-0.032	0
0.000	0
0.064	0
0.160	-0.2
0.256	-0.2
0.352	0.1
0.448	0.7
0.544	0.5
0.640	0.3
0.736	0.6
0.832	-0.3
0.928	-0.2
1.024	-0.2
1.120	-0.2
1.216	0.5
1.312	1.1
1.408	-1
1.504	-0.2
1.600	-0.4
1.696	-0.2
1.792	-0.4
1.888	-0.4
1.984	-0.4
2.080	-0.4
2.176	-0.2
2.272	-0.2
2.368	-2
2.464	-5.6
2.560	-3
2.656	-1.2
2.752	0
2.848	-0.8
2.944	-1.2
3.040	0.2
3.136	0.4
3.232	-0.8
3.328	-1
3.424	-1.4
3.520	-0.2
3.616	0.8
3.712	-0.4
3.808	-0.4




3.16 Sensor recognition status 2 for control target

Time Stamp	Parameter Value
-4.736	2
-4.640	2
-4.544	2
-4.448	2
-4.352	2
-4.256	2
-4.160	2
-4.064	2
-3.968	2
-3.872	2
-3.776	2
-3.680	2
-3.584	2
-3.488	2
-3.392	2
-3.296	2
-3.200	2
-3.104	2
-3.008	2
-2.912	2
-2.816	2
-2.720	2
-2.624	2
-2.528	2
-2.432	2
-2.336	2
-2.240	2
-2.144	2
-2.048	2
-1.952	2
-1.856	2
-1.760	2
-1.664	2
-1.568	2
-1.472	2
-1.376	2
-1.280	2
-1.184	2
-1.088	2
-0.992	2
-0.896	2
-0.800	2
-0.704	2
-0.608	2
-0.512	2
-0.416	2
-0.320	2
-0.224	2
-0.128	2
-0.032	2
0.000	2
0.064	2
0.160	2
0.256	2
0.352	2


Time Stamp	Parameter Value
0.448	2
0.544	2
0.640	2
0.736	2
0.832	2
0.928	2
1.024	2
1.120	2
1.216	2
1.312	2
1.408	2
1.504	2
1.600	2
1.696	2
1.792	2
1.888	2
1.984	2
2.080	2
2.176	2
2.272	2
2.368	2
2.464	2
2.560	2
2.656	2
2.752	2
2.848	2
2.944	2
3.040	2
3.136	2
3.232	2
3.328	2
3.424	2
3.520	2
3.616	2
3.712	2
3.808	2

Sensor recognition status 2 for control target



3.17 TTC 2 for control target [s]


Time Stamp	Parameter Value
-4.736	12.75
-4.640	12.75
-4.544	12.75
-4.448	12.75
-4.352	12.75
-4.256	12.75
-4.160	12.75
-4.064	12.75
-3.968	12.75
-3.872	12.75
-3.776	12.75
-3.680	12.75
-3.584	12.75
-3.488	12.75
-3.392	12.75
-3.296	12.75
-3.200	12.75
-3.104	12.75
-3.008	12.75
-2.912	12.75
-2.816	12.75
-2.720	12.75
-2.624	12.75
-2.528	12.75
-2.432	12.75
-2.336	12.75
-2.240	12.75
-2.144	12.75
-2.048	12.75
-1.952	12.75
-1.856	12.75
-1.760	12.75
-1.664	12.75
-1.568	6.7
-1.472	4.7
-1.376	4.75
-1.280	4.65
-1.184	4.85
-1.088	5.35
-0.992	4.5
-0.896	3.75
-0.800	3.3
-0.704	2.95
-0.608	2.8
-0.512	2.65
-0.416	2.55
-0.320	2.45
-0.224	2.35
-0.128	2.25
-0.032	2.2
0.000	2.2
0.064	2.15
0.160	2.05
0.256	1.9
0.352	1.85
0.448	1.8
0.544	1.7
0.640	1.6
0.736	1.55
0.832	1.45
0.928	11.2
1.024	11.1
1.120	10.95
1.216	1.05
1.312	1.05
1.408	3
1.504	0.65
1.600	0.55
1.696	0.45
1.792	12.75
1.888	2.5
1.984	2.4
2.080	0.4
2.176	12.75
2.272	0.45
2.368	0.85
2.464	2.45
2.560	2.35
2.656	2.25
2.752	0.5
2.848	0.9
2.944	0.8
3.040	0.7
3.136	0.6
3.232	1.6
3.328	1.5
3.424	0.6
3.520	1.3
3.616	1.2
3.712	3.25
3.808	0.75



3.18 Distance for control target [m]

Time Stamp	Parameter Value
-4.736	110.4
-4.640	110.3
-4.544	110.1
-4.448	110.1
-4.352	110.1
-4.256	110.3
-4.160	110.3
-4.064	110.3
-3.968	110.4
-3.872	110.5
-3.776	110.7
-3.680	110.8
-3.584	110.9
-3.488	110.9
-3.392	111.1
-3.296	111.3
-3.200	111.5
-3.104	111.8
-3.008	112
-2.912	112.3
-2.816	112.5
-2.720	30.1
-2.624	29.4
-2.528	28.7
-2.432	27.9
-2.336	27.6
-2.240	26.9
-2.144	26.2
-2.048	25.5
-1.952	24.8
-1.856	24.2
-1.760	23.5
-1.664	22.9
-1.568	22.3
-1.472	21.6
-1.376	21
-1.280	20.4
-1.184	19.8
-1.088	19.5
-0.992	19
-0.896	18.4
-0.800	17.8
-0.704	17.2
-0.608	16.6
-0.512	16
-0.416	15.5
-0.320	14.8
-0.224	14.3
-0.128	13.7
-0.032	13.1
0.000	13.1
0.064	12.8
0.160	12.2
0.256	11.6
0.352	11

Time Stamp	Parameter Value
0.448	10.6
0.544	9.9
0.640	9.3
0.736	8.7
0.832	8.2
0.928	67.2
1.024	66.6
1.120	66
1.216	5.8
1.312	5.5
1.408	97.8
1.504	21.1
1.600	17.9
1.696	14.7
1.792	128.1
1.888	81.4
1.984	78.1
2.080	12.9
2.176	129.5
2.272	13.8
2.368	27.5
2.464	80.3
2.560	77.1
2.656	73.8
2.752	16
2.848	29.7
2.944	26.4
3.040	23.1
3.136	19.8
3.232	53.9
3.328	50.6
3.424	19.3
3.520	43.8
3.616	40.5
3.712	109
3.808	24.5




3.19 Relative speed for control target [m/s]

Time Stamp	Parameter Value
-4.736	-0.4
-4.640	-0.3
-4.544	-0.2
-4.448	-0.1
-4.352	0
-4.256	0.2
-4.160	0.3
-4.064	0.6
-3.968	0.8
-3.872	1
-3.776	1.1
-3.680	1.3
-3.584	1.5
-3.488	1.6
-3.392	1.7
-3.296	1.9
-3.200	2.1
-3.104	2.3
-3.008	2.4
-2.912	2.6
-2.816	2.7
-2.720	-7.5
-2.624	-7.4
-2.528	-7.2
-2.432	-7.1
-2.336	-7
-2.240	-6.9
-2.144	-6.8
-2.048	-6.7
-1.952	-6.6
-1.856	-6.5
-1.760	-6.4
-1.664	-6.3
-1.568	-6.2
-1.472	-6.2
-1.376	-6.1
-1.280	-6
-1.184	-5.9
-1.088	-5.9
-0.992	-5.8
-0.896	-5.8
-0.800	-5.8
-0.704	-5.8
-0.608	-5.8
-0.512	-5.9
-0.416	-5.9
-0.320	-5.9
-0.224	-5.9
-0.128	-5.9
-0.032	-5.9
0.000	-5.9
0.064	-5.9
0.160	-5.9
0.256	-6
0.352	-5.9

Time Stamp	Parameter Value
0.448	-5.9
0.544	-5.8
0.640	-5.8
0.736	-5.7
0.832	-5.7
0.928	-6
1.024	-6
1.120	-6
1.216	-5.4
1.312	-5.3
1.408	-32.7
1.504	-31.9
1.600	-31.9
1.696	-31.9
1.792	3.4
1.888	-32.8
1.984	-32.8
2.080	-32
2.176	3.3
2.272	-32.1
2.368	-32.3
2.464	-32.6
2.560	-32.9
2.656	-33.1
2.752	-32.1
2.848	-32.4
2.944	-32.5
3.040	-32.5
3.136	-32.5
3.232	-33.4
3.328	-33.4
3.424	-32.5
3.520	-33.5
3.616	-33.5
3.712	-33.7
3.808	-33.2


Relative speed for control target [m/s]



3.20 Lateral position for control target [m]

Time Stamp	Parameter Value
-4.736	-0.24
-4.640	-0.24
-4.544	-0.2
-4.448	-0.24
-4.352	-0.32
-4.256	-0.32
-4.160	-0.28
-4.064	-0.24
-3.968	-0.24
-3.872	-0.28
-3.776	-0.32
-3.680	-0.32
-3.584	-0.36
-3.488	-0.36
-3.392	-0.36
-3.296	-0.36
-3.200	-0.36
-3.104	-0.36
-3.008	-0.4
-2.912	-0.4
-2.816	-0.36
-2.720	-1.24
-2.624	-1.16
-2.528	-1.04
-2.432	-0.88
-2.336	-0.84
-2.240	-0.72
-2.144	-0.56
-2.048	-0.48
-1.952	-0.4
-1.856	-0.24
-1.760	0.04
-1.664	0.12
-1.568	0.24
-1.472	0.28
-1.376	0.4
-1.280	0.4
-1.184	0.48
-1.088	0.48
-0.992	0.52
-0.896	0.52
-0.800	0.56
-0.704	0.6
-0.608	0.6
-0.512	0.6
-0.416	0.56
-0.320	0.56
-0.224	0.6
-0.128	0.64
-0.032	0.68
0.000	0.68
0.064	0.72
0.160	0.68
0.256	0.68
0.352	0.72


Time Stamp	Parameter Value
0.448	0.76
0.544	0.92
0.640	1.04
0.736	1.2
0.832	1.4
0.928	0.28
1.024	0.28
1.120	0.28
1.216	1.96
1.312	2.12
1.408	-0.2
1.504	-4.8
1.600	-5.04
1.696	-5.12
1.792	8.36
1.888	-1.32
1.984	-1.64
2.080	-4.84
2.176	8.08
2.272	-4.88
2.368	-4.08
2.464	-2.12
2.560	-2.44
2.656	-2.72
2.752	-4.96
2.848	-4.4
2.944	-4.36
3.040	-4.44
3.136	-4.64
3.232	-4
3.328	-4.2
3.424	-4.72
3.520	-4.32
3.616	-4.24
3.712	-3.52
3.808	-4.6



3.21 Accelerator opening [%]

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	9
-1.280	19.5
-1.184	27.5
-1.088	33
-0.992	35.5
-0.896	37.5
-0.800	38
-0.704	38.5
-0.608	39
-0.512	39
-0.416	39
-0.320	39
-0.224	39
-0.128	40.5
-0.032	41.5
0.000	42
0.064	42.5
0.160	42.5
0.256	43
0.352	44.5

Time Stamp	Parameter Value
0.448	47
0.544	47.5
0.640	48
0.736	49
0.832	49
0.928	50
1.024	51
1.120	52
1.216	52
1.312	52.5
1.408	53
1.504	53.5
1.600	54
1.696	56.5
1.792	57.5
1.888	58.5
1.984	60
2.080	61
2.176	64
2.272	66
2.368	66
2.464	66
2.560	65.5
2.656	65.5
2.752	65.5
2.848	65.5
2.944	66
3.040	66
3.136	66
3.232	65.5
3.328	65.5
3.424	65.5
3.520	65.5
3.616	65.5
3.712	64.5
3.808	63




3.22 STP switch signal

Time Stamp	Parameter Value
-4.736	1
-4.640	1
-4.544	1
-4.448	1
-4.352	1
-4.256	1
-4.160	1
-4.064	1
-3.968	1
-3.872	1
-3.776	1
-3.680	1
-3.584	1
-3.488	1
-3.392	1
-3.296	1
-3.200	1
-3.104	1
-3.008	1
-2.912	1
-2.816	1
-2.720	1
-2.624	1
-2.528	1
-2.432	1
-2.336	1
-2.240	1
-2.144	1
-2.048	1
-1.952	1
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

STP switch signal




3.23 Pressure of Master Cylinder [Mpa]

Time Stamp	Parameter Value
-4.736	0.2
-4.640	0.3
-4.544	0.5
-4.448	0.6
-4.352	0.9
-4.256	0.9
-4.160	0.9
-4.064	0.9
-3.968	0.9
-3.872	1
-3.776	1
-3.680	1
-3.584	1
-3.488	1
-3.392	1
-3.296	1
-3.200	0.9
-3.104	0.9
-3.008	0.8
-2.912	0.7
-2.816	0.6
-2.720	0.5
-2.624	0.5
-2.528	0.4
-2.432	0.4
-2.336	0.4
-2.240	0.4
-2.144	0.3
-2.048	0.3
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0


Pressure of Master Cylinder [Mpa]



3.24 Longitudinal Acceleration Value [m/s^2]

Time Stamp	Parameter Value
-4.736	-1.16748
-4.640	-1.16748
-4.544	-1.31976
-4.448	-1.5228
-4.352	-1.67508
-4.256	-1.62432
-4.160	-1.97964
-4.064	-1.97964
-3.968	-1.7766
-3.872	-1.87812
-3.776	-1.7766
-3.680	-1.82736
-3.584	-1.82736
-3.488	-1.87812
-3.392	-1.7766
-3.296	-1.87812
-3.200	-1.67508
-3.104	-1.7766
-3.008	-1.5228
-2.912	-1.5228
-2.816	-1.269
-2.720	-1.269
-2.624	-1.16748
-2.528	-1.06596
-2.432	-1.16748
-2.336	-1.06596
-2.240	-1.06596
-2.144	-1.06596
-2.048	-0.913679999999999
-1.952	-0.7614
-1.856	-0.71064
-1.760	-0.71064
-1.664	-0.71064
-1.568	-0.55836
-1.472	-0.609120000000001
-1.376	-0.659879999999999
-1.280	-0.71064
-1.184	-0.406079999999999
-1.088	-0.20304
-0.992	0.0507600000000004
-0.896	0.2538
-0.800	0.30456
-0.704	0.20304
-0.608	0.406079999999999
-0.512	0.2538
-0.416	0.406079999999999
-0.320	0.20304
-0.224	0.20304
-0.128	0.406079999999999
-0.032	0.20304
0.000	0.30456
0.064	0.30456
0.160	0.2538
0.256	0.101520000000001
0.352	0.30456


Time Stamp	Parameter Value
0.448	0.152279999999999
0.544	0.20304
0.640	0.2538
0.736	0.2538
0.832	0.30456
0.928	0.20304
1.024	0.355320000000001
1.120	0.20304
1.216	0.406079999999999
1.312	0.30456
1.408	0.2538
1.504	0.406079999999999
1.600	0.30456
1.696	0.406079999999999
1.792	0.30456
1.888	0.30456
1.984	0.355320000000001
2.080	0.0507600000000004
2.176	0.0507600000000004
2.272	-0.152279999999999
2.368	0
2.464	1.0152
2.560	0.30456
2.656	0.81216
2.752	0.55836
2.848	0.81216
2.944	0.609120000000001
3.040	0.7614
3.136	0.659879999999999
3.232	0.659879999999999
3.328	0.609120000000001
3.424	0.81216
3.520	0.609120000000001
3.616	0.659879999999999
3.712	0.7614
3.808	0.659879999999999



3.25 ALM Mode Status

Time Stamp	Parameter Value
-4.736	2
-4.640	2
-4.544	2
-4.448	2
-4.352	2
-4.256	2
-4.160	2
-4.064	2
-3.968	2
-3.872	2
-3.776	2
-3.680	2
-3.584	2
-3.488	2
-3.392	2
-3.296	2
-3.200	2
-3.104	2
-3.008	2
-2.912	2
-2.816	2
-2.720	2
-2.624	2
-2.528	2
-2.432	2
-2.336	2
-2.240	2
-2.144	2
-2.048	2
-1.952	2
-1.856	2
-1.760	2
-1.664	2
-1.568	2
-1.472	2
-1.376	2
-1.280	2
-1.184	2
-1.088	2
-0.992	2
-0.896	2
-0.800	2
-0.704	2
-0.608	2
-0.512	2
-0.416	2
-0.320	2
-0.224	2
-0.128	2
-0.032	2
0.000	2
0.064	2
0.160	2
0.256	2
0.352	2


Time Stamp	Parameter Value
0.448	2
0.544	2
0.640	2
0.736	2
0.832	2
0.928	2
1.024	2
1.120	2
1.216	2
1.312	2
1.408	2
1.504	2
1.600	2
1.696	2
1.792	2
1.888	2
1.984	2
2.080	2
2.176	2
2.272	2
2.368	2
2.464	2
2.560	2
2.656	2
2.752	2
2.848	2
2.944	2
3.040	2
3.136	2
3.232	2
3.328	2
3.424	2
3.520	2
3.616	2
3.712	2
3.808	2



3.26 Vehicle Speed [km/h]

Time Stamp	Parameter Value
-4.736	126.8
-4.640	126.2
-4.544	125.9
-4.448	125.6
-4.352	124.7
-4.256	124
-4.160	123.6
-4.064	123.1
-3.968	122.4
-3.872	121.9
-3.776	121.2
-3.680	120.8
-3.584	120.1
-3.488	119.5
-3.392	119
-3.296	118.5
-3.200	118
-3.104	117.4
-3.008	117
-2.912	116.6
-2.816	116.4
-2.720	115.9
-2.624	115.5
-2.528	115.3
-2.432	114.9
-2.336	114.5
-2.240	114.1
-2.144	114
-2.048	113.8
-1.952	113.6
-1.856	113.5
-1.760	113.2
-1.664	113
-1.568	112.8
-1.472	112.5
-1.376	112.5
-1.280	112.4
-1.184	112.4
-1.088	112.4
-0.992	112.5
-0.896	112.8
-0.800	112.8
-0.704	112.8
-0.608	113
-0.512	113.2
-0.416	113.3
-0.320	113.3
-0.224	113.3
-0.128	113.7
-0.032	113.7
0.000	113.8
0.064	113.9
0.160	113.9
0.256	114
0.352	114


Time Stamp	Parameter Value
0.448	114.1
0.544	114.2
0.640	114.3
0.736	114.5
0.832	114.5
0.928	114.7
1.024	115
1.120	115
1.216	115.1
1.312	115.2
1.408	115.4
1.504	115.6
1.600	115.6
1.696	115.7
1.792	115.7
1.888	115.9
1.984	116
2.080	116
2.176	116
2.272	115.8
2.368	116.1
2.464	116.4
2.560	116.6
2.656	116.6
2.752	117.2
2.848	117.3
2.944	117.6
3.040	117.9
3.136	118.1
3.232	118.4
3.328	118.7
3.424	119
3.520	119.2
3.616	119.4
3.712	119.5
3.808	119.9



3.27 Yaw rate [deg/s]

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	-0.5
-1.952	-0.5
-1.856	-1
-1.760	-1
-1.664	-1
-1.568	-1
-1.472	-1
-1.376	-1
-1.280	-1
-1.184	-1
-1.088	-1
-0.992	-1
-0.896	-1
-0.800	-1
-0.704	-1
-0.608	-1
-0.512	-1.5
-0.416	-1.5
-0.320	-1.5
-0.224	-1.5
-0.128	-2
-0.032	-1.5
0.000	-1.5
0.064	-1.5
0.160	-1.5
0.256	-1
0.352	-1


Time Stamp	Parameter Value
0.448	-1
0.544	0
0.640	0
0.736	0
0.832	0.5
0.928	0.5
1.024	1
1.120	1
1.216	1
1.312	1.5
1.408	1.5
1.504	1.5
1.600	2
1.696	2
1.792	2
1.888	2
1.984	2
2.080	1.5
2.176	1.5
2.272	1
2.368	0.5
2.464	0.5
2.560	0.5
2.656	0.5
2.752	0.5
2.848	0.5
2.944	0.5
3.040	0.5
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0



3.28 Steering angle [deg]

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	4
-2.048	4
-1.952	4
-1.856	4
-1.760	4
-1.664	4
-1.568	4
-1.472	4
-1.376	4
-1.280	4
-1.184	4
-1.088	4
-0.992	4
-0.896	4
-0.800	4
-0.704	4
-0.608	4
-0.512	4
-0.416	8
-0.320	8
-0.224	8
-0.128	8
-0.032	8
0.000	4
0.064	4
0.160	4
0.256	4
0.352	4


Time Stamp	Parameter Value
0.448	4
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	-4
1.216	-4
1.312	-4
1.408	-4
1.504	-4
1.600	-4
1.696	-4
1.792	-4
1.888	-4
1.984	-4
2.080	-4
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0



3.29 PBR Request Flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0


Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0



3.30 Prefill Request Flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0


Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0



3.31 PSB Request Flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0




3.32 CAA Request Status

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

CAA Request Status




3.33 AVS Request Flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0


AVS Request Flag



3.34 Prepump Request Flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0




3.35 PCS DW display request1

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS DW display request1




3.36 PCS DW display request2

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS DW display request2




3.37 PCS DW display request3

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS DW display request3




3.38 PCS PedW display request1

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS PedW display request1




3.39 PCS PedW display request2

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS PedW display request2




3.40 PCS PedW display request3

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS PedW display request3




3.41 PCS DW buzzer request

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS DW buzzer request




3.42 PCS PedW buzzer request

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0


PCS PedW buzzer request



3.43 LKA Cancel Flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0




3.44 ACC Cancel Flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0


ACC Cancel Flag



3.45 PB/FPB Notification Buzzer Request Flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0




3.46 PBA Notification Buzzer Request Flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0


PBA Notification Buzzer Request Flag



3.47 ALM Notification Buzzer Request Flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0




3.48 Braking Force Request Value [N]

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Braking Force Request Value [N]




3.49 Accelerator Override Request Status 2

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Accelerator Override Request Status 2




3.50 Brake Control Method Request Status

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Brake Control Method Request Status




3.51 PCS control status 1

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS control status 1




3.52 PCS control status 2

Time Stamp	Parameter Value
-4.736	1
-4.640	1
-4.544	1
-4.448	1
-4.352	1
-4.256	1
-4.160	1
-4.064	1
-3.968	1
-3.872	1
-3.776	1
-3.680	1
-3.584	1
-3.488	1
-3.392	1
-3.296	1
-3.200	1
-3.104	1
-3.008	1
-2.912	1
-2.816	1
-2.720	1
-2.624	1
-2.528	1
-2.432	1
-2.336	1
-2.240	1
-2.144	1
-2.048	1
-1.952	1
-1.856	1
-1.760	1
-1.664	1
-1.568	1
-1.472	1
-1.376	1
-1.280	1
-1.184	1
-1.088	1
-0.992	1
-0.896	1
-0.800	1
-0.704	1
-0.608	1
-0.512	1
-0.416	1
-0.320	1
-0.224	1
-0.128	1
-0.032	1
0.000	1
0.064	1
0.160	1
0.256	1
0.352	1

Time Stamp	Parameter Value
0.448	1
0.544	1
0.640	1
0.736	1
0.832	1
0.928	1
1.024	1
1.120	1
1.216	1
1.312	1
1.408	1
1.504	1
1.600	1
1.696	1
1.792	1
1.888	1
1.984	1
2.080	1
2.176	1
2.272	1
2.368	1
2.464	1
2.560	1
2.656	1
2.752	1
2.848	1
2.944	1
3.040	1
3.136	1
3.232	1
3.328	1
3.424	1
3.520	1
3.616	1
3.712	1
3.808	1

PCS control status 2




3.53 PCS guard status 3

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS guard status 3




3.54 PCS guard status 2

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS guard status 2




3.55 Target switch flag 1

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	1
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Target switch flag 1




3.56 Target switch flag 2

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Target switch flag 2




3.57 Target Object flag 1

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Target Object flag 1




3.58 Target Object flag 2

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Target Object flag 2




3.59 First detection flag for control target

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	1
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	1
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

First detection flag for control target




3.60 Lateral speed for control target [m/s]

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0


Lateral speed for control target [m/s]



3.61 Control target info 2

Time Stamp	Parameter Value
-4.736	12.7
-4.640	12.7
-4.544	12.7
-4.448	12.7
-4.352	12.7
-4.256	12.7
-4.160	12.7
-4.064	12.7
-3.968	12.7
-3.872	12.7
-3.776	12.7
-3.680	12.7
-3.584	12.7
-3.488	12.7
-3.392	12.7
-3.296	12.7
-3.200	12.7
-3.104	12.7
-3.008	12.7
-2.912	12.7
-2.816	12.7
-2.720	12.7
-2.624	12.7
-2.528	12.7
-2.432	12.7
-2.336	12.7
-2.240	12.7
-2.144	12.7
-2.048	12.7
-1.952	12.7
-1.856	12.7
-1.760	12.7
-1.664	12.7
-1.568	12.7
-1.472	12.7
-1.376	12.7
-1.280	12.7
-1.184	12.7
-1.088	12.7
-0.992	12.7
-0.896	12.7
-0.800	12.7
-0.704	12.7
-0.608	12.7
-0.512	12.7
-0.416	12.7
-0.320	12.7
-0.224	12.7
-0.128	12.7
-0.032	12.7
0.000	12.7
0.064	12.7
0.160	12.7
0.256	12.7
0.352	12.7

Time Stamp	Parameter Value
0.448	12.7
0.544	12.7
0.640	12.7
0.736	12.7
0.832	12.7
0.928	12.7
1.024	12.7
1.120	12.7
1.216	12.7
1.312	12.7
1.408	12.7
1.504	12.7
1.600	12.7
1.696	12.7
1.792	12.7
1.888	12.7
1.984	12.7
2.080	12.7
2.176	12.7
2.272	12.7
2.368	12.7
2.464	12.7
2.560	12.7
2.656	12.7
2.752	12.7
2.848	12.7
2.944	12.7
3.040	12.7
3.136	12.7
3.232	12.7
3.328	12.7
3.424	12.7
3.520	12.7
3.616	12.7
3.712	12.7
3.808	12.7




3.62 Control target info 3

Time Stamp	Parameter Value
-4.736	62
-4.640	64
-4.544	65
-4.448	66
-4.352	67
-4.256	68
-4.160	71
-4.064	70
-3.968	71
-3.872	72
-3.776	73
-3.680	73
-3.584	74
-3.488	74
-3.392	74
-3.296	75
-3.200	75
-3.104	76
-3.008	76
-2.912	76
-2.816	77
-2.720	99
-2.624	100
-2.528	100
-2.432	100
-2.336	100
-2.240	100
-2.144	100
-2.048	100
-1.952	100
-1.856	100
-1.760	100
-1.664	100
-1.568	100
-1.472	100
-1.376	100
-1.280	100
-1.184	100
-1.088	100
-0.992	100
-0.896	100
-0.800	100
-0.704	100
-0.608	100
-0.512	100
-0.416	100
-0.320	100
-0.224	100
-0.128	100
-0.032	100
0.000	100
0.064	100
0.160	100
0.256	100
0.352	100

Time Stamp	Parameter Value
0.448	100
0.544	100
0.640	100
0.736	100
0.832	100
0.928	56
1.024	68
1.120	74
1.216	81
1.312	74
1.408	7
1.504	0
1.600	0
1.696	0
1.792	20
1.888	4
1.984	3
2.080	0
2.176	19
2.272	0
2.368	1
2.464	4
2.560	3
2.656	3
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	1
3.328	1
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Control target info 3




3.63 Control target info 4

Time Stamp	Parameter Value
-4.736	38
-4.640	38
-4.544	40
-4.448	38
-4.352	33.5
-4.256	33.5
-4.160	35.5
-4.064	38
-3.968	38
-3.872	35.5
-3.776	33.5
-3.680	33.5
-3.584	31.5
-3.488	31.5
-3.392	31.5
-3.296	31.5
-3.200	31.5
-3.104	31.5
-3.008	29.5
-2.912	29.5
-2.816	31.5
-2.720	0
-2.624	0
-2.528	0
-2.432	5
-2.336	7
-2.240	13.5
-2.144	21.5
-2.048	25.5
-1.952	29.5
-1.856	38
-1.760	48
-1.664	44
-1.568	38
-1.472	35.5
-1.376	29.5
-1.280	29.5
-1.184	25.5
-1.088	25.5
-0.992	23.5
-0.896	23.5
-0.800	21.5
-0.704	19.5
-0.608	19.5
-0.512	19.5
-0.416	17
-0.320	17
-0.224	15
-0.128	13
-0.032	11
0.000	11
0.064	9
0.160	11.5
0.256	12
0.352	10.5

Time Stamp	Parameter Value
0.448	9
0.544	1.5
0.640	0
0.736	0
0.832	0
0.928	35.5
1.024	35.5
1.120	35.5
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Control target info 4




3.64 Control target info 5

Time Stamp	Parameter Value
-4.736	1
-4.640	1
-4.544	1
-4.448	1
-4.352	1
-4.256	1
-4.160	1
-4.064	1
-3.968	1
-3.872	1
-3.776	1
-3.680	1
-3.584	1
-3.488	1
-3.392	1
-3.296	1
-3.200	1
-3.104	1
-3.008	1
-2.912	1
-2.816	1
-2.720	1
-2.624	1
-2.528	1
-2.432	1
-2.336	1
-2.240	1
-2.144	1
-2.048	1
-1.952	1
-1.856	1
-1.760	1
-1.664	1
-1.568	1
-1.472	1
-1.376	1
-1.280	1
-1.184	1
-1.088	1
-0.992	1
-0.896	1
-0.800	1
-0.704	1
-0.608	1
-0.512	1
-0.416	1
-0.320	1
-0.224	1
-0.128	1
-0.032	1
0.000	1
0.064	1
0.160	1
0.256	1
0.352	1

Time Stamp	Parameter Value
0.448	1
0.544	1
0.640	1
0.736	1
0.832	1
0.928	1
1.024	1
1.120	1
1.216	1
1.312	1
1.408	0
1.504	0
1.600	0
1.696	0
1.792	1
1.888	0
1.984	0
2.080	0
2.176	1
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Control target info 5




3.65 Control target info 6

Time Stamp	Parameter Value
-4.736	1
-4.640	1
-4.544	1
-4.448	1
-4.352	1
-4.256	1
-4.160	1
-4.064	1
-3.968	1
-3.872	1
-3.776	1
-3.680	1
-3.584	1
-3.488	1
-3.392	1
-3.296	1
-3.200	1
-3.104	1
-3.008	1
-2.912	1
-2.816	1
-2.720	1
-2.624	1
-2.528	1
-2.432	1
-2.336	1
-2.240	1
-2.144	1
-2.048	1
-1.952	1
-1.856	1
-1.760	1
-1.664	1
-1.568	1
-1.472	1
-1.376	1
-1.280	1
-1.184	1
-1.088	1
-0.992	1
-0.896	1
-0.800	1
-0.704	1
-0.608	1
-0.512	1
-0.416	1
-0.320	1
-0.224	1
-0.128	1
-0.032	1
0.000	1
0.064	1
0.160	1
0.256	1
0.352	1

Time Stamp	Parameter Value
0.448	1
0.544	1
0.640	1
0.736	1
0.832	1
0.928	1
1.024	1
1.120	1
1.216	1
1.312	1
1.408	0
1.504	0
1.600	0
1.696	0
1.792	1
1.888	0
1.984	0
2.080	0
2.176	1
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Control target info 6




3.66 Control target info 7

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Control target info 7




3.67 Control target info 8

Time Stamp	Parameter Value
-4.736	1
-4.640	1
-4.544	1
-4.448	1
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	1
-2.624	1
-2.528	1
-2.432	1
-2.336	1
-2.240	1
-2.144	1
-2.048	1
-1.952	1
-1.856	1
-1.760	1
-1.664	1
-1.568	1
-1.472	1
-1.376	1
-1.280	1
-1.184	1
-1.088	1
-0.992	1
-0.896	1
-0.800	1
-0.704	1
-0.608	1
-0.512	1
-0.416	1
-0.320	1
-0.224	1
-0.128	1
-0.032	1
0.000	1
0.064	1
0.160	1
0.256	1
0.352	1

Time Stamp	Parameter Value
0.448	1
0.544	1
0.640	1
0.736	1
0.832	1
0.928	1
1.024	1
1.120	1
1.216	1
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Control target info 8




3.68 Control target info 9

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	1
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	1
1.024	1
1.120	1
1.216	0
1.312	1
1.408	0
1.504	0
1.600	1
1.696	1
1.792	0
1.888	0
1.984	0
2.080	1
2.176	1
2.272	1
2.368	1
2.464	0
2.560	0
2.656	0
2.752	1
2.848	0
2.944	1
3.040	1
3.136	1
3.232	0
3.328	0
3.424	1
3.520	0
3.616	0
3.712	0
3.808	1

Control target info 9




3.69 Control target info 10

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Control target info 10




3.70 Control target info 11

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Control target info 11




3.71 Control target info 12

Time Stamp	Parameter Value
-4.736	1
-4.640	1
-4.544	1
-4.448	1
-4.352	1
-4.256	1
-4.160	1
-4.064	1
-3.968	1
-3.872	1
-3.776	1
-3.680	1
-3.584	1
-3.488	1
-3.392	1
-3.296	1
-3.200	1
-3.104	1
-3.008	1
-2.912	1
-2.816	1
-2.720	1
-2.624	1
-2.528	1
-2.432	1
-2.336	1
-2.240	1
-2.144	1
-2.048	1
-1.952	1
-1.856	1
-1.760	1
-1.664	1
-1.568	1
-1.472	1
-1.376	1
-1.280	1
-1.184	1
-1.088	1
-0.992	1
-0.896	1
-0.800	1
-0.704	1
-0.608	1
-0.512	1
-0.416	1
-0.320	1
-0.224	1
-0.128	1
-0.032	1
0.000	1
0.064	1
0.160	1
0.256	1
0.352	1

Time Stamp	Parameter Value
0.448	1
0.544	1
0.640	1
0.736	1
0.832	1
0.928	1
1.024	1
1.120	1
1.216	1
1.312	1
1.408	1
1.504	1
1.600	1
1.696	1
1.792	1
1.888	1
1.984	1
2.080	1
2.176	1
2.272	1
2.368	1
2.464	1
2.560	1
2.656	1
2.752	1
2.848	1
2.944	1
3.040	1
3.136	1
3.232	1
3.328	1
3.424	1
3.520	1
3.616	1
3.712	1
3.808	1

Control target info 12




3.72 Control target info 13

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Control target info 13




3.73 Control target info 14

Time Stamp	Parameter Value
-4.736	1
-4.640	1
-4.544	1
-4.448	1
-4.352	1
-4.256	1
-4.160	1
-4.064	1
-3.968	1
-3.872	1
-3.776	1
-3.680	1
-3.584	1
-3.488	1
-3.392	1
-3.296	1
-3.200	1
-3.104	1
-3.008	1
-2.912	1
-2.816	1
-2.720	1
-2.624	1
-2.528	1
-2.432	1
-2.336	1
-2.240	1
-2.144	1
-2.048	1
-1.952	1
-1.856	1
-1.760	1
-1.664	1
-1.568	1
-1.472	1
-1.376	1
-1.280	1
-1.184	1
-1.088	1
-0.992	1
-0.896	1
-0.800	1
-0.704	1
-0.608	1
-0.512	1
-0.416	1
-0.320	1
-0.224	1
-0.128	1
-0.032	1
0.000	1
0.064	1
0.160	1
0.256	1
0.352	1

Time Stamp	Parameter Value
0.448	1
0.544	1
0.640	1
0.736	1
0.832	1
0.928	1
1.024	1
1.120	1
1.216	1
1.312	1
1.408	1
1.504	1
1.600	1
1.696	1
1.792	1
1.888	1
1.984	1
2.080	1
2.176	1
2.272	1
2.368	1
2.464	1
2.560	1
2.656	1
2.752	1
2.848	1
2.944	1
3.040	1
3.136	1
3.232	1
3.328	1
3.424	1
3.520	1
3.616	1
3.712	1
3.808	1

Control target info 14




3.74 Control target info 15

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	1
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	1
1.024	1
1.120	1
1.216	0
1.312	1
1.408	0
1.504	0
1.600	1
1.696	1
1.792	0
1.888	0
1.984	0
2.080	1
2.176	1
2.272	1
2.368	1
2.464	0
2.560	0
2.656	0
2.752	1
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Control target info 15




3.75 Control target info 16

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Control target info 16




3.76 Control target info 17

Time Stamp	Parameter Value
-4.736	2
-4.640	2
-4.544	2
-4.448	2
-4.352	2
-4.256	2
-4.160	2
-4.064	2
-3.968	2
-3.872	2
-3.776	2
-3.680	2
-3.584	2
-3.488	2
-3.392	2
-3.296	2
-3.200	2
-3.104	2
-3.008	2
-2.912	2
-2.816	2
-2.720	1
-2.624	1
-2.528	1
-2.432	1
-2.336	1
-2.240	1
-2.144	1
-2.048	1
-1.952	1
-1.856	1
-1.760	1
-1.664	1
-1.568	1
-1.472	1
-1.376	1
-1.280	1
-1.184	1
-1.088	1
-0.992	1
-0.896	1
-0.800	1
-0.704	1
-0.608	1
-0.512	1
-0.416	1
-0.320	1
-0.224	1
-0.128	1
-0.032	1
0.000	1
0.064	1
0.160	1
0.256	1
0.352	1

Time Stamp	Parameter Value
0.448	1
0.544	1
0.640	1
0.736	1
0.832	1
0.928	2
1.024	2
1.120	2
1.216	1
1.312	3
1.408	2
1.504	3
1.600	3
1.696	3
1.792	2
1.888	2
1.984	2
2.080	3
2.176	2
2.272	3
2.368	1
2.464	2
2.560	2
2.656	2
2.752	3
2.848	3
2.944	3
3.040	3
3.136	3
3.232	2
3.328	2
3.424	3
3.520	2
3.616	2
3.712	2
3.808	3

Control target info 17




3.77 Control target info 18

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Control target info 18




3.78 Control target info 19

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Control target info 19




3.79 Control target info 20

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Control target info 20




3.80 Control target info 21

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Control target info 21




3.81 Control target info 22

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Control target info 22




3.82 Control target info 23

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Control target info 23




3.83 Control target info 24

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Control target info 24




3.84 Control target info 25

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	1
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Control target info 25




3.85 Control target info 26

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Control target info 26




3.86 Shift position R signal

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Shift position R signal




3.87 Shift position D signal

Time Stamp	Parameter Value
-4.736	1
-4.640	1
-4.544	1
-4.448	1
-4.352	1
-4.256	1
-4.160	1
-4.064	1
-3.968	1
-3.872	1
-3.776	1
-3.680	1
-3.584	1
-3.488	1
-3.392	1
-3.296	1
-3.200	1
-3.104	1
-3.008	1
-2.912	1
-2.816	1
-2.720	1
-2.624	1
-2.528	1
-2.432	1
-2.336	1
-2.240	1
-2.144	1
-2.048	1
-1.952	1
-1.856	1
-1.760	1
-1.664	1
-1.568	1
-1.472	1
-1.376	1
-1.280	1
-1.184	1
-1.088	1
-0.992	1
-0.896	1
-0.800	1
-0.704	1
-0.608	1
-0.512	1
-0.416	1
-0.320	1
-0.224	1
-0.128	1
-0.032	1
0.000	1
0.064	1
0.160	1
0.256	1
0.352	1

Time Stamp	Parameter Value
0.448	1
0.544	1
0.640	1
0.736	1
0.832	1
0.928	1
1.024	1
1.120	1
1.216	1
1.312	1
1.408	1
1.504	1
1.600	1
1.696	1
1.792	1
1.888	1
1.984	1
2.080	1
2.176	1
2.272	1
2.368	1
2.464	1
2.560	1
2.656	1
2.752	1
2.848	1
2.944	1
3.040	1
3.136	1
3.232	1
3.328	1
3.424	1
3.520	1
3.616	1
3.712	1
3.808	1

Shift position D signal




3.88 Control target info 27

Time Stamp	Parameter Value
-4.736	0
-4.640	10
-4.544	10
-4.448	9
-4.352	10
-4.256	10
-4.160	10
-4.064	10
-3.968	10
-3.872	10
-3.776	10
-3.680	10
-3.584	11
-3.488	11
-3.392	11
-3.296	11
-3.200	11
-3.104	11
-3.008	11
-2.912	9
-2.816	10
-2.720	9
-2.624	10
-2.528	10
-2.432	10
-2.336	10
-2.240	10
-2.144	10
-2.048	10
-1.952	10
-1.856	11
-1.760	11
-1.664	11
-1.568	11
-1.472	9
-1.376	10
-1.280	10
-1.184	10
-1.088	10
-0.992	13
-0.896	13
-0.800	13
-0.704	13
-0.608	13
-0.512	13
-0.416	12
-0.320	12
-0.224	12
-0.128	12
-0.032	12
0.000	12
0.064	12
0.160	9
0.256	10
0.352	10

Time Stamp	Parameter Value
0.448	10
0.544	10
0.640	10
0.736	10
0.832	9
0.928	8
1.024	8
1.120	8
1.216	9
1.312	9
1.408	11
1.504	9
1.600	9
1.696	9
1.792	10
1.888	9
1.984	9
2.080	10
2.176	10
2.272	10
2.368	9
2.464	10
2.560	10
2.656	9
2.752	10
2.848	9
2.944	9
3.040	9
3.136	11
3.232	8
3.328	8
3.424	10
3.520	10
3.616	10
3.712	8
3.808	8

Control target info 27




3.89 Control target info 28

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Control target info 28




3.90 Electrically controlled throttle system error

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0


Electrically controlled throttle system error



3.91 Under cruise control (1)

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0




3.92 Pedal idling

Time Stamp	Parameter Value
-4.736	1
-4.640	1
-4.544	1
-4.448	1
-4.352	1
-4.256	1
-4.160	1
-4.064	1
-3.968	1
-3.872	1
-3.776	1
-3.680	1
-3.584	1
-3.488	1
-3.392	1
-3.296	1
-3.200	1
-3.104	1
-3.008	1
-2.912	1
-2.816	1
-2.720	1
-2.624	1
-2.528	1
-2.432	1
-2.336	1
-2.240	1
-2.144	1
-2.048	1
-1.952	1
-1.856	1
-1.760	1
-1.664	1
-1.568	1
-1.472	1
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Pedal idling




3.93 Accel override

Time Stamp	Parameter Value
-4.736	1
-4.640	1
-4.544	1
-4.448	1
-4.352	1
-4.256	1
-4.160	1
-4.064	1
-3.968	1
-3.872	1
-3.776	1
-3.680	1
-3.584	1
-3.488	1
-3.392	1
-3.296	1
-3.200	1
-3.104	1
-3.008	1
-2.912	1
-2.816	1
-2.720	1
-2.624	1
-2.528	1
-2.432	1
-2.336	1
-2.240	1
-2.144	1
-2.048	1
-1.952	1
-1.856	1
-1.760	1
-1.664	1
-1.568	1
-1.472	1
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Accel override




3.94 ACC Control status

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

ACC Control status




3.95 ACC Approach warning

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

ACC Approach warning




3.96 ACC main switch

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

ACC main switch




3.97 Target acceleration from ACC [m/s^2]

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Target acceleration from ACC [m/s^2]




3.98 Selected ACC type

Time Stamp	Parameter Value
-4.736	2
-4.640	2
-4.544	2
-4.448	2
-4.352	2
-4.256	2
-4.160	2
-4.064	2
-3.968	2
-3.872	2
-3.776	2
-3.680	2
-3.584	2
-3.488	2
-3.392	2
-3.296	2
-3.200	2
-3.104	2
-3.008	2
-2.912	2
-2.816	2
-2.720	2
-2.624	2
-2.528	2
-2.432	2
-2.336	2
-2.240	2
-2.144	2
-2.048	2
-1.952	2
-1.856	2
-1.760	2
-1.664	2
-1.568	2
-1.472	2
-1.376	2
-1.280	2
-1.184	2
-1.088	2
-0.992	2
-0.896	2
-0.800	2
-0.704	2
-0.608	2
-0.512	2
-0.416	2
-0.320	2
-0.224	2
-0.128	2
-0.032	2
0.000	2
0.064	2
0.160	2
0.256	2
0.352	2

Time Stamp	Parameter Value
0.448	2
0.544	2
0.640	2
0.736	2
0.832	2
0.928	2
1.024	2
1.120	2
1.216	2
1.312	2
1.408	2
1.504	2
1.600	2
1.696	2
1.792	2
1.888	2
1.984	2
2.080	2
2.176	2
2.272	2
2.368	2
2.464	2
2.560	2
2.656	2
2.752	2
2.848	2
2.944	2
3.040	2
3.136	2
3.232	2
3.328	2
3.424	2
3.520	2
3.616	2
3.712	2
3.808	2


Selected ACC type



3.99 Turn lamp state

Time Stamp	Parameter Value
-4.736	3
-4.640	3
-4.544	3
-4.448	3
-4.352	3
-4.256	3
-4.160	3
-4.064	3
-3.968	3
-3.872	3
-3.776	3
-3.680	3
-3.584	3
-3.488	3
-3.392	3
-3.296	3
-3.200	3
-3.104	3
-3.008	3
-2.912	3
-2.816	3
-2.720	3
-2.624	3
-2.528	3
-2.432	3
-2.336	3
-2.240	3
-2.144	3
-2.048	3
-1.952	3
-1.856	3
-1.760	3
-1.664	3
-1.568	3
-1.472	3
-1.376	3
-1.280	3
-1.184	3
-1.088	3
-0.992	3
-0.896	3
-0.800	3
-0.704	1
-0.608	1
-0.512	1
-0.416	1
-0.320	1
-0.224	1
-0.128	1
-0.032	1
0.000	1
0.064	1
0.160	1
0.256	1
0.352	1


Time Stamp	Parameter Value
0.448	1
0.544	1
0.640	1
0.736	1
0.832	1
0.928	1
1.024	1
1.120	1
1.216	1
1.312	1
1.408	3
1.504	3
1.600	3
1.696	3
1.792	3
1.888	3
1.984	3
2.080	3
2.176	3
2.272	3
2.368	3
2.464	3
2.560	3
2.656	3
2.752	3
2.848	3
2.944	3
3.040	3
3.136	3
3.232	3
3.328	3
3.424	3
3.520	3
3.616	3
3.712	3
3.808	3



3.100 Under VSC control

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0


Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0



3.101 Under ABS control

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0




3.102 Brake control system error

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Brake control system error




3.103 PCS guard status 1

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS guard status 1




3.104 TRC OFF Lamp

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

TRC OFF Lamp




3.105 VSC OFF Lamp

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

VSC OFF Lamp




3.106 Under TRC control

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0


Under TRC control



3.107 Radar sensor blockage Flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0


Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0



3.108 Sending flag

Time Stamp	Parameter Value
-4.736	1
-4.640	1
-4.544	1
-4.448	1
-4.352	1
-4.256	1
-4.160	1
-4.064	1
-3.968	1
-3.872	1
-3.776	1
-3.680	1
-3.584	1
-3.488	1
-3.392	1
-3.296	1
-3.200	1
-3.104	1
-3.008	1
-2.912	1
-2.816	1
-2.720	1
-2.624	1
-2.528	1
-2.432	1
-2.336	1
-2.240	1
-2.144	1
-2.048	1
-1.952	1
-1.856	1
-1.760	1
-1.664	1
-1.568	1
-1.472	1
-1.376	1
-1.280	1
-1.184	1
-1.088	1
-0.992	1
-0.896	1
-0.800	1
-0.704	1
-0.608	1
-0.512	1
-0.416	1
-0.320	1
-0.224	1
-0.128	1
-0.032	1
0.000	1
0.064	1
0.160	1
0.256	1
0.352	1


Time Stamp	Parameter Value
0.448	1
0.544	1
0.640	1
0.736	1
0.832	1
0.928	1
1.024	1
1.120	1
1.216	1
1.312	1
1.408	1
1.504	1
1.600	1
1.696	1
1.792	1
1.888	1
1.984	1
2.080	1
2.176	1
2.272	1
2.368	1
2.464	1
2.560	1
2.656	1
2.752	1
2.848	1
2.944	1
3.040	1
3.136	1
3.232	1
3.328	1
3.424	1
3.520	1
3.616	1
3.712	1
3.808	1



3.109 Longitudinal Acceleration Value 2 [m/s^2]

Time Stamp	Parameter Value
-4.736	-1.11672
-4.640	-0.659879999999999
-4.544	-0.81216
-4.448	-1.31976
-4.352	-1.57356
-4.256	-1.5228
-4.160	-2.63952
-4.064	-1.87812
-3.968	-1.31976
-3.872	-1.62432
-3.776	-2.13192
-3.680	-1.97964
-3.584	-1.57356
-3.488	-1.72584
-3.392	-1.7766
-3.296	-1.47204
-3.200	-1.42128
-3.104	-1.62432
-3.008	-1.62432
-2.912	-1.0152
-2.816	-1.16748
-2.720	-0.913679999999999
-2.624	-1.11672
-2.528	-1.06596
-2.432	-1.0152
-2.336	-1.0152
-2.240	-1.0152
-2.144	-1.0152
-2.048	-0.7614
-1.952	-0.5076
-1.856	-0.45684
-1.760	-0.45684
-1.664	-0.71064
-1.568	-0.71064
-1.472	-0.609120000000001
-1.376	-0.55836
-1.280	-0.355320000000001
-1.184	-0.45684
-1.088	-0.2538
-0.992	0.152279999999999
-0.896	0.0507600000000004
-0.800	0.152279999999999
-0.704	0.355320000000001
-0.608	0.2538
-0.512	0.20304
-0.416	0.45684
-0.320	0.45684
-0.224	0.30456
-0.128	0.2538
-0.032	0.406079999999999
0.000	0.406079999999999
0.064	0.406079999999999
0.160	0.355320000000001
0.256	0.20304
0.352	0

Time Stamp	Parameter Value
0.448	0.0507600000000004
0.544	0.0507600000000004
0.640	0.20304
0.736	0.20304
0.832	0.355320000000001
0.928	0.2538
1.024	0.355320000000001
1.120	0.45684
1.216	0.406079999999999
1.312	0.406079999999999
1.408	0.355320000000001
1.504	0.2538
1.600	0.355320000000001
1.696	0.355320000000001
1.792	0.355320000000001
1.888	0.20304
1.984	0.101520000000001
2.080	0.20304
2.176	0.20304
2.272	-0.0507600000000004
2.368	-0.20304
2.464	-0.101520000000001
2.560	0.609120000000001
2.656	0.71064
2.752	0.71064
2.848	0.7614
2.944	0.71064
3.040	0.71064
3.136	0.609120000000001
3.232	0.609120000000001
3.328	0.71064
3.424	0.862920000000001
3.520	0.7614
3.616	0.659879999999999
3.712	0.55836
3.808	0.659879999999999




3.110 Radar low voltage

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Radar low voltage




3.111 Radar dirt flag 2

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0


Radar dirt flag 2



3.112 Radar No Adjust Flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0




3.113 Radar High temperature

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Radar High temperature




3.114 Radar Pre Dirt Flag 1

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Radar Pre Dirt Flag 1




3.115 Radar Pre Dirt Flag 2

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Radar Pre Dirt Flag 2




3.116 Radar info 1

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0


Radar info 1



3.117 Radar horizontal axis offset

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0




3.118 Radar info 2

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0


Radar info 2



3.119 Radar vertical axis offset [deg]

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0




3.120 Radar info 3

Time Stamp	Parameter Value
-4.736	15
-4.640	15
-4.544	15
-4.448	15
-4.352	15
-4.256	15
-4.160	15
-4.064	15
-3.968	15
-3.872	15
-3.776	15
-3.680	15
-3.584	15
-3.488	15
-3.392	15
-3.296	15
-3.200	15
-3.104	15
-3.008	15
-2.912	15
-2.816	15
-2.720	15
-2.624	15
-2.528	15
-2.432	15
-2.336	15
-2.240	15
-2.144	15
-2.048	15
-1.952	15
-1.856	15
-1.760	15
-1.664	15
-1.568	15
-1.472	15
-1.376	15
-1.280	15
-1.184	15
-1.088	15
-0.992	15
-0.896	15
-0.800	15
-0.704	15
-0.608	15
-0.512	15
-0.416	15
-0.320	15
-0.224	15
-0.128	15
-0.032	15
0.000	15
0.064	15
0.160	15
0.256	15
0.352	15

Time Stamp	Parameter Value
0.448	15
0.544	15
0.640	15
0.736	15
0.832	15
0.928	15
1.024	15
1.120	15
1.216	15
1.312	15
1.408	15
1.504	15
1.600	15
1.696	15
1.792	15
1.888	15
1.984	15
2.080	15
2.176	15
2.272	15
2.368	15
2.464	15
2.560	15
2.656	15
2.752	15
2.848	15
2.944	15
3.040	15
3.136	15
3.232	15
3.328	15
3.424	15
3.520	15
3.616	15
3.712	15
3.808	15

Radar info 3




3.121 Radar info 4

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0


Radar info 4



3.122 Radar axis correction value(V) [deg]

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0




3.123 Radar info 5

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Radar info 5




3.124 Radar info 6

Time Stamp	Parameter Value
-4.736	0.1
-4.640	0.1
-4.544	0.1
-4.448	0.1
-4.352	0.1
-4.256	0.1
-4.160	0.1
-4.064	0.1
-3.968	0.1
-3.872	0.1
-3.776	0.1
-3.680	0.1
-3.584	0.1
-3.488	0.1
-3.392	0.1
-3.296	0.1
-3.200	0.1
-3.104	0.1
-3.008	0.1
-2.912	0.1
-2.816	0.1
-2.720	0.1
-2.624	0.1
-2.528	0.1
-2.432	0.1
-2.336	0.1
-2.240	0.1
-2.144	0.1
-2.048	0.1
-1.952	0.1
-1.856	0.1
-1.760	0.1
-1.664	0.1
-1.568	0.1
-1.472	0.1
-1.376	0.1
-1.280	0.1
-1.184	0.1
-1.088	0.1
-0.992	0.1
-0.896	0.1
-0.800	0.1
-0.704	0.1
-0.608	0.1
-0.512	0.1
-0.416	0.1
-0.320	0.1
-0.224	0.1
-0.128	0.1
-0.032	0.1
0.000	0.1
0.064	0.1
0.160	0.1
0.256	0.1
0.352	0.1

Time Stamp	Parameter Value
0.448	0.1
0.544	0.1
0.640	0.1
0.736	0.1
0.832	0.1
0.928	0.1
1.024	0.1
1.120	0.1
1.216	0.1
1.312	0.1
1.408	0.1
1.504	0.1
1.600	0.1
1.696	0.1
1.792	0.1
1.888	0.1
1.984	0.1
2.080	0.1
2.176	0.1
2.272	0.1
2.368	0.1
2.464	0.1
2.560	0.1
2.656	0.1
2.752	0.1
2.848	0.1
2.944	0.1
3.040	0.1
3.136	0.1
3.232	0.1
3.328	0.1
3.424	0.1
3.520	0.1
3.616	0.1
3.712	0.1
3.808	0.1

Radar info 6




3.125 Radar info 7

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Radar info 7




3.126 Radar info 8

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Radar info 8




3.127 Radar info 9

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0


Radar info 9



3.128 Radar axis offset error (V)

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0




3.129 Invalid beam axis error(H)

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0


Invalid beam axis error(H)



3.130 Radar axis offset error (H)

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0


Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0



3.131 Radar axis correction value (H) [deg]

Time Stamp	Parameter Value
-4.736	-0.1
-4.640	-0.1
-4.544	-0.1
-4.448	-0.1
-4.352	-0.1
-4.256	-0.1
-4.160	-0.1
-4.064	-0.1
-3.968	-0.1
-3.872	-0.1
-3.776	-0.1
-3.680	-0.1
-3.584	-0.1
-3.488	-0.1
-3.392	-0.1
-3.296	-0.1
-3.200	-0.1
-3.104	-0.1
-3.008	-0.1
-2.912	-0.1
-2.816	-0.1
-2.720	-0.1
-2.624	-0.1
-2.528	-0.1
-2.432	-0.1
-2.336	-0.1
-2.240	-0.1
-2.144	-0.1
-2.048	-0.1
-1.952	-0.1
-1.856	-0.1
-1.760	-0.1
-1.664	-0.1
-1.568	-0.1
-1.472	-0.1
-1.376	-0.1
-1.280	-0.1
-1.184	-0.1
-1.088	-0.1
-0.992	-0.1
-0.896	-0.1
-0.800	-0.1
-0.704	-0.1
-0.608	-0.1
-0.512	-0.1
-0.416	-0.1
-0.320	-0.1
-0.224	-0.1
-0.128	-0.1
-0.032	-0.1
0.000	-0.1
0.064	-0.1
0.160	-0.1
0.256	-0.1
0.352	-0.1

Time Stamp	Parameter Value
0.448	-0.1
0.544	-0.1
0.640	-0.1
0.736	-0.1
0.832	-0.1
0.928	-0.1
1.024	-0.1
1.120	-0.1
1.216	-0.1
1.312	-0.1
1.408	-0.1
1.504	-0.1
1.600	-0.1
1.696	-0.1
1.792	-0.1
1.888	-0.1
1.984	-0.1
2.080	-0.1
2.176	-0.1
2.272	-0.1
2.368	-0.1
2.464	-0.1
2.560	-0.1
2.656	-0.1
2.752	-0.1
2.848	-0.1
2.944	-0.1
3.040	-0.1
3.136	-0.1
3.232	-0.1
3.328	-0.1
3.424	-0.1
3.520	-0.1
3.616	-0.1
3.712	-0.1
3.808	-0.1




3.132 Radar info 10

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	1
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Radar info 10




3.133 Radar info 11

Time Stamp	Parameter Value
-4.736	0.2
-4.640	0.2
-4.544	0.2
-4.448	0.2
-4.352	0.2
-4.256	0.2
-4.160	0.2
-4.064	0.2
-3.968	0.2
-3.872	0.2
-3.776	0.2
-3.680	0.2
-3.584	0.2
-3.488	0.2
-3.392	0.2
-3.296	0.2
-3.200	0.2
-3.104	0.2
-3.008	0.2
-2.912	0.2
-2.816	0.2
-2.720	0.2
-2.624	0.2
-2.528	0.2
-2.432	0.2
-2.336	0.2
-2.240	0.2
-2.144	0.2
-2.048	0.2
-1.952	0.2
-1.856	0.2
-1.760	0.2
-1.664	0.2
-1.568	0.2
-1.472	0.2
-1.376	0.2
-1.280	0.2
-1.184	0.2
-1.088	0.2
-0.992	0.2
-0.896	0.2
-0.800	0.2
-0.704	0.2
-0.608	0.2
-0.512	0.2
-0.416	0.2
-0.320	0.1
-0.224	0.1
-0.128	0.1
-0.032	0.1
0.000	0.1
0.064	0.1
0.160	0.1
0.256	0.1
0.352	0.1

Time Stamp	Parameter Value
0.448	0.1
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	-0.1
1.696	-0.1
1.792	-0.1
1.888	-0.1
1.984	0
2.080	6.3
2.176	4
2.272	1.2
2.368	5
2.464	4.6
2.560	4.2
2.656	4
2.752	3.2
2.848	1.7
2.944	1.6
3.040	1.2
3.136	1.2
3.232	1.1
3.328	1
3.424	0.9
3.520	0.8
3.616	0.9
3.712	1
3.808	1.1

Radar info 11




3.134 Radar info 12

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Radar info 12




3.135 Radar info 13

Time Stamp	Parameter Value
-4.736	0.44
-4.640	0.44
-4.544	0.44
-4.448	0.44
-4.352	0.44
-4.256	0.44
-4.160	0.44
-4.064	0.44
-3.968	0.44
-3.872	0.44
-3.776	0.44
-3.680	0.44
-3.584	0.44
-3.488	0.44
-3.392	0.44
-3.296	0.44
-3.200	0.44
-3.104	0.44
-3.008	0.44
-2.912	0.44
-2.816	0.44
-2.720	0.44
-2.624	0.44
-2.528	0.44
-2.432	0.44
-2.336	0.44
-2.240	0.44
-2.144	0.44
-2.048	0.44
-1.952	0.44
-1.856	0.44
-1.760	0.44
-1.664	0.44
-1.568	0.44
-1.472	0.44
-1.376	0.44
-1.280	0.44
-1.184	0.44
-1.088	0.44
-0.992	0.44
-0.896	0.44
-0.800	0.44
-0.704	0.44
-0.608	0.44
-0.512	0.44
-0.416	0.44
-0.320	0.44
-0.224	0.44
-0.128	0.44
-0.032	0.44
0.000	0.44
0.064	0.44
0.160	0.44
0.256	0.44
0.352	0.44

Time Stamp	Parameter Value
0.448	0.44
0.544	0.44
0.640	0.44
0.736	0.42
0.832	0.42
0.928	0.42
1.024	0.42
1.120	0.42
1.216	0.42
1.312	0.42
1.408	0.42
1.504	0.42
1.600	0.42
1.696	0.42
1.792	0.42
1.888	0.42
1.984	0.42
2.080	2.54
2.176	2.54
2.272	2.54
2.368	2.4
2.464	2.08
2.560	1.92
2.656	1.7
2.752	1.56
2.848	1.38
2.944	1.28
3.040	1.22
3.136	1.14
3.232	1.04
3.328	0.96
3.424	0.94
3.520	0.88
3.616	0.86
3.712	0.84
3.808	0.84

Radar info 13




3.136 Radar info 14

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Radar info 14




3.137 Radar info 15

Time Stamp	Parameter Value
-4.736	0.2
-4.640	0.2
-4.544	0.2
-4.448	0.2
-4.352	0.2
-4.256	0.2
-4.160	0.2
-4.064	0.2
-3.968	0.2
-3.872	0.2
-3.776	0.2
-3.680	0.2
-3.584	0.2
-3.488	0.2
-3.392	0.2
-3.296	0.2
-3.200	0.2
-3.104	0.2
-3.008	0.2
-2.912	0.2
-2.816	0.2
-2.720	0.2
-2.624	0.2
-2.528	0.2
-2.432	0.2
-2.336	0.2
-2.240	0.2
-2.144	0.2
-2.048	0.2
-1.952	0.2
-1.856	0.2
-1.760	0.2
-1.664	0.2
-1.568	0.2
-1.472	0.2
-1.376	0.2
-1.280	0.2
-1.184	0.2
-1.088	0.2
-0.992	0.2
-0.896	0.2
-0.800	0.2
-0.704	0.2
-0.608	0.2
-0.512	0.2
-0.416	0.2
-0.320	0.1
-0.224	0.1
-0.128	0.1
-0.032	0.1
0.000	0.1
0.064	0.1
0.160	0.1
0.256	0.1
0.352	0.1

Time Stamp	Parameter Value
0.448	0.1
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	-0.1
1.696	-0.1
1.792	-0.1
1.888	-0.1
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0.1
2.752	0.1
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0.1
3.712	0.1
3.808	0.1

Radar info 15




3.138 Radar info 16

Time Stamp	Parameter Value
-4.736	0.44
-4.640	0.44
-4.544	0.44
-4.448	0.44
-4.352	0.44
-4.256	0.44
-4.160	0.44
-4.064	0.44
-3.968	0.44
-3.872	0.44
-3.776	0.44
-3.680	0.44
-3.584	0.44
-3.488	0.44
-3.392	0.44
-3.296	0.44
-3.200	0.44
-3.104	0.44
-3.008	0.44
-2.912	0.44
-2.816	0.44
-2.720	0.44
-2.624	0.44
-2.528	0.44
-2.432	0.44
-2.336	0.44
-2.240	0.44
-2.144	0.44
-2.048	0.44
-1.952	0.44
-1.856	0.44
-1.760	0.44
-1.664	0.44
-1.568	0.44
-1.472	0.44
-1.376	0.44
-1.280	0.44
-1.184	0.44
-1.088	0.44
-0.992	0.44
-0.896	0.44
-0.800	0.44
-0.704	0.44
-0.608	0.44
-0.512	0.44
-0.416	0.44
-0.320	0.44
-0.224	0.44
-0.128	0.44
-0.032	0.44
0.000	0.44
0.064	0.44
0.160	0.44
0.256	0.44
0.352	0.44

Time Stamp	Parameter Value
0.448	0.44
0.544	0.44
0.640	0.44
0.736	0.42
0.832	0.42
0.928	0.42
1.024	0.42
1.120	0.42
1.216	0.42
1.312	0.42
1.408	0.42
1.504	0.42
1.600	0.42
1.696	0.42
1.792	0.42
1.888	0.42
1.984	0.42
2.080	0.42
2.176	0.42
2.272	0.42
2.368	0.42
2.464	0.42
2.560	0.42
2.656	0.42
2.752	0.42
2.848	0.42
2.944	0.42
3.040	0.42
3.136	0.42
3.232	0.42
3.328	0.42
3.424	0.42
3.520	0.42
3.616	0.42
3.712	0.42
3.808	0.42


Radar info 16



3.139 communication error flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0


Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0



3.140 Radar malfunction flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0


Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0



3.141 Radar rainfall detection flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0




3.142 Camera info 1

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Camera info 1




3.143 Camera info 2

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Camera info 2




3.144 Camera Malfunction

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0


Camera Malfunction



3.145 Camera Out of Aim Range

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0




3.146 Camera AIM Adjustment not finished

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Camera AIM Adjustment not finished




3.147 Camera high temperature

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0


Camera high temperature



3.148 Camera backlight status

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0


Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0



3.149 camera blockage

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0




3.150 Camera not guaranteed temperature flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Camera not guaranteed temperature flag




3.151 Camera not guaranteed voltage flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Camera not guaranteed voltage flag




3.152 PCS camera high temperature

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS camera high temperature




3.153 Camera Fault condition text display

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Camera Fault condition text display




3.154 Camera rain flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Camera rain flag




3.155 PCS Radar malfunction

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS Radar malfunction




3.156 PCS Radar axis offset

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS Radar axis offset




3.157 PCS Radar NOT adjusted

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS Radar NOT adjusted




3.158 PCS Radar sensor blockage

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS Radar sensor blockage




3.159 PCS Radar temperature anomaly

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS Radar temperature anomaly




3.160 PCS Radar voltage anomaly

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS Radar voltage anomaly




3.161 PCS Camera internal circuit improper

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS Camera internal circuit improper




3.162 PCS Camera blockage

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS Camera blockage




3.163 PCS Camera bad environment

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS Camera bad environment




3.164 PCS Camera axis offset

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS Camera axis offset




3.165 PCS PSB Classification anomaly

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS PSB Classification anomaly




3.166 PCS steering sensor malfunction

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS steering sensor malfunction




3.167 PCS Yaw rate sensor malfunction

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS Yaw rate sensor malfunction




3.168 PCS brake hardware system malfunction

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS brake hardware system malfunction




3.169 PCS stop lamp drive relay malfunction

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS stop lamp drive relay malfunction




3.170 PCS CAN communication invalid (ECB/VSC)

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS CAN communication invalid (ECB/VSC)




3.171 PCS accelerator pedal angle sensor malfunction

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS accelerator pedal angle sensor malfunction




3.172 PCS PBA invalid flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS PBA invalid flag




3.173 PCS ALM buzzer invalid flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

PCS ALM buzzer invalid flag




3.174 PCS PB invalid flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0


PCS PB invalid flag



3.175 Driving status flag 1

Time Stamp	Parameter Value
-4.736	1
-4.640	1
-4.544	1
-4.448	1
-4.352	1
-4.256	1
-4.160	1
-4.064	1
-3.968	1
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	1
-1.856	1
-1.760	1
-1.664	1
-1.568	1
-1.472	1
-1.376	1
-1.280	1
-1.184	1
-1.088	1
-0.992	1
-0.896	1
-0.800	1
-0.704	1
-0.608	1
-0.512	1
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	1
2.368	1
2.464	1
2.560	1
2.656	1
2.752	1
2.848	1
2.944	1
3.040	1
3.136	1
3.232	1
3.328	1
3.424	1
3.520	1
3.616	1
3.712	1
3.808	1




3.176 Driving status flag 2

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0


Driving status flag 2



3.177 Driving status flag 3

Time Stamp	Parameter Value
-4.736	1
-4.640	1
-4.544	1
-4.448	1
-4.352	1
-4.256	1
-4.160	1
-4.064	1
-3.968	1
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	1
-1.856	1
-1.760	1
-1.664	1
-1.568	1
-1.472	1
-1.376	1
-1.280	1
-1.184	1
-1.088	1
-0.992	1
-0.896	1
-0.800	1
-0.704	1
-0.608	1
-0.512	1
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	1
2.368	1
2.464	1
2.560	1
2.656	1
2.752	1
2.848	1
2.944	1
3.040	1
3.136	1
3.232	1
3.328	1
3.424	1
3.520	1
3.616	1
3.712	1
3.808	1




3.178 Driving status flag 4

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Driving status flag 4




3.179 Control status 3

Time Stamp	Parameter Value
-4.736	1
-4.640	1
-4.544	1
-4.448	1
-4.352	1
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Control status 3




3.180 Control status 4

Time Stamp	Parameter Value
-4.736	1
-4.640	1
-4.544	1
-4.448	1
-4.352	1
-4.256	1
-4.160	1
-4.064	1
-3.968	1
-3.872	1
-3.776	1
-3.680	1
-3.584	1
-3.488	1
-3.392	1
-3.296	1
-3.200	1
-3.104	1
-3.008	1
-2.912	1
-2.816	1
-2.720	1
-2.624	1
-2.528	1
-2.432	1
-2.336	1
-2.240	1
-2.144	1
-2.048	1
-1.952	1
-1.856	1
-1.760	1
-1.664	1
-1.568	1
-1.472	1
-1.376	1
-1.280	1
-1.184	1
-1.088	1
-0.992	1
-0.896	1
-0.800	1
-0.704	1
-0.608	1
-0.512	1
-0.416	1
-0.320	1
-0.224	1
-0.128	1
-0.032	1
0.000	1
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Control status 4




3.181 Control status 5

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0


Control status 5



3.182 Control status 6

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0


Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0



3.183 Brake Override Request flag

Time Stamp	Parameter Value
-4.736	1
-4.640	1
-4.544	1
-4.448	1
-4.352	1
-4.256	1
-4.160	1
-4.064	1
-3.968	1
-3.872	1
-3.776	1
-3.680	1
-3.584	1
-3.488	1
-3.392	1
-3.296	1
-3.200	1
-3.104	1
-3.008	1
-2.912	1
-2.816	1
-2.720	1
-2.624	1
-2.528	1
-2.432	1
-2.336	1
-2.240	1
-2.144	1
-2.048	1
-1.952	1
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0




3.184 Steer Override Request flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0

Steer Override Request flag




3.185 Accelerator Override Request flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	0
-3.008	0
-2.912	0
-2.816	0
-2.720	0
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	0
-0.608	0
-0.512	0
-0.416	0
-0.320	0
-0.224	0
-0.128	0
-0.032	0
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	0
1.504	0
1.600	0
1.696	0
1.792	0
1.888	0
1.984	0
2.080	0
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	0


Accelerator Override Request flag



3.186 Radar update flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	1
-4.160	1
-4.064	1
-3.968	1
-3.872	1
-3.776	1
-3.680	1
-3.584	1
-3.488	0
-3.392	0
-3.296	0
-3.200	0
-3.104	1
-3.008	1
-2.912	1
-2.816	1
-2.720	1
-2.624	1
-2.528	1
-2.432	1
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	1
-1.760	1
-1.664	1
-1.568	1
-1.472	1
-1.376	1
-1.280	1
-1.184	1
-1.088	0
-0.992	0
-0.896	0
-0.800	0
-0.704	1
-0.608	1
-0.512	1
-0.416	1
-0.320	1
-0.224	1
-0.128	1
-0.032	1
0.000	0
0.064	0
0.160	0
0.256	0
0.352	0


Time Stamp	Parameter Value
0.448	0
0.544	1
0.640	1
0.736	1
0.832	1
0.928	1
1.024	1
1.120	1
1.216	1
1.312	0
1.408	0
1.504	0
1.600	0
1.696	1
1.792	1
1.888	1
1.984	1
2.080	1
2.176	1
2.272	1
2.368	1
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	1
3.040	1
3.136	1
3.232	1
3.328	1
3.424	1
3.520	1
3.616	1
3.712	0
3.808	0



3.187 Camera update flag

Time Stamp	Parameter Value
-4.736	0
-4.640	0
-4.544	0
-4.448	0
-4.352	0
-4.256	0
-4.160	0
-4.064	0
-3.968	0
-3.872	0
-3.776	0
-3.680	0
-3.584	0
-3.488	0
-3.392	1
-3.296	1
-3.200	1
-3.104	1
-3.008	1
-2.912	1
-2.816	1
-2.720	1
-2.624	0
-2.528	0
-2.432	0
-2.336	0
-2.240	0
-2.144	0
-2.048	0
-1.952	0
-1.856	0
-1.760	0
-1.664	0
-1.568	0
-1.472	0
-1.376	0
-1.280	0
-1.184	0
-1.088	0
-0.992	1
-0.896	1
-0.800	1
-0.704	1
-0.608	1
-0.512	1
-0.416	1
-0.320	1
-0.224	0
-0.128	0
-0.032	0
0.000	1
0.064	0
0.160	0
0.256	0
0.352	0

Time Stamp	Parameter Value
0.448	0
0.544	0
0.640	0
0.736	0
0.832	0
0.928	0
1.024	0
1.120	0
1.216	0
1.312	0
1.408	1
1.504	1
1.600	1
1.696	1
1.792	1
1.888	1
1.984	1
2.080	1
2.176	0
2.272	0
2.368	0
2.464	0
2.560	0
2.656	0
2.752	0
2.848	0
2.944	0
3.040	0
3.136	0
3.232	0
3.328	0
3.424	0
3.520	0
3.616	0
3.712	0
3.808	1



4.Image FFD

5.Hexadecimal Data

AbsoluteTime.log

AirBag-PartsNo.log

AirBag-Software.log

KeyCycle.log

LcaOrLdaOpeFFD.log

Odo.log

PcsImageFFD.log

PcsOpeFFD.log

VCH.log