CRWLR- api

<POST api.mahshop/change-stuff/<stuff-name

API
| ```
{
"stuff_name": "updated value",
"category": "updated value",
"price": "updated value",
"stock": "updated value",
"sold_count": "updated value"
}
``` |

GET api.mahshop/receipts

API
| ```
{
  [
    {
      "tracing_code": "tracing codex",
      "stuff": "stuff name",
      "items": "number of items",
      "first_name": "first name",
      "last_name": "last name",
      "address": "address of user",
      "price": "price of purchase(price of stuff * number of
itmes)",
      "date": "purchase date",
    },
    {
      "tracing_code": "tracing codex",
      "stuff": "stuff name",
      "items": "number of items",
      "first_name": "first name",
      "last_name": "last name",
      "address": "address of user",
      "price": "price of purchase(price of stuff * number of
itmes)",
      "date": "purchase date",
    }
  ]
}
``` |

3.

<GET api.mahshop/receipt/<receipts_code

```
API

{
        "tracing_code": "tracing codex",
        "stuff": "stuff name",
        "items": "number of items",
        "first_name": "first name",
        "last_name": "last name",
        "address": "address of user",
        "price": "price of purchase(price of stuff * number of
itmes)",
        "date": "purchase date",
}
```

4.

5.

POST api.mahshop/add-category

```
API

{
 "category_name": "category name"
}
```

6.

DELETE api.mahshop/delete-category

```
API

{
 "category_name": "category name"
}
```

7.

<POST api.mahshop/update-category/<category_name

```
API

{
   "category_name": "new category name"
}
```

- **api**
1.

POST api.mahshop/stuff-list

API

```
{
    "category": "category name",
    "price": "asc or desc or none",
    "date": "asc or desc or none",
    "lbp": "lower bond of price",
    "ubp": "upper bond of price",
}
```

:Response

API

```
{
    [
        {
            "stuff_name": "updated value",
            "category": "updated value",
            "price": "updated value",
            "stock": "updated value",
            "sold_count": "updated value",
            "creation_date": "date"
        },
        {
            "stuff_name": "updated value",
            "category": "updated value",
            "price": "updated value",
            "stock": "updated value",
            "sold_count": "updated value",
            "creation_date": "date"
        }
    ]
}
```

2.

POST api.mahshop/register

API

```
{
    "user_name": "email address of user",
    "password": "password of user",
    "first_name": "first name of user",
    "last_name": "last name of user",
    "address": "address of user"
}
```

:Response

API

```
{
    "token": "73ccda18a58810302fbdeb25cf4b57ed56a31b95"
}


  or


  "registeration failed"
```

POST api.mahshop/login

API

```
{
   "user_name": "email address of user",
   "password": "password of user",
}
```

:Responsee

API

```
{
    "token": "73ccda18a58810302fbdeb25cf4b57ed56a31b95"
}


  or

  "operation failed"
```

POST api.mahshop/edit-info

API

```
{
   "user_name": "email address of user",
   "password": "password of user",
   "first_name": "first name of user",
   "last_name": "last name of user",
   "address": "address of user"
}
```

:Response

<table>
<tr><td align="center">**API**</td></tr>
<tr><td>

```
"you don't have premission"


 or


"edited successfully"
```

</td></tr>
</table>

GET api.mahshop/receipts

<table>
<tr><td align="center">**API**</td></tr>
<tr><td>

```
{
  [
    {
      "tracing_code": "tracing codex",
      "stuff": "stuff name",
      "items": "number of items",
      "address": "address of user",
      "price": "price of purchase(price of stuff * number of
itmes)",
      "date": "purchase date",
    },
    {
      "tracing_code": "tracing codex",
      "stuff": "stuff name",
      "items": "number of items",
      "address": "address of user",
      "price": "price of purchase(price of stuff * number of
itmes)",
      "date": "purchase date",
    }
  ]
}
```

</td></tr>
</table>

POST api.mahshop/purchase

<table>
<tr><td align="center">**API**</td></tr>
<tr><td>

```
{
  "stuff": "stuff name",
  "items": "number of itmes",
  "first_name": "first name of user",
  "last_name": "last name of user",
  "address": "address of user"
}
```

</td></tr>
</table>

POST api.mahshop/increase-charge

API
```
{
  "user_name": "email address of user",
  "price": "amount of money which has been added",
}
```

static files
-
-
-

GET mahshop/main

GET mahshop/enter

GET mahshop/register

- sdfdsjk
-