OUM

ORACLE METHOD TEMPLATE ENGINE (OMTE) TEMPLATE USER'S GUIDE

RETIRED

Release 2.7
OUM 6.2
June, 2012

ORACLE

Preface

This *Oracle Method Template Engine (OMTE) Template User's Guide* provides detailed instructions for using work product templates provided in Oracle Methods (both legacy methods and the Oracle Unified Method) for releases prior to 6.3. With the Oracle Unified Method (OUM) Release 6.3, the Oracle Method Template Engine was retired. This User's Guide is also retired. It is being made available as a reference document for use when working with work products that had been created with versions of OUM prior to Release 6.3. The Oracle Method Template Engine is no longer being supported or enhanced. Templates in OUM Release 6.3 no longer use the Oracle Method Template Engine. Refer to the OUM Template User's Guide for instructions on working with templates from OUM Release 6.3.

Audience

This *Oracle Method Template Engine (OMTE) Template User's Guide* is written for:

- project team members
- consultants

How this Guide Is Organized

This guide consists of the following sections:

Section 1 provides guidance in using templates to create work products.

Section 2 provides helpful information on working with graphics in your work products.

Section 3 describes the components of Word templates.

Section 4 provides tips and techniques for using and modifying the standard styles built into the templates for MS Word.

Section 5 provides guidance on adjusting your computer environment settings to ensure the proper functioning of the template tool.

Section 6 provides a description of each OM Menu option.

Section 7 provides a description of the 5.4 OUM Word template updates.

Section 8 provides instructions on converting from OMGUIDE.DOT to OUMGUIDE.DOT.

How to Use this Guide

This *Template User's Guide* should be used in conjunction with the documentation provided with the Oracle Methods (both legacy methods and the Oracle Unified Method).

Conventions Used in this Guide

We use several notational conventions to make this handbook easy to read.

Suggestions:

We provide you with helpful suggestions throughout the handbook to help you get the most out of the information provided. We highlight these suggestions with an illuminated light bulb. Here is an example of a suggestion:

Suggestion: Verify your backup and recovery plan with your hardware and software vendors.

Attention:

We sometimes highlight especially important information or considerations to save you time or simplify the task at hand. We mark such information with an attention graphic, as follows:

Attention: Since project team training occurs simultaneously with this task, some recommendations (or decisions) from training may be implemented in the mapping environment. In this case, these training inputs become predecessors to this task.

For More Information:

Additional information you may want to refer to is highlighted in this manner.

Reference: For more information about content for the design presentation, review the Critical Success Factors, page 3-7.

Use of the Term "Work Product"

The output of a task is a *work product*. The templates referred to in this document are used as a starting point for preparing such work products. In past method releases, the output of a task was referred to as a *deliverable*. The term *deliverable* has been changed to *work product in order* to eliminate the risk of having the *method deliverables* confused with the *contractual deliverables*. A contractual deliverable is specifically referenced in the contract and often has a payment schedule attached to its acceptance.

As new and updated Oracle Method materials are released, we will gradually be replacing the term "deliverable" with "work product".

Related Publications

This guide discusses how to use templates to prepare work products. For detailed information about how to complete the content of the templates, refer to the Method Guidelines or Solution Delivery Guide for your method.

Your Comments are Welcome

Oracle Corporation values and appreciates your comments as an Oracle Method practitioner and user of this guide. As we write, revise and evaluate our documentation, your comments are the most valuable input we receive. If you would like to contact us regarding comments on this or other Oracle Method guidelines, please use the following email address: <ominfo@us.oracle.com>

Contents

1 Using Work Product Templates 1

1.1 Creating a New Word Work Product 1
1.2 Creating a New PowerPoint Work Product 8
1.3 Creating a New Excel Work Product 8
1.4 Using Project Workplan Templates 8

2 Working with Graphics 10

2.1 Understanding Embedded Objects 10
2.2 Embedding Objects 10
2.3 Moving and Framing Graphics 11
2.4 Resizing Graphics 12
2.5 Adjusting the Size of Graphics 12
2.6 Adding a Company Logo 12

3 Standard Word Template Components 14

3.1 Front Matter 14
3.2 Cover Page 15
3.3 Change Record 15
3.4 Reviewers 15
3.5 Distribution 16
3.6 Table of Contents 16
3.7 Introduction or Overview 16
3.8 Standard Template Variables 16

4 Standard Word Template Styles 17

4.1 Font 17
4.2 Headings 17
4.3 Summary of Paragraph Styles 18

5 OM Pull-Down Menu Environment Settings 20

6 OM Pull-Down Menu Option Definitions 23

7 OUM 5.4 Template Changes 24

8 Converting from OMGUIDE.DOT to OUMGUIDE.DOT 26

1 Using Work Product Templates

This section discusses how to use templates employing the Oracle Method Template Tool. Specific topics discussed are:

- Creating a new Word work product
- Creating a new PowerPoint work product
- Creating a new Excel work product
- Using Project Workplan templates

1.1 Creating a New Word Work Product

Word templates derive their styles from the files, OMGUIDE.DOT (legacy methods and OUM prior to 5.4) and OUMGUIDE.DOT (OUM 5.4 and later). When you open a Word template, an OM menu becomes available to you and either appears on the Word menu bar (Word 2003) or from the Add-Ins tab (Word 2007). This menu is driven by a macro located in the OMGUIDE.DOT or OUMGUIDE.DOT file.

☞ **Attention:** If you are using Word 2007, you must use [Compatibility Mode]. OUM templates will automatically open in [Compatibility Mode]. Always save your templates as Word 97-2003 Document (*.doc).

If you move a file formatted with these template files onto a computer that does not have these files installed, you will lose the link to these template files. When you open a document on a computer that does not have these files installed, you will receive the following message, "Oracle Method Template Engine could not be found on your computer – Document will open with Oracle Method Template macros disabled. Your formatting will remain and you will have access to the same styles, however, they will be part of your document. You also will NOT have access to the features available with the OM menu.

☞ **Attention:** If the OM menu does not appear, refer to *section 5* to check your environment settings. Correctly attach the OMGUIDE.DOT or OUMGUIDE.DOT before continuing work with your template.

Use the commands in the OM menu to customize and complete your Word document. For a description of each OM menu item refer to *section 6*.

☞ **Attention:** You may save your work products to another hard drive on a partitioned computer while maintaining connectivity to the template engine.

To generate a template from an Oracle Method Pack:

Step 1: Locate the template needed and click on the link

Step 2: Save the template to another directory on your computer using the "Save As" menu option. (Ensure the document is in Normal view versus Print Layout view before saving).

Step 3: Close the document

Step 4: Using Word 2003, re-open the template in its new location using "File>Open" Menu option (Select Enable Macros). Using Word 2007, re-open the template in its new location using the Office Button>Open. Enable the Macros by using the Security Warning Options… button. Select "Enable this content" in the Microsoft Office Security Options pop-up.

Step 5: Using Word 2003, the OM Menu item should appear in the MS Word Menu bar. Using Word 2007, use the Add-Ins tab to access the OM menu.

☞ **Attention:** If the OM menu does not appear, refer to *section 5* to check your environment settings. Correctly attach the OMGUIDE.DOT or OUMGUIDE.DOT before continuing work with your template.

To create a new work product document using Word:

Step 1: Show Bookmarks

Step 2: View Notes in Templates

Step 3: Substitute Values for Automatic Replacement Variables

Step 4: Enter Project-Specific Information

Step 5: Update Field Codes

Step 6: Modify Headers and Footers (optional)

Step 7: Add Document Content

Step 8: Remove Sample Data

Step 9: Insert New Sections and Renumber Pages (optional)

Step 10: Adjust Graphic Size (optional)

Step 11: Remove Notes

Step 12: Update your work product table of contents

Step 14: Save your work product

Step 1: Show Bookmarks

The templates use Word bookmarks so that key information in the cover page appears consistently in the headers and footers. Be careful not to accidentally delete these bookmarks.

To show bookmarks using Word 2003:

1. Open the Word template you want to use.
2. Choose Tools > Options > View.
3. Select Show Bookmarks, and click OK.

To show bookmarks using Word 2007:

1. Open the Word template you want to use.
2. Choose Office Button > Word Options > Advanced.
3. Select Show Bookmarks, and click OK.

Step 2: View Notes in Templates

Suggestions, advice, and other important information appear in yellow note fields throughout the Word templates.

To show yellow notes using Word 2003:

1. Open the Word template document.
2. Choose Tools > Options > View.
3. Select Show Hidden Text, and click OK.

To show yellow notes using Word 2007:

1. Open the Word template document.
2. Choose Office Button > Word Options > Display.
3. Select Hidden Text, and click OK.

Step 3: Substitute Values for Automatic Replacement Variables

The templates often include special variables for which you substitute project-specific values to customize your work product. The templates mark these variables with the paragraph style Highlighted Variable, distinguished by blue font to help you visually distinguish them from other content. This type of variable is called an *automatic replacement variable*, different from manually replaced variables. For example, a template may contain an automatic replacement variable for the Company Long Name.

☞ **Attention:** For information about manually replaced variables, see Step 4: Enter Project-Specific Information.

To substitute values for template variables using Word 2003:

1. With your Word template document open in Normal viewing mode (View > Normal), choose OM > Mass Changes.

   The Mass Changes dialog box appears. Note that if you drag the Mass Changes dialog box across the screen, the screen areas behind the dialog box appear grayed. Therefore, do not attempt to move the dialog box.

2. Enter the values for your document.

   These values cannot be used for Mass Changes:

   - apostrophe (')
   - double quote (")
   - caret (^)

3. Select Preserve Variable Highlighting if you want Word to visually differentiate the substituted values.
4. Click OK.

   Word substitutes the values you provided. The next time you invoke Mass Changes, the default values are the values you specified.

To substitute values for template variables using Word 2007:

1. With your Word template document open in Print Layout or Draft viewing mode (View > Print Layout or View > Draft), select the Add-Ins tab. The OM selection menu appears immediately under the Word tool bar. Choose OM > Mass Changes.

   The Mass Changes dialog box appears.

2. Enter the values for your document.

   These values cannot be used for Mass Changes:

3. apostrophe (')
4. double quote (")
5. caret (^)
6. Select Preserve Variable Highlighting if you want Word to visually differentiate the substituted values.
7. Click OK.

   Word substitutes the values you provided. The next time you invoke Mass Changes, the default values are the values you specified.

Step 4: Enter Project-Specific Information

Some templates use corner brackets (< >) to indicate project specific values that you must enter manually.

To enter project-specific values:

1. In the work product document, press Ctrl+F to use the Find command.

2. Search for corner bracket characters, and ensure that the bracketed information is not a template variable.

   There are two ways to differentiate template variables from project-specific information that you must manually enter:

   - Click on the word between the brackets. Check the paragraph style, which may be on your menu bar and also can be viewed by choosing Format > Style. Template variables use the paragraph style Highlighted Variable.
   - Template variables feature blue characters instead of the default black character color.

3. Replace the bracketed information with the information specific to your project.

Step 5: Update Field Codes

The templates use field codes to automate page numbering and other numerical features.

Field codes are internal data stored by MS Word that can be inserted into your document. Some examples are Creation Date, and Last Updated (Date).

Author:	<Author>
Creation Date:	February 28, 2006
Last Updated:	XXX 0, 0000
Document Ref:	<Document Reference Number>
Version:	DRAFT 1A

Examples of Field Codes (highlighted in gray) in Oracle Method Templates

To view field codes in the document using Word 2003:

1. Choose Tools > Options > View.
2. Select Field Shading drop down value of "Always", and click OK
3. To view the underlying field code logic, select Show Field Codes, and click OK.

To view field codes in the document using Word 2007:

1. Choose Office Button > Word Options > Advanced.
2. Select Field Shading drop down value of "Always", and click OK
3. To view the underlying field code logic, select Show field codes instead of their values, and click OK.

To update field codes in your templates:

1. Place your cursor in the field code text you want to update, and press F9. Alternatively, right-click, and choose Update Field from the popup menu.

To update ALL field codes in your templates:

1. Choose Edit > Select All.
2. Press F9.

Attention: See step #12: Update Table of Contents (TOC) below for guidance on updating the TOC, if you choose to update all Field codes using the option above.

To set automatic update for the field codes in your document whenever you print from Word when using Word 2003:

1. Choose Tools > Options.
2. Click the Print tab.
3. Select Update Fields in the Printing Options area, and click OK.

To set automatic update for the field codes in your document whenever you print from Word when using Word 2007:

1. Choose Office Button > Word Options > Display.
2. Under the Printing Options, select Update fields before printing, and click OK.

Step 6: Modify Headers and Footers (optional)

The headers and footers of a document can offer important navigational indicators to the reader.

Warning: Most users do not need to modify the information in headers and footers. The customizable information in headers and footers can usually be modified using template variables.

If you do need to change the template headers and footers to reflect specific requirements of your project, then ensure that you do not delete field codes.

To modify the headers or footers of a template:

1. Open your Word document file.
2. If your document is not in Print Layout view, then choose View > Print Layout.
3. Double-click in the grayed area of the header or footer that you want to modify.
4. The header or footer area becomes active.
5. Change the information to reflect your requirements.
6. Set headers and footers to Same as Previous, if this setting is not already enabled.

Step 7: Add Document Content

Add the content for your work product based on the specifics of your project. Use special OM menu commands to help you format the content.

To add content:

1. Modify sample text, and add appropriate detail.
2. Choose any of the commands in the OM menu to add formatted components to your document:

Insert Icon and Text	Adds offset paragraphs indicated with special icons representing different types of information: • Attention • Suggestion • Warning • Form Reference • Document Reference • Report Reference
Insert List Table	Adds a two column and one row unformatted table.
Insert Formatted Table	Adds a formatted table according to the number of rows and columns you specify.
Format Selected Tables	Formats any selected table that contains at least two rows.

☞ **Attention:** When inserting a list table using Word 2007, use Table Tools > Layout > View Gridlines in order to see the borders.

Step 8: Remove Sample Data

Templates sometimes contain sample data to help you complete the work product correctly. Be sure to remove this sample data.

Step 9: Insert New Sections and Renumber Pages (optional)

You may want to insert new sections in either portrait or landscape orientation to accommodate your content. Remember that Word restarts page numbering when you insert section breaks, and you need to renumber the document.

To insert a new section:

1. Ensure that headers and footers are set to Same as Previous.
2. Place the cursor in the exact location where you want the new section to begin.
3. Using Word 2003, choose Insert > Break. Select Next Page in the Section Breaks area.
4. Using Word 2007, choose Page Layout > Breaks > Next Page.

   Word inserts a new section. The template automatically adds headers and footers to the new section pages. If the new section is landscape oriented, then the headers and footers are automatically sized.
5. Using the OM menu, select Paper Size.

   The Select Paper Size dialog box appears.
6. Select the appropriate paper size for your document to renumber the entire document, including the new section.

Step 10: Adjust Graphic Size (optional)

Sometimes graphics exceed the margins of the document. The Adjust Graphic Size command allows you to automatically adjust all the graphics in your template at one time.

To adjust the size of all graphics within your document:

1. Ensure that no graphics are selected.
2. Choose the OM menu > Adjust Graphic Size.

All graphics are resized to fit within the margins of your document.

Step 11: Remove Notes

When you finish your work product, remove the yellow notes.

To remove the notes:

1. With the Word document open, choose the OM menu> Strip Yellow Notes.

   Word removes the yellow notes.
2. Review the document after removing the notes to ensure that there are no unintended changes to the page layout.
3. Save your document.

☞ **Attention:** Ensure that the Yellow Notes are displayed in the document (see Step 2 above) before selecting the Strip Yellow Notes option from the OM Menu to avoid formatting errors.

Step 12: Update Table of Contents

When you finish your work product, update the table of contents.

To update the table of contents:

1. Click to the left of, or within, the table of contents
2. Press F9.

   Choose the appropriate update option. Select "Update Page Numbers Only" if you've not added or deleted any sections. Select Update Entire Table if you've inserted new sections, or deleted sections, which you wish to have reflected in the Table of Contents.
3. Click OK

Step 14: Save Your Work Product

Template files are read-only files. Use the Save As command when you save your work product (File > Save As). Otherwise, if you use the Save command, a message appears informing you that the file is read-only. Then Word prompts you to enter a new file name and a saving location.

You may save your work products to another hard drive on a partitioned computer while maintaining connectivity to the template engine.

☞ **Attention:** When using Word 2003, ensure that MS Word templates are always saved in Normal View versus Print Layout View. Saving MS Word templates in Print Layout View can occasionally cause problems with templates when re-opened.

1.2 Creating a New PowerPoint Work Product

To create a new PowerPoint work product:

1. Open the PowerPoint template you want to use.

   PowerPoint starts, and the template opens.
2. Enter project-specific information.
3. Ensure that you remove any sample data.
4. Save the document by choosing File > Save As.

☞ **Attention:** Some templates use corner brackets (< >) to indicate values that you must replace with values specific to your project.

Search for corner brackets, and replace them with the values appropriate for your project.

1.3 Creating a New Excel Work Product

To create a new Excel work product:

1. Open the Excel template you want to use.

   Excel starts, and the template opens.
2. Enter project-specific information.
3. Ensure that you remove any sample data.
4. Save the document by choosing File > Save As.

☞ **Attention:** Some templates use corner brackets (< >) to indicate values that you must replace with values specific to your project.

Search for corner brackets, and replace them with the values appropriate for your project.

1.4 Using Project Workplan Templates

This section provides information about project workplans:

- Where Task Information is Stored
- Creating a New Project Workplan
- Modifying the Workplan

Where Task Information is Stored

The table below shows where MS Project stores task information.

Task Information	Microsoft Project (Task Information Dialog)
Task ID	WBS
Task Name	Name
Work Product Name	Text1
Task Dependencies	Predecessors
Dependency Overlaps	Predecessors
Resources	Resource names
Duration	Duration
Process	Text7

Creating New Project Workplan

To create a project workplan:

1. Open the workplan template you want to use.

   Your project management software starts, and the template opens.
2. Adapt the plan to fit your project requirements.
3. Save the plan when you are satisfied that the plan reflects your project.

   If you need to save multiple workplans for the same project, use the Save As command in your workplan software. Provide a unique name for each workplan version.

Modifying the Workplan

Modify the baseline workplan to fit your project:

1. Add and remove (or " zero out") tasks and dependencies appropriately.

   Zero out unnecessary tasks by giving those tasks a duration of 0 (zero) and placing the task names in parentheses or brackets. This technique also makes it easy to add these tasks later if you decide you need them.
2. Specify named resources.
3. Provide task estimates.
4. Schedule the plan.

2 Working with Graphics

This section explains how to work with graphics when using the Oracle Method Templates. Specific topics discussed are:

- Understanding Embedded Objects
- Embedding Objects
- Moving and Framing Graphics
- Resizing Graphics
- Adjusting the Size of the Graphics
- Adding a Company Logo

2.1 Understanding Embedded Objects

When you embed an object in Word, the entire file is stored inside of the Word document, and there is no link to an external file. This feature has the advantage that the Word file can be freely moved, copied, and distributed without concern about other files or broken links. The disadvantages are that the resulting size of the Word file is much greater, and editing an embedded file is slower than editing a separate Visio file.

You can determine if an object is embedded or linked from within Word without editing it. Toggle the display of field codes by pressing Alt+F9.

An embedded object is shown as a field code like this:

{ EMBED Visio.Drawing.4 }

Additional Information: See your Microsoft Office and Visio documentation for more information on object embedding.

2.2 Embedding Objects

Embed an object in Word in one of the following ways:

- Embedding Objects Using the Toolbar Icon
- Embedding Objects Using the Insert Object Command
- Embedding Objects by Cutting and Pasting

Embedding Objects Using the Toolbar Icon

To embed an object using the toolbar icon:

1. Position your cursor in the place where you want the object to appear in your Word document.
2. Click the Visio or Excel icon on the toolbar.
3. Create the drawing or spreadsheet in the host application.
4. Save your file, and exit from the application.
5. The object appears where the cursor was located before you activated the button.

Embedding Objects Using the Toolbar Icon

To embed an object using the Insert Object command:

1. Position your cursor in the place where you want the object to appear in your Word document.
2. Choose Insert > Object.
3. Select the type of object you want to embed, and click OK. Word launches the selected application.
4. Create the drawing or spreadsheet in the host application.
5. Save your file, and exit from the application.

   The object appears where the cursor was located before you activated the button.

Embedding Objects by Cutting and Pasting

To embed an object by cutting and pasting:

1. With your Word document open, start the desired application.
2. Create or open the drawing, spreadsheet, or other file that you want to embed.
3. Select the portion of the file you want to embed in Word, and then choose Edit > Copy.
4. In Word, position the cursor to the desired location.
5. Choose Edit > Paste.

☞ **Attention:** When pasting a selection from Excel, the default action of the Paste command is to create a Word table with the contents of the selected cells.

To embed an Excel object:

1. In Word, choose Edit > Paste Special.
2. Select Microsoft Excel Worksheet Object as the format, and click OK.

2.3 Moving and Framing Graphics

A picture in a Word document behaves like any other text object. If you add spaces or tabs in front of it, it moves to the right. If you add blank lines above it, it moves down and pushes other text below it down also. Use the left margin handle in the ruler and the text alignment buttons (left, middle, and right) to position a picture horizontally.

You can also put the picture in a frame and anchor it to a particular position on a page and allow text flow around it.

To frame a picture:

1. Select the picture.
2. Choose Insert >Frame.

In page layout view, you can freely move the picture anywhere on the page, or *anchor* it to a specific paragraph.

2.4 Resizing Graphics

To resize a picture:

1. Select the picture.
2. Position your pointer over a square, and drag in the direction you want to scale.

   If you drag a corner, the picture scales proportionally.

2.5 Adjusting the Size of Graphics

The Adjust Graphic Size command reduces the size of graphics, which extend beyond the right side margin of the document. This functionality is useful when, after editing a diagram or updating a link, the resulting picture is too large. Pictures that are narrower than the margins are not affected. Use this command to adjust all graphics in the document at the same time, or use it to adjust each graphic individually.

To adjust a graphic:

1. Select the picture.
2. Choose Adjust Graphic Size from the OM menu.

To adjust all graphics in the document file at one time:

1. Ensure that you have not selected any of the graphics in the document.
2. Choose OM > Adjust Graphic Size.

2.6 Adding a Company Logo

To change only the logo on the title page for all of the templates in a method pack:

Suggestion: Before proceeding with this step, make a backup copy of the file OMGUIDE.DOT and/or OUMGUIDE.DOT. Rename the backup file, or move the file to a different directory. Note the new name or new directory. If you later want to revert to the styles and standard information, then change the backup file name back to OMGUIDE.DOT or move the backup file back to the appropriate subdirectory. The path is

C:\METHOD\OMTE\

NOTE: The *default* subdirectory is\OMTE. The drive is the one you selected during installation of either a method pack or the stand alone Oracle Method Template Engine. For example, if the Method Packs or Oracle Method Template Engine are installed on your C drive - C:\METHOD\OMTE; if the Method Packs or Oracle Method Template Engine are installed on your D drive - D:\METHOD\OMTE; and so on.

Attention: Guidance below pertains to Microsoft Office 2000 and/or Microsoft Office XP.

1. Locate the file OMGUIDE.DOT or OUMGUIDE.DOT
2. Open OMGUIDE.DOT or OUMGUIDE.DOT.

   The Macro Virus Protection Warning dialog box appears, asking you if you want to disable macros that are attached to the document.

3. Click Yes.
4. Choose Insert > Picture, and select the file of the picture you want to use as the logo. Click OK to insert the picture.
5. Add a space after the picture and before the paragraph mark.

   To view paragraph marks, choose Tools > Options. Select Paragraph Marks from the Nonprinting Characters area, and click OK.
6. Highlight the picture and the space, but do not include the paragraph mark.
7. Choose Insert > Auto Text… >Auto Text.

   The Auto Text dialog box appears.

   Important: Follow the next two steps in the order that they appear according to the version of Microsoft Office you are using.
8. From the Look In drop down list, choose OMGUIDE.DOT.
9. From the Enter Auto Text Entries Here drop down list, choose PIC Oracle Logo.
10. Select Insert as Formatted Text, and click Add.

    A dialog box asks if you want to redefine the Auto Text entry.
11. Click Yes.
12. If you want, then you can delete the picture you inserted into OMGUIDE.DOT.
13. Save and close the OMGUIDE.DOT or OUMGUIDE.DOT.

Warning: This change affects all logos in the title pages for the templates in ALL method packs (they all share the same OMGUIDE or OUMGUIDE file).

3 Standard Word Template Components

This section describes the components of the Word templates that are consistent throughout the template collection. Use these standard template components for any Word document:

- Front Matter
- Cover Page
- Change Record
- Reviewers
- Table of Contents
- Introduction or Overview
- Standard Template Variables

3.1 Front Matter

The standard front matter for a controlled document includes:

- title page
- table of contents

3.2 Cover Page

The Cover Page contains:

Component	Description of Contents
Method Abbreviation	Oracle Method Abbreviation
Title	Name of the work product
Company Long Name	Name of the company
Subject	Brief description of the work product or type of information contained in document.
Author	Author of the document
Creation Date	Date the document was originally created.
Last Updated	Date the information contained in the document was last updated.
Control Number	Manually maintained code or number that uniquely identifies the document.
Version	Manually maintained number sequentially incremented with each publication of the document. Equals the version number in the last change record row.
Approvals	Area for handwritten acceptance by designated approvers.
Copy Number *	The unique copy number for each instance of the document (if the document is copy-controlled). Each copy number must correspond with one row in the distribution list. This is usually written by hand in the space provided on the printed document.

*The Copy Number has been removed from the templates in OUM 5.4 and later.

3.3 Change Record

Use the Change Record to maintain a revision history, using one row for each revision. The Date and Version in this table should correspond the Last Updated date and Version indicated on the cover page.

The change record contains:

Component	Description of Contents
Date	Date the change was made to the document
Author	The person, group, or role responsible for the change.
Version	Version number that the change was published under.
Change Reference	Description of the change made to the document.

3.4 Reviewers

Use the Reviewers list to identify the individuals who must review the document. If your document is not controlled, then delete the Reviewer list, and remove the Copy Number field from the cover page.

The reviewer list specifies:

Component	Description of Contents
Name	Name of reviewer
Position	Position and role of the reviewer.

3.5 Distribution

The Distribution list component shows the recipients of the document, including the project library and other possible storage locations. If your document is not controlled, then delete the Distribution list, and remove the Copy Number field from the cover page.

The distribution list contains the following information:

Component	Description of Contents
Copy Number	Unique copy number for each recipient when hardcopy controls are in effect.
Name	Name of the recipient.
Location	Geographical location of the recipient.

The Distribution list has been removed from the templates in OUM 5.4 and later.

3.6 Table of Contents

The Table of Contents lists the contents of the document. The default style is to display the first two levels of headings, but you can change the number of levels displayed, as appropriate, for your document.

3.7 Introduction or Overview

The Introduction component gives the reader an overview of the work product, outlines the purpose of the document, and tells the reader how to use it.

3.8 Standard Template Variables

Each time you create a new work product from a template, you will have an opportunity to specify values for template variables. You can also make changes to variable substitutions at a later time.

These variables commonly appear in templates:

Variable Name	Description
Company Long Name	The full name of the company, for example, ACME Corporation.
Subject	A descriptive phrase for the document, such as the functional area within the business or application that the document addresses. For work products that you produce only once during a project, use the project name as the subject.
Document Reference Number	A number by which the document is controlled. For example, ACME/TA010/001 for the first version of the task TA.010 document on the ACME project.
Approver 1	The name or description of the first approval signature. You can set this to a project role (such as Project Manager) or to the name of the approver.
Approver 2	The name or description of the second approval signature.

4 Standard Word Template Styles

This chapter provides tips and techniques for using and modifying the standard styles built into the templates for Word.

The templates use a Word-based template file called OMGUIDE.DOT or OUMGUIDE.DOT. If the work product you create is placed on a computer that does not contain the method pack that the document was constructed with, then the underlying template reverts to the default Word template NORMAL.DOT. The standard Oracle Method style definitions are described in this section.

- Font
- Headings
- Summary of Paragraph Styles
- Keyboard Shortcuts

4.1 Font

OMGUIDE.DOT

For Word templates created from legacy methods and OUM prior to 5.4, the OMGUIDE.DOT template file is used. This template uses Book Antiqua as the standard font for all styles (except tty styles). Book Antiqua is a TrueType version of the Adobe font Palatino and is included with Microsoft Office and PowerPoint. If you do not have Book Antiqua installed on your computer, Word substitutes a font that is similar for display purposes (usually Times New Roman).

OUMGUIDE.DOT

For Word templates created from OUM 5.4 and later, the OUMGUIDE.DOT template file is used. This template uses Arial as the standard font for all styles (except tty styles).

4.2 Headings

OMGUIDE.DOT

All of the Heading styles are defined with a next style so that when you press Return, the next paragraph is automatically set to Body Text. The next style of the Heading Bar style is set to Heading 3 so that you can easily enter the heading under the bar and then the body text under the heading. Also, heading styles include the paragraph formatting options Keep Lines Together and Keep With Next so that Word will not insert a page break between a heading and the first line of the paragraph that follows it.

OUMGUIDE.DOT

All of the Heading styles are defined with a next style so that when you press Return, the next paragraph is automatically set to Body Text. Also, heading styles include the paragraph formatting options Keep Lines Together and Keep With Next so that Word will not insert a page break between a heading and the first line of the paragraph that follows it.

Headings 1 through 7 have outline numbering. Heading 8 and 9 do not and can be used for field descriptions or smaller sections you wish to highlight, but not use an outline numbered section.

4.3 Summary of Paragraph Styles

To view sample styles while using the Word templates using Word 2003, choose Format > Styles and Formatting.

To view sample styles while using the Word templates using Word 2007, select the Home tab. Open the Styles window by selecting the small arrow at the bottom left of the Styles panel.

The following list summarizes the primary styles used in the Templates:

Paragraph Style	**OMGUIDE.DOT Description of Use**	**OUMGUIDE.DOT Description of Use**
Normal	Standard style that all other styles in the template are based upon. Any changes made to the Normal style (such as font) will be reflected in most other styles. The Normal style is rarely used directly in documents, however.	No change
Body Text	Used for standard paragraphs throughout all templates.	No change
Title Bar	Used for the horizontal bar that appears on the title page and on the first page of a chapter in multichapter documents. It should be a single, empty paragraph.	No change
Subject	Not Available	Used for Subject on Title Page.
Heading 1, HD1	Reserved for chapter headings in multi-chapter documents, but it is rarely used in project work products.	Indicates a major section that begins on a new page. This style has a horizontal bar above the text that extends the width of the page. Most template components begin with Heading 1. Includes the first level of outline numbering, e.g., 1, 2, 3, etc.
Heading 2,HD2	Indicates a major section that begins on a new page. This style has a horizontal bar above the text that extends the width of the page. Most template components begin with Heading 2.	Secondary heading in a section. Has a shorter horizontal bar above the text. Includes the second level of outline numbering, e.g., 1.1, 1.2, 1.3, etc.
Heading 3	Normally has a short bar above it that extends 1.75 inches and aligns with the indent of the Body Text style.	Third level of heading in a section. Smaller font than Heading 1 and 2 and all caps. Includes the third level of outline numbering, e.g., 1.1.1, 1.1.2, 1.1.3, etc.
Heading 4	Same font size and indents as Body Text, but is bold and underlined. It also has center and right tabs that are used for form field descriptions in design documents.	Fourth level of heading in a section. Smaller font than Heading 1 and 2 and title case. Includes the fourth level of outline numbering, e.g., 1.1.1.1, 1.1.1.2, 1.1.1.3, etc.
Heading 5	Used as a subheading below Heading 4 and appears as Bold Italics.	Fifth level of heading in a section. Smaller font than Heading 1 and 2 and title case. Includes the fourth level of outline numbering, e.g., 1.1.1.1, 1.1.1.2, 1.1.1.3, etc.
Heading 6	Not used	Additional outline numbered heading, if needed.
Heading 7	Not used	Additional outline numbered heading, if needed.
Heading 8	Not used	Same font size and indents as Body Text, but is bold and underlined. It also has center and right tabs that are used for form field descriptions in design documents.
Heading 9	Not used	Used as a subheading below Heading 4 and appears as Bold Italics.
Heading Bar	Used for the bar above the Heading 3 style and should be an empty paragraph. It is required because Word does not support lines in a style definition that are shorter that the right margin of the paragraph.	Not used

Paragraph Style	OMGUIDE.DOT Description of Use	OUMGUIDE.DOT Description of Use
Hanging Indent	Used for definitions like this list of style names. The phrases in the left column are normally bold, but you must apply this formatting manually. If the terms or phrases in a definition list are long (such that they should wrap), you should use a list table. To insert a list table, select List Table from the Insert or OM menus.	Not used
Bullet	Used for unnumbered or non-sequential lists.	No change
Number List	Use for numbered lists.	No change
Checklist	Uses a shadowed box as a bullet for check-off lists.	No change
Checklist-X	Uses a box with a cross mark in it for completed checklist items.	Not used
Note	Appears as yellow field box. Used to provide helpful information for completing work products.	No change
Note Wide	Appears as yellow field box, wider than Note style. Used to provide helpful information for completing work products.	Not change
Info Box	Encloses centered text in a box.	No change
Table Text	Standard style for text appearing in a formatted table. It is slightly smaller than Body Text.	No change
Table Heading	Style for the text in the heading of a formatted table.	No change
tty80	Used to simulate terminal or report output. Tabs are spaced at 8 character intervals.	No change
tty80 indent	Like tty80, but is indented slightly more than the Body Text style. It is useful for describing system commands or files.	No change
tty132	Use for documenting 132 column reports.	No change
tty180	Use for documenting 180 column reports.	No change
Note	Used for instructions on using special features of the templates and for hint and tips. It is formatted as a yellow box and has the hidden text attribute so that it does not appear on printed documents.	No change
Highlighted Variable	Denotes substitution variables in templates.	No change

5 OM Pull-Down Menu Environment Settings

The following information is provided to assist users in adjusting computer environment settings to ensure trouble-free operation of the Oracle Method Template Tool.

OM Pull down menu does not appear

Reattach OMGUIDE.DOT or OUMGUIDE.DOT template instructions using Word 2003:

1. Select Tools->Templates and Add-ins from the MS Word drop down menu.
2. Click on the Attach button to the right of the document template window in the dialog box.
3. Navigate to the following directory in the dropdown window labeled "Look in". C:\METHOD\OMTE\
4. **NOTE:** The default subdirectory is\OMTE. The drive is the one you selected during installation of either a method pack or the stand alone Oracle Method Template Engine. For example, if the Method Packs or Oracle Method Template Engine are installed on your C drive - C:\METHOD\OMTE; if the Method Packs or Oracle Method Template Engine are installed on your D drive - D:\METHOD\OMTE; and so on.
5. Highlight/select the OMGUIDE.DOT or OUMGUIDE.DOT file in the OMTE directory
6. Click Open
7. Click OK

Reattach OMGUIDE.DOT or OUMGUIDE.DOT template instructions using Word 2007:

1. Using the Office button, select Word Options.
2. In the Word Options menu, select Add-Ins.
3. At the bottom of the screen where you see Manage: Select Templates and click Go.
4. The Templates and Add-Ins pop up appears.
5. Click on the Attach button to the right of the document template window in the dialog box.
6. Navigate to the following directory in the dropdown window labeled "Look in". C:\METHOD\OMTE\
7. **NOTE:** The default subdirectory is\OMTE. The drive is the one you selected during installation of either a method pack or the stand alone Oracle Method Template Engine. For example, if the Method Packs or Oracle Method Template Engine are installed on your C drive - C:\METHOD\OMTE; if the Method Packs or Oracle Method Template Engine are installed on your D drive - D:\METHOD\OMTE; and so on.
8. Highlight/select the OMGUIDE.DOT or OUMGUIDE.DOT file in the OMTE directory
9. Click Open
10. Click OK

Template doesn't open in appropriate MS Office Program

If the OM menu does not appear and you are using a Desktop Installable Oracle Method Pack and MS Internet Explorer (IE) to view the templates, you may need to configure IE to allow the templates to open in the appropriate MS Office application using the tips in the following sections.

Configuring Internet Explorer (IE) to open templates in the appropriate MS Office Program

Unlike Netscape, Internet Explorer's default settings cause templates to be displayed within the browser, when they are selected via the links on the method pack home page. To configure Internet Explorer to open templates in the appropriate Office program, do the following:

1. Open My Computer
2. On the Tools menu (or View menu), click Folder Options (or click Options)
3. Click on the File Types tab
4. In the Registered Files types list, click the specific Office document type (for example Microsoft Word Document) and then click Advanced (or click Edit)
5. In the Edit File Type dialog box, click to clear the "Browse in same window" checkbox (or click to clear the "Open Web documents in place" check box)
6. Click OK

To take full advantage of the method pack's work product template functionality, including use of the OM menu when editing documents, you should use the "File"+"Save As" menu option to save a copy of the template to a directory on your computer (other than under C:\METHOD). You can then open the saved file, using MS Word, for editing.

Macro Security settings prevent OM macro execution

MS Office Macro security settings should be adjusted for both Word and Excel

To assure trouble free operation of method materials, the macro security settings associated with MS Word and MS Excel must be modified. Use the following section to make sure your settings are set to allow full functioning of the OM menu items.

Configuring MS Office Macro Security Settings

To assure trouble free operation of method materials, the macro security settings associated with MS Word and MS Excel must be modified. During product installation, the Microsoft install program establishes all MS Office components with the maximum security setting enabled. The affect of this setting is to prohibit the execution of any macro code instructions embedded in either an MS Word document or MS Excel workbook. Because method materials use extensive macro code, the MS Office security level options must be adjusted prior to utilizing the method pack.

To adjust the security level for MS Word 2003:

1. Start Word
2. Navigate to Tools > Macro > Security…
3. Select the Security Level tab and select the Medium radio button option. This option allows you to choose whether or not to execute macro code instructions.
4. Select the Trusted Publishers tab and make sure that Trust all installed add-ins and templates and Trust access to Visual Basic Project at the bottom are checked.
5. Click OK

Exactly the same procedure must be performed with MS Excel to enable the operation of workbook macro codes. Resetting these options assures the operation of our method materials without jeopardizing the built-in security features of MS Office.

To adjust the security level for MS Word 2007:

1. Start Word
2. Navigate to Office Button > Word Options > Trust Center > Trust Center Settings >
3. Select Macro Settings.
4. Make sure that Disable all macros with notification button is selected in the Macros Settings and that Trust access to the VBA project object model is in the Develop Macro Settings.

5. Click OK twice.

Exactly the same procedure must be performed with MS Excel to enable the operation of workbook macro codes. Resetting these options assures the operation of our method materials without jeopardizing the built-in security features of MS Office.

OM Pull down menu does not appear on the Word Menu and Full Adobe Acrobat is installed

If you have the full version of Adobe Acrobat installed, it is also necessary to deselect the PDFMaker Global Template in order to have access to the OM menu in Microsoft Word. To deselect the PDFMaker Global Template (and activate the Macros.lib template associated with the OM menu) do the following:

Word 2003

1. Open an MS Word template
2. From the drop down menu, select Tools-> Templates and Add-ins
3. Deselect the PDFMaker.dot template by clicking in the adjacent checkbox to remove the checkmark located there
4. Click OK

Word 2007

1. Using the Office button, select Word Options.
2. In the Word Options menu, select Add-Ins.
3. At the bottom of the screen where you see Manage: Select Templates and click Go.
4. The Templates and Add-Ins pop up appears.
5. Deselect the PDFMaker.dot template by clicking in the adjacent checkbox to remove the checkmark located there
6. Click OK

It is necessary to repeat this process each time you need access to the OM menu, as the defaults reset automatically.

Netscape User Preferences adjustments

If you are using Netscape to access a Desktop Installable Oracle Method Pack, you may encounter a Netscape message asking you whether you want to open a file or save the file to disk. You should select "Open it", and de-select the "ask me before opening..." checkbox.

6 OM Pull-Down Menu Option Definitions

The OM Template Tool adds a custom menu item to Word. In Word 2003 or less, it adds the OM option to the standard Word menu bar to the right of the Help menu. In Word 2007, it adds the OM option under the Add-Ins tab.

The following table provides a summary of the OM menu options. The ordering of the menu item will adjust based on the last use of the item, placing those you use most often at the top.

Menu Option	Description
Insert Icon and Text...	Insert pictorial icon and associated text.
Insert List Table	Insert a two-column table for definition lists.
Insert Formatted Table...	Insert a table formatted to Oracle standards.
Format Existing Table	Format an existing table to match Oracle standards.
Mass Changes...	Substitute for variables in document.
Strip Yellow Notes	Permanently remove yellow notes from the document.
Adjust Graphic Size	Automatically scale graphic objects to fit within the margins.
Select Paper Size	Sets the paper size
About	Displays the version of the Template Tool and last update

7 OUM 5.4 Template Changes

The OUM Word templates were improved in release 5.4. The updates included:

- Font changed from Book Antiqua to Arial
- Addition of Heading 1 Style and renumbering of all other Headings up one level, e.g., Heading 2 becomes Heading 1; Heading 3 becomes Heading 2, etc.
- Addition of Outline numbering to Headings
- New Heading 2 style (previously Heading 3) includes Heading Bar as part of the style, not a separate paragraph
- Top margin increased to .75 inch to allow for Header to show up properly
- Left margin decreased to 1 inch from 1.75 inches
- As appropriate, tables made consistent with OM menu table style
- Copy Number removed from Title Page
- Distribution Table removed
- Table of Contents reformatted

In order to disrupt users of OUM as little as possible, these updates were added using a new OUMGUIDE.DOT template in order to preserve the current OMGUIDE.DOT template. In this way, any existing documents based on the OMGUIDE.DOT were not adversely affected. However, this presents the challenge of having two OUM templates, the old OMGUIDE.DOT and the new OUMGUIDE.DOT.

Any existing word documents that were created using OUM 5.3 or earlier were based on the OMGUIDE.DOT and should continue with no problems. Any new word documents that are created using OUM 5.4 will be based on the new OUMGUIDE.DOT.

Should you encounter any Visual Basic (VB) errors while working with these documents, we have also provided new associated patch files. The Method_Desktop_Patch-v2.0.doc patch file should be used to correct VB errors in files that use the OMGUIDE.DOT. The Method_Desktop_OUMGuide_Patch.doc file should be used to correct VB errors in files that use the OUMGUIDE.DOT. The previous patch file, Method_Desktop_Patch.doc still works for files using OMGUIDE.DOT for Word 2003 and earlier.

It is important that you run the Method_Desktop_Patch-v2.0.doc patch on Word documents using the OMGUIDE.DOT and the Method_Desktop_OUMGuide_Patch.doc patch on Word documents using the OUMGUIDE.DOT. The new templates and the associated patch and patch readme files are all located in the following directory:

C:\METHOD\OMTE\

NOTE: The default subdirectory is\OMTE. The drive is the one you selected during installation of either a method pack or the stand alone Oracle Method Template Engine. For example, if the Method Packs or Oracle Method Template Engine are installed on your C drive - C:\METHOD\OMTE; if the Method Packs or Oracle Method Template Engine are installed on your D drive - D:\METHOD\OMTE; and so on.

You can run the Method_Desktop_Patch-v2.0.doc patch against an OUMguide.dot file and the Method_Desktop_OUMGuide_Patch.doc patch against an OMguide.dot. This will switch the template file that is loaded with your document. If you do apply the incorrect patch to your Word document, you can simply apply the correct patch to the Word document and correct it.

If you are interested in converting a Word document that uses the old OMGUIDE.DOT to using the new OUMGUIDE.DOT, refer to Section 8, Converting from OMGUIDE.DOT to OUMGUIDE.DOT.

Configuring MS Office Macro Security Settings

To assure trouble free operation of method materials, the macro security settings associated with MS Word and MS Excel must be modified. During product installation, the Microsoft install program establishes all MS Office components with the maximum security setting enabled. The affect of this setting is to prohibit the execution of any

macro code instructions embedded in either an MS Word document or MS Excel workbook. Because method materials use extensive macro code, the MS Office security level options must be adjusted prior to utilizing the method pack.

8 Converting from OMGUIDE.DOT to OUMGUIDE.DOT

If you have a document that has been generated with the OMGUIDE.DOT and you would like to apply the new OUMGUIDE.DOT format, use the following instructions.

Word 2003

1. Open the OUM work product template.
2. Don't enable the macros.
3. From the Tools menu, select Macro and then Macros.
4. Select the AutoClose.main macro and click the Edit button.
5. Search and replace the one instance of Omguide.dot with Oumguide.dot.
6. Save the macro and return to the document.
7. From the Tools menu, select Macro and then Macros.
8. Select the AutoOpen.main macro and click the Edit button.
9. Search and replace the two instances of Omguide.dot with Oumguide.dot.
10. Save the macro and return to the document.
11. From the Tools menu, select Templates and Add-Ins.
12. Select the Attach button and navigate to the Method/OMTE/Oumguide.dot file and select (Open) it.
13. Check the Automatically update document styles box.
14. Select OK. When the Security Warning window pops up, select Enable Macros. The styles in your document will be updated.
15. Save and close the template.
16. Reopen the work product template and enable macros. The document now uses the new OUMGUIDE.DOT template.
17. Now we need to apply a few formatting changes. Before we apply some formatting updates, from the Format menu, select Styles and Formatting. The Styles and Formatting window shows up on the right side of the screen. Use the pull-down menu at the bottom of the Styles and Formatting window to Show: Available Styles. The Oumguide.dot styles will now show in the Styles and Formatting window.
18. Return to the document window and navigate to the Document Control page, change the style for the Document Control Heading from Heading 2 to Heading 1.
19. On the Document Control page, remove the Heading Bar paragraphs over Change Record, Reviewers and Distribution. Change the style for Change Record, Reviewers and Distribution from Normal to Heading 2. If you do not need the Distribution table, delete this section and delete the Copy Number from the title page.
20. Select each Heading Style within your document and change the style (use the drop down box in the Formatting Toolbar or continue to use the Styles and Formatting window) to one heading step up, e.g., Heading 2, becomes Heading 1, Heading 3 becomes Heading 2, etc. As you do this, you should also delete the heading bar paragraph that was part of the old Heading 3 style. Be careful to look out for Heading 4 styles that should be changed to Heading 8 instead of Heading 3. Which heading you should use is dependent on your document.
21. From the View tab, select Print Layout in order to see Headers and Footers.
22. From the Tools menu, select Options.
23. In the View tab, check the Field Codes box.
24. Select OK.
25. Update the field code for the TOC to be "1-2" instead of "2-3".
26. Look through the footers and change HD2 to HD1. You should only have to do this one time.
27. From the Tools menu, select Options.
28. In the View tab, uncheck the Field Codes box.
29. Select OK.
30. Regenerate the Contents by selecting them and using F9. Update the entire table.
31. Save the template.
32. Check template.

Word 2007

1. Open the OUM work product template.
2. A Security Warning, "Macros have been disabled." appears under the Tool Bar.
3. Select Options, and Enable this Content.
4. Select the Developers tab.
5. Select Macros (to the left on the tool bar).
6. Select the document name from the pull-down in the Macros in: box towards the bottom of the pop-up.
7. Select the AutoClose.main macro and click the Edit button.
8. Replace the one instance of Omguide.dot with Oumguide.dot.
9. Save the macro.
10. From the Macros menu, select View Macros.
11. Select the AutoOpen.main macro and click the Edit button.
12. Replace the two instances of Omguide.dot with Oumguide.dot.
13. Save the macro and return to the document.
14. Save and Close the document.
15. Reopen the work product template and enable the macros content (from the Security Warning, Macros have been disabled, Options box).
16. Use the Office button, select Word Options.
17. In the Word Options menu, select Add-Ins.
18. At the bottom of the screen where you see Manage: select Templates and click Go.
19. The Templates and Add-Ins pop up appears.
20. The Method/OMTE/Oumguide.dot file should appear in the Document template box.
21. Check the Automatically update document styles box.
22. Select OK. The styles in your document will be updated.
23. Save and close the template.
24. Reopen the work product template and enable the macros content (from the Security Warning, Macros have been disabled, Options box). The document now uses the new OUMGUIDE.DOT template.
25. Now we need to apply a few formatting changes. Before we apply some formatting updates, select the Home tab. Open the Styles panel by selecting the small arrow at the bottom left of the Styles panel.
26. In the Styles panel, select the Mange Styles icon at the bottom (third and last from left).
27. In the Manage Styles pop up, select the Restricted tab. Select the Restrict button and check the Limited formatting to permitted styles. If a password is requested, don't enter one. The OUMGUIDE.DOT styles will now show in the Styles panel and you can use these styles to update the template.
28. In the document, go to the Document Control page; change the style for the Document Control Heading from Heading 2 to Heading 1.
29. On the Document Control page, remove the Heading Bar paragraphs over Change Record, Reviewers and Distribution. Change the style for Change Record, Reviewers and Distribution from Normal to Heading 2. If you do not need the Distribution table, delete this section and delete the Copy Number from the Title Page.
30. In the remainder of the document, select each Heading Style within your document and change the style (use the OUMGUIDE.DOT styles in the Styles panel) to one heading step up, e.g., Heading 2, becomes Heading 1, Heading 3 becomes Heading 2, etc. As you do this, you should also delete the heading bar paragraph that was part of the old Heading 3 style.
31. From the Insert menu, select Header and Footer.
32. Use the Office Button, select Word Options.
33. In the Word Options menu, select Advanced.
34. Scroll down and check the box for Show field codes instead of their values.
35. Select OK.
36. Update the field code for the TOC to be "1-2" instead of "2-3".
37. Look through the footers and change HD2 to HD1. You should only have to do this one time.
38. Use the Office button to go back to the Word Options.
39. In the Word Options menu, select Advanced.
40. Scroll down and uncheck the box for Show field codes instead of their values.
41. Select OK.
42. Regenerate the Contents by selecting them and using F9. Update the entire table.
43. Save the template.
44. Check template.