

Olympiad Test Paper — Science (Class 7)

Chapter 3: Fibre to Fabric

Subject	Science (NCERT Class 7)
Chapter	3 — Fibre to Fabric
Total Questions	60 (Multiple Choice, single correct)
Maximum Marks	240
Suggested Time	90 minutes

Marking scheme: +4 for each correct answer · -1 for each wrong answer · 0 if unattempted.

Instructions: Each question has four options (A), (B), (C), (D); exactly one is correct. This paper covers wool and silk — their animal sources, processing steps, the life cycle of the silk moth, and the people who do the work. Many questions ask you to put steps in the right order or to spot a wrong reason; read every option before choosing. Do not write on this paper — mark answers on your answer sheet.

1. Which of the following pairs are **both** animal fibres?

- (A) cotton and silk
- (B) jute and wool
- (C) flax and cotton
- (D) wool and silk

2. Wool and silk feel different from cotton mainly because:

- (A) all three are made of the same material
- (B) cotton is made of protein and wool of cellulose
- (C) silk is a synthetic fibre and cotton is natural
- (D) wool and silk are made of protein, while cotton is made of cellulose

3. A burning sample gives a smell like burning hair. The fibre is most likely:

- (A) cotton
- (B) jute
- (C) wool
- (D) flax

4. Which of these is **not** a wool-yielding animal?

- (A) yak
- (B) camel
- (C) goat
- (D) silk moth

5. The thick coat of hair on a sheep, from which wool is obtained, is called the:

- (A) fleece
- (B) cocoon
- (C) sericin
- (D) burr

6. The main reason a sheep grows a thick fleece is to:

- (A) provide wool for humans
- (B) keep the animal cool in summer
- (C) protect it from insect bites
- (D) trap a layer of air that keeps the animal warm

7. Pashmina, one of the softest and warmest wools, comes from a kind of:

- (A) sheep
- (B) silkworm
- (C) goat
- (D) camel

8. Wool keeps you warmer than a smooth plant fibre of the same thickness mainly because wool fibres:

- (A) trap more air between and within the fibres
- (B) are heavier
- (C) are coloured
- (D) are made of cellulose

9. In India, sheep reared for wool are found in the highlands of states such as:

- (A) Kerala and Tamil Nadu
- (B) West Bengal and Odisha
- (C) Jammu & Kashmir and Himachal Pradesh
- (D) Goa and Andhra Pradesh

10. The correct order of the **first three** steps in processing wool is:

- (A) scouring → shearing → sorting
- (B) shearing → scouring → sorting
- (C) sorting → shearing → scouring
- (D) shearing → sorting → scouring

11. Shearing is best done in spring or early summer rather than winter because:

- (A) wool grows faster in summer
- (B) removing the fleece in cold winter would leave the sheep without protection from the cold
- (C) the dye sticks better in summer
- (D) shears work only in warm weather

12. Scouring is the step in which the sheared fleece is:

- (A) washed to remove grease, dust and dirt
- (B) cut from the sheep's body
- (C) dyed in different colours
- (D) twisted into yarn

13. If the scouring step were skipped, the most direct problem would be that the wool:

- (A) would be too short
- (B) could not be dyed at all
- (C) would catch fire easily
- (D) would stay full of grease and dirt, spoiling later steps

14. Sorting separates the cleaned wool into different grades on the basis of features such as:

- (A) texture, length and colour
- (B) the price of the sheep
- (C) the season it was sheared
- (D) the country of origin only

15. "Picking out the burrs" in wool processing means removing:

- (A) the grease from the fibre
- (B) the dye from the wool
- (C) small bits of plant material caught in the fleece
- (D) the skin from the fleece

16. In wool processing, dyeing comes **after** sorting and picking burrs but **before** rolling into yarn. Natural fleece before dyeing is usually:

- (A) creamy white
- (B) bright red
- (C) jet black
- (D) deep blue

17. The very last of the six wool steps turns the cleaned, coloured fibres into:

- (A) a fleece
- (B) yarn ready for weaving
- (C) raw cocoons
- (D) sericin

18. A factory removes burrs **before** scouring the fleece. The most likely result is that:

- (A) the wool will be cleaner than usual
- (B) the grease and dirt make it hard to spot and remove the burrs, so burrs are missed
- (C) nothing changes, since order does not matter
- (D) the wool will be dyed automatically

19. The serious occupational disease that wool **sorters** are at risk of is:

- (A) the common cold
- (B) sorter's disease (anthrax)
- (C) malaria
- (D) tooth decay

20. Sorter's disease is caused by:

- (A) bacterial spores (*Bacillus anthracis*) present in raw fleece
- (B) a virus in the dye
- (C) eating wool
- (D) cold weather alone

21. A wool sorter is most likely to catch sorter's disease by:

- (A) drinking warm water used in scouring
- (B) inhaling dust and spores from the raw fleece
- (C) touching dyed yarn
- (D) wearing a finished sweater

22. Which step in wool processing carries the **highest** risk of sorter's disease?

- (A) rolling the finished yarn
- (B) wearing a woollen scarf
- (C) handling raw, unwashed fleece during sorting
- (D) buying wool from a shop

23. The buyer of a finished, scoured and dyed woollen sweater is at very low risk of sorter's disease because:

- (A) sweaters are made of cotton
- (B) the disease only affects sheep
- (C) the fleece has been cleaned and processed, removing the spores before the wool reaches the shop
- (D) the dye kills all bacteria in the body

24. A sensible safety measure in a modern wool factory is to:

- (A) make sorters work without masks to save cost
- (B) skip the scouring step
- (C) shear the sheep in winter

(D) provide masks, gloves and good ventilation, and disinfect fleece before sorting

25. Two sheep breeds are compared. Merino has very few coarse "guard" hairs; Lincoln has many. Which breed gives the **finer, softer** wool?

- (A) Merino
- (B) Lincoln
- (C) both give equally soft wool
- (D) neither gives soft wool

26. A sheep's fleece contains two kinds of hair. The coarse outer hairs are the **guard hairs**, and the fine inner hairs form the:

- (A) cocoon
- (B) burrs
- (C) undercoat
- (D) sericin

27. The reason sorting is needed before spinning fine yarn is that:

- (A) all the fibres in a fleece are exactly the same
- (B) sorting adds colour to the wool
- (C) sorting removes the grease
- (D) a fleece mixes coarse and fine hairs of different lengths, which must be separated for the right quality

28. Why should a woollen sweater be washed in **cool** water with a mild detergent rather than hot water?

- (A) hot water has no effect on wool
- (B) hot water and rough washing make the fibres lock together and the sweater shrinks
- (C) cool water dyes the wool
- (D) wool dissolves in cold water

29. A child washes a pure-wool sweater in very hot water and scrubs it hard. The most likely result is that the sweater:

- (A) grows larger
- (B) changes into cotton
- (C) stays exactly the same size
- (D) shrinks and becomes matted

30. Sericulture is the term for the:

- (A) rearing of silkworms for silk
- (B) rearing of sheep for wool
- (C) weaving of cotton
- (D) dyeing of wool

31. The silkworm is actually the **larva** (caterpillar) of the:

- (A) honeybee
- (B) butterfly
- (C) silk moth
- (D) housefly

32. The correct order of the silk moth's life cycle is:

- (A) egg → pupa → larva → adult moth
- (B) larva → egg → adult moth → pupa
- (C) egg → larva → pupa → adult moth
- (D) adult moth → pupa → larva → egg

33. The stage at which the insect spins silk around itself is when it changes from a:

- (A) egg into a larva
- (B) larva into a pupa, forming the cocoon
- (C) pupa into an adult moth
- (D) adult moth into an egg

34. The favourite food of the common (mulberry) silkworm is:

- (A) oak leaves
- (B) rose petals
- (C) mulberry leaves
- (D) wheat grains

35. The cocoon is best described as:

- (A) a single continuous silk thread wound around the pupa
- (B) many short threads glued together randomly
- (C) a layer of wool
- (D) the egg of the moth

36. In commercial silk-making the cocoon is treated with steam or boiling water **before** the moth comes out. The main reason is that:

- (A) it makes the moth grow faster
- (B) it dyes the silk
- (C) if the moth bit its way out, it would break the single long thread into many short pieces
- (D) it feeds the pupa

37. Reeling is the step in which silk thread is:

- (A) cut from a sheep
- (B) unwound from the softened cocoon
- (C) dyed black
- (D) woven into a saree

38. Cocoons are placed in hot water before reeling. The hot water mainly:

- (A) colours the silk
- (B) softens the sericin (gum) so the thread can be unwound
- (C) hatches the eggs
- (D) feeds the silkworm

39. Several cocoons' threads are often combined during reeling because a single fibre is:

- (A) too thick to use
- (B) the wrong colour
- (C) too thin and weak to use on its own
- (D) made of cotton

40. After reeling, silk is made into cloth by **weaving**, in which:

- (A) threads are washed in warm water
- (B) the cocoon is boiled
- (C) the moth lays eggs
- (D) lengthwise (warp) and crosswise (weft) threads are interlaced on a loom

41. Which sequence shows the correct journey from silkworm to silk fabric?

- (A) reeling → cocoon → fabric → weaving
- (B) weaving → cocoon → reeling → fabric
- (C) fabric → weaving → reeling → cocoon
- (D) cocoon → reeling → weaving → fabric

42. The white silk most widely produced in the world comes from the **mulberry** silkworm. India is also well known for non-mulberry silks such as:

- (A) nylon and polyester
- (B) cotton and jute
- (C) tasar, eri and muga
- (D) wool and pashmina

43. Muga silk, prized for its natural golden colour, is mainly associated with which region of India?

- (A) Punjab
- (C) Gujarat

- (B) Kerala
- (D) Assam

44. Some people object to traditional silk-making on ethical grounds because:

- (A) the pupae inside the cocoons are killed when the cocoons are boiled
- (B) silkworms are fed too much
- (C) silk is too cheap
- (D) the moths are kept as pets

45. Which statement correctly matches a fibre to its source?

- (A) silk — from a plant's seed pods
- (B) silk — from a silkworm's cocoon; wool — from an animal's fleece
- (C) wool — from a silkworm's cocoon
- (D) cotton — from a sheep's fleece

46. Compared with natural fibres, synthetic fibres such as polyester and nylon are generally:

- (A) made from plants and animals
- (B) always warmer than wool
- (C) spun by silkworms
- (D) man-made from petroleum, durable and wrinkle-resistant, but not biodegradable

47. A "80% wool + 20% polyester" blend is used in sweaters because the polyester:

- (A) makes the sweater smell of hair
- (B) turns the wool into cotton
- (C) adds strength and helps the wool keep its shape
- (D) is cheaper than air

48. Both wool and silk are animal fibres, yet wool is bulky and warm while silk is smooth and glossy. The best explanation is that:

- (A) silk is actually a plant fibre
- (B) wool is man-made
- (C) they are chemically identical
- (D) they are made of different proteins arranged differently (crimped keratin vs smooth fibroin)

49. A single mulberry cocoon can yield one continuous silk thread that is roughly:

- (A) hundreds to over a thousand metres long
- (B) a few centimetres long
- (C) exactly one metre long
- (D) shorter than a human hair

50. Which everyday observation best shows that wool is an **animal** fibre rather than a plant fibre?

- (A) it is sheared from the body of a living sheep
- (B) it is woven into cloth
- (C) it can be dyed different colours
- (D) it keeps you warm

51. A label reads "100% silk." Tracing it back to its true biological origin, this fabric began as:

- (A) the seed hair of a plant
- (B) the cocoon spun by the larva of the silk moth

(C) the fleece of a goat

(D) the stem of a jute plant

52. In wool processing, which single step **both** improves the look of the wool **and** does **not** clean or align it?

(A) scouring

(B) dyeing

(C) shearing

(D) sorting

53. Why is sericin removed during reeling rather than left on the thread?

(A) it is a stiff gum that sticks the thread to the cocoon and to itself, so the thread cannot be unwound or woven smoothly while it is on

(B) it is poisonous to wear

(C) it is the wrong colour for dyeing

(D) it makes the silk too thin

54. A trader claims his "vicuña wool" is rare and costly because the vicuña gives very little wool per year. This reasoning is:

(A) wrong, because vicuña is a plant

(B) reasonable, because a fibre that an animal produces only in tiny amounts is naturally scarce and expensive

(C) wrong, because all wools cost the same (D) wrong, because vicuña wool is synthetic

55. A factory wants to produce the **finest, softest** woollen yarn. Which combination of choices makes the most sense?

(A) a fine-wool breed (few guard hairs) plus careful sorting of the fleece

(B) a coarse breed, no sorting

(C) skipping scouring to save the fibres

(D) using a silkworm instead of a sheep

56. Which of the following correctly pairs an animal with the fibre it provides?

(A) sheep → silk

(B) silk moth → wool

(C) mulberry plant → silk

(D) yak → wool

57. A student says, "Boiling the cocoon is only done to clean it." The most accurate correction is:

(A) the student is fully right

(B) boiling dyes the silk

(C) boiling chiefly softens the sericin for reeling and kills the pupa so the long thread stays whole — cleaning is not its main purpose

(D) the cocoon is never boiled

58. Putting the wool steps in order, which is the **fourth** step (after shearing, scouring and sorting)?

(A) shearing again

(B) picking out the burrs

(C) reeling

(D) weaving the saree

59. Which chain correctly traces wool from animal to wearable yarn?

- (A) dyeing → shearing → rolling → scouring → sorting → picking burrs
- (B) scouring → sorting → shearing → dyeing → rolling → picking burrs
- (C) rolling → dyeing → picking burrs → sorting → scouring → shearing
- (D) shearing → scouring → sorting → picking burrs → dyeing → rolling into yarn

60. A health officer wants to cut down sorter's disease in a wool unit. The single most effective measure is to:

- (A) dye the wool in brighter colours
- (B) disinfect the raw fleece and give sorters masks, gloves and good ventilation
- (C) shear the sheep more often
- (D) sell only finished sweaters

End of question paper. Maximum marks: 240. Marking: +4 correct, -1 wrong, 0 unattempted.

Solutions — Science (Class 7), Chapter 3: Fibre to Fabric

Marking: +4 correct, –1 wrong, 0 unattempted. Maximum marks **240**.

Answer Key

Q	Ans	Q	Ans	Q	Ans	Q	Ans	Q	Ans	Q	Ans
1	D	11	B	21	B	31	C	41	D	51	B
2	D	12	A	22	C	32	C	42	C	52	B
3	C	13	D	23	C	33	B	43	D	53	A
4	D	14	A	24	D	34	C	44	A	54	B
5	A	15	C	25	A	35	A	45	B	55	A
6	D	16	A	26	C	36	C	46	D	56	D
7	C	17	B	27	D	37	B	47	C	57	C
8	A	18	B	28	B	38	B	48	D	58	B
9	C	19	A	29	D	39	C	49	A	59	D
10	B	20	A	30	A	40	D	50	A	60	B

Answer-key distribution: A = 15, B = 15, C = 15, D = 15.

Worked Solutions

1. (D) Animal fibres come from animals: wool (sheep, goat, yak, camel) and silk (silkworm). Cotton, jute and flax are plant fibres. Only "wool and silk" has two animal fibres.

2. (D) Animal fibres (wool, silk) are made of protein; plant fibres (cotton) are made of cellulose. The different chemistry gives the different feel. (Option C reverses the two.)

3. (C) Protein fibres smell like burning hair when burnt; cellulose fibres (cotton, jute, flax) smell like burning paper. Of the choices, only wool is a protein fibre, so the smell of burning hair points to wool.

4. (D) The silk moth gives silk, not wool. Yak, camel and goat all yield wool, so the odd one out is the silk moth.

5. (A) The thick coat of hair on a sheep is the fleece. A cocoon belongs to a silkworm, sericin is silk gum, and a burr is a bit of plant debris.

- 6. (D)** The fleece insulates the sheep by trapping a layer of air, keeping it warm in cold weather. (Providing wool for humans is a use we make of it, not the animal's reason for growing it.)
- 7. (C)** Pashmina is the very fine, warm wool obtained from a special kind of goat (the pashmina/changthangi goat), not from sheep, silkworm or camel.
- 8. (A)** Wool fibres are crimped and trap a lot of still air both between and within the fibres; trapped air is a poor conductor, so it keeps you warm. Smooth plant fibres trap far less air. (Colour and weight have nothing to do with warmth.)
- 9. (C)** In India, wool sheep are reared in the cold highlands such as Jammu & Kashmir and Himachal Pradesh (also Uttarakhand, Sikkim, Arunachal). Warm coastal states like Kerala are not wool regions.
- 10. (B)** The processing order begins shearing → scouring → sorting. You must first cut the fleece (shear), then wash it (scour), then grade it (sort). The other orders put washing or sorting before the fleece is even removed.
- 11. (B)** If the fleece were sheared off in winter, the sheep would lose its insulation in the cold and could fall ill. Shearing in spring/summer leaves time for new wool to grow before the next winter.
- 12. (A)** Scouring is the thorough washing of sheared wool in warm water to remove grease, dust and dirt. Cutting it off is shearing; colouring is dyeing; twisting into yarn is rolling/spinning.
- 13. (D)** Scouring removes grease and dirt. Skip it and the wool stays greasy and dirty, which spoils sorting, dyeing and spinning later. (It can still be dyed, just badly; it does not become short or flammable because of skipping.)
- 14. (A)** Sorting grades the cleaned wool by physical features of the fibre — texture, length and colour. The price of the sheep or the country alone are not sorting criteria.
- 15. (C)** Burrs are small bits of plant material (seeds, leaf fragments) caught in the fleece; picking them out removes this plant debris. Grease is removed by scouring, not burr-picking.
- 16. (A)** Raw, undyed fleece is naturally a creamy white, which is why it can then be dyed into many colours. It is not naturally red, black or blue.
- 17. (B)** The final (sixth) step rolls/combs the cleaned, dyed fibres into yarn ready to be woven into fabric. A fleece is the raw start; cocoons and sericin belong to silk.
- 18. (B)** Burrs are easiest to see and remove on clean wool. Doing burr-picking before scouring means the grease and dirt hide the burrs, so many are missed — order matters

here.

19. (A) Wool sorters who breathe in spores from raw fleece are at risk of sorter's disease (a form of anthrax). The other illnesses listed are unrelated to wool sorting.

20. (A) Sorter's disease is caused by spores of the bacterium *Bacillus anthracis* that can be present in raw fleece — it is bacterial, not viral, and not caused by cold weather or by eating wool.

21. (B) A sorter catches the disease mainly by inhaling dust and spores from the raw fleece while handling it. Dyed yarn and finished sweaters have already been cleaned, and scouring water is not the route.

22. (C) The risk is highest when handling raw, unwashed fleece (the sorting stage), because that is when the spores are still present. Finished/processed wool and shop-bought sweaters carry little risk.

23. (C) By the time wool reaches a shop it has been scoured and processed, removing the spores, so the buyer of a finished sweater is at very low risk. (Sweaters here are wool, not cotton, and the disease is not "sheep-only.")

24. (D) Sensible safety means protecting the worker: masks, gloves, good ventilation and disinfecting the fleece before sorting. Working without masks or skipping cleaning steps would increase risk.

25. (A) Fine, soft wool comes from breeds with very few coarse guard hairs. Merino has very few guard hairs, so Merino gives the finer, softer wool; Lincoln (many guard hairs) is coarser.

26. (C) A fleece has coarse outer guard hairs and a fine inner undercoat. The fine inner hairs form the undercoat. (Cocoon and sericin belong to silk; burrs are plant debris.)

27. (D) A single fleece mixes coarse and fine hairs of different lengths and colours. To spin fine, even yarn you must first sort and separate these — that is why sorting precedes spinning. (Sorting does not add colour or remove grease.)

28. (B) Hot water plus rough agitation makes wool fibres' tiny scales interlock, so the garment felts and shrinks permanently. Cool water and gentle handling prevent this. (Wool does not dissolve in cold water.)

29. (D) Very hot water and hard scrubbing felt the fibres together, so the sweater shrinks and becomes matted — it does not grow, turn into cotton, or stay unchanged.

30. (A) Sericulture is the rearing of silkworms for silk. Rearing sheep is for wool; weaving cotton and dyeing wool are different activities.

- 31. (C)** The silkworm is the larva (caterpillar) of the silk moth — not of a bee, butterfly or housefly.
- 32. (C)** The silk moth's life cycle is egg → larva (silkworm) → pupa (in the cocoon) → adult moth. The other orders place the stages out of sequence.
- 33. (B)** The insect spins silk while changing from larva into pupa, forming the cocoon around itself. That larva-to-pupa transition is the cocoon-spinning stage; the other transitions do not produce silk.
- 34. (C)** The common mulberry silkworm feeds mainly on mulberry leaves — that is why it is called the mulberry silkworm. Oak leaves feed tasar worms; roses and wheat are not its food.
- 35. (A)** A cocoon is a single continuous silk thread spun around the pupa — it is this one long thread that makes silk valuable, not many short glued pieces.
- 36. (C)** The cocoon is steamed/boiled before the moth emerges because an emerging moth would bite through the cocoon and break the single long thread into many short, less useful pieces. (It is not done to feed or grow the insect.)
- 37. (B)** Reeling is unwinding the silk thread from the softened cocoon. Cutting from a sheep is shearing (wool); dyeing and weaving are later, separate steps.
- 38. (B)** Hot water softens the sericin, the gum holding the silk thread together, so the thread can be found and unwound. It does not colour the silk, hatch eggs or feed the worm.
- 39. (C)** A single silk fibre is extremely thin and weak, so during reeling several cocoons' threads are combined into one stronger strand. (It is not too thick, nor the wrong colour, nor cotton.)
- 40. (D)** Weaving interlaces lengthwise warp threads with crosswise weft threads on a loom to make fabric. Washing, boiling and egg-laying are not weaving.
- 41. (D)** The journey is: the worm spins a cocoon → reeling unwinds the thread → weaving makes cloth → fabric. So cocoon → reeling → weaving → fabric is correct.
- 42. (C)** Besides mulberry (white) silk, India is famous for the non-mulberry silks tasar, eri and muga. Nylon/polyester are synthetic; cotton/jute are plant fibres; wool/pashmina are not silk.
- 43. (D)** Muga silk, with its natural golden sheen, is the speciality of Assam. It is not associated with Punjab, Kerala or Gujarat.
- 44. (A)** The ethical objection is that the pupae inside the cocoons are killed when the cocoons are boiled to keep the thread whole. The other options are not the reason for the

objection.

45. (B) The correct match is: silk comes from a silkworm's cocoon and wool from an animal's fleece. The other options swap or misassign the sources.

46. (D) Synthetic fibres like polyester and nylon are man-made from petroleum: durable and wrinkle-resistant but not biodegradable. They are not from plants/animals, not warmer than wool, and not spun by silkworms.

47. (C) A little polyester added to wool adds strength and helps the garment keep its shape (resist stretching). It does not turn wool into cotton or make it smell of hair.

48. (D) Both are proteins, but different ones arranged differently — crimped, scaly keratin makes wool bulky and warm, while smooth fibroin makes silk glossy. Silk is not a plant fibre and wool is not man-made, so they are not identical.

49. (A) A single mulberry cocoon's thread is remarkably long — roughly hundreds to over a thousand metres — which is what makes one cocoon so useful. The other lengths are far too short.

50. (A) The clearest sign that wool is an animal fibre is that it is sheared from the body of a living sheep. Being woven, dyed or warm are true of plant fibres too, so they do not prove animal origin.

51. (B) Tracing "100% silk" back to its origin, the fabric began as the cocoon spun by the larva (silkworm) of the silk moth — not seed hair, goat fleece or jute stems.

52. (B) Among the steps, dyeing improves the look (adds colour) but does not clean the wool (scouring does) or align/spin it (rolling does). So dyeing is the step that fits.

53. (A) Sericin is a stiff gum that glues the thread to itself and to the cocoon; while it is on, the thread cannot be unwound or woven smoothly, so it is softened/removed during reeling. (It is not removed because it is poisonous or the wrong colour.)

54. (B) The reasoning is sound: a fibre that an animal makes only in tiny amounts each year is naturally scarce, which raises its price. Vicuña is an animal (a llama relative), its wool is natural, and wools certainly do not all cost the same.

55. (A) To get the finest, softest yarn you want a fine-wool breed (few guard hairs) and careful sorting of the fleece. A coarse breed with no sorting gives rough yarn, skipping scouring spoils it, and a silkworm gives silk not wool.

56. (D) Correct pairing: yak → wool. Sheep give wool (not silk), the silk moth gives silk (not wool), and a mulberry plant is the silkworm's food, not a silk source.

57. (C) The student is wrong: boiling mainly softens the sericin for reeling and kills the pupa so the long thread is not broken — cleaning is not its main purpose. (The cocoon is indeed boiled, and boiling does not dye it.)

58. (B) The six steps run shearing, scouring, sorting, picking burrs, dyeing, rolling. After shearing, scouring and sorting, the fourth step is picking out the burrs. (Reeling and weaving belong to silk.)

59. (D) The correct wool chain is shearing → scouring → sorting → picking burrs → dyeing → rolling into yarn. The other chains scramble this order.

60. (B) The most effective control attacks the source and protects the worker: disinfect the raw fleece and provide masks, gloves and good ventilation. Dyeing colours, shearing frequency and selling finished sweaters do not reduce a sorter's exposure to spores.

Solutions complete: 60 / 60.