

Chapter 3: A Peek Beyond the Point

Subject	Mathematics (NCERT Class 7)
Chapter	3 – A Peek Beyond the Point (Decimals)
Total Questions	60 (Multiple Choice, single correct)
Maximum Marks	240
Suggested Time	90 minutes

Marking scheme: +4 for each correct answer · -1 for each wrong answer · 0 if unattempted.

Instructions: Each question has four options (A), (B), (C), (D); exactly one is correct. Always compare decimals place by place from the left — more digits does NOT mean a bigger number ($1.04 < 1.4$). When adding or subtracting, line up the decimal POINTS, not the right-hand ends. Remember trailing zeros add nothing ($0.2 = 0.20$) but interior zeros shift a digit into a smaller place. Do not write on this paper — mark answers on your answer sheet.

1. A screw reaches the 7th small mark past 2 on a ruler whose centimetres are each split into 10 equal parts. Its length is:
(A) 2.07 cm (B) 2.7 cm
(C) 2.17 cm (D) 0.27 cm
2. How many wholes and tenths make up $34/10$?
(A) 34 wholes and 0 tenths (B) 3 wholes and 4 tenths
(C) 4 wholes and 3 tenths (D) 30 wholes and 4 tenths
3. The first place to the right of the decimal point is called the:
(A) oneths place (B) hundredths place
(C) tenths place (D) units place
4. How many hundredths are there in one whole unit?
(A) 10 (B) 1000
(C) 50 (D) 100
5. An $8\frac{9}{10}$ -unit sheet is folded exactly in half along its length. Its new length is:
(A) 4.95 units (B) 4.5 units
(C) 4.4 units (D) 4.45 units
6. In the number 47.305, the value of the digit 3 is:

- (A) 3 (B) 0.3
(C) 0.03 (D) 0.003

7. Which of these decimals is the largest?

- (A) 0.4 (B) 0.04
(C) 0.39 (D) 0.198

8. Written as a decimal, the fraction $\frac{7}{100}$ is:

- (A) 0.7 (B) 7.0
(C) 0.07 (D) 0.007

9. Arrange in increasing order: 0.5, 0.45, 0.405, 0.054.

- (A) 0.5, 0.45, 0.405, 0.054 (B) 0.054, 0.45, 0.405, 0.5
(C) 0.054, 0.405, 0.45, 0.5 (D) 0.405, 0.45, 0.5, 0.054

10. Which list contains numbers that are ALL equal to one another?

- (A) 4.5, 4.50, 4.500 (B) 4.5, 4.05, 4.005
(C) 0.5, 0.50, 0.05 (D) 4.5, 45.0, 0.45

11. The sum $12.7 + 3.45 + 0.8$ equals:

- (A) 16.15 (B) 25.5
(C) 15.95 (D) 16.95

12. A ribbon is 2.5 m long. Pieces of 0.85 m and 1.2 m are cut off. The length remaining is:

- (A) 0.35 m (B) 0.55 m
(C) 0.45 m (D) 1.45 m

13. The fraction equal to the decimal 0.08 in its simplest form is:

- (A) $\frac{8}{10}$ (B) $\frac{2}{25}$
(C) $\frac{1}{8}$ (D) $\frac{4}{5}$

14. A number is "4 ones, 0 tenths, 7 hundredths, 2 thousandths". Adding 0.5 to it gives:

- (A) 4.122 (B) 9.072
(C) 4.077 (D) 4.572

15. Expressed as a sum of place values, 2.745 equals:

- (A) $2 + \frac{5}{10} + \frac{4}{100} + \frac{7}{1000}$ (B) $2 + \frac{7}{100} + \frac{4}{1000} + \frac{5}{10000}$
(C) $2 + \frac{4}{10} + \frac{7}{100} + \frac{5}{1000}$ (D) $2 + \frac{7}{10} + \frac{4}{100} + \frac{5}{1000}$

16. On the number line, 1.04 lies between:

- (A) 1.0 and 1.1 (B) 1.4 and 1.5
(C) 1 and 2, exactly at the 4th tenth-mark (D) 0 and 1

17. Which decimal is exactly halfway between 0.3 and 0.4?

- (A) 0.7 (B) 0.34
(C) 0.35 (D) 0.30

18. Reading 6.305, the correct words are:

- (A) six and three hundred five thousandths (B) six point three zero five
(C) six and thirty-five hundredths (D) sixty-three point five

19. Which of the following is true?

- (A) $0.6 < 0.59$ (B) $0.6 = 0.06$
(C) $0.6 > 0.59$ (D) $0.6 < 0.060$

20. Sonu's lower arm is $2\frac{7}{10}$ units and his upper arm is $3\frac{6}{10}$ units. The total length is:

- (A) 6.3 units (B) 5.13 units
(C) 6.13 units (D) 5.3 units

21. Subtract: $7.2 - 3.45$.

- (A) 4.75 (B) 3.75
(C) 3.85 (D) 4.65

22. The decimal 0.25 is the same as the fraction:

- (A) $\frac{1}{2}$ (B) $\frac{2}{5}$
(C) $\frac{1}{4}$ (D) $\frac{1}{25}$

23. Which number is the smallest?

- (A) 0.009 (B) 0.1
(C) 0.011 (D) 0.02

24. Petrol costs ₹96.726 per litre. Rounded to the nearest paise (two decimal places) this is about:

- (A) ₹96.72 (B) ₹96.7
(C) ₹96.73 (D) ₹97.26

25. What number must be added to 3.6 to make 5?

- (A) 8.6 (B) 2.4
(C) 1.6 (D) 1.4

26. The place value of the 8 in 5.182 is:

- (A) 8 tenths (B) 8 thousandths
(C) 8 ones (D) 8 hundredths

27. A pencil costs ₹4.75 and an eraser ₹2.50. Paying with a ₹10 note, the change received is:

- (A) ₹3.25 (B) ₹2.75
(C) ₹2.25 (D) ₹3.75

28. Which of these is NOT equal to 4.5?

- (A) 4.50 (B) 4.500
(C) 4.05 (D) 04.50

- 29.** Going from 0.7 to 1.2 in steps of 0.1, how many steps are needed?
(A) 4 (B) 5
(C) 6 (D) 12
- 30.** The difference between the largest and smallest of 0.6, 0.66, 0.06, 0.606 is:
(A) 0.66 (B) 0.6
(C) 0.546 (D) 0.606
- 31.** Three rods of lengths 0.45 m, 1.2 m and 0.8 m are joined end to end. The total length is:
(A) 2.45 m (B) 1.53 m
(C) 2.05 m (D) 2.35 m
- 32.** The decimal for $\frac{3}{5}$ is:
(A) 0.35 (B) 0.6
(C) 0.3 (D) 3.5
- 33.** Counting up by hundredths, the number that comes just after 4.99 is:
(A) 4.991 (B) 5.00
(C) 4.100 (D) 5.99
- 34.** Which sum is correct?
(A) $0.3 + 0.4 = 0.7$ (B) $0.3 + 0.4 = 0.07$
(C) $0.3 + 0.4 = 0.34$ (D) $0.3 + 0.4 = 7.0$
- 35.** In the number 2.745, the digit with place value $\frac{4}{100}$ is:
(A) 2 (B) 7
(C) 5 (D) 4
- 36.** A jug holds 1.5 L. After pouring out 0.75 L, the amount left is:
(A) 0.75 L (B) 0.85 L
(C) 1.25 L (D) 0.5 L
- 37.** How many tenths are there in 2.3?
(A) 23 (B) 5
(C) 230 (D) 2.3
- 38.** Which decimal equals $1\frac{1}{4}$?
(A) 1.14 (B) 1.4
(C) 1.25 (D) 1.025
- 39.** The value of $5 - 0.5 - 0.05$ is:
(A) 4.45 (B) 4.5
(C) 4.95 (D) 4.4
- 40.** A wire 2.5 m long is cut into 5 equal pieces. Each piece is:

- (A) 0.25 m (B) 0.05 m
(C) 5 m (D) 0.5 m

41. Which of these is greater than 0.5 but less than 0.6?

- (A) 0.56 (B) 0.06
(C) 0.65 (D) 0.49

42. When you write 0.2, 0.02 and 0.002, each is how many times the next?

- (A) 100 times (B) 2 times
(C) the same size (D) 10 times larger

43. A box weighs 3.25 kg empty and 8.1 kg when full. The contents weigh:

- (A) 5.85 kg (B) 4.85 kg
(C) 5.15 kg (D) 11.35 kg

44. The number 0.405 read as a fraction over 1000 is:

- (A) $\frac{45}{1000}$ (B) $\frac{4050}{1000}$
(C) $\frac{405}{100}$ (D) $\frac{405}{1000}$

45. Which point is closest to 3 on the number line?

- (A) 3.2 (B) 2.85
(C) 3.09 (D) 2.7

46. A shopkeeper sells cloth at ₹85.50 per metre. The cost of 2 metres is:

- (A) ₹170.00 (B) ₹171.00
(C) ₹170.50 (D) ₹85.50

47. Which is the correct ascending order of 0.2, 0.02, 0.002, 0.22?

- (A) 0.2, 0.22, 0.02, 0.002 (B) 0.22, 0.2, 0.02, 0.002
(C) 0.02, 0.002, 0.2, 0.22 (D) 0.002, 0.02, 0.2, 0.22

48. Compute $75.345 + 86.691$.

- (A) 161.036 (B) 162.936
(C) 162.036 (D) 161.936

49. A digital scale reads 0.7 kg, but the true value has an extra 3 hundredths. The true value is:

- (A) 0.37 kg (B) 1.0 kg
(C) 0.703 kg (D) 0.73 kg

50. By how much is 0.9 greater than 0.85?

- (A) 0.5 (B) 0.15
(C) 0.05 (D) 0.04

51. Which fraction does NOT give a terminating (ending) decimal?

- (A) $\frac{1}{2}$ (B) $\frac{1}{4}$
(C) $\frac{1}{5}$ (D) $\frac{1}{3}$

52. A runner covers 100.05 m, 99.9 m and 100.5 m in three trials. The longest trial is:

- (A) 99.9 m (B) 100.05 m
(C) 100.5 m (D) all equal

53. The number 6 tenths + 8 thousandths, with no hundredths, is written:

- (A) 0.68 (B) 0.608
(C) 0.680 (D) 0.0608

54. Two pieces of string measure 1.35 m and 1.6 m. Their total length is:

- (A) 1.51 m (B) 2.95 m
(C) 2.41 m (D) 3.01 m

55. The decimal point in a number separates the:

- (A) tens from the units (B) tenths from the hundredths
(C) whole part from the fractional part (D) positive from the negative part

56. Sara spent ₹12.50, ₹6.75 and ₹0.80. She started with ₹25. She has left:

- (A) ₹4.95 (B) ₹5.05
(C) ₹5.95 (D) ₹4.05

57. Which of these decimals lies between 4.4 and 4.5?

- (A) 4.45 (B) 4.5
(C) 4.04 (D) 4.54

58. The greatest decimal you can write using each of the digits 3, 0 and 5 once, with one digit before the point, is:

- (A) 5.30 (B) 5.03
(C) 0.53 (D) 3.50

59. A jump of 0.1 on the number line, starting at 0.95, lands on:

- (A) 0.96 (B) 1.05
(C) 0.105 (D) 1.5

60. The total of 0.125, 0.875 and 0.5 is:

- (A) 1.0 (B) 1.25
(C) 0.15 (D) 1.5

Solutions — Mathematics (Class 7), Chapter 3: A Peek Beyond the Point

Marking: +4 correct, -1 wrong, 0 unattempted. Maximum marks **240**.

Answer Key

Q	Ans	Q	Ans	Q	Ans	Q	Ans	Q	Ans	Q	Ans
1	B	11	D	21	B	31	A	41	A	51	D
2	B	12	C	22	C	32	B	42	D	52	C
3	C	13	B	23	A	33	B	43	B	53	B
4	D	14	D	24	C	34	A	44	D	54	B
5	D	15	D	25	D	35	D	45	C	55	C
6	B	16	A	26	D	36	A	46	B	56	A
7	A	17	C	27	B	37	A	47	D	57	A
8	C	18	A	28	C	38	C	48	C	58	A
9	C	19	C	29	B	39	A	49	D	59	B
10	A	20	A	30	B	40	D	50	C	60	D

Answer-key distribution: A = 15, B = 15, C = 15, D = 15.

Worked Solutions

1. (B) The space from 2 to 3 is split into 10 tenths; the 7th mark past 2 is 2 and 7 tenths = 2.7 cm. (2.07 would be 7 hundredths — the "put the digit in the wrong place" trap.)

2. (B) 34 tenths = 30 tenths + 4 tenths. Since 10 tenths = 1 whole, 30 tenths = 3 wholes. So $34/10 = 3$ wholes and 4 tenths. (Reading the digits straight off as "4 wholes 3 tenths" reverses them — trap C.)

3. (C) There is no "oneths" place. Immediately right of the point is the TENTHS place, then hundredths, then thousandths.

4. (D) A unit holds 10 tenths and each tenth holds 10 hundredths, so a whole holds $10 \times 10 = 100$ hundredths. (10 is hundredths-in-a-tenth — the trap.)

5. (D) Half of $8 \frac{9}{10} = 8.9 \div 2 = 4.45$ units. It falls between 4.4 and 4.5, exactly at 4 and 45 hundredths. (4.5 is the careless "round up" answer.)

6. (B) In 47.305 the 3 is in the tenths place, so its value is 3 tenths = 0.3. (0.03 mistakes it for hundredths.)

7. (A) Compare from the left. Tenths digits: $0.4 \rightarrow 4$, $0.39 \rightarrow 3$, $0.198 \rightarrow 1$, $0.04 \rightarrow 0$. The largest tenths digit wins: 0.4. (Picking 0.39 because "more digits" is the classic length trap.)

8. (C) $7/100$ means 7 hundredths = 0.07. ($0.7 = 7$ tenths = $70/100$; $0.007 = 7$ thousandths.)

9. (C) Pad to thousandths: 0.500, 0.450, 0.405, 0.054. Increasing: $0.054 < 0.405 < 0.45 < 0.5$. So (C).

10. (A) Trailing zeros never change a value: $4.5 = 4.50 = 4.500$ (all four and five tenths). In (B) the digits sit in different places (4.05, 4.005 differ); (C) has $0.05 \neq 0.5$; (D) mixes 0.45 in. So (A).

11. (D) Align points: $12.70 + 3.45 + 0.80$. Hundredths: $0+5+0=5$; tenths: $7+4+8=19 \rightarrow$ write 9, carry 1; ones: $2+3+0+1=6$; tens: 1. Total 16.95. (16.15 drops the tenths carry; 25.5 is a misalignment slip.)

12. (C) $2.5 - 0.85 - 1.2 = 2.50 - 0.85 = 1.65$; $1.65 - 1.20 = 0.45$ m. (0.55 mis-borrows; 1.45 forgets one cut.)

13. (B) $0.08 = 8/100$. Divide top and bottom by 4: $2/25$. (8/10 misreads the place; $1/8 = 0.125$.)

14. (D) "4 ones, 0 tenths, 7 hundredths, 2 thousandths" = 4.072. Adding 0.5 (= 5 tenths): $4.072 + 0.500 = 4.572$. (4.122 wrongly adds 0.5 into the hundredths; 9.072 adds 5 instead of 0.5.)

15. (D) $2.745 = 2$ ones + 7 tenths + 4 hundredths + 5 thousandths = $2 + 7/10 + 4/100 + 5/1000$. (Option A scrambles the tenths and thousandths digits.)

16. (A) $1.04 = 1$ unit + 0 tenths + 4 hundredths, so it sits between 1.0 and 1.1 (just past 1, at the 4th hundredth-mark). It does NOT reach the 4th tenth-mark — that would be 1.4.

17. (C) Halfway between 0.30 and 0.40 is their average: $(0.30 + 0.40) \div 2 = 0.70 \div 2 = 0.35$. (0.34 is not the midpoint; 0.7 is the sum, not the midpoint.)

18. (A) $6.305 = 6$ ones and 305 thousandths, read "six and three hundred five thousandths". (B) just names digits; (C) "thirty-five hundredths" = 0.35, wrong.

19. (C) Compare 0.6 and 0.59: tenths 6 vs 5, so $0.6 > 0.59$. ($0.6 = 0.60 > 0.59$ by one hundredth.) The other statements are false.

20. (A) $2 \frac{7}{10} + 3 \frac{6}{10} = 2.7 + 3.6$. Tenths $7+6 = 13 \rightarrow 3$ tenths, carry 1; ones $2+3+1 = 6$. Total 6.3 units. (5.3 forgets the carry.)

21. (B) $7.2 - 3.45 = 7.20 - 3.45$. Hundredths 0-5 borrow $\rightarrow 10-5=5$; tenths 1-4 borrow $\rightarrow 11-4=7$; ones 6-3=3. Result 3.75. (4.75 forgets a borrow.)

22. (C) $0.25 = 25/100 = 1/4$. ($1/2 = 0.5$, $2/5 = 0.4$, $1/25 = 0.04$.)

23. (A) Pad to thousandths: 0.009, 0.100, 0.011, 0.020. Smallest is 0.009. (Picking 0.011 over 0.02 by "more digits" is the trap; comparing place by place, $0.009 < 0.011 < 0.02 < 0.1$.)

24. (C) ₹96.726 $\rightarrow$ look at the third decimal ($6 \geq 5$), so round the hundredths up: 96.73. (96.72 truncates instead of rounding; 96.7 rounds too far.)

25. (D) $5 - 3.6 = 5.0 - 3.6 = 1.4$. Check: $3.6 + 1.4 = 5.0$. ✓ ($2.4 = 6 - 3.6$ slip; $1.6 = 5 - 3.4$ slip.)

26. (D) In 5.182 the 8 is in the hundredths place $\rightarrow$ 8 hundredths. (Tenths would be the 1; thousandths the 2.)

27. (B) Cost = $4.75 + 2.50 = 7.25$. Change = $10.00 - 7.25 = 2.75$. ($3.25 = 10 - 6.75$ slip; 2.25 mis-borrows.)

28. (C) 4.50, 4.500, 04.50 all equal 4.5 (trailing/leading zeros add nothing). But $4.05 = 4$ and 5 hundredths $\neq 4.5$. So the one NOT equal is (C).

29. (B) From 0.7 to 1.2 is a rise of 0.5; in steps of 0.1 that is $0.5 \div 0.1 = 5$ steps ($0.7 \rightarrow 0.8 \rightarrow 0.9 \rightarrow 1.0 \rightarrow 1.1 \rightarrow 1.2$). So 5.

30. (B) Largest is 0.66, smallest is 0.06. $0.66 - 0.06 = 0.60 = 0.6$. (0.606 is not the extreme; $0.546 = 0.606 - 0.06$ mis-picks the largest.)

31. (A) $0.45 + 1.2 + 0.8 = 0.45 + 1.20 + 0.80$. Hundredths 5; tenths $4+2+8=14 \rightarrow 4$, carry 1; ones $0+1+0+1=2$. Total 2.45 m. (2.05 drops the tenths carry.)

32. (B) $3/5 = 6/10 = 0.6$. (0.35 reads the digits literally; 0.3 confuses $3/5$ with $3/10$.)

33. (B) Counting by hundredths, after 4.99 comes $4.99 + 0.01 = 5.00$. (4.991 jumps to thousandths; 5.99 jumps by a whole.)

34. (A) "Add $0.3 + 0.4$ " $\rightarrow$ tenths $3 + 4 = 7$ tenths = 0.7. (0.07 puts it in hundredths; the others misplace the digit.)

35. (D) Place value $4/100$ means a digit worth 4 hundredths. In 2.745 the hundredths digit is 4. So the digit is 4.

36. (A) $1.5 - 0.75 = 1.50 - 0.75 = 0.75$ L. Check: $0.75 + 0.75 = 1.50$. ✓ (1.25 mis-borrows; 0.5 subtracts only 1.0.)

- 37. (A)** $2.3 = 23$ tenths (2 wholes = 20 tenths, plus 3 tenths). So 23. (5 = 2+3 careless; 230 = number of hundredths.)
- 38. (C)** $1\frac{1}{4} = 1 + 0.25 = 1.25$. (1.4 confuses $\frac{1}{4}$ with 4 tenths; 1.14 places the 1 wrongly.)
- 39. (A)** $5 - 0.5 - 0.05 = 5.00 - 0.50 = 4.50$; $4.50 - 0.05 = 4.45$. (4.5 forgets the hundredths subtraction; 4.95 subtracts only 0.05.)
- 40. (D)** $2.5 \text{ m} \div 5 = 0.5 \text{ m}$ each. Check: $0.5 \times 5 = 2.5$. ✓ (0.05 misplaces the decimal; 5 forgets to divide.)
- 41. (A)** Need a number with tenths digit 5 and more than 0.50: 0.56 (between 0.5 and 0.6). $0.49 < 0.5$; $0.65 > 0.6$; 0.06 far below. So (A).
- 42. (D)** Going $0.2 \rightarrow 0.02 \rightarrow 0.002$, the 2 shifts one place smaller each time, so each number is 10 times the one after it; equivalently 0.2 is 10 times larger than 0.02. So "10 times larger". (100 times confuses two shifts; "same size" is the zero-dilemma misconception.)
- 43. (B)** Contents = full – empty = $8.1 - 3.25 = 8.10 - 3.25 = 4.85 \text{ kg}$. (5.85 / 5.15 are borrow slips; 11.35 adds instead of subtracts.)
- 44. (D)** $0.405 = 405$ thousandths = $405/1000$. (45/1000 drops the 0; $405/100 = 4.05$ wrong place; $4050/1000 = 4.05$ too.)
- 45. (C)** Distances to 3: $|3.09-3| = 0.09$, $|2.85-3| = 0.15$, $|3.2-3| = 0.2$, $|2.7-3| = 0.3$. Smallest is 0.09, so 3.09 is closest. (3.2 looks "just past 3" but $0.2 > 0.09$.)
- 46. (B)** $85.50 \times 2 = 171.00$. (Tenths/hundredths: $85.50 + 85.50 = 171.00$.) (₹170.00 forgets the 50 paise twice; ₹170.50 doubles only the rupees.)
- 47. (D)** Pad to thousandths and order: 0.002, 0.020, 0.200, 0.220 $\rightarrow$ ascending 0.002, 0.02, 0.2, 0.22. So (D). (Option A is descending-tail confusion.)
- 48. (C)** Align: $75.345 + 86.691$. Thousandths $5+1=6$; hundredths $4+9=13 \rightarrow 3$ carry 1; tenths $3+6+1=10 \rightarrow 0$ carry 1; ones $5+6+1=12 \rightarrow 2$ carry 1; tens $7+8+1=16$. Total 162.036. (161.936 mishandles a carry.)
- 49. (D)** "3 hundredths extra" = 0.03 added to 0.70: $0.70 + 0.03 = 0.73 \text{ kg}$. (0.703 puts the 3 in thousandths; 0.37 swaps the digits.)
- 50. (C)** $0.9 - 0.85 = 0.90 - 0.85 = 0.05$. (0.15 mis-borrows; 0.5 ignores the hundredths.)
- 51. (D)** A fraction terminates only if its denominator (in lowest terms) uses just the primes 2 and 5. $\frac{1}{2} = 0.5$, $\frac{1}{4} = 0.25$, $\frac{1}{5} = 0.2$ all terminate; but $\frac{1}{3} = 0.333\dots$ never ends (3 is neither 2 nor 5). So (D).

52. (C) Pad to hundredths: 100.05, 99.90, 100.50. Compare whole parts: $100 > 99$, so 99.9 is out. Between 100.05 and 100.50, tenths 0 vs 5 $\rightarrow$ 100.5 is larger. So (C).

53. (B) 6 tenths + 0 hundredths + 8 thousandths = 0.608. (0.68 drops the hundredths place and shifts the 8; $0.680 = 6$ tenths 8 hundredths.)

54. (B) $1.35 + 1.6 = 1.35 + 1.60$. Hundredths 5; tenths $3+6=9$; ones $1+1=2$. Total 2.95 m. (1.51 mis-aligns the ends instead of the points — the alignment trap.)

55. (C) The decimal point separates the whole (units and up) part from the fractional (tenths and down) part. (It is not between tens/units or tenths/hundredths.)

56. (A) Spent = $12.50 + 6.75 + 0.80 = 20.05$. Left = $25.00 - 20.05 = 4.95$. (5.05 mis-borrows; 4.05 drops a carry in the sum.)

57. (A) A number between 4.4 and 4.5 must keep 4.4... with the next digit 0–9: 4.45 fits ($4.40 < 4.45 < 4.50$). 4.04 and 4.54 are outside; 4.5 is the endpoint, not between. So (A).

58. (A) Greatest value: put the biggest digit before the point and arrange the rest in descending order $\rightarrow 5.30$. (5.03 is smaller in the hundredths; 3.50 has a smaller whole part; $0.53 < 1$.)

59. (B) $0.95 + 0.1 = 0.95 + 0.10 = 1.05$. (0.96 adds only 0.01; 0.105 mis-shifts the place; 1.5 adds 0.55.)

60. (D) $0.125 + 0.875 + 0.5$: $0.125 + 0.875 = 1.000$; $1.000 + 0.5 = 1.5$. (1.25 leaves the 0.5 as 0.05; 0.15 mis-aligns.)