

Olympiad Test Paper — Mathematics (Class 7)

Chapter 12: Another Peek Beyond the Point

Subject	Mathematics (NCERT Class 7)
Chapter	12 — Another Peek Beyond the Point (Multiplying & Dividing Decimals)
Total Questions	60 (Multiple Choice, single correct)
Maximum Marks	240
Suggested Time	90 minutes

Marking scheme: +4 for each correct answer · -1 for each wrong answer · 0 if unattempted.

Instructions: Each question has four options (A), (B), (C), (D); exactly one is correct. For multiplication, multiply the digits as whole numbers and then place the point so the product has as many decimal places as the two factors together; for division by a decimal, scale BOTH numbers by the same power of ten until the divisor is whole. Estimate first — the commonest trap here is a misplaced decimal point (an answer ten or a hundred times too big or too small). Watch the difference between "multiply by 100" (shift the point) and "add two zeros".

1. Compute 0.3×0.4 .

(A) 1.2

(B) 0.12

(C) 0.012

(D) 12

2. Compute 0.6×0.4 .

(A) 0.24

(B) 2.4

(C) 0.024

(D) 24

3. Compute 4.56×100 .

(A) 4.5600

(B) 45.6

(C) 456

(D) 4560

4. Compute 3.45×1000 .

(A) 345

(B) 34500

(C) 3.45000

(D) 3450

5. Compute $45.6 \div 10$.

(A) 456

(B) 4.56

(C) 0.456

(D) 45.60

6. Compute $57.3 \div 100$.

- (A) 0.573
(C) 0.0573

- (B) 5.73
(D) 5730

7. Compute $4.5 \div 0.5$.

- (A) 0.9
(C) 9

- (B) 90
(D) 0.09

8. Compute 2.5×1.4 (the area of a 2.5 m by 1.4 m mat, in m^2).

- (A) 0.35
(C) 35

- (B) 3.5
(D) 350

9. How many decimal places will the product 1.23×0.4 have?

- (A) 1
(C) 3

- (B) 2
(D) 4

10. Compute $4.8 \div 0.6$.

- (A) 0.8
(C) 0.08

- (B) 80
(D) 8

11. A student multiplied the digits of 2.5×3.6 and got 900. Where does the decimal point belong?

- (A) 9.00
(C) 0.900

- (B) 90.0
(D) 900

12. Apples cost ₹85.50 per kg. What do 2.4 kg cost?

- (A) ₹2052
(C) ₹171

- (B) ₹20.52
(D) ₹205.20

13. Which of these is the SMALLEST?

- (A) 0.5×0.5
(C) 0.5×5

- (B) $0.5 \div 0.5$
(D) $0.5 \div 0.1$

14. Compute 0.12×0.5 .

- (A) 0.6
(C) 0.006

- (B) 0.06
(D) 0.0006

15. Compute $0.25 \div 0.05$.

- (A) 0.5
(C) 5

- (B) 50
(D) 0.05

16. By what number must you multiply 0.07 to get 70?

- (A) 1000
(C) 10

- (B) 100
(D) 10000

17. Compute 12.5×0.8 .

- (A) 100 (B) 1.0
(C) 100.0 (D) 10

18. Estimate first: 2.9×5.1 is closest to which value?

- (A) 1.5 (B) 15
(C) 150 (D) 0.15

19. Compute $(0.2)^2$.

- (A) 0.04 (B) 0.4
(C) 0.004 (D) 4

20. A ribbon 0.75 m long is cut into pieces each 0.15 m long. How many pieces are cut?

- (A) 0.5 (B) 50
(C) 11.25 (D) 5

21. Compute $6.3 \div 0.9$.

- (A) 0.7 (B) 70
(C) 7 (D) 0.07

22. Which calculation gives an answer LARGER than 8?

- (A) 8×0.9 (B) $8 \div 0.5$
(C) 8×0.1 (D) $8 \div 2$

23. Compute 0.025×1000 .

- (A) 2.5 (B) 0.25
(C) 25 (D) 250

24. A wire 9.6 m long is divided into 0.8 m lengths. How many lengths result?

- (A) 12 (B) 120
(C) 7.68 (D) 1.2

25. Compute 1.5×1.5 .

- (A) 22.5 (B) 2.25
(C) 0.225 (D) 3.0

26. Compute 0.008×100 .

- (A) 8 (B) 0.08
(C) 80 (D) 0.8

27. Petrol costs ₹102.50 per litre. The cost of 0.5 litre is:

- (A) ₹5.125 (B) ₹512.50
(C) ₹51.25 (D) ₹205

28. Compute $7 \div 0.25$.

- (A) 1.75 (B) 0.28
(C) 2.8 (D) 28

29. The product of two numbers is 0.018. If one of them is 0.06, the other is:

- | | |
|---------|------------|
| (A) 0.3 | (B) 0.03 |
| (C) 3 | (D) 0.0003 |

30. Compute $0.36 \div 1.2$.

- | | |
|---------|----------|
| (A) 3 | (B) 0.03 |
| (C) 0.3 | (D) 30 |

31. A rod 1.2 m long weighs 0.6 kg per metre. Its total weight is:

- | | |
|------------|--------------|
| (A) 2 kg | (B) 0.72 kg |
| (C) 7.2 kg | (D) 0.072 kg |

32. Compute 0.9×0.9 .

- | | |
|---------|-----------|
| (A) 8.1 | (B) 0.081 |
| (C) 1.8 | (D) 0.81 |

33. Compute $144 \div 1.2$.

- | | |
|----------|---------|
| (A) 120 | (B) 1.2 |
| (C) 1200 | (D) 12 |

34. A bottle holds 1.25 litres. How many litres do 8 such bottles hold?

- | | |
|---------|-----------|
| (A) 1.0 | (B) 100 |
| (C) 10 | (D) 0.156 |

35. Compute 0.04×0.05 .

- | | |
|----------|------------|
| (A) 0.2 | (B) 0.002 |
| (C) 0.02 | (D) 0.0002 |

36. The digits of a product came out as "375". If the calculation was 1.5×2.5 , the correct product is:

- | | |
|-----------|----------|
| (A) 0.375 | (B) 37.5 |
| (C) 3.75 | (D) 375 |

37. Compute $5.6 \div 0.07$.

- | | |
|---------|---------|
| (A) 8 | (B) 800 |
| (C) 0.8 | (D) 80 |

38. Which of these equals 4.56?

- | | |
|-----------------------|------------------------|
| (A) 0.456×10 | (B) $456 \div 1000$ |
| (C) $45.6 \div 100$ | (D) 0.0456×10 |

39. Compute 2.4×0.05 .

- | | |
|-----------|---------|
| (A) 0.12 | (B) 1.2 |
| (C) 0.012 | (D) 12 |

40. A car travels 0.8 km on 0.05 litre of fuel. Its mileage (km per litre) is:

- (A) 1.6 (B) 0.16
(C) 160 (D) 16

41. Compute 0.15×0.2 .

- (A) 0.3 (B) 0.03
(C) 0.003 (D) 3

42. By what number must you DIVIDE 250 to get 2.5?

- (A) 10 (B) 1000
(C) 100 (D) 0.01

43. Compute $8.1 \div 0.027$.

- (A) 300 (B) 3
(C) 30 (D) 3000

44. A shopkeeper sells cloth at ₹46.50 per metre. For 3.5 m a customer pays:

- (A) ₹162.75 (B) ₹16.275
(C) ₹1627.50 (D) ₹139.50

45. Compute $0.5 \times 0.5 \times 0.5$.

- (A) 0.15 (B) 0.0125
(C) 1.25 (D) 0.125

46. Estimate first: $0.49 \div 0.07$ is closest to:

- (A) 0.7 (B) 7
(C) 0.07 (D) 70

47. Compute 3.2×2.5 .

- (A) 0.8 (B) 80
(C) 0.08 (D) 8

48. A juice carton holds 0.2 litre. How many cartons can be filled from 3 litres?

- (A) 0.6 (B) 1.5
(C) 150 (D) 15

49. Compute 0.001×0.1 .

- (A) 0.001 (B) 0.0001
(C) 0.01 (D) 0.00001

50. Which is the correct value of $6 \div 0.15$?

- (A) 0.4 (B) 4
(C) 400 (D) 40

51. A 0.25 kg packet of tea costs ₹90. The cost of 1 kg of the same tea is:

- (A) ₹360 (B) ₹22.50
(C) ₹3.60 (D) ₹225

52. Compute $1.44 \div 0.12$.

- | | |
|----------|---------|
| (A) 1.2 | (B) 120 |
| (C) 0.12 | (D) 12 |

53. The result 0.6×0.5 is how many times the result $0.6 \div 100$?

- | | |
|--------|----------|
| (A) 5 | (B) 500 |
| (C) 50 | (D) 5000 |

54. Compute 11.2×0.25 .

- | | |
|---------|----------|
| (A) 28 | (B) 0.28 |
| (C) 2.8 | (D) 280 |

55. A worker is paid ₹12.50 per item. For making 0.6 hundred (= 60) items the pay is:

- | | |
|-----------|-----------|
| (A) ₹75 | (B) ₹750 |
| (C) ₹7.50 | (D) ₹7500 |

56. Compute $(3.6 \times 0.5) \div 0.9$.

- | | |
|---------|----------|
| (A) 0.2 | (B) 20 |
| (C) 2 | (D) 0.02 |

57. A number multiplied by 0.4 gives 0.10. The number is:

- | | |
|----------|----------|
| (A) 2.5 | (B) 0.25 |
| (C) 0.04 | (D) 25 |

58. Compute $0.625 \div 0.025$.

- | | |
|----------|---------|
| (A) 25 | (B) 250 |
| (C) 0.25 | (D) 2.5 |

59. A rectangular tile is 0.4 m by 0.3 m. How many such tiles cover an area of 0.6 m²?

- | | |
|--------|---------|
| (A) 50 | (B) 0.5 |
| (C) 5 | (D) 500 |

60. Compute $0.2 \times 0.3 \times 50$.

- | | |
|---------|---------|
| (A) 0.3 | (B) 3 |
| (C) 30 | (D) 300 |

Solutions — Mathematics (Class 7), Chapter 12: Another Peek Beyond the Point

Marking: +4 correct, -1 wrong, 0 unattempted. Maximum marks **240**.

Answer Key

Q	Ans	Q	Ans	Q	Ans	Q	Ans	Q	Ans	Q	Ans
1	B	11	A	21	C	31	B	41	B	51	A
2	A	12	D	22	B	32	D	42	C	52	D
3	C	13	A	23	C	33	A	43	A	53	C
4	D	14	B	24	A	34	C	44	A	54	C
5	B	15	C	25	B	35	B	45	D	55	B
6	A	16	A	26	D	36	C	46	B	56	C
7	C	17	D	27	C	37	D	47	D	57	B
8	B	18	B	28	D	38	A	48	D	58	A
9	C	19	A	29	A	39	A	49	B	59	C
10	D	20	D	30	C	40	D	50	D	60	B

Answer-key distribution: A = 15, B = 15, C = 15, D = 15.

Worked Solutions

1. (B) Ignore the points: $3 \times 4 = 12$. Factors have $1 + 1 = 2$ decimal places, so the product has 2: 0.12. (1.2 misplaces the point by one; 0.012 by adding a place too many.)

2. (A) $6 \times 4 = 24$; total decimal places $1 + 1 = 2 \rightarrow 0.24$. Both factors are below 1, so the product is small. ✓

3. (C) Multiplying by 100 shifts the point 2 places right: $4.56 \rightarrow 45.6 \rightarrow 456$. (4.5600 is the "add two zeros" trap — multiplying does not just tack on zeros after the decimals.)

4. (D) $\times 1000$ shifts the point 3 places right: $3.45 \rightarrow 34.5 \rightarrow 345 \rightarrow 3450$ (a zero is added to make room for the third shift). The trap 34500 over-shifts; 345 under-shifts.

5. (B) Dividing by 10 shifts the point 1 place left: $45.6 \rightarrow 4.56$.

6. (A) $\div 100$ shifts the point 2 places left: $57.3 \rightarrow 5.73 \rightarrow 0.573$. (5.73 shifts only once; 0.0573 shifts three times.)

- 7. (C)** Make the divisor whole: multiply both by 10 $\rightarrow 45 \div 5 = 9$. Estimate "about 4 or 5 $\div$ a half $\approx 8-10$ ", so 9 fits; 0.9 and 90 are point-shift traps.
- 8. (B)** $25 \times 14 = 350$; $1 + 1 = 2$ decimal places $\rightarrow 3.50 = 3.5 \text{ m}^2$. Estimate " $\approx 2.5 \times 1.4 \approx 3-4$ " confirms it; 35 and 0.35 are off by a factor of ten.
- 9. (C)** 1.23 has 2 decimal places, 0.4 has 1; the product carries $2 + 1 = 3$ decimal places. ($1.23 \times 0.4 = 0.492$.)
- 10. (D)** Scale both by 10: $48 \div 6 = 8$. Dividing by 0.6 (< 1) makes the answer bigger than 4.8 — so 0.8 and 0.08 are wrong by size.
- 11. (A)** 2.5×3.6 has $1 + 1 = 2$ decimal places, so the digits 900 become 9.00. Estimate " $\approx 2.5 \times 3.6 \approx 9$ ", confirming 9.00, not 90.0 or 0.900.
- 12. (D)** $8550 \times 24 = 205200$; 85.50 (2 dp) $\times 2.4$ (1 dp) $\rightarrow 3$ decimal places $\rightarrow 205.200 = ₹205.20$. Estimate " $₹85 \times 2.4 \approx ₹200$ " rules out ₹2052 and ₹20.52.
- 13. (A)** Evaluate each: $0.5 \times 0.5 = 0.25$; $0.5 \div 0.5 = 1$; $0.5 \times 5 = 2.5$; $0.5 \div 0.1 = 5$. The smallest is 0.25, option (A). (Multiplying two numbers below 1 gives the only value under 1.)
- 14. (B)** $12 \times 5 = 60$; 0.12 (2 dp) $\times 0.5$ (1 dp) $\rightarrow 3$ decimal places $\rightarrow 0.060 = 0.06$. (0.6 keeps only 1 place; 0.006 keeps too many.)
- 15. (C)** Scale both by 100: $25 \div 5 = 5$. Dividing by 0.05 (< 1) makes the result far bigger than 0.25, so 0.5 and 0.05 are size errors.
- 16. (A)** 0.07 must grow to 70 — that is $\times 1000$ (point shifts 3 places right: $0.07 \rightarrow 0.7 \rightarrow 7 \rightarrow 70$). Check: $0.07 \times 1000 = 70$. ✓ ($\times 100$ only reaches 7.)
- 17. (D)** $125 \times 8 = 1000$; 12.5 (1 dp) $\times 0.8$ (1 dp) $\rightarrow 2$ decimal places $\rightarrow 10.00 = 10$. Estimate " $\approx 12.5 \times 0.8 \approx 10$ " rules out 100 and 1.0.
- 18. (B)** Round: $2.9 \times 5.1 \approx 3 \times 5 = 15$. (The exact value is 14.79; the nearest listed estimate is 15.)
- 19. (A)** $(0.2)^2 = 0.2 \times 0.2$; $2 \times 2 = 4$, with $1 + 1 = 2$ decimal places $\rightarrow 0.04$. (0.4 is the "just square the digit, keep one place" trap.)
- 20. (D)** Number of pieces = $0.75 \div 0.15$; scale both by 100 $\rightarrow 75 \div 15 = 5$ pieces. (11.25 is the multiply-instead-of-divide slip.)
- 21. (C)** $6.3 \div 0.9$; scale by 10 $\rightarrow 63 \div 9 = 7$. Dividing by 0.9 keeps the result close to but larger than $6.3 \div 1$, and 7 fits; 0.7 and 70 are point errors.

- 22. (B)** Test each: $8 \times 0.9 = 7.2$ (smaller); $8 \div 0.5 = 16$ (LARGER); $8 \times 0.1 = 0.8$; $8 \div 2 = 4$. Dividing by 0.5 (< 1) is the only one that exceeds 8.
- 23. (C)** $\times 1000$ shifts the point 3 places right: $0.025 \rightarrow 0.25 \rightarrow 2.5 \rightarrow 25$. (2.5 shifts only twice; 250 over-shifts.)
- 24. (A)** Lengths = $9.6 \div 0.8$; scale by 10 $\rightarrow 96 \div 8 = 12$. (7.68 multiplies instead of dividing; 120 misplaces the point.)
- 25. (B)** $15 \times 15 = 225$; 1.5 (1 dp) $\times 1.5$ (1 dp) $\rightarrow$ 2 decimal places $\rightarrow 2.25$. Estimate " $\approx 1.5 \times 1.5$, between 1 and 4" confirms 2.25 over 22.5 or 0.225.
- 26. (D)** $\times 100$ shifts the point 2 places right: $0.008 \rightarrow 0.08 \rightarrow 0.8$. (8 over-shifts by one; 0.08 shifts only once.)
- 27. (C)** $102.50 \times 0.5 =$ half of $102.50 = 51.25 \rightarrow \text{₹}51.25$. (₹512.50 misplaces the point; ₹205 doubles instead of halving.)
- 28. (D)** $7 \div 0.25$; scale by 100 $\rightarrow 700 \div 25 = 28$. "How many quarters in 7?" = 28. Dividing by 0.25 (< 1) makes the answer much bigger than 7, so 1.75 and 2.8 are wrong.
- 29. (A)** Other factor = $0.018 \div 0.06$; scale by 1000 $\rightarrow 18 \div 60 = 0.3$. Check: $0.06 \times 0.3 = 0.018$. ✓ (0.03 and 3 are point-placement traps.)
- 30. (C)** $0.36 \div 1.2$; scale by 10 $\rightarrow 3.6 \div 12 = 0.3$. Estimate "less than 1, since $0.36 < 1.2$ " rules out 3 and 30.
- 31. (B)** Weight = $1.2 \text{ m} \times 0.6 \text{ kg/m}$: $12 \times 6 = 72$, with $1 + 1 = 2$ decimal places $\rightarrow 0.72 \text{ kg}$. (7.2 misplaces the point; 0.072 adds a place too many.)
- 32. (D)** $9 \times 9 = 81$; 0.9 (1 dp) $\times 0.9$ (1 dp) $\rightarrow$ 2 decimal places $\rightarrow 0.81$. (8.1 keeps only one place; the product of two numbers near 1 stays near 1.)
- 33. (A)** $144 \div 1.2$; scale by 10 $\rightarrow 1440 \div 12 = 120$. Estimate " $144 \div$ a bit more than 1 $\approx$ just over 100" confirms 120, not 12 or 1200.
- 34. (C)** $1.25 \times 8 = 10.00 = 10$ litres. (1.0 misplaces the point; 0.156 divides instead of multiplying.)
- 35. (B)** $4 \times 5 = 20$; 0.04 (2 dp) $\times 0.05$ (2 dp) $\rightarrow$ 4 decimal places $\rightarrow 0.0020 = 0.002$. (0.02 keeps only 2 places; the answer must be tiny since both factors are tiny.)
- 36. (C)** 1.5×2.5 has $1 + 1 = 2$ decimal places, so the digits 375 become 3.75. Estimate " $\approx 1.5 \times 2.5 \approx 3\text{--}4$ " confirms 3.75, not 37.5 or 0.375.
- 37. (D)** $5.6 \div 0.07$; scale by 100 $\rightarrow 560 \div 7 = 80$. Dividing by 0.07 (much less than 1) makes the answer far bigger than 5.6, so 8 and 0.8 are too small.

38. (A) Test each by shifting the point: (A) $0.456 \times 10 = 4.56$ ✓ (point moves 1 right); (B) $456 \div 1000 = 0.456$ (point moves 3 left); (C) $45.6 \div 100 = 0.456$ (point moves 2 left); (D) $0.0456 \times 10 = 0.456$ (point moves 1 right). Only (A) gives 4.56; the other three all land on 0.456.

39. (A) $24 \times 5 = 120$; 2.4 (1 dp) $\times 0.05$ (2 dp) $\rightarrow$ 3 decimal places $\rightarrow 0.120 = 0.12$. (1.2 keeps only one place; the product of 2.4 by a tiny 0.05 must be small.)

40. (D) Mileage = $0.8 \div 0.05$; scale by 100 $\rightarrow 80 \div 5 = 16$ km/litre. Dividing by 0.05 (< 1) makes the result much larger than 0.8, so 1.6 and 0.16 are too small.

41. (B) $15 \times 2 = 30$; 0.15 (2 dp) $\times 0.2$ (1 dp) $\rightarrow$ 3 decimal places $\rightarrow 0.030 = 0.03$. (0.3 keeps only one place; 3 ignores the points entirely.)

42. (C) 250 must shrink to 2.5 — that is $\div 100$ (point shifts 2 places left: $250 \rightarrow 25 \rightarrow 2.5$). Check: $250 \div 100 = 2.5$. ✓ ($\div 10$ reaches only 25.)

43. (A) $8.1 \div 0.027$; scale by 1000 $\rightarrow 8100 \div 27 = 300$. Dividing by 0.027 (very small) gives a large quotient, so 3 and 30 are far too small.

44. (A) $4650 \times 35 = 162750$; 46.50 (2 dp) $\times 3.5$ (1 dp) $\rightarrow$ 3 decimal places $\rightarrow 162.750 = ₹162.75$. Estimate " $\approx ₹46 \times 3.5 \approx ₹160$ " rules out ₹16.275 and ₹1627.50. (₹139.50 uses 3 m, not 3.5 m.)

45. (D) $0.5 \times 0.5 = 0.25$, then $\times 0.5 = 0.125$. Counting places: $1 + 1 + 1 = 3$, and $5 \times 5 \times 5 = 125 \rightarrow 0.125$. (0.15 wrongly adds; multiplying three numbers below 1 gives a still-smaller value.)

46. (B) Round: $0.49 \div 0.07 \approx 0.49 \div 0.07$; scaling by 100 gives $49 \div 7 = 7$ exactly, so the estimate is 7. (0.7 and 70 are point-shift errors.)

47. (D) $32 \times 25 = 800$; 3.2 (1 dp) $\times 2.5$ (1 dp) $\rightarrow$ 2 decimal places $\rightarrow 8.00 = 8$. Estimate " $\approx 3.2 \times 2.5 \approx 8$ " confirms it over 0.8 or 80.

48. (D) Cartons = $3 \div 0.2$; scale by 10 $\rightarrow 30 \div 2 = 15$. (1.5 forgets to scale fully; 0.6 multiplies instead of dividing.)

49. (B) $1 \times 1 = 1$; 0.001 (3 dp) $\times 0.1$ (1 dp) $\rightarrow$ 4 decimal places $\rightarrow 0.0001$. (0.001 keeps only 3 places; 0.01 far too few.)

50. (D) $6 \div 0.15$; scale by 100 $\rightarrow 600 \div 15 = 40$. Dividing by 0.15 (< 1) makes the answer much larger than 6, so 4 and 0.4 are too small.

51. (A) ₹90 buys 0.25 kg, so 1 kg costs $90 \div 0.25$; scale by 100 $\rightarrow 9000 \div 25 = ₹360$. (Multiplying $90 \times 0.25 = ₹22.50$ is the inverted-operation trap; 1 kg is 4 times 0.25 kg, so the cost is $4 \times ₹90 = ₹360$.)

- 52. (D)** $1.44 \div 0.12$; scale by 100 $\rightarrow 144 \div 12 = 12$. Estimate " $\approx 1.44 \div 0.12$, more than 1" confirms 12 over 1.2 or 0.12.
- 53. (C)** $0.6 \times 0.5 = 0.30$; $0.6 \div 100 = 0.006$. Ratio = $0.30 \div 0.006$; scale by 1000 $\rightarrow 300 \div 6 = 50$. So the product is 50 times the quotient. (5 and 500 are point-placement traps.)
- 54. (C)** $112 \times 25 = 2800$; 11.2 (1 dp) $\times 0.25$ (2 dp) $\rightarrow$ 3 decimal places $\rightarrow 2.800 = 2.8$. Estimate " $\approx 11 \times 0.25 \approx 2.75$ " confirms 2.8, not 28 or 0.28.
- 55. (B)** 12.50×60 : $1250 \times 60 = 75000$; 12.50 (2 dp) $\rightarrow$ 2 decimal places $\rightarrow 750.00 = ₹750$. Estimate " $₹12.5 \times 60 \approx ₹750$ " rules out ₹75 and ₹7500.
- 56. (C)** First $3.6 \times 0.5 = 1.8$ (half of 3.6); then $1.8 \div 0.9 = 18 \div 9 = 2$. (0.2 and 20 are point errors; estimate " $1.8 \div \sim 1 \approx 2$ ".)
- 57. (B)** Number = $0.10 \div 0.4$; scale by 10 $\rightarrow 1 \div 4 = 0.25$. Check: $0.25 \times 0.4 = 0.10$. ✓ (2.5 inverts the size — multiplying 2.5×0.4 gives 1.0, not 0.10.)
- 58. (A)** $0.625 \div 0.025$; scale by 1000 $\rightarrow 625 \div 25 = 25$. Dividing by 0.025 (small) gives a value well above 0.625, so 2.5 and 0.25 are too small.
- 59. (C)** Each tile covers $0.4 \times 0.3 = 0.12 \text{ m}^2$. Number of tiles = $0.6 \div 0.12$; scale by 100 $\rightarrow 60 \div 12 = 5$. Check: $5 \times 0.12 = 0.60 \text{ m}^2$. ✓ (50 and 500 misplace the point.)
- 60. (B)** $0.2 \times 0.3 = 0.06$ (2 dp + 1 dp = 3 places: $2 \times 3 = 6 \rightarrow 0.006$? No: 0.2 has 1 dp, 0.3 has 1 dp, total 2 $\rightarrow 0.06$). Then $0.06 \times 50 = 3.00 = 3$. (0.3 stops one $\times 10$ short; 30 over-shifts.)