

Olympiad Test Paper — Mathematics (Class 7) — Paper 3

Chapter 3: A Peek Beyond the Point

Paper 3 — (progressively harder)

Subject	Mathematics (NCERT Class 7)
Chapter	3 — A Peek Beyond the Point
Total Questions	60 (Multiple Choice, single correct)
Maximum Marks	240
Suggested Time	90 minutes

Marking scheme: +4 for each correct answer · -1 for each wrong answer · 0 if unattempted.

Instructions: Each question has four options (A), (B), (C), (D); exactly one is correct. More digits does NOT mean a bigger number ($0.5 > 0.45$); compare place by place from the left. Line up the decimal POINTS — not the right-hand ends — when adding or subtracting. Trailing zeros change nothing ($0.30 = 0.3$) but an interior zero pushes a digit into a smaller place ($0.305 \neq 0.35$). 'Hundredths' is the second place after the point, not the hundreds place. Half of one tenth is five hundredths (half of 0.1 is 0.05). Do not write on this paper — mark answers on your answer sheet.

1. A pole measures 4 wholes, 0 tenths, 9 hundredths, and a rod measures 4 wholes, 9 tenths, 0 hundredths. By how much is the rod longer than the pole?

- (A) 0 (B) 0.81
(C) 0.081 (D) 0.9

2. Place in increasing order: 0.7, 0.07, 0.707, 0.077.

- (A) 0.07, 0.077, 0.707, 0.7 (B) 0.7, 0.707, 0.077, 0.07
(C) 0.07, 0.077, 0.7, 0.707 (D) 0.707, 0.7, 0.077, 0.07

3. Written in simplest form, the decimal 0.36 equals which fraction?

- (A) $36/10$ (B) $18/100$
(C) $1/36$ (D) $9/25$

4. A number is read 'nine and four thousandths'. Written as a decimal it is:

- (A) 9.004 (B) 9.4
(C) 9.04 (D) 9.400

5. A tailor cuts pieces of 0.65 m, 1.4 m and 0.8 m from a 3-metre roll. The length left on the roll is:

- (A) 0.15 m (B) 0.85 m
(C) 1.15 m (D) 0.25 m

6. In 80.406, what is the difference between the place value of the 4 and the place value of the 6?

- (A) 0.402 (B) 0.396
(C) 0.394 (D) 0.2

7. On a number line marked in hundredths, which point is nearest to 2.5?

- (A) 2.59 (B) 2.53
(C) 2.4 (D) 2.6

8. A litre of juice costs ₹48.50. Half a litre therefore costs:

- (A) ₹24.50 (B) ₹24.05
(C) ₹97.00 (D) ₹24.25

9. Arrange from largest to smallest: 0.404, 0.44, 0.4, 0.044.

- (A) 0.44, 0.404, 0.4, 0.044 (B) 0.404, 0.44, 0.4, 0.044
(C) 0.044, 0.4, 0.404, 0.44 (D) 0.4, 0.404, 0.44, 0.044

10. The mass 7.96 kg rounded to the nearest tenth of a kilogram is:

- (A) 8.0 kg (B) 7.9 kg
(C) 8.1 kg (D) 7.96 kg

11. What is the sum of the digit in the tenths place and the digit in the thousandths place of 36.582?

- (A) 13 (B) 7
(C) 10 (D) 5

12. A jug holds 2 L. Glasses of 0.35 L, 0.4 L and 0.75 L are poured out. The juice still in the jug is:

- (A) 0.45 L (B) 1.5 L
(C) 0.55 L (D) 0.5 L

13. Starting at 0.2 and repeatedly adding 0.15, the numbers are 0.2, 0.35, 0.5, ... The fifth number in this list is:

- (A) 0.65 (B) 0.95
(C) 0.75 (D) 0.8

14. Which fraction is equal to the decimal 0.125?

- (A) $\frac{1}{4}$ (B) $\frac{1}{8}$
(C) $\frac{125}{100}$ (D) $\frac{1}{125}$

15. From a bill of ₹100, items costing ₹23.75, ₹18.50 and ₹9.90 are paid. The change is:

- (A) ₹47.75 (B) ₹52.15
(C) ₹47.85 (D) ₹48.15

16. Which decimal lies exactly halfway between 1.6 and 1.7 on the number line?

- (A) 1.7 (B) 1.605
(C) 1.67 (D) 1.65

17. Which decimal is exactly halfway between 0.8 and 0.9?

- (A) 0.89 (B) 0.805
(C) 0.85 (D) 0.18

18. The number 'three and forty-five thousandths' is written as:

- (A) 3.45 (B) 3.450
(C) 3.0045 (D) 3.045

19. Which statement is TRUE?

- (A) $0.09 > 0.1$ (B) $0.5 < 0.45$
(C) $0.4 > 0.39$ (D) $0.6 = 0.60 + 0.006$

20. A box of 4 identical books weighs 5.2 kg. One such book weighs:

- (A) 1.05 kg (B) 1.3 kg
(C) 1.5 kg (D) 20.8 kg

21. Compute $5 - 1.45 - 0.8$.

- (A) 2.65 (B) 3.75
(C) 2.75 (D) 2.85

22. Which decimal equals the fraction $\frac{7}{8}$?

- (A) 0.78 (B) 0.87
(C) 0.125 (D) 0.875

23. Reading from left to right, how many tenths are there altogether in 4.7?

- (A) 7 (B) 47
(C) 470 (D) 4.7

24. Petrol costs ₹102.347 per litre. Rounded to the nearest paise (two decimal places) this is:

- (A) ₹102.34 (B) ₹102.3
(C) ₹102.4 (D) ₹102.35

25. What number must be added to 2.85 to make exactly 5?

- (A) 3.15 (B) 2.15
(C) 2.25 (D) 2.85

26. Which number is the greatest?

- (A) 0.041 (B) 0.0999
(C) 0.409 (D) 0.399

27. A pencil costs ₹6.50, a sharpener ₹3.75. Paying with a ₹20 note, the change is:

- (A) ₹9.25 (B) ₹9.75
(C) ₹10.25 (D) ₹10.75

28. A wire 4.2 m long is cut into pieces of 0.6 m each. The number of pieces is:

- (A) 6 (B) 7
(C) 8 (D) 0.7

29. Counting up by thousandths, the number just after 3.999 is:

- (A) 4.000 (B) 3.9991
(C) 3.1000 (D) 4.999

30. The difference between the largest and the smallest of 0.808, 0.88, 0.088, 0.8 is:

- (A) 0.792 (B) 0.72
(C) 0.8 (D) 0.088

31. Two ropes are 2.45 m and 1.8 m. The first is longer than the second by:

- (A) 0.37 m (B) 1.27 m
(C) 0.65 m (D) 0.55 m

32. Which decimal equals $2\frac{3}{4}$?

- (A) 2.75 (B) 2.34
(C) 2.43 (D) 2.075

33. The value $6.5 - 2.35 + 0.85$ equals:

- (A) 4.0 (B) 3.3
(C) 5.0 (D) 5.7

34. Which of these statements about rounding is correct?

- (A) 2.48 rounded to the nearest whole is 3 (B) 0.96 rounded to the nearest tenth is 0.9
(C) 2.48 rounded to the nearest tenth is 2.5 (D) 7.5 rounded to the nearest whole is 7

35. In 12.638, the digit whose place value is $\frac{8}{1000}$ and the digit whose place value is $\frac{6}{10}$ add up to:

- (A) 14 (B) 11
(C) 9 (D) 8

36. A tank has 3.5 L. After 1.25 L is added and 0.9 L is removed, the tank holds:

- (A) 3.15 L (B) 3.85 L
(C) 4.75 L (D) 2.65 L

37. How many hundredths altogether are there in 1.2?

- (A) 12 (B) 120
(C) 1200 (D) 20

38. Which decimal equals $\frac{3}{20}$?

- (A) 0.32 (B) 0.015
(C) 0.15 (D) 0.65

39. On a number line, which point lies between 5.3 and 5.4?

- (A) 5.4 (B) 5.03
(C) 5.43 (D) 5.36

40. Compute $84.276 + 57.849$.

- (A) 141.125 (B) 142.025
(C) 142.125 (D) 141.025

41. A scale shows 1.4 kg, but the true weight is 6 hundredths of a kg less. The true weight is:

- (A) 1.46 kg (B) 0.8 kg
(C) 1.34 kg (D) 1.394 kg

42. By how much is 1.2 greater than 0.85?

- (A) 0.45 (B) 1.05
(C) 0.65 (D) 0.35

43. When 0.5, 0.05 and 0.005 are written one after another, each is how many times the next?

- (A) 100 times (B) 5 times
(C) 10 times (D) the same size

44. A box of nails weighs 4.85 kg full and 1.2 kg empty. The nails alone weigh:

- (A) 3.65 kg (B) 3.73 kg
(C) 6.05 kg (D) 3.55 kg

45. Counting back by tenths from 5.2, the third number reached is:

- (A) 4.9 (B) 5.0
(C) 4.8 (D) 5.1

46. Cloth costs ₹64.50 per metre. The cost of 3 metres is:

- (A) ₹193.50 (B) ₹192.50
(C) ₹193.00 (D) ₹64.50

47. Arrange in increasing order: 0.303, 0.33, 0.033, 0.3.

- (A) 0.3, 0.033, 0.303, 0.33 (B) 0.033, 0.303, 0.3, 0.33
(C) 0.033, 0.3, 0.303, 0.33 (D) 0.33, 0.303, 0.3, 0.033

48. Compute $95.6 + 4.87 - 30.45$.

(A) 70.02

(B) 69.02

(C) 70.22

(D) 60.02

49. Which fraction does NOT give a terminating decimal?

(A) $\frac{3}{8}$

(B) $\frac{7}{20}$

(C) $\frac{9}{25}$

(D) $\frac{2}{3}$

50. A jump of 0.01 on the number line, starting at 2.99, lands on:

(A) 2.991

(B) 3.00

(C) 3.09

(D) 2.10

51. Which running trial is the longest: 150.6 m, 150.55 m, 150.7 m, 150.07 m?

(A) 150.55 m

(B) 150.7 m

(C) 150.07 m

(D) 150.6 m

52. Which number, when rounded to the nearest whole number, gives 5?

(A) 5.5

(B) 4.45

(C) 5.51

(D) 4.6

53. Sara had ₹50. She spent ₹15.75, ₹8.40 and ₹12.50. She has left:

(A) ₹13.45

(B) ₹13.35

(C) ₹36.65

(D) ₹14.35

54. The greatest decimal that can be formed using each of the digits 7, 4 and 0 once, with exactly one digit before the decimal point, is:

(A) 7.04

(B) 7.40

(C) 4.70

(D) 0.74

55. A recipe needs 0.75 kg flour for one cake. For 4 cakes the flour needed is:

(A) 2.75 kg

(B) 0.3 kg

(C) 3.75 kg

(D) 3 kg

56. Rounded to the nearest whole number, $149.5 + 0.49$ becomes:

(A) 149

(B) 151

(C) 149.99

(D) 150

57. Two pieces of tape are 0.95 m and 1.6 m. Together they measure:

(A) 1.11 m

(B) 2.45 m

(C) 1.155 m

(D) 2.55 m

58. Which number sentence is TRUE?

(A) $0.25 + 0.25 + 0.25 + 0.25 = 1$

(B) $0.5 + 0.5 = 0.10$

(C) $0.3 + 0.7 = 0.10$

(D) $0.9 + 0.1 = 0.10$

59. A jump of 0.25 on the number line, starting at 0.9, lands on:

(A) 1.15

(B) 1.05

(C) 0.115

(D) 1.25

60. The total of 0.375, 0.125 and 0.5 is:

(A) 1.0

(B) 0.5

(C) 1.25

(D) 0.1

Solutions — Mathematics (Class 7), Chapter 3: A Peek Beyond the Point — Paper 3

Paper 3 — (progressively harder)

Marking: +4 correct, −1 wrong, 0 unattempted. Maximum marks **240**.

Answer Key

Q	Ans	Q	Ans	Q	Ans	Q	Ans	Q	Ans	Q	Ans
1	B	11	B	21	C	31	C	41	C	51	B
2	C	12	D	22	D	32	A	42	D	52	D
3	D	13	D	23	B	33	C	43	C	53	B
4	A	14	B	24	D	34	C	44	A	54	B
5	A	15	C	25	B	35	A	45	A	55	D
6	C	16	D	26	C	36	B	46	A	56	D
7	B	17	C	27	B	37	B	47	C	57	D
8	D	18	D	28	B	38	C	48	A	58	A
9	A	19	C	29	A	39	D	49	D	59	A
10	A	20	B	30	A	40	C	50	B	60	A

Answer-key distribution: A = 15, B = 15, C = 15, D = 15.

Worked Solutions

1. (B) Pole = $4 + 0/10 + 9/100 = 4.09$. Rod = $4 + 9/10 + 0/100 = 4.90$. Lining up the points: $4.90 - 4.09 = 0.81$. Saying 0 treats 4.09 and 4.90 as equal because both 'have a 9' — but the 9 sits in different places. 0.081 misplaces the point. 0.9 just copies the rod's tenths digit. The gap is 0.81.

2. (C) Compare from the left. Tenths first: 0.07 and 0.077 have 0 tenths; 0.7 and 0.707 have 7 tenths, so the two starting 0.0 are smallest. Between 0.07 (=0.070) and 0.077, hundredths tie at 7, thousandths 0 vs 7, so $0.07 < 0.077$. Between 0.7 (=0.700) and 0.707, thousandths 0 vs 7, so $0.7 < 0.707$. Order: $0.07 < 0.077 < 0.7 < 0.707$. The option ranking 0.707 above 0.7 then placing 0.7 last treats 'more digits' as bigger; the descending options are reversed.

3. (D) $0.36 = 36/100$. Divide top and bottom by 4: $36 \div 4 = 9$, $100 \div 4 = 25$, so $9/25$. Check: $9/25 = 36/100 = 0.36$. ✓ $36/10 = 3.6$ (point misplaced). $18/100 = 0.18$ (only halved, and not 0.36). $1/36$ is unrelated.

4. (A) 'Four thousandths' = $4/1000$, which fills the third place after the point and needs zeros in the tenths and hundredths places: 9.004. 9.4 is four tenths, 9.04 is four hundredths, 9.400 is also four tenths (the trailing zeros add nothing). Only 9.004 places the 4 in the thousandths slot.

5. (A) Total cut = $0.65 + 1.4 + 0.8$. Line up the points: $0.65 + 1.40 = 2.05$; $2.05 + 0.80 = 2.85$ m. Remaining = $3.00 - 2.85 = 0.15$ m. 0.85 m comes from cutting only the wrong pieces; 1.15 m forgets one piece; 0.25 m mislines the points. Answer: 0.15 m.

6. (C) The 4 is in the tenths place: value 0.4. The 6 is in the thousandths place: value 0.006. Difference = $0.400 - 0.006 = 0.394$. The trap 0.402 subtracts wrongly ($0.4 - 0.006 \neq 0.402$); 0.396 mishandles the borrow; 0.2 ignores the actual digits. Answer: 0.394.

7. (B) Distances from 2.5 (=2.50): 2.53 is 0.03 away; 2.59 is 0.09 away; 2.4 is 0.10 away; 2.6 is 0.10 away. The smallest gap is 0.03, so 2.53 is nearest. Picking 2.59 just because it 'looks close to 2.5' ignores the actual distance; 2.4 and 2.6 are each a full tenth away.

8. (D) Half of ₹48.50 = $48.50 \div 2$. Half of 48 is 24; half of 0.50 is 0.25. So ₹24.25. ₹24.50 wrongly halves only the rupees and keeps the 50 paise; ₹24.05 misplaces the point; ₹97.00 doubles instead of halving. Answer: ₹24.25.

9. (A) Write to three places: 0.440, 0.404, 0.400, 0.044. Largest first by place value: $0.440 > 0.404 > 0.400 > 0.044$, i.e. 0.44, 0.404, 0.4, 0.044. Ranking 0.404 first treats more digits as bigger; the ascending option reverses the order; placing 0.4 ahead of 0.404 ignores the thousandths.

10. (A) Rounding to the nearest tenth, look at the hundredths digit: it is 6, so round the tenths up. The tenths digit is 9, so 7.9 becomes 8.0 (the 9 rolls over). 7.9 rounds down wrongly; 8.1 over-rounds; 7.96 is not rounded at all. Answer: 8.0 kg.

11. (B) In 36.582: tenths digit = 5, hundredths = 8, thousandths = 2. Tenths + thousandths = $5 + 2 = 7$. 13 mistakenly adds the hundredths (5+8); 10 uses the wrong pair (8+2); 5 reads only one digit. Answer: 7.

12. (D) Poured = $0.35 + 0.4 + 0.75$. Line up points: $0.35 + 0.40 = 0.75$; $0.75 + 0.75 = 1.50$ L. Left = $2.00 - 1.50 = 0.50$ L = 0.5 L. 0.45 L and 0.55 L come from mis-aligning the points; 1.5 L is the amount poured, not what is left. Answer: 0.5 L.

13. (D) List: 1st 0.2; 2nd $0.2+0.15 = 0.35$; 3rd $0.35+0.15 = 0.50$; 4th $0.50+0.15 = 0.65$; 5th $0.65+0.15 = 0.80$. So the fifth term is 0.8. 0.65 is the fourth term; 0.95 adds one step too many; 0.75 mis-adds. Answer: 0.8.

14. (B) $0.125 = 125/1000$. Divide top and bottom by 125: $125 \div 125 = 1$, $1000 \div 125 = 8$, so $1/8$. Check: $1/8 = 0.125$. ✓ $1/4 = 0.25$ (too big); $125/100 = 1.25$ (point misplaced); $1/125 =$

0.008. Answer: $1/8$.

15. (C) Spent = $23.75 + 18.50 + 9.90$. Add: $23.75 + 18.50 = 42.25$; $42.25 + 9.90 = 52.15$. Change = $100.00 - 52.15 = 47.85$. ₹52.15 is the amount spent, not the change; ₹47.75 and ₹48.15 come from a borrowing slip. Answer: ₹47.85.

16. (D) The midpoint = $(1.6 + 1.7) \div 2 = 3.3 \div 2 = 1.65$. Half of a tenth is five hundredths, so $1.6 + 0.05 = 1.65$. 1.605 places the 5 in the thousandths, far too small a step; 1.67 is past the middle; 1.7 is the endpoint. Answer: 1.65.

17. (C) Midpoint = $(0.8 + 0.9) \div 2 = 1.7 \div 2 = 0.85$. Equivalently $0.8 + \text{half of } 0.1 = 0.8 + 0.05 = 0.85$. 0.89 sits near the right end; 0.805 adds only five thousandths; 0.18 is unrelated. Answer: 0.85.

18. (D) Forty-five thousandths = $45/1000$, which occupies the hundredths and thousandths places, leaving a 0 in the tenths: 3.045. 3.45 reads it as forty-five hundredths; 3.450 also reads forty-five hundredths (trailing zero is harmless); 3.0045 makes it ten-thousandths. Answer: 3.045.

19. (C) $0.4 = 0.40$, and $0.40 > 0.39$ (40 hundredths beat 39 hundredths). True. $0.09 > 0.1$ is false ($0.09 < 0.10$). $0.5 < 0.45$ is the classic trap and false ($0.50 > 0.45$). $0.6 = 0.60 + 0.006$ is false (the right side is 0.606). Answer: $0.4 > 0.39$.

20. (B) Each book = $5.2 \div 4$. $5.2 = 52$ tenths; $52 \div 4 = 13$ tenths = 1.3 kg. Check: $1.3 \times 4 = 5.2$. ✓ 1.05 kg multiplies to 4.2, not 5.2; 1.5 kg gives 6.0; 20.8 kg multiplies instead of divides. Answer: 1.3 kg.

21. (C) Work left to right, lining up points. $5.00 - 1.45 = 3.55$; then $3.55 - 0.80 = 2.75$. 2.65 and 2.85 come from a borrowing error; 3.75 subtracts only the first number. Answer: 2.75.

22. (D) $7/8$: since $1000 \div 8 = 125$, multiply $7/8$ by $125/125$ to get $875/1000 = 0.875$. Check: $0.875 \times 8 = 7.0$. ✓ 0.78 reads the digits 7 and 8 straight off; 0.87 swaps the value; 0.125 is $1/8$, not $7/8$. Answer: 0.875.

23. (B) $4.7 = 4$ wholes and 7 tenths. Each whole is 10 tenths, so 4 wholes = 40 tenths, plus 7 tenths = 47 tenths. Check: $47 \text{ tenths} = 47/10 = 4.7$. ✓ 7 counts only the digit after the point; 470 counts hundredths; 4.7 is the number itself. Answer: 47.

24. (D) Two decimal places means look at the third decimal digit, which is 7 (≥ 5), so round the hundredths up: 102.34 becomes 102.35. ₹102.34 rounds down wrongly; ₹102.3 and ₹102.4 round to one place, not two. Answer: ₹102.35.

25. (B) Needed = $5.00 - 2.85$. Borrow: $5.00 - 2.85 = 2.15$. Check: $2.85 + 2.15 = 5.00$. ✓ 3.15 over-counts; 2.25 mishandles the borrow; 2.85 just repeats the start. Answer: 2.15.

26. (C) Compare 0.409, 0.041, 0.0999, 0.399. Tenths digit decides first: 0.409 has 4, 0.399 has 3, while 0.041 and 0.0999 have 0. So the winner is between 0.409 and 0.399; tenths $4 > 3$, so 0.409 is largest. 0.041 and 0.0999 have 0 tenths and are far smaller; 0.399 'looks big' from its 9s but its tenths digit 3 loses to 4. Answer: 0.409.

27. (B) Total cost = $6.50 + 3.75 = 10.25$. Change = $20.00 - 10.25 = 9.75$. ₹10.25 is the amount spent, not the change; ₹9.25 and ₹10.75 come from borrowing slips. Answer: ₹9.75.

28. (B) Pieces = $4.2 \div 0.6 = 42 \div 6 = 7$ (since both $\times 10$). Check: $0.6 \times 7 = 4.2$. ✓ 6 gives 3.6 m; 8 gives 4.8 m; 0.7 confuses the answer with a length. Answer: 7.

29. (A) Adding one thousandth: $3.999 + 0.001 = 4.000$ (the 9s roll over into a new whole). Check: $3.999 + 0.001 = 4.000$. ✓ 3.9991 adds a ten-thousandth; 3.1000 changes the wrong digit; 4.999 adds a whole. Answer: 4.000.

30. (A) Order to three places: 0.880, 0.808, 0.800, 0.088. Largest = 0.88, smallest = 0.088. Difference = $0.880 - 0.088 = 0.792$. 0.72 mishandles the borrow; 0.8 just copies a value; 0.088 is the smallest number, not the gap. Answer: 0.792.

31. (C) Align points: $2.45 - 1.80 = 0.65$ m. 0.37 m comes from lining up the right-hand ends ($2.45 - 1.8$ read as $2.45 - 0.18$ style error); 1.27 m and 0.55 m are borrowing slips. Check: $1.80 + 0.65 = 2.45$. ✓ Answer: 0.65 m.

32. (A) $3/4 = 0.75$, so $2\frac{3}{4} = 2 + 0.75 = 2.75$. Check: $2.75 = 2 + 75/100 = 2 + 3/4$. ✓ 2.34 and 2.43 just stick the digits 3 and 4 after the point; 2.075 treats $3/4$ as thousandths. Answer: 2.75.

33. (C) Left to right, points aligned: $6.50 - 2.35 = 4.15$; then $4.15 + 0.85 = 5.00 = 5.0$. 4.0 and 5.7 come from misaligned points; 3.3 subtracts both instead of subtract-then-add. Answer: 5.0.

34. (C) 2.48 $\rightarrow$ nearest tenth: hundredths digit is 8 (≥ 5), round up, 2.4 becomes 2.5. ✓ '2.48 to nearest whole is 3' is false (it rounds to 2). '0.96 to nearest tenth is 0.9' is false (6 rounds up to 1.0). '7.5 to nearest whole is 7' is false (5 rounds up to 8). Answer: 2.48 $\rightarrow$ 2.5.

35. (A) Place value 8/1000 (thousandths) is the digit 8; place value 6/10 (tenths) is the digit 6. $8 + 6 = 14$. 11 wrongly picks the hundredths 3 ($3+8$); 9 picks $3+6$; 8 reads only one digit. Answer: 14.

36. (B) $3.50 + 1.25 = 4.75$; then $4.75 - 0.90 = 3.85$ L. 4.75 L forgets the removal; 3.15 L and 2.65 L come from a misaligned subtraction. Answer: 3.85 L.

37. (B) $1.2 = 120/100$, because 1 whole = 100 hundredths and $0.2 = 20$ hundredths; $100 + 20 = 120$. Check: $120/100 = 1.20 = 1.2$. ✓ 12 counts tenths; 1200 counts thousandths; 20

counts only the fractional part. Answer: 120.

38. (C) $3/20 = 15/100$ (multiply top and bottom by 5), and $15/100 = 0.15$. Check: $0.15 \times 20 = 3$. ✓ 0.32 reads the digits 3 and 2; 0.015 misplaces the point; 0.65 is unrelated. Answer: 0.15.

39. (D) Between 5.3 (=5.30) and 5.4 (=5.40) lie the hundredths 5.31 through 5.39. 5.36 is one of these. ✓ 5.4 is the endpoint, not between; 5.03 is far below; 5.43 is above 5.4. Answer: 5.36.

40. (C) Add aligning points. Thousandths: $6+9 = 15$, write 5 carry 1. Hundredths: $7+4+1 = 12$, write 2 carry 1. Tenths: $2+8+1 = 11$, write 1 carry 1. Ones: $4+7+1 = 12$, write 2 carry 1. Tens: $8+5+1 = 14$, write 14. Result 142.125. The distractors drop a carry. Answer: 142.125.

41. (C) 6 hundredths = 0.06. True = $1.40 - 0.06 = 1.34$ kg. 1.46 kg adds instead of subtracts; 0.8 kg subtracts 0.6 (six tenths) wrongly; 1.394 kg subtracts six thousandths. Answer: 1.34 kg.

42. (D) $1.20 - 0.85 = 0.35$. Check: $0.85 + 0.35 = 1.20$. ✓ 0.45 and 0.65 come from a borrowing error; 1.05 lines up the right ends instead of the points. Answer: 0.35.

43. (C) Moving one place to the right divides by 10: $0.5 \div 10 = 0.05$, and $0.05 \div 10 = 0.005$. So each is 10 times the next. 100 times would be two places; 5 times misreads the digit; 'same size' ignores place value. Answer: 10 times.

44. (A) Nails = $4.85 - 1.20 = 3.65$ kg. 3.73 kg lines up the right ends ($4.85 - 1.2$ mistaken as $4.85 - 0.12$ style); 6.05 kg adds instead; 3.55 kg is a borrowing slip. Answer: 3.65 kg.

45. (A) $5.2 - 0.1 = 5.1$ (1st), $5.1 - 0.1 = 5.0$ (2nd), $5.0 - 0.1 = 4.9$ (3rd). So the third number is 4.9. 5.1 is the first; 5.0 the second; 4.8 is one step too far. Answer: 4.9.

46. (A) $3 \times 64.50 = 3 \times 64 + 3 \times 0.50 = 192 + 1.50 = 193.50$. ₹192.50 forgets to carry the extra rupee; ₹193.00 drops the 50 paise; ₹64.50 is one metre. Answer: ₹193.50.

47. (C) Write to three places: 0.033, 0.300, 0.303, 0.330. Smallest first: $0.033 < 0.3 < 0.303 < 0.33$. The option starting 0.3 then 0.033 mis-orders the two; the option putting 0.303 before 0.3 treats more digits as bigger; the last option is descending. Answer: 0.033, 0.3, 0.303, 0.33.

48. (A) $95.60 + 4.87 = 100.47$; then $100.47 - 30.45 = 70.02$. 69.02 and 70.22 come from carry/borrow slips; 60.02 subtracts wrongly. Answer: 70.02.

49. (D) $2/3 = 0.666\ldots$ repeats forever (3 is not a factor of any power of 10). The others terminate: $3/8 = 0.375$, $7/20 = 0.35$, $9/25 = 0.36$. So $2/3$ is the non-terminating one. Answer: $2/3$.

50. (B) $2.99 + 0.01 = 3.00$ (the hundredths roll the whole over). Check: $2.99 + 0.01 = 3.00$. ✓ 2.991 adds a thousandth; 3.09 adds a tenth; 2.10 changes the wrong place. Answer: 3.00 .

51. (B) Compare the decimal parts (whole part 150 is equal): $0.6, 0.55, 0.7, 0.07 \rightarrow$ as hundredths 60, 55, 70, 7. Largest is 70, i.e. 150.7 m. 150.55 'has more digits' but $0.55 < 0.7$; 150.07 has the small 0.07 ; $150.6 < 150.7$. Answer: 150.7 m.

52. (D) Round to nearest whole: $4.6 \rightarrow 5$ (tenths $6 \geq 5$, round up to 5). ✓ $5.5 \rightarrow 6$ (rounds up); $4.45 \rightarrow 4$ (tenths 4 rounds down); $5.51 \rightarrow 6$. Only 4.6 rounds to 5. Answer: 4.6 .

53. (B) Spent = $15.75 + 8.40 + 12.50 = 36.65$. Left = $50.00 - 36.65 = 13.35$. ₹36.65 is the amount spent; ₹13.45 and ₹14.35 are borrowing slips. Answer: ₹13.35.

54. (B) One digit before the point, two after. To maximise, put the largest digit (7) before the point, then the next largest (4) in the tenths, then 0: 7.40 . 7.04 puts 0 in the bigger place; 4.70 starts smaller; 0.74 wastes the whole-number place. Answer: 7.40 .

55. (D) $4 \times 0.75 = 4 \times 3/4 = 3$ kg. Check: $0.75 + 0.75 + 0.75 + 0.75 = 3.00$. ✓ 2.75 kg adds wrongly; 0.3 kg multiplies the digits not the value; 3.75 kg over-counts. Answer: 3 kg.

56. (D) First add: $149.50 + 0.49 = 149.99$. Now round 149.99 to the nearest whole: the tenths digit is 9 (≥ 5), so round up to 150. 149 rounds down wrongly; 151 over-rounds; 149.99 is not rounded. Answer: 150 .

57. (D) Align points: $0.95 + 1.60 = 2.55$ m. 1.11 m lines up the right ends ($0.95 + 1.6$ read as $0.95 + 0.16$); 2.45 m drops a carry; 1.155 m mis-aligns. Answer: 2.55 m.

58. (A) $0.25 + 0.25 = 0.50$, plus $0.25 = 0.75$, plus $0.25 = 1.00 = 1$. True (four quarters make a whole). ' $0.5 + 0.5 = 0.10$ ' is false (it equals 1.0). ' $0.3 + 0.7 = 0.10$ ' is false (equals 1.0). ' $0.9 + 0.1 = 0.10$ ' is false (equals 1.0) — all three write the answer 1.0 as the mis-aligned ' 0.10 '. Answer: 0.25 four times = 1 .

59. (A) $0.90 + 0.25 = 1.15$. Check: $0.90 + 0.25 = 1.15$. ✓ 1.05 mis-adds; 0.115 mis-aligns the point; 1.25 over-adds. Answer: 1.15 .

60. (A) $0.375 + 0.125 = 0.500$; then $0.500 + 0.5 = 1.000 = 1.0$. (In fractions, $3/8 + 1/8 + 4/8 = 8/8 = 1$.) 0.5 stops too early; 1.25 over-adds; 0.1 mis-aligns the points. Answer: 1.0 .