

Chapter 3: A Peek Beyond the Point

Subject	Mathematics (NCERT Class 7)
Chapter	3 – A Peek Beyond the Point
Total Questions	60 (Multiple Choice, single correct)
Maximum Marks	240
Suggested Time	90 minutes

Instructions: Each question has four options (A), (B), (C), (D); exactly one is correct. This is the hardest tier: every wrong option is a fully computable slip, not a random number. Beware longer-is-bigger ordering traps, right-end alignment in add/subtract, interior-zero place shifts (0.305 is not 0.35), point-drift when multiplying or dividing by 10/100/1000, half-of-a-tenth being five hundredths, terminating-decimal tests (a fraction in lowest terms ends only when its denominator has no prime factor other than 2 and 5), and chained multi-step computations where doing the steps out of order gives a baited answer. Do not write on this paper — mark answers on your answer sheet.

1. A number has 5 in the tens place, 5 in the tenths place, and 5 in the thousandths place; every other place from the tens down to the thousandths is zero. The number is:
(A) 55.55 (B) 50.505
(C) 50.055 (D) 5.505
2. Written as a decimal, $3 + 4/10 + 9/1000$ is:
(A) 3.49 (B) 3.409
(C) 3.0409 (D) 3.4009
3. When 4.8 is multiplied by 1000 and the result is then divided by 100, the final value is:
(A) 4.8 (B) 48
(C) 480 (D) 0.48
4. Which of these four numbers is the LARGEST: 0.6, 0.59, 0.601, 0.5999?
(A) 0.5999 (B) 0.6
(C) 0.59 (D) 0.601

5. Compute $10 - 3.45 - 2.8 - 0.05$.

- (A) 3.6 (B) 3.7
(C) 4.7 (D) 3.75

6. A digit 7 has place value 0.007 in one number and place value 7 in another. The first place value is what fraction of the second?

- (A) $1/100$ (B) $1/10$
(C) $1/1000$ (D) $1/700$

7. In 70.503, the place value of the 5 minus the place value of the 3 equals:

- (A) 0.497 (B) 0.503
(C) 0.2 (D) 0.5

8. Which decimal lies exactly halfway between 2.6 and 2.8 on the number line?

- (A) 2.07 (B) 2.74
(C) 2.65 (D) 2.7

9. Arrange from largest to smallest: 0.5, 0.505, 0.55, 0.055.

- (A) 0.505, 0.55, 0.5, 0.055 (B) 0.055, 0.5, 0.505, 0.55
(C) 0.55, 0.505, 0.5, 0.055 (D) 0.5, 0.505, 0.55, 0.055

10. Written in simplest form, the decimal 0.625 equals:

- (A) $5/8$ (B) $625/100$
(C) $5/80$ (D) 0.625

11. Compute $6.5 - 2.78 + 1.9 - 0.62$.

- (A) 5.0 (B) 5.32
(C) 4.0 (D) 5.62

12. A number reads 'forty and seventy thousandths'. Written in figures it is:

- (A) 40.7 (B) 40.0070
(C) 40.070 (D) 40.7000

13. Which fraction equals the decimal 0.0625 in simplest form?

- (A) $625/1000$ (B) $1/160$
(C) $5/8$ (D) $1/16$

14. A wire 2.5 m long is expressed in millimetres ($1 \text{ m} = 1000 \text{ mm}$). The length is:

- (A) 250 mm (B) 2500 mm
(C) 25000 mm (D) 25 mm

15. From a 6 m roll of ribbon, pieces of 1.45 m, 0.8 m, 1.25 m and 0.7 m are cut. The length left is:

- (A) 1.7 m (B) 2.5 m
(C) 1.8 m (D) 1.85 m

16. On a number line marked in hundredths, which point is NEAREST to 3.5: 3.46, 3.53, 3.4 or 3.6?

- (A) 3.53 (B) 3.46
(C) 3.6 (D) 3.4

17. Rounded to the nearest tenth, the value $7.249 + 0.06$ is:

- (A) 7.2 (B) 7.31
(C) 7.25 (D) 7.3

18. Which list is in correct increasing order: 1.2, 1.02, 1.202, 1.022?

- (A) 1.02, 1.022, 1.202, 1.2 (B) 1.022, 1.02, 1.2, 1.202
(C) 1.02, 1.2, 1.022, 1.202 (D) 1.02, 1.022, 1.2, 1.202

19. Which fraction equals the decimal 0.0375 in simplest form?

- (A) $375/1000$ (B) $3/8$
(C) $375/10000$ (D) $3/80$

20. A bottle holds 2.5 L. In millilitres ($1 \text{ L} = 1000 \text{ mL}$) and then poured equally into 5 glasses, each glass holds:

- (A) 50 mL (B) 500 mL
(C) 5000 mL (D) 250 mL

21. Counting back by hundredths from 5.01, the fourth number reached is:

- (A) 4.97 (B) 4.98
(C) 4.61 (D) 5.05

22. A number x satisfies x divided by 100 equals 0.039. The number x is:

- (A) 3.9 (B) 0.39
(C) 39 (D) 0.0039

23. Reading 8.605, which words are correct?

- (A) eight and sixty-five hundredths (B) eight and six hundred five hundredths
(C) eight point six hundred five (D) eight and six hundred five thousandths

24. Compute $100 - 27.65 - 8.9 - 1.05$.

- (A) 62.5 (B) 63.45
(C) 62.4 (D) 62.45

25. Which number, when rounded to the nearest tenth, does NOT give 4.3?

- (A) 4.25 (B) 4.36
(C) 4.34 (D) 4.27

26. A digit moved from the thousandths place to the tenths place has its value multiplied by:

- (A) 10 (B) 1000
(C) $1/100$ (D) 100

27. A pen costs 8.75 rupees, a pencil 4.50 rupees. Buying 2 pens and 3 pencils and paying with a 100-rupee note, the change is:

- (A) 68.00 rupees (B) 82.75 rupees
(C) 69.50 rupees (D) 69.00 rupees

28. Written as a decimal in simplest terms, the fraction $7/40$ is:

- (A) 0.74 (B) 0.1750
(C) 0.175 (D) 1.75

29. A jump of 0.35 on the number line, starting at 0.85, then a jump back of 0.6, lands on:

- (A) 0.55 (B) 1.2
(C) 0.66 (D) 0.6

30. The difference between the largest and the smallest of 0.909, 0.99, 0.099, 0.9 is:

- (A) 0.81 (B) 0.9
(C) 0.099 (D) 0.891

31. A digit 9 has place value 0.9 in one number and 0.009 in another. The second value is what fraction of the first?

- (A) $1/10$ (B) $1/100$
(C) $1/1000$ (D) $1/9$

32. Place in increasing order: 0.808, 0.88, 0.088, 0.8.

- (A) 0.088, 0.8, 0.808, 0.88 (B) 0.088, 0.808, 0.8, 0.88
(C) 0.8, 0.088, 0.808, 0.88 (D) 0.088, 0.8, 0.88, 0.808

33. A tank holds 5 L. After 1.65 L and 0.9 L are poured out and then 0.55 L is added back, the tank holds:

- (A) 2.9 L (B) 2.45 L
(C) 3 L (D) 3.1 L

34. Rounded to the nearest whole number, the sum $12.5 + 0.5 + 0.49 + 0.5$ becomes:

- (A) 13 (B) 15
(C) 14 (D) 14.49

35. A relay team's four laps are 12.4 s, 11.85 s, 12.05 s and 11.7 s. The total time is:

- (A) 47.9 s (B) 48.0 s
(C) 48.1 s (D) 47.0 s

36. A jug had some juice. After 0.65 L was added and then 0.4 L was poured out, it held 1.5 L. The juice originally in the jug was:

- (A) 1.75 L (B) 1.25 L
(C) 0.45 L (D) 1.15 L

37. When 0.0408 is multiplied by 1000, the result is:

- (A) 40.8 (B) 4.08
(C) 408 (D) 0.408

38. Which decimal equals $2 + \frac{7}{8}$ written as a single decimal?

- (A) 2.78 (B) 2.875
(C) 2.125 (D) 2.8

39. When 56.7 is divided by 1000, the result is:

- (A) 0.567 (B) 5.67
(C) 0.0567 (D) 0.00567

40. A scale shows 3.4 kg, but the true mass is 8 hundredths of a kg less, and a 0.15 kg tray must also be removed. The net mass is:

- (A) 3.32 kg (B) 3.25 kg
(C) 3.17 kg (D) 3.17 g

41. Which trial is the SHORTEST: 300.6 m, 300.06 m, 300.506 m, 300.56 m?

- (A) 300.506 m (B) 300.6 m
(C) 300.06 m (D) 300.56 m

42. When a decimal is multiplied by 100 and then by 10, by what single factor has it been multiplied?

- (A) 110 (B) 1000
(C) 10 (D) 100

43. The number 9.5 lies between which pair after each member is divided by 10?

- (A) between 0.94 and 0.96 (since $9.5 / 10 = 0.95$)
(B) between 9.4 and 9.6 (C) between 94 and 96
(D) between 0.094 and 0.096

44. Rounded to the nearest tenth, the quotient $9.3 / 4$ is:

- (A) 2.4 (B) 2.32
(C) 2.2 (D) 2.3

45. Counting back by hundredths from 4.03, the fifth number reached is:

- (A) 3.98 (B) 3.99
(C) 3.53 (D) 4.08

46. Compute $8 - 3.45 - 1.7 - 0.85 - 0.5$.

- (A) 1.4 (B) 2.0
(C) 1.5 (D) 1.55

47. A length of 0.375 m is needed for each shelf, and there are 8 shelves; from a 4 m board, the leftover length is:

- (A) 3 m (B) 0.375 m
(C) 1.625 m (D) 1 m

48. Which fraction does NOT give a terminating (ending) decimal?

- (A) $\frac{7}{40}$ (B) $\frac{7}{30}$
(C) $\frac{9}{50}$ (D) $\frac{13}{16}$

49. By how much is 1.2 greater than the sum $0.45 + 0.6$?

- (A) 0.25 (B) 0.75
(C) 0.15 (D) 0.05

50. A scale shows 2.5 kg per loaf. After buying 4 loaves and removing a 0.2 kg wrapper from each, the net weight carried is:

- (A) 9.2 kg (B) 10 kg
(C) 9.8 kg (D) 2.3 kg

51. Which trial is the LONGEST: 250.6 m, 250.66 m, 250.606 m, 250.066 m?

- (A) 250.606 m (B) 250.66 m
(C) 250.066 m (D) 250.6 m

52. Rounded to the nearest whole number, the product 2.5×3 minus 0.6 is:

- (A) 8 (B) 6
(C) 6.9 (D) 7

53. A digit string '305' appears after the point in 0.305. How many thousandths altogether does 0.305 represent?

- (A) 35 (B) 3050
(C) 305 (D) 350

54. A digit moved from the tenths place to the thousandths place has its value multiplied by:

- (A) $\frac{1}{100}$ (B) $\frac{1}{10}$
(C) $\frac{1}{1000}$ (D) 100

55. The greatest decimal that can be formed using each of the digits 8, 3 and 0 once, with exactly one digit before the decimal point, is:

- (A) 8.03 (B) 8.30
(C) 3.80 (D) 0.83

56. Compute $15.5 \times 2 - 12.8 - 0.9$.

- (A) 18.2 (B) 17.2
(C) 16.3 (D) 17.3

57. How many hundredths altogether are there in 3.07?

(A) 307

(B) 37

(C) 3070

(D) 30.7

58. Three identical bricks are stacked to a height of 14.4 cm. After adding two more identical bricks, the stack height is:

(A) 24.0 cm

(B) 16.4 cm

(C) 28.8 cm

(D) 19.2 cm

59. Sara had 200 rupees. She bought 4 items at 18.75 rupees each and 1 item at 22.50 rupees. The money left is:

(A) 97.50 rupees

(B) 103.00 rupees

(C) 102.50 rupees

(D) 121.25 rupees

60. The total of 0.0625, 0.1875, 0.25 and 0.5 is:

(A) 1.0

(B) 0.9375

(C) 1.25

(D) 0.875

Solutions — Mathematics (Class 7), Chapter 3: A Peek Beyond the Point — Paper 5

Paper 5 — (progressively harder)

Marking: +4 correct, −1 wrong, 0 unattempted. Maximum marks **240**.

Answer Key

Q	Ans	Q	Ans	Q	Ans	Q	Ans	Q	Ans	Q	Ans
1	B	11	A	21	A	31	B	41	C	51	B
2	B	12	C	22	A	32	A	42	B	52	D
3	B	13	D	23	D	33	C	43	A	53	C
4	D	14	B	24	C	34	C	44	D	54	A
5	B	15	C	25	B	35	B	45	A	55	B
6	C	16	A	26	D	36	B	46	C	56	D
7	A	17	D	27	D	37	A	47	D	57	A
8	D	18	D	28	C	38	B	48	B	58	A
9	C	19	D	29	D	39	C	49	C	59	C
10	A	20	B	30	D	40	C	50	A	60	A

Answer-key distribution: A = 15, B = 15, C = 15, D = 15.

Worked Solutions

1. (B) Tens = 50, tenths = 0.5, thousandths = 0.005, with zero ones and zero hundredths: $50 + 0.5 + 0.005 = 50.505$. Putting all three fives next to each other (55.55) ignores the empty ones and hundredths places. Writing 50.055 mistakenly moves the 5 from the tenths place into the hundredths place. Writing 5.505 puts the leading 5 in the ones place instead of the tens place.

2. (B) Tenths digit 4 goes one place after the point; the 9 is thousandths, so the hundredths place is empty (0): 3.409. Writing 3.49 wrongly puts the 9 in the hundredths place. 3.0409 leaves the tenths place empty and shifts everything one place too far right. 3.4009 pushes the 9 into the ten-thousandths place, one place too far.

3. (B) Multiplying 4.8 by 1000 moves the point three places right to 4800; dividing 4800 by 100 moves it two places left to 48. Net shift is one place right, so 4.8 becomes 48. Getting 4.8 assumes the two operations cancel, but +3 then -2 leaves +1. 480 forgets the divide step. 0.48 moves the point the wrong way.

4. (D) Compare place by place. All start 0.6 vs 0.59.., so the 0.5.. numbers lose at the tenths place. Among 0.6 (=0.6000) and 0.601, the hundredths are 0 vs 0, then thousandths 0 vs 1, so 0.601 wins. 0.5999 only looks big because it has the most digits, but its tenths digit 5 is already smaller than 6. 0.6 ties 0.601 until the thousandths place, where it loses. 0.59 is the smallest.

5. (B) Work left to right: $10 - 3.45 = 6.55$; $6.55 - 2.8 = 3.75$; $3.75 - 0.05 = 3.7$. Stopping at 3.75 forgets the last subtraction. 3.6 comes from a wrong borrow in $6.55 - 2.8$. 4.7 comes from misaligning 2.8 as 0.28.

6. (C) 0.007 is 7 thousandths = $7/1000$, and the other is 7 ones. The ratio is $(7/1000) / 7 = 1/1000$. Choosing $1/100$ confuses thousandths with hundredths. $1/10$ confuses thousandths with tenths. $1/700$ wrongly divides 1 by 7 times 100.

7. (A) The 5 is in the tenths place (0.5) and the 3 is in the thousandths place (0.003). $0.5 - 0.003 = 0.497$. Choosing 0.503 reads the two digits together as one number. 0.2 subtracts the digits 5 and 3 as $5 - 3$ then misplaces it. 0.5 ignores the 3 entirely.

8. (D) Halfway between 2.6 and 2.8 is their average: $(2.6 + 2.8) / 2 = 5.4 / 2 = 2.7$. Choosing 2.65 finds the midpoint of 2.6 and 2.7 instead of 2.6 and 2.8. 2.74 is not centred. 2.07 misreads the place of the 7.

9. (C) Tenths first: 0.55 and 0.5 and 0.505 all have tenths 5, but 0.055 has tenths 0, so it is smallest. Among the rest, hundredths: 0.55 has 5, while 0.5 (=0.50) and 0.505 have 0, so 0.55 is largest. Between 0.5 and 0.505 the thousandths decide: 0.505 beats 0.50. Order: 0.55, 0.505, 0.5, 0.055. Putting 0.505 before 0.55 wrongly reads more digits as bigger.

10. (A) $0.625 = 625/1000$. Divide top and bottom by 125: $625/125 = 5$ and $1000/125 = 8$, so $5/8$. Writing $625/100$ mistakes the place value of the last digit. $5/80$ over-cancels. The point form is not a fraction.

11. (A) Left to right: $6.5 - 2.78 = 3.72$; $3.72 + 1.9 = 5.62$; $5.62 - 0.62 = 5.0$. Stopping at 5.62 forgets the last subtraction. 5.32 comes from dropping the $1.9 - 0.62$ pair into a single wrong step. 4.0 mishandles the first borrow.

12. (C) Seventy thousandths means $70/1000 = 0.070$, so the number is $40 + 0.070 = 40.070$ (equal to 40.07). Writing 40.7 makes it seventy tenths, far too big. 40.0070 reads it as seventy ten-thousandths. 40.7000 again places the 7 in the tenths slot.

13. (D) $0.0625 = 625/10000$. Dividing top and bottom by 625 gives $1/16$. Writing $625/1000$ misreads the last digit as thousandths. $1/160$ over-cancels by a factor of 10. $5/8$ is the value of 0.625, ten times larger.

14. (B) Multiplying by 1000 moves the point three places right: 2.5 becomes 2500. So 2.5 m = 2500 mm. 250 mm moves the point only two places (that is centimetres). 25000 mm

moves it four places. 25 mm moves it only one place.

15. (C) Total cut = $1.45 + 0.8 + 1.25 + 0.7 = 4.2$ m. Left = $6 - 4.2 = 1.8$ m. Getting 1.7 comes from a wrong carry while adding the four pieces. 2.5 comes from leaving out the 0.7 piece. 1.85 misaligns 0.8 as 0.08.

16. (A) Distances from 3.5: $|3.46 - 3.5| = 0.04$, $|3.53 - 3.5| = 0.03$, $|3.6 - 3.5| = 0.1$, $|3.4 - 3.5| = 0.1$. The smallest gap, 0.03, belongs to 3.53. Picking 3.46 thinks 'fewer hundredths below' is closer, but 0.04 beats 0.03 only if you misjudge. 3.6 and 3.4 are each a tenth away.

17. (D) First add: $7.249 + 0.06 = 7.309$. To the nearest tenth, look at the hundredths digit 0... wait, 7.309 has hundredths 0, so it rounds DOWN? Re-check: 7.309 - the tenths digit is 3, hundredths is 0, so it rounds to 7.3. Choosing 7.2 rounds before adding the 0.06. 7.31 rounds to hundredths, not tenths. 7.25 adds wrongly.

18. (D) Tenths first: 1.02 and 1.022 have tenths 0; 1.2 and 1.202 have tenths 2, so the two 1.0.. numbers come first. Between 1.02 (=1.020) and 1.022, thousandths 0 vs 2 puts 1.02 below 1.022. Between 1.2 (=1.200) and 1.202, thousandths 0 vs 2 puts 1.2 below 1.202. Final: 1.02, 1.022, 1.2, 1.202. Placing 1.202 before 1.2 reads more digits as bigger.

19. (D) $0.0375 = 375/10000$. Divide top and bottom by 125: $375/125 = 3$ and $10000/125 = 80$, giving $3/80$. Writing $375/1000$ misreads the place by one. $3/8$ is the value of 0.375, ten times bigger. $375/10000$ is correct but not in simplest form.

20. (B) 2.5 L = 2500 mL (point three places right). Shared among 5 glasses: $2500 / 5 = 500$ mL each. Getting 50 mL divides 250 by 5 (only moving the point two places when converting). 5000 mL forgets to divide. 250 mL divides 1250 by 5.

21. (A) Start 5.01. First step 5.00, second 4.99, third 4.98, fourth 4.97. Stopping at 4.98 counts only three steps. 4.61 subtracts tenths instead of hundredths. 5.05 counts forward.

22. (A) If $x / 100 = 0.039$, then $x = 0.039$ multiplied by 100, moving the point two places right: 3.9. Getting 0.39 moves the point only one place. 39 moves it three places. 0.0039 moves it the wrong direction.

23. (D) 8.605 has 605 in the thousandths group (six tenths, zero hundredths, five thousandths) = $605/1000$, read 'six hundred five thousandths'. Saying 'sixty-five hundredths' drops the interior zero and shrinks the number to 8.65. Saying 'six hundred five hundredths' names the wrong place. 'Six hundred five' alone has no place named.

24. (C) Left to right: $100 - 27.65 = 72.35$; $72.35 - 8.9 = 63.45$; $63.45 - 1.05 = 62.4$. Stopping at 63.45 forgets the last subtraction. 62.5 mishandles the 8.9 borrow. 62.45 misaligns 1.05.

25. (B) A number rounds to 4.3 only if it lies from 4.25 up to (but not including) 4.35. 4.36 is past 4.35, so it rounds up to 4.4 instead. The other three: 4.25 rounds up to 4.3, 4.34 rounds to 4.3, and 4.27 rounds to 4.3, so they all give 4.3.

26. (D) Tenths is two places to the left of thousandths. Each step left multiplies by 10, so two steps multiply by 10 times 10 = 100. Choosing 10 counts only one step. 1000 counts three steps. 1/100 moves in the wrong direction (right, not left).

27. (D) 2 pens = $2 \times 8.75 = 17.50$; 3 pencils = $3 \times 4.50 = 13.50$; total = 31.00. Change = 100 - 31.00 = 69.00 rupees. Getting 82.75 buys only one of each. 68.00 mis-adds the pencils as 14.50. 69.50 mis-adds the pens as 16.50.

28. (C) $40 = 8 \times 5$; multiply top and bottom to make a power of ten: $7/40 = 175/1000 = 0.175$. (Check: 7 divided by 40 = 0.175.) Writing 0.74 just rearranges the digits. 1.75 is ten times too large (that is 7/4). 0.1750 is correct in value but has an unneeded trailing zero, so it is not simplest.

29. (D) $0.85 + 0.35 = 1.2$; then $1.2 - 0.6 = 0.6$. Stopping at 1.2 forgets the jump back. 0.55 mis-adds the first jump. 0.66 misaligns the 0.6 as 0.06.

30. (D) Largest: compare tenths (9,9,0,9) drops 0.099; among 0.909, 0.99, 0.9 the hundredths (0,9,0) make 0.99 biggest. Smallest is 0.099. Difference = $0.99 - 0.099 = 0.891$. Getting 0.81 subtracts $0.99 - 0.18$ by mis-reading. 0.9 ignores the 0.099 digits. 0.099 reports the small value itself.

31. (B) $0.009 / 0.9 = 9/1000$ divided by $9/10 = (9/1000) \times (10/9) = 10/1000 = 1/100$. Choosing 1/10 counts only one place gap. 1/1000 counts three. 1/9 wrongly divides the digits.

32. (A) Tenths: 0.088 has 0, the rest have 8, so 0.088 is smallest. Among 0.8 (=0.800), 0.808, 0.88, hundredths are 0, 0, 8, so 0.88 is largest. Between 0.800 and 0.808, thousandths 0 vs 8 put 0.8 below 0.808. Order: 0.088, 0.8, 0.808, 0.88. Swapping 0.88 and 0.808 reads more digits as bigger.

33. (C) $5 - 1.65 = 3.35$; $3.35 - 0.9 = 2.45$; $2.45 + 0.55 = 3.0$ L. Stopping at 2.45 forgets to add back. 2.9 mishandles the 0.9 borrow. 3.1 mis-adds the 0.55.

34. (C) Add first: $12.5 + 0.5 + 0.49 + 0.5 = 13.99$. To the nearest whole number that is 14 (since the tenths digit 9 rounds up). Rounding each piece first and adding ($13 + 1 + 0 + 1$) wrongly gives 15. Truncating gives 13. 14.49 is not a whole number.

35. (B) $12.4 + 11.85 = 24.25$; $24.25 + 12.05 = 36.30$; $36.30 + 11.7 = 48.0$ s. Getting 47.9 drops a carry in the hundredths. 48.1 over-carries. 47.0 mis-adds the whole-second parts.

36. (B) Let the start be x . $x + 0.65 - 0.4 = 1.5$, so $x + 0.25 = 1.5$, giving $x = 1.25$ L. Adding instead of reversing ($1.5 + 0.65 - 0.4$) gives 1.75. Reversing both signs wrongly gives 1.15. 0.45 ignores the net 0.25.

37. (A) Multiplying by 1000 moves the point three places right: $0.0408 \rightarrow 0.408 \rightarrow 4.08 \rightarrow 40.8$. Getting 4.08 moves only two places. 408 moves four places. 0.408 moves only one place.

38. (B) $7/8 = 0.875$ (since 7 divided by 8 = 0.875). So $2 + 7/8 = 2.875$. Writing 2.78 swaps and drops a digit. 2.125 is $2 + 1/8$ by mistake. 2.8 rounds prematurely.

39. (C) Dividing by 1000 moves the point three places left: $56.7 \rightarrow 5.67 \rightarrow 0.567 \rightarrow 0.0567$. Getting 0.567 moves only two places. 5.67 moves only one. 0.00567 moves four places.

40. (C) True mass = $3.4 - 0.08 = 3.32$ kg; remove the tray: $3.32 - 0.15 = 3.17$ kg. Stopping at 3.32 forgets the tray. 3.25 subtracts only the tray. The unit must stay kg, not g.

41. (C) All share 300. Tenths: 300.6 and 300.506 and 300.56 have tenths 6, 5, 5; 300.06 has tenths 0, the smallest. So 300.06 is shortest. Picking 300.506 thinks the most digits means smallest, but its tenths 5 is bigger than 0.

42. (B) Multiplying by 100 then by 10 multiplies overall by $100 \times 10 = 1000$ (the point moves $2 + 1 = 3$ places right). Choosing 110 adds the two factors instead of multiplying. 10 or 100 keeps only one of the two steps.

43. (A) $9.5 / 10 = 0.95$, which sits between 0.94 and 0.96. The pair 9.4 to 9.6 forgets the divide. 94 to 96 multiplies instead. 0.094 to 0.096 divides by 100, one place too far.

44. (D) $9.3 / 4 = 2.325$. To the nearest tenth, the hundredths digit 2 rounds it down to 2.3. Getting 2.4 rounds up wrongly. 2.32 rounds only to hundredths. 2.2 truncates.

45. (A) From 4.03: step 1 $\rightarrow$ 4.02, 2 $\rightarrow$ 4.01, 3 $\rightarrow$ 4.00, 4 $\rightarrow$ 3.99, 5 $\rightarrow$ 3.98. Stopping at 3.99 counts only four steps. 3.53 subtracts tenths. 4.08 counts forward.

46. (C) $8 - 3.45 = 4.55$; $4.55 - 1.7 = 2.85$; $2.85 - 0.85 = 2.0$; $2.0 - 0.5 = 1.5$. Stopping at 2.0 forgets the last subtraction. 1.4 mishandles a borrow. 1.55 misaligns the 0.5.

47. (D) 8 shelves $\times$ 0.375 m = 3 m used. Leftover = $4 - 3 = 1$ m. Getting 3 m reports the amount used, not left. 1.625 subtracts only one shelf-length. 0.375 reports a single shelf.

48. (B) A fraction in lowest terms terminates only if its denominator's prime factors are only 2s and 5s. $30 = 2 \times 3 \times 5$ has a 3, so $7/30$ does NOT terminate. $40 = 2 \times 2 \times 2 \times 5$, $50 = 2 \times 5 \times 5$, and $16 = 2 \times 2 \times 2 \times 2$ all have only 2s and 5s, so those terminate.

49. (C) First add: $0.45 + 0.6 = 1.05$. Then $1.2 - 1.05 = 0.15$. Getting 0.75 forgets to add the 0.6 (does $1.2 - 0.45$). 0.25 mis-adds the sum as 0.95. 0.05 mis-aligns the 0.6 as 0.06.

50. (A) Each net loaf = $2.5 - 0.2 = 2.3$ kg; four of them = $4 \times 2.3 = 9.2$ kg. Getting 10 kg forgets the wrappers. 9.8 removes only one wrapper. 2.3 reports one loaf.

51. (B) All share 250.6 except 250.066 (tenths 0). Among 250.6 (=250.600), 250.66, 250.606, hundredths are 0, 6, 0, so 250.66 leads. Picking 250.606 reads the most digits as biggest, but its hundredths 0 loses to 0.66's 6.

52. (D) $2.5 \times 3 = 7.5$; $7.5 - 0.6 = 6.9$; to the nearest whole number, 6.9 rounds to 7. Rounding 7.5 to 8 first (before subtracting) overshoots. 6 truncates. 6.9 is not whole.

53. (C) $0.305 = 305/1000$, so it is 305 thousandths. Reading it as 35 drops the interior zero. 3050 multiplies by ten. 350 swaps the 0 and 5.

54. (A) Thousandths is two places to the RIGHT of tenths; each step right divides by 10, so two steps give $1/100$. Choosing $1/10$ counts one step. $1/1000$ counts three. 100 moves the wrong way (left).

55. (B) With one digit before the point, the value is biggest when that digit is largest: 8. Then the remaining digits 3 and 0 go after the point, largest first: 0.30. So 8.30. Putting 0 right after the point (8.03) wastes the tenths place. 3.80 and 0.83 use a smaller leading digit.

56. (D) $15.5 \times 2 = 31.0$; $31.0 - 12.8 = 18.2$; $18.2 - 0.9 = 17.3$. Stopping at 18.2 forgets the last subtraction. 17.2 mishandles a borrow. 16.3 misaligns the 12.8.

57. (A) $3.07 = 307/100$, so there are 307 hundredths. Reading it as 37 drops the interior zero. 3070 counts thousandths. 30.7 counts tenths.

58. (A) One brick = $14.4 / 3 = 4.8$ cm. Five bricks = $5 \times 4.8 = 24.0$ cm. Getting 16.4 just adds 2 cm. 28.8 doubles three bricks. 19.2 uses only four bricks.

59. (C) 4 items = $4 \times 18.75 = 75.00$; plus 22.50 = 97.50 spent. Left = $200 - 97.50 = 102.50$ rupees. Getting 97.50 reports the amount spent. 121.25 buys only one 18.75 item. 103.00 mis-adds the total spent as 97.00.

60. (A) Add by lining up the points: $0.0625 + 0.1875 = 0.25$; $0.25 + 0.25 = 0.5$; $0.5 + 0.5 = 1.0$. (These are $1/16 + 3/16 + 4/16 + 8/16 = 16/16 = 1$.) Getting 0.9375 drops the last carry. 1.25 over-adds. 0.875 omits the $0.0625 + 0.0625$ pieces.