« Previous (/course/cs357-f15/flow-session/74267/1/)

下一页 » (/course/cs357-f15/flow-session/74267/3/)

结束»

1分

- 2 3 (/course/cs357-f15/flow-session/74267/0/) (/course/cs357-f15/flow-session/74267/1/)
 - 5 (/course/cs357-f15/flow-session/74267/3/) (/course/cs357-f15/flow-
 - 6 | session/74267/4/) (/course/cs357-f15/flow-session/74267/5/)

Finding a Hessian

Suppose we have

$$g(a, b) = -\log(1 - a - b) - \log(a) - \log(b)$$

Now let's find the Hessian. What is it?

选项*

$$\begin{bmatrix}
\frac{1}{(1-a-b)^2} + \frac{1}{a^2} & \frac{1}{(1-a-b)^2} \\
\frac{1}{(1-a-b)^2} & \frac{1}{(1-a-b)^2} + \frac{1}{b^2}
\end{bmatrix}$$

$$\begin{bmatrix}
\frac{1}{a^2} & 0 \\
0 & \frac{1}{b^2}
\end{bmatrix}$$

$$\begin{bmatrix} \frac{1}{a^2} & 0 \\ 0 & \frac{1}{b^2} \end{bmatrix}$$

$$\begin{bmatrix} \frac{1}{(1-a-b)^2} & 0\\ 0 & \frac{1}{(1-a-b)^2} \end{bmatrix}$$

$$\begin{bmatrix} \frac{1}{(1-a-b)^2} - \frac{1}{a^2} & \frac{1}{(1-a-b)^2} \\ \frac{1}{(1-a-b)^2} & \frac{1}{(1-a-b)^2} - \frac{1}{b^2} \end{bmatrix}$$

$$\begin{bmatrix}
\frac{1}{(1-a-b)^2} & \frac{1}{(1-a-b)^2} \\
\frac{1}{(1-a-b)^2} & \frac{1}{(1-a-b)^2}
\end{bmatrix}$$

保存回答 提交最终回答