

SQL Commands

My Drive - Google Drive

New Tab

127.0.0.1:8080/apex/f?p=4500:1003:7959748402432967::NO::

Go!CazoodleForwardTeachingGrantsServicesIllinoisBibliosReferencesRecentsWishoppingKidsSchoolAdd to WishoppingOther bookmarks

ORACLE

Application Express

Welcome KEVIN.CHANG (Logout)

Home

Application Builder

SQL Workshop

Team Development

Administration

Home

SQL Workshop

SQL Commands

Schema

KEVIN.CHANG

Help

☒ Autocommit

Rows

10

Save

Run

```
create table students (name char(20), netid char(20), phone char(20));

insert into students values('alex', 'asmith', '217-345-6788')
insert into students values('bob', 'bob256', '217-123-0987')

select * from students;

delete from students where name = 'alex';

insert into students values('bob', 'bob256', '217-987-6543')
insert into students values ('bob', 'bob2567', '217-111-2222');

delete from students where phone = '217-123-0987'
```

Results

Explain

Describe

Saved SQL

History

NAME	NETID	PHONE
alex	asmith	217-345-6788

1 rows returned in 0.00 seconds

Download

Workspace: KEVIN.CHANG User: KEVIN.CHANG

Language: en | Copyright © 1999, 2010, Oracle. All rights reserved.

Application Express 4.0.2.00.09