



A3TRANZ

Design Scope

Developer handoff — complete scope as designed.
Driver mobile app & admin web dashboard for A 3 Transport Inc.

CLIENT	A 3 Transport Inc — container drayage, Houston TX
PRODUCT	A3TRANZ — internal job-dispatch & field-work management platform
SURFACES	Driver mobile app (iOS + Android hybrid) · Admin web dashboard (desktop)
DELIVERABLES	39 mobile frames · 30 admin frames · 69-screen clickable prototype
DOCUMENT	Scope as designed — supersedes the brief where they differ
ISSUED	21 August 2026

1 • What this is

A3TRANZ is an **internal dispatch tool**, not a marketplace. Office staff create job cards and assign them to drivers; drivers run the job in the field behind evidence gates, and the office approves the closeout. Everything flows through one platform.

The work is **container drayage** — import and export container runs for named customers, run with a truck + chassis, gated by a DOT pre-trip inspection, and closed against photographed paperwork.

1.1 The two surfaces

SURFACE	FRAME	SHELL	FRAMES
Driver mobile app M#	393 × 852 iPhone 15 Pro	Status bar + .topbar + scroll region + 5-tab bar. Radius 48, 6px #14212E bezel.	39
Admin web dashboard W#	1440 × 1024	Fixed 240px navy sidebar + 64px top bar + scrolling content.	30

1.2 Aesthetic — clean operational

Solid, high-contrast surfaces, strong hairlines, tabular numbers. **No glass, no blur, no photo scrims behind text.** Drivers use this outdoors in daylight; the office view is data-dense. Both are mechanically verified: a grep for **backdrop-filter** or **blur()** returns zero hits in both files.

- **Content cards** — solid **--surface**, **--hairline** border, **--shadow-sm**.
- **Photos** appear inside solid cards as bounded thumbnails, never as backgrounds.
- **Status is carried by colour + label**, never by translucency.

1.3 Explicitly out of scope

Never build these — they are not part of the product:

- Bidding, offers, or any public job feed
- Star ratings or reviews of drivers
- "Book Now", hourly-rate shopping, a services catalog
- **Customer-facing payments** — checkout, invoicing to customers, Stripe, card or bank capture
- Public sign-up / two-sided marketplace onboarding

Jobs are **assigned by the office**, never browsed or bid on. Drivers are **added by an admin**, never self-registered. Internal driver payroll *is* in scope — see §7.

2 · Job lifecycle — four steps

A job runs through exactly four steps. Each is a hard evidence gate: the driver cannot advance until that step's evidence is captured. The stepper renders these four nodes and no others.

```
PENDING (assigned by the office)
|
▼
① PRE-TRIP INSPECTION                M19
| gate 1 – every DOT item must pass.
|       one defect blocks the job + flags the unit out of service
|
▼
② CONFIRM PICKUP                      M20
| gate 2a – 2 photos + seal number
|
▼
③ CONFIRM LOAD                        M21
| gate 2b – 3 photos
|
▼
④ CONFIRM DELIVERY                    M22
| gate 2c – 4 photos. Submit is locked until all four are present.
|
▼
AWAITING APPROVAL  (--st-review)      M23
| → customer completion email fires HERE, on driver submit
| admin reviews and approves          W22
|
▼
DONE  (--st-done)  → each leg accrues to its driver's payroll
```

Two separate events — do not merge them

The **customer email fires on driver submit**, not on admin approval. The customer is told the job is complete before the office has reviewed it. **Money moves only on approval**. A job sent back after submit means the customer was already told something the office then corrected — [W22](#) warns about this on the send-back path.

2.1 Status model

STATUS	TOKEN	MEANING
PENDING	--st-pending	Assigned, not started
IN PROGRESS	--st-progress	Inside the four steps
AWAITING APPROVAL	--st-review	Driver submitted. Drivers can never set Done.
DONE	--st-done	Approved and closed — admin only
OVERDUE	--st-overdue	Derived, never set. Past due and not Done

2.2 Gate 1 — DOT pre-trip inspection

12 items, each Pass / Defect. A job cannot start until every item passes. Marking an item **X** opens a required note field (**.inote**) — a defect cannot be reported without one, because the inspection is the legal record of why a unit went out of service. The note travels with the defect: **M19** captures it, **W18** displays it quoted and attributed, and it justifies the unit's out-of-service flag. **A X with no note is an invalid state.**

3 • The nine required photos

Gate 2 spans the three confirm steps. Each shot is its own **labelled slot** (`.pslot`) — one photo per slot, captured or blank. Never render these as an unlabelled thumbnail grid: the office must be able to see *which* shot is missing.

STEP	#	SHOT	WHAT MUST BE LEGIBLE
② Confirm pickup M20 · 2 required	1	Chassis + container no.	Both numbers in one picture
	2	Seal in hand	Seal held to camera before fitting
③ Confirm load M21 · 3 required	1	Seal + chassis no.	Both in one picture — the seal now fitted
	2	Bill of lading	Full page, flat, in focus
	3	Load, doors open	Doors open, load visible before sealing
④ Confirm delivery M22 · 4 required	1	Container + chassis	At the delivery point
	2	Seal in hand	The cut seal, held to camera on arrival
	3	J1 ticket	Container-return interchange ticket, full page
	4	Chassis return ticket	Chassis-return ticket, full page

Why the seal is photographed twice

Intact in hand at pickup, cut in hand at delivery. Two shots of the same seal number is the point, not a duplicate — it is what proves the container was not opened in between. **Do not collapse them.**

3.1 Slot states

STATE	RENDERS AS	BEHAVIOUR
Captured	Photo thumbnail, solid border, <code>check-circle-2</code> mark	Tap opens the photo. Carries a delete badge — see §3.2
Blank	Dashed border, camera glyph, <code>plus-circle</code> mark, copy starts "Tap to capture"	Tap opens capture. No delete — nothing to remove
Uploading	<code>.thumb</code> with an <code>.ov</code> percentage overlay	No delete — not yet uploaded

The step's primary button **stays visible and locked** (`opacity:.45` + `lock` icon) until every slot is captured, with a count beneath it — never hidden.

3.2 Deleting an uploaded image

Every uploaded image can be removed **by the driver, never by the office**. The control is a 22px badge in the **top-right corner of the thumbnail** (`.pdel` on a slot, `.thumb .del` on `M8 / M10` grids). It is a corner badge rather than a trailing button because a trailing control steals ~38px from the text column and wraps the label at 393px.

- **Delete always confirms first** — a bottom sheet with a danger *Delete photo* and a *Cancel*. Deleting evidence re-opens a gate, so it never happens on one tap.
- **Deleting re-opens the step** — the slot goes blank and the step button locks again. The sheet says so.
- **The admin never gets one.** W5 and W22 render photos read-only. A delete control in an admin frame is a bug.

4 • Driver capture → admin visibility

Standing rule: **everything the driver captures must be readable on the web**. If a step gains a field, the admin gains it in the same pass. Equally, the admin must **never display a value the driver has no way to enter**.

DRIVER CAPTURES	WHERE	ADMIN READS IT ON
12 DOT items, pass / fail	Pre-trip	W5 <i>Pre-trip inspection card</i> · W18
Defect note + photo	Pre-trip	W18 — quoted and attributed, never editable
2 photos + seal number	Confirm pickup	W5 <i>Driver capture — by step</i> · W22
3 photos	Confirm load	same
4 photos	Confirm delivery	same
Job notes	Any time	W5 <i>Job notes card</i>
Chat messages	Any time	W6 thread · W10 inbox
Files, photos, PDFs	Any time	W5 <i>Attachment history</i> , tagged by step

The admin's *Numbers on this job* card shows only what exists, each attributed to its source: **container no.** (office, on the job card) and **seal no.** (driver, at Confirm pickup). Ticket numbers are photographed, not keyed — the card states this so the absence reads as deliberate.

5 · Screen inventory — driver mobile app

39 frames. Frame ids are `{screen}-{state-slug}` and are the prototype's navigation targets.

#	SCREEN	STATES BUILT
M1	Splash / brand	Launch
M2	Login	Default · Error · Signing in
M3	Reset password	Request · Link sent
M4	Jobs — Pending	Default · Empty
M5	Jobs — In Progress	Default
M6	Jobs — Completed	Default
M7	Job detail	Default — customer, type, unit chips, stepper, your legs, map, dates, instructions, attachments
M8	Attachments	Photos + docs
M9	Status update	Sheet · Submitted
M10	Upload work	Uploading
M12	Job chat	With admin
M13	Job notes	Default
M14	Notifications	List · Empty
M15	Profile	Default · Log out confirm
M16	Change password	Default
M17	Job history	List · Empty
M18	Home dashboard	Greeting, this-week earnings, up-next job, status stat cards
M19	① Pre-trip inspection	8 of 12 checked · All pass · Defect found (job blocked)
M20	② Confirm pickup	Capturing (1 of 2, locked) · Photos captured (2 of 2) · Delete photo?
M21	③ Confirm load	Photos captured (3 of 3)
M22	④ Confirm delivery	Capturing (3 of 4, submit locked) · Ready to submit (4 of 4)
M23	Submitted	Awaiting approval — result state, not a step
M24	Earnings	Pending (default) · Paid
M25	Earnings statement	Per-job leg lines
M27	Chats	History — job-scoped thread list, unread badges

Tab bar — five tabs, fixed: Home · Jobs · Alerts · Chat · Profile. Earnings is reached from the Home this-week card and a Profile row; a sixth tab would break the rhythm. The Chat tab opens the **thread list** (**M27**), never a single thread.

Not built: **M11** (generic per-job checklist — removed; the DOT inspection is the only checklist) and **M26** (empty pickup — deferred, see §10).

6 · Screen inventory — admin web dashboard

30 frames. Every list, form and auth screen ships error, loading and empty states — not just the happy path.

#	SCREEN	STATES BUILT
W1	Login (role-based)	Default · Error
W2	Dashboard	KPIs, driver activity, recent jobs
W3	Jobs — table + filters	Default · Filtered no-results · Loading (skeleton) · Empty
W4	Create / edit job card	Import / Export · Validation error
W5	Job detail + timeline	Detail + timeline · Dispatcher view (RBAC)
W6	Job chat thread	Thread
W7	Drivers	List
W8	Driver detail	Profile + history · Deactivate confirm
W9	Add driver	Modal
W10	Messages	Inbox + open thread
W11	Reports	Charts + CSV/Excel export
W12	Notifications	List
W13	Roles & access	Team
W14	Customers	List
W15	Customer detail	Profile + jobs + notification prefs
W16	Add customer	Modal
W17	Fleet — units	Trucks + chassis
W18	Fleet unit detail	Out of service — defect banner, inspection history
W19	Payroll — pay periods	Weekly / bi-weekly, hold banner, KPIs
W20	Payroll — period detail	Grouped by driver, leg-level lines
W21	Payroll — mark as paid	Confirm · Paid (date + reference)
W22	Approve job	Evidence review, email record, approve & close, send-back warning

6.1 Sidebar — nine items, this order

ITEM	LUCIDE ICON	ITEM	LUCIDE ICON
Dashboard	layout– dashboard	Payroll	banknote

Jobs	<code>briefcase</code>	Messages	<code>message-square</code>
Customers	<code>building-2</code>	Reports	<code>bar-chart-3</code>
Drivers	<code>users</code>	Settings	<code>settings</code>
Fleet	<code>container</code> — not <code>truck</code>	Active item = <code>--sel</code>	blue fill, white text. Never amber.

6.2 Create-job card — one scrolling card

The create/edit modal is a **single scrolling card** (`max-height:88%` , body scrolls). Never split a form across two screens. Field order is fixed:

`Job type → Customer → Job title → Description → Container no. / Booking no. → Pickup / Delivery location → Start / Due date → Priority → Job price (total + legs) → Vehicle & equipment → Notify → Attachments`

Import and Export share one form. The type chip records which run it is but never changes the fields. **Job price appears on every variant** — never ship a create-job card without a price.

7 · Roles, pricing & payroll

7.1 Role-based access — five office roles

ROLE	CAN	CANNOT
Admin / Manager	Everything — approve & close, manage drivers and team, mark payroll paid	—
Assistant Manager	Approve and close jobs, create and assign, <i>view</i> payroll	Manage the team · mark payroll paid
Project Manager	Create & assign jobs, message	Approve · payroll · team
Dispatcher	Create & assign jobs, message	Approve · payroll · team
Driver (mobile)	Pending → In Progress → Awaiting approval	Close a job · edit a price

A blocked action stays **visible and disabled** (`opacity:.45` + lock icon), never hidden — see `W5` dispatcher view.

7.2 Price split — per-leg driver assignment

The admin sets a total (e.g. \$120.00) split across three legs — **Pickup / Loading / Delivery**. Each leg has an editable amount **and its own driver**, so one job can pay three different people. Legs must total the job price; a mismatch is a validation error that **states the numbers**: "Legs total \$130.00 but the job price is \$120.00".

- **Web**: amount and driver are editable. **Mobile**: read-only — drivers never edit a price.
- Every rendered amount takes `.money` (tabular-nums) and `--text` ink.
- **Amounts are never amber and never green**. Payment state lives in a pill, never in the colour of the number.

7.3 Payroll — a ledger, not a transaction

"Mark as paid" **records that a payment happened elsewhere** in the company's own bank or accounting system. It never moves money, never collects bank or card details, and is never shown to a customer. Money the *customer* owes is out of scope entirely.

The hold rule — render this literally, do not paraphrase

Pay is always **one full week behind**: a period **closes Sunday and pays the following Friday**. Every payroll surface — admin and mobile — states this in an info toast.

PAY STATE	PILL	MEANING
Accruing	SP-PENDING	Period open, legs still landing
Held	SP-REVIEW	Closed, inside the one-week hold
Payable	SP-PROGRESS	Ready to mark as paid
Paid	SP-DONE	Settled — carries paid date + reference no.

Drivers see their own earnings (`M24` – `M25`), including the hold. `M24` is tabbed: **Pending** (accruing + held) is the default, because a driver's first question is "what am I owed?", not "what have I been paid?".

8 • Notifications

Three audiences. The customer gets exactly one outbound email.

TO	TRIGGERS
Driver	Job assigned · job updated · new message from admin · overdue-job reminder · closeout approved · pay period paid · unit taken out of service on your job
Admin	Driver updated status · driver uploaded photos · driver added a note · pre-trip inspection failed (unit out of service) · closeout submitted for approval · pay period ready to mark as paid
Customer	Job completed — the only outbound email. Fires on driver submit , not on admin approval. Per-customer opt-in on W15 / W16 , per-job toggle on W4 , record on W22 .

9 · Design tokens

Paste this block verbatim. **Nothing may hardcode a colour outside it.** Verified: zero hex literals outside `:root` in either file, except `#fff` / `#000` device chrome and the `#20262E` gallery canvas.

9.1 Brand & text

TOKEN	VALUE	USAGE
<code>--navy</code>	 <code>#16324F</code>	Primary brand, primary button fill
<code>--navy-ink</code> / <code>--text</code>	 <code>#14212E</code>	All primary text — $\approx 16:1$ on surface
<code>--navy-deep</code>	 <code>#0F1E2E</code>	Pressed states, desktop sidebar
<code>--amber</code>	 <code>#F5A623</code>	Accent — fills only. Key CTA, FAB, priority-med
<code>--amber-ink</code>	 <code>#7A4A00</code>	The only amber usable as text on white — $7.5:1$
<code>--on-amber</code>	 <code>#14212E</code>	Navy text placed on an amber fill — $8:1$
<code>--sel</code>	 <code>#2563EB</code>	Selected / active nav — blue, never amber
<code>--text-2</code>	 <code>#5A6B7B</code>	All secondary copy — $5:1$
<code>--muted</code>	 <code>#94A3B8</code>	Non-text only — dividers, disabled, inert marks
<code>--placeholder</code>	 <code>#64748B</code>	Input placeholders — $4.8:1$

Two rules that are mechanically checked

Amber is fills-only. Amber text on white is $\sim 1.9:1$ and is forbidden. Put navy on amber fills; where you need amber-coloured text use `--amber-ink`. There is **no white-on-accent exception** — the primary button is navy at $\sim 13:1$.

--muted is never text. `#94A3B8` measures $\sim 2.6:1$ and is unreadable as copy. Readable secondary text → `--text-2`. Placeholders → `--placeholder`.

9.2 Status, surfaces & scale

TOKEN	VALUE	USAGE
<code>--st-pending</code>	 <code>#64748B</code>	Queued / not started
<code>--st-progress</code>	 <code>#2563EB</code>	In progress
<code>--st-review</code>	 <code>#F5A623</code>	Awaiting admin approval
<code>--st-done</code>	 <code>#16A34A</code>	Closed / approved
<code>--st-overdue</code>	 <code>#DC2626</code>	Overdue · defect · out of service

Status inks — darker text for tinted pills: `--st-pending-ink` `#3E4C5A` · `--st-progress-ink` `#1E4FB8` · `--st-review-ink` `#7A4A00` · `--st-done-ink` `#137A3A` · `--st-overdue-ink` `#B4232B`

<code>--bg</code> / <code>--surface</code>	#F4F6F8 / #FFFFFF	App background / card surface
<code>--surface-2</code> / <code>-3</code>	#F8F AFC / #EEF2F6	Table headers, hovers / icon wells
<code>--hairline</code> / <code>--border</code>	#E2E8F0 / #CBD5E1	Card borders / input borders
<code>--r</code> · <code>--r2</code> · <code>--r3</code> · <code>--rp</code>	12px · 18px · 22px · 999px (pill)	

Type: system stack — SF Pro on Apple, with **Inter** (body/UI) and **Outfit** (display, headings, big numbers) as the web fallbacks. Headings ≤ 6 words. **All numbers use** `font-variant-numeric: tabular-nums`. Job IDs render **#A3-####**, units **TRK-###** / **CH-####**, containers ISO **MSCU-441028-3**.

10 · Component library

Full CSS for every class below lives in the two gallery files — copy the rule bodies from there rather than re-deriving them. Sixty-four class names collide across the two surfaces (`.modal` , `.stepper` , `.insp` , `.textarea` , `.thumb` ...) so **scope your stylesheets per surface**.

10.1 Shared — both surfaces

CLASS	PURPOSE
<code>.spill</code>	Status pill — tinted bg + darker ink + status-hue dot. Variants <code>sp-pending/progress/review/done/overdue</code> . Labels: PENDING · IN PROGRESS · AWAITING APPROVAL · DONE · OVERDUE
<code>.pri</code>	Priority tag — <code>pri-high/med/low</code>
<code>.jtype</code>	Job type chip — <code>imp</code> (Import) · <code>exp</code> (Export). <code>emt</code> exists but is deferred
<code>.stepper</code> / <code>.step</code>	The four-step rail. Past = done fill + check · current = progress ring · future = hairline. Desktop adds a <code>.st</code> timestamp line per node
<code>.insp</code>	DOT inspection row — two-state Pass / Defect. <code>.pass</code> / <code>.fail</code>
<code>.inote</code>	Defect note docked under a failed row — row loses its bottom radius, note carries it, so they read as one card . Mobile captures, desktop reads
<code>.pslot</code>	Named photo slot . Thumbnail · what must be legible · captured/blank mark. <code>.blank</code> = dashed
<code>.pdel</code>	Delete badge on a captured thumbnail — driver only
<code>.evid</code>	Evidence field — a number plus its photo. Not for photos alone; that is <code>.pslot</code>
<code>.legrow</code> / <code>.legtotal</code>	Price leg — label · amount · driver. Editable on web, read-only on mobile
<code>.money</code> / <code>.money-lg</code>	Every rendered amount. Tabular-nums, <code>--text</code> ink
<code>.unitchip</code>	Fleet unit chip — <code>.oos</code> for out of service
<code>.toast</code>	<code>-ok</code> / <code>-info</code> / <code>-warn</code> / <code>-err</code> . Wrap multi-word text in a <code></code> — the toast is a flex row
<code>.btn</code>	<code>-primary</code> (navy) · <code>-amber</code> (single highest-energy CTA) · <code>-secondary</code> · <code>-ghost</code> · <code>-danger</code> · <code>-block</code>

10.2 Mobile only

- `.phone` `.island` `.sbar` `.scr` `.scrl` `.hind` — device shell
- `.topbar` `.iconbtn` `.btnbar` — chrome
- `.tbar` `.tb` — five-tab bar
- `.jcard` — job card, status-tinted
- `.row` — list row with inset hairline
- `.sheet` `.sheet-h` `.scrim-bg` — bottom sheet
- `.bubble` `.b-me` `.b-them` — chat
- `.chatrow` `.unread` — thread list
- `.dcard` `.krow` — detail card + key row
- `.thumbs` `.thumb` `.filechip` `.progress`
- `.seg` — segmented control
- `.stat` `.home-*` — home dashboard
- `.empty` — full-screen empty state

- `.map` — Google embed

10.3 Admin only

- `.web` `.side` `.main` `.tbar-w` `.content` — app shell
- `.nav-i` — sidebar item, `.on` = blue
- `.card` `.card-h` `.grid-2`
- `.kpi` — stat card with trend
- `.dtable` — always inside a `.card`
- `.filterbar` `.search` `.chipf`
- `.modal` `.modal-b/-f/-h` — scrolling card
- `.drawer` — right-hand detail
- `.timeline` `.tl-i` — dot colour = event status
- `.skel` — shimmer loading, never a spinner on a blank page
- `.empty-w` `.errmsg` `.toast-err`
- `.donut` `.bars` `.legend` — tokenised charts, no chart library
- `.paygrp` `.payline` — payroll grouping
- `.perm` `.togg` — role permissions

10.4 Maps and icons

Maps are live Google embeds, never hand-drawn SVG and never a screenshot. Use the key-free form `maps.google.com/maps?q=...&output=embed`. The `q=` string must match the address shown beside it. `pointer-events:none` is set deliberately in the galleries so a long page still scrolls — drop that one declaration to make a map interactive.

Icons are Lucide at 18–22px via `<i data-lucide="name">`. Domain set: `truck` `container` `building-2` `banknote` `clipboard-check` `hash` `ticket` `mail-check` `camera` `map-pin`.

11 · Deferred and open items

11.1 Deferred — do not build until asked

Empty pickup (brief item 13) — parked, not dropped

Removed on client instruction, 20 Aug 2026. **M26**, **W4-empty-pickup** and **W5-empty-pickup** were deleted along with the Empty job-type chip, the booking-no. field, all **.jtype.emt** rows in lists, tables and reports, and the Empty slice in the jobs-by-type donuts. The **.jtype.emt** CSS rule was deliberately left in place so the feature can be restored without a token change.

11.2 Open — needs a client decision before build

Serial numbers and container number are captured nowhere

Brief item 9 asks that "mark as done" record **serial numbers, container number, J1 tickets and chassis return ticket**. As designed, Confirm delivery carries **photos only**. That means:

- **J1 and chassis return tickets** are photographed — their numbers are not keyed, so they are not searchable or reportable.
- **Serial numbers** are captured nowhere in the app.
- **Container no.** exists only as office-entered job data, not as driver-verified capture.

The admin no longer pretends to hold these as data. If the office needs any of them searchable, those fields must go back onto Confirm delivery. **Raise before build.**

Two smaller open questions

- **Document deletion.** Drivers can delete any photo they upload. Their own PDFs on **M8** still show only a download control. Should a driver be able to delete a document they attached?
- **Placeholder imagery.** Every photo in the galleries is stock. The nine evidence shots in particular — the "seal in hand" frames especially — should be replaced with real job photos before this goes in front of the client as final.

12 · The files in this handoff

FILE	WHAT IT IS
<code>a3tranz-mobile-all.html</code>	Driver app gallery — all 39 phone frames on one dark canvas, 3 per row. The source of truth for mobile markup and CSS.
<code>a3tranz-admin-all.html</code>	Admin dashboard gallery — all 30 desktop frames stacked one per row. The source of truth for web markup and CSS.
<code>a3tranz-demo.html</code>	Clickable prototype — 69 screens, one at a time, with a surface switcher, Back, Hotspots overlay, Restart and a Screens index. Generated from the two galleries — never hand-edit it.

12.1 How to read them

- Open any file directly in Chrome. No build step, no dependencies beyond two CDNs (Google Fonts, Lucide) which both have inline fallbacks.
- Each frame carries a stable id on its wrapper: `{screen}-{state-slug}` — `M20-capturing`, `W4-validation-error`. Those ids are the navigation contract.
- Navigation is data-driven: `data-goto=<frame-id>` with one delegated listener. **There is no inline `onclick` anywhere.**
- The prototype runtime validates every link on load and logs `[proto] N hotspots, all targets valid`. If you see `[proto] dead links`, something is broken.
- In the galleries, the amber **state pill** above each frame cycles that screen's own states — that is how you reach error, loading and empty variants.

12.2 Extracting CSS

Both galleries carry their full stylesheet in a single `<style>` block at the top, beginning with the `:root` token block in §9. Everything after `.gallery`, `.frame-wrap`, `.frame-label`, `.frame-state`, `.board*`, `.sect*` and `.protobar` is **gallery scaffolding** — drop those and keep the rest.

12.3 Verification gates the design already passes

These are the checks the deliverable is held to. Re-run them after any change:

GATE	EXPECTED
Contrast	Body $\geq 4.5:1$, UI/large $\geq 3:1$. No exceptions. Amber-as-text = zero
Surface audit	<code>backdrop-filter</code> / <code>blur()</code> → zero hits
Token check	Hex literals outside <code>:root</code> → zero, except <code>#fff</code> / <code>#000</code> / <code>#20262E</code>
Scope check	<code>stripe checkout invoice bid rating book now card number payout</code> → zero
Money check	Every amount carries <code>.money</code> ; no amount coloured green or amber
Gate check	No frame shows a job started without its pre-trip passed; no Submit enabled without its evidence
State check	Every admin list, form and auth screen has error, loading and empty variants

Flow check

Every **data-goto** resolves; every frame has an inbound edge except **M1-launch**, and an outbound edge

Console

Clean — no **ReferenceError**, no undefined handlers, no Lucide warnings

Build order we would suggest

Auth and shell → job list and detail (both surfaces) → the four-step capture flow with its gates → admin approval → customers and fleet → payroll → reports. The four-step flow is the heart of the product and the part most likely to surface questions; build it early enough that answers still fit.