

Jenkins Pipeline Log

CI/CD execution log • Commands, checkout activity, build versions and image tags highlighted

Commands

Key CI/CD command or
source-control activity

Versions

Jenkins build number, Git
revision and Docker image tag

```
Started by GitHub push by ahamedkhany
Obtained Jenkinsfile from git https://github.com/ahamedkhany/SampleMERNwithMicroservices.git

[Pipeline] Start of Pipeline

[Pipeline] node

Running on Jenkins in /var/jenkins_home/workspace/container-orchestration-pipeline

[Pipeline] {

[Pipeline] stage
```

[Pipeline] { (Declarative: Checkout SCM)

[Pipeline] checkout

```
Selected Git installation does not exist. Using Default
The recommended git tool is: NONE
No credentials specified
> git rev-parse --resolve-git-dir /var/jenkins_home/workspace/container-orchestration-pipeline/.git #
timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/ahamedkhany/SampleMERNwithMicroservices.git #
timeout=10
Fetching upstream changes from https://github.com/ahamedkhany/SampleMERNwithMicroservices.git
> git --version # timeout=10
> git --version # 'git version 2.47.3'
> git fetch --tags --force --progress --
https://github.com/ahamedkhany/SampleMERNwithMicroservices.git +refs/heads/*:refs/remotes/origin/* #
timeout=10
> git rev-parse refs/remotes/origin/main^{commit} # timeout=10
Checking out Revision 7af24be836aa0d319512a79e5bdf0f5a370e3595 (refs/remotes/origin/main)
> git config core.sparsecheckout # timeout=10
> git checkout -f 7af24be836aa0d319512a79e5bdf0f5a370e3595 # timeout=10
Commit message: "Pipeline test 12"
> git rev-list --no-walk 7191a582115baab084a89d988bc2183bc8ab28a2 # timeout=10

[Pipeline] }

[Pipeline] // stage

[Pipeline] withEnv
```

```
[Pipeline] {  
  
[Pipeline] withEnv  
  
[Pipeline] {  
  
[Pipeline] stage
```

[Pipeline] { (Checkout)

```
[Pipeline] echo
```

Checking out source code from GitHub...

```
[Pipeline] checkout
```

```
Selected Git installation does not exist. Using Default  
The recommended git tool is: NONE  
No credentials specified  
> git rev-parse --resolve-git-dir /var/jenkins_home/workspace/container-orchestration-pipeline/.git #  
timeout=10  
Fetching changes from the remote Git repository  
> git config remote.origin.url https://github.com/ahamedkhany/SampleMERNwithMicroservices.git #  
timeout=10  
Fetching upstream changes from https://github.com/ahamedkhany/SampleMERNwithMicroservices.git  
> git --version # timeout=10  
> git --version # 'git version 2.47.3'  
> git fetch --tags --force --progress --  
https://github.com/ahamedkhany/SampleMERNwithMicroservices.git +refs/heads/*:refs/remotes/origin/* #  
timeout=10  
> git rev-parse refs/remotes/origin/main^{commit} # timeout=10  
Checking out Revision 7af24be836aa0d319512a79e5bdf0f5a370e3595 (refs/remotes/origin/main)  
> git config core.sparsecheckout # timeout=10  
> git checkout -f 7af24be836aa0d319512a79e5bdf0f5a370e3595 # timeout=10  
Commit message: "Pipeline test 12"  
  
[Pipeline] }  
  
[Pipeline] // stage  
  
[Pipeline] stage
```

[Pipeline] { (Generate Image Version)

```
[Pipeline] script  
  
[Pipeline] {  
  
[Pipeline] sh
```

```
+ git rev-parse --short HEAD
```

```
[Pipeline] echo
```

```
=====
```

```
[Pipeline] echo
```

```
IMAGE VERSION
```

```
[Pipeline] echo
```

```
=====
```

```
[Pipeline] echo
```

```
Jenkins Build : 12
```

```
[Pipeline] echo
```

```
Git Commit : 7af24be
```

```
[Pipeline] echo
```

```
Image Tag : build-12-7af24be
```

```
[Pipeline] echo
```

```
=====
```

```
[Pipeline] }
```

```
[Pipeline] // script
```

```
[Pipeline] }
```

```
[Pipeline] // stage
```

```
[Pipeline] stage
```

```
[Pipeline] { (Get AWS Account ID)
```

```
[Pipeline] script
```

```
[Pipeline] {
```

```
[Pipeline] withCredentials
```

Masking supported pattern matches of \$AWS_SECRET_ACCESS_KEY

[Pipeline] {

[Pipeline] sh

```
+ aws sts get-caller-identity --query Account --output text --no-cli-pager
```

[Pipeline] echo

AWS Account ID : 533612070969

[Pipeline] echo

ECR Registry : 533612070969.dkr.ecr.us-east-1.amazonaws.com

[Pipeline] }

[Pipeline] // withCredentials

[Pipeline] }

[Pipeline] // script

[Pipeline] }

[Pipeline] // stage

[Pipeline] stage

[Pipeline] { (Build Frontend Image)

[Pipeline] echo

Building Frontend Docker image...

[Pipeline] sh

```
+ docker build -t streaming-frontend:build-12-7af24be ./frontend
```

#0 building with "default" instance using docker driver

#1 [internal] load build definition from Dockerfile

#1 transferring dockerfile: 263B 0.0s done

#1 DONE 0.0s

```
#2 [internal] load metadata for docker.io/library/node:20-alpine
```

#2 DONE 1.5s

#3 [internal] load metadata for docker.io/library/nginx:alpine

#3 DONE 1.5s

#4 [internal] load .dockerignore

#4 transferring context: 2B done

#4 DONE 0.0s

```
#5 [build 1/6] FROM docker.io/library/node:20-alpine@sha256:fb4cd12c85ee03686f6af5362a0b0d56d50c58a04632e6c0fb8363f609372293
```

```
#5 DONE 0.0s
#6 [stage-1 1/2] FROM docker.io/library/nginx:alpine@sha256:4a73073bd557c65b759505da037898b61f1be6cbc3c2c3aeac22d2a470c1752
#6 DONE 0.0s
#7 [internal] load build context
#7 transferring context: 785B done
#7 DONE 0.0s
#8 [build 5/6] COPY . .
#8 CACHED
#9 [build 2/6] WORKDIR /app
#9 CACHED
#10 [build 3/6] COPY package*.json ./
#10 CACHED
#11 [build 6/6] RUN npm run build
#11 CACHED
#12 [build 4/6] RUN npm ci
#12 CACHED
#13 [stage-1 2/2] COPY --from=build /app/build /usr/share/nginx/html
#13 CACHED
#14 exporting to image
#14 exporting layers done
#14 writing image sha256:5f1128eafabac3d6687e4b7c2a15b3df870d5768b23cc0092d8080709a015013 done
#14 naming to docker.io/library/streaming-frontend:build-12-7af24be done
#14 DONE 0.0s
```

```
[Pipeline] }
```

```
[Pipeline] // stage
```

```
[Pipeline] stage
```

[Pipeline] { (Build Hello Service Image)

```
[Pipeline] echo
```

```
Building Hello Service Docker image...
```

```
[Pipeline] sh
```

```
+ docker build -t streaming-hello-service:build-12-7af24be ./backend/helloService
```

```
#0 building with "default" instance using docker driver
#1 [internal] load build definition from Dockerfile
#1 transferring dockerfile: 167B done
#1 DONE 0.0s
```

```
#2 [internal] load metadata for docker.io/library/node:20-alpine
```

```
#2 DONE 0.3s
#3 [internal] load .dockerignore
#3 transferring context: 2B done
```

#3 DONE 0.0s

#4 [1/5] FROM docker.io/library/node:20-alpine@sha256:fb4cd12c85ee03686f6af5362a0b0d56d50c58a04632e6c0fb8363f609372293

#4 DONE 0.0s

#5 [internal] load build context

#5 transferring context: 130B done

#5 DONE 0.0s

#6 [3/5] COPY package*.json ./

#6 CACHED

#7 [2/5] WORKDIR /app

#7 CACHED

#8 [4/5] RUN npm ci --omit=dev

#8 CACHED

#9 [5/5] COPY . .

#9 CACHED

#10 exporting to image

#10 exporting layers done

#10 writing image sha256:391edffc60bfb5eb2834ea35f11859791b7cc458ed179fc76ef8b79a2073fc82 done

#10 naming to docker.io/library/streaming-hello-service:build-12-7af24be done

#10 DONE 0.0s

[Pipeline] }

[Pipeline] // stage

[Pipeline] stage

[Pipeline] { (Build Profile Service Image)

[Pipeline] echo

Building Profile Service Docker image...

[Pipeline] sh

+ docker build -t streaming-profile-service:build-12-7af24be ./backend/profileService

#0 building with "default" instance using docker driver

#1 [internal] load build definition from Dockerfile

#1 transferring dockerfile: 167B done

#1 DONE 0.0s

#2 [internal] load metadata for docker.io/library/node:20-alpine

#2 DONE 0.4s

#3 [internal] load .dockerignore

#3 transferring context: 2B done

#3 DONE 0.0s

#4 [1/5] FROM docker.io/library/node:20-alpine@sha256:fb4cd12c85ee03686f6af5362a0b0d56d50c58a04632e6c0fb8363f609372293

#4 DONE 0.0s

#5 [internal] load build context

#5 transferring context: 130B done

```

#5 DONE 0.0s
#6 [3/5] COPY package*.json ./
#6 CACHED
#7 [2/5] WORKDIR /app
#7 CACHED
#8 [4/5] RUN npm ci --omit=dev
#8 CACHED
#9 [5/5] COPY . .
#9 CACHED
#10 exporting to image
#10 exporting layers done
#10 writing image sha256:b1a4cf37956991bfa873880141fc2c8b78da7f49e3be401a7c8473e70e4aab70 done
#10 naming to docker.io/library/streaming-profile-service:build-12-7af24be done
#10 DONE 0.0s

[Pipeline] }

[Pipeline] // stage

[Pipeline] stage

```

[Pipeline] { (Login to Amazon ECR)

```
[Pipeline] withCredentials
```

```
Masking supported pattern matches of $AWS_SECRET_ACCESS_KEY
```

```
[Pipeline] {
```

```
[Pipeline] sh
```

```
+ echo Logging in to Amazon ECR...
```

```
Logging in to Amazon ECR...
```

```
+ docker login --username AWS --password-stdin 533612070969.dkr.ecr.us-east-1.amazonaws.com
```

```
+ aws ecr get-login-password --region us-east-1
```

```
WARNING! Your password will be stored unencrypted in /root/.docker/config.json.
```

```
Configure a credential helper to remove this warning. See
```

```
https://docs.docker.com/engine/reference/commandline/login/#credentials-store
```

```
Login Succeeded
```

```
[Pipeline] }
```

```
[Pipeline] // withCredentials
```

```
[Pipeline] }
```

```
[Pipeline] // stage
```

```
[Pipeline] stage
```

[Pipeline] { (Tag Images for ECR)

[Pipeline] echo

Tagging Docker images for Amazon ECR...

[Pipeline] sh

```
+ docker tag streaming-frontend:build-12-7af24be
533612070969.dkr.ecr.us-east-1.amazonaws.com/streaming-frontend:build-12-7af24be
+ docker tag streaming-hello-service:build-12-7af24be
533612070969.dkr.ecr.us-east-1.amazonaws.com/streaming-hello-service:build-12-7af24be
+ docker tag streaming-profile-service:build-12-7af24be
533612070969.dkr.ecr.us-east-1.amazonaws.com/streaming-profile-service:build-12-7af24be
```

[Pipeline] }

[Pipeline] // stage

[Pipeline] stage

[Pipeline] { (Push Images to ECR)

[Pipeline] echo

Pushing Docker images to Amazon ECR...

[Pipeline] sh

```
+ docker push 533612070969.dkr.ecr.us-east-1.amazonaws.com/streaming-frontend:build-12-7af24be
```

The push refers to repository [533612070969.dkr.ecr.us-east-1.amazonaws.com/streaming-frontend]

```
33603700587a: Preparing
fbd591214bfc: Preparing
d53e22d501e6: Preparing
ba418be4ca73: Preparing
f0cb70a55fc9: Preparing
80b3a9bcaabd: Preparing
b08673863e99: Preparing
548098c6fe2f: Preparing
34884abbe928: Preparing
80b3a9bcaabd: Waiting
b08673863e99: Waiting
548098c6fe2f: Waiting
34884abbe928: Waiting
fbd591214bfc: Layer already exists
d53e22d501e6: Layer already exists
f0cb70a55fc9: Layer already exists
33603700587a: Layer already exists
```


ba418be4ca73: Layer already exists
b08673863e99: Layer already exists
80b3a9bcaabd: Layer already exists
548098c6fe2f: Layer already exists
34884abbe928: Layer already exists
build-12-7af24be: digest: sha256:e85142f4e8fe4cf76b301d55456c03dd64a92deae7dc04fceeaf7a4948ffd965
size: 2199

+ docker push

533612070969.dkr.ecr.us-east-1.amazonaws.com/streaming-hello-service:build-12-7af24be

The push refers to repository [533612070969.dkr.ecr.us-east-1.amazonaws.com/streaming-hello-service]

6f59f4a44f46: Preparing
424f573b1b1c: Preparing
039cb6f95571: Preparing
b560612f522b: Preparing
afa543f85b46: Preparing
e10358715ead: Preparing
4983b93ee796: Preparing
29df493baa13: Preparing
4983b93ee796: Waiting
29df493baa13: Waiting
e10358715ead: Waiting
6f59f4a44f46: Layer already exists
039cb6f95571: Layer already exists
afa543f85b46: Layer already exists
b560612f522b: Layer already exists
424f573b1b1c: Layer already exists
e10358715ead: Layer already exists
4983b93ee796: Layer already exists
29df493baa13: Layer already exists
build-12-7af24be: digest: sha256:f53158827f416769463af4c5844643afabe66e32d62119a382518621e98573d9
size: 1993

+ docker push

533612070969.dkr.ecr.us-east-1.amazonaws.com/streaming-profile-service:build-12-7af24be

The push refers to repository

[533612070969.dkr.ecr.us-east-1.amazonaws.com/streaming-profile-service]

8b30ba6553b3: Preparing
0c5870eff282: Preparing
6eb3130c8b0b: Preparing
b560612f522b: Preparing
afa543f85b46: Preparing
e10358715ead: Preparing
4983b93ee796: Preparing
29df493baa13: Preparing
e10358715ead: Waiting
4983b93ee796: Waiting
29df493baa13: Waiting
afa543f85b46: Layer already exists
0c5870eff282: Layer already exists
8b30ba6553b3: Layer already exists
b560612f522b: Layer already exists
6eb3130c8b0b: Layer already exists
4983b93ee796: Layer already exists
e10358715ead: Layer already exists

29df493baa13: Layer already exists

build-12-7af24be: digest: sha256:d396a6cf3855b2574e3779398df6edb47f0199d0b154b06dabe7711eedf01eef
size: 1993

[Pipeline] }

[Pipeline] // stage

[Pipeline] stage

[Pipeline] { (CD - Deploy to EKS)

[Pipeline] withCredentials

Masking supported pattern matches of \$AWS_SECRET_ACCESS_KEY

[Pipeline] {

[Pipeline] sh

```
+ set -e
+ echo =====
=====
+ echo CD - DEPLOY TO EKS
CD - DEPLOY TO EKS
+ echo =====
=====
+ echo
+ echo Configuring kubectl for EKS...
Configuring kubectl for EKS...
```

```
+ aws eks update-kubeconfig --region us-east-1 --name container-orch-cluster
```

```
Updated context arn:aws:eks:us-east-1:533612070969:cluster/container-orch-cluster in
/root/.kube/config
```

```
+ echo
+ echo Current Kubernetes context:
Current Kubernetes context:
```

```
+ kubectl config current-context
```

```
arn:aws:eks:us-east-1:533612070969:cluster/container-orch-cluster
```

```
+ echo
+ echo Checking Kubernetes deployment access:
Checking Kubernetes deployment access:
```

```
+ kubectl get deployments -n default
```

```
NAME READY UP-TO-DATE AVAILABLE AGE
frontend 2/2 2 2 24h
hello-service 2/2 2 2 24h
profile-service 2/2 2 2 27h
```

```
+ echo
+ echo =====
=====
+ echo APPLYING KUBERNETES MANIFESTS
```

APPLYING KUBERNETES MANIFESTS

+ echo =====
=====

+ echo Manifest path: infrastructure/eks/manifests
Manifest path: infrastructure/eks/manifests

+ kubectl apply -f infrastructure/eks/manifests

deployment.apps/frontend configured
horizontalpodautoscaler.autoscaling/frontend-hpa unchanged
service/frontend-service unchanged
deployment.apps/hello-service configured
horizontalpodautoscaler.autoscaling/hello-service-hpa unchanged
service/hello-service unchanged
ingress.networking.k8s.io/streaming-ingress unchanged
deployment.apps/profile-service configured
secretproviderclass.secrets-store.csi.x-k8s.io/profile-service-secrets unchanged
horizontalpodautoscaler.autoscaling/profile-service-hpa unchanged
service/profile-service unchanged

+ echo

+ echo =====
=====

+ echo DEPLOYING EXACT IMAGE VERSION

DEPLOYING EXACT IMAGE VERSION

+ echo =====
=====

+ echo Image tag: build-12-7af24be

Image tag: build-12-7af24be

+ echo

+ echo Updating Frontend deployment...

Updating Frontend deployment...

+ kubectl set image deployment/frontend

frontend=533612070969.dkr.ecr.us-east-1.amazonaws.com/streaming-frontend:build-12-7af24be

deployment.apps/frontend image updated

+ echo

+ echo Updating Hello Service deployment...

Updating Hello Service deployment...

+ kubectl set image deployment/hello-service hello-service=533612070969.dkr.ecr.us-east-1.amazonaws.com/streaming-hello-service:build-12-7af24be

deployment.apps/hello-service image updated

+ echo

+ echo Updating Profile Service deployment...

Updating Profile Service deployment...

+ kubectl set image deployment/profile-service profile-service=533612070969.dkr.ecr.us-east-1.amazonaws.com/streaming-profile-service:build-12-7af24be

deployment.apps/profile-service image updated

+ echo

+ echo =====
=====

+ echo WAITING FOR ROLLOUT

WAITING FOR ROLLOUT

+ echo =====
=====

+ echo

+ echo Frontend rollout...

Frontend rollout...

```
+ kubectl rollout status deployment/frontend --timeout=300s
```

Waiting for deployment "frontend" rollout to finish: 1 out of 2 new replicas have been updated...

Waiting for deployment "frontend" rollout to finish: 1 out of 2 new replicas have been updated...

Waiting for deployment "frontend" rollout to finish: 1 out of 2 new replicas have been updated...

Waiting for deployment "frontend" rollout to finish: 1 old replicas are pending termination...

Waiting for deployment "frontend" rollout to finish: 1 old replicas are pending termination...

deployment "frontend" successfully rolled out

+ echo

+ echo Hello Service rollout...

Hello Service rollout...

```
+ kubectl rollout status deployment/hello-service --timeout=300s
```

Waiting for deployment "hello-service" rollout to finish: 1 old replicas are pending termination...

Waiting for deployment "hello-service" rollout to finish: 1 old replicas are pending termination...

deployment "hello-service" successfully rolled out

+ echo

+ echo Profile Service rollout...

Profile Service rollout...

```
+ kubectl rollout status deployment/profile-service --timeout=300s
```

deployment "profile-service" successfully rolled out

+ echo

+ echo =====

=====

+ echo KUBERNETES DEPLOYMENT VALIDATION

KUBERNETES DEPLOYMENT VALIDATION

+ echo =====

=====

+ echo

+ echo Deployments:

Deployments:

```
+ kubectl get deployments -n default
```

NAME	READY	UP-TO-DATE	AVAILABLE	AGE
------	-------	------------	-----------	-----

frontend	2/2	2	2	24h
----------	-----	---	---	-----

hello-service	2/2	2	2	24h
---------------	-----	---	---	-----

profile-service	2/2	2	2	27h
-----------------	-----	---	---	-----

+ echo

+ echo Pods:

Pods:

```
+ kubectl get pods -n default -o wide
```

NAME	READY	STATUS	RESTARTS	AGE	IP	NODE	NOMINATED	NODE	READINESS	GATES
------	-------	--------	----------	-----	----	------	-----------	------	-----------	-------

frontend-5464646555-758sh	1/1	Running	0	60s	192.168.6.229	ip-192-168-13-48.ec2.internal	<none>	<none>	<none>	<none>
---------------------------	-----	---------	---	-----	---------------	-------------------------------	--------	--------	--------	--------

frontend-5464646555-9db8q	1/1	Running	0	70s	192.168.0.12	ip-192-168-13-48.ec2.internal	<none>	<none>	<none>	<none>
---------------------------	-----	---------	---	-----	--------------	-------------------------------	--------	--------	--------	--------

hello-service-66f55dd8f4-6nnd4	1/1	Running	0	51s	192.168.13.42	ip-192-168-13-48.ec2.internal	<none>	<none>	<none>	<none>
--------------------------------	-----	---------	---	-----	---------------	-------------------------------	--------	--------	--------	--------

hello-service-66f55dd8f4-vxjmq	1/1	Running	0	69s	192.168.58.227	ip-192-168-32-95.ec2.internal	<none>	<none>	<none>	<none>
--------------------------------	-----	---------	---	-----	----------------	-------------------------------	--------	--------	--------	--------

hello-service-677f695f9d-8r9bj	1/1	Terminating	0	151m	192.168.18.68	ip-192-168-7-170.ec2.internal	<none>	<none>	<none>	<none>
--------------------------------	-----	-------------	---	------	---------------	-------------------------------	--------	--------	--------	--------

profile-service-56d65876-9kz5t	1/1	Terminating	0	151m	192.168.44.235	ip-192-168-63-54.ec2.internal	<none>	<none>	<none>	<none>
--------------------------------	-----	-------------	---	------	----------------	-------------------------------	--------	--------	--------	--------

profile-service-5bdb74bfc6-bccv5	1/1	Running	0	67s	192.168.6.221	ip-192-168-13-48.ec2.internal	<none>	<none>	<none>	<none>
----------------------------------	-----	---------	---	-----	---------------	-------------------------------	--------	--------	--------	--------

```
profile-service-5bdb74bfc6-rrgqf 1/1 Running 0 55s 192.168.55.190 ip-192-168-32-95.ec2.internal
<none> <none>
```

```
+ echo
```

```
+ echo Services:
```

```
Services:
```

```
+ kubectl get services -n default
```

```
NAME TYPE CLUSTER-IP EXTERNAL-IP PORT(S) AGE
frontend-service ClusterIP 10.100.127.181 <none> 80/TCP 24h
hello-service ClusterIP 10.100.213.53 <none> 3001/TCP 24h
kubernetes ClusterIP 10.100.0.1 <none> 443/TCP 2d3h
profile-service ClusterIP 10.100.197.25 <none> 3002/TCP 24h
```

```
+ echo
```

```
+ echo Ingress:
```

```
Ingress:
```

```
+ kubectl get ingress -n default
```

```
NAME CLASS HOSTS ADDRESS PORTS AGE
streaming-ingress alb * k8s-default-streamin-ab6648b39d-1610428129.us-east-1.elb.amazonaws.com 80 24h
```

```
+ echo
```

```
+ echo =====
```

```
=====
```

```
+ echo DEPLOYED IMAGES
```

```
DEPLOYED IMAGES
```

```
+ echo =====
```

```
=====
```

```
+ echo
```

```
+ echo Frontend:
```

```
Frontend:
```

```
+ kubectl get deployment/frontend -n default -o
jsonpath={.spec.template.spec.containers[0].image}
```

```
533612070969.dkr.ecr.us-east-1.amazonaws.com/streaming-frontend:build-12-7af24be+ echo
```

```
+ echo
```

```
+ echo Hello Service:
```

```
Hello Service:
```

```
+ kubectl get deployment/hello-service -n default -o
jsonpath={.spec.template.spec.containers[0].image}
```

```
533612070969.dkr.ecr.us-east-1.amazonaws.com/streaming-hello-service:build-12-7af24be+ echo
```

```
+ echo
```

```
+ echo Profile Service:
```

```
Profile Service:
```

```
+ kubectl get deployment/profile-service -n default -o
jsonpath={.spec.template.spec.containers[0].image}
```

```
533612070969.dkr.ecr.us-east-1.amazonaws.com/streaming-profile-service:build-12-7af24be+ echo
```

```
+ echo
```

```
+ echo =====
```

```
=====
```

```
+ echo EXPECTED IMAGE TAG
```

```
EXPECTED IMAGE TAG
```

```
+ echo =====
```

```
=====
```

```
+ echo build-12-7af24be
```

```
build-12-7af24be
```

```
+ echo
```

```

+ echo =====
=====
+ echo CD DEPLOYMENT COMPLETED SUCCESSFULLY
CD DEPLOYMENT COMPLETED SUCCESSFULLY
+ echo =====
=====

[Pipeline] }

[Pipeline] // withCredentials

[Pipeline] }

[Pipeline] // stage

[Pipeline] stage

```

[Pipeline] { (Declarative: Post Actions)

```

[Pipeline] sh

+ echo Cleaning unused Docker images...
Cleaning unused Docker images...
+ docker image prune -f
Total reclaimed space: 0B

[Pipeline] echo

=====
CI/CD PIPELINE SUCCESSFUL!
=====
Source code checked out successfully.
Docker images built successfully.
Images pushed to Amazon ECR.
Kubernetes manifests applied successfully.
Exact Jenkins build image deployed to EKS.
Kubernetes rollouts completed successfully.
Deployment validation completed successfully.
Application is ready for browser testing.
=====

[Pipeline] }

[Pipeline] // stage

[Pipeline] }

[Pipeline] // withEnv

[Pipeline] }

```

```
[Pipeline] // withEnv
```

```
[Pipeline] }
```

```
[Pipeline] // node
```

[Pipeline] End of Pipeline

Finished: SUCCESS