

Received Material
Inspection Check List[illegible]

THIS MEMORANDUM

is in acknowledgement that a Bill of Lading has been issued and is not the Original Bill of Lading, nor a copy or duplicate, covering the property named hereto, and is intended solely for filing or record.

PAGE 1

BILL OF LADING NO.

765495

RECEIVED, subject to the classifications and tariffs in effect on the date of the issue of this Bill of Lading.

FROM NUCOR-YAMATO STEEL CO.
AT HWY. 18 EAST
ARMOREL, AR 72310

TELEPHONE 870/762-5500

DATE 7/22/26

Subject to Section 7 of Conditions of applicable bill of lading, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement:
The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

Per NYS
(Signature of Consignor)

If charges are to be prepaid write or stamp here, "To be Prepaid".

PREPAID

LR# 48400

The property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to the usual place of delivery at said destination. If on its route, otherwise to deliver to another carrier on the route to said destination, it is mutually agreed, as to each carrier of all or any of said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classification in effect on the date hereof, if this is a rail or a rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment.

Shipper hereby certifies that he is familiar with all the terms and conditions of the said bill of lading, including those on the back thereof, set forth in the classification or lawfully filed tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

SOLD TO: CONTECH ENGINEERED SOLUTIONS

19060 COUNTY ROAD 66
GILL, CO 80631

SHIP TO: CONTECH ENGINEERED SOLUTIONS

19060 COUNTY ROAD 66
GREELEY, CO 80631

ROUTE

MILES: 1096

CARRIER
PGT

CAR OR
VEHICLE NO.

QUANTITY	CUSTOMER ORDER NO.	PRODUCT	FEET	INCHES	SPECIFICATION	THEORETICAL WT.
15	1867667	W24 076.0	40		ASTM A588-B	45600
15	TOTAL PCS				TOTAL POUNDS TOTAL TONS	45600 22.8

FLTCARONLY TARP NO FLEX 13
80T RATE; MIX LENGTHS MON-THURS 7AM-3PM NO APPT NEEDED; FORKLIFTS 11
LJ BG 6/1

* This is to certify that the above-named articles are properly classified, described, packaged, marked, and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation.
* If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is "carrier's or shipper's weight".
* Shipper's imprints in lieu of stamp; not a part of Bill of Lading approved by the Department of Transportation.
NOTE - Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.
* The fibre containers used for this shipment conform to the specifications set forth in the box maker's certificate thereon, and all other requirements of Rule 41 of the Uniform Freight Classification and Rule 5 of the National Motor Freight Classification.

NUCOR-YAMATO STEEL
P.O. BOX 1228
BLYTHEVILLE, AR 72315
Permanent post office address of shipper

B/L# 765495

TRUCK COPY 1

Agent, Per

(This Bill of Lading is to be signed by the shipper and agent of the carrier issuing same.)

THIS MEMORANDUM

is in acknowledgement that a Bill of Lading has been issued and is not the Original Bill of Lading, nor a copy or duplicate, covering the property named hereon, and is intended solely for filing or record.

PAGE 1

BILL OF LADING NO.

765495

RECEIVED, subject to the classifications and tariffs in effect on the date of the issue of this Bill of Lading.

FROM NUCOR-YAMATO STEEL CO.
AT HWY. 18 EAST
ARMOREL, AR 72310

TELEPHONE 870/762-5500

DATE 7/22/26

Subject to Section 7 of Conditions of applicable bill of lading, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement:
The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

Per NYS

(Signature of Consignor)

If charges are to be prepaid write or stamp here: "To be Prepaid".

PREPAID

LR# 48400

The property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to the usual place of delivery at said destination. If on its route, otherwise to deliver to another carrier on the route to said destination, it is mutually agreed, as to each carrier of all or any of said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classification in effect on the date hereof, if this is a rail or a rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment.

Shipper hereby certifies that he is familiar with all the terms and conditions of the said bill of lading, including those on the back thereof, set forth in the classification or lawfully filed tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

SOLD TO: CONTECH ENGINEERED SOLUTIONS

19060 COUNTY ROAD 66
GILL, CO 80631

SHIP TO: CONTECH ENGINEERED SOLUTIONS

19060 COUNTY ROAD 66
GREELEY, CO 80631

ROUTE

MILES: 1096

CARRIER
PGT

CAR OR
VEHICLE NO.

QUANTITY	CUSTOMER ORDER NO.	PRODUCT	FEET	INCHES	SPECIFICATION	THEORETICAL WT.
15	1867667	W24 076.0	40		ASTM A588-B	45600
15	TOTAL PCS				TOTAL POUNDS	45600
					TOTAL TONS	22.8

FLTCARONLY TARP NO FLEX 13
80T RATE; MIX LENGTHS MON-THURS 7AM-3PM NO LIFT NEEDED; FORKLIFTS 11
LJ BG 6/1

* This is to certify that the above-named articles are properly classified, described, packaged, marked, and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation.
* If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is "carrier's or shipper's weight".
* Shipper's imprints in lieu of stamp, not a part of Bill of Lading approved by the Department of Transportation.
NOTE - Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.
* The fibre containers used for this shipment conform to the specifications set forth in the box maker's certificate thereon, and all other requirements of Rule 41 of the Uniform Freight Classification and Rule 5 of the National Motor Freight Classification.

NUCOR-YAMATO STEEL
P.O. BOX 1228
BLYTHEVILLE, AR 72315
Permanent post office address of shipper

B/L# 765495

TRUCK COPY 2

Agent, Per

(This Bill of Lading is to be signed by the shipper and agent of the carrier issuing same.)

Invoice No.	
Bill of Lading	LRM48400
Customer No.	5812
Customer P.O.	1867667

NUCOR-YAMATO STEEL CO.
P.O. BOX 1228: BLYTHEVILLE, AR 72316

CERTIFIED MILL TEST REPORT	
100% Melted and Manufactured in U.S.A	
All Shapes produced by Nucor-Yamato Steel are cast and rolled to a fully killed and fine grain practice	
Date	07/22/2026

CONTECH ENGINEERED SOLUTIONS
19060 COUNTY ROAD 66
GILL CO 80631
USA

CONTECH ENGINEERED SOLUTIONS
19060 COUNTY ROAD 66
GREELEY CO 80631
USA

ASTM A588/A588M-19 GRADE B
ASTM A709/A709M-21 GR50WT TypeB(345WT)
ASTM A6/A6M-22

Item#	Item Description	QTY	Heat#	Mechanical Properties								Chemical Properties															
				Yield to Tensile Ratio	Yield Strength	Tensile Strength	ELONG	Charpy Impact				C	Mn	P	S	Si	Cu	Ni	Cr	Mo	V	Cb	Sn	CE	Pcm	Cl	
					KSI	KSI		%	Temp	Impact Energy	Loc/Freq																
					MPa	MPa		%	° F	ft·lb/																	
1	W24X076.0 40 ft 0 in W610X113 (12.19 m)	10	627779	0.75 0.76	60 61 412 419	79 80 548 551	23 22	40 4 40 4	42 57 46 62	50 68 47 64	42 57 68 92	F/H F/H	.09	1.25	.017	.015	.27	.28	.31	.46	.04	.04	.002	.01	.44	.21	6.4
2	W24X076.0 40 ft 0 in W610X113 (12.19 m)	5	627781	0.75 0.66	61 55 418 382	81 84 558 582	22 20	40 4	43 58	26 35	47 64	F/H	.07	1.30	.013	.012	.27	.29	.33	.45	.05	.05	.003	.01	.44	.20	6.4

ELONGATION BASED ON 8.00 INCH GAUGE LENGTH

$P_{cm} = C + Si/30 + Mn/20 + Cu/20 + Ni/60 + Cr/20 + Mo/15 + V/10 + Sb(B \approx 0.005)$

Corrosion Index = $26.01(\%Cu) + 3.88(\%Ni) + 1.2(\%Cr) + 1.49(\%Si) + 17.28(\%P) - 7.29(\%Cu)(\%Ni) - 9.10(\%Ni)(\%P) - 33.39(\%Cu)^2$

ISO 9001:2015 certified (Registration #0985-07).

Meets mechanical lab independence requirements of EN10204 type 3.1.

The Charpy machine striker geometry used by Nucor-Yamato Steel is the 8 mm (0.315") striker (KV₂) per ASTM A370 Section 22.1.2 and ISO 148-1 Section 7.3.

CARBON EQUIVALENT CE = $C + Mn/6 + (Cr + Mo + V)/5 + (Ni + Cu)/15$

Mercury has not been used in the direct manufacturing of this material

Boron has not been intentionally added and will not exceed 0.0008%

This material was produced in accordance with the Nucor-Yamato Steel Quality Manual.

I hereby certify that the contents of this report are accurate and correct. All test results and operations performed by this material manufacturer are in compliance with the requirements of the material specifications, and when designated by the purchaser, meet the applicable specifications.

Evan
Chief Metallurgist

State of Arkansas
County of Mississippi
Sworn to and subscribed before me
on 2026-07-22

AMANDA STOCKMAN
NOTARY PUBLIC - ARKANSAS
Mississippi County
Commission # 1237936
My Commission Expires Feb 05, 2034

Amanda Stockman

SHIPPING LIST
NUCOR-YAMATO STEEL CO.

PAGE 1

B/L DATE: 7/22/26

ATTACH TO BILL OF LADING NO. 765495

SOLD TO:
CONTECH ENGINEERED SOLUTIONS

SHIP TO:
CONTECH ENGINEERED SOLUTIONS

19060 COUNTY ROAD 66
GILL, CO

80631

19060 COUNTY ROAD 66
GREELEY, CO

80631

PCS	CUST ORDER#	PART#	PRODUCT	FT	INCHES	GRADE	HEAT#	WEIGHT
10	1867667		W24	076.0	40	#588	627779	30400
5	1867667		W24	076.0	40	#588	627781	15200
							# CVN TESTED MATERIAL	
							TOTAL POUNDS	45600
							TOTAL TONS	22.8