Methods for Dummies


Five topics you wanted to know better, but were afraid to ask




featuring
Justin DiSimone, Janaki Gooty, Andrew Hanna, Lisa Lambert, and Hettie Richardson

Table of Contents

1:00 – Preface – you are here now
1:05 – Mediation and Moderation (Justin)
1:30 – Formative and Reflective Measures (Lisa)
1:55 – Method Variance (Hettie)
2:20 – Factor Analysis & Model Fit (Andrew)
2:45 – Multilevel Research Design (Janaki)
3:05 – Epliogue – you are not here yet







Find resources and recommendations here:



Chapter 1
Mediation and Moderation

Justin DiSimone

Moderation and Mediation

Justin A. DeSimone
University of Alabama
Southern Management Association Conference
Thursday, October 29, 2026

Moderation versus Mediation

- Moderation answers questions surrounding conditions
  - When does an effect occur?
  - Where does an effect occur?
  - For whom does an effect occur?




- Mediation answers questions surrounding processes
  - How does an effect occur?
  - Why does an effect occur?



Moderation

- The relationship between X and Y changes based on the level of Z
- Places you might see moderation:
  - In a study
    - The relationship between engagement and retention is different for public versus private firms
  - In a meta-analysis
    - The effect size varies based on the measures used
  - In a hierarchical linear model
    - The relationship between LMX and performance depends on team size



$$t_{(N-J_F-1)} = \frac{B_3}{se_{B_3}}$$

Moderation

- Restricted Model (main effects)
  - $Y = B_0 + B_1X + B_2Z + e \rightarrow R^2_R$
- Full Model (main effects and interaction)
  - $Y = B_0 + B_1X + B_2Z + B_3XZ + e \rightarrow R^2_F$
- Model Comparison: $R^2_F - R^2_R = \Delta R^2$




$$F_{(J_F-J_R,N-J_F-1)} = \frac{\frac{R_F^2-R_R^2}{J_F-J_R}}{\frac{1-R_F^2}{N-J_F-1}}$$


Moderation


- Interpreting ΔR^2
  - The amount of variance in Y attributable to the interaction effect (XZ) after controlling for the main effects (X and Z)
- Interpreting B_3 (regression coefficient for the interaction effect)
  - Positive: As Z increases, the relationship between X and Y increases
  - Negative: As Z increases, the relationship between X and Y decreases




Not Interactions













Interactions








Mediation


1. Direct Effect Model
(No Mediator)
X
(Predictor)
c
Y
(Outcome)
2. Partial Mediation
(Direct and Indirect Effects)
M
(Mediator)
a
b
X
(Predictor)
c′
Y
(Outcome)
3. Full Mediation
(Indirect Effect Only)
M
(Mediator)
a
b
X
(Predictor)
c′
Y
(Outcome)


Baron & Kenny (1986) Approach

- Does X predict Y? (c path)
  - Required
- Does X predict M? (a path)
  - Required
- Does M predict Y while holding X constant? (b path)
  - Required
- Does X predict Y while holding M constant? (c' path)
  - No: Complete mediation
  - Yes: Partial mediation





SEM Approach



- $Y = B_0 + B_1X + e \rightarrow B_1 = c$
- $M = B_0 + B_1X + e \rightarrow B_1 = a$
- $Y = B_0 + B_1X + B_2M + e \rightarrow B_1 = c', B_2 = b$

- $c = ab + c'$
  - If $c' = 0$, then $ab = c$ and complete mediation
  - If $c' \neq 0$, then $ab \neq c$ and partial mediation


- But it is also possible to just test the indirect effect (ab) itself

Indirect Effect




- Sobel (1982) test: $Z = \frac{ab}{\sqrt{b^2 se_a^2 + a^2 se_b^2}}$
  - ab may be nonnormal even if a is normal and b is normal
  - This test may have low power (overly conservative)
  - This test may be problematic in smaller samples

- Bootstrapping



Combining Moderation and Mediation

See Edwards & Lambert (2007)



Questions



Find resources and recommendations here:



Chapter 2
Formative and Reflective Measures

Lisa Lambert

(See Lisa’s Word document)

Find resources and recommendations here:



Chapter 3
Method Variance and Staplers

Hettie Richardson

A FRIENDLY PRIMER


Method Variance for Dummies

What MV is, what it does to your results, and what to do about it

Hettie A. Richardson · Texas Christian University



Two corners of the ring



Podsakoff et al. (2003, 2024) · Spector (2006) · Early MTMM estimates of 25–35% method variance: Cote & Buckley (1988); Doty & Glick (1998); Williams et al. (1989)

PART 1 · VOCABULARY

“Method”: the word people often skip

A method is how we turn a person’s standing on a construct into a number.

Narrow

The apparatus: items, response scales, paper vs. online.

Broad

Also who rates, what’s rated, and the whole measurement context.

“If it ain’t trait, it must be method.”


The logic to avoid. Unintended variance might be another real construct. Is it method, or part of the story? That’s a theory question.

Lance et al. (2009); Spector & Brannick (2009); Spector et al. (2019)

PART 1 · VOCABULARY

Method variance (MV), starring Jimmy

Method variance is systematic variance in a measure that comes from *how* you measured it, not from the construct you meant to measure.



ONE MEASURE'S VARIANCE = 100%

- **What you meant to measure**
- **Method**
- **Other error**

Illustrative slices, not data

MV that inflates item correlations makes alpha, loadings, and AVE look **better** than they are. Deflating MV makes them look **worse**.




Podsakoff et al. (2003); Williams & Brown (1994); Spector et al. (2019); social desirability in interviews: Bowling (2005); Yao & Xu (2024)

PART 1 · VOCABULARY

Common method variance (CMV)

Method variance that is **shared** between constructs: one source of distortion hitting two variables in the same way.



Spector (2006); Williams & Brown (1994); Spector et al. (2019); narcissism and deviance: O'Boyle et al. (2013)

PART 1 · VOCABULARY

Uncommon method variance (UMV)

Both measures are contaminated by method, but by **unrelated** method. The cousin nobody invites to the party.



Jimmy rates his narcissism

Method: social desirability

≠

unrelated



His boss rates his deviance

Method: has no idea why the staplers keep disappearing


Both have MV, just not the same MV. Hold that thought.

Spector et al. (2019); Kammeyer-Mueller et al. (2010)

PART 1 · VOCABULARY (THE BIG ONE!)

Method variance is not method bias

Method bias = MV big enough to change your conclusions: a Type I error, a Type II error, or a wrong call about reliability or validity.



METHOD VARIANCE

Every house has dust.



METHOD BIAS

You can't find the couch.

~24% average method variance in MTMM studies

21–46% random error in the same studies. We tolerate that one every day.

Conway & Lance (2010); Sturman et al. (2025); Podsakoff et al. (2024), summarizing MTMM meta-analyses

PART 2 · POP QUIZ

What does MV do to correlations?

A Inflates them

B Deflates them

C Nothing at all

D Flips the sign

E All of the above

Baumgartner et al. (2021); Cote & Buckley (1988); Doty & Glick (1998); Spector et al. (2019); Williams & Brown (1994)

PART 2 · POP QUIZ

What does MV do to correlations?

A
Inflates them

B
Deflates them

C
Nothing at all

D
Flips the sign

Correct!

E
All of the above

Baumgartner et al. (2021); Cote & Buckley (1988); Doty & Glick (1998); Spector et al. (2019); Williams & Brown (1994)

PART 2 · INFLATE OR DEFLATE

Inflate or deflate? Too simple. CMV pushes in both directions.

CMV PUSH →	Same-direction push both scores move the same way → r pushed positive	Opposite-direction push one up, the other down → r pushed negative
True relationship **Positive**	**Inflated** r looks more positive than it is Narcissism and deviance. The one reviewers worry about.	**Attenuated; may flip** r shrinks toward zero and can turn negative
True relationship **Negative**	**Attenuated; may flip** r shrinks toward zero and can turn positive. Biggest distortions here.	**Inflated** r looks more negative than it is Deviance and conscientiousness

Baumgartner et al. (2021). Assumes perfect reliability.

PART 2 · INFLATE OR DEFLATE

The deflators: UMV and unreliability

UMV

Unrelated method variance is just noise to the relationship. Noise attenuates.

Unreliability

Also attenuates, so it can partly cancel out inflating CMV.

THE TWIST

Multiple raters and different occasions, the classic CMV cures, can create UMV that distorts conclusions as much as the CMV you avoided.




You fixed the leak in the kitchen by flooding the bathroom.

Spector et al. (2019); Kammeyer-Mueller et al. (2010); Lance et al. (2010); Fuller et al. (2016)

PART 2 · INFLATE OR DEFLATE

Real data are messy



The net effect of everything at once decides your results. “Always inflates” is a guess. So is “never matters.”

The congeneric perspective: Richardson et al. (2009); see also Johnson et al. (2011); Simmering et al. (2015); Spector et al. (2019); Williams et al. (2010)

PART 2 · INFLATE OR DEFLATE (FINALLY, GOOD NEWS!)

You probably don’t test bivariate correlations

SLOPES

CMV bias in regression slopes **shrinks** as you add more variables affected by CMV.

Siemsen et al. (2010)

4–6

other variables in the model made CMV ignorable

Sturman et al. (2025)

Myth? CMV is not talented enough to fake a moderator.

Caveats: add variables for theory, not to scare CMV away. And this doesn’t rescue meta-analyses, which run on bivariate correlations.

Kalnins (2026); Siemsen et al. (2010); Sturman et al. (2025)

PART 3 · BEFORE YOU COLLECT

A priori remedies: no free lunch

Remedy	What it buys you	The price tag
Multi-source data	No common-rater effects	Item and context effects remain; can create UMV
Temporal or psychological separation	Weaker priming and consistency effects	Removed CMV, or added UMV? Plus attrition
Reverse-worded items	Less acquiescence	Confusion and careless responding
Varied scale formats	Less autopilot responding	More cognitive load
Anonymity	Less faking	Possibly less effort and accuracy
Filler items	Separation; detects response styles	40+ extra items and tired respondents

A fix for one MV source can worsen another. Choose remedies for the sources you expect, not "just in case."

Podsakoff et al. (2003, 2024); Chan (2009); Cruz (2022); Rubenstein et al. (2025); Weijters & Baumgartner (2012); MacKenzie & Podsakoff (2012); Lelkes et al. (2012); Weijters et al. (2008)

PART 3 · AFTER YOU COLLECT


Post hoc: three approaches that work

All three have shown acceptable accuracy, and all three require planning before you collect data.

1

CFA marker technique

Strongest evidence. A marker measured like your variables, exposed to the same MV causes, but theoretically unrelated.



2

A directly measured cause

Such as social desirability or affectivity. You must argue it's method, not substance.

3

An indirectly measured cause

Such as response styles detected from filler items.

Williams et al. (2010); Richardson et al. (2009); Williams & O'Boyle (2015); Miller & Simmering (2023); Simmering et al. (2015); Weijters et al. (2008)

PART 3 · PLEASE STOP

Three popular tests to retire

RETIRED

Harman’s one-factor test

The evidence against it is enormous. If it were a restaurant, the health inspector would have closed it years ago.

RETIRED

Correlational marker technique

Produces faulty results.

RETIRED

Unmeasured latent method construct (ULMC)

Maybe OK at N ≥ 1,000; highly error-prone at typical sample sizes. Even its former champions have moved on.

Fuller et al. (2016); Richardson et al. (2009); Aguirre-Urreta & Hu (2019); Lindell & Whitney (2001); Castille & Williams (2024); Chin et al. (2012); Podsakoff et al. (2024)

PART 3 · PLEASE STOP

Three popular tests to retire

RETIRED

Harman's one-factor test

The evidence against it is enormous. If it were a restaurant, the health inspector would have closed it years ago.

RETIRED

Correlational marker technique

Produces faulty results.

RETIRED

Unmeasured latent method construct (ULMC)

Maybe OK at N ≥ 1,000; highly error-prone at typical sample sizes. Even its former champions have moved on.

Fuller et al. (2016); Richardson et al. (2009); Aguirre-Urreta & Hu (2019); Lindell & Whitney (2001); Castille & Williams (2024); Chin et al. (2012); Podsakoff et al. (2024)

PART 3 · THE RESPONSE LETTER

What to tell your reviewers

⚠ Don’t

Claim MV is absent if you have same-source, cross-sectional data. You might be right, but they probably won’t believe you. Plus, all data has error.

✓ Do: show robustness

1. Run key results with and without the MV controls.
2. Report whether anything changes.
3. Several other variables? Say so, and cite Siemsen et al. and Sturman et al.

Siemsen et al. (2010); Sturman et al. (2025)

Your cheat sheet

Tear out. Tape to monitor.

MV · method contaminates a measure

CMV · the contamination is shared

UMV · both contaminated, unrelatedly

Method bias · it changed your conclusion

1. **MV is not method bias.** Having MV isn't the problem; changed conclusions are.
2. **CMV and UMV can push bidirectionally;** it's not just inflation or deflation.
3. **Every a priori fix has a trade-off.** Choose based on your theory of your measures.
4. **Use a CFA marker or a measured cause.** Retire Harman's.
5. **Show robustness.** Don't expect purity.

Every house has dust.

Check whether you can still find the couch.



Find resources and recommendations here:



Chapter 4
Factor Analysis and Model Fit


Andrew Hanna

First off, what is a factor?

We can't observe things like trust or commitment directly. Since they are unobserved (i.e., **latent**), we measure them by asking several questions (i.e., **items/indicators**). When responses to different items are correlated, those items **share variance** and may reflect the same underlying characteristic. A **factor** is just the name we give to that underlying characteristic.

How is a factor determined in a latent variable model?

(1) Multiple indicators share common variance
(2) A latent factor accounts for the shared variance
(3) Factor loadings represent the strength of the relationship between each indicator and the factor



SOUTHERN MANAGEMENT ASSOCIATION

Takeaway: A **factor loading** (*) shows how strongly an item reflects the factor; its **uniqueness** (u) is the variance the factor can't explain.


Then what does a factor analysis show us?

What is factor analysis?

A family of statistical techniques used to discover the underlying structure of observed variables (**EFA**) and test hypotheses about that structure (**CFA**).

Why do we use factor analysis?

(1) To simplify complex data
(2) To evaluate the quality of our measurements
(3) To understand a construct's dimensionality
(4) To test our data's hypothesized factor structure




Takeaway: Factor analysis helps determine whether patterns in how people respond align with how theory predicts the underlying construct is structured (i.e., as we expect).

S·M·A
SOUTHERN MANAGEMENT ASSOCIATION

Family? There's more than one?


Exploratory Factor Analysis (EFA)

New scale, adapted, or unclear? **Use EFA**.



"How many factors are there, and which items go where?"

Confirmatory Factor Analysis (CFA)



Established scale or clear theory? **Use CFA**.

"Does the structure I predicted and modeled fit the data?"

S·M·A
SOUTHERN MANAGEMENT ASSOCIATION

Building a scale? Run an **EFA** using one sample first, then confirm your conclusions with a new sample using a **CFA**.

I see the term “model fit” used…what is that?

Your model implies a pattern of theory-informed correlations. **Model fit** is a set of indices that tells you how closely that pattern “fits” the actual pattern in your data.

Index	Question the index addresses	What is “better”?
Chi-square (χ^2)	Does the model fit the data exactly?	**Non-significant** (Biased to large N)
Comparative Fit Index (**CFI**)	Does the model fit better than a baseline in which all variables are independent (**null**)?	**Higher** (Closer to 1.0)
Tucker-Lewis Index (**TLI**)	Does the model fit better than a baseline in which all variables are independent (**null**)?	**Higher** (Closer to 1.0)
Root Mean Square Error of Approximation (**RMSEA**)	How much misfit is there, accounting for the complexity of the model (**df**)?	**Lower** (Closer to 0)
Standardized Root Mean Square Residual (**SRMR**)	What is the average “leftover” gap between the model’s correlations and the data’s?	**Lower** (Closer to 0)

S·M·A
SOUTHERN MANAGEMENT ASSOCIATION

Takeaway: Treat your model fit indices as complementary. No single index tells you everything about how well the model fits the data

How do I tell if the model fit is good?

General minimums (**CFI**, **TLI**) and maximums (**RMSEA**, **SRMR**) act as guidelines you can use to assess model fit, but they are not "golden rules," by any means.

Not a "one-size-fits-all"
What counts as "good" shifts with model size and loading strength

RMSEA and small df
Good models can be flagged as bad when degrees of freedom are few

Dynamic Thresholds
What constitutes "good fit" changes based on the model (R: **dynamic**)

Index	Older "acceptable" thresholds	Hu & Bentler (1999) "good" thresholds
CFI	.90 or higher	.95 or higher
TLI	.90 or higher	.95 or higher
RMSEA	.08 or lower	.06 or lower
SRMR	.08 or lower	.08 or lower

When reporting, include: χ^2(df), *p*-value (CFI; TLI; RMSEA [90% C.I.]; SRMR)

SOUTHERN MANAGEMENT ASSOCIATION

Takeaway: Know the cutoffs, but don't treat them as strict pass/fail criteria. No threshold is equally appropriate across all models.

What decisions do I make when running an EFA?

When do I use EFA again?

Since **EFA** is a **data-driven** approach to discovering the number and nature of factors, we use it when details are unclear (e.g., developing a new scale, after adapting a scale, and/or when theory is unclear about how many factors exist or which items belong).

1

What method?

Use factor analysis (maximum likelihood or principal axis), **not principal components**, when you're measuring constructs.

2


How many factors?

Use **parallel analysis plus theory**. Simply retaining a factor because the Eigenvalue > 1.0 tends to retain too many.

3

What kind of rotation?


Use an **oblique rotation** (e.g., oblimin), because (while distinct) our constructs usually correlate. **Distinct does not mean uncorrelated**.



SOUTHERN MANAGEMENT ASSOCIATION

Takeaway: These three choices drive most EFA results, and all three decisions should be reported clearly.

How do I subjectively interpret my EFA results?



Item	Factor 1	Factor 2	Factor 3
i1	**.82**	−.08	.04
i2	**.74**	.14	−.06
i3	**.86**	−.01	.02
i4	.08	**.75**	.00
i5	−.03	**.93**	.02
i6	.00	**.48**	.27
i7	−.01	.02	**.72**
i8	.03	.06	**.58**
i9	.03	−.08	**.73**

How many factors? Retain factors with an **eigenvalue** above the random-data line. Factor 3 (1.03) sits on the borderline, so theory and clean factor loadings decide.

Which items go where? A **clean loading** has a strong primary loading (**>.40**) and weak loadings (**<.30**) on all other factors.

S·M·A
SOUTHERN MANAGEMENT ASSOCIATION

Not sure about an item? Howard's ".40-.30-.20" rule advises a >.40 primary loading, <.30 secondary loading, and a >.20 gap between.

What decisions do I make when running a CFA?

When do I use CFA again?

Since **CFA** is a **theory-driven** approach to testing a hypothesized factor structure, we use it to confirm that the data reflect what theory suggests (e.g., using scales with an established structure, testing measurement models, as a follow-up to an EFA, and/or when you have theoretical expectations about factor structure).

1

Specify the model

- Tie each item to only **one factor**
- Factors **can correlate**
- Each factor should have a **minimum of three items**
- Scale each factor by fixing the first loading to 1.0 (**referent indicator**) or fixing the factor variance to 1.0 (**fixed-factor**)

2


Pick the right estimator

- Continuous, mostly normal items? **Maximum likelihood (ML)**
- Skewed items? **Robust maximum likelihood (MLR)**
- Using a Likert scale with < 5 scale points (i.e., 1-5)? **Ordinal (WLSMV)**

3

Check first before model fit

- **Standardized loadings** show how well each item reflects the factor.
- **Factor correlations** should show artifacts of discriminance (< .70 or 95% C.I. below a chosen cutoff)
- Negative variances or std loadings above 1.0 (**Heywood cases**) may be evidence of a **red flag**



S·M·A
SOUTHERN MANAGEMENT ASSOCIATION

Think the model needs to change? Data-driven tweaks often don't replicate, so theory should drive any changes to your model.

When should I present my CFA results?

Papers often report fit results twice: once to show the measures work, and again to test the hypotheses. They share commonalities, but they answer different questions.

STEP 1 The Measurement Model CFA

Do my measures work? Include every construct and its scale items; constructs correlate freely; no hypotheses yet.

Report	Rule of Thumb
Fit Indices	Follow model fit guidelines (Slides 5 and 6)
Std. Loadings	≥ .50, Ideally ≥ .70
Reliability (ω)	≥ .70
Convergence (AVE)	≥ .50
Discriminance	HTMT < .85; Merging factors fits worse

STEP 2 The Structural Model CFA

Do my hypotheses hold? Same measures, but the correlations become your hypothesized paths.

Report	Rule of Thumb
Fit Indices	Report next to Step 1's fit
χ^2 Difference	A big drop flags missing paths
Paths	Standardized β, *p*, and R^2 for each outcome
Loadings	Should barely move from Step 1

S·M·A
SOUTHERN MANAGEMENT ASSOCIATION

Takeaway: Good overall fit mostly reflects your measures, not your paths. Judge your paths by the fit drop from Step 1 to Step 2.

Questions?



Need help?
Get ahold of me



Best resources for guidance on factor analysis & model fit

S·M·A
SOUTHERN MANAGEMENT ASSOCIATION

Find resources and recommendations here:



Chapter 5
Multilevel Research Design

Janaki Gooty

The Nuts and Bolts of Multilevel Research

Janaki Gooty
Co-Director, Center for Leadership Science
UNC Charlotte

Critical Steps in Conducting ML Research (using dyads as an illustration)

Step 1 – Construct Conceptualization (following K & K, 2000)

In most cases, the focal unit is the *relationship*:

- *Global* dyadic construct – A relatively objective, observable attribute of a relationship (e.g., dyad function; dyad tenure; dyad meeting frequency).
- *Shared* dyadic construct – This type of construct emerges due to shared "realities" in a relationship (e.g., goals; relationship satisfaction).
- *Configural* dyadic construct – This type of construct emerges due to differences in a relationship (e.g., dyadic conflict; marital satisfaction; LMX dispersion).

Critical Steps Cont.

Step 2 – Theory Building

- Single-level vs. multi-level vs. cross-level models (similar to Kozlowski & Klein, 2000)

  (…but also see Yammarino & Gooty, 2019, for a different interpretation)

- Are its associations with other constructs (e.g., exogenous variables and moderators) similar as we traverse levels?
- Articulate emergence processes, as most dyadic constructs originate at lower levels

Step 3 – Research Design Choices

1. How were power and sample size determined?
2. Nested or cross-classified models
3. Independent or dependent dyads

And many more! Make well-considered choices.

Step 4 – Measurement

Type of construct	Chan's typology	Examples of dyad measures	Example items	Ratings	Justification	Measure
Global dyadic	Additive or a global property	Tenure, years of experience in the dyad, function	How long have you worked with this subordinate?	One expert rating	NA	Sum or mean
Shared dyadic	Referent-shift consensus	Relationship satisfaction	How satisfied are you with your relationship with your [manager/subordinate]?	Matched	Dyadic ICC1; intra-dyad correlations	Mean (or another agreement-based statistic)
	Direct consensus	LMX-MDM; LMSX; Relationship investments	I have invested a great deal of time in my relationship with my subordinate If I do something for my supervisor, she/he will eventually repay me	Matched	Dyadic ICC1; intra-dyad correlations	Mean (or another agreement-based statistic)
Configural dyadic	Dispersion	LMX dispersion	1. My manager and I disagree regarding shared goals 2. Dispersion around any of the items above	Matched/across time	Dyadic ICC1 and low intra-dyad correlations	SDs, variance, AD: see Cole et al. (2011, ORM)
	Process models	Relationship satisfaction change	Same items as above	Matched and across time	Change parameters	Beta, gamma

Critical Steps in Conducting Dyadic Research – Methods Choices

Step 5 – Data Analysis

- Many possibilities here; all depend on the design you chose in Step 3 and the types of questions you are trying to answer

Critical Steps in Conducting Dyadic Research – Conclusions

Step 6 – Inference Drawing

More than 80% of LMX research theorizes at the dyad level, measures things at individual and team levels, analyzes data at individual and team levels, and draws inferences at the dyad level (Gooty, Yammarino, and colleagues, 2012)

1. Klein, K. J. & Kozlowski, S. W. J. 2000. From micro to meso: Critical steps in conceptualizing and conducting multilevel research. *Organizational Research Methods, 3*: 211-236.
2. LeBreton, J. M., & Senter, J. L. (2008). Answers to twenty questions about interrater reliability and interrater agreement. *Organizational Research Methods, 11*, 815-852.
3. Morgeson, F. P. & Hofmann, D. A. (1999). The structure and function of collective constructs: Implications for multilevel research and theory development. *Academy of Management Review, 24*, 249-285.
4. Gooty, J., & Yammarino, F. J. (2016). The leader–member exchange relationship: A multisource, cross-level investigation. *Journal of Management*, *42*(4), 915-935.

Find resources and recommendations here:



Epilogue
We’re So Glad We’ve Had this Time Together

Don’t you feel Smarter now?