

SECTION 135 ELECTRICITY ACT — COMPILATION DIGEST · CASES 001–050

Comparative Facts Matrix

Generic, case-stripped facts for side-by-side comparison

One row per case, case-specific detail stripped to comparable descriptors so patterns across Cases 001–050 stand out (consumer type, mode of theft, meter status, load, assessed value, witnesses, defence, outcome). Of 50 cases: **36** convicted, **12** acquitted, and 2 other (a Section 126 civil appeal and a civil suit). 65B cert. “No*” = videography admitted without a certificate under the waived-objection rule in *Sonu @ Amar*.

#	ACCUSED	DISCOM	USE	THEFT MODE	METER STATUS	LOAD (KW)	ASSESSMENT PW / (RS.)	DW	PUB. WIT.	65B CERT.	DEFENCE	OUTCOME
001	Gaffar Miya	BSES YPL	domestic	direct theft / hooking — no meter at premises; Teflon wires tapped from input terminal of ground-floor meter (meter for ground floor only)	no meter installed for inspected premises	2.73	55,332	5 / 0	No	—	bare denial and false implication; no defence evidence; settled theft bill during trial	convicted
002	Sattar Miya	BSES YPL	domestic	direct theft / hooking — no meter at premises; Teflon wires tapped from input terminal of another user's ground-floor meter	no meter installed for inspected premises	2.63	53,576	5 / 0	No	—	bare denial and false implication; no defence evidence; settled theft bill during trial	convicted
003	Gaffar Miya	BSES YPL	domestic	direct theft / hooking — no meter at premises; Teflon wires tapped from input terminal of another user's ground-floor meter	no meter installed for inspected premises	3.5	60,536	5 / 0	No	—	bare denial and false implication; no defence evidence; settled theft bill during trial	convicted
004	Momin & Anr.	BSES YPL	commercial use at residential premises (automatic collar-pasting work)	direct theft from BSES AB conductor via single-core insulated wires through a concealed change-over switch; installed meter (registered consumer's) lying stopped	meter installed in co-accused's name but lying stopped	2.102	1,82,203	3 / 0	No	Yes	bare denial and false implication; no defence evidence; settled civil liability but did not deposit amount (financial constraints)	both accused convicted (user u/s 135; registered consumer u/s 135 r/w 150)
005	Mohd. Riyaz & Anr.	BSES YPL	domestic	meter bypass — registered meter in stopped condition; illegal wire connected into supply cable to load (service cable tampered)	meter installed in co-accused wife's name but stopped (reading 17799 KWH)	3.181	56,314	3 / 0	No	No*	bare denial and false implication; no defence evidence; settled civil liability but did not deposit (financial constraints)	both accused convicted (user u/s 135; registered consumer u/s 135 r/w 150)
006	Mohd. Riyaz	BSES YPL	domestic	direct theft / pole hooking — two-core cable from BSES pole feeding unmetered 1st & 2nd floors	no meter for inspected floors; ground-floor	2.66	47,582	4 / 0	No	Yes	bare denial and false implication via amicus curiae; no defence	convicted

#	ACCUSED	DISCOM	USE	THEFT MODE	METER STATUS	LOAD (KW)	ASSESSMENT PW / (RS.)	DW	PUB. WIT.	65B CERT.	DEFENCE	OUTCOME
					meter served ground floor only						evidence; settled civil liability but did not deposit (financial constraints)	
007	Devi Prasan	TPDDL	domestic (unauthorised jhuggi); load included e-rickshaw charging and construction equipment	direct theft / hooking from LT Network Distribution Box near licensee pole; no meter	no meter — unauthorised premises	7.408	3,79,124	6 / 1	No (refused)	Yes	passer-by / coerced signature; jhuggi and e-rickshaws not his; DW-1 cousin deposed accused lived with him 200-300 m away; photocopy rent agreement not proved	convicted; civil liability u/s 154(5) additionally imposed
008	Ravinder	BSES YPL	commercial (wooden work) at residential premises	direct theft / pole hooking (yellow wire joined to two-core black wire from BSES pole)	no meter	2.435	1,73,901	3 / 0	No	Yes	bare denial/false implication; no defence evidence; settled and deposited theft bill	convicted
009	Yasmeen	BSES YPL	domestic	direct theft — two-core grey wire connected to licensee's service cable at pole after puncturing it	no meter	2.222	48,794	3 / 0	No	Yes	bare denial/false implication; no defence evidence; no settlement	convicted
010	Tilak Raj	BSES YPL	commercial (wire-rolling workshop) at jhuggi premises	direct theft — two-core black wire from distribution box of licensee's street light	no meter	2.518	1,73,506	3 / 0	No	Yes	bare denial/false implication; no defence evidence; no settlement	convicted
011	Altaf	BSES YPL	domestic	direct theft — two-core black wire from licensee's distribution box	no meter	2.37	50,979	4 / 0	No	Yes	bare denial/false implication; no defence evidence; settled bill + deposited + NOC issued	convicted
012	Shehzad & Anr.	BSES YPL	domestic	direct theft — two-core black wire tapped by puncturing the licensee's pole-mounted service cable	no meter for inspected floor	4.022	62,109	3 / 0	No	Yes	bare denial/false implication; no defence evidence; no settlement	both convicted u/s 135
013	Gyatri Devi	BSES YPL	domestic	direct theft — single-core aluminium wire from street-light point on licensee pole	no meter	4.144	78,428	3 / 0	No	Yes	bare denial/false implication; no defence evidence; settled bill + deposited + NOC issued	convicted
014	Mustak Hussain	BSES YPL	small commercial /	direct theft — 14 m yellow cable hooked from licensee pole	no meter	1.501	72,006	3 / 0	No	Yes	bare denial/false implication; no defence	convicted

#	ACCUSED	DISCOM	USE	THEFT MODE	METER STATUS	LOAD (KW)	ASSESSMENT PW / (RS.)	DW	PUB. WIT.	65B CERT.	DEFENCE	OUTCOME
			scrap-labour work								evidence; settled + deposited theft bill	
015	Laxmi Mishra	BSES YPL	mixed commercial + domestic	direct theft — illegal tapping from licensee distribution box; wires removed by accused before seizure	no meter	1.835	61,827	3 / 0	No	Yes	false implication; unproved plea of solar power; no defence evidence; wires removed; no settlement	convicted
016	Shimla	BSES YPL	mixed commercial (shop) + domestic	direct theft — black cable from licensee distribution box on pole	no meter	1.563	51,607	3 / 0	No	Yes	false implication; no defence evidence; settled at reduced Rs. 26,000, only Rs. 3,000 deposited	convicted
017	Atul	BSES YPL	domestic	direct theft — single-core aluminium wire from street-light point on licensee pole	no meter	4.517	86,825	3 / 0	No	Yes	false implication; no defence evidence; settled bill + deposited + NOC issued	convicted
018	Imran	BSES YPL	commercial/tele com (GSM antenna tower) + domestic	direct theft — pole hook (yellow wire from pole near transformer joined to black wire at balcony) powering a GSM antenna tower	no meter	14.046	11,61,828	3 / 0	No	Yes	false implication; no defence evidence; settled + deposited theft bill	convicted
019	Devanand	BSES YPL	domestic (tenanted; owner tried as abettor)	meter bypass — four installed meters disconnected; load run directly through a service cable joined with an illegal wire	no lawful metered supply	3.692	3,15,653	— / 0	No	No*	false implication; no defence evidence; settled+deposited	owner convicted u/s 135 r/w 150 (abetment); user absconding/untried
020	Bobby Khurana	BSES YPL	domestic	two-core cable	no meter / no lawful metered supply	3.076	51,349	3 / 0	No	Yes	false implication; no defence evidence	Convicted u/s 135 r/w 150 (abetment)
021	Archna Shukla	BSES YPL	domestic (tenanted; owner tried as abettor)	direct theft — two-core black aluminium cable tapped from BSES YPL LV mains	no lawful metered supply	3.467	56,506	— / 0	No	No*	false implication; no defence evidence; settled+deposited +NOC	owner convicted u/s 135 r/w 150 (abetment); user absconding/untried
022	Tilak Raj	BSES YPL	domestic	two-core cable	no meter / no lawful metered supply	1.274	84,637	3 / 0	No	Yes	false implication; no defence evidence	Convicted u/s 135 r/w 150 (abetment)

#	ACCUSED	DISCOM	USE	THEFT MODE	METER STATUS	LOAD (KW)	ASSESSMENT PW / (RS.)	DW	PUB. WIT.	65B CERT.	DEFENCE	OUTCOME
023	Nikhat	BSES YPL	domestic (tenanted; owner tried as abettor)	direct theft — single-core black-and-red wire joined to yellow cable from BSES YPL distribution box; videography obstructed by a third person (Farhad)	no lawful metered supply	2.74	50,033	— / 0	No	No*	false implication; no defence evidence; settled+deposited +NOC	owner convicted u/s 135 r/w 150 (abetment); user absconding/untried
024	Nikhat	BSES YPL	domestic	distribution-box tap	—	3.143	53,982	3 / 0	No	Yes	false implication; no defence evidence	Convicted u/s 135 r/w 150 (abetment)
025	Devanand	BSES YPL	domestic	meter bypass	meter tampered	5.335	4,57,556	3 / 0	No	Yes	false implication; no defence evidence	Convicted u/s 135 r/w 150 (abetment)
026	Vinod Kumar	TPDDL	domestic	meter bypass + LV cable tapping	no meter / no lawful metered supply	37.545	18,97,960	5 / 1	No	Yes	false implication; no defence evidence	Acquitted — complaint dismissed
027	Smt. Rakhi	TPDDL	domestic	direct tapping from pole	no meter / no lawful metered supply	11.062	2,55,102	8 / 0	No	Yes	false implication; no defence evidence	Acquitted — complaint dismissed
028	Shehzad	BSES YPL	domestic	punctured service cable	no meter / no lawful metered supply	5.427	80,516	3 / 0	No	Yes	false implication; no defence evidence	Convicted u/s 135
029	Tata Power Delhi Distribution Ltd.	TPDDL	domestic used for non-domestic (PG)	Unauthorized use - domestic connections used for non-domestic/PG accommodation purpose	—	—	1,40,000	0 / 0	No	No*	false implication; no defence evidence	Civil appeal dismissed (s.126 unauthorised use; s.145 bar)
030	Neelam	TPDDL	domestic	direct tapping from LV mains via 2-core cable	no meter / no lawful metered supply	9.754	0	4 / 0	No	Yes	false implication; no defence evidence	Convicted u/s 135
031	Sukh Chain	TPDDL	commercial	direct hooking from LT mains via PVC wires	no meter / no lawful metered supply	2.985	0	5 / 0	No	Yes	false implication; no defence evidence	Convicted u/s 135
032	Aamer Suhail	TPDDL	domestic	alleged direct tapping from LV mains	no meter / no lawful metered supply	5.999	1,09,598	4 / 0	No	Yes	false implication; no defence evidence	Acquitted — complaint dismissed
033	Saroj Devi	TPDDL	domestic	Direct tapping from pole using blue cable jointed with red and yellow colored copper wires	no meter / no lawful metered supply	12.306	2,87,844	5 / 0	No	Yes	false implication; no defence evidence	Convicted u/s 135

#	ACCUSED	DISCOM	USE	THEFT MODE	METER STATUS	LOAD (KW)	ASSESSMENT PW / (RS.)	DW	PUB. WIT.	65B CERT.	DEFENCE	OUTCOME
034	Arjun	TPDDL	domestic	Direct hooking from LT ABC at pole using black and red colored copper wires	no meter / no lawful metered supply	15.221	3,31,798	3 / 0	No	Yes	false implication; no defence evidence	Convicted u/s 135
035	Shakuntala	TPDDL	non-domestic (e-rickshaw charging)	Alleged direct tapping from tyco box for e-rickshaw charging station (not proven)	no meter / no lawful metered supply	14.478	—	3 / 0	No	Yes	false implication; no defence evidence	Acquitted — complaint dismissed
036	Shekh Rabibul	TPDDL	non-domestic (e-rickshaw charging)	Direct tapping from IPC of pole for e-rickshaw charging using two-core cable	no meter / no lawful metered supply	5.2	3,32,751	5 / 0	No	Yes	false implication; no defence evidence	Convicted u/s 135
037	Sunil Kumar	TPDDL	domestic	Direct theft of electricity by illegal tapping of phase wire from TPDDL Tyco box feeder pillar no. 412-6/9/1/1/1 and use neutral from earthing	no meter / no lawful metered supply	4.958	—	3 / 0	—	Yes	false implication; no defence evidence	Convicted u/s 135
038	Prem Kumar Soni	TPDDL	domestic	Direct theft of electricity by direct tapping from LT Network from Pole No. 513-23/6/2/11 through illegal two core PVC insulated wires	no meter / no lawful metered supply	4.8	80,080	3 / 0	—	Yes	false implication; no defence evidence	Convicted u/s 135
039	BSES Rajdhani Power Ltd.	BSES RPL	domestic	—	—	—	—	— / 0	—	No*	false implication; no defence evidence	Civil suit (declaration/injunction)
040	Kumari Devi	TPDDL	domestic	Meter tampering/meter jumping - unauthorized use of retained meter	meter tampered	—	—	— / 0	—	Yes	false implication; no defence evidence	Convicted u/s 135
041	Jameed & Anr.	TPDDL	domestic	Direct theft of electricity with illegal tapping	no meter / no lawful metered supply	—	—	— / 0	—	Yes	false implication; no defence evidence	Convicted u/s 135 r/w 150 (abetment)
042	Sharad Rana & Anr.	BSES RPL	domestic	Alleged meter tampering with burning to hide evidence	meter tampered	—	—	— / 0	—	Yes	false implication; no defence evidence	Acquitted — complaint dismissed
043	Narpal	BSES RPL	domestic	Alleged direct theft via illegal yellow and black cables from BSES pole	no meter / no lawful metered supply	—	7,52,865	— / 0	—	Yes	false implication; no defence evidence	Acquitted — complaint dismissed
044	Amit Gahlot	BSES RPL	commercial	Alleged illegal two-core black cable to BSES D.B. box	no meter / no lawful metered supply	—	13,51,729	— / 0	—	Yes	false implication; no defence evidence	Acquitted — complaint

#	ACCUSED	DISCOM	USE	THEFT MODE	METER STATUS	LOAD (KW)	ASSESSMENT PW / (RS.)	DW	PUB. WIT.	65B CERT.	DEFENCE	OUTCOME
												dismissed
045	Arvind & Anr.	BSES RPL	commercial	Alleged two-core cable from BSES AB cable using PRC, connected via PVC pipe	no meter / no lawful metered supply	—	2,27,714	— / 0	—	Yes	false implication; no defence evidence	Acquitted — complaint dismissed
046	Geeta	BSES RPL	domestic	Alleged illegal wire tapped from AB or service cable	no meter / no lawful metered supply	—	92,989	— / 0	—	Yes	false implication; no defence evidence	Acquitted — complaint dismissed
047	Munni Devi	BSES RPL	domestic	Direct theft via two illegal aluminum wires (black and red, 2.5 sq, 1.5 meter each) tapped from service pole	—	—	2,45,447	— / 0	—	No*	false implication; no defence evidence	Acquitted — complaint dismissed
048	Anmol	BSES RPL	domestic	Meter tampering with magnetic device (remote control), broken seals, illegal PCB circuit connected inside meter	meter tampered	—	11,97,037	— / 0	—	Yes	false implication; no defence evidence	Acquitted — complaint dismissed
049	Arjun	BSES RPL	domestic	Direct theft via tapping from BSES pole AB conductor through two illegal wires (black color, 25 mm sq, 2 feet each)	no meter / no lawful metered supply	—	18,19,593	— / 0	—	Yes	false implication; no defence evidence	Acquitted — complaint dismissed
050	Kuldeep	BSES RPL	domestic	Direct theft by tapping from BSES pole through illegal wire (black two-core aluminum cable, 10 mm sq, 2 feet)	no meter / no lawful metered supply	—	1,27,619	— / 0	—	Yes	false implication; no defence evidence	Convicted u/s 135

Compilation digest generated from the per-case summaries of Cases 001–050. It collates the courts' own reasoning for cross-referencing and is not a substitute for the full judgments.