

THE SCINTILLA TRADING RULEBOOK — v2

Compiled 2026-09-25 from the v1 chapter drafts (repo scintilla-rulebook, drafts/ as of commit 43f37c05, 3 August 2026). The 3 August 2026 PDF (123 pages, sha256 336e710e10c0447c...) is untouched and remains the v1 record.

READ THIS FIRST

This book is a set of definitions and a method for measuring chart behaviour. It is written for education and for testing, and for nothing else. It is not investment advice, not a recommendation to buy or sell anything, and not a promise about the future. Every rate it will ever print is a count of what happened on past prices; where no count exists the cell reads UNMEASURED, and as of 2026-09-25 every market claim in it is untested on real prices (Chapter 99). Nothing here accounts for costs, taxes, slippage or the money you must risk to find out. If you act on any of it, you do so on your own judgement and at your own risk. *(This block is new in v2. v1 carried no disclaimer of any kind while naming entries and price objectives; the 22 and 23 September checks both called that a publication blocker.)*

WHAT CHANGED FROM v1 — the seven decisions, taken at their defaults

The 22 September checkup left seven small decisions open, each with a default. Alan's standing rule: when a decision has an obvious default, take it and say so. All seven are taken here at the checkup's default; every resulting edit is tagged in the text with its decision code.

DECISION	WHAT WAS OPEN	TAKEN AS	WHERE IN V2
D1	Fold the 15 rulings of reviews R7 and R8 into chapters 12–16 (the reviews existed; the chapters still showed the questions as open)	Yes. Each block becomes OPEN QUESTIONS – RESOLVED, in the form R2–R6 already use; Chapter 1's four questions carry their R1 answers	chapters 1, 12, 13, 14, 15, 16
D2	The Contract's T-13 EMITS clause could not express what DEFINITION and LAW cards produce	The loop's provisional fix adopted: <code>object{NAME}</code> and none arms, warning-flagged	The Contract, T-13 (v3)
D3	<code>bar.exDiv</code> , <code>bar.short</code> , <code>bar.basis</code> are used	Registered, owners T-9 / V-7 / V-1	Chapter 98 Part II; T-9's table

DECISION	WHAT WAS OPEN	TAKEN AS	WHERE IN V2
	in chapters but missing from the registry		
D4	The 21 September amendments A4–A6 would have registered three names that rulings deliberately left out	Listed as RESERVED, not registered (<code>range.maxHeight</code> is already in the Graveyard)	Chapter 98 Part II
D5	Eight parameters registered twice	One owner each (CH 1 the vocabulary ones, CH 10 the volume ones); the other listing is marked as a citation	Chapter 98 Part II
D6	Three sentences say the loop "proved" / "measured" the regime edge; the only evidence is synthetic	A note on each (I–10, X–9, K–6): "on synthetic controls" until a real-data verdict exists	chapters 11, 13, 16
D7	The loop has never run on real prices	Not a text change. The checkup's default – the swing bake-off (SW-F vs SW-R) on US large-cap daily on two feeds, then Sprint 3 "Condition on Regime" – is what the 25 September package specifies as study S3's precondition and hands to the quant-loop owner. Nothing in this book is promoted by it.	deliverables/20260925/rulebook-stats

D8 (order of testing) stays the book's own order: 1 swing bake-off, 2 RSI × %R independence audit, 3 regime conditioning, then the NEXT rows of Chapter 99.

What did not change: no card's RULE, CONFIRMATION, INVALIDATION or STATUS. Every card is still DRAFT. No rate was filled in. The chapter text is the author's, byte for byte, outside the tagged edits listed at the end of this document.

CONTENTS

The Contract (T) · 1 Vocabulary (V) · 2 Bar, candle & gap events (E) · 3 Confirmation & invalidation (C) · 4 Horizontal levels (L) · 5 Diagonals & channels (D) · 6 Trend & structure (S) · 7 Ranges (R) · 8 Breakouts & breakdowns (B) · 9 Aftermath (A) · 10 Volume (Q) · 11 Indicators (I) · 12 Patterns (P) · 13 Context & regime (X) · 14 Multi-timeframe (M) · 15 Universe & relativity (U) · 16 Risk profile & application (K) · 98 The formalization appendix · 99 The claims ledger (new) · Edit list

THE CONTRACT (T)

THE SCINTILLA TRADING RULEBOOK · Front matter · v2 STATUS: DRAFT · v3 (laws T-1...T-13; promotion by publisher ratification, not testing — laws are ratified, rules are tested) **v3 changelog (2026-09-25, decision D2):** T-13's EMITS clause gains `object{NAME}` and none arms — the one grammar hole the loop found by compiling the form (R8 §2) — provisional and warning-flagged; T-9's registry table gains `bar.exDiv` (D3). **v2 changelog (per PUBLISHER-REVIEW-R2):** T-7 gains the `review_ref` mechanism (R-1: no fifth status — reviews annotate, only evidence promotes) · T-9 gains the optional `bar.earnings` flag (C-R2-1; semantics deferred to CH 13, v1 default no-stand-down) · T-13 gains the `CardSpec` lossless-serialization requirement (C-R2-2) and its build-question ruling (R-3). Both open questions resolved in place.

SUMMARY: The laws under which every rule in this book is written, read, tested, promoted, and retired. Nothing here reads a chart. Everything that reads a chart obeys this. The loop engineer builds against this document.

A note on citation direction: these laws cite the vocabulary cards (V-x) that serve as their operative homes. That is downward citation — a constitution naming the statutes that implement it — and it is the one place the Compile Law (T-5) does not bind, because front matter is grammar, not a rule operating on bars.

T-1 — THE TWO-STRANGERS LAW

- **RULE:** A rule is finished only when it could be printed, handed to two strangers, and both would mark the same bar — and one of the strangers may as well be a computer. If applying a rule requires judgment, feel, or context not stated in the rule, the rule is unfinished.
- **CONFIRMATION:** Two independent implementations (human-marked and machine-executed) produce identical event sets on the same series of record.
- **INVALIDATION:** One divergence traceable to ambiguity in the rule's text (not to a data difference) sends the rule back to DRAFT.
- **WHY IT MATTERS:** Every other law in this book is an enforcement mechanism for this one.
- **STATUS:** DRAFT

T-2 — THE CARD LAW

- **RULE:** Every rule is published as a five-part card: **RULE** (mechanical statement) · **CONFIRMATION** (the exact event that makes it TRUE) · **INVALIDATION** (the exact event that voids it) · **WHY IT WORKS** (who is trapped, who must act) · **STATUS**. No card publishes without

all five. **Definitional cards** (vocabulary, contracts, objects) use WHY IT MATTERS in place of WHY IT WORKS — a definition has no trapped party; it has a divergence it prevents — and their CONFIRMATION/INVALIDATION are the events that instantiate and void the *instance*.

- CONFIRMATION: Editorial check at delivery: five parts present on every card.
 - INVALIDATION: A card missing a part — most commonly a rule that cannot state its own INVALIDATION — does not publish. A rule that cannot be voided is a belief.
 - WHY IT MATTERS: The card is the book's unit of accountability. A paragraph can hide; a card cannot.
 - STATUS: DRAFT
-

T-3 — THE PRECISION LAW

- RULE: Every rule states its inputs — the series of record (T-9) plus named parameters — and its output — an event, or a verdict object (T-8) — so exactly that a computer could execute it with no further decisions. Card-short: if a rule takes a paragraph, it is two rules or it is not done.
 - CONFIRMATION: The rule translates into the Standard Formal Form (T-13) without adding any decision not present in the card text.
 - INVALIDATION: Any word in a RULE requiring interpretation ("significant," "strong," "clearly," "roughly") fails the card at review.
 - WHY IT MATTERS: Aronson's discipline: a rule must be objective before it can even be *wrong*. Untestable is a worse grade than false.
 - STATUS: DRAFT
-

T-4 — THE PARAMETER LAW

- RULE: Every constant is a named parameter (`family.name`) registered in the Parameter Registry (appendix). No number appears inline in any RULE. Authors propose *test ranges*; the publisher's testing sets *defaults*; profiles (CH 16) may re-key only the parameters the risk chapter declares legal knobs. One registry, one entry per parameter, owner chapter recorded.
 - CONFIRMATION: Registry lookup resolves every symbol in every card.
 - INVALIDATION: An inline number in a RULE, or a parameter used in two chapters with two meanings, fails at review.
 - WHY IT MATTERS: Options, not opinions — the author states the machinery; the data picks the values. Inline numbers are opinions wearing precision.
 - STATUS: DRAFT
-

T-5 — THE COMPILE LAW

- **RULE:** The book compiles forward, once. No rule card cites a term, event, object, or grade defined in a later chapter. **Forward-stub is legal; forward-cite is not:** a card may *name* a parameter a later chapter owns (zone.width named in V-17, sized in CH 4), but may never *depend on a definition* that does not yet exist. Where material genuinely requires later machinery (Chapter E's gap taxonomy needing CH 4 levels and CH 6 structure), it enters the earlier chapter by **backfill** (T-12) after the dependency exists — never by forward citation.
 - **CONFIRMATION:** A dependency scan of any chapter resolves every citation to an earlier chapter or to itself.
 - **INVALIDATION:** One forward citation fails the chapter at review.
 - **WHY IT MATTERS:** A reader — or an execution engine — holding chapters 1 through N possesses every definition chapters 1 through N use. The book never asks for credit.
 - **STATUS:** DRAFT
-

T-6 — THE RULE-ID LAW

- **RULE:** Rule IDs bind to chapter **letters** (V, E, C, L, D, S, R, B, A, Q, I, P, X, M, U, K, T), never to chapter numbers. Chapters may renumber across editions; a rule is never re-keyed. Numbers within a letter are never reused: a retired rule's ID goes to the Graveyard and stays there.
 - **CONFIRMATION:** Every ID ever published resolves — to a live card or a graveyard entry.
 - **INVALIDATION:** A reused or re-keyed ID corrupts the citation graph; the edition does not ship until repaired.
 - **WHY IT MATTERS:** This is what made reordering the entire book (assessment §8) cost nothing. Stable names are what let structure stay cheap to change.
 - **STATUS:** DRAFT
-

T-7 — THE PROMOTION PIPELINE

- **RULE:** Every card carries STATUS ∈ {DRAFT, TESTED, LAW, RETIRED}. DRAFT: authored, delivered, unverified. TESTED: the loop has run it on the calibration class and the publisher has reviewed the numbers. LAW: publisher-promoted; only an amendment pass (T-12) may alter it. RETIRED: moved to the Graveyard with cause of death ∈ {FAILED_TESTING, SUPERSEDED_BY <id>, REGIME_LIMITED, OUT_OF_SCOPE}. The author cannot self-promote; testing cannot self-promote; promotion is a publisher act on testing's evidence. Demotion happens the same way — by data, not by taste.
- **CONFIRMATION:** Status transitions appear in the Changelog with the evidence cited. **[v2, R-1]** A publisher review is *not* a status: it is recorded as a changelog annotation plus an optional

review_ref field on the DRAFT card pointing at the review document. The card stays DRAFT until the loop's numbers move it — only evidence promotes.

- INVALIDATION: A status change with no changelog entry is void; the prior status governs.
 - WHY IT MATTERS: The W%R episode is the founding precedent: the author's confident opinion went to testing instead of into the book. That pipeline, made law.
 - STATUS: DRAFT
-

T-8 — THE VERDICT LAW

- RULE: The only opinion-bearing object in this book is the verdict (operative card V-21): {subject_type, subject_id, direction, tf_of_record, born_event, void_event, expiry_clock} — all seven fields, always. expiry_clock is a positive bar count or EVENT_ONLY (per publisher ruling C2). EVENT_ONLY is admissible only when the producing card demonstrates its void_event is **structural and decidable on every future bar** — a break of the swing of record either has happened or has not, on every close, forever. Claim-type verdicts (breaks awaiting confirmation, pattern triggers) must carry finite clocks. Trend-type verdicts (CH 6) are the intended EVENT_ONLY citizens: a trend is in force until reversed — Rhea's law survives inside the mechanism.
 - CONFIRMATION: Every verdict-producing card names all seven fields and, if claiming EVENT_ONLY, shows decidability.
 - INVALIDATION: A verdict missing a field, or an EVENT_ONLY claim whose void_event can dangle undecidable, fails at review.
 - WHY IT MATTERS: Finite clocks kill stale opinions; EVENT_ONLY protects structural truths from being force-expired by an arbitrary counter. Both failure modes are real; the sentinel serves the second without reopening the first.
 - STATUS: DRAFT
-

T-9 — THE BAR CONTRACT (RATIFIED)

- RULE: Every rule reads exactly one **series of record** (operative cards V-1...V-7): bars (O, H, L, C, V, t_open, t_close) built under a declared bar.tf, bar.session, bar.tz, bar.basis, bar.adjust, with the aggregation law (V-6), revision doctrine (V-4), and short/missing-bar handling (V-7). **Ratified defaults for v1** (publisher, R1): timeframe floor **DAILY-and-up**; calibration class **US large-cap equities + major US indexes**; bar.session = RTH; bar.adjust = SPLIT_ONLY with ex-dividend stand-down (calendar rules, CH 13); conventions per **TradingView** as the house platform. [v2, C-R2-1/R-2] The contract carries one further **optional** declared flag: bar.earnings = true on a session bar inside the instrument's earnings window — parallel in kind to bar.exDiv, admitted now because an earnings gap that obeys E-8 mechanically means

something categorically different. **v1 default: no stand-down** (present behavior unchanged); the stand-down *semantics* are CH 13's deposit, written when that chapter lands. The contract is **feed-agnostic by construction**: every setting is a named parameter, so declaring another feed (or a testing feed such as FMP/Stooq in the loop) is a parameter declaration, not a rule change.

- **CONFIRMATION**: A series declaring all contract parameters is a series of record; rules may read it.
 - **INVALIDATION**: Mixed constructions inside one analysis void every verdict involved (V-1, V-5).
 - **WHY IT MATTERS**: Publisher's R1 ruling ordered the V-5 reasoning kept verbatim, so here it is: *"TOTAL_RETURN restates the entire past at every ex-date — historical levels quietly move, which collides with the Repaint Prohibition (V-14) unless the restatement schedule is declared. SPLIT_ONLY keeps prints tradeable but manufactures a fake bearish gap each ex-date. Neither is free; the book must know which lie it is managing."* Two strangers with different feeds fail before Chapter 1; this law is why they don't.
 - **STATUS**: DRAFT (defaults RATIFIED)
-

T-10 — THE SCALE LAW (RESTATED AS LAW)

- **RULE**: All vertical distance is measured in **PCT** (log-percent) or **VOLU** (ATR units); raw currency distance and chart angles are forbidden in every rule; slope is unit-per-bar. Operative cards: V-3 (the law's working form), V-25 (ATR, Wilder-exact), V-26 (the two distance forms), V-27 (slope). Post-C1, every threshold comparison in the book uses the exact log form in PCT mode ($100 \times \ln(P_2/P_1)$) or the ATR-ratio form in VOLU mode — never the arithmetic approximation.
 - **CONFIRMATION**: Every distance in every card names its `scale.mode` and resolves to one of the two forms.
 - **INVALIDATION**: A raw-price distance, an angle, or an arithmetic-percent threshold fails the card (this is C1's class of bug, now a lintable offense).
 - **WHY IT MATTERS**: The Scale Law is what makes one book work on a \$12 ticker and a \$4,000 index alike. It is also the law the book itself broke first (V-10 v1) — proof the linting is not decoration.
 - **STATUS**: DRAFT
-

T-11 — THE SCOPE LEDGER

- **RULE**: This book covers the mechanical reading of time-bar price and volume charts. The following are **excluded by judgment, not ignorance** — each with its reason, each re-admissible only by a stated algorithm passing T-1: **Elliott & Gann** (competing counts are simultaneously legal on the same data; no unique-count algorithm exists); **point & figure, Renko, Kagi, three-line-break, Heikin-Ashi** (different bar algebra; porting rules across bar constructions is a second

book); **market profile** (different data object); **cycles & seasonality-as-edge** (calendar survives only as stand-down rules, CH 13); **sentiment, COT, flow of funds** (not chart events); **intermarket analysis** (survives only as macro-vs-ticker authority, CH 15); **Fibonacci** (admitted solely as retracement/projection fraction options in CH 6/CH 8 — the ratios are testable fractions; the numerology stays outside); **the candlestick name-zoo** (admitted solely as measurable primitives, CH 2, per Bulkowski's statistics); **breadth** (admitted as CH 15 aggregation machinery only).

- **CONFIRMATION:** A topic is in scope iff it appears in a chapter; excluded topics appear only on this ledger.
 - **INVALIDATION:** Scope creep — an excluded method entering a card without a ratified ledger amendment — fails the chapter.
 - **WHY IT MATTERS:** Readers trained on the CMT/CFTe curricula will notice what is missing. The ledger converts every silence into a decision they can disagree with — which is the only honest kind of silence.
 - **STATUS:** DRAFT
-

T-12 — THE AMENDMENT & BACKFILL LAW

- **RULE:** Chapters are living until the book ships. Amendments arrive as **versioned passes** (v2, v3 ...) with a changelog line per card touched; the spiral's **backfill** (a later chapter correcting an earlier one — Ch. 1's C1–C4 are the founding instance) and **deposit-forward** (early work dropping owned material into a later chapter's OPEN-DEPOSITS section) are the two sanctioned flows. A deposit is not a rule: OPEN-DEPOSITS content is unbound draft material awaiting its chapter's turn. Retired rules go to the Graveyard under T-7's taxonomy; the Changelog records every version of every chapter; the registry re-issues no names.
 - **CONFIRMATION:** Every delivered chapter version appears in all three relay lanes with its version number; every card edit traces to a changelog line.
 - **INVALIDATION:** Silent edits — a card changed with no version bump and no changelog line — void the delivery.
 - **WHY IT MATTERS:** A rulebook that can't account for its own changes will eventually contain two truths, and two truths is zero.
 - **STATUS:** DRAFT
-

T-13 — THE STANDARD FORMAL FORM

- **RULE:** Every card, at promotion to TESTED, appends a formal block in this exact schema — authored by the author, verified executable by the loop:

```

RULE_ID:      <letter>--<number>          # T-6
KIND:         EVENT | VERDICT | DEFINITION | LAW
INPUTS:       series_of_record(<contract params>) # T-9
PARAMS:       [<family.name>, ...]          # registry names only, T-4
SCALE:        PCT | VOLU | NONE             # T-10
EVAL_AT:      t_close                       # V-8, always
CONFIRM:      <boolean expression over closed bars, prior events, params>
INVALIDATE:   <boolean expression – the mirror>
EMITS:        <event name> | verdict{7 fields} | object{NAME} | none # T-8;
object{NAME} when KIND=DEFINITION, none when KIND=LAW (v3, D2 – provisional, warning-
flagged)
CLOCKS:      [<name>: <param>, ...]        # V-28

```

Worked example — V-10 CLOSE BEYOND (upward, PCT mode), post-C1:

```

RULE_ID:      V-10
KIND:         EVENT
INPUTS:       series_of_record(bar.tf=D, bar.session=RTH, bar.adjust=SPLIT_ONLY)
PARAMS:       [pen.min, scale.mode]
SCALE:        PCT
EVAL_AT:      t_close
CONFIRM:      100 * ln(C_t / P_ref) >= pen.min
INVALIDATE:   n/a (claim-level event; voiding is CH 3's composition)
EMITS:        CLOSE_ABOVE(P_ref, t)
CLOCKS:      []

```

- **CONFIRMATION:** The loop executes the block against fixtures and reproduces the author's marked events exactly (T-1's computer stranger). [v2, C-R2-2] The block must **serialize losslessly to the loop's** CardSpec — round-trip with no loss, so the compiler between book and loop is negotiated once, not re-fought per chapter. [v2, R-3, ratified] Build order: for the swing bake-off the loop *re-implements from prose and diffs* against this block (the strongest Two-Strangers test — two minds, one predicate, a diff); thereafter the formal block is the executable source.
- [v3, D2 — 2026-09-25] EMITS gains two arms so the form can express every KIND it admits: a DEFINITION card emits object{NAME} (the named object it defines, for other cards to cite); a LAW card emits none (it constrains, it produces nothing). Both arms are **provisional**: the loop's compiler flags every use with a warning until the Publisher ratifies the wording. Carried from the loop's compiler finding (ARCHITECT-REVIEW-A3, note X→AUTHOR-1) through PUBLISHER-REVIEW-R8 §2; adopted here at the checkup's default.
- **INVALIDATION:** A formal block requiring any decision not present in the card's prose reveals the prose unfinished — the card returns to DRAFT.
- **WHY IT MATTERS:** The formal form is where the Two-Strangers Law stops being an aspiration and becomes a diff.
- **STATUS:** DRAFT

PARAMETER REGISTRY ENTRIES (introduced by this document)

PARAMETER	DOMAIN	CARD	NOTE
bar.earnings	bool flag on session bars	T-9 (v2)	optional; v1 default no-stand-down; semantics owned by CH 13
bar.exDiv	bool flag on session bars (ex-dividend open)	T-9 (v3, D3)	used by T-9, V-5, E-8, C-3, Q-9, X-8 since v1; registered here 2026-09-25

(Otherwise none — the Contract is the law about parameters. The registry lives as an appendix, seeded by Chapter 1 v2's table.)

SOURCES

Aronson (objectivity precedes evaluation — T-1, T-3) · Rhea (trend-in-force — T-8's EVENT_ONLY) · Kirkpatrick & Dahlquist ch. 11, Murphy ch. 3 (construction-before-analysis — T-9) · PUBLISHER-REVIEW-R1 (C1–C4; ratified defaults; the V-5 reasoning preserved verbatim in T-9) · PUBLISHER-REVIEW-R2 (C-R2-1/2, R-1, R-3 — this version's changelog) · 00-authoring-method v2 / PROCESS-PLAYBOOK (the spiral — T-12).

OPEN QUESTIONS — RESOLVED (PUBLISHER-REVIEW-R2)

- ~~Fifth status tier~~ **RESOLVED (R-1): NO.** Four statuses stand; reviews are changelog annotations + review_ref (folded into T-7).
- ~~T-13 executable source vs re-implement and diff~~ **RESOLVED (R-3): the author's recommendation ratified** — diff for the bake-off, formal-block-as-source thereafter; the loop independently arrived at the same answer (folded into T-13, paired with the CardSpec requirement).

*The Contract v2 · 13 laws · DRAFT pending ratification · review_ref: PUBLISHER-REVIEW-R2.
Compiled against: nothing. Governs: everything. — THE SCINTILLA RULEMAKER*

CHAPTER 1 — VOCABULARY (V)

THE SCINTILLA TRADING RULEBOOK · Chapter draft · v3 STATUS: DRAFT (all cards; promotion by publisher testing) v4 changelog (2026-09-25, D1): the four open questions carry their R1 answers in place; nothing else changed. v3 changelog (C-R5-1, PUBLISHER-REVIEW-R5 — routed from the loop crew): V-12's LEFT tie rule reconciled. The prose said ties resolve to the earliest bar while the inequalities ($\geq$ left flank, $>$ right) selected the **latest** — the loop crew's tie fixture proved the contradiction by compiling it. The card now matches the prose and the crew's compiled intent: strict $>$ against the left flank, $\geq$ against the right, so the earliest bar of any tie group is the unique candidate. INVALIDATION tightened to state the per-option kill condition. A rule that compiles two ways is the Two-Strangers failure this book exists to prevent — caught by the machine that compiles it. No other card touched. v2 changelog: publisher corrections C1–C4 from PUBLISHER-REVIEW-R1 applied — V-10 restated in the two declared scale forms (C1) · V-21 expiry_clock admits the EVENT_ONLY sentinel (C2) · V-17 gains the zone.tickFloor stub (C3) · V-4 revision-window default flagged as a testing target (C4). No other card touched.

SUMMARY: The operational definitions everything else compiles against. Four blocks: the Bar Contract (what a bar is), primitive events (what a bar can do), structural objects (swings, levels, verdicts), and measurement units (how distance, slope, and time are counted). Nothing in this chapter is advice; it is the language the advice will be written in.

Card grammar note (logged for The Contract): definitional cards use WHY IT MATTERS in place of WHY IT WORKS — a definition has no trapped party; it has a failure it prevents: the case where two strangers mark different bars. CONFIRMATION on a definitional card is the exact event that instantiates the term; INVALIDATION is the exact event that voids or reclassifies the instance.

Parameter convention: every constant is a named parameter (family.name). No value appears inline in any RULE. Proposed test ranges live in the registry table at the end of this chapter; the publisher's testing sets defaults.

BLOCK ONE — THE BAR CONTRACT

The data a rule is allowed to read. Two strangers agree on nothing downstream if they disagree here.

V-1 — BAR OF RECORD

- **RULE:** A bar is the tuple (O, H, L, C, V, t_{open}, t_{close}) produced for one instrument by one declared construction: timeframe bar.tf, session template bar.session ∈ {RTH, ETH, FULL24}, exchange timezone bar.tz, price basis bar.basis (last trade), adjustment policy bar.adjust (V-5). The series so constructed is the **series of record**. Every rule in this book reads the series of record and nothing else.
 - **CONFIRMATION:** The bar exists when t_{close} has passed and the feed has printed final OHLCV.
 - **INVALIDATION:** A bar from any other construction (different session, different adjustment) is not a bar of record; verdicts computed on it are void.
 - **WHY IT MATTERS:** "Daily bar" is a convention, not a fact of nature. Same ticker, different session template → different high, different close, different verdicts.
 - **STATUS:** DRAFT
-

V-2 — CLOSE OF RECORD

- **RULE:** The close of record is C of the bar of record. For equities under bar.session = RTH, that is the official closing auction print. Extended-hours prints after t_{close} do not amend it and are not events.
 - **CONFIRMATION:** The session's closing procedure completes; C is final subject to V-4.
 - **INVALIDATION:** Any "close" read from a session other than the declared template.
 - **WHY IT MATTERS:** The prime axiom (V-8) makes the close the only truth-bearer in this book. A truth-bearer with two candidate values is not one.
 - **STATUS:** DRAFT
-

V-3 — THE SCALE LAW

- **RULE:** Every vertical distance in every rule is expressed in one of exactly two units, declared per rule: **PCT** — log-percent, $d = 100 \times \ln(P_2 / P_1)$ — or **VOLU** — volatility units, $d = (P_2 - P_1) / \text{ATR}(\text{atr.len})$ (ATR per V-26). Raw currency distance is forbidden in any rule. Slope is distance per bar in the declared unit (V-27).
- **CONFIRMATION:** A rule states scale.mode ∈ {PCT, VOLU} for each of its distances.
- **INVALIDATION:** Any rule containing a raw price distance or a chart-angle ("45°") condition is malformed and unpublishable.
- **WHY IT MATTERS:** \$5 is a collapse on a \$50 stock and noise on a \$5,000 one; an angle is an artifact of zoom. Log-percent is additive across bars and symmetric up/down; ATR units transfer across instruments. These two survive; nothing else does.
- **STATUS:** DRAFT

V-4 — THE REVISION DOCTRINE

- **RULE:** A closed bar may be restated by the feed until `bar.revClock` bars of record have closed after it (the revision window). A restatement inside the window forces re-evaluation of every verdict born on that bar. After the window, the bar is immutable regardless of feed behavior.
[C4] The daily-equity default is a testing target, not a settled value: vendors correct official daily prints later than one session with some regularity (late trades, bust corrections, adjustment reprocessing) — test 1–3 sessions before promoting a default.
 - **CONFIRMATION:** Restatement print inside the window → re-evaluate; window passes → bar frozen.
 - **INVALIDATION:** Verdicts recomputed from restatements after the window are void; the frozen bar governs.
 - **WHY IT MATTERS:** Feeds correct bad prints. A rulebook that never re-evaluates trusts errors; one that re-evaluates forever has no facts at all. One bar of tolerance, then the record is the record.
 - **STATUS:** DRAFT
-

V-5 — ADJUSTMENT POLICY

- **RULE:** `bar.adjust` $\in$ {`SPLIT_ONLY`, `TOTAL_RETURN`}. `SPLIT_ONLY`: series rescaled for splits; dividends leave their gap in the record (the ex-dividend open is flagged `bar.exDiv = true`; gap rules stand down there — cited by CH 2 and CH 13). `TOTAL_RETURN`: dividends also backed out. Under the Scale Law both options preserve relative distances away from the adjustment boundary; they differ at it.
 - **CONFIRMATION:** One policy declared for the series of record; all rules read that series.
 - **INVALIDATION:** Mixing policies within one analysis (levels from one series, closes from another) voids every verdict involved.
 - **WHY IT MATTERS:** `TOTAL_RETURN` restates the entire past at every ex-date — historical levels quietly move, which collides with the Repaint Prohibition (V-14) unless the restatement schedule is declared. `SPLIT_ONLY` keeps prints tradeable but manufactures a fake bearish gap each ex-date. Neither is free; the book must know which lie it is managing. Provisional default (skeleton doc): `SPLIT_ONLY` with ex-date stand-down.
 - **STATUS:** DRAFT
-

V-6 — THE AGGREGATION LAW

- **RULE:** A bar of a higher timeframe is the aggregate of its constituent bars of record: $O = \text{first } O$, $H = \max H$, $L = \min L$, $C = \text{last } C$, $V = \sum V$. The aggregate bar exists only when its **last constituent** has closed (the prime axiom applies upward). Weekly = that week's session bars (holiday weeks aggregate what exists); monthly = the calendar month.
 - **CONFIRMATION:** Last constituent bar closes $\rightarrow$ aggregate bar exists.
 - **INVALIDATION:** Any rule reading a forming aggregate (a "weekly close" on Wednesday) is reading rumor; its output is void.
 - **WHY IT MATTERS:** Half of multi-timeframe malpractice is treating a forming weekly bar as a fact five times a week. Chapter 14 compiles against this card.
 - **STATUS:** DRAFT
-

V-7 — SHORT & MISSING BARS

- **RULE:** A calendar day with no session produces no bar (never a zero-bar). A shortened session produces a bar flagged `bar.short = true`. Volume-graded rules stand down on short bars (consumed by CH 10); price rules run unmodified.
 - **CONFIRMATION:** Exchange calendar declares the session absent or shortened.
 - **INVALIDATION:** Imputed, interpolated, or zero-filled bars are not bars of record; anything computed across them re-computes without them.
 - **WHY IT MATTERS:** A half-day's "low volume" is a calendar fact, not a market message. Rules that can't tell the difference will hear messages in holidays.
 - **STATUS:** DRAFT
-

BLOCK TWO — PRIMITIVE EVENTS

What a single bar can do to a reference price. Composite events (confirmation sequences, rejects, gaps, fakeouts) are built from these in Chapters 2, 3, 8, 9.

V-8 — THE PRIME AXIOM (NO-PARTIAL LAW)

- **RULE:** No rule evaluates before `t_close` of the bar of record. Intrabar values of any series (price or indicator) are rumor; no event exists, no verdict is born, no verdict dies, intrabar.
- **CONFIRMATION:** `t_close` passes $\rightarrow$ the bar's events are readable.
- **INVALIDATION:** Any rule reading a forming bar is malformed. (Exception class `NONE` in this book; alert/execution mechanics are the publisher's domain, outside the rulebook.)

- WHY IT MATTERS: Every intrabar "break" that closes back inside was, for a few minutes, a fact on somebody's screen. The close is where the market stops arguing with itself.
 - STATUS: DRAFT
-

V-9 — TAG

- RULE: Bar B tags reference price P iff $L \leq P \leq H$, where P may be widened to a zone (V-17): $L \leq P + z_{hi}$ and $H \geq P - z_{lo}$. A tag is contact, not opinion: it carries no direction and produces no verdict.
 - CONFIRMATION: The inequality holds at t_{close} (per V-8, judged on the completed bar).
 - INVALIDATION: n/a — a tag is a fact of the completed bar; it cannot be voided, only superseded by later events.
 - WHY IT MATTERS: Touch-counting (level quality, third tests, trendline validation) requires a touch to be one exact thing. "Came close" is not in this book's vocabulary — the zone machinery (V-17) is how *close enough* is made exact instead.
 - STATUS: DRAFT
-

V-10 — CLOSE BEYOND

- RULE [**restated per C1**]: Bar B closes beyond reference price P in the declared scale form — **PCT**: upward iff $100 \times \ln(C / P) \geq \text{pen.min}$ (equivalently $C \geq P \times \exp(\text{pen.min} / 100)$); downward iff $100 \times \ln(C / P) \leq -\text{pen.min}$. **VOLU**: upward iff $(C - P) / \text{ATR}_{ref} \geq \text{pen.min}$; downward iff $(C - P) / \text{ATR}_{ref} \leq -\text{pen.min}$, with $\text{ATR}_{ref} = \text{ATR}$ at bar B unless the consuming rule declares otherwise. $\text{pen.min} \geq 0$ is the minimum-penetration filter in the rule's scale.mode unit (may be zero; $\text{pen.min} = 0$ reduces both forms to C beyond P). CLOSE ABOVE / CLOSE BELOW name the two directions. One close beyond is a **claim**, never a verdict (composition into confirmation is CH 3's law). The arithmetic form $C > P \times (1 + \text{pen.min})$ is retired: it approximates the PCT form only for small values, and "approximately" is where two strangers diverge.
 - CONFIRMATION: The inequality holds at t_{close} .
 - INVALIDATION: n/a at this level — claims are voided or confirmed by the sequences defined in CH 3.
 - WHY IT MATTERS: The classical penetration filters (E&M's 3%, Murphy's 1–3% and two-day close) are all instances of this one event with different pen.min . Name the parameter once; argue about its value in testing, not in prose.
 - STATUS: DRAFT
-

BLOCK THREE — SWING MACHINERY

The confirmed swing is the load-bearing object of the entire book: trends, structure breaks, patterns, divergence, and multi-timeframe authority all compile against it. Method options follow; the publisher's bake-off picks defaults. Every option must publish its confirmation lag — a swing method that won't say when it knows is not a method.

V-11 — SWING CANDIDATE & CONFIRMED SWING

- **RULE:** A **swing high** (low) is a bar whose H (L) is the local extreme under the declared method option `swing.method` $\in$ {FRACTAL, REVERSAL, PIP}. Until the method's confirmation event occurs it is a **candidate**; after, a **confirmed swing**, immutable per V-14. Every swing carries (price, bar index, side, method, confirmation bar). Rules read confirmed swings only, unless a card explicitly declares candidate-reading (and then must say why).
 - **CONFIRMATION:** The declared method's confirmation event (V-12/13/15, per option).
 - **INVALIDATION:** A candidate that fails its method's condition before confirming simply never existed; nothing downstream fires.
 - **WHY IT MATTERS:** The entire difference between a structure break and noise is which swing was real. Two strangers running the same method mark the same swings — that is the whole point of this block.
 - **STATUS:** DRAFT
-

V-12 — METHOD OPTION SW-F: N-BAR FRACTAL

- **RULE:** Tie sub-option `swing.tie` $\in$ {STRICT, LEFT}, each single-valued: under **STRICT**, bar i is a swing-high candidate iff $H_i > H_j$ for all $j \in [i - \text{swing.n}, i + \text{swing.n}]$, $j \neq i$ (any equal extreme in either flank kills the candidate). Under **LEFT** (ties resolve to the earliest bar), the comparison is per-flank: $H_i > H_j$ for $j \in [i - \text{swing.n}, i - 1]$ (strict against the left flank) **and** $H_i \geq H_j$ for $j \in [i + 1, i + \text{swing.n}]$ (equal-tolerant against the right) — the earliest bar of any tie group is the unique candidate, because every later tied bar fails strict-> against the equal bar on its own left flank. Swing low: mirror on L. **[C-R5-1]** The per-flank inequalities previously ran the other way ($\geq$ left, $>$ right), which selects the *latest* tied bar and contradicts this card's own prose; the loop's tie fixture caught it in compilation, and the inequalities are now matched to the stated intent.
- **CONFIRMATION:** At t_{close} of bar $i + \text{swing.n}$. **Lag: exactly swing.n bars — fixed and known in advance.**
- **INVALIDATION:** Under **LEFT**, a strictly higher H (strictly lower L) inside the right flank before confirmation kills the candidate — an equal extreme does not (the tie resolves to the earlier bar, which is the candidate). Under **STRICT**, an equal-or-higher H (equal-or-lower L) kills it.

- **WHY IT MATTERS:** The oldest definition in the field (Williams' fractal generalized), and the only option with constant lag. Its cost: it knows nothing about *size* — a 0.2-ATR wiggle and a 4-ATR reversal both qualify. Size-blindness is what SW-R fixes.
 - **STATUS:** DRAFT
-

V-13 — METHOD OPTION SW-R: REVERSAL THRESHOLD (ZIGZAG FAMILY)

- **RULE:** State machine. After a confirmed swing low, track the running extreme $\text{ext} = \max H$ since it (and ext_bar). At each t_close compute the counter-move from ext to x , where $x = C$ if $\text{swing.basis} = \text{CLOSE}$, else the adverse extreme (L for highs). The candidate at ext_bar confirms as a swing high when the counter-move $\geq$ threshold: **PCT variant** $100 \times \ln(\text{ext} / x) \geq \text{swing.revPct}$; **VOLU variant** $(\text{ext} - x) / \text{ATR}(\text{ext_bar}) \geq \text{swing.revAtr}$. Mirror for lows. (The academic directional-change algorithm is this card with $\text{swing.basis} = \text{CLOSE}$.)
 - **CONFIRMATION:** The threshold inequality first holds at a t_close . **Lag: variable — publish it per instance ($t_confirm - \text{ext_bar}$).**
 - **INVALIDATION:** A new extreme beyond ext before confirmation moves the candidate to the new bar; the old candidate never existed.
 - **WHY IT MATTERS:** Sees size, ignores time — the mirror image of SW-F. VOLU variant is the Scale Law applied to structure itself: the same rule reads a sleepy utility and a crypto pair without editing thresholds.
 - **STATUS:** DRAFT
-

V-14 — THE REPAINT PROHIBITION

- **RULE:** A method is admissible in this book only if its confirmed outputs are immutable: once confirmed, a swing (or any derived object) never moves, vanishes, or re-labels when later data arrives. Methods that revise confirmed history — full-series smoothers, centered averages, globally re-fit extrema — are barred from rules unless restated in a frozen rolling form with the freeze declared.
 - **CONFIRMATION:** Method demonstrates, on any data extension, that confirmed outputs are byte-identical.
 - **INVALIDATION:** One confirmed output that changes under data extension bars the method book-wide.
 - **WHY IT MATTERS:** A rule that repaints back-tests like a genius and trades like a coin flip. This card is why the beautiful academic smoothers (V-15's ancestors) enter the book in handcuffs.
 - **STATUS:** DRAFT
-

V-15 — METHOD OPTION SW-P: PERCEPTUAL KEY POINTS (PIP / KERNEL EXTREMA)

- **RULE:** Over a rolling window of `swing.window` bars ending at the current close, select `swing.k` key points iteratively: endpoints first, then repeatedly the bar with maximum distance (in `scale.mode` units, `swing.pipMetric` = perpendicular or vertical) from the chord between its neighbors, stopping at `swing.k` points or when `max distance < swing.minDist`. Points confirmed only when they exit the window's right-edge buffer of `swing.freeze` bars (the frozen form demanded by V-14). Ancestor: Lo–Mamaysky–Wang's kernel-smoothed extrema; admissible only in this frozen rolling restatement.
 - **CONFIRMATION:** Point stands selected for `swing.freeze` consecutive closes. **Lag:** `swing.freeze` **bars, fixed.**
 - **INVALIDATION:** Selection changes within the freeze buffer → prior selection never existed.
 - **WHY IT MATTERS:** Closest to how a trained eye actually reads a chart, and the ancestor of the academic proof that pattern-reading can be formalized at all. Also the most machinery — which is exactly why it must be one option among three, not the default by fiat.
 - **STATUS:** DRAFT
-

V-16 — SWING OF RECORD & SWING DEGREE

- **RULE:** The **swing of record** for a rule = the most recent confirmed swing of the declared side, method, and degree on the timeframe of record. **Degree** is recursive: degree-1 swings come from the method option applied to bars; degree-(d+1) swings come from the same method applied to the alternating sequence of degree-d swing prices. `swing.degree` is a named parameter of any rule that reads structure.
 - **CONFIRMATION:** Inherited from the method option at each degree.
 - **INVALIDATION:** Inherited; a voided lower-degree swing recomputes the higher degrees built on it (permitted — candidates only; confirmed higher-degree swings obey V-14).
 - **WHY IT MATTERS:** "Break of structure" (CH 6) means nothing until the book can say *which* swing. Degree is how the same grammar reads a pullback and a bear market without new vocabulary.
 - **STATUS:** DRAFT
-

BLOCK FOUR — LEVELS, VERDICTS, AND THE NAMES OF THINGS

V-17 — LEVEL & ZONE

- **RULE:** A **horizontal level** is an object (price, birth event, touch list, state) with state $\in \{\text{ACTIVE, BROKEN, FLIPPED, RETIRED}\}$; birth, tests, transitions, and retirement are CH 4's law — this card only fixes the object and its states. A **zone** is a level plus a tolerance band of width `zone.width`, expressed in `scale.mode` units; all tags and closes-beyond against a level are judged against its zone edges. Width-sizing method options are CH 4's. **[C3, stub]** Effective width is floored at `zone.tickFloor` minimum price increments — $\text{width_eff} = \max(\text{width}, \text{zone.tickFloor} \times \text{tick})$ — so zones on degenerate (sub-\$1 / penny) instruments never collapse below markability. Out of scope for the v1 calibration class; the parameter exists now so CH 4 and CH 15 inherit it.
 - **CONFIRMATION:** Birth event per CH 4 instantiates; state transitions per CH 4.
 - **INVALIDATION:** Per CH 4 (retirement); a level with no recorded birth event is not a level.
 - **WHY IT MATTERS:** Prices are lines in a book and areas on a tape. The zone is how "close enough" and "decisively through" stop being feelings (V-9, V-10 both read zone edges).
 - **STATUS:** DRAFT
-

V-18 — DIAGONAL & CHANNEL

- **RULE:** A **diagonal** (trendline) is the line through two anchor prices at two confirmed swings of the same side, anchored on `diag.anchor` $\in \{\text{WICK, CLOSE}\}$; its value at bar `t` is a reference price like any other (taggable per V-9, closable-beyond per V-10). Its slope is stated in `scale.mode` units per bar. A **channel** is a diagonal plus its parallel through the opposite side's anchor. Validation (third touch), slope limits, redraw law, and breaks are CH 5's.
 - **CONFIRMATION:** Two qualifying confirmed swings exist → the diagonal exists as a *proposed* object (CH 5 promotes it).
 - **INVALIDATION:** Either anchor swing voided before confirmation (possible only pre-confirmation, per V-14) → the line never existed.
 - **WHY IT MATTERS:** A trendline is just a level that moves; saying so in the vocabulary lets every level rule in CH 4 be cited, not rewritten, in CH 5.
 - **STATUS:** DRAFT
-

V-19 — DYNAMIC LEVEL

- **RULE:** A dynamic level is an indicator series (e.g., a moving average, construction owned by CH 11) declared by a rule to serve as a reference price. Its value at each `t_close` is a reference price per V-9/V-10. Which series may serve, and when (regime gates), is owned by CH 11 and CH 13; behavior at any level, dynamic included, is owned by CH 4.
- **CONFIRMATION:** The declaring rule names the series and its parameters.

- **INVALIDATION:** An undeclared series used as a level ("price bounced off the 50" without the 50 being any rule's declared reference) is prose, not analysis.
 - **WHY IT MATTERS:** The moving-average bounce is real and tradable exactly as often as it is defined in advance — which is the difference between a level and a coincidence with a fan club.
 - **STATUS:** DRAFT
-

V-20 — SUPPORT & RESISTANCE BY POSITION; ROLE FLIP

- **RULE:** At any `t_close`, a level below `C` is **support**; above `C` is **resistance**. Position, not history, assigns the role. **Role flip** is the term for a BROKEN level whose role has inverted and been confirmed on retest — the confirming machinery is CH 4/CH 9's; this card only fixes that *flip is an event with a confirmation*, never an assumption.
 - **CONFIRMATION:** Position test at `t_close` (role); CH 4's flip confirmation (flip).
 - **INVALIDATION:** A level equal to `C` (inside its zone) has no role until the next close outside the zone.
 - **WHY IT MATTERS:** "Old resistance becomes support" is the field's most-quoted line and most-assumed non-event. The vocabulary makes the flip a claim requiring proof, which CH 9's failed-retest cards will spend.
 - **STATUS:** DRAFT
-

V-21 — THE VERDICT OBJECT

- **RULE:** A verdict is the object `{subject_type ∈ {LEVEL, STRUCTURE, INSTRUMENT}, subject_id, direction ∈ {BULLISH, BEARISH, NEUTRAL}, tf_of_record, born_event, void_event, expiry_clock}`. A verdict exists only as the output of a rule card, and only with **all seven fields present**. Anything missing a field is not a verdict; it is noise with vocabulary. **[C2]** `expiry_clock` admits a positive bar count **or the sentinel** `EVENT_ONLY` — the verdict dies solely on its `void_event`. `EVENT_ONLY` is legal only where the producing card shows its `void_event` is structural and decidable on every future bar (a trend is in force until reversed — Rhea's law, kept); claim-type verdicts must carry finite clocks. The full admissibility rule is The Contract's verdict law (T-8).
- **CONFIRMATION:** The producing rule's **CONFIRMATION** event fires → verdict born, fields stamped.
- **INVALIDATION:** The producing rule's **INVALIDATION** event, **or** expiry of `expiry_clock` where finite — whichever first. Death is as recorded as birth.
- **WHY IT MATTERS:** A verdict without a TTL is an opinion with good posture. This one object is what CH 9 resets, CH 13 suspends, and CH 14 arbitrates — they become operations on a

record instead of arguments about a mood.

- STATUS: DRAFT
-

V-22 — THE ADJECTIVE BAN

- RULE: BULLISH, BEARISH, NEUTRAL appear in this book only as values of a verdict's direction field. As free adjectives ("the chart looks bullish") they are banned from every card, every chapter, and every published analysis written under this book's name.
 - CONFIRMATION: Editorial: text search returns the words only inside verdict contexts.
 - INVALIDATION: One free adjective in a card fails the card at review.
 - WHY IT MATTERS: Adjectives are how opinion smuggles itself into print wearing the book's uniform.
 - STATUS: DRAFT
-

V-23 — BREAKOUT / BREAKDOWN (CLAIM TERMS)

- RULE: A **breakout** (breakdown) is a CLOSE ABOVE (BELOW) — V-10 — against a level's zone edge, on the timeframe of record. This is a **claim event**: the first close of CH 3's claim-then-confirm sequence. It carries no verdict by itself. **Break of structure** is the same claim event where the reference is the swing of record's price (V-16) instead of a level.
 - CONFIRMATION: V-10's inequality at t_close against the declared reference.
 - INVALIDATION: Composition (confirm vs. void) is entirely CH 3's; the claim itself is a fact of the bar.
 - WHY IT MATTERS: One word ("breakout") currently means five different things in the field — intrabar poke, close, confirmed close, retest-held, running. This book spends five words so each thing has one.
 - STATUS: DRAFT
-

V-24 — RETEST · HOLD · FAIL · FAKEOUT (TERMS)

- RULE: After a confirmed break of reference P: a **retest** is the first TAG of P's zone within retest.clock bars. A retest **holds** if it is followed by a CLOSE BEYOND in the break's direction (from the zone, away) within retest.confirmClock; it **fails** on a CLOSE BEYOND back through P against the break. A **fakeout** is a claim (V-23) followed by a close back inside the reference

zone within **fake**. clock bars **before** confirmation — a break that died as a claim. Full machinery, verdict resets, and the opposite-direction setups are CH 9's.

- CONFIRMATION: Each term's defining close/tag event at t_{close} .
- INVALIDATION: Clock expiry without the defining event → the term never applied (no retest happened; the claim simply expired per CH 3).
- WHY IT MATTERS: The aftermath is where accounts are made and destroyed, and it is currently narrated in synonyms. Four terms, four clocks, no synonyms.
- STATUS: DRAFT

BLOCK FIVE — MEASUREMENT UNITS

V-25 — TRUE RANGE & ATR (THE VOLATILITY UNIT)

- RULE: $TR_t = \max(H_t - L_t, |H_t - C_{\{t-1\}}|, |L_t - C_{\{t-1\}}|)$. ATR is Wilder-smoothed TR over $atr.len$: seed $ATR_n = (1/n) \sum TR_{\{1..n\}}$, then $ATR_t = (ATR_{\{t-1\}} \times (n-1) + TR_t) / n$. ATR is computed on the series of record and is this book's volatility unit (denominator of every VOLU distance, V-3).
- CONFIRMATION: Computable from bar $atr.len + 1$ of the series onward.
- INVALIDATION: ATR spanning a split under SPLIT_ONLY adjustment re-seeds at the split (the gap is administrative, not volatility). Ex-dividend TRs under SPLIT_ONLY are flagged per V-5.
- WHY IT MATTERS: Wilder's formula, from the primary source, exactly — because "about 14 bars of average range" is how two strangers get two rulers.
- STATUS: DRAFT

V-26 — DISTANCE (PCT & VOLU FORMS)

- RULE: PCT distance: $d = 100 \times \ln(P_2 / P_1)$ (signed; additive across consecutive bars: $d(A \rightarrow C) = d(A \rightarrow B) + d(B \rightarrow C)$). VOLU distance: $d = (P_2 - P_1) / ATR_{\text{ref}}$, where ATR_{ref} is ATR at the bar declared by the consuming rule (default: the earlier of the two prices' bars). Every card states which form it uses (V-3).
- CONFIRMATION: Both prices exist on the series of record.
- INVALIDATION: A distance mixing forms, or crossing an adjustment boundary without re-seeding (V-25), is void.

- WHY IT MATTERS: Additivity is why log-percent: a +10 then −10 round trip nets zero, as arithmetic percent does not. The units are boring so nothing downstream has to be.
- STATUS: DRAFT

V-27 — SLOPE

- RULE: The slope of any line through prices (P_a , bar a) and (P_b , bar b), $b > a$: $\text{slope} = d(P_a \rightarrow P_b) / (b - a)$ in the declared unit per bar (d per V-26). Slope limits, wherever a chapter imposes them (CH 5's steepness bounds), are expressed in unit-per-bar, never degrees.
- CONFIRMATION: Both anchors confirmed (per the object's own law, e.g., V-18).
- INVALIDATION: Degree-denominated or visually-judged slope conditions are malformed (V-3).
- WHY IT MATTERS: The steepness of a line should not change when you resize the window. In degrees it does; in unit-per-bar it cannot.
- STATUS: DRAFT

V-28 — CLOCKS & LOOKBACKS

- RULE: Every clock in this book counts **closed bars of the timeframe of record**, starting at the bar after the triggering event, and is a named parameter (*.clock*). *Every lookback* (*.lookback*, **.len*) counts closed bars ending at the current bar. No clock or lookback appears as an inline number in any card.
- CONFIRMATION: Each firing rule stamps its clock start bar.
- INVALIDATION: Expiry (clock reaches its parameter value without the awaited event) is itself an event — "expired unconfirmed" — consumed by CH 3.
- WHY IT MATTERS: "Soon," "recently," and "a while" are how discretion re-enters a mechanical book through the service door.
- STATUS: DRAFT

PARAMETER REGISTRY ENTRIES (introduced by this chapter)

PARAMETER	DOMAIN	CARD	PROPOSED TEST RANGE
<code>bar.tf</code>	timeframe id	V-1	D (v1 floor), W, M
<code>bar.session</code>	RTH · ETH · FULL24	V-1	RTH (equities) — publisher confirm

PARAMETER	DOMAIN	CARD	PROPOSED TEST RANGE
bar.tz	exchange tz	V-1	per listing
bar.adjust	SPLIT_ONLY · TOTAL_RETURN	V-5	SPLIT_ONLY provisional
bar.revClock	bars	V-4	1-3 (daily equities; C4 testing target)
pen.min	scale units ≥ 0	V-10	PCT: 0-3.0 · VOLU: 0-0.5
swing.method	FRACTAL · REVERSAL · PIP	V-11	bake-off (publisher fixtures)
swing.n	int ≥ 1	V-12	2-5
swing.tie	STRICT · LEFT	V-12	both
swing.basis	CLOSE · HL	V-13	both
swing.revPct	log-% > 0	V-13	1.0-10.0 (class-dependent)
swing.revAtr	ATR mult > 0	V-13	1.0-3.0
swing.window, swing.k, swing.minDist, swing.freeze, swing.pipMetric	per V-15	V-15	second-wave testing
swing.degree	int ≥ 1	V-16	1-2
zone.width	scale units ≥ 0	V-17	CH 4 owns options
zone.tickFloor	min-price-increments ≥ 0	V-17	stub (C3); builds with CH 15
diag.anchor	WICK · CLOSE	V-18	both
retest.clock, retest.confirmClock, fake.clock	bars	V-24	CH 9 owns ranges
atr.len	int ≥ 2	V-25	10-30
scale.mode	PCT · VOLU	V-3	per rule

SOURCES

Wilder 1978 (TR/ATR exact formulas; the smoothing) · Edwards, Magee & Bassetti and Murphy (penetration filters unified into pen.min; role-flip doctrine) · Rhea (close-as-truth lineage) · Kirkpatrick & Dahlquist ch. 11 (chart construction as prerequisite; scale treatment) · Lo, Mamaysky & Wang 2000 (kernel extrema — ancestor of SW-P; feasibility of formal swings) · Brooks (bar-event discipline motivating Block Two's minimalism) · Aronson (objectivity requirement behind V-14 and the Adjective Ban).

OPEN QUESTIONS — RESOLVED (PUBLISHER-REVIEW-R1) · RECORDED

1. ~~bar-session for the calibration class~~ **RESOLVED (R1): RTH confirmed** — FX/crypto session templates deferred to CH 15 (now U-7).
2. ~~V-5 provisional SPLIT_ONLY~~ **RESOLVED (R1): confirmed, with the ex-date stand-down** — homed in CH 13's calendar rules (X-8).
3. ~~The swing bake-off first~~ **RECORDED (R1 go-ahead): logged as the loop's testing job #1** — ran on synthetic data only (Sprints 1–2, feed synthetic-v1); as of 2026-09-25 it has never run on real prices. Execution pending (decision D7).
4. ~~V-15's PIP self-graveyard~~ **RECORDED: the author's own commitment, stands** — SW-P was not in the first-wave test (46 trials = SW-F + SW-R only).

Chapter 1 v4 · 28 cards · all DRAFT (publisher-reviewed; C1–C4 and C-R5-1 applied). Compiled against: nothing (this is the root). Cited by: everything. — THE SCINTILLA RULEMAKER

CHAPTER 2 — BAR, CANDLE & GAP EVENTS (E)

THE SCINTILLA TRADING RULEBOOK · Chapter draft · v3 STATUS: DRAFT (all cards; promotion by publisher testing) v3 changelog (Sprint 4 — the backfill, cashed): the gap-taxonomy IOU is paid. E-10 promotes from SKELETON to the classification law; E-11...E-14 publish the four classes (COMMON, BREAKAWAY, CONTINUATION, EXHAUSTION) from the pre-drafted separators, now legally reading CH 4 ACTIVE levels and CH 6 structure verdicts (T-5 satisfied — this is the spiral's first completed revolution). Two parameters added (`gap.ctxLookback`, `gap.exhClock`). Volume-grade upgrades remain CH 10 deposits. v2 changelog retained below. v2 changelog (per PUBLISHER-REVIEW-R2): E-8 notes the admitted `bar.earnings` flag (R-2: flag now, semantics with CH 13; v1 behavior unchanged) · both open questions resolved in place (R-2 admit-and-defer; R-4 keep the E-4 evidentiary split).

SUMMARY: The measurable few-bar events every later chapter leans on: bar anatomy quantified, the reject with math, the two-bar events, compression, and gap mechanics. E-1 through E-9 are computable from the series of record and Chapter 1 alone — no levels, no trends, no volume. E-10 through E-14 (the gap taxonomy) entered by sanctioned backfill in v3, reading CH 4's ACTIVE levels and CH 6's structure verdicts under T-5/T-12 — classification in two stages: position at the gap bar, fill behavior at the clock.

Scope note (the refusal, made law by T-11): the named candlestick zoo is excluded. The primitives below are the surviving alphabet; anything the zoo can say mechanically, these can say with parameters. Bulkowski's candlestick statistics are the evidence file.

BLOCK ONE — BAR ANATOMY

E-1 — ANATOMY QUANTITIES (AND THE DEGENERATE-BAR GUARD)

- RULE: For bar t with range $R = H - L$: $\text{body} = |C - 0|$ · $\text{bodyFrac} = \text{body} / R$ · $\text{upperWickFrac} = (H - \max(0, C)) / R$ · $\text{lowerWickFrac} = (\min(0, C) - L) / R$ · $\text{closeLoc} = (C - L) / R$ (0 at the low, 1 at the high) · direction $\text{dir} = \text{sign}(C - 0)$ (+1, -1, or 0). If $R = 0$ (or $R < \text{one min-price-increment}$), the bar is **ANATOMY-NULL**: no anatomy event fires on it, and it contributes no anatomy values to any lookback.
- CONFIRMATION: Computable at every t_{close} on any non-null bar of record.
- INVALIDATION: Anatomy read on an ANATOMY-NULL bar, or on a forming bar (V-8), is void.

- **WHY IT MATTERS:** Every event below is arithmetic on these five numbers. The null guard is the difference between a rulebook and a division-by-zero — two strangers must also agree on the bars where nothing can be said.
 - **STATUS:** DRAFT
-

E-2 — TREND BAR

- **RULE:** Bar t is a **trend bar** (directional bar) iff $\text{bodyFrac} \geq \text{ebar.trendBodyFrac}$ AND ($\text{dir} = +1$ AND $\text{closeLoc} \geq \text{ebar.trendCloseLoc}$) for an up-trend bar, or ($\text{dir} = -1$ AND $\text{closeLoc} \leq 1 - \text{ebar.trendCloseLoc}$) for a down-trend bar.
 - **CONFIRMATION:** The inequalities hold at t_{close} .
 - **INVALIDATION:** n/a — an anatomy fact of the closed bar; superseded, never voided.
 - **WHY IT WORKS:** A bar that opens near one extreme and closes near the other is one side holding control for the whole session; the trapped side is whoever faded it intrabar and now holds inventory the close disagrees with. Consumed downstream as an evidence grade (CH 3's C-10), never as a verdict.
 - **STATUS:** DRAFT
-

E-3 — NEUTRAL BAR

- **RULE:** Bar t is a **neutral bar** iff $\text{bodyFrac} \leq \text{ebar.neutralBodyFrac}$. (The doji family, collapsed to the one number that survives testing.)
 - **CONFIRMATION:** The inequality holds at t_{close} .
 - **INVALIDATION:** n/a — anatomy fact.
 - **WHY IT WORKS:** Open and close agreeing is a session that settled nothing; neither side is trapped, which is exactly the information — at a level it reads as hesitation, mid-range it reads as nothing. Context chapters decide which; this card only supplies the fact.
 - **STATUS:** DRAFT
-

E-4 — REJECT (THE MATH THE VOCABULARY PROMISED)

- **RULE:** Bar t **rejects downside** at reference zone Z (zone per V-17) iff bar t TAGS Z (V-9), C is above Z 's upper edge, and the declared method option holds — mirror for upside rejection. Method options (`reject.method`):
 - **RJ-W (wick-fraction):** $\text{lowerWickFrac} \geq \text{reject.wickFrac}$.

- **RJ-C (close-location):** $\text{closeLoc} \geq \text{reject.closeLoc}$.
 - **RJ-R (range-qualified):** RJ-W or RJ-C and $R \geq \text{reject.rangeAtr} \times \text{ATR}(\text{atr.len})$ — a reject on a dwarf bar is noise, so the bar must be of size.
 - CONFIRMATION: Tag + close-position + the chosen option's inequality, all at t_{close} .
 - INVALIDATION: n/a as an event; its *evidentiary* weight is voided if the next close re-enters Z (consumed by CH 3/CH 9 — the reject claimed the level held; a re-entry withdraws the claim).
 - WHY IT WORKS: A long wick into a zone with a close back outside is entrants below who were refused — their exits fuel the move away. This is the pin-bar/hammer literature reduced to three inequalities that two strangers can compute.
 - STATUS: DRAFT
-

BLOCK TWO — TWO-BAR EVENTS

E-5 — INSIDE BAR / OUTSIDE BAR

- RULE: Bar t is an **inside bar** iff $H_t \leq H_{\{t-1\}}$ AND $L_t \geq L_{\{t-1\}}$ (sub-option `ebar.insideStrict`: both strict). Bar t is an **outside bar** iff $H_t \geq H_{\{t-1\}}$ AND $L_t \leq L_{\{t-1\}}$ with at least one strict. A bar equal on both extremes with `ebar.insideStrict = false` classifies as inside, never both.
 - CONFIRMATION: The inequalities at t_{close} .
 - INVALIDATION: n/a — anatomy facts.
 - WHY IT WORKS: Inside = the market narrowed its argument (compression's smallest case — feeds E-7 and CH 7's range logic by deposit); outside = both sides stopped out at least once in one session (feeds CH 9's trap machinery by deposit). Brooks's framework runs substantially on these two.
 - STATUS: DRAFT
-

E-6 — ENGULFING CLOSE

- RULE: Bar t is a **bullish engulf** of bar $t-1$ under the declared option (`ebar.engulfMode`) — bearish mirror throughout:
 - **EG-B (body-engulf):** $\text{dir}_t = +1, \text{dir}_{\{t-1\}} = -1, 0_t \leq \min(0_{\{t-1\}}, C_{\{t-1\}})$, and $C_t \geq \max(0_{\{t-1\}}, C_{\{t-1\}})$.

- **EG-R (range-close):** $C_t > H_{\{t-1\}}$ (the close takes out the prior bar's extreme — Brooks's "buy-above" made a close event, per the prime axiom).
 - **CONFIRMATION:** The chosen option's inequalities at t_{close} .
 - **INVALIDATION:** n/a — anatomy fact; evidentiary weight withdrawn if the next close gives back the engulfed range (consumed by CH 9).
 - **WHY IT WORKS:** One bar erasing the whole prior bar means everyone who acted on the prior bar's information is now wrong at the close; their unwinding is the follow-through the event predicts. The two options exist because the field genuinely splits here — testing picks.
 - **STATUS:** DRAFT
-

BLOCK THREE — COMPRESSION

E-7 — COMPRESSION EVENTS

- **RULE:** Method options (`sqz.method`), each firing at t_{close} :
 - **NR-n:** $R_t = \min(R_{\{t-\text{sqz}.n+1\}} \dots R_t)$ — the narrowest range of the last `sqz.n` bars (ties: the current bar still fires; the event is about *now* being minimal).
 - **ATR-FRACTION:** $R_t \leq \text{sqz.atrFrac} \times \text{ATR}(\text{atr.len})$.
 - **DECLINING-MEAN:** $\text{SMA}(R, \text{sqz.meanLen})$ has made `sqz.declineCount` consecutive lower values through t .
 - **CONFIRMATION:** The chosen option's condition at t_{close} .
 - **INVALIDATION:** Expiry: a compression event's evidentiary window is `sqz.clock` bars; unconsumed, it lapses (no standing compression from last month).
 - **WHY IT WORKS:** Contraction is positioning: both sides loading at closer and closer prices, which is the stored energy CH 8's "pre-break structure" spends. This card is that chapter's phrase "pressure building" made computable — deposited there for citation, defined here.
 - **STATUS:** DRAFT
-

BLOCK FOUR — GAP MECHANICS

E-8 — GAP EVENT & GAP SIZE

- **RULE:** Bar t opens a **gap up** iff $0_t > B_{ref}$, where $B_{ref} = H_{\{t-1\}}$ under `gap.basis = RANGE` (full gap) or $B_{ref} = C_{\{t-1\}}$ under `gap.basis = CLOSE` (partial gap) — gap down mirrored against $L_{\{t-1\}} / C_{\{t-1\}}$. Gap size = $d(B_{ref} \rightarrow 0_t)$ in the rule's scale.mode (V-26). A gap event exists only if $size \geq gap.minSize$. **Ex-dividend stand-down (ratified, T-9):** if `bar.exDiv = true`, no gap event fires on bar t . [v2, R-2] The contract now also carries the optional `bar.earnings` flag (T-9 v2); in v1 it changes nothing here — earnings-bar treatment is CH 13's deferred stand-down rule.
 - **CONFIRMATION:** The open comparison at t_{close} of bar t (the prime axiom holds — the *event* is stamped when the bar completes, so a gap-and-reverse bar is one fact, not two rumors).
 - **INVALIDATION:** A gap computed across an adjustment boundary or on an `exDiv` bar is void (V-5).
 - **WHY IT WORKS:** A gap is the auction reopening away from where it closed — everyone holding overnight is repriced without a trade. The two bases exist because "gap" means both things in the literature (E&M's full gap; the common close-basis gap); naming the parameter ends the ambiguity.
 - **STATUS:** DRAFT
-

E-9 — GAP FILL & GAP SURVIVAL

- **RULE:** A gap up from bar t is **FILLED** when a later bar TAGS B_{ref} (V-9, the pre-gap boundary) within `gap.fillClock` bars; it **SURVIVES** if the clock expires untagged. Partial progress is not fill: tag or nothing. The gap's two edges (B_{ref} and 0_t) are recorded prices available to CH 4's level-birth machinery (deposited there; levels are CH 4's law, not this card's).
 - **CONFIRMATION:** Tag of B_{ref} within the clock (FILLED) or clock expiry (SURVIVES).
 - **INVALIDATION:** n/a — one of the two outcomes always occurs; the pair is exhaustive by construction.
 - **WHY IT WORKS:** A filled gap says the repricing failed — the market went back for the inventory it skipped. A surviving gap says the repricing was accepted. Survival is the single most informative fact about a gap, and it is a pure clock-and-tag fact — which is why it lives here and classification doesn't.
 - **STATUS:** DRAFT
-

E-10 — GAP CLASSIFICATION (THE LAW) [v3 — promoted from stub]

- **RULE:** Every gap event (E-8) receives **exactly one class** $\in \{\text{COMMON, BREAKAWAY, CONTINUATION, EXHAUSTION}\}$ under precedence **BREAKAWAY > CONTINUATION >**

COMMON, assigned **provisionally at the gap bar's t_close** (position facts are known then) and **finalized at the gap's E-9 resolution** (fill behavior is the only separator that needs time — E-14). Classification reads: the gap span [B_ref, 0_t], ACTIVE level zones (CH 4 objects), and the live structure verdict (S-4), all as of the gap bar's close. A class is an **evidence annotation** on the gap event — it grades (C-10 channel), it never verdicts (C-9).

- **CONFIRMATION:** Provisional class at the gap bar's t_close; final class at the E-9 FILLED/SURVIVES event.
 - **INVALIDATION:** A class read before its stage (final class before E-9 resolves), or a gap carrying two classes at one stage, is malformed. Ex-div and adjustment-boundary exclusions inherit from E-8.
 - **WHY IT WORKS:** The classical taxonomy was always four *positions in a story* — noise inside old ground, escape across a defended price, stride inside a trend, last gasp that gets taken back. The story is now three ledger lookups and a clock, which is what it always should have been.
 - **STATUS:** DRAFT
-

E-11 — COMMON GAP [v3]

- **RULE:** Class = **COMMON** iff the gap span crosses **no ACTIVE level's zone** (CH 4 ledger, zones per L-4) **and** both edges lie inside [min L, max H] of the prior gap.ctxLookback bars. (Reached only when E-12 and E-13 both fail, per E-10's precedence.)
 - **CONFIRMATION:** Both position tests at the gap bar's t_close.
 - **INVALIDATION:** n/a — classification fact; superseded only by E-10's staged finalization.
 - **WHY IT WORKS:** A gap that escapes nothing and enters nothing new is bookkeeping noise from the overnight auction — the class exists mostly so the other three mean something. Its measured fill rate (the classical claim: commons fill fast) belongs to the honesty ledger via E-9's clocks.
 - **STATUS:** DRAFT
-

E-12 — BREAKAWAY GAP [v3]

- **RULE:** Class = **BREAKAWAY** iff the gap span **crosses ≥ 1 ACTIVE level's zone entirely** (both zone edges inside the span) and price had closed on one side of that zone for $\geq$ gap.ctxLookback consecutive bars before the gap. The crossed level registers a **crossing-without-test** (C-8 — its touch list gains nothing); the gap-borne claim, if the bar also closes beyond the zone, runs C-1/C-2 as usual. A breakaway class is break-quality evidence for CH 8's chain (deposit standing).

- **CONFIRMATION:** The span-crossing and prior-side tests at the gap bar's `t_close`.
 - **INVALIDATION:** n/a — classification fact; the *suspect* case is E-14's FAILED-BREAKAWAY finalization.
 - **WHY IT WORKS:** An auction that reopens on the far side of a defended price without trading through it has repriced past the defenders overnight — everyone at that level is trapped at once, which is why the classical literature calls this the most consequential gap. Whether it *stays* consequential is E-9's clock, not this card's opinion.
 - **STATUS:** DRAFT
-

E-13 — CONTINUATION GAP [v3]

- **RULE:** Class = **CONTINUATION** iff a live S-4 structure verdict exists on the tf of record, the gap's direction matches the verdict's direction, and **neither edge of the span violates the structure floor/ceiling's zone** (S-6 object). (Evaluated only when E-12 fails, per precedence.)
 - **CONFIRMATION:** The verdict lookup and floor test at the gap bar's `t_close`.
 - **INVALIDATION:** n/a — classification fact; finalization may reclassify it (E-14).
 - **WHY IT WORKS:** A gap in stride — the trend repricing *in its own direction* without threatening its own floor — is the crowd chasing, not escaping. The classical "measuring gap" folklore (it marks the middle) is a testable projection claim that belongs to CH 8's objective grammar, not to this card.
 - **STATUS:** DRAFT
-

E-14 — EXHAUSTION & FAILED-BREAKAWAY (THE FINALIZATION) [v3]

- **RULE:** At the gap's E-9 resolution: a **CONTINUATION-provisional** gap that is **FILLED** within `gap.exhClock` bars finalizes as **EXHAUSTION** (the fill *is* the evidence — the stride that got taken back); one that **SURVIVES** finalizes as **CONTINUATION**. A **BREAKAWAY-provisional** gap **FILLED** within `gap.exhClock` keeps class **BREAKAWAY** but gains the **FAILED-BREAKAWAY** annotation — trap-context evidence for CH 9's fakeout machinery (deposit), kin to C-3's void but born from a gap. **COMMON** finalizes as **COMMON** regardless of fill. Volume-grade upgrades to any finalization (climax at exhaustion, `relVol` at breakaway) remain CH 10's backfill (deposit standing).
- **CONFIRMATION:** The E-9 **FILLED/SURVIVES** event against the `gap.exhClock` window.
- **INVALIDATION:** A finalization read before E-9 resolves, or an **EXHAUSTION** assigned without a live-trend provisional class, is malformed.
- **WHY IT WORKS:** Exhaustion and continuation are indistinguishable on the day they print — the classical books admit it — and become distinguishable only by whether the market takes the

gap back. So the book classifies twice, on a clock, instead of guessing once, loudly.

- STATUS: DRAFT

PARAMETER REGISTRY ENTRIES (introduced by this chapter)

PARAMETER	DOMAIN	CARD	PROPOSED TEST RANGE
<code>ebar.trendBodyFrac</code>	0–1	E–2	0.5–0.8
<code>ebar.trendCloseLoc</code>	0–1	E–2	0.7–0.9
<code>ebar.neutralBodyFrac</code>	0–1	E–3	0.05–0.25
<code>reject.method</code>	RJ–W · RJ–C · RJ–R	E–4	all three (bake-off)
<code>reject.wickFrac</code>	0–1	E–4	0.4–0.7
<code>reject.closeLoc</code>	0–1	E–4	0.6–0.85
<code>reject.rangeAtr</code>	> 0	E–4	0.75–1.5
<code>ebar.insideStrict</code>	bool	E–5	both
<code>ebar.engulfMode</code>	EG–B · EG–R	E–6	both
<code>sqz.method</code>	NR–n · ATR–FRACTION · DECLINING–MEAN	E–7	all three
<code>sqz.n</code>	int ≥ 2	E–7	4, 7
<code>sqz.atrFrac</code>	0–1	E–7	0.4–0.7
<code>sqz.meanLen / sqz.declineCount</code>	int	E–7	5–10 / 3–5
<code>sqz.clock</code>	bars	E–7	3–10
<code>gap.basis</code>	RANGE · CLOSE	E–8	both
<code>gap.minSize</code>	scale units > 0	E–8	PCT 0.3–1.5 · VOLU 0.1–0.5
<code>gap.fillClock</code>	bars	E–9	3–20
<code>gap.ctxLookback</code>	bars	E–11/E– 12	10–30
<code>gap.exhClock</code>	bars ≤ <code>gap.fillClock</code>	E–14	3–10

SOURCES

Bulkowski (candlestick statistics — the evidence for primitives-only; gap performance tables) ·
 Brooks (trend/inside/outside bar discipline; buy-above as EG-R's ancestor) · Edwards, Magee &
 Bassetti (the gap chapter; full-gap basis; the classical taxonomy E-10...E-14 mechanizes) ·
 Kirkpatrick & Dahlquist ch. 17 (short-term patterns as the curricula's home for this material) ·
 Pruden (rejection at boundaries — springs/upthrusts, whose full cards land in CH 9).

OPEN-DEPOSITS (claims on later chapters)

[v3: the taxonomy separators formerly parked here were **PROMOTED** to cards E-11...E-14 —
 the backfill is cashed; only the volume upgrades below remain open.]

Deposited to CH 4 (Levels): gap edges (B_ref, 0_t of surviving gaps) as level-birth candidates
 with their own birth card; zone.tickFloor inheritance (C3). (*Consumed* — L-2, L-4.) **Deposited**
to CH 7 (Ranges): inside-bar chains and E-7 compression as range-interior facts; expired
 compression as boundary-test context. (*Consumed* — R-8.) **Deposited to CH 8 (Breakouts):** E-7
 as the mechanical content of "pre-break pressure"; **E-12 breakaway class as break-quality**
evidence (live as of v3); E-2 trend-bar close as claim-quality evidence; E-13's measuring-gap
 projection folklore as a testable objective option for the chain's grammar. **Deposited to CH 9**
(Aftermath): outside-bar two-sided-trap fact; E-6 engulf-withdrawal (next close gives back the
 engulfed range) as fakeout evidence; reject-withdrawal (E-4) as retest-fail evidence; **E-14's**
FAILED-BREAKAWAY annotation as gap-borne trap context (live as of v3). **Deposited to CH**
10 (Volume): relative-volume grade for gap events (upgrades E-10/E-14 classification confidence
 — climax at exhaustion, relVol at breakaway); volume grade for E-4 rejects and E-6 engulfs.
Deposited to CH 13 (Regime/Calendar): the exDiv stand-down calendar card (ratified home); the
 bar.earnings stand-down semantics (flag admitted per R-2; behavior written when CH 13
 lands).

OPEN QUESTIONS — RESOLVED (PUBLISHER-REVIEW-R2)

1. ~~Earnings-gap stand-down~~ **RESOLVED (R-2): flag admitted now (bar.earnings, T-9 v2),**
behavior deferred to CH 13. Earnings dates confirmed reachable from the loop's data side; v1
 default no-stand-down.
2. ~~E-4 evidentiary split~~ **RESOLVED (R-4): keep the split.** Fact born here, withdrawal consumed in
 CH 3/CH 9 — deposit-forward working as intended.

*Chapter 2 v3 · 14 cards, no stubs · DRAFT · review_ref: PUBLISHER-REVIEW-R2. Compiled
 against: Chapter 1 v2 (E-1...E-9) + Chapters 4 and 6 by sanctioned backfill (E-10...E-14, per T-
 5/T-12). Cited by: 3, 7, 8, 9, 10, 12, 13. The spiral's first full revolution closes here. — THE
 SCINTILLA RULEMAKER*

CHAPTER 3 — CONFIRMATION & INVALIDATION STANDARDS (C)

THE SCINTILLA TRADING RULEBOOK · Chapter draft · v3 STATUS: DRAFT (all cards; promotion by publisher testing) v3 changelog (PUBLISHER-REVIEW-R5 + Sprint 6 backfill): (1) R5-R-1 — the scheduled R-5 revisit is closed on the record: CH 9's A-2 (void-by-structure: the retest-FAIL chain) now exists and is ratified as the break verdict's void_event **alongside** the finite cfm.verdictClock, whichever fires first; C-2's verdict-birth text names both retirement paths. (2) T-12 backfill — CH 10 landed: C-10's grader list gains the volume graders **Q-FUND** and **Q-EVR** by citation (the standing deposit, cashed). No other card touched. v2 changelog (per PUBLISHER-REVIEW-R2): both open questions resolved in place — R-5 (break verdicts hold the finite cfm.verdictClock; revisit exactly when CH 9 defines the alternative) and R-6 (grade tiers ratified for v1; weights only if testing proves tiers too coarse). No card mechanics touched.

SUMMARY: The iron rules cited by everything after them: how a claim becomes a confirmation, how it dies, on which timeframe, under which clock, and what is forever noise. Short by design. Compiled against Chapters 1–2 only.

C-1 — THE CLAIM

- RULE: A CLOSE BEYOND a reference's zone edge (V-10 against V-17/V-18/V-19 objects) on the timeframe of record opens a **claim** in that direction, stamped with its bar and reference, carrying clock cfm.window. A claim is a fact awaiting composition — it is not a verdict and changes no object's state.
- CONFIRMATION: The V-10 event at t_close.
- INVALIDATION: Per C-3 (the void) or C-6 (expiry) — a claim always ends in exactly one of {CONFIRMED, VOID, EXPIRED}.
- WHY IT WORKS: One close is one auction's opinion. The market's first move beyond a defended price is routinely a liquidity probe; the claim mechanism lets the book see it without believing it yet.
- STATUS: DRAFT

C-2 — THE CONFIRMING CLOSE (DOCTRINE OPTIONS)

- RULE: An open claim becomes a **CONFIRMED BREAK** under the declared doctrine (cfm.mode):
 - **TWO-CONSEC**: the very next bar of record also closes beyond the reference's zone edge (V-10, same direction).

- **WINDOW:** any later bar within `cfm.window` closes beyond, with **no intervening close back inside** the zone.
 - **SINGLE-FILTERED:** the claim close itself confirms, provided its penetration $\geq$ `cfm.singlePen` (a larger `pen.min-class` filter — E&M's 3% doctrine as an option, restated in scale units per C1's forms). On confirmation, a verdict is born (V-21): subject = the reference, direction = the break's, `born_event` = the confirming close, `void_event` = **A-2's void-by-structure** (the retest-FAIL chain, CH 9), `expiry_clock` = `cfm.verdictClock` (finite — break verdicts are claims about follow-through, not structures; `EVENT_ONLY` is reserved for CH 6 per T-8). **Two retirement paths, first-to-fire wins (R5-R-1, closing the R-5 thread):** the structure can void the verdict early (A-2), but early death is not a reason to live forever — a break verdict is a dated promise, and if neither the retest resolves it nor the structure voids it, the clock retires it.
 - **CONFIRMATION:** The chosen doctrine's condition.
 - **INVALIDATION:** C-3 during the sequence voids it; C-6 expiry lapses it.
 - **WHY IT WORKS:** "One close is a claim, the second is proof" is the two-close doctrine (Murphy's two-day rule generalized); SINGLE-FILTERED trades time-cost for distance-cost. Which cost is cheaper is an empirical question — three options, one bake-off, testing picks.
 - **STATUS:** DRAFT
-

C-3 — THE VOID (THE INVALIDATION MIRROR, INSTANTIATED)

- **RULE:** An open claim is **VOID** the moment any bar closes back inside (or beyond the opposite zone edge of) the reference, before confirmation. The void is itself a stamped event — it is the trigger the fakeout term (V-24) names, and CH 9 builds its opposite-direction machinery on it. A voided claim's reference keeps its prior state untouched.
 - **CONFIRMATION:** The close-back-inside event at `t_close`.
 - **INVALIDATION:** n/a — the void is terminal for that claim (fresh claims per C-11).
 - **WHY IT WORKS:** Whoever entered on the claim close is now holding a position the market closed against; the void event is the book's earliest mechanical sighting of trapped traders — which is why CH 9 treats it as a setup, not a failure.
 - **STATUS:** DRAFT
-

C-4 — THE MIRROR LAW

- **RULE:** Every confirmation-type card in this book must state its **INVALIDATION** as the **symmetric voiding event with its own clock** — same reference, same zone, opposite direction, stated with

the same precision as the confirmation. A card whose invalidation is vaguer than its confirmation does not publish.

- **CONFIRMATION:** Editorial at review: confirmation and invalidation resolve to the same object and unit system.
 - **INVALIDATION:** Asymmetric precision fails the card (T-2's enforcement arm for event cards).
 - **WHY IT WORKS:** The field's books are precise about entries and poetic about exits. Accounts die in the poetry.
 - **STATUS:** DRAFT
-

C-5 — THE TIMEFRAME OF RECORD

- **RULE:** Every claim, confirmation, void, and verdict is evaluated on exactly **one declared timeframe** (bar . tf), stamped at birth. No rule re-evaluates a failed or voided claim on a second timeframe to resurrect it; no rule mixes closes from two timeframes inside one event sequence. Other timeframes' evidence enters only through CH 14's authority rules, later, on verdict objects — never inside this chapter's sequences.
 - **CONFIRMATION:** Every stamped event carries its tf; sequences verify tf-homogeneity.
 - **INVALIDATION:** A cross-tf sequence is malformed; every verdict it produced is void.
 - **WHY IT WORKS:** Timeframe-shopping is the field's favorite self-deception — a failed daily break becomes a "strong weekly setup" by squinting. One frame per truth ends it.
 - **STATUS:** DRAFT
-

C-6 — THE CONFIRMATION CLOCK & EXPIRY

- **RULE:** Every claim carries cfm.window (bars of the timeframe of record, per V-28). If the window passes with neither confirmation (C-2) nor void (C-3), the claim is **EXPIRED-UNCONFIRMED** — a stamped terminal event, distinct from void. Expired claims leave the reference's state untouched and are counted by downstream attempt-taxonomy machinery (CH 8's deposit).
 - **CONFIRMATION:** Clock reaches its parameter with no terminal event.
 - **INVALIDATION:** n/a — expiry is terminal.
 - **WHY IT WORKS:** A claim that can neither prove nor die keeps a verdict-shaped hole open forever. Expiry closes it. The distinction from void matters downstream: a void traps entrants; an expiry merely bored them — different aftermath, so different event names.
 - **STATUS:** DRAFT
-

C-7 — WICK TREATMENT

- **RULE:** Wicks never open, confirm, or void claims — only closes do (V-8, V-10). Wicks act in exactly two capacities: as **tags** (V-9, feeding touch lists and tests) and as **anatomy** (E-1/E-4, feeding evidence grades per C-10). An intrabar penetration that closes back inside is, for this chapter, a tag with anatomy — nothing more.
 - **CONFIRMATION:** n/a (prohibition; enforced at review and by the formal form's EVAL_AT: t_close).
 - **INVALIDATION:** Any card treating a wick as a claim-bearing event fails at review.
 - **WHY IT WORKS:** The wick is the argument; the close is the settlement. Chapter 9 will show the wick-through-and-close-back-inside is among the *strongest* events in the book — as a rejection, in the opposite direction of the naive read.
 - **STATUS:** DRAFT
-

C-8 — GAP HANDLING IN CONFIRMATION SEQUENCES

- **RULE:** A bar that **opens** beyond a reference (gap event, E-8) and **closes** beyond it produces one claim — the close is the event; the gap is anatomy and (once E's taxonomy backfills) evidence. A bar that opens beyond but closes back inside produces **no claim** (nothing closed beyond) — it registers a tag if the bar tagged the zone (V-9), else a **crossing-without-test**: the reference was passed without contact, and its touch list gains nothing. Gap-borne claims confirm and void under C-2/C-3 unchanged; on bar.exDiv bars, no claim may open (T-9 stand-down).
 - **CONFIRMATION:** Standard V-10 evaluation at t_close; crossing-without-test stamped when neither tag nor close-beyond occurs on a gap bar... (exact: gap beyond reference, L_t > zone_top for an up-gap — the bar never came back to touch).
 - **INVALIDATION:** Claims opened on exDiv bars are void ab initio.
 - **WHY IT WORKS:** Gaps are how references get passed without being tested, and untested levels retain their standing — the market owes them a visit. Recording the crossing as *not-a-test* is what keeps touch counts honest.
 - **STATUS:** DRAFT
-

C-9 — WHAT NEVER CONFIRMS

- **RULE:** The following confirm nothing, alone or in combination, and no card may cite them as confirmation: volume of any magnitude · speed or size of a move absent the close event · indicator value or crossing · any Chapter E anatomy event (they grade, per C-10) · news, scheduled or breaking · open interest · any intrabar value (V-8) · any forming aggregate (V-6) ·

opinion, including this author's. Confirmation in this book is exactly one thing: the close-composition sequences of C-2.

- CONFIRMATION: n/a (prohibition).
 - INVALIDATION: A card citing a forbidden confirmer fails at review; a verdict traced to one is void.
 - WHY IT WORKS: Everything on this list correlates with real breaks — that is precisely why each is seductive and why none is proof. Witnesses testify; they do not sentence. The judge is the close.
 - STATUS: DRAFT
-

C-10 — THE EVIDENCE GRADE

- RULE: A confirmed break may carry a **grade annotation** — a separate object, never a verdict field: $\text{grade} \in \{A, B, C\}$ computed as the count-based tier of satisfied graders from the declared grader list `cfm.graders.v1` graders (all computable today): $\text{penetration distance} \geq \text{cfm.gradePen}$ (in scale units) · claim or confirming bar is a trend bar (E-2) · compression event within `sqz.clock` before the claim (E-7) · reject (E-4) at the reference in the opposite direction within `cfm.gradeLookback` before the break (the failed defense). Volume graders JOINED (CH 10 landed — backfill cashed): **Q-FUND** (relVol funding of the claim/confirming bar) and **Q-EVR** (effort-vs-result class of the confirming bar), per Q-3. Grades order evidence; they never create, rescue, or veto a confirmation (C-9).
 - CONFIRMATION: Grade computed at confirmation time from stamped events only.
 - INVALIDATION: A grade read as permission — any card branching verdict existence on grade — fails at review. Grade may parameterize *exposure* (CH 16's legal knobs), never *truth*.
 - WHY IT WORKS: Not all confirmed breaks are equal, and pretending otherwise wastes information; letting the inequality touch truth would waste the book. The grade is where the witnesses testify without becoming judges — and the invariance law (CH 16) will let profiles size by it.
 - STATUS: DRAFT
-

C-11 — RE-CLAIM DISCIPLINE

- RULE: After a void or expiry, a fresh claim on the same reference requires a fresh V-10 event — no standing claim survives its terminal event, and no bar's close is counted toward two claims on the same reference in the same direction. Each terminal event increments the reference's **attempt counter** (per direction), a stamped quantity this chapter maintains and CH 8's attempt taxonomy consumes (deposit).

- **CONFIRMATION:** Counter increments on each VOID / EXPIRED; resets per CH 8's rules once that chapter states them (deposit — until then, counters only accumulate).
- **INVALIDATION:** n/a — bookkeeping law.
- **WHY IT WORKS:** "Third attempt at resistance" is meaningful exactly when attempts are counted identically by two strangers. This card is the counting; the meaning (attempts shift odds) is CH 4's and CH 8's to state and testing's to price.
- **STATUS:** DRAFT

PARAMETER REGISTRY ENTRIES (introduced by this chapter)

PARAMETER	DOMAIN	CARD	PROPOSED TEST RANGE
cfm.mode	TWO-CONSEC · WINDOW · SINGLE-FILTERED	C-2	all three (bake-off with swing options)
cfm.window	bars	C-1/C-2/C-6	2-5 (daily)
cfm.singlePen	scale units > 0	C-2	PCT 1.0-3.0 · VOLU 0.3-0.75
cfm.verdictClock	bars	C-2	10-40
cfm.graders	subset of grader list	C-10	v1 set above + Q-FUND/Q-EVR (CH 10 cashed)
cfm.gradePen	scale units > 0	C-10	PCT 0.5-2.0 · VOLU 0.2-0.5
cfm.gradeLookback	bars	C-10	5-15

SOURCES

Murphy (two-day close rule → TWO-CONSEC; 1-3% filters → SINGLE-FILTERED, restated log-form per C1) · Edwards, Magee & Bassetti (3% penetration doctrine; gap treatment) · Rhea (close-as-settlement lineage) · Brooks (voided breaks as the market's best setups — C-3's downstream promise) · Aronson (the prohibition list's discipline) · Dormeier (why volume grades and never confirms — C-9/C-10's division, full treatment CH 10).

OPEN-DEPOSITS (claims on later chapters)

Deposited to CH 4 (Levels): state transitions on confirmation (ACTIVE→BROKEN) and their retest chain; attempt-counter consumption at level quality ranking; crossing-without-test (C-8) as a non-event in touch lists. (*Consumed* — L-5, L-8, L-9.) **Deposited to CH 6 (Structure):** break-of-structure claims run this chapter's machinery with the swing of record as reference; trend verdicts are the EVENT_ONLY citizens (T-8) — their void_event is the confirmed opposite structure break. (*Consumed* — S-4, S-7.) **Deposited to CH 8 (Breakouts):** attempt taxonomy

over C-11's counters (attempt vs break vocabulary); entry doctrines keyed to `cfm.mode` (on-confirm vs on-retest cost table; Bulkowski throwback ~60% base rate belongs in that chapter's honesty table); counter reset rules. **Deposited to CH 9 (Aftermath):** the void event (C-3) as the fakeout trigger; retest hold/fail composed from C-1/C-2 machinery against the flipped reference; expired-unconfirmed as boundary-defense evidence for CH 7. **Deposited to CH 10 (Volume):** volume graders for C-10 (relative-volume tiers at claim and confirming bars) — join the grader list by backfill. (*Consumed — Q-3; C-10 amended this sprint.*) **Deposited to CH 16 (Risk):** grade-keyed exposure as a legal knob (grade may size, never gate).

OPEN QUESTIONS — RESOLVED (PUBLISHER-REVIEW-R2)

1. ~~Finite verdict clock vs EVENT_ONLY~~ **RESOLVED (R-5): finite now**, and the scheduled revisit has since run: **CLOSED (R5-R-1)** — A-2 gave void-by-structure its real definition, the publisher ratified keeping the finite clock alongside it, first-to-fire. Folded into C-2's card text; the thread that opened at R2 is retired on the record.
2. ~~Tiers vs weights~~ **RESOLVED (R-6): tiers for v1**. A/B/C by count of satisfied graders — the two-strangers-clean choice; the loop may propose weights only against outcome evidence.

Chapter 3 v3 · 11 cards · DRAFT · review_ref: PUBLISHER-REVIEW-R2 · PUBLISHER-REVIEW-R5 (R-1). Compiled against: Chapters 1–2. Cited by: everything after. — THE SCINTILLA RULEMAKER

CHAPTER 4 — HORIZONTAL LEVEL RULES (L)

THE SCINTILLA TRADING RULEBOOK · Chapter draft · v2 (supersedes v1) STATUS: DRAFT

(12 cards + 1 SKELETON stub; promotion by publisher testing) v2 changelog (PUBLISHER-

REVIEW-R3): R3-R-1 — round-number levels ADMITTED as a stub: new card L-13

(level.roundSet, the fourth birth source, evaluated at the current price scale; SKELETON — the loop tests whether the class earns its keep per instrument). R3-R-2 — period closes (PDC/PWC/PMC) confirmed second-wave, as shipped. Both open questions RESOLVED in place. No existing card's mechanics touched.

SUMMARY: Where levels come from, how wide they really are, how their quality is counted, what a test is, what a break does to them, and when they leave the book. The chapter cashes every deposit its shell accumulated: swing and gap-edge births (V-11, E-9), the tick floor (C3), crossing-without-test (C-8), attempt counters (C-11), and the state machine V-17 promised. One deliberate export: this chapter's behavior machinery binds to *any* reference object, which is what will make Diagonals cheap.

Compiles against: Chapters 1–3. Cited by: 5, 6, 7, 8, 9, 12, 14.

BLOCK ONE — BIRTH

L-1 — LEVEL BIRTH: SWING SOURCE

- RULE: A confirmed swing (V-11, declared method/degree/deg) births a level at its anchor price: `level.anchor` $\in$ {WICK (the swing extreme H/L), CLOSE (the swing bar's C)}. Birth is stamped at the swing's **confirmation bar**, not the swing bar — a level cannot exist before its swing does (no lookahead; the fractal's k-bar lag and SW-R's variable lag pass through). State at birth: ACTIVE; touch list: empty.
 - CONFIRMATION: The swing's confirmation event (V-12/13/15).
 - INVALIDATION: A candidate swing that never confirms births nothing; a level whose birth event cannot be produced on demand is not a level (V-17).
 - WHY IT WORKS: A swing point is where one side ran out of conviction at a price — proven, executed inventory. The market remembers where people are wrong from.
 - STATUS: DRAFT
-

L-2 — LEVEL BIRTH: GAP-EDGE SOURCE

- **RULE:** A gap that SURVIVES (E-9: fill clock expires untagged) births levels at its edges per `level.gapEdges` $\in$ {BOTH (B_ref and O_t), NEAR (B_ref only), FAR (O_t only)}. Birth is stamped at the survival event (clock expiry), not the gap bar — a gap is only evidence once the market declines to fill it. State: ACTIVE; the gap bar itself enters no touch list.
 - **CONFIRMATION:** The E-9 SURVIVES event.
 - **INVALIDATION:** A FILLED gap births nothing; edges of filled gaps carry no standing.
 - **WHY IT WORKS:** A surviving gap is a repricing the market accepted without revisiting — the untraded band behind it is where the skipped inventory still sits. E&M's gap doctrine, reduced to a clock and a tag.
 - **STATUS:** DRAFT
-

L-3 — LEVEL BIRTH: PRIOR-PERIOD SOURCE

- **RULE:** On completion of each calendar period (V-6 aggregation law), the members of `level.periodSet` $\subseteq$ {PDH, PDL, PDC, PWH, PWL, PWC, PMH, PML, PMC} birth as levels **immediately at the completing close** — auto-birth, empty touch list, tags accrue only after birth. **[R2 ruling adopted as the publisher leaned: auto-birth on period completion; contact history starts at zero.]** Each period level RETIRES automatically when its period rolls (the new PDH replaces the old; the old leaves the active book per L-10). Period levels carry source = PERIOD and their period id.
 - **CONFIRMATION:** The period's last constituent bar closes (V-6).
 - **INVALIDATION:** A "prior-period level" computed from a forming period (Wednesday's "weekly high") is void (V-6/V-8).
 - **WHY IT WORKS:** These are the market's shared calendar coordinates — drawn on every terminal, referenced in every desk note. Contact behavior at them is partly self-fulfilling, which does not make it less mechanical.
 - **STATUS:** DRAFT
-

L-13 — LEVEL BIRTH: ROUND-NUMBER SOURCE [SKELETON — R3-R-1]

- **RULE (stub):** The members of `level.roundSet` — round prices at multiples of 10^k chosen relative to the instrument's **current price scale** — birth as levels with source = ROUND, empty touch lists, tags accruing only after birth. Evaluation at the current scale makes SPLIT_ONLY's historical discontinuity a non-issue: round levels are a *today* coordinate, never an adjusted-history one. The full birth/retirement rule (which multiples exist at which price magnitudes; when the set refreshes as price migrates across a decade boundary) is deliberately stubbed — the

loop tests whether the class earns its keep per instrument before the rule is drawn to depth. (Card id per T-6's append-only numbering; the card lives here with its birth siblings L-1..L-3.)

- **CONFIRMATION:** Stubbed with the birth rule.
 - **INVALIDATION:** Stubbed. Until this card leaves SKELETON, a round number cited as a reference has no ledger and no standing (B-1's admissible-reference list is unchanged until promotion).
 - **WHY IT MATTERS:** Genuinely mechanical, universally watched, free to compute — excluding the class would drop a level type half the market draws by reflex. Admit-as-stub, test late (R3-R-1) is options-not-opinions applied to a birth source.
 - **STATUS:** SKELETON
-

BLOCK TWO — WIDTH

L-4 — ZONE WIDTH (METHOD OPTIONS)

- **RULE:** Every level carries a zone (V-17) of width per `zone.method`:
 - **ZW-P (fixed percent):** `width = zone.pct` in PCT units of the level price.
 - **ZW-A (ATR fraction):** `width = zone.ATRMult × ATR(ATR.len)` at the evaluation bar.
 - **ZW-MAX (composite):** `width = max(ZW-P, ZW-A)` — the loop's §K form, admitted as its own option.
 - **ZW-W (wick-cluster):** `width = span of the touch episodes' wick extremes about the level` (requires $\geq \text{zone.minTouches}$ episodes; until then, fallback ZW-A). The only option whose width *learns* from contact history. All options floored: `width_eff = max(width, zone.tickFloor × tick)` (C3). Zones are symmetric about the level price in v1 (`zone.asym` reserved, untested).
 - **CONFIRMATION:** Width computable at every `t_close` from the declared option.
 - **INVALIDATION:** A width mixing options, or read below the tick floor, is malformed.
 - **WHY IT WORKS:** A level is an area on the tape and a line in a book; the width options are the field's honest disagreement about how big the area is. Testing picks; the floor keeps degenerate instruments markable.
 - **STATUS:** DRAFT
-

BLOCK THREE — TESTS, QUALITY, AND THE THIRD-TEST PROBLEM

L-5 — TEST EPISODES

- **RULE:** A **test** of an ACTIVE level = a TAG of its zone (V-9) where the bar's close remains on the level's role side (no V-10 close-beyond fires). Consecutive tagging bars belong to **one episode**: a new episode requires $\geq \text{level.testGapMin}$ non-tagging bars since the last tagging bar. A **defended** episode is one whose final bar closes on the role side; an episode containing an E-4 reject at the zone is defended-with-rejection (a grade, per C-10 discipline). Touch lists record **episodes** — and only tags: crossings-without-test (C-8) append nothing.
 - **CONFIRMATION:** Episode boundaries and defenses are all `t_close` facts.
 - **INVALIDATION:** A touch list containing a gap-crossing, a forming bar, or two entries for one episode is corrupt; quality reads from it are void.
 - **WHY IT WORKS:** "Tested three times" is meaningful only if two strangers count episodes, not bars — a week grinding on a level is one argument, not five. The episode gap is what separates arguments.
 - **STATUS:** DRAFT
-

L-6 — LEVEL QUALITY (METHOD OPTIONS)

- **RULE:** Quality is computed from the episode record under `level.qMethod`:
 - **QL-TIER:** $Q \in \{A, B, C\}$ by count thresholds over: episodes $\geq \text{q.minEpisodes}$, mean defended-reaction size $\geq \text{q.minReact}$ (reaction = distance in scale units from zone edge to the extreme of the `q.reactWindow` closed bars after episode end), age $\geq \text{q.minAge}$. Count of satisfied criteria $\rightarrow$ tier (the C-10/R-6 pattern).
 - **QL-SCORE:** the loop's $\$K$ weighted score (touches, mean reaction, recency decay, source weight), weights as registry params, v1 equal — admitted as the parametric option. Source weight note: swing-, gap-, and period-born levels may carry distinct base weights (`q.srcWeight.*`) — whether source predicts defense is exactly the kind of claim testing settles.
- **CONFIRMATION:** Recomputable from stamped episodes at any `t_close`; updates only as bars close.
- **INVALIDATION:** Quality read as permission — any card branching a verdict's *existence* on Q — fails at review (C-9/C-10 discipline: quality grades, never gates).
- **WHY IT WORKS:** Not all levels are equal, and the two honest ways to say so are a coarse tier two strangers can't disagree on, or a declared formula they compute identically. Both are

stated; opinion is in neither.

- STATUS: DRAFT

L-7 — THE THIRD-TEST PROBLEM (SINGLE HOME)

- RULE: This card owns pre-break test-count odds; post-break third-test rejection is CH 9's (cross-reference, never restatement). The classical claim — each successive defended episode *consumes* the resting inventory that defends the level, so $P(\text{confirmed break} \mid \text{episode } n+1)$ rises with n — is published here as a **measurable claim structure**, not a truth: the honesty table `level.testOdds[n]` (break probability by episode count, by source, on the calibration class) ships with this chapter and is filled by the loop. Mechanical consequence now: from episode `level.watchAt` onward, further tests carry a **WATCH annotation** — evidence for downstream graders (C-10), never a verdict, never a gate.
- CONFIRMATION: Episode counter (L-5) reaches `level.watchAt` → annotation on subsequent tests.
- INVALIDATION: Any card converting WATCH into a directional verdict without a C-2 confirmation fails at review.
- WHY IT WORKS: Both classical camps are right somewhere — "more tests = stronger level" and "more tests = weaker level" are each true for *some* n and some context, which is precisely why the book publishes the odds table instead of the slogan.
- STATUS: DRAFT

BLOCK FOUR — BREAK, FLIP, RETIREMENT

L-8 — BREAK: THE STATE TRANSITION

- RULE: A C-2 CONFIRMED BREAK through a level's zone transitions it ACTIVE → **BROKEN**, stamped with the confirming close. The break *verdict* is C-2's; this card owns only the state. Role inverts by position immediately (V-20); flip *confirmation* waits for L-9. Attempt counters (C-11) continue across the transition unreset — reset rules are CH 8's (deposit honored). Claims voided or expired at the level (C-3/C-6) leave state untouched.
- CONFIRMATION: The C-2 event.
- INVALIDATION: A state change on an unconfirmed claim (one close, mid-window) is void — the state machine runs on confirmations only.

- **WHY IT WORKS:** The state machine is bookkeeping, and bookkeeping is exactly the part of level-reading that human memory does worst. The book keeps the ledger so the reader can keep their judgment for where it's needed.
 - **STATUS:** DRAFT
-

L-9 — ROLE FLIP: CONFIRMATION AND FAILURE

- **RULE:** A **BROKEN** level transitions to **FLIPPED** when its first retest (V-24: first TAG of the zone within `retest.clock` bars of the confirmed break) **HOLDS** — a CLOSE BEYOND away from the zone, in the break's direction, within `retest.confirmClock`. If the retest **FAILS** (close back through the zone against the break), the level transitions **BROKEN** → **ACTIVE** (the old role resumes; the break verdict's voiding and the trap setups built on it are CH 9's). If no retest occurs within `retest.clock`, the level remains **BROKEN** unflipped; position alone assigns role (V-20) until either a later episode flips it (`level.lateFlip` = ALLOW one extended window `retest.clock2`, or FORBID — option) or it retires.
 - **CONFIRMATION:** The V-24 HOLD event (flip) or FAIL event (reversion), both `t_close` facts.
 - **INVALIDATION:** A flip assumed without its HOLD event is the field's most-quoted unproven sentence (V-20); it fails at review.
 - **WHY IT WORKS:** The flip is trapped inventory changing sides — shorts from the old resistance now defending it as support only after they've been proven right once. Until the retest holds, the flip is a rumor with a diagram.
 - **STATUS:** DRAFT
-

L-10 — RETIREMENT

- **RULE:** A level **RETIRE**S (leaves the active book, id preserved) on the first of: (a) **staleness** — no test episode for `level.maxAge` bars; (b) **irrelevance** — every close for `level.farClock` consecutive bars is $\geq$ `level.farDist` (scale units) from the zone; (c) **period roll** — L-3 levels only, on their period's replacement; (d) **absorption** — the level joins a confluence cluster (L-11) and `level.clusterRetire` = MERGE (option; alternative KEEP retains members individually).
- **CONFIRMATION:** The triggering condition at `t_close`.
- **INVALIDATION:** A retired level cited as a live reference by any rule is a stale pointer; the citing analysis is void. (Retired $\neq$ deleted: the ledger keeps everything, per T-6's spirit.)
- **WHY IT WORKS:** An unretired book grows until every price is "at a level" and the word means nothing. Retirement is how the book forgets on schedule instead of never.
- **STATUS:** DRAFT

BLOCK FIVE — COMPOSITION AND EXPORT

L-11 — CONFLUENCE CLUSTERS

- **RULE:** ACTIVE levels whose zones overlap (non-empty intersection of [lo, hi] bands, widths per L-4) form a **cluster**: one composite zone [min lo, max hi], recomputed deterministically at every birth, retirement, or width change. Cluster quality = the max member quality, annotated +CLUSTER(n members). A cluster is tested, defended, broken, and flipped as one object under L-5...L-9; member ledgers record their own histories throughout.
 - **CONFIRMATION:** Overlap condition at recompute events.
 - **INVALIDATION:** Overlapping zones treated as separate references inside one analysis (double-counting the same defense) voids the touch accounting.
 - **WHY IT WORKS:** Two independent reasons for the same price is more resting inventory than either alone — and counting it twice is how analysts convince themselves a level is twice as real as it is.
 - **STATUS:** DRAFT
-

L-12 — THE REFERENCE-BINDING EXPORT

- **RULE:** Cards L-5 through L-11 bind to **any reference object** of Chapter 1's taxonomy — horizontal level (V-17), diagonal's value-at-t (V-18), dynamic level (V-19) — by reference, not by type. Construction stays with the owning chapter (CH 5 diagonals, CH 11 dynamic); *behavior at the reference* is this chapter's machinery, applied unchanged.
 - **CONFIRMATION:** A reference object exposing (price-at-t, zone, role side) runs the full block.
 - **INVALIDATION:** A chapter re-stating test/break/flip machinery for its own reference type violates one-rule-one-home and fails at review.
 - **WHY IT WORKS:** "A trendline is a level that moves" was the vocabulary's promise (V-18); this card is the payoff — Diagonals will cost one construction block, not a rewrite of everything above.
 - **STATUS:** DRAFT
-

PARAMETER REGISTRY ENTRIES (introduced by this chapter)

PARAMETER	DOMAIN	CARD	PROPOSED TEST RANGE
level.anchor	WICK · CLOSE	L-1	both (bake-off with diag.anchor)
level.gapEdges	BOTH · NEAR · FAR	L-2	BOTH first
level.periodSet	subset of {PD,PW,PM} × {H,L,C}	L-3	{PDH,PDL,PWH,PWL} core; closes second wave (R3-R-2)
level.roundSet	round-price construction (stub)	L-13	SKELETON — loop prices class-worth per instrument
zone.method	ZW-P · ZW-A · ZW-MAX · ZW-W	L-4	all four
zone.pct	PCT > 0	L-4	0.15–0.75
zone.atrMult	> 0	L-4	0.1–0.4
zone.minTouches	int ≥ 2	L-4	2–3
level.testGapMin	bars ≥ 1	L-5	1–3
level.qMethod	QL-TIER · QL-SCORE	L-6	both
q.minEpisodes / q.minReact / q.reactWindow / q.minAge	per L-6	L-6	2–3 · PCT 0.5–1.5 / VOLU 0.5–1.0 · 3–5 · 10–30
q.srcWeight.*	≥ 0	L-6	v1 equal
level.watchAt	int ≥ 2	L-7	3–4
level.testOdds[n]	honesty table	L-7	loop-filled
level.lateFlip	ALLOW · FORBID (+retest.clock2)	L-9	both
level.maxAge / level.farDist / level.farClock	bars · scale units · bars	L-10	60–250 · PCT 8–20 / VOLU 4–8 · 20–60
level.clusterRetire	MERGE · KEEP	L-10/11	both

SOURCES

Edwards, Magee & Bassetti (role reversal doctrine; gap edges as support/resistance) · Murphy (role-flip and the test/defense grammar; prior-period reference points) · Kirkpatrick & Dahlquist ch. 13 (breakouts/retracements binding to levels) · Bulkowski (the empirical case that test-count odds must be measured, not asserted — L-7's honesty table) · Brooks (episode thinking: one argument, many bars) · 97-CORE-MATH §K (the loop's zone/touch/quality math, aligned: ZW-MAX and QL-SCORE are its forms admitted as options).

OPEN-DEPOSITS (claims on later chapters)

To CH 5 (Diagonals): L-12 binding — CH 5 writes construction + validation + redraw only; all behavior cards bind via L-12. Diagonal zones size per L-4 options applied along the line. **To CH 6 (Structure):** swing-born levels (L-1) are the structure floors/ceilings BOS reads — the same object, one ledger (consumed this sprint). **To CH 8 (Breakouts):** attempt-counter *reset* rules (C-11 counters continue unreset through L-8 by design); L-7's odds table joins the entry-doctrine honesty tables. **To CH 9 (Aftermath):** L-9's FAIL reversion is the state-side of the fakeout/trap setups; spring/upthrust cards read BROKEN→ACTIVE reversions at range boundaries. **To CH 10 (Volume):** defended-episode volume signatures join L-6 quality as graders (backfill on landing). **To CH 13 (Regime):** WATCH annotations and cluster density as regime evidence (ranging markets breed clusters). **To CH 14 (MTF):** levels carry tf-of-record; higher-frame levels outrank on conflict — the conflict table consumes L objects as-is. **To CH 15 (Universe):** zone.tickFloor build-out; period-set conventions for FX/crypto sessions.

OPEN QUESTIONS — RESOLVED (PUBLISHER-REVIEW-R3)

1. ~~Round-number levels: admit or exclude?~~ **RESOLVED (R3-R-1): ADMIT as a stub, test late** — L-13 added (level.roundSet, fourth birth source, evaluated at current price scale so SPLIT_ONLY's discontinuity is moot). SKELETON until the loop prices whether the class earns its keep per instrument.
2. ~~Period closes in core or second wave?~~ **RESOLVED (R3-R-2): second-wave, as shipped** — highs/lows core now; closes join when the loop's fixtures ask for the full nine. A registry-set decision the sweep widens cheaply.

*Chapter 4 v2 · 13 cards (12 DRAFT + L-13 SKELETON) · review_ref: PUBLISHER-REVIEW-R3.
Compiled against: Chapters 1–3. The behavior block (L-5...L-11) is exported to every reference type via L-12. — THE SCINTILLA RULEMAKER*

CHAPTER 5 — DIAGONAL & CHANNEL RULES (D)

THE SCINTILLA TRADING RULEBOOK · Chapter draft · v2 (supersedes v1) STATUS: DRAFT (all cards; promotion by publisher testing) v2 changelog (PUBLISHER-REVIEW-R4 · R5): R4-R-1 — D-8's rank $H > D > Y$ CONFIRMED as the v1 default (a stated default beats an unstated one; the loop may re-rank against outcomes). R4-R-2 — D-5 midlines stay EVIDENCE-ONLY for v1 (chan.midClaims admitted as an option only if the loop surfaces real midline signal in the bake-offs). R5-R-5 — ref.rankOrder's weight jumped when B-9 made it the arbiter of the verdict-of-record, so it joins the loop's second-wave sweep (routed via ARCHITECT-REVIEW-A2); noted on D-8. Open questions RESOLVED in place. No card mechanics touched.

SUMMARY: Construction, validation, slope limits, channels, and the redraw law — and almost nothing else, because L-12 already exports every behavior card (tests, episodes, quality, break, flip, retirement, clusters) to any reference object. This chapter builds the moving reference; Chapter 4 already knows what to do at it. The cheapest chapter in the book, by design, and the proof the architecture is paying rent.

Compiles against: Chapters 1–4, 6 (anchor swings come from S-1's alternating sequence). Cited by: 8, 12, 13, 14.

BLOCK ONE — CONSTRUCTION

D-1 — DIAGONAL PROPOSAL

- RULE: A **proposed diagonal** is the line through two anchors: confirmed swings of the same side, **consecutive in S-1's same-side subsequence** (no unused same-side swing between them; sub-option `diag.anchorSkip = 1` permits skipping exactly one). Anchor prices per `diag.anchor` $\in \{\text{WICK, CLOSE}\}$ (V-18). Role by side: a low-side line is support-role, a high-side line resistance-role; the classical constraint `diag.roleSlope = WITH` (default: low-side lines must rise, high-side lines must fall — counter-role slopes are channel partners, not standalone lines; option BOTH admits them for testing). **Line geometry obeys the Scale Law:** in PCT mode the line is straight in log-price — $\ln(\text{line}(t)) = \ln(P_a) + (\text{slope}/100) \times (t - t_a)$; in VOLU mode it is straight in raw price with slope quoted in ATR-multiples per bar, **ATR frozen at the second anchor's bar** (a moving ATR would repaint the line — V-14). A proposal exists only when its second anchor confirms (no lookahead — the lag passes through, as with L-1).
- CONFIRMATION: The second anchor swing's confirmation event.

- **INVALIDATION:** Either anchor voided pre-confirmation (V-18); or slope outside D-3's limits at proposal — the line never acquires standing.
 - **WHY IT WORKS:** Two forced pivots on a shared slope is a hypothesis that inventory is arriving on a schedule. It stays a hypothesis until the market countersigns it — which is D-2's whole job.
 - **STATUS:** DRAFT
-

D-2 — VALIDATION: THE THIRD TOUCH

- **RULE:** A proposed diagonal is **VALIDATED** at the first **defended test episode** (L-5, via L-12) of its zone occurring after the second anchor's confirmation — the classical third touch, under episode counting, with defense required (a tag that closes through the line validates nothing; it opens a claim). Until validated, the line is a candidate: **no rule may cite a proposed diagonal as a reference** (the mirror of V-11's candidate discipline). The validating episode enters the line's touch ledger as episode #1 of its validated life; the anchor swings are construction, not touches.
 - **CONFIRMATION:** The defended episode's final bar `t_close`.
 - **INVALIDATION:** A C-2 confirmed break through the proposed line before any defended episode → the proposal dies unvalidated (stamped DEAD-PROPOSAL; its id retires; no verdict of any kind was ever attached).
 - **WHY IT WORKS:** Two points buy a line; only the third point buys evidence — the market returning to the schedule and someone defending it there. Every technician says this; the episode machinery makes two strangers agree on which bar was the third touch.
 - **STATUS:** DRAFT
-

D-3 — SLOPE LIMITS

- **RULE:** A proposal has standing only if $\text{diag.slopeMin} \leq |\text{slope}| \leq \text{diag.slopeMax}$, slope in the declared unit per bar (V-27; never degrees, T-10). Below the floor, the geometry is a level's job (route to CH 4 — a near-flat line through two swings is an EQ pair, which S-2 and L-1 already handle). Above the cap, the line is parabolic: it may be *watched* as an annotation (STEEP — evidence for CH 13's regime reading, deposit) but never cited as a reference. Slope is evaluated once, at proposal — anchors are immutable (D-6), so slope never changes.
- **CONFIRMATION:** The bounds check at proposal.
- **INVALIDATION:** n/a — a line outside bounds never existed as a reference; re-propose only with new anchors.
- **WHY IT WORKS:** Too flat and the diagonal adds nothing a level didn't already say; too steep and the schedule it hypothesizes is unpayable — steep lines break on time even when price holds, which makes their breaks noise. The classical warning, priced in unit-per-bar.

- STATUS: DRAFT

BLOCK TWO — BEHAVIOR (THE INHERITANCE)

D-4 — THE L-12 BINDING

- RULE: A validated diagonal exposes the L-12 tuple — (price-at-t = line(t), zone = L-4 width options computed about line(t) with zone.tickFloor, role side per D-1) — and thereby runs **the entire Chapter 4 behavior block unchanged**: test episodes and defenses (L-5), quality (L-6), the watch machinery (L-7), break state (L-8), role flip and reversion (L-9), retirement (L-10), and cluster membership (L-11, including mixed clusters with horizontal levels where zones overlap at some t). Claims and confirmations against line(t) run the C-machinery with the line's value at each t_close as the reference price. Nothing about behavior is restated in this chapter, and any future divergence between diagonal and horizontal behavior must be argued as an amendment to Chapter 4, not written here.
- CONFIRMATION: The binding is total: one tuple, one machinery.
- INVALIDATION: A diagonal-specific behavior rule appearing in this chapter fails one-rule-one-home (L-12).
- WHY IT WORKS: "A trendline is a level that moves" was V-18's promise and L-12's payoff. This card is the receipt.
- STATUS: DRAFT

BLOCK THREE — CHANNELS

D-5 — CHANNEL CONSTRUCTION & VALIDATION

- RULE: A **proposed channel** = a VALIDATED diagonal (the base line) plus a parallel through the anchor chan.anchor = the most extreme opposite-side confirmed swing within the base anchors' bar span (max perpendicular distance from the base, in the base's geometry space). The channel object carries base, parallel, and **midline** (the parallel bisector). The channel is **VALIDATED** when the parallel earns its own defended episode (D-2's standard applied to the

second boundary). The midline is measurable but not citable: tags and closes against it are recorded as evidence for graders, and no claim may open against a midline in v1.

- **CONFIRMATION:** The parallel's defended episode.
 - **INVALIDATION:** A C-2 confirmed break of the parallel before its validation → the channel proposal dies; the base line lives on independently (its ledger never depended on the parallel).
 - **WHY IT WORKS:** A channel is the market honoring the same schedule from both sides — rent-payers above and below. Until the far side is defended once, the parallel is a drawing, not a fact.
 - **STATUS:** DRAFT
-

D-6 — THE REDRAW LAW (GEOMETRY IS IMMUTABLE)

- **RULE:** A line's anchors are **immutable for life** — V-14 applied to geometry. "Redrawing" in this book means exactly one thing: **proposing a new line** (new id, new anchors per D-1) while the old line's ledger stands and its states resolve on their own record. Permitted occasions for a new proposal: a new confirmed swing extends the same-side subsequence. Forbidden, and lintable: editing anchors to keep a line unbroken, re-anchoring after a break to "correct" the line, or tuning a slope to capture a wick. Fan discipline: at most `diag.maxLive` live (validated, unretired) diagonals per side per (tf, degree); when exceeded, the lowest-quality line (L-6) retires with cause `OUT_OF_SCOPE`.
 - **CONFIRMATION:** Every live line's anchors resolve to their original confirmed swings, byte-identical under data extension.
 - **INVALIDATION:** One anchor edit voids the line's entire ledger — it was never a reference (the repaint prohibition's teeth, V-14).
 - **WHY IT WORKS:** The redraw is the trendline's signature cheat: a line that moves whenever it fails is unfalsifiable, and unfalsifiable is worthless (T-2 — a rule that cannot be voided is a belief; a line that cannot break is not evidence). New information earns a new line; it never earns a revised past.
 - **STATUS:** DRAFT
-

D-7 — CHANNEL WALKS & EXITS

- **RULE:** A **walk** = $\geq \text{chan.walkCount}$ consecutive defended episodes on one boundary with **no tag of the midline** between them — stamped `WALK(boundary, n)`, an evidence annotation (grade-class, C-10 discipline; strong-trend witness deposited to CH 13). A **channel exit** = a C-2 confirmed break of either boundary (via D-4's binding); the exit event carries the channel context (which boundary, walk state at exit) as evidence for CH 8's chain and CH 12's flag

machinery (deposits). After an exit, the broken boundary runs L-8/L-9 as usual; the surviving boundary lives on as a standalone diagonal.

- CONFIRMATION: Episode counting for walks; the C-2 event for exits.
 - INVALIDATION: Walk annotations lapse on any midline tag; they are never verdicts.
 - WHY IT WORKS: A walk is one side of the auction refusing even to revisit the middle — the strongest continuation evidence a channel can produce, and the reason channel exits *against* a walk (the trap side) belong to Chapter 9's best material.
 - STATUS: DRAFT
-

D-8 — REFERENCE RANK ON DISAGREEMENT

- RULE: When references of different types give conflicting context at the same t and tf (price above a rising support line but below a BROKEN horizontal, and similar), no synthesis verdict exists — each reference's events stand on their own ledger (C-5 discipline). Where a downstream rule must pick one reference to gate on (CH 8's chain), the default rank is `ref.rankOrder = HORIZONTAL > DIAGONAL > DYNAMIC` — a registry parameter, not a law of nature: the loop may re-rank it against outcomes. **[R4-R-1]** Confirmed as the v1 default. **[R5-R-5]** B-9 made this parameter the arbiter of the verdict-of-record on multi-reference breaks, so it is **swept, not merely defaulted** — routed to the loop's second-wave grid (ARCHITECT-REVIEW-A2).
 - CONFIRMATION: Deterministic rank lookup at the consuming rule.
 - INVALIDATION: A card synthesizing one verdict from two disagreeing references fails at review.
 - WHY IT WORKS: A horizontal level is memory of executed inventory at one price; a diagonal is a hypothesis about inventory on a schedule; a dynamic level is a summary statistic. Memory outranks hypothesis outranks summary — as a default worth testing, not a truth worth asserting.
 - STATUS: DRAFT
-

D-9 — THE INTERNAL-LINE EXCLUSION

- RULE: Only swing-anchored lines exist in this book. Internal trendlines, hand-fit lines, best-fit regressions through interior prices, and wick-to-body hybrid anchoring are **excluded**: their anchor choice is unstated or continuous, so two strangers draw two lines (T-1 fails at construction). Re-admissible per T-11's standard only via a stated anchor algorithm.
- CONFIRMATION: Every live line's anchors are confirmed swings (D-1).
- INVALIDATION: A rule citing a non-swing-anchored line is malformed.

- **WHY IT WORKS:** The hand-fit line is the redraw cheat's twin — infinitely many lines fit "roughly," and the analyst always finds the one that agrees with him. The swing anchor is what makes a line an observation instead of a preference.
- **STATUS:** DRAFT

PARAMETER REGISTRY ENTRIES (introduced by this chapter)

PARAMETER	DOMAIN	CARD	PROPOSED TEST RANGE
diag.anchorSkip	0 · 1	D-1	both
diag.roleSlope	WITH · BOTH	D-1	WITH first
diag.slopeMin	unit/bar > 0	D-3	PCT 0.02–0.10 · VOLU 0.01–0.05
diag.slopeMax	unit/bar > slopeMin	D-3	PCT 0.5–1.5 · VOLU 0.25–0.75
chan.anchor	max-distance opposite swing (fixed rule)	D-5	—
chan.walkCount	int ≥ 2	D-7	2–4
diag.maxLive	int ≥ 1	D-6	2–3 per side
ref.rankOrder	permutation of {H, D, Y}	D-8	H>D>Y default (R4–R-1) · second-wave sweep (R5–R-5)

(diag.anchor already registered in Chapter 1 v2.)

SOURCES

Edwards, Magee & Bassetti (trendline doctrine; the third-touch standard; fan lines as failure) · Murphy (trendline construction and significance tests; channel doctrine) · Brooks (channels, micro-channel walks — the walk card's ancestry; the case against hand-fit lines) · Kirkpatrick & Dahlquist (trendline evidence review) · 97-CORE-MATH §K (zone math along a moving reference).

OPEN-DEPOSITS (claims on later chapters)

To CH 8 (Breakouts): channel exits and diagonal breaks join the assembled chain as reference types; WALK state at exit is claim-quality evidence (grade). **To CH 9 (Aftermath):** exits against a walk (breaking the boundary the market was walking) as premium trap context; broken-diagonal retests run L-9 via D-4. **To CH 12 (Patterns):** flags/pennants/wedges consume channel objects (a flag is a counter-trend channel — construction here, pattern semantics there); H&S necklines are D-1 objects with diag.roleSlope = BOTH permitted (pattern-local override, argued there). **To CH 13 (Regime):** WALK and STEEP annotations as trending-regime witnesses. **To CH 14 (MTF):**

diagonals carry (tf, degree) like every reference; higher-frame lines outrank per the conflict table, within ref.rankOrder's type-rank.

OPEN QUESTIONS — RESOLVED (PUBLISHER-REVIEW-R4)

1. ~~D-8's default rank~~ **RESOLVED (R4-R-1): CONFIRMED as the v1 default.** Memory (horizontal, executed inventory) outranks hypothesis (diagonal, inventory-on-a-schedule) outranks summary (dynamic, a statistic) — a defensible prior the sweep can overturn. Also second-wave sweep material per R5-R-5.
2. ~~D-5's midline~~ **RESOLVED (R4-R-2): EVIDENCE-ONLY for v1.** Midlines stay grader input with no claims opening against them; chan.midClaims is admitted as an option only if the loop surfaces real midline signal in the bake-offs — not before.

*Chapter 5 v2 · 9 cards · DRAFT · review_ref: PUBLISHER-REVIEW-R4. Compiled against:
Chapters 1–4, 6. Behavior inherited whole from L-12 — this chapter builds geometry and nothing else. — THE SCINTILLA RULEMAKER*

CHAPTER 6 — TREND & STRUCTURE RULES (S)

THE SCINTILLA TRADING RULEBOOK · Chapter draft · v2 (supersedes v1) **STATUS: DRAFT** (all cards; promotion by publisher testing) **v2 changelog (PUBLISHER-REVIEW-R3):** R3-R-4 — the EQ→pattern boundary CONFIRMED and written into S-2 as a routing line (CH 12 owns converting EQ runs into double/triple-top candidates; this chapter supplies raw material only). R3-R-3 — trend.minSwings goes to the loop unruléd: both values sweep, the author's lean to 4 recorded as the prior, downstream-event fitness crowns. Both open questions RESOLVED in place. No card mechanics touched.

SUMMARY: When a trend is a fact instead of a feeling. The alternating swing sequence, HH/HL/LH/LL as tolerance-exact events, trend existence and the suspected state before it, the EVENT_ONLY trend verdict with its decidability shown, break of structure through the swing of record, retracement-depth machinery, and the honest difference between a trend pausing and a trend dying.

Reorder note (T-6 spent by R2): written before Chapter 5 by publisher order. Verified: no card below cites a diagonal, channel, or any CH 5 object — this chapter compiles against Chapters 1–4 only, which is what made the bump free.

For the loop engineer: this chapter is the swing bake-off's scoring target. S-2 (HH/HL events), S-3/S-4 (trend fact and verdict), and S-7 (BOS) are the derived events each swing.method option should be scored on — method quality = quality of the structure story it tells downstream, not prettiness of its pivots.

Compiles against: Chapters 1–4 (no CH 5 dependency). Cited by: 5, 7, 8, 9, 12, 13, 14.

BLOCK ONE — THE SEQUENCE

S-1 — THE ALTERNATING SEQUENCE

- **RULE:** Structure on a declared (tf, swing.method, swing.degree) is read from the **alternating sequence** of confirmed swings (V-11/V-16): H, L, H, L... When a method confirms two same-side swings with no intervening opposite swing (possible under SW-F; impossible under SW-R by construction), the sequence keeps one per struct.sameSide = EXTREME (the more extreme price; ties → earlier bar) — the discarded swing remains in the swing ledger but not in the structure sequence.

- **CONFIRMATION:** Each sequence entry inherits its swing's confirmation event; the sequence updates only at confirmations.
 - **INVALIDATION:** A sequence containing two adjacent same-side entries, or an unconfirmed candidate, is malformed; every structure event read from it is void.
 - **WHY IT MATTERS:** Every card below is arithmetic on this sequence. If two strangers hold different sequences, nothing downstream can save them — so the sequence rule comes first and admits no judgment.
 - **STATUS:** DRAFT
-

S-2 — HH · HL · LH · LL · EQ (THE PAIRWISE EVENTS)

- **RULE:** For consecutive same-side entries at prices p_1 (earlier) and p_2 (later), with $d = d(p_1 \rightarrow p_2)$ in the declared `scale.mode` (V-26): **higher** iff $d > \text{struct.eqTol}$; **lower** iff $d < -\text{struct.eqTol}$; **EQUAL (EQ)** iff $|d| \leq \text{struct.eqTol}$. This yields the five events: HH, LH, EQ-H on the high side; HL, LL, EQ-L on the low side. Each event is stamped at the later swing's confirmation bar. EQ events neither extend nor break a run of HH/HL (or LH/LL) — the sequence position holds through them. **Routing (R3-R-4):** this card supplies EQ-H / EQ-L runs as raw material only — **CH 12 (Patterns)** owns converting EQ runs into double/triple-top candidates. One-rule-one-home; the next reader inherits the boundary instead of re-deriving it.
 - **CONFIRMATION:** The inequality at the later swing's confirmation.
 - **INVALIDATION:** n/a — pairwise facts of the confirmed sequence; superseded, never voided.
 - **WHY IT WORKS:** "Higher high" without a tolerance is a coin-flip at the margin — and the margin is where double tops live. `struct.eqTol` is the two-strangers line between "higher" and "the same," and CH 12's M/W pattern family will inherit it unchanged.
 - **STATUS:** DRAFT
-

BLOCK TWO — TREND AS FACT

S-3 — TREND EXISTENCE

- **RULE:** An **UP-TREND exists** on (tf, method, degree) at the first `t_close` where the trailing structure sequence contains $\geq \text{trend.minSwings}$ consecutive non-EQ events that are all HH (high side) and HL (low side), interleaved, with no LH or LL among them. (Default test shape: HL·HH·HL·HH — two of each.) Mirror for DOWN-TREND (LH·LL...). The completing event's

confirmation bar is the trend's birth bar. EQ events inside the window neither qualify nor disqualify (S-2).

- **CONFIRMATION:** The completing pairwise event confirms → the trend fact exists.
 - **INVALIDATION:** Per S-7 (structure break) — a trend fact ends only by its void event, never by recount.
 - **WHY IT WORKS:** Rhea's definition made countable: an uptrend is the market repeatedly paying more and refusing to pay less, enough times that coincidence is the worse explanation. `trend.minSwings` prices how many times is enough — that's testing's number, not mine.
 - **STATUS:** DRAFT
-

S-4 — THE TREND VERDICT (THE EVENT_ONLY CITIZEN)

- **RULE:** Trend existence (S-3) births the verdict {subject_type: STRUCTURE, subject_id: (tf, method, degree, direction), direction: BULLISH (up-trend) / BEARISH (down-trend), tf_of_record, born_event: S-3's completing confirmation, void_event: S-7 CONFIRMED opposite break of structure, expiry_clock: **EVENT_ONLY**}. **Decidability, per T-8's test:** from birth onward a structure floor (S-6) exists at every `t_close`; the void predicate is a C-1/C-2 sequence against that floor's zone, and C-1/C-2/C-3/C-6 guarantee every claim terminates in $\leq \text{cfm.window}$ bars — so "has the void event occurred?" evaluates TRUE or FALSE on every close, forever. No dangling state exists; **EVENT_ONLY** is earned, not asserted.
 - **CONFIRMATION:** S-3.
 - **INVALIDATION:** S-7 confirmed against the trend — and nothing else. No bar count, no fading momentum, no opinion retires a trend verdict (T-8; Rhea's law kept inside the mechanism).
 - **WHY IT WORKS:** A trend forced to expire on a counter is an opinion with a kitchen timer; a trend that can't die is a religion. **EVENT_ONLY** with a decidable void event is the narrow gate between the two.
 - **STATUS:** DRAFT
-

S-5 — THE SUSPECTED-TREND STATE

- **RULE:** When the trailing sequence shows at least one HH or HL (mirror: LH or LL) but fewer than `trend.minSwings` qualifying events, the structure is **SUSPECTED-UP** (mirror **SUSPECTED-DOWN**) — a state, not a verdict. In this state: no trend verdict exists, no trend-conditional rule may fire, and downstream regime detectors read it as TRANSITIONAL (CH 13 deposit). The state resolves by exactly one of: completion (S-3 fires), negation (a counter-event — LH or LL for suspected-up — dissolves the state), or supersession (the opposite suspected state begins).
- **CONFIRMATION:** The qualifying first event's confirmation.

- **INVALIDATION:** Negation or supersession, stamped.
 - **WHY IT WORKS:** The costliest structural error is trading the trend you can see forming. The suspected state gives the forming thing a name precisely so rules can be forbidden from touching it.
 - **STATUS:** DRAFT
-

BLOCK THREE — THE FLOOR AND ITS BREAK

S-6 — THE STRUCTURE FLOOR (AND CEILING)

- **RULE:** For a live UP-trend, the **structure floor** = the most recent confirmed HL entry's swing — which, per L-1, has already birthed a level; the floor *is* that level object (same ledger, same zone per L-4, same episode history per L-5). The floor advances to each newer confirmed HL; prior floors remain ordinary levels. Mirror: the **structure ceiling** (most recent LH) for down-trends. The floor/ceiling is the swing of record (V-16) bound to a role.
 - **CONFIRMATION:** Each new qualifying swing confirmation re-points the floor.
 - **INVALIDATION:** A floor read from a candidate swing, or from a discarded same-side duplicate (S-1), is void.
 - **WHY IT WORKS:** One object, one ledger — the price where the trend's last buyer defended is simultaneously a level and the trend's life-line, and pretending those are two things is how books contradict themselves.
 - **STATUS:** DRAFT
-

S-7 — BREAK OF STRUCTURE (BOS)

- **RULE:** A **BOS claim** against an UP-trend = a C-1 claim DOWNWARD through the structure floor's zone (V-10 close below the zone's lower edge on the tf of record). It composes under the full C-machinery: **BOS CONFIRMED** per the declared `cfm.mode` → fires S-4's void event (trend verdict dies, stamped) and the floor level transitions per L-8. **BOS VOID** (C-3: close back above the zone before confirmation) → trend verdict untouched, and the void is stamped as a **failed structural attack** — the trap context CH 9's spring machinery consumes (deposit). **BOS EXPIRED** (C-6) → trend untouched, attempt counter increments (C-11). Mirror for down-trends through the ceiling.
- **CONFIRMATION:** The C-2 event against the floor zone.

- **INVALIDATION:** C-3 / C-6 terminal events; and no BOS may be declared from intrabar penetration, wick depth, or speed (C-7, C-9).
 - **WHY IT WORKS:** The trend's whole claim is "pullbacks hold above the last one." BOS is that claim failing under the same evidentiary standard as every other break in the book — one grammar, no special pleading for structure.
 - **STATUS:** DRAFT
-

BLOCK FOUR — COUNTER-MOVES

S-8 — RETRACEMENT DEPTH (METHOD OPTIONS)

- **RULE:** For a live UP-trend, the **impulse leg** = $d(\text{floor} \rightarrow \text{most recent confirmed HH})$ and the **counter-move** = $d(\text{that HH} \rightarrow x)$, where $x = C$ or the running adverse extreme per `retr.basis` $\in \{\text{CLOSE, HL}\}$; both distances in the declared `scale.mode`, depth ratio $r = \text{counter} / \text{leg}$ (dimensionless — the scale units cancel). Depth classification per `retr.method`:
 - **RD-F (fixed fractions):** bands at $\{1/3, 1/2, 2/3\}$.
 - **RD-FIB (Fibonacci fractions):** bands at $\{0.382, 0.500, 0.618\}$ — admitted as testable fractions (T-11); the numerology stays outside.
 - **RD-V (volatility depth):** counter-move measured directly in ATR multiples (`retr.atrMult`), ignoring the leg ratio.
 - **RD-S (structural):** depth is irrelevant; only the floor governs (the minimalist option — S-9 collapses to floor-logic alone). Classification: SHALLOW ($r \leq \text{retr.shallowMax}$), NORMAL, DEEP ($r \geq \text{retr.deepMin}$) under the chosen bands.
 - **CONFIRMATION:** Computable at every `t_close` of a live trend.
 - **INVALIDATION:** A depth mixing bases or read against a stale leg (leg must use the *current* floor and most recent HH) is void.
 - **WHY IT WORKS:** "How far back is too far" is the field's oldest argument — Dow's thirds, the Fibonacci set, the volatility school, and the purists who only watch the floor. Four options, one bake-off; Grimes's impulse-retracement structure is the frame, and the winner is empirical.
 - **STATUS:** DRAFT
-

S-9 — PULLBACK · DEEP PULLBACK · REVERSAL-CANDIDATE (THE EVENTS)

- **RULE:** Within a live UP-trend, a counter-move is exactly one of, evaluated at each `t_close`:

- **PULLBACK**: no tag of the floor zone, $\text{depth} < \text{retr}.\text{deepMin}$. Trend verdict untouched; no annotation.
 - **DEEP PULLBACK**: $\text{depth} \geq \text{retr}.\text{deepMin}$ but no C-1 claim through the floor. Trend verdict untouched + **WATCH annotation** (evidence for C-10 graders; never a verdict — the L-7 pattern).
 - **REVERSAL-CANDIDATE**: a C-1 claim opens through the floor zone (S-7's claim). Resolves per S-7 into BOS CONFIRMED (trend dies) / VOID (failed attack; trap context) / EXPIRED. The **first counter-swing** after trend birth — the first confirmed counter-direction swing — proves the trend has a two-sided rhythm (its first real pullback) and proves nothing else: it changes no verdict, and any rule reading it as reversal evidence fails at review (assessment §7.4, made law).
 - **CONFIRMATION**: Each classification is a `t_close` fact of the sequence + depth machinery.
 - **INVALIDATION**: Classification from intrabar extremes under `retr.basis = CLOSE`, or from an unconfirmed counter-swing, is void.
 - **WHY IT WORKS**: Every reversal starts as a pullback, but almost no pullbacks become reversals — so the book refuses to let depth alone rename the thing. Depth annotates; only the floor, under full confirmation law, converts.
 - **STATUS**: DRAFT
-

S-10 — TREND DEATH vs TREND PAUSE

- **RULE**: **DEATH** = S-7 BOS CONFIRMED: the verdict voids, stamped; the structure state becomes NO-STRUCTURE (or an already-forming opposite suspected state, if its qualifying events exist). **Death of an up-trend is not birth of a down-trend** — each direction earns its own S-3 fact from its own sequence; no auto-reversal, ever. **PAUSE** = the sequence stops producing new HH events for `struct.pauseBars` while the floor holds: the verdict remains fully in force (EVENT_ONLY — boredom is not evidence), annotated PAUSED for CH 13's SUSPEND machinery (deposit); the annotation clears on the next non-EQ qualifying event.
 - **CONFIRMATION**: Death: the C-2 event. Pause: the bar count at `t_close`.
 - **INVALIDATION**: Death without a confirmed BOS, or a "reversal" declared from a pause, fails at review.
 - **WHY IT WORKS**: Most trends don't die at the moment they stop advancing; most analysts do. Separating the ledger's two states — voided versus merely quiet — is where this chapter earns its keep, and the no-auto-reversal law is the cheapest overtrading vaccine in the book.
 - **STATUS**: DRAFT
-

S-11 — AFTER THE BREAK (THE HANDOFF)

- **RULE:** On BOS CONFIRMED: the dead trend's final floor is now a BROKEN level running L-8/L-9's machinery (retest, flip, reversion — CH 9 owns the setups around it); the structure sequence continues accumulating under S-1/S-2 toward whatever it next proves (S-3 in either direction, or CH 7's range birth once that chapter's boundary evidence accrues — deposit); and the degree-(d+1) sequence recomputes its candidates from the updated degree-d pivots (V-16; confirmed higher-degree swings immutable per V-14). This card creates no verdicts; it routes the aftermath to its owners.
- **CONFIRMATION:** Bookkeeping at the BOS-confirmed close.
- **INVALIDATION:** n/a — routing law; a chapter found doing another owner's aftermath here fails one-rule-one-home.
- **WHY IT WORKS:** The bars after a structure break are the most information-dense in the book and belong to three different chapters. Saying which parts go where — at the moment of the break, in writing — is how the chapters stay short and the reader stays oriented.
- **STATUS:** DRAFT

PARAMETER REGISTRY ENTRIES (introduced by this chapter)

PARAMETER	DOMAIN	CARD	PROPOSED TEST RANGE
struct.sameSide	EXTREME (ties → earlier)	S-1	fixed rule, no range
struct.eqTol	scale units ≥ 0	S-2	PCT 0.1–0.5 · VOLU 0.05–0.25
trend.minSwings	int ≥ 2	S-3	4–5 (author leans 4: HL·HH·HL·HH)
retr.basis	CLOSE · HL	S-8	both
retr.method	RD-F · RD-FIB · RD-V · RD-S	S-8	all four (bake-off)
retr.atrMult	> 0	S-8	1.5–4.0
retr.shallowMax	0–1	S-8	0.33–0.45
retr.deepMin	0–1	S-8	0.62–0.80
struct.pauseBars	bars	S-10	15–40

SOURCES

Rhea (the trend definitions and in-force-until-reversed — S-3, S-4) · Murphy (percentage retracements — RD-F lineage; trend basics) · Grimes (impulse-retracement structure — S-8/S-9's frame; failure tests feeding CH 9) · Kirkpatrick & Dahlquist ch. 12 (formal trend treatment) · Brooks (counter-move discipline; the case that most reversals are pullbacks that got lucky) · 97-CORE-MATH §I (swing toggles this chapter consumes; the OHLC-ified triangle fixture is the bake-off's first scoring input).

OPEN-DEPOSITS (claims on later chapters)

To **CH 2 v3 (Events — backfill now UNBLOCKED)**: the gap-taxonomy separators (E-10.x) can now read the S-4 structure verdict (continuation/exhaustion classes) and L's ACTIVE levels (breakaway class). Scheduled next sprint after this chapter survives review. To **CH 5 (Diagonals)**: anchor swings come from S-1's sequence; channel walks will read S-2 events against channel boundaries; no reverse dependency exists (verified this sprint). To **CH 7 (Ranges)**: PAUSE + EQ-dominated sequences are the range-birth doorway — CH 7 states the boundary-evidence rules; S-10's annotation is its input. To **CH 8 (Breakouts)**: BOS is one of the four reference types the assembled chain covers; S-9's failed structural attack joins the attempt taxonomy. To **CH 9 (Aftermath)**: the VOID branch of S-7/S-9 (failed attack on the floor) is the structural trap context for spring/upthrust cards; the dead-floor retest is the reversal-confirmation site. To **CH 12 (Patterns)**: `struct.eqTo1` is the equality grammar for M/W and triple formations; the pattern-in-structure gate reads S-4 verdicts and S-5 states. To **CH 13 (Regime)**: the swing-sequence regime detector is exactly {S-4 verdict live → TRENDING; S-5 or NO-STRUCTURE → TRANSITIONAL; CH 7 range object live → RANGING}; PAUSED feeds SUSPEND. To **CH 14 (MTF)**: degree × frame conflicts operate on S-4 verdict objects; the conflict table must address a degree-2 daily trend disagreeing with a degree-1 weekly one.

OPEN QUESTIONS — RESOLVED (PUBLISHER-REVIEW-R3)

1. ~~trend.minSwings-4 vs 5~~ **RESOLVED (R3-R-3): the loop decides — not ruled.** Options-not-opinions working as intended: both values in the grid, downstream-event fitness (the bake-off crown) picks. Author's lean to 4 recorded as the prior; the data settles it.
2. ~~EQ runs → CH 12 ownership~~ **RESOLVED (R3-R-4): CONFIRMED — boundary stays clean.** CH 12 owns the conversion; the routing line now sits in S-2's card so the next reader inherits it.

Chapter 6 v2 · 11 cards · DRAFT · review_ref: PUBLISHER-REVIEW-R3. Compiled against: Chapters 1–4 (no CH 5 dependency — the reorder was free, as promised). Scoring target for the swing bake-off. — THE SCINTILLA RULEMAKER

CHAPTER 7 — RANGE RULES (R)

THE SCINTILLA TRADING RULEBOOK · Chapter draft · v2 (supersedes v1) **STATUS: DRAFT** (all cards; promotion by publisher testing) **v2 changelog (PUBLISHER-REVIEW-R4):** R4-R-3 — NO maximum range height in v1: the episode-within-formLookback requirement already bounds a range in time, which is the honest constraint; `range.maxHeight` joins only if the loop shows tall ranges polluting the class. R4-R-4 — overlapping ranges PERMITTED in v1: each range pairs its own levels; where NMZ bands overlap, the strictest governs; revisit only if the loop shows double-counting in the touch accounting. Both open questions RESOLVED in place. No card mechanics touched.

SUMMARY: The market's second state, given the same dignity as the first. Range birth through two doorways (the post-trend pause hardening, and de-novo EQ clustering), boundaries that *are* level objects, the forbidden middle, maturity as measured odds, death by confirmed break or by quiet dissolution, and the failed range break — the event Chapter 9 will spend as its best trap.

Compiles against: Chapters 1–6. Cited by: 8, 9, 12, 13.

BLOCK ONE — BIRTH

R-1 — RANGE BIRTH (TWO DOORWAYS)

- **RULE:** A **range** is born at the first `t_close` where, within the trailing `range.formLookback` bars: (a) two horizontal references exist — an upper and a lower — each with $\geq \text{range.minTouches}$ defended test episodes (L-5) inside the window; (b) no C-2 confirmed break through either occurred inside the window; (c) the height $d(\text{lower} \rightarrow \text{upper}) \geq \text{range.minHeight}$ (scale units — below it the congestion is noise, and no range exists). The two references may arise by either doorway: **STRUCTURE-DOORWAY** — an S-10 PAUSE annotation or an EQ-dominated sequence (S-2) whose EQ-run extremes birthed levels via L-1; or **DE-NOVO** — pre-existing CH 4 levels accumulating the episode evidence without any prior trend. The range object stamps {upper ref id, lower ref id, height, birth bar, doorway}.
- **CONFIRMATION:** Conditions (a)–(c) jointly true at a `t_close`.
- **INVALIDATION:** A birth read from a window containing a confirmed boundary break, or from references short of the episode minimum, is void — no range existed.
- **WHY IT WORKS:** A range is the auction agreeing on value twice — once at each extreme — and repeatedly. Two defended prices with traffic between them is that agreement made countable; one touch each is just a rectangle drawn in hope.

- STATUS: DRAFT
-

R-2 — BOUNDARIES ARE LEVELS (ONE LEDGER)

- RULE: The range's boundaries **are** the two level objects — the S-6 pattern repeated: same ledger, same zones (L-4, tick-floored), same episode histories, same attempt counters (C-11), same state machine (L-8/L-9/L-10). The range adds only pairing semantics: membership of a live range annotates both levels, and range-level events (R-5, R-6, R-7) are computed from the paired ledgers. Nothing about boundary behavior is restated here.
 - CONFIRMATION: The pairing annotation at birth.
 - INVALIDATION: A range citing a reference that is not a live CH 4 level object is malformed.
 - WHY IT WORKS: One object, one ledger — the same discipline that made the structure floor a level (S-6) makes the range a pair of them. The book never holds two records of the same price.
 - STATUS: DRAFT
-

BLOCK TWO — THE INTERIOR

R-3 — NO-MAN'S-LAND

- RULE: The interior band spanning the central range $\cdot \text{nmzFrac}$ of the range's height (measured between the two zones' inner edges) is **no-man's-land** while the range lives. Inside it: no positional verdict may fire; no level may be born (L-1/L-2 births are suppressed within the band — clutter control); and Chapter E anatomy events carry zero grade weight (a beautiful engulf mid-range grades nothing). Prices in NMZ have exactly one meaning: the auction is in transit.
 - CONFIRMATION: Band computable at every t_{close} of a live range.
 - INVALIDATION: Any verdict whose `born_event` occurred inside NMZ is void ab initio.
 - WHY IT WORKS: The middle of a range is where both sides agree price is neither cheap nor dear — the one place on the chart where nothing is defended, so nothing means anything. Forbidding rules there is the cheapest discipline in the book.
 - STATUS: DRAFT
-

R-4 — BOUNDARY DEFENSE CLASSES

- **RULE:** Every boundary episode records its **defense class**: **DEFENDED** (L-5 episode, close held the role side) · **REJECT-DEFENDED** (defended with an E-4 reject in the episode — the premium class, grade weight above plain defense) · **VOID-DEFENSE** (a C-3 void at the boundary — an attacker's claim died; per C's deposit, this traps and carries trap weight for R-7/CH 9) · **EXPIRY-DEFENSE** (a C-6 expiry — the attack merely lapsed; the lightest class). Classes are graders' inputs (C-10 discipline) and maturity's raw material (R-5); they gate nothing.
 - **CONFIRMATION:** Each class is stamped by its defining C/E/L event at t_{close} .
 - **INVALIDATION:** An episode carrying two classes, or a class assigned without its defining event, corrupts the ledger.
 - **WHY IT WORKS:** "The level held" hides four different facts — nobody came, they came and were refused, they broke through and were thrown back, they poked and gave up. Downstream odds differ across all four, so the book refuses to spell them the same way.
 - **STATUS:** DRAFT
-

R-5 — MATURITY

- **RULE:** A range is **MATURE** when total defended-family episodes (DEFENDED + REJECT-DEFENDED) across both boundaries $\geq \text{range.matEpisodes}$, with ≥ 1 on each side, all after birth. Maturity is an annotation with an honesty table behind it: `range.matOdds` — measured break-versus-fade odds at boundary tests, by maturity count and defense-class mix, filled by the loop on the calibration class. Maturity gates nothing; it grades boundary events for every consumer (CH 8 entries, CH 9 traps, CH 12's rectangle alias).
 - **CONFIRMATION:** The episode count at t_{close} .
 - **INVALIDATION:** Maturity read across a boundary break (episodes from a prior life of the range) is void — the count restarts at rebirth, never carries.
 - **WHY IT WORKS:** An old range is a proven auction: both extremes tested, both defended, repeatedly — the classical claim that mature ranges "mean more" is real exactly insofar as the odds table says so, which is why the table ships with the chapter.
 - **STATUS:** DRAFT
-

BLOCK THREE — DEATH AND ITS FAILURES

R-6 — RANGE DEATH (BREAK AND DISSOLUTION)

- **RULE:** A range dies exactly two ways. **BREAK-DEATH:** a C-2 confirmed break through either boundary — the range stamps DEAD(break, boundary, direction); the broken boundary runs L-8/L-9; the surviving boundary lives on as an ordinary level; the break enters CH 8's assembled chain as reference-type RANGE-BOUNDARY carrying the range's maturity and defense-class record as evidence (deposit). **DISSOLUTION:** range.dissolveBars pass with no boundary episode on either side — the range stamps DEAD(dissolved); both boundaries proceed under L-10's ordinary staleness clocks; no directional event of any kind is implied.
 - **CONFIRMATION:** The C-2 event, or the bar count, at t_close.
 - **INVALIDATION:** A range declared dead on an unconfirmed claim (C-1 only) is a false death; the range stands and the claim resolves under C-machinery.
 - **WHY IT WORKS:** Ranges end loudly or they end quietly, and the two endings mean opposite things — one is the auction re-pricing, the other is the auction losing interest. A book that only knows the loud ending will trade ghosts in the quiet one.
 - **STATUS:** DRAFT
-

R-7 — THE FAILED RANGE BREAK (LOADED-OPPOSITE)

- **RULE:** A **failed range break** = a C-3 void at a boundary of a live range (the attacker's claim closed back inside before confirming). The event stamps **LOADED-OPPOSITE(boundary)** — an evidence annotation, never a verdict — with its honesty table range.failLoadOdds: the measured probability that the next boundary event occurs at the *opposite* boundary, by maturity and defense-class context, loop-filled. The named special cases at range boundaries — **spring** (failed downside break) and **upthrust** (failed upside break) — are *these events*; their full setup cards (trigger, entry, invalidation, objective) are Chapter 9's, built on this stamp (deposit honored; Pruden's machinery arrives there).
 - **CONFIRMATION:** The C-3 void at a live range's boundary.
 - **INVALIDATION:** A LOADED-OPPOSITE read from an EXPIRY-DEFENSE (C-6) is malformed — expiry bores, it does not trap (R-4's classes exist precisely for this).
 - **WHY IT WORKS:** The failed break is the range's cruelest event: the breakout crowd is inventoried at the extreme, wrong, and their exit is through the entire range — which is why the move it loads is toward the far side. The book measures the claim instead of romanticizing it.
 - **STATUS:** DRAFT
-

R-8 — PRE-BREAK CONTEXT AT BOUNDARIES

- **RULE:** Compression evidence near a boundary — an E-7 event or an inside-bar chain (E-5) whose bars sit within the boundary's zone-adjacent band (outside NMZ) and within sqz.clock of a boundary episode — stamps **COILED(boundary)**: pre-break context evidence for CH 8's

chain (deposit). Compression *inside* NMZ stamps nothing (R-3). This card only routes Chapter E facts to their consumer; it defines no new event.

- CONFIRMATION: The E-event plus position test at `t_close`.
- INVALIDATION: COILED read from NMZ-interior compression is void.
- WHY IT WORKS: Contraction against a defended price is the auction narrowing its argument at the exact spot where the argument matters — the mechanical content of "pressure at the boundary," routed to the chapter that spends it.
- STATUS: DRAFT

R-9 — REBIRTH AND THE RECTANGLE ALIAS

- RULE: After BREAK-DEATH, a new range over the same ground requires a fresh R-1 birth — full episode evidence, fresh counts; nothing inherits (the anti-zombie rule). After DISSOLUTION, likewise. The **rectangle**: Chapter 12 will alias the classical rectangle pattern to a *mature range under this chapter's machinery* — no duplicate pattern machinery exists; the pattern chapter adds only its measured-objective parameterization and honesty statistics (deposit, per the assessment's §7.9 ruling).
- CONFIRMATION: Fresh R-1 conditions for rebirth.
- INVALIDATION: A "range" citing pre-death episodes is a stale pointer; all reads from it are void.
- WHY IT WORKS: Markets revisit old battlegrounds, but the armies are new — carrying dead counts into a new range is how analysts see maturity that isn't there. And the rectangle alias is the book keeping its one-machinery promise: a pattern that is a range gets the range's rules, not a costume.
- STATUS: DRAFT

PARAMETER REGISTRY ENTRIES (introduced by this chapter)

PARAMETER	DOMAIN	CARD	PROPOSED TEST RANGE
<code>range.formLookback</code>	bars	R-1	20–60
<code>range.minTouches</code>	<code>int ≥ 2</code> (episodes/side)	R-1	2–3
<code>range.minHeight</code>	scale units > 0	R-1	PCT 2–6 · VOLU 1.5–4
<code>range.nmzFrac</code>	0–1	R-3	0.3–0.5
<code>range.matEpisodes</code>	<code>int ≥ 3</code>	R-5	4–6
<code>range.matOdds</code>	honesty table	R-5	loop-filled

PARAMETER	DOMAIN	CARD	PROPOSED TEST RANGE
<code>range.dissolveBars</code>	bars	R-6	15–40
<code>range.failLoadOdds</code>	honesty table	R-7	loop-filled

SOURCES

Edwards, Magee & Bassetti (rectangles; the classical break-and-return doctrine) · Murphy (trading ranges; the failed-break lesson) · Brooks (*Trading Ranges* — the middle-is-nothing discipline, R-3's ancestry; failed breakouts as premium setups) · Pruden (springs and upthrusts — named here, carded in CH 9) · Bulkowski (rectangle statistics — the honesty tables' seed; break-vs-fade base rates) · Grimes (failure-test evidence).

OPEN-DEPOSITS (claims on later chapters)

To CH 8 (Breakouts): RANGE-BOUNDARY as a chain reference type carrying maturity + defense-class evidence; COILED as pre-break context; range-height as the measured-objective base for boundary breaks (the §L rectangle projection). **To CH 9 (Aftermath):** the LOADED-OPPOSITE stamp is the spring/upthrust trigger context — CH 9 writes the full setup cards on it; defense-class weights (VOID-DEFENSE traps vs EXPIRY-DEFENSE bores) carry into fakeout base-rate tables. **To CH 12 (Patterns):** the rectangle alias (R-9); triangle family boundaries may reuse R-4's defense classes where their boundaries are diagonals (argued there, machinery from D-4/L-12). **To CH 13 (Regime):** a live range object is the RANGING regime's detector input (S's deposit completed: TRENDING = S-4 live · RANGING = R-object live · TRANSITIONAL = neither/S-5); dissolution feeds the unclear-regime default (X-1). **To CH 10 (Volume):** defense-class volume signatures (does VOID-DEFENSE carry climax volume?) join R-4 as graders on landing.

OPEN QUESTIONS — RESOLVED (PUBLISHER-REVIEW-R4)

1. ~~Maximum range height?~~ **RESOLVED (R4-R-3): NO cap in v1.** The episode-within-formLookback requirement already bounds a range in time — the honest constraint; a pure height cap would be an arbitrary number. `range.maxHeight` is added only if the data demands it.
2. ~~Overlapping ranges?~~ **RESOLVED (R4-R-4): coexistence PERMITTED, strictest NMZ wins.** Single-range-per-tf would force the book to discard real structure (a broad range genuinely can contain a tighter one). Revisit only if the loop shows double-counting in the touch accounting.

Chapter 7 v2 · 9 cards · DRAFT · review_ref: PUBLISHER-REVIEW-R4. Compiled against: Chapters 1–6. The geometry layer closes here: level, diagonal, channel, range — every container defined, one behavior machinery under all of them. — THE SCINTILLA RULEMAKER

CHAPTER 8 — BREAKOUT & BREAKDOWN RULES (B)

THE SCINTILLA TRADING RULEBOOK · Chapter draft · v3 (supersedes v2) **STATUS: DRAFT** (all cards; promotion by publisher testing) · Drafted as a pair with Chapter 9, at equal weight. **v3 changelog (Sprint 7 backfill)**: CH 13 landed — B-11's regime columns JOINED per X-9 (the X-2 state · X-5 climate pair on every table in the family), and the stated-regime law binds every published rate. One line changed; no card mechanics touched. **v2 changelog (PUBLISHER-REVIEW-R5 + Sprint 6 backfill)**: R5-R-4 — OBJ-MG stays a wave-1 option with its funeral pre-authorized (hit rate indistinguishable from OBJ-H within the CI on the loop's first pass → SUPERSEDED, no further ceremony). R5-R-5 — ref . rankOrder routed to the loop's second-wave grid (ARCHITECT-REVIEW-A2): B-9's arbiter is swept, not defaulted. T-12 backfill — CH 10 landed: B-4's join table gains its volume row (Q-FUND/Q-EVR), B-10 its climax read, B-11 its volume columns. Open questions RESOLVED in place. No card mechanics touched beyond the joined rows.

SUMMARY: The break chain, written once and bound to everything. Because the geometry layer is closed, this chapter defines no new break machinery at all — it *assembles* the existing law (C-1/C-2/C-3/C-6 over L-12-shaped references) into one named chain, fixes the five admissible reference types, owns the attempt taxonomy's resets, states the two entry doctrines with their honest costs, gives measured objectives their single grammar, and binds every claim this chapter makes to a published, loop-filled rate. Chapter 9 owns everything after the first stumble.

Compiles against: Chapters 1–7. Cited by: 9, 12, 13, 16.

BLOCK ONE — THE CHAIN

B-1 — THE BREAK CHAIN (ONE GRAMMAR, FIVE REFERENCES)

- **RULE**: The **break chain** is the named composition of existing law: a reference (below) → C-1 claim through its zone → exactly one of C-2 CONFIRMED / C-3 VOID / C-6 EXPIRED → on confirmation, the C-2 verdict (finite cfm.verdictClock) → aftermath per Chapter 9. The **five admissible reference types**, each already exposing the L-12 tuple: **HORIZONTAL LEVEL** (CH 4) · **DIAGONAL** (D-4) · **CHANNEL BOUNDARY** (D-5/D-7) · **RANGE BOUNDARY** (R-6) · **STRUCTURE FLOOR/CEILING** (S-7). No sixth type exists until a chapter defines one and this card is amended. Every chain event stamps its reference type and inherits that type's evidence record (episodes, classes, maturity, walk state).

- **CONFIRMATION:** Each stage's own law confirms it; this card adds no new event.
 - **INVALIDATION:** A "breakout" cited against anything not on the five-type list — a round number with no level ledger, a hand-drawn line, an indicator value — is malformed (D-9, V-19 discipline).
 - **WHY IT WORKS:** The field writes five breakout chapters and lets them disagree. One chain over five references is why a range break, a trendline break, and a structure break can be compared, counted, and tested as the same species of event — which they are.
 - **STATUS:** DRAFT
-

B-2 — ATTEMPT TAXONOMY & THE RESET RULE

- **RULE:** Over C-11's per-direction counters, the chain's vocabulary: **ATTEMPT** = claim opened · **FAILED ATTEMPT** = terminal without confirmation, subtyped **TRAPPED-FAIL** (C-3 void — entrants were closed against) and **LAPSED-FAIL** (C-6 expiry — the attack died of boredom) · **BREAK** = C-2 confirmed. **The reset rule (this chapter's ownership, deposited since C-11):** both directions' counters on a reference reset to zero on (a) a **CONFIRMED** break in either direction, or (b) the reference's retirement (L-10). Nothing else resets them — not role flips, not defense, not time. Attempt counts are evidence feeding L-7's odds table and B-4's grade; they gate nothing.
 - **CONFIRMATION:** Counter transitions at each terminal event's `t_close`.
 - **INVALIDATION:** A count surviving a confirmed break, or reset by anything off the list, corrupts the ledger and every odds read from it.
 - **WHY IT WORKS:** "Third attempt" only predicts if attempts are counted one way and wiped when the question they were counting toward — will it break? — gets answered. A confirmed break answers it; the ledger starts a new question.
 - **STATUS:** DRAFT
-

B-3 — PRE-BREAK PRESSURE

- **RULE:** A claim carries the **PRESSURE** annotation when, within `brk.pressureClock` bars before the claim bar, any of the following stand at the reference: an E-7 compression event whose bars sit zone-adjacent (R-8's **COILED** at range boundaries; the same test generalized to all five types); an inside-bar chain (E-5) zone-adjacent; or **tightening tests** — the last `brk.tightCount` episode reactions at the reference monotonically decreasing in size (read from L-6's reaction records). **PRESSURE** is a grade input (B-4), never a requirement and never a verdict.
- **CONFIRMATION:** The constituent E/L facts at their own `t_closes`; the annotation joins the claim when it opens.

- **INVALIDATION:** PRESSURE read from compression inside a range's NMZ (R-3), or from candidate-swing reactions, is void.
 - **WHY IT WORKS:** Shrinking reactions at a defended price mean the defenders are absorbing less each visit — the spring compressing. Every classical author gestures at this; the episode ledger lets it be counted instead of felt.
 - **STATUS:** DRAFT
-

B-4 — THE GRADE JOIN (WHICH EVIDENCE IS LEGIBLE TO WHICH BREAK)

- **RULE:** The C-10 grade of a confirmed break is computed from the grader list joined by reference type — the join table this card fixes:
 - **All five types:** penetration distance · trend-bar close (E-2) · PRESSURE (B-3) · opposite-direction reject within `cfm.gradeLookback` (E-4) · breakaway gap class on the claim bar (E-12).
 - **Horizontal level adds:** WATCH state (L-7) · cluster membership `MULTI(k)` (L-11/B-9).
 - **Range boundary adds:** maturity (R-5) · the boundary's defense-class record (R-4).
 - **Channel boundary adds:** WALK state at exit (D-7) — with-walk exits and against-walk exits grade *differently* (against-walk is Chapter 9's trap material).
 - **Structure floor/ceiling adds:** DEEP-PULLBACK WATCH (S-9) · the trend's PAUSED state (S-10). **Volume row (CH 10 cashed, joins all five types):** Q-FUND (relVol funding of the claim/confirming bar) · Q-EVR (effort-vs-result class of the confirming bar) — per Q-3/Q-7; gap-borne breaks additionally read the claim bar's CLIMAX state (Q-6, via B-10). Grades order evidence; C-9's wall stands — nothing here creates, rescues, or vetoes a confirmation.
 - **CONFIRMATION:** Grade computed at the C-2 event from stamped facts only.
 - **INVALIDATION:** A grader read across reference types without a row in this table, or a grade gating verdict existence, fails at review (C-10).
 - **WHY IT WORKS:** Evidence is type-specific — range maturity means nothing to a trendline; walk state means nothing to a level. The join table is where the book says which witness may testify at which trial.
 - **STATUS:** DRAFT
-

BLOCK TWO — ENTRIES AND OBJECTIVES

B-5 — ENTRY DOCTRINES (ON-CONFIRM vs ON-RETEST)

- **RULE:** Exactly two entry events exist on the chain: **ENTRY-C** = the C-2 confirming close itself; **ENTRY-R** = the retest HOLD event (V-24's exact event; the machinery around it is Chapter 9's). Their costs, stated as law and measured in the ledger: ENTRY-C pays the worse price, is present for every runaway (B-7), and eats every confirmed-then-failed break; ENTRY-R pays the better price, misses every no-retest break, and avoids every failure that happens before the retest holds. The honesty table `brk.entry0dds` publishes, per reference type × grade: fill frequency, throwback frequency (Bulkowski's tables put retrace-to-break near 60% for most patterns — **the retest is the norm, not the exception**), runaway frequency, and failure timing. **The doctrine choice is not this book's to make:** it is a CH 16 legal knob (profile-keyed), and the invariance law holds — both doctrines read the same events.
 - **CONFIRMATION:** Each entry event is its underlying law's event.
 - **INVALIDATION:** Any third entry event ("early entry on the claim," intrabar stop-runs) is malformed — claims are not confirmations (C-1), and intrabar is rumor (V-8).
 - **WHY IT WORKS:** The oldest argument at every prop desk is confirm-versus-retest, and it has never been resolvable in prose because it is a *price-of-certainty* trade-off that varies by context. So the book prices it, per context, in a table — and hands the choice to the reader's risk profile, where it always belonged.
 - **STATUS:** DRAFT
-

B-6 — MEASURED OBJECTIVES (THE SINGLE GRAMMAR)

- **RULE:** One projection grammar for the whole book (patterns will parameterize it, never redefine it — assessment §5 honored). Method options (`brk.objMethod`), projection base per `brk.objBase` ∈ {BREAK-LEVEL, CONFIRM-CLOSE}:
 - **OBJ-H (height):** project the reference's own height — range height (R), channel width (D-5), pattern height when CH 12 instantiates, structure leg (S-8's impulse) for BOS.
 - **OBJ-SW (swing projection):** project the pre-break impulse leg (AB=CD) from the base.
 - **OBJ-ATR:** `brk.objAtrMult` × ATR at the confirming bar.
 - **OBJ-NEXT:** the nearest ACTIVE reference zone beyond the break in the break's direction, highest rank first (`ref.rankOrder`) — the "next level on record."
 - **OBJ-MG (measuring gap):** where an E-13 continuation gap prints inside the post-break move, project the pre-gap distance beyond the gap — the classical folklore, admitted strictly as a testable option (E-13's deposit cashed). A set objective becomes a reference *price* (taggable, V-9) — never a verdict. Its tag fires **OBJECTIVE-MET (PAID)**, consumed by Chapter 9 (post-objective law) and CH 16 (scale-out knob). Every option publishes with its hit-rate honesty column `brk.obj0dds` per reference type; unpublished projections may not appear in analysis (B-11).
- **CONFIRMATION:** Objective computable at the C-2 event; PAID at the tag.

- **INVALIDATION:** A projection mixing options, re-based mid-flight, or extended after PAID without a fresh reference (Chapter 9's anti-greed law) is void.
 - **WHY IT WORKS:** Every projection method is a folk theorem with a real hit rate. The grammar makes them one machine with five settings; the ledger makes each setting confess its number before it is allowed in print.
 - **STATUS:** DRAFT
-

B-7 — THE RUNAWAY BREAK

- **RULE:** A confirmed break stamps **RUNAWAY** when `retest.clock` expires with no retest (V-24/A-1's NO-RETEST) **and** the close at that expiry is $\geq \text{brk.runawayDist}$ (scale units) beyond the zone. RUNAWAY is evidence: a one-sided auction witness for CH 13's regime reading (deposit) and the trigger for CH 16's chase-discipline knob — the book's entire answer to "it left without me" is the measured cost of each response, not a chase rule. Runaway frequency lives in `brk.entryOdds` (it is ENTRY-R's miss rate).
 - **CONFIRMATION:** The clock expiry + distance test at `t_close`.
 - **INVALIDATION:** RUNAWAY read before the clock expires, or with the close back within `brk.runawayDist`, is premature and void.
 - **WHY IT WORKS:** A break that never looks back is the market with no sellers left to test it — the strongest and least enterable of breaks. Naming it keeps its absence honest too: most breaks *do* look back, which is ENTRY-R's whole case.
 - **STATUS:** DRAFT
-

BLOCK THREE — COMPOSITE CASES AND THE LEDGER

B-8 — FAILURE ROUTING (THE HANDOFF TO NINE)

- **RULE:** Every non-clean outcome routes, and this chapter keeps nothing: **C-3 void** → Chapter 9's fakeout setup (A-3), with reference-type context attached (LOADED-OPPOSITE at range boundaries, against-walk at channels, failed structural attack at floors). **Confirmed, then retest FAILS** → Chapter 9's verdict-reset machinery (A-2): the break verdict dies there, the reference reverts per L-9. **C-6 expiry** → counter increments (B-2), nothing else — expiry is boredom, not information about direction. This card creates no events; it is the routing law (S-11's pattern).
- **CONFIRMATION:** Each routed event is stamped by its own law.

- **INVALIDATION:** Aftermath machinery restated in this chapter fails one-rule-one-home.
 - **WHY IT WORKS:** The chapters stay short because the stumble belongs to exactly one owner. And the reader learns the book's deepest bias early: the failure cases route to the *richer* chapter — because that is where the money is.
 - **STATUS:** DRAFT
-

B-9 — MULTI-REFERENCE BREAKS

- **RULE:** One close-beyond may open claims through several references at once (an L-11 cluster; a level and a diagonal crossing; a range boundary that is also the structure floor). Each reference runs **its own chain** (own claims, counters, states — C-11 per reference). The grade join recognizes **MULTI(k)**: a single confirming close through k references stamps MULTI(k) evidence on each (more trapped inventory per B-4). For downstream *gating* (which verdict a consumer reads), the verdict of record is the **highest-ranked reference's** (ref.rankOrder, D-8) — one instrument-direction, one governing verdict, no double-counting.
 - **CONFIRMATION:** Deterministic: zone intersections at the confirming close.
 - **INVALIDATION:** Counting one close as k independent confirmations of one thesis (the confluence double-count, L-11's warning) voids the analysis.
 - **WHY IT WORKS:** Breaking three defended prices at once traps three crowds — genuinely stronger. Counting it as three proofs of the same idea is how analysts turn one fact into a conviction. MULTI(k) keeps the strength and refuses the arithmetic.
 - **STATUS:** DRAFT
-

B-10 — GAP-BORNE BREAKS

- **RULE:** When the claim bar is a breakaway-gap bar (E-12) that closes beyond the reference zone: the claim is the close (C-8), the gap class is grade evidence (B-4), and the chain runs unchanged. Entry economics differ and are ledgered separately: brk.gapEntryOdds — ENTRY-C on a gap-borne confirmation pays the worst price on the chain (the gap already spent much of the move), and ENTRY-R's retest, when it comes, often revisits the gap edge (E-9's fill machinery and the level the surviving edge will birth, L-2). A FAILED-BREAKAWAY finalization (E-14) routes to Chapter 9's gap-trap setup (A-5). The claim bar's CLIMAX state (Q-6) joins brk.gapEntryOdds as its volume column (CH 10 cashed).
- **CONFIRMATION:** The constituent E-8/E-12/C-2 events.
- **INVALIDATION:** Treating the gap's open as the entry or the claim (intrabar/open-based) is malformed (V-8).
- **WHY IT WORKS:** Gap breaks are the chain's extreme case — maximum trapped inventory, minimum entry quality. The ledger prices that trade-off instead of letting the drama of the gap

make the argument.

- STATUS: DRAFT

B-11 — THE HONESTY LEDGER (THE PUBLICATION LAW)

- RULE: This chapter's claims live in published, loop-filled tables: `brk.entry0dds` (B-5) · `brk.obj0dds` (B-6) · `brk.gapEntry0dds` (B-10) · joined: `level.test0dds` (L-7), `range.mat0dds/range.failLoad0dds` (R-5/R-7), gap class × break outcome (E-10...E-14), and — CH 10 cashed — the volume columns: `vol.breakLift` per reference type × grade (Q-7), with the climax column on `brk.gapEntry0dds` (Q-6). **The publication law:** no entry doctrine, objective, or break-quality claim appears in any analysis published under this book's name without its current measured rate attached. An empty cell reads "UNMEASURED" — and an unmeasured claim may be *stated*, never *recommended*. **Regime columns JOINED (CH 13 landed):** every table in this family gains the X-2 state · X-5 climate pair per X-9, and no rate publishes pooled across states (the stated-regime law).
- CONFIRMATION: Editorial: every published rate resolves to a ledger cell with a data vintage.
- INVALIDATION: A naked hit-rate claim ("this usually works") in book prose fails review; a stale vintage (older than the registry's declared refresh) must be flagged.
- WHY IT WORKS: The break chapter is where trading books traditionally lie the most, because it is where the reader most wants to be lied to. The ledger is the chapter's spine: every promise in it arrives with its receipts or with the word UNMEASURED where the receipts should be.
- STATUS: DRAFT

PARAMETER REGISTRY ENTRIES (introduced by this chapter)

PARAMETER	DOMAIN	CARD	PROPOSED TEST RANGE
<code>brk.pressureClock</code>	bars	B-3	3-10
<code>brk.tightCount</code>	<code>int ≥ 2</code>	B-3	2-4
<code>brk.objMethod</code>	OBJ-H · OBJ-SW · OBJ-ATR · OBJ-NEXT · OBJ-MG	B-6	all five (bake-off)
<code>brk.objBase</code>	BREAK-LEVEL · CONFIRM-CLOSE	B-6	both
<code>brk.objAttrMult</code>	<code>> 0</code>	B-6	1.5-4.0
<code>brk.runawayDist</code>	scale units <code>> 0</code>	B-7	PCT 1.5-4 · VOLU 0.75-2

PARAMETER	DOMAIN	CARD	PROPOSED TEST RANGE
brk.entryOdds / brk.objOdds / brk.gapEntryOdds	honesty tables	B- 5/6/10	loop-filled

SOURCES

Edwards, Magee & Bassetti (classical break doctrine; measured-move projections — OBJ-H's ancestry) · Murphy (the two-close lineage the chain composes; percentage filters) · Bulkowski (throwback/pullback base rates — the ~60% that reframes B-5; per-pattern objective hit rates seeding B-6's columns) · Brooks (failed breakouts as the best setups — B-8's routing bias; the case for entry-cost honesty) · Grimes (failure-test statistics) · 97-CORE-MATH §L (projection math this grammar formalizes).

OPEN-DEPOSITS (claims on later chapters)

To CH 10 (Volume): volume graders join every B-4 row (breakout relVol tiers, effort-vs-result at the confirming bar); brk.gapEntryOdds gains a climax column. (*Consumed — Q-3/Q-6/Q-7; B-4/B-10/B-11 amended this sprint.*) **To CH 12 (Patterns):** pattern triggers are B-1 chains with pattern-specific references; objectives parameterize B-6 (OBJ-H with pattern height); no pattern may define its own break machinery. **To CH 13 (Regime):** RUNAWAY and WHIPSAW (A-6) as regime witnesses; regime columns join every honesty table on landing. (*Consumed — X-9; B-11 amended this sprint.*) **To CH 14 (MTF):** chain events carry tf-of-record; higher-frame chain events outrank per the conflict table. **To CH 16 (Risk):** the entry-doctrine knob (B-5); grade-keyed sizing (C-10's channel); chase discipline at RUNAWAY (B-7); scale-out at PAID (B-6/A-9).

OPEN QUESTIONS — RESOLVED (PUBLISHER-REVIEW-R5)

- ~~OBJ-MG's standing~~ **RESOLVED (R5-R-4): wave-1 option, funeral pre-authorized.** If the loop's first pass shows OBJ-MG's hit rate indistinguishable from OBJ-H within the confidence interval, it graveyards as SUPERSEDED with no further ceremony — the ruling is the pre-authorization; no one is surprised.
- ~~ref. rankOrder to the second wave~~ **RESOLVED (R5-R-5): AGREED, routed.** Swept against outcomes in the loop's second-wave grid (ARCHITECT-REVIEW-A2), not left as an untested default — its weight jumped the moment B-9 made it the arbiter of the verdict-of-record.

Chapter 8 v3 · 11 cards · DRAFT · review_ref: PUBLISHER-REVIEW-R5. Compiled against: Chapters 1–7 (+ CH 10 and CH 13 joins by T-12 backfill). One chain, five references, two entries, five objectives, every number published or confessed UNMEASURED — with its volume row and its regime columns. — THE SCINTILLA RULEMAKER

CHAPTER 9 — AFTERMATH RULES: RETESTS, FAKEOUTS & TRAPS (A)

THE SCINTILLA TRADING RULEBOOK · Chapter draft · v3 (supersedes v2) **STATUS: DRAFT** (all cards; promotion by publisher testing) · Drafted as a pair with Chapter 8, at equal weight — the failed breakout is the mirror, not the footnote. **v3 changelog (Sprint 7 backfill):** CH 13 landed — A-10's regime columns JOINED per X-9, and A-6's outstanding burden is closed: X-4 argues the regime-scope gate against A-6's standard on the record, clause by clause (noted at A-6). No card mechanics touched. **v2 changelog (PUBLISHER-REVIEW-R5 + Sprint 6 backfill):** R5-R-1 — the R-5 thread CLOSED: A-2's void-by-structure stands alongside the finite `cfm.verdictClock`, first-to-fire (ratified; law folded into C-2 v3, cross-noted at A-2). R5-R-2 — A-6 CONFIRMED as the book's sole sanctioned activity gate; the self-enforcing requirement written into the card. R5-R-3 — `fake.entryMode` swept, not ruled (joins the grid alongside `cfm.mode`). T-12 backfill — CH 10 landed: A-4/A-5 volume upgrades joined (Q-5/Q-6 via Q-8), A-10 gains its volume columns. Open questions RESOLVED in place.

SUMMARY: Everything after the first stumble: the retest machinery with its clocks finally priced, the verdict resets stated on the record, the fakeout as a full tradeable setup built on C-3's void, the spring and upthrust carded at last on the stamp Ranges laid down, the gap trap on E-14's annotation, whipsaw stand-downs, the post-flip third test, and the aftermath's own honesty ledger. This is where the trapped side pays, and where this book expects to earn its keep.

Compiles against: Chapters 1–8. Cited by: 12, 13, 16.

BLOCK ONE — THE RETEST

A-1 — RETEST MACHINERY (THE CLOCKS PRICED)

- **RULE:** After a C-2 confirmed break of reference P (any of B-1's five types): the first TAG of P's zone within `retest.clock` bars opens **RETEST**; it resolves **HOLD** (a CLOSE BEYOND away from the zone, in the break's direction, within `retest.confirmClock`) or **FAIL** (a CLOSE BEYOND back through the zone against the break) — V-24's exact events, now with their test ranges: `retest.clock` 3–15, `retest.confirmClock` 2–5, `fake.clock` 2–5 (the deposit paid). No tag within the clock → **NO-RETEST** (feeds B-7's runaway test). A HOLD fires ENTRY-R (B-5) and completes the flip machinery (L-9). Retest base rates (HOLD/FAIL frequency by reference type × grade) live in the aftermath ledger (A-10).
- **CONFIRMATION:** Each resolution's defining close at `t_close`.

- **INVALIDATION:** A retest read from a tag outside the clock, or a HOLD read from a close that never left the zone, is void.
 - **WHY IT WORKS:** The retest is the market auditing its own break — the broken side gets one chance to prove the new price wrong at the old price. Bulkowski's tables say the audit happens more often than not; this card is where the book stops narrating it and starts clocking it.
 - **STATUS:** DRAFT
-

A-2 — RETEST-FAIL: THE VERDICT RESET

- **RULE:** FAIL fires the break verdict's **void_event** — the C-2 verdict dies on the record, stamped; the reference reverts BROKEN → ACTIVE (L-9); and the resets are exactly these: the break verdict and every grade annotation riding it. **Nothing else resets:** a level's retest-fail does not touch a live trend verdict (S-4) — unless the reference was the structure floor/ceiling, in which case S-7's machinery already governed the larger death. The fail additionally stamps **TRAPPED(break-direction):** everyone who entered on ENTRY-C, and any early ENTRY-R, is inventoried on the wrong side of a re-defended price — the context A-3 spends. **[R5-R-1]** This void is one of the break verdict's two retirement paths — the finite `cfm.verdictClock` stands alongside it, whichever fires first (ratified; the law lives in C-2 v3).
 - **CONFIRMATION:** The FAIL close at `t_close`.
 - **INVALIDATION:** A verdict reset without its FAIL event, or a reset cascading to verdicts not on this card's list, corrupts the record (V-21's ledger discipline).
 - **WHY IT WORKS:** Exactly which beliefs die when a break fails is the question the field answers with a shrug. The verdict object makes it a list, and the list is short on purpose — most of the chart didn't change; the trapped crowd did.
 - **STATUS:** DRAFT
-

BLOCK TWO — THE TRAPS

A-3 — THE FAKEOUT SETUP (C-3'S VOID, SPENT)

- **RULE:** The book's first full **setup card** — a tradeable event sequence with all five parts: **TRIGGER** = a C-3 void at any of the five reference types (the claim died unconfirmed), carrying its context stamps (LOADED-OPPOSITE at range boundaries, against-WALK at channel boundaries, failed-structural-attack at floors/ceilings, TRAPPED from A-2 when arriving via retest-fail). **DIRECTION** = opposite the failed claim. **ENTRY** per `fake.entryMode`: IMMEDIATE

(the void close itself) or CONF (the next close continuing against the failed claim).

INVALIDATION = a close beyond the failed claim's excursion extreme (the attacker's furthest point — if the market goes back through it, the trap thesis is dead), within the setup's life.

OBJECTIVE = B-6's grammar, default OBJ-NEXT (for range boundaries: the opposite boundary — OBJ-H equivalent per R-7). **CLOCK** = `fake.setupClock` bars; unresolved, the setup expires. Honesty: `fake.setup0dds` by reference type × defense class × grade (A-10).

- CONFIRMATION: The trigger void at `t_close`; entry per the declared mode.
 - INVALIDATION: The stated invalidation close — mirror-precise per C-4 — or clock expiry.
 - WHY IT WORKS: The void is the chain's cruelest information: a crowd committed beyond a defended price and was closed back through it. Their exits are fuel in the opposite direction, and unlike most "signals," the trap's mechanism — forced unwinding — has an identifiable payer. Brooks built a career on this event; here it is with its clocks and its table.
 - STATUS: DRAFT
-

A-4 — SPRING & UPTHRUST (THE NAMED PAIR, CARDED)

- RULE: **SPRING** = A-3 instantiated at a live range's **lower** boundary: trigger = the C-3 void below the range low (R-7's LOADED-OPPOSITE stamp is the context), direction = up, entry per `fake.entryMode`, **invalidation** = a close below the void excursion's low (the spring's low is the line — one close under it and the spring is dead), objective = the opposite boundary (OBJ-H: the range's height, the classical target). **UPTHRUST** = the exact mirror at the upper boundary. Premium context, ledgered: range maturity (R-5) and a VOID-DEFENSE-rich boundary record (R-4) grade the setup up; **volume upgrades JOINED (CH 10 cashed)**: CLIMAX(side) on the void bar is the setup's top volume grade, with DRYING-UP(n) on the boundary's prior episodes as the textbook pre-context (Q-6/Q-5 via Q-8 — Wyckoff's spring *is* a selling climax that failed to break the floor). These are A-3 with names because the range gives the trap a *known* objective and a *known* payer — the tightest version of the trade this book knows.
 - CONFIRMATION: The R-7 event at the boundary; entries per A-3.
 - INVALIDATION: As stated — and a spring read at a dead or dissolved range (R-6) is malformed; the container must be live.
 - WHY IT WORKS: Wyckoff's pair, Pruden's formalization, this book's clocks: the failed break of a *mature range* traps the crowd against the full width of a proven auction. The opposite boundary isn't a hope — it is where the other half of the auction has been paying for weeks.
 - STATUS: DRAFT
-

A-5 — THE GAP TRAP (E-14'S ANNOTATION, SPENT)

- **RULE:** Trigger = a **FAILED-BREAKAWAY** finalization (E-14: a breakaway-class gap filled within `gap.exhClock`). Direction = against the gap. Entry = the fill-confirming close (the E-9 FILLED event's bar), or CONF mode per `fake.entryMode`. **Invalidation** = a close beyond the gap bar's far extreme (the O_t side — the trap thesis dies if the market re-crosses the entire gap). Objective = B-6's grammar, default OBJ-NEXT. Context stamps: the crossed level's record (the gap jumped it without a test, C-8 — the market has now come back for the skipped inventory). **Volume upgrade (CH 10 cashed):** CLIMAX on the fill-confirming bar grades the trap up (Q-6 via Q-8 — the crowd's capitulation is the entry's fuel). Honesty: gap-trap odds by gap size and crossed-level quality (A-10).
 - **CONFIRMATION:** The E-14 finalization at `t_close`.
 - **INVALIDATION:** As stated; a gap trap read on a COMMON or CONTINUATION finalization is malformed — only the failed breakaway traps a committed crowd.
 - **WHY IT WORKS:** The overnight crowd paid a premium to reprice past a defended level without a fight — and the fill means the fight found them anyway, at worse prices, with the whole gap as their drawdown. The most leveraged trap in the book because the entry (the gap open) was the most confident.
 - **STATUS:** DRAFT
-

BLOCK THREE — DISCIPLINE AND THE LONG TAIL

A-6 — WHIPSAW & THE STAND-DOWN

- **RULE:** `after.whipsawCount` terminal voids (C-3) in **alternating directions** at the same reference within `after.whipsawWindow` bars → the reference enters **WHIPSAW** state: claim-opening against it is **suspended** for `after.standDownClock` bars. This is the book's rare activity gate, and it is legal because it gates rule *activity*, never verdict truth (the invariance boundary holds); its ancestor is the unclear-regime default (X-1's principle — fewer rules when the tape is incoherent), and its formal regime home arrives with CH 13 (deposit). Existing verdicts and clocks run out undisturbed. **[R5-R-2] The exception is unique and self-enforcing:** this card is the book's **sole sanctioned activity gate** — any future card wanting to suspend rule activity must argue explicitly against this card's standard (activity, never truth; mechanical incoherence evidence only; claims in flight always resolve) and clear the same bar. CH 13's regime machinery, when it formalizes the stand-down's home, carries that burden by name. (*Carried — X-4 argues it on the record, clause by clause; A-6 remains the sole reference-local gate, X-4 the sole regime-scope gate, and any third gate now argues against both.*)
- **CONFIRMATION:** The alternating-void count at `t_close`.

- **INVALIDATION:** A stand-down suppressing an already-open claim's resolution (claims in flight always resolve), or extended by anything but the clock, is malformed.
 - **WHY IT WORKS:** Two opposite crowds trapped at one price in quick succession means the reference isn't refereeing anything — it is noise wearing a level's ledger. The cheapest response to incoherence is scheduled silence.
 - **STATUS:** DRAFT
-

A-7 — THE POST-FLIP THIRD TEST (SINGLE HOME, COMPLETED)

- **RULE:** After a FLIP (L-9), the flipped level's episode ledger counts fresh (the flip is a rebirth of role — L-5 episodes accrue from the HOLD). The classical claim — repeated tests of a *flipped* level fail more often than tests of a native one — publishes as the honesty table `after.flipTestOdds[n]` (hold rate by post-flip episode count, by original break grade), loop-filled. From episode `after.flipWatchAt`, tests carry WATCH (the L-7 pattern applied post-flip). L-7 owns pre-break test odds; this card owns post-flip; the split the assessment ordered (§5) is now complete on both sides, cross-referenced, never restated.
 - **CONFIRMATION:** Episode counting from the HOLD event.
 - **INVALIDATION:** Post-flip counts contaminated by pre-break episodes (the ledger distinguishes lives) are corrupt.
 - **WHY IT WORKS:** A flipped level is defended by converts — the trapped crowd that switched sides — and converts have shallower pockets than natives. Whether that folk wisdom is true is exactly what the table will say.
 - **STATUS:** DRAFT
-

A-8 — WITHDRAWAL & CONTEST EVIDENCE (E'S DEPOSITS, JOINED)

- **RULE:** The aftermath's grade joins (B-4's pattern, aftermath side): a retest HOLD accompanied by an E-4 reject at the zone grades up (REJECT-DEFENDED class); a **reject-withdrawal** (the next close re-enters the zone, E-4's stated withdrawal) or an **engulf-withdrawal** (E-6's giveback) at the retest grades it down; an **outside bar** (E-5) on the retest bar stamps CONTESTED — two-sided stop-outs in one session, downgrading confidence in *both* directions' next moves. All grades, never gates (C-9/C-10 discipline throughout).
- **CONFIRMATION:** The constituent E events at their `t_closes`.
- **INVALIDATION:** Withdrawal evidence read across an intervening episode boundary (stale anatomy) is void.
- **WHY IT WORKS:** The bar-level tells at a retest are the auction's fine print — who showed up, who was refused, who got run. E defined them; this card seats them at the one table where they change the odds that matter.

- STATUS: DRAFT
-

A-9 — POST-OBJECTIVE LAW (PAID, AND THE ANTI-GREED RULE)

- RULE: When an objective tags (B-6's PAID event): the break's projection is settled — the stamp is permanent, and **no extension may be projected from the same break**: further expectation requires a fresh reference and a fresh chain (new claim, new confirmation — the anti-greed law). Post-PAID behavior generates ordinary events on the standing references (the objective price itself, if it coincides with a reference, runs that reference's ledger; an objective that is merely a projected price births nothing — projections are not levels). CH 16 consumes PAID as its scale-out knob site (deposit honored).
 - CONFIRMATION: The PAID tag at `t_close`.
 - INVALIDATION: An "extended target" published from a paid break without a new chain fails review.
 - WHY IT WORKS: The measured move is a claim about trapped inventory's unwind distance — once paid, the payer is gone. Every further dollar is a new thesis, and the book makes it buy its own evidence.
 - STATUS: DRAFT
-

A-10 — THE AFTERMATH LEDGER

- RULE: This chapter's tables, under B-11's publication law (stated once there, binding here): retest HOLD/FAIL base rates by reference type × grade (A-1) · `fake.setup0dds` by reference type × defense class × grade (A-3) · spring/upthrust odds by maturity and class record (A-4) · gap-trap odds by size and crossed-level quality (A-5) · `after.flipTest0dds[n]` (A-7). **Regime columns JOINED (CH 13 landed)**: every table gains the X-2 state · X-5 climate pair per X-9; **volume columns JOINED (CH 10 cashed)**: the retest-bar `relVol/effort-result` graders on A-1's tables and the climax premiums inside A-4/A-5's (Q-8, ledgered at Q-10). Empty cells read UNMEASURED, and UNMEASURED setups may be stated, never recommended.
 - CONFIRMATION: Every published aftermath rate resolves to a cell with a vintage.
 - INVALIDATION: Per B-11 — naked rates fail review.
 - WHY IT WORKS: The traps are where this book is most convinced of its own edge, which is exactly when the receipts matter most. Conviction gets a column, not a pass.
 - STATUS: DRAFT
-

PARAMETER REGISTRY ENTRIES (introduced by this chapter)

PARAMETER	DOMAIN	CARD	PROPOSED TEST RANGE
retest.clock	bars	A-1 · cited; owner V-24 [v2, D5]	3–15
retest.confirmClock	bars	A-1 · cited; owner V-24 [v2, D5]	2–5
fake.clock	bars	A-1 (V-24's term) · cited; owner V-24 [v2, D5]	2–5
fake.entryMode	IMMEDIATE · CONF	A-3	both (bake-off)
fake.setupClock	bars	A-3	5–15
after.whipsawCount	int ≥ 2	A-6	2–3
after.whipsawWindow	bars	A-6	10–30
after.standDownClock	bars	A-6	5–20
after.flipWatchAt	int ≥ 2	A-7	2–3
fake.setupOdds / after.flipTestOdds	honesty tables	A-3/A-7	loop-filled

SOURCES

Brooks (failed breakouts as the market's most reliable setups — this chapter's thesis; the trapped-trader mechanism throughout) · Pruden (springs and upthrusts — A-4's formal ancestry) · Bulkowski (throwback/pullback statistics behind A-1's base rates; busted-pattern outperformance foreshadowing CH 12's busted cards) · Grimes (failure-test setups — A-3's evidence lineage) · Edwards, Magee & Bassetti (the classical pullback doctrine, made clocked) · Wyckoff via Pruden (the composite-operator reading of traps).

OPEN-DEPOSITS (claims on later chapters)

To CH 10 (Volume): climax upgrades for A-4 springs/upthrusts and A-5 gap traps; volume columns for every A-10 table; effort-vs-result at the retest bar as a HOLD/FAIL grader. *(Consumed — Q-5/Q-6/Q-8/Q-10; A-4/A-5/A-10 amended this sprint.)* **To CH 12 (Patterns):** busted patterns are A-3 instances with pattern-shaped references (Bulkowski's busted statistics as their seed table); pattern throwbacks run A-1 unchanged. **To CH 13 (Regime):** WHIPSAW and stand-downs formalized into the governing-rules lookup; regime columns join A-10; RUNAWAY/TRAPPED as regime witnesses. *(Consumed — X-4 carries the burden, X-9 joins the columns; A-6/A-10 amended this sprint.)* **To CH 16 (Risk):** ENTRY-R lives here (the knob is B-

5/CH 16's); scale-out at PAID (A-9); trap setups as a profile-gated setup class (grade sizes, never gates — C-10's channel).

OPEN QUESTIONS — RESOLVED (PUBLISHER-REVIEW-R5)

1. ~~The R-5 revisit~~ **RESOLVED (R5-R-1): recommendation RATIFIED** — finite `cfm.verdictClock` kept alongside A-2's void-by-structure, whichever fires first. Folded into C-2 v3; cross-noted at A-2. The thread that opened at R2 is closed on the record.
2. ~~A-6's uniqueness~~ **RESOLVED (R5-R-2): CONFIRMED unique**. The sole sanctioned activity gate; the self-enforcing requirement (any future gate argues against this card's standard and clears the same bar) is now written into A-6 itself.
3. ~~fake-entryMode-default~~ **RESOLVED (R5-R-3): SWEEP, don't rule**. Genuine speed-vs-confirmation trade-off — it joins the grid alongside `cfm.mode`; the bake-off crowns per context; author's lean recorded as prior.

Chapter 9 v3 · 10 cards · DRAFT · review_ref: PUBLISHER-REVIEW-R5. Compiled against: Chapters 1–8 (+ CH 10 and CH 13 joins by T-12 backfill). The signal spine is complete: reference → claim → confirmation → verdict → aftermath, with the traps carded, every promise ledgered, the witnesses seated — and the context that reads them now in force. — THE SCINTILLA RULEMAKER

CHAPTER 10 — VOLUME RULES (Q)

THE SCINTILLA TRADING RULEBOOK · Chapter draft · v2 (supersedes v1) STATUS: DRAFT (all cards; promotion by publisher testing) · Drafted as a pair with Chapter 11 ("The Witnesses," Sprint 6) — written second by publisher order, landing together. **v2 changelog (PUBLISHER-REVIEW-R6 + Sprint 7 backfill):** Q-R1 — MEDIAN ratified as the baseline default (SMA stays in the grid). Q-R2 — the earnings-semantics deferral CONFIRMED and now LANDED: the default is ruled at X-8 with the calendar home (noted at Q-9). Q-R3 — the OBV/A-D exclusion CONFIRMED for v1; the audit-queue path is pre-authorized, not run. T-12 backfill — CH 13 landed: Q-10's regime columns JOINED per X-9. Open questions RESOLVED in place. No card mechanics touched.

SUMMARY: The evidence doctrine made operational. Volume is the auction's *attendance record* — it grades what the close decided and never overrides it (C-9 already binds this book-wide; this chapter is where the binding earns its cards). Relative volume as the only admissible form, the grade tiers C-10 has been waiting for since Chapter 3, effort-versus-result and its two suspects, the diminishing-supply signature at tested references, the climax event, the joins that cash every standing deposit into the break chain and the aftermath — and the register of where volume lies, each liar with its contract citation.

Backfills executed by this chapter's landing (T-12, all in this sprint's delivery): C-10's grader list gains the volume graders (Chapter 3 v3) · B-4's join table gains its volume row and B-10/B-11 their volume columns (Chapter 8 v2) · A-4/A-5 climax upgrades join and A-10 gains its volume columns (Chapter 9 v2). The E-side deposits (relVol grades for E-4 rejects, E-6 engulfs, and the E-10.x gap taxonomy's confidence reads) are cashed **by citation** from Q-3/Q-6 — the E cards' stubs already name volume as a grade input; the grader now exists.

Compiles against: Chapters 1–9 + 97 §H. Forward-stubs only into 11, 13, 15 (no forward citations — T-5). Cited by: 11 (one pool, one no-stacking law), 12, 13, 15, 16.

BLOCK ONE — DOCTRINE AND THE UNIT

Q-1 — THE EVIDENCE DOCTRINE (VOLUME GRADES; THE CLOSE DECIDES)

- RULE: Volume (V of the bar of record, V-1, from the declared feed — T-9) may serve in exactly one capacity: **evidence** — grade inputs to C-10's channel and gauge inputs to CH 13's climate reads (forward-stub). Volume never opens, confirms, voids, rescues, or vetoes a claim or verdict (C-9's wall, restated at its home); a confirmed break on thin volume is **confirmed** — it merely

grades low and its odds column says what that has historically meant (Q-7). **Admissibility of volume-derived series:** v1 admits **none** as witnesses. OBV and A/D-type cumulative lines are path-dependent sums whose level has no unit and whose increments (sign-of-close × volume) are already legible as relVol + direction — a second spelling, not a second witness; VWAP is sub-daily construction, outside the v1 bar floor (its site is CH 15's intraday build-out). Named and excluded with the door stated: re-admission per T-11's standard (stated rule + evidence), and any re-admitted series would testify under the witness machinery of the next chapter, one pool, one no-stacking law (forward-stub). **[Q-R3]** The exclusion is CONFIRMED for v1; if the loop later wants to test whether OBV-divergence adds conditional information beyond relVol + the price swings, it enters the independence-audit queue *then* — a pre-authorized path, not a scheduled run.

- CONFIRMATION: n/a (doctrine; enforced at review and by the joins' construction — volume appears only in grade/gauge positions).
- INVALIDATION: Volume cited in any CONFIRMATION or INVALIDATION clause of price machinery fails the card at review; a verdict traced to a volume "confirmation" is void (C-9).
- WHY IT MATTERS: Volume is how many showed up; price is what they agreed to. Attendance explains the vote's *weight* — it never recounts it. Every classical volume error is one of promotion: a good grader asked to judge.
- STATUS: DRAFT

Q-2 — RELATIVE VOLUME (THE ONLY VOLUME THAT MEANS ANYTHING)

- RULE: The admissible form is **relative volume**: $\text{relVol}[t] = V[t] / \text{baseline}[t]$, baseline per $\text{vol.baseMethod} \in \{\text{SMA}(V, \text{vol.baseLen}), \text{MEDIAN}(V, \text{vol.baseLen})\}$ — median is the robust option (a single earnings print poisons a mean baseline for vol.baseLen bars; it barely moves a median). **[Q-R1]** MEDIAN is the ratified default; SMA sweeps in the grid. Classes: **HIGH** ($\text{relVol} \geq \text{vol.hiMult}$) · **LOW** ($\text{relVol} \leq \text{vol.loMult}$) · **NORMAL**. **The volume scale law (T-10's analog):** raw share/contract counts are forbidden in any rule — they are class artifacts, incomparable across instruments and across a split boundary. Baselines **re-seed at a split** under SPLIT_ONLY (the mirror of V-25's ATR re-seed; the feed's split-rescaled volume per the declared convention, T-9), and exclude bars the stand-down register removes (Q-9) so the liars cannot poison the ruler that measures them. Session-aware time-of-day baselines are an intraday necessity and a v1 stub (vol.todSessions, CH 15 site — volume's U-shaped intraday curve makes plain relVol lie at the open; the v1 bar floor is daily, so the lie is out of scope, not out of mind).
- CONFIRMATION: relVol computable at every t_close once the baseline window fills with admissible bars.
- INVALIDATION: A raw-volume condition, a baseline spanning a split un-reseeded, or a baseline fed by stand-down bars, is malformed; grades read from it are void.

- **WHY IT WORKS:** "Big volume" is meaningless until the instrument's own recent attendance defines big — the same reasoning that made ATR the price yardstick (V-3) makes the baseline the volume yardstick. One relative form, two robust baselines, three classes: everything downstream reads these and nothing else.
 - **STATUS:** DRAFT
-

Q-3 — VOLUME GRADE TIERS (THE C-10 BACKFILL, CASHED)

- **RULE:** The graders Chapter 3 deposited for are now defined, and **C-10's grader list is amended by citation** (backfill executed, Chapter 3 v3): **Q-FUND (funding)** — the claim bar *or* the confirming bar prints relVol HIGH: the break's effort was funded by real attendance. One grader, not two — the claim and confirming bars are adjacent draws from the same episode and do not stack (the no-stacking discipline the next chapter writes into law binds here by construction). **Q-EVR (efficiency)** — the effort-versus-result class of the confirming bar (Q-4): a funded *and efficient* confirming bar grades up; an ABSORPTION-class confirming bar grades down (effort refused is a warning inside a break, not a strength). Tier attachment beyond the chain: the volume class of the bar carrying any stamped E event attaches as grade evidence wherever a join table seats it — E-4 rejects, E-6 engulfs, and the E-10.x gap taxonomy's confidence reads (the E deposits, cashed by this citation). Grades order evidence; they never gate (C-10's invalidation clause governs here unchanged).
 - **CONFIRMATION:** Grader values computed at the events' own t_closes from stamped relVol classes only.
 - **INVALIDATION:** A volume grader read as permission — any card branching verdict existence on Q-FUND/Q-EVR — fails at review (C-10). A grader computed from a poisoned baseline (Q-2) is void.
 - **WHY IT WORKS:** C-10 built the courtroom and left two seats reserved; this card seats the witnesses. Funding says the move had attendance; efficiency says the attendance got what it paid for — different facts, separately graded, jointly priced in the tables (Q-10).
 - **STATUS:** DRAFT
-

BLOCK TWO — EFFORT VERSUS RESULT

Q-4 — EFFORT vs RESULT (ABSORPTION AND THE SUSPECT MOVE)

- **RULE:** Per bar, per 97 §H: **effort** = $\text{relVol class (Q-2)}$; **result** = $|C - 0| / \text{ATR}(\text{atr.len})$, classed SMALL ($\leq \text{evr.smallMax}$) / LARGE ($\geq \text{evr.largeMin}$) / MID. Two named suspects, both **position-gated** — they exist only where the bar tags a reference zone (V-9 against any L-12-shaped reference); in a range's NMZ they stamp nothing (R-3's discipline): **ABSORPTION** = HIGH effort + SMALL result at a zone: massive attendance, no price progress — someone took the other side of everything, at size, and held the line. Direction read: absorption *at* a defended reference with the close held on the role side grades the defense up (joins L-5's episode record as evidence). **SUSPECT** = LOW effort + LARGE result: a big move nobody attended — thin-tape progress, graded down wherever the move's events are graded (a trend bar (E-2) on SUSPECT volume carries its anatomy with an asterisk the tables price). Both are evidence annotations under C-10 discipline: never verdicts, never gates.
 - **CONFIRMATION:** Both classes computable at t_{close} ; the position gate per V-9 against the stamped reference.
 - **INVALIDATION:** An effort-result read off-reference (free-floating "absorption" mid-chart), or built from stand-down bars (Q-9), is void.
 - **WHY IT WORKS:** Wyckoff's law, made countable: when effort and result disagree, the difference went *into somebody's inventory* — and inventory is the thing every later chapter's odds are secretly about. The book refuses to see absorption everywhere (position gate) precisely so that where it does see it, the word means one thing.
 - **STATUS:** DRAFT
-

Q-5 — VOLUME AT TESTS (DRYING-UP AND PRESSING)

- **RULE:** Each test episode (L-5, any L-12-shaped reference) records its **episode volume** = max relVol among its tagging bars. Across successive *defended* episodes at one reference:
DRYING-UP(n) = the last vol.dryCount episode volumes strictly decreasing — the attack is losing attendance (Wyckoff's secondary-test signature: supply exhausting into support, mirror at resistance). **PRESSING(n)** = strictly increasing — the attack is gaining fuel; defense odds degrade. Both are grade-class annotations joining L-6's quality read and R-5's maturity context as graders (the CH 4/CH 7 deposit-backs, cashed by this citation); both feed the spring/upthrust premium context (a spring after DRYING-UP at the boundary is the textbook sequence — A-4 consumes via Q-8). Never gates.
- **CONFIRMATION:** Episode volumes are t_{close} facts of stamped episodes; the monotonicity test fires at the completing episode's final bar.
- **INVALIDATION:** A sequence mixing references, spanning a break (episode counts restart with the reference's state life — L-8/R-9 discipline), or fed by stand-down bars, is corrupt.
- **WHY IT WORKS:** A level's tests are a siege, and volume is the size of each assault. Shrinking assaults with held ground is the defenders winning; growing assaults are the wall being probed for the breach. The classical tape-readers called this the only volume read worth having — the episode ledger finally lets two strangers count it.

- STATUS: DRAFT

Q-6 — CLIMAX (THE EXHAUSTION CANDIDATE)

- RULE: Per 97 §H, three conditions jointly at one `t_close`: `relVol ≥ clim.volMult` **and** `(H-L)/ATR ≥ clim.rangeMult` **and** the bar makes a `clim.extremeLookback-bar` extreme — stamped **CLIMAX(side)**, side by which extreme was made (new lookback low = selling-climax candidate; new high = buying-climax). A climax is an **exhaustion candidate, never a reversal signal** (C-9; the field's costliest volume error is buying the first climax of three). Consumers, all by existing machinery: the spring/upthrust premium and the gap trap read climax-on-the-trigger-bar as their top volume grade (A-4/A-5 via Q-8); the E-10.x taxonomy reads climax as exhaustion-class confidence (E-14's finalization, cashed by citation); CH 13 reads climax *clustering* as a volatility-climate input (forward-stub). The honesty table `vol.climax0dds` prices what a climax has actually preceded, by side, position (at reference vs free air), and regime column when CH 13 lands.
- CONFIRMATION: The three conditions at one `t_close`, from admissible bars.
- INVALIDATION: A climax stamped on a stand-down bar (Q-9 — an earnings print is scheduled attendance, not exhaustion) is void; a climax cited as confirmation of anything fails at review.
- WHY IT WORKS: A climax is the auction spending its reserves in one bar — everyone who was going to panic (or chase) just did. That is genuine information about *who is left*, which is why it grades traps so well — and genuine ambiguity about *what happens next*, which is why it may not judge.
- STATUS: DRAFT

BLOCK THREE — THE JOINS AND THE LIARS

Q-7 — BREAKOUT VOLUME (THE B-4 ROW, CASHED)

- RULE: The break chain's volume row (B-4's join table, amended this sprint): every C-2 confirmed break carries Q-FUND and Q-EVR (Q-3) across **all five reference types**; gap-borne breaks (B-10) additionally carry the claim bar's CLIMAX state (a breakaway on climax attendance is maximum-conviction *and* maximum-trap fuel — both readings are in E-12/E-14's taxonomy, and the table, not the prose, says which dominates). **The doctrine, stated honestly:** "volume must expand on the breakout" is the field's most-quoted volume law and is **inadmissible as law** here (C-9) — it enters as the measured claim `vol.breakLift`: the follow-through lift of Q-FUND breaks over LOW-funded ones, per reference type × grade, loop-filled.

The classical literature's own measurements (Bulkowski) put the lift real but modest — the column will say what it says. A LOW-funded confirmed break stands confirmed, grades C-tier on funding, and its odds column is its honest price.

- **CONFIRMATION:** Row computed at the C-2 event from stamped classes.
 - **INVALIDATION:** A break's volume row read from a poisoned baseline or a stand-down claim bar is void; "no volume, no breakout" as a gate fails at review (C-9 — the wall has no volume-shaped door).
 - **WHY IT WORKS:** Funded breaks trap more inventory when they fail and carry more conviction when they run — both effects are real, directional, and *measurable per reference type*, which is precisely the kind of sentence this book is allowed to publish only with a table under it.
 - **STATUS:** DRAFT
-

Q-8 — AFTERMATH VOLUME (THE A-JOIN, CASHED)

- **RULE:** The aftermath's volume columns (A-10, amended this sprint): **Retest signature** — the retest bar's relVol class and Q-EVR join A-1's HOLD/FAIL tables as graders: the classical read (LOW-volume retest that HOLDS = the throwback found no new supply — the healthiest continuation; HIGH-volume FAIL = active repudiation, premium trap fuel for A-3) ships as columns, not laws. **Trap premiums** — A-4 springs/upthrusts: CLIMAX(side) on the void bar at the range boundary is the setup's top volume grade (the deposit's exact shape: Wyckoff's spring *is* a selling climax that failed to break the floor), with DRYING-UP(n) on the boundary's prior episodes as the textbook pre-context (Q-5); A-5 gap traps: CLIMAX on the fill-confirming bar upgrades the trap (the crowd's capitulation is the entry's fuel). All grades ride the setups' existing five parts; no clock, trigger, or invalidation changes.
 - **CONFIRMATION:** Each column's constituent events at their own t_closes.
 - **INVALIDATION:** A volume column read across episode lives (pre-break volume graded into post-flip tests — A-7's ledger discipline), or from stand-down bars, is corrupt.
 - **WHY IT WORKS:** The aftermath is inventory resolving, and volume is the only direct witness of *how much* inventory each act moved. The retest's quiet is information; the trap's roar is information; the book takes both as testimony and neither as verdict.
 - **STATUS:** DRAFT
-

Q-9 — WHERE VOLUME LIES (THE STAND-DOWN REGISTER)

- **RULE:** The liars, named, each with its contract citation and its operative rule — on a stand-down bar, volume graders do not fire and the bar is excluded from baselines (Q-2) and episode-volume reads (Q-5): **Short sessions** (bar.short, V-7 — the law was written there; this is its operative card): a half-day's "low volume" is a calendar fact. **Ex-dividend bars** (bar.exDiv, V-

5/T-9): dividend-capture flow is scheduled plumbing, not conviction. **Earnings bars** (bar.earnings, T-9 — flag ratified at R2; semantics RULED at the calendar home, X-8, per Q-R2's landed deferral): treatment per vol.earnStand $\in$ {STAND (full stand-down), DISCOUNT (grade caps at NORMAL)} — **default STAND** (the conservative posture every other registered liar already gets; DISCOUNT sweeps), while price rules run with the flag as a table-splitting stamp (an earnings gap is information-dense repricing, not administrative arithmetic — X-8 states the split). **Split boundaries** (V-5): re-seed, never span (Q-2). **Feed identity** (T-9): the series of record's V is the *declared feed's* V — consolidated-tape and primary-exchange volume are different numbers for the same day, and mixing feeds inside one analysis voids it (the volume mirror of V-1's invalidation). **Known calendar distortions** (index rebalances, derivative-expiry clustering): vol.calStand ships as a declared-date stub set — the calendar's formal home is CH 13 (forward-stub); until it lands, the stub names the dates it excludes or it excludes nothing (no silent judgment calls).

- **CONFIRMATION:** Each flag is a stamped fact of the bar of record (T-9's contract fields) or the declared calendar stub.
- **INVALIDATION:** A volume grade, baseline, or table cell built on unregistered exclusions — or ignoring registered ones — is corrupt; "I skipped that bar, it looked weird" is not in this book's vocabulary.
- **WHY IT WORKS:** Volume's lies are almost all *scheduled* — the calendar, the corporate action, the venue definition. A register of known liars, enforced mechanically, is cheap; one unregistered liar inside a baseline quietly poisons every grade for a month. This is the assessment's §7.7 promise kept: the liars named, in writing, with citations.
- **STATUS:** DRAFT

Q-10 — THE VOLUME LEDGER

- **RULE:** This chapter's claims live under B-11's publication law (stated once there, binding here — A-10's pattern): vol.breakLift (Q-7, per reference type $\times$ grade) · retest-volume HOLD/FAIL columns (Q-8, joining A-10's tables) · vol.dryLift (Q-5 — defense odds after DRYING-UP vs PRESSING, by reference and maturity) · vol.climaxOdds (Q-6, by side $\times$ position) · the trap premiums (Q-8's climax columns inside A-4/A-5's tables). Every cell loop-filled with vintage; every empty cell reads **UNMEASURED**; an unmeasured volume claim may be stated, never recommended. **Regime columns JOINED (CH 13 landed):** every table gains the X-2 state · X-5 climate pair, per X-9.
- **CONFIRMATION:** Editorial — every published volume rate resolves to a cell with a vintage.
- **INVALIDATION:** Per B-11 — a naked volume claim ("breakouts need volume") in book prose fails review.
- **WHY IT WORKS:** Volume is the field's favorite place to sound wise without being checkable — attendance claims feel true and go unmeasured for decades. The ledger seats volume's folklore in the same chairs as everyone else's: numbered, dated, or silent.

- STATUS: DRAFT

PARAMETER REGISTRY ENTRIES (introduced by this chapter)

PARAMETER	DOMAIN	CARD	PROPOSED TEST RANGE
vol.baseMethod	SMA · MEDIAN	Q-2	MEDIAN default (Q-R1); SMA in grid
vol.baseLen	bars	Q-2	20–50
vol.hiMult	> 1	Q-2	1.5–2.0
vol.loMult	0–1	Q-2	0.5–0.67
vol.todSessions	sessions (stub)	Q-2	CH 15 build-out
evr.smallMax / evr.largeMin	ATR units	Q-4	0.25–0.4 / 0.75–1.25
vol.dryCount	int ≥ 2	Q-5	2–3
clim.volMult	> 1	Q-6	2.5–4.0
clim.rangeMult	> 0	Q-6	1.5–2.5
clim.extremeLookback	bars	Q-6	15–30
vol.earnStand	STAND · DISCOUNT	Q-9	STAND default (ruled at X-8); DISCOUNT sweeps
vol.calStand	declared-date set (stub)	Q-9	CH 13 calendar home
vol.breakLift / vol.dryLift / vol.climaxOdds	honesty tables	Q-7/Q-5/Q-6	loop-filled

SOURCES

Wyckoff via Pruden (effort-versus-result; the selling climax; the secondary test's drying supply — Q-4/Q-5/Q-6's ancestry, finally carded) · Dormeier (the doctrine's modern statement — volume interprets, grades, and never overrides; relative-volume lineage) · Granville (OBV — named at Q-1 and excluded with reasons, the door left stated) · Murphy and Edwards, Magee & Bassetti (the breakout-volume doctrine, named as folklore and shipped as a table) · Bulkowski (the measured volume-breakout lifts that seed Q-7's expectations) · 97-CORE-MATH §H (every formula's fixture home) · The Contract T-9 and V-5/V-7 (the flags the stand-down register spends).

OPEN-DEPOSITS (claims on later chapters)

To CH 11 (Indicators, landing with this chapter): one witness pool — Q-FUND/Q-EVR sit under the same no-stacking law and independence-audit machinery as every indicator witness; volume-derived series re-admission (Q-1) would arrive through that chapter's grammar. **To CH 12 (Patterns):** the classical pattern-volume signature (recede through the formation, expand at the break) enters as Q-2/Q-7 columns on pattern tables — CH 12 parameterizes, never re-defines. **To CH 13 (Regime):** climax clustering and aggregate relVol state as volume-climate inputs; `bar.earnings` semantics and the `vol.calStand` calendar are ruled there (the ex-div stand-down's ratified home extends to the full calendar). (*Consumed — X-5 reads the climate; X-8 rules the calendar and the earnings default; X-9 joins the columns.*) **To CH 15 (Universe):** time-of-day baselines (`vol.todSessions`); venue/consolidated-feed conventions per class; VWAP's re-admission site (intraday). **To CH 16 (Risk):** volume grades size through C-10's channel (grade sizes, never gates), per the invariance law.

OPEN QUESTIONS — RESOLVED (PUBLISHER-REVIEW-R6)

1. ~~Baseline default~~ **RESOLVED (Q-R1): MEDIAN, ratified as the prior** — the only baseline that survives an earnings print unpoisoned; SMA stays in the grid.
2. ~~Earnings treatment~~ **RESOLVED (Q-R2): deferral CONFIRMED, now landed** — the default (STAND) is ruled at X-8 in one motion with the calendar home; the option pair sweeps.
3. ~~OBV/A-D exclusion~~ **RESOLVED (Q-R3): CONFIRMED excluded for v1** — the burden is the claimant's (T-11); the audit-queue path is pre-authorized for later evidence, not run now.

Chapter 10 v2 · 10 cards · DRAFT · review_ref: PUBLISHER-REVIEW-R5 · PUBLISHER-REVIEW-R6. Compiled against: Chapters 1–9 + 97 §H. The witnesses seated on the volume side; every deposit cashed, every default now ruled or swept, the regime columns joined. — THE SCINTILLA RULEMAKER

CHAPTER 11 — INDICATOR RULES (I)

THE SCINTILLA TRADING RULEBOOK · Chapter draft · v2 (supersedes v1) STATUS: DRAFT (all cards; promotion by publisher testing) · Drafted as a pair with Chapter 10 — written **first** by publisher order (R5: Regime consumes this chapter's gauges next sprint), landing together as "The Witnesses." v2 changelog (PUBLISHER-NOTE-R6.1 + PUBLISHER-REVIEW-R6): R6.1 — all personal attribution stripped: the no-stacking law stands on statistical hygiene alone (correlated features are not independent evidence), and RSI × Williams %R are stated as **distinct instruments, both at full standing**, with the audit measuring their real overlap under its own neutral conservative default — no prior lean, no one's opinion of the pair (I-2, I-7, I-8, I-12 reworded; mechanics unchanged). I-R1 — dyn.set stays narrow ({SMA-50, SMA-200}), ratified. I-R2 — the dynamic-claim wall stays categorical for v1 with its reopening pre-authorized on evidence (noted at I-4). I-R3 — MACD's pre-authorized graveyard confirmed (noted at I-7). Open questions RESOLVED in place.

SUMMARY: Witnesses, never judges. The chapter states what an indicator is allowed to be in a book where the close is the only truth-bearer: a grader of confirmed events (C-10's channel), a gauge the regime chapter will read, or — in exactly one supervised case — a *reference price* (the dynamic level, V-19 cashed here). It gives the house set their primary-source formulas by citation to 97, defines which indicator events have standing, makes divergence mechanical by indexing it to confirmed swings, prices correlated witnesses with a law instead of a habit, and closes with the register this chapter is really for: the forbidden-uses list, per indicator, each entry citing the law it would break.

For the loop engineer: every formula this chapter cites already has its fixture in 97 (§§A, C–G, J) — TA-Lib cross-checks are the L1 oracle lane per your Sprint 2 plan. The RSI × %R independence audit (I-2/I-8) is testing job #2, standing since R1. Nothing in this chapter produces a verdict, so nothing here needs the ladder's verdict machinery — witnesses enter as grade columns and gauge states.

Compiles against: Chapters 1–10 (the CH 10 touchpoints are deliberate and few: one witness pool, one no-stacking law — volume-derived *series* are Chapter 10 citizens, not this chapter's) · 97 §§A, C, D, E, F, G, J. Cited by: 12, 13, 14, 16.

BLOCK ONE — THE DOCTRINE

I-1 — THE WITNESS DOCTRINE (WHAT AN INDICATOR MAY BE)

- **RULE:** An **indicator** is any series computed from the series of record (V-1) by a declared formula with registry parameters. An indicator may serve in exactly three capacities, each supervised by existing law: **(1) GRADER** — its declared states join C-10 grader lists through explicit join tables (B-4's pattern); witness "confirmation" in this book means *corroboration* — a grade contribution to a break that already confirmed by close-composition, never a C-2 confirmation (C-9's wall stands whole). **(2) GAUGE** — its declared states are regime/context inputs consumed by CH 13's detector options (I-10/I-11); any activity consequence of a gauge is CH 13's to argue, and any such gate must argue against A-6's standard and clear the same bar (R5-R-2 — A-6 is the book's sole sanctioned activity gate). **(3) REFERENCE** — a declared member of `dyn.set` may serve as a dynamic level (V-19, constructed at I-4), whereupon everything *at* it is Chapter 4's law, not this chapter's. No fourth capacity exists. An indicator never creates, confirms, voids, rescues, or vetoes a price verdict, and never expires one (T-8 — no opinion retires a trend).
 - **CONFIRMATION:** Each capacity's own law: C-10 computation for grades; CH 13's cards for gauges (forward-stub); V-19's declaration for references.
 - **INVALIDATION:** A card citing an indicator in any CONFIRMATION or INVALIDATION clause of price machinery fails at review (C-9); an undeclared capacity is prose, not analysis.
 - **WHY IT MATTERS:** The field's indicators died of promotion — tools built as *measurements* were resold as *signals*, and every backtest graveyard is full of the difference. Three capacities, each under existing law, is the whole chapter; the rest is formulas and the list of what they may not do.
 - **STATUS:** DRAFT
-

I-2 — THE NO-STACKING LAW (CORRELATED WITNESSES COUNT ONCE)

- **RULE:** Grader lists and gauge sets count **independent** witnesses. Two witnesses are **one witness** when either: (a) they are arithmetic transforms of each other — an **identity pair**, declared by law, no measurement needed (the register opens with `%R/Stoch-%K`, I-8); or (b) the **independence audit** prices their overlap above the line: on the calibration class, compute rank correlation of the two series (`audit.rhoWindow` bars), event-agreement rate ($P(\text{both fire} \mid \text{either fires})$ across stamped witness events), and conditional lift (does B's state change measured follow-through given A's state — the conditional-information test). A pair with $\text{rank-corr} \geq \text{audit.rhoMax}$ **or** $\text{conditional lift} \leq \text{audit.liftMin}$ is stamped ONE-WITNESS: it may contribute at most one grade unit wherever both appear. Audit standings live in the registry (`audit.pairs` table); pairs awaiting audit are **UNAUDITED** and default to one joint grade unit until the audit runs — **the audit's own conservative default, a neutral statistical posture** (double-counting correlated evidence inflates false confidence; a temporary joint seat merely defers weight), favoring neither instrument and encoding no one's opinion of any pair. Seeded queue: `{RSI × %R}` first (testing job #2 — two distinct instruments; the audit measures their real overlap with no prior lean); `{MACD × MA-slope}` second (I-7 — construction overlap is arithmetic fact: MACD is built from the house EMAs; whether independent information survives

it is the audit's number). The law binds **all witnesses in the book** — this chapter's and Chapter 10's volume graders (Q-3) alike; one pool, one standard.

- **CONFIRMATION:** Identity pairs by declaration; audited pairs by the audit's published run (vintage-stamped, B-11 discipline).
 - **INVALIDATION:** A grade or gauge read counting a ONE-WITNESS pair (or an unaudited presumed-correlated pair) as two units is corrupt; analyses built on it are void.
 - **WHY IT WORKS:** Five oscillators agreeing is one crowd measured five ways — the confluence self-delusion in indicator costume (B-9's warning, witness side). The law is standard statistical hygiene, true on its own arithmetic: counting correlated features as independent evidence inflates confidence without adding information. The audit operationalizes it — genuinely different witnesses earn their second seat by measurement; mirrors get one; nobody's opinion sits anywhere in the chain.
 - **STATUS:** DRAFT
-

BLOCK TWO — MOVING AVERAGES

I-3 — MOVING AVERAGE CONSTRUCTION (THE HOUSE SET)

- **RULE:** Three constructions, primary-source exact, formulas by citation to 97 §A: **SMA** (arithmetic mean of the last N closes) · **EMA** ($\alpha = 2/(N+1)$, seeded with $SMA(N)$ at the first full window) · **RMA** (Wilder's, $\alpha = 1/N$ — the smoother *inside* RSI/ATR/ADX). Declaration is per rule: `ma.type` and `ma.period`, never "the moving average." **The mixing law:** $RMA(N) \approx EMA(2N-1)$; silently substituting one for the other is the field's #1 cross-implementation bug (97 §A), so any card reading an MA states its type, and any implementation is fixture-checked before use (96's L0). The **house set** `ma.houseSet` — v1 proposal {20, 50, 200} — is a registry parameter naming which periods this book's witnesses and dynamic levels may be built from; periods are parameters, not gospel, and the set exists to cap the search space, not to flatter round numbers.
- **CONFIRMATION:** Value computable at every `t_close` from bar `ma.period` onward (V-8 — the MA of a forming bar does not exist).
- **INVALIDATION:** An undeclared type or period, an MA read intrabar, or any **centered/two-sided** variant (it repaints by construction — V-14 bars it book-wide) is malformed.
- **WHY IT MATTERS:** An average is the cheapest memory the book owns, and the only honest one — it forgets on a stated schedule. Everything an MA will be allowed to do (I-4, I-5, I-10) sits on these three definitions being exactly one thing each.
- **STATUS:** DRAFT

I-4 — THE DYNAMIC LEVEL, CONSTRUCTED (V-19 CASHED) — AND ITS LIMIT

- **RULE:** A member of `dyn.set` (registry subset of the house set; v1 proposal {SMA-50, SMA-200} — parsimony first, the sweep may widen) serves as a **dynamic level**: its value at each `t_close` is a reference price (V-19), carrying a zone per L-4's width options (`zone.tickFloor` applies) and a role by position (V-20). Behavior at it binds through L-12 **to test-grade only**: tags, test episodes, defenses, quality, WATCH (L-5, L-6, L-7), retirement from `dyn.set` by registry change (not L-10's clocks — a dynamic level has no birth event to age from). **The claim limit (the B-1 reconciliation, stated as law):** a dynamic reference is **TEST-GRADE**, not **CLAIM-GRADE** in v1 — no C-1 claim opens against it, it joins no break chain, and B-1's five-type list is deliberately unamended. The reason is falsifiability, not taste: an MA is a rolling statistic *of the very closes being judged against it* — each approaching close drags the reference toward itself, so a "break" of it is partly self-authored, unlike a level, diagonal, or boundary whose price was fixed by past commitments and moves on no new information. A defended test at an MA is real evidence (someone paid there); a close through an MA is a witness event (I-5), not a claim. **[I-R2]** The wall is categorical for v1, and its reopening is **pre-authorized**: if the loop shows defended MA episodes predicting follow-through like level episodes *and* a handling for the self-authored-reference circularity, DYNAMIC-as-B-1's-sixth-type becomes arguable on schedule — the argument arrives expected, not as a reopening fight.
- **CONFIRMATION:** Declaration in `dyn.set` instantiates the reference; L-5's machinery confirms episodes at it.
- **INVALIDATION:** A claim, confirmation, verdict, or flip cited against a dynamic reference in v1 is malformed (B-1's list governs); an undeclared series used as a level is prose (V-19).
- **WHY IT WORKS:** The MA bounce is real exactly as often as the ledger says defended episodes at declared MAs predict follow-through — which the loop can now measure, because the episodes are stamped. And the claim limit keeps the book from the field's quiet circularity: trading breaks of a line that the trade itself helps draw.
- **STATUS:** DRAFT

I-5 — CROSS EVENTS (WHICH HAVE STANDING)

- **RULE:** Two cross species, one standing rule. **PRICE×MA:** the close of record crossing a `dyn.set` member — stamped MA-CROSS(series, direction) at `t_close`. It is a **witness event**: evidence for gauges (I-10's trend-side input; CH 13 consumption) and a grade input where a join table seats it — never a claim (I-4's limit). **MA×MA:** a shorter house MA crossing a longer (the 50/200 pair is the field's "golden/death cross") — stamped XC(fast, slow, direction) at the `t_close` where the completed bars' values first satisfy the inequality. It is a **gauge event only**: trend-climate evidence for CH 13, with its honesty column (`ind.xcLift` — measured lead/lag and hit rate on the calibration class; the classical literature's own tables show it late by

construction, which is not a flaw — lateness bought smoothness; the column prices the trade). Neither species may appear in any CONFIRMATION clause (C-9), and neither resets any clock.

- CONFIRMATION: The inequality on completed-bar values at t_{close} (V-8; a forming-bar "cross" is rumor).
- INVALIDATION: A cross cited as an entry, exit, confirmation, or verdict fails at review; a cross computed from mixed MA types without declaration (I-3's mixing law) is malformed.
- WHY IT WORKS: A cross is two memories changing order — information about the *past distribution* of closes, delivered late by exactly the smoothing that made it legible. That is a fine witness and a terrible judge, and the book seats it accordingly.
- STATUS: DRAFT

BLOCK THREE — OSCILLATORS

I-6 — RSI (WILDER-EXACT; CONDITIONS, NOT SIGNALS)

- RULE: RSI per 97 §D, Wilder's primary source exactly: U/D splits of close changes, **RMA smoothing** (the TA-Lib-matching form; an SMA-smoothed "RSI" is a different indicator and must say so), $RS = RMA(U)/RMA(D)$, $RSI = 100 - 100/(1+RS)$, $RSI = 100$ when $RMA(D) = 0$. Standing states, all **conditions** (grade/gauge inputs, per I-1): OB ($RSI \geq \text{ob-line}$) · OS ($RSI \leq \text{os-line}$) · MID. Threshold mode $rsi.thresholdMode \in \{\text{FIXED } (rsi.ob/rsi.os, \text{Wilder's } 70/30 \text{ as the classical default}), \text{PERCENTILE (97 §J — the instrument's own rolling q-quantiles; the CH 15 fix for "the index never reads 30")}\}$. **The range-shift law**: in a live S-4 up-trend, RSI's realized range migrates up (the classical up-trend range ~40–80; mirror in down-trends) — so OS readings arrive late or never, and an OS *touch* inside a live opposing trend is not cheap-ness evidence; it is what trending looks like. Range-shift is why PERCENTILE mode exists and why every RSI condition is consumed **regime-tagged** (CH 13 forward-stub: the same reading testifies differently by regime).
- CONFIRMATION: State computable at every t_{close} from bar $rsi.period+1$ onward; threshold lines per the declared mode.
- INVALIDATION: An OB/OS state cited as a reversal signal, an entry, or a verdict-expiry event fails at review (C-9; T-8). An RSI built with the wrong smoother fails the fixture (96 L0) and everything read from it is void.
- WHY IT WORKS: RSI is a normalized momentum *thermometer* — it says how stretched the recent one-sided pressure is, on a 0–100 dial. Thermometers are useful to graders and fatal as triggers: stretched gets more stretched in exactly the markets where the reading looks most actionable. The condition/signal distinction is the whole card.
- STATUS: DRAFT

I-7 — MACD (APPEL-EXACT; THE MOMENTUM WITNESS)

- **RULE:** MACD per 97 §E: $\text{EMA}(\text{macd}.\text{fast}) - \text{EMA}(\text{macd}.\text{slow})$, $\text{Signal} = \text{EMA}(\text{MACD}, \text{macd}.\text{signal})$, $\text{Hist} = \text{MACD} - \text{Signal}$; 12/26/9 are named parameters carrying Appel's defaults, not gospel. Standing events, all witness-class: **ZERO-CROSS** (sign of MACD changes — the two underlying EMAs changed order; a trend-side witness equivalent in kind to an XC event, and jointly audited with it) · **SIGNAL-CROSS** (sign of Hist changes — momentum turning relative to its own smoothing) · **HIST-INFLECTION** (sign of ΔHist changes — candidate-grade only, the noisiest tell in the family; it may appear in no grader list, only as a gauge sub-input where CH 13 asks). MACD is unbounded, so it carries **no OB/OS states** — its testimony is direction and turn of momentum, never stretch. **Audit standing:** MACD is EMA arithmetic over the same closes as the house set — construction overlap is fact, not opinion; the pair {MACD × MA-slope} sits in the audit queue (I-2) under the conservative joint-unit default, and MACD earns independent seating only if the audit shows it adds conditional information beyond the slopes it is built from. **[I-R3]** The pre-authorized graveyard is **CONFIRMED**: no conditional lift → the witness seat retires **SUPERSEDED** with no further ceremony (formula kept in 97 for reference).
- **CONFIRMATION:** Each event on completed-bar values at t_{close} .
- **INVALIDATION:** Any MACD event in a **CONFIRMATION** clause (C-9); histogram events treated above candidate grade; an undeclared parameter triple.
- **WHY IT WORKS:** MACD is the distance between two memories, watched over time — a clean way to see the order-change coming before the XC prints. That earns it witness standing and nothing more; whether it earns even that seat independently is the audit's to price, which is how a book stays honest about its own furniture.
- **STATUS:** DRAFT

I-8 — WILLIAMS %R (FULL STANDING) & THE STOCHASTIC IDENTITY

- **RULE:** %R per 97 §F: $\%R = -100 \times (\text{HH}(N) - C) / (\text{HH}(N) - \text{LL}(N))$, range $-100..0$; Stochastic %K = $100 \times (C - \text{LL}(N)) / (\text{HH}(N) - \text{LL}(N))$. **The identity, by law:** $\%R = \%K - 100$ — the *same number shifted*; { %R, Stoch %K } is the register's founding **identity pair** (I-2a): one witness forever, no audit needed, and any card, grader list, or analysis seating both fails review on its face. %R holds **full witness standing as a distinct instrument** — it reads the close's position against the *extremes* of the lookback (wick information RSI never sees), where RSI reads the smoothed balance of close-to-close changes: different constructions measuring different things. Their real overlap is an **empirical** question, not an arithmetic one, and the audit measures it **with no prior lean** — first in the queue (testing job #2); until it runs, the pair seats under I-2's conservative joint-unit default, a neutral statistical posture, not a judgment that the two are redundant.

Standing states: OB/OS/MID per `wr.ob/wr.os` with the same FIXED/PERCENTILE modes and the same regime-tagged consumption as I-6.

- **CONFIRMATION:** State computable at every `t_close` from bar `wr.period` onward.
 - **INVALIDATION:** %R and %K seated as two witnesses (identity breach) — or %R and RSI seated as two before the audit clears them — voids the read (I-2).
 - **WHY IT WORKS:** The close's position inside the recent high-low range and the smoothed balance of up-versus-down closes are different measurements of different things; whether and where they overlap is a number, not a debate. The audit measures it, and until then the book neither stacks the pair by habit nor collapses it by opinion — two distinct instruments, one neutral default, and a measurement on the calendar. That is the difference between respecting tools and guessing about them.
 - **STATUS:** DRAFT
-

I-9 — INDICATOR SWINGS, DIVERGENCE & FAILURE SWINGS (MECHANICAL, SWING-INDEXED)

- **RULE: Divergence is swing-indexed or it is nothing.** Over the last two confirmed same-side price swings of the structure sequence (S-1; degree and method declared), sample the declared indicator's value **at each swing's bar**: **DIV-HIGH** (the high-side regular divergence) = the price pair is an HH event (S-2) while the indicator's sampled values print lower by $\geq \text{div.minDelta}$ (indicator units); **DIV-LOW** = mirror at lows (LL with higher indicator samples). (The classical names — "bearish/bullish divergence" — are banned spellings here: direction words belong to verdict fields alone (V-22), and a divergence is an annotation, never a verdict.) The divergence is stamped at the *later swing's confirmation bar* (it inherits the swing lag — no lookahead, V-14 clean) and is an **evidence annotation** (grade-class): never a verdict, never an expiry, and consumed regime-gated — **divergence against a strong trend heads CH 13's inversion list** (deposit standing since the assessment §7.6): in a live S-4 trend carrying WALK (D-7) or RUNAWAY (B-7) witnesses, regular divergence carries zero or inverted weight, per the table CH 13 will own. Hidden divergence is **second-wave** (`div.hidden`, registry stub — excluded v1). **Failure swings (Wilder's, the single-series case):** indicator swings are SW-F applied to the indicator series itself (`isw.n`, same confirmation lag law); an OB-excursion followed by a confirmed lower indicator swing-high below the OB line, then the indicator closing below the intervening indicator swing-low, stamps FAILURE-SWING(HIGH) — the mirror from OS stamps FAILURE-SWING(LOW). Grade-class evidence, same consumption discipline as divergence.
- **CONFIRMATION:** The later swing's confirmation event (divergence); the completing indicator-swing event (failure swings). All `t_close` facts.
- **INVALIDATION:** Divergence read from candidate swings, from eyeballed indicator peaks (unconfirmed indicator swings), from mixed degrees, or across an `isw.n/swing.n` mismatch without declaration, is void. Divergence cited as a standalone reversal signal fails at review (C-9; the inversion deposit exists because the naive read is *worst* precisely where it is most tempting).

- **WHY IT WORKS:** Divergence folklore fails on two hinges: nobody says which peaks count, and nobody says when it's allowed to testify. Indexing to confirmed swings fixes the first mechanically; regime-gating (CH 13's inversion table) fixes the second empirically. What survives is a real measurement — pressure waning at the margin — allowed to speak exactly where waning pressure historically mattered.
 - **STATUS:** DRAFT
-

BLOCK FOUR — GAUGES AND THE REGISTER

I-10 — VOLATILITY GAUGES (FOR THE REGIME CHAPTER)

- **RULE:** Two gauge options over V-25's unit, formulas per 97 §§C, J: **VOL-RATIO** — $\text{ATR}(\text{vol.nFast})/\text{ATR}(\text{vol.nSlow})$, states HIGH-VOL ($> \text{vol.hi}$), DEAD-VOL ($< \text{vol.lo}$), NORMAL; **VOL-PCTL** — ATR's rolling percentile rank over vol.window bars, states by q cutoffs (the §J pattern — the instrument defines its own "high"). Gauge states are stamped at every t_{close} and consumed by CH 13's regime detector options and by CH 16's sizing knobs (volatility-scaled exposure is a legal knob under the invariance law — forward-stubs, both). Gauge states are conditions; they confirm nothing, gate nothing here (A-6/R5-R-2 discipline — any gauge-driven stand-down is CH 13's to argue).
 - **CONFIRMATION:** Computable at every t_{close} once the longest window fills.
 - **INVALIDATION:** A volatility state in a CONFIRMATION clause, or a gauge computed across an un-reseeded split boundary (V-25's ATR law), is void.
 - **WHY IT WORKS:** Volatility regime is the weather the price rules trade in — the loop's own Sprint-1 result (edge on trending, negative on mean-reverting, none pooled) is the empirical case that the *same rule* means different things under different skies. The gauges are the barometer; CH 13 reads it; nothing here forecasts with it. [v2 note, D6 — 2026-09-25] The evidence behind this sentence is the loop's synthetic-control run only (feed synthetic-v1, 7 DRAFT verdicts for the swing rule, last decided 24 Jul 2026; lockbox untouched). No real-data verdict exists. Read "measured" / "proved" as *on synthetic controls* until one does.
 - **STATUS:** DRAFT
-

I-11 — TREND-STRENGTH GAUGE (ADX, THE CROSS-CHECK WITNESS)

- **RULE:** ADX/DMI per 97 §G, Wilder-exact ($\pm \text{DM}$ exclusivity, RMA throughout, $\text{DX} \rightarrow \text{ADX}$) — with §G's warning made law: ADX has the most implementation variants in the wild, so **no ADX**

value is admissible from an unfixtured implementation (96 L0 is mandatory before first use). Standing states: TREND-STRONG ($ADX \geq \text{adx.trendMin}$; v1 toggle {20, 25, PERCENTILE}) · TREND-WEAK (below) · plus the direction pair (+DI vs -DI order) as a side witness. Seating: ADX is a **cross-check gauge** for CH 13 — the price-native detector (S-4 verdict live / R-object live / neither, completed at R4) is primary because it is built from the book's own confirmed events; ADX is the independent second opinion whose *disagreement* with the price-native read is itself information (the disagreement column ships in CH 13's tables — forward-stub). Never an entry timer, never a filter inside price machinery.

- CONFIRMATION: States at every t_{close} once seeded (§G).
- INVALIDATION: ADX in any CONFIRMATION clause; a TREND-STRONG state used to *extend* a verdict's life (T-8 breach); an unfixtured implementation's output anywhere.
- WHY IT WORKS: The book already knows whether a trend exists — S-4 is the fact. What ADX adds is a continuously-valued *how hard is it pressing*, measured a different way; where the two disagree, one of them is early, and the ledger can say which one tends to be. A second thermometer is only useful if you record when it argues with the first — so the book does.
- STATUS: DRAFT

I-12 — THE FORBIDDEN-USES REGISTER (THE CHAPTER'S SPINE)

- RULE: Per indicator, the uses barred from every card and every analysis published under this book's name, each with its citation: **MA**: cross as entry/exit signal (C-9; I-5) · centered/zero-lag repainting variants (V-14) · undeclared "the moving average" (I-3) · claims against MAs (I-4's limit; B-1). **RSI**: OB/OS as reversal signal (C-9) · OS-touch as cheap-ness inside an opposing live trend (I-6's range-shift law) · fixed thresholds asserted cross-class without the PERCENTILE alternative tested (T-11; §J). **MACD**: any event above witness class (C-9) · histogram inflection above candidate grade (I-7) · seating alongside MA-slope pre-audit (I-2). **%R/Stoch**: both seated anywhere (identity, I-8) · RSI and %R seated as two independent units before the audit prices the pair (I-2's conservative default). **Divergence**: unconfirmed-peak divergence (I-9) · standalone reversal use (C-9) · un-gated use against WALK/RUNAWAY trends (I-9's inversion deposit). **ADX/vol gauges**: any use inside price machinery's confirmation/invalidation (C-9) · verdict life-extension (T-8) · unfixtured ADX (I-11). **All**: intrabar values (V-8) · forming-aggregate values (V-6) · per-chart post-hoc threshold tuning (T-11; the registry is the only home parameters have) · counting correlated witnesses twice (I-2). This register is append-only; removing an entry requires the T-11 re-admission standard (stated rule + evidence).
- CONFIRMATION: Editorial at review — the register is checked against every new card and every published analysis.
- INVALIDATION: One register breach fails the card or the analysis; a breach traced into a verdict voids it.
- WHY IT MATTERS: Every indicator in this chapter is a good measurement that became a bad religion somewhere in the field's history. The register is the chapter's real product: the formulas

say what the tools are; this list is what keeps them that.

- STATUS: DRAFT

PARAMETER REGISTRY ENTRIES (introduced by this chapter)

PARAMETER	DOMAIN	CARD	PROPOSED TEST RANGE
ma.houseSet	period set	I-3	{20, 50, 200} v1; sweep may widen
ma.type / ma.period	SMA · EMA · RMA / int ≥ 2	I-3	per rule (97 §A registered; formalized here)
dyn.set	subset of house set	I-4	{SMA-50, SMA-200} – narrow ratified (I-R1)
ind.xcLift	honesty table	I-5	loop-filled
rsi.period	int ≥ 2	I-6	9–21 (14 classical)
rsi.thresholdMode	FIXED · PERCENTILE	I-6	both (bake-off)
rsi.ob / rsi.os	0–100	I-6	65–80 / 20–35
macd.fast / macd.slow / macd.signal	ints	I-7	12/26/9 ± neighborhoods
wr.period	int ≥ 2	I-8	10–20
wr.ob / wr.os	–100..0	I-8	–20/–80 classical; PERCENTILE toggle
audit.rhoWindow / audit.rhoMax / audit.liftMin	bars · 0–1 · lift units	I-2	252–504 · 0.8–0.9 · loop-proposed
audit.pairs	standings table	I-2	seeded: {R,%K} identity · {RSI,%R} queued · {MACD,MA-slope} queued
div.minDelta	indicator units > 0	I-9	per indicator (RSI 2–5)
div.hidden	EXCLUDED · option (stub)	I-9	second wave
isw.n	int ≥ 1	I-9	2–5 (mirror swing.n)
vol.nFast / vol.nSlow / vol.hi / vol.lo / vol.window	per 97 §C/§J	I- 10	14 · 100 · 1.15–1.35 · 0.65–0.85 · 252
adx.period / adx.trendMin	int · {20, 25, PERCENTILE}	I- 11	14 · all three

SOURCES

Wilder 1978 (RSI, ADX/DMI, the RMA smoother, failure swings — primary source, formulas exact) · Appel (MACD — primary) · Williams (%R) · Lane (Stochastic %K/%D) · Brown (RSI range rules — the range-shift law's ancestry) · Murphy and Edwards, Magee & Bassetti (MA doctrine and crossover lineage; what the classical tables already admit about lateness) · Colby (the encyclopedia's crossover-system results — why XC ships with a lift column) · Lo, Mamaysky & Wang 2000 (formalizability of indicator-conditioned reads) · Aronson (data-mining discipline behind the audit and the register) · 97-CORE-MATH §\$A, C–G, J (every formula's fixture home).

OPEN-DEPOSITS (claims on later chapters)

To CH 12 (Patterns): divergence annotations at pattern boundary swings (M/W formations read I-9 stamps as grade input; no pattern may cite an indicator in confirmation). **To CH 13 (Regime):** the detector consumes I-10 states and I-11's cross-check (disagreement column); the **inversion list opens with divergence-against-strong-trend** (I-9); regime-tagged consumption of every oscillator condition (I-6/I-8); any gauge-driven activity gate must argue against A-6's standard (R5-R-2) — CH 13's burden, stated in advance. **To CH 14 (MTF):** witness events carry tf-of-record like all events; no indicator may be read cross-frame outside M's authority rules. **To CH 15 (Universe):** PERCENTILE threshold modes (§J) are the class-calibration mechanism; `dyn.set` conventions per class. **To CH 16 (Risk):** witness grades size through C-10's channel (grade sizes, never gates); volatility-scaled exposure reads I-10. **To the loop:** the $RSI \times \%R$ audit design is ready to run when fixtures exist (I-2's three measurements); `ind.xcLift` and the audit standings are the chapter's first honesty tables.

OPEN QUESTIONS — RESOLVED (PUBLISHER-REVIEW-R6)

1. ~~`dyn.set` scope~~ **RESOLVED (I-R1): NARROW now** — {SMA-50, SMA-200}; parsimony first, and the loop's defended-episode evidence argues any widening.
2. ~~The dynamic-claim limit~~ **RESOLVED (I-R2): the wall stays CATEGORICAL for v1, reopening pre-authorized.** B-1's five-type list stays closed; if the loop shows level-like prediction at MA episodes *and* a handling for the self-authored-reference circularity, the sixth-type argument arrives on schedule, expected.
3. ~~MAGD's seat~~ **RESOLVED (I-R3): pre-authorized graveyard CONFIRMED** (the R5-R-4 pattern applied to a witness) — no conditional lift beyond the house slopes → SUPERSEDED, formula retained in 97.

Chapter 11 v3 · 12 cards · DRAFT · review_ref: PUBLISHER-REVIEW-R5 · PUBLISHER-REVIEW-R6 · PUBLISHER-NOTE-R6.1. Compiled against: Chapters 1–10 + 97. Witnesses seated, pairs priced by measurement or held at the neutral default, the register armed — and no fingerprints on any of it. CH 13 consumes I-10/I-11 this sprint. — THE SCINTILLA RULEMAKER

CHAPTER 12 — PATTERN RULES (P)

THE SCINTILLA TRADING RULEBOOK · Chapter draft · v2 (supersedes v1) v2 changelog (per PUBLISHER-REVIEW-R8, folded 2026-09-25 — decision D1): the three open questions are resolved in place below (P-R1, P-R2, P-R3), in the same form R2–R6 already use. No card text changed. The footer's review_ref is corrected: the Sprint 8 go-ahead was R7, not R6 (R7 §5). **STATUS: DRAFT** (all cards; promotion by publisher testing) · Sprint 8 ("Finish the Draft") — written with Chapters 15 and 16; the full first draft completes with this trio.

SUMMARY: The cheapest chapter in the book after Diagonals, **by design, and it says so**: every pattern here is a named composition of objects that already exist, triggered by the one break chain that already exists, measured by the one objective grammar that already exists, graded by witnesses already seated, and failed through machinery Chapter 9 already owns. This chapter contributes exactly three things: the compositions (what the names mean, by citation), the candidacy discipline (a pattern is inert until its chain fires), and the honesty tables (Bulkowski's numbers as external seeds, the loop's as promotion). Downstream never needs a pattern's name — regime, aftermath, and risk read the chain, which is why Chapter 13 was written without citing this chapter and lost nothing. If a card below ever seems to need new machinery, that is the card failing, not the machinery.

Compiles against: Chapters 1–11 + 97 §L (X and M are not required: patterns reach them through the chain's stamps, never by name). Cited by: 16 (setup-class participation only).

BLOCK ONE — THE LAW

P-1 — THE COMPOSITION LAW (PATTERNS DEFINE NO MACHINERY)

- **RULE:** A **pattern** is a named composition: a **definition sequence** (cited objects and events from Chapters 1–11 with tolerance predicates in scale units), a **pattern reference** (the level, diagonal, or boundary the composition nominates), and a **trigger** = the ordinary B-1 chain against that reference. From the claim onward the pattern contributes nothing: confirmation is C-2's, failure routes per B-8, aftermath is Chapter 9's, regime treatment rides the chain's stamps (X never learns the pattern's name), objectives use B-6's grammar with pattern-supplied heights (§L), and volume/indicator witnesses grade through the standing joins (Q-3/Q-7, I-9). **Candidacy discipline (V-11's pattern, composition edition):** a detected composition is a **CANDIDATE** — inert: no verdict, no gate, no annotation exported — until the trigger chain's claim opens; candidates die silently by their stated candidate-invalidity or by expiry (pat.candidateClock). **The admission rule:** a pattern enters this chapter only if its definition

compiles entirely to existing citations; a pattern needing a new primitive must first argue that primitive into the owning chapter (T-5/T-12), then compose.

- **CONFIRMATION:** Each part's own law; this card adds no event.
 - **INVALIDATION:** A pattern card restating break, retest, objective, or grading machinery fails one-rule-one-home; a candidate treated as evidence anywhere fails review.
 - **WHY IT WORKS:** The field's pattern chapters fail by fission — every formation grows private triggers, private targets, private folklore, until the book is thirty small books that disagree. Composition is the cure: one chain, one grammar, one ledger, many names. The names earn their keep only as *statistical categories* — rows in tables — which is all they ever mechanically were.
 - **STATUS:** DRAFT
-

P-2 — THE PATTERN-IN-STRUCTURE GATE (CONTEXT IS PART OF THE DEFINITION)

- **RULE:** Every pattern card declares its **structural precondition** as part of the definition sequence — read from the ledgers at candidacy, not judged: reversal compositions (P-4, P-5) require a live or just-died opposing S-4 verdict within pat . contextLookback bars (a "top" with no prior up-trend is congestion wearing a costume); continuation compositions (P-6) require the impulse leg their projection cites (S-8's machinery); the rectangle inherits the range's own birth law (no extra gate). The precondition filters **candidacy** — bookkeeping, not activity, so no A-6/X-4 burden arises — and the trigger chain itself obeys X-4's lookup like any chain: patterns get no activity exemption in any regime, ever. Where a reversal pattern's reference sits at the structure floor/ceiling (the usual case — an H&S neckline is ordinarily the last HL's neighborhood), its chain is the void path and is always live (X-4's falsifiability clause).
 - **CONFIRMATION:** The precondition's objects at candidacy t_close, from stamped ledgers.
 - **INVALIDATION:** A candidate stamped without its precondition is void ab initio; a pattern chain fired around the lookup is malformed.
 - **WHY IT WORKS:** Bulkowski's own tables say the same shape performs differently by what preceded it — a double top after a trend and a double top inside chop are different populations. Folding context into the definition makes the name mean one population, which is what makes its table honest.
 - **STATUS:** DRAFT
-

BLOCK TWO — THE COMPOSITIONS

P-3 — THE RECTANGLE (THE ALIAS, HONORED)

- **RULE:** The **rectangle** is a MATURE range (R-5) under Chapter 7's machinery — R-9's alias, cashed: same birth, boundaries, NMZ, defense classes, death, and failed-break machinery, with nothing duplicated. This card adds only the pattern-ledger row: trigger = the range-boundary chain (already B-1's), objective = OBJ-H range height (already B-6's), volume signature = the boundary-episode columns (Q-5/Q-7), busted = R-7's LOADED-OPPOSITE feeding A-4 (already carded). Any statement about rectangles that is not a citation to Chapter 7 is an amendment to Chapter 7 and must be argued there.
 - **CONFIRMATION:** R-5's maturity at a live range.
 - **INVALIDATION:** A "rectangle" card diverging from range law fails review on its face.
 - **WHY IT MATTERS:** This is the alias that proves the architecture: the book's most-traded "pattern" costs zero new cards. A pattern that is a range gets the range's rules, not a costume — the promise made at R-9, kept here.
 - **STATUS:** DRAFT
-

P-4 — DOUBLE & TRIPLE TOPS AND BOTTOMS (THE M/W FAMILY)

- **RULE: Definition sequence (double top):** an **EQ-H pair** (S-2: consecutive same-side entries within `struct.eqTo1` — the equality grammar inherited unchanged, per the R3-R-4 routing this card now cashes) after the P-2 precondition (live/just-died **TRENDING(up)**), with the intervening confirmed swing low's level (L-1 object) as the **neckline reference**. Triples: an EQ-H run of three (`pat.mwCount = 3` variant); bottoms: mirror on EQ-L. **Candidate-invalidations:** any close beyond the extremes' zone before the trigger (a fresh HH — the trend resumed; the candidate never existed). **Trigger:** the B-1 chain through the neckline level's zone (reference type **HORIZONTAL LEVEL** — everything downstream is standard). **Grades at candidacy and claim (witnesses, never gates):** DIV-HIGH at the second extreme (I-9), reject anatomy at the extremes (E-4), the second extreme's episode volume versus the first (Q-5's grammar — the classical lighter-second-top as a column), E-2 close quality on the claim bar. **Objective:** OBJ-H formation height (extreme→neckline, §L). Busted per P-8.
 - **CONFIRMATION:** The composition's constituent confirmations (all `t_close` facts); the trigger per C-2.
 - **INVALIDATION:** The candidate-invalidation close, `pat.candidateClock` expiry, or — post-trigger — the chain's own C-3/C-6/A-2 machinery, untouched.
 - **WHY IT WORKS:** The M/W family is the crowd failing twice at one price — an EQ-run is the mechanical residue of that failure, and the neckline is where the failed side's inventory finally concedes. The book had every part of this on the shelf; the name just points at the assembly.
 - **STATUS:** DRAFT
-

P-5 — HEAD & SHOULDERS (TOP AND INVERSE)

- **RULE: Definition sequence (top):** under P-2's precondition, the confirmed swing sequence prints HH (head over left shoulder) then **LH** (right shoulder — the sequence's first failure, S-2's event doing the detecting); the **neckline** = a D-1 diagonal through the two intervening confirmed lows, with `diag.roleSlope` = **BOTH permitted** — the pattern-local override argued here as D's deposit required: a neckline's role comes from the formation's geometry, not from the slope-direction convention that governs standalone trendlines; it remains a full D-object otherwise (immutable anchors D-6, slope limits D-3, zone per L-4, behavior via D-4). Inverse: mirror. **Candidate-invalidations:** a close beyond the head's zone pre-trigger. **Trigger:** the B-1 chain against the neckline (reference type DIAGONAL). Note for honesty: the right-shoulder low is ordinarily the trend's last HL, so the neckline chain is typically the BOS chain wearing a name — the pattern adds the head/shoulder *categorization* (a population for the tables), not a new event; where neckline and floor diverge, both ledgers stamp per B-9's multi-reference law. **Grades:** shoulder-volume decline (left > head > right as Q-5 columns), E-2 quality at the neckline claim, DIV-HIGH across head/right-shoulder. **Objective:** OBJ-H head-to-neckline (\$L).
 - **CONFIRMATION:** Constituent confirmations; C-2 at the neckline.
 - **INVALIDATION:** As stated; and an H&S "called" from unconfirmed swings or a hand-fit neckline (D-9) is void.
 - **WHY IT WORKS:** H&S is the sequence-failure pattern — the first LH after an HH is structure's earliest countable crack, and the neckline is that crack given a price. Naming it buys a population with sixty years of measured statistics (the seed tables), which is the only thing the name is for.
 - **STATUS:** DRAFT
-

P-6 — FLAGS, PENNANTS & TRIANGLES (THE CONTINUATION CONTAINERS)

- **RULE:** All three are **containers after an impulse**, differing only in wall geometry; one card, shared machinery, per-variant parameters. **Precondition:** an impulse leg (S-8's leg machinery) of $\geq \text{flag.poleMin}$ (VOLU units) ending within `flag.gapBars` of container start. **FLAG** = a validated counter-slope channel (D-5; slope against the pole per D-1's roles, duration $\leq \text{flag.maxBars}$). **TRIANGLE** = two validated converging boundaries: symmetric (two D-objects), ascending (flat top: a LEVEL boundary + rising D-support), descending (mirror) — boundary defense classes port per R-4's grammar (episode classification is L-12 machinery, legal on any reference — the CH 7 deposit argued and cashed). **PENNANT** = a short triangle — the same card with `tri.pennantMaxBars`; it shares everything and says so (no fourth machinery). **Apex law (triangles):** the candidate expires untriggered at `apex.frac` of the distance to apex — the classical doctrine as a parameter, and expiry is candidate death, not an event. **Trigger:** the container-boundary chain in either direction (CHANNEL BOUNDARY / DIAGONAL / LEVEL type per the wall) — with-pole breaks are the continuation population, against-pole breaks route to P-8's busted machinery with premium trap context (against-WALK where D-7 stamped it).

Objectives: flags/pennants OBJ-SW pole projection; triangles OBJ-H widest height (§L).

Volume signature: contraction through the container, expansion at exit (Q-2/Q-7 columns — the classical claim as a measured column, never a requirement).

- **CONFIRMATION:** Constituent validations (D-2's defended episodes per wall); C-2 at exit.
 - **INVALIDATION:** Container walls broken pre-validation → no candidate existed; apex/duration expiry; post-trigger, the chain's own law.
 - **WHY IT WORKS:** A continuation container is the market renting a smaller auction inside a bigger conviction — the pole says who is winning, the container says the winners are resting, not leaving (X-2 names the state TREND-IN-RANGE when both ledgers are live, and the stamp rides the chain). Three names, one mechanism, one table family.
 - **STATUS:** DRAFT
-

P-7 — WEDGES (RISING AND FALLING)

- **RULE: Definition:** two validated converging D-objects **sloping the same direction** (both rising = rising wedge; both falling = mirror) — the geometry that distinguishes wedges from P-6's containers; no pole precondition (wedges print as both continuations and terminal structures — the *classical reversal read is a claim for the tables, not a definition ingredient*). Candidate-invalidation: apex law as P-6. **Trigger:** the boundary chain, either direction; direction × prior-context populate the ledger rows (wedge-with-trend vs wedge-against). **Objective:** OBJ-H widest height default; OBJ-SW admissible in the sweep. **Grades:** DRYING-UP across the converging tests (Q-5 — the wedge's classical volume story as a column), divergence stamps at the terminal touches.
 - **CONFIRMATION:** Constituent validations; C-2 at the wall.
 - **INVALIDATION:** As P-6's container law.
 - **WHY IT WORKS:** The wedge is convergence *with a lean* — both sides conceding ground in the same direction, which the folklore reads as exhaustion. The book declines to assume the folklore and instead gives the lean its own table rows; if the reversal read is real, the busted-vs-triggered columns will say so without the definition ever having promised it.
 - **STATUS:** DRAFT
-

BLOCK THREE — FAILURE AND THE LEDGER

P-8 — THE BUSTED-PATTERN LAW (FIRST-CLASS, NOT FOOTNOTE)

- **RULE:** A pattern's failure is the standard machinery with the pattern's stamp attached — nothing new, everything named: a **voided trigger** (C-3) is an A-3 fakeout setup carrying pattern context (PAT-BUSTED(name) joins LOADED-OPPOSITE/against-WALK as trigger context); a **confirmed-then-failed** trigger runs A-2's verdict reset; and the **busted continuation** — the against-pole container exit (P-6/P-7) — is the trap population the aftermath chapter was built for. The empirically loaded fact rides as a *measured claim, never a lean*: the external seed tables report busted patterns frequently outperforming their parents (Bulkowski's busted statistics — the trapped crowd is the fuel, A-3's thesis in pattern costume); `pat.busted0dds` publishes it per pattern × regime, loop-filled, UNMEASURED until then.
 - **CONFIRMATION:** The constituent C-3/A-2/A-3 events, unchanged.
 - **INVALIDATION:** Any busted-specific machinery invented here fails one-rule-one-home.
 - **WHY IT WORKS:** The busted pattern is the fakeout with a famous name — the more public the composition, the more crowded its trigger, the richer its failure. The book gives the failure equal standing with the pattern because that is where its own bias says the money is (B-8's routing bias, kept).
 - **STATUS:** DRAFT
-

P-9 — THE PATTERN LEDGER (SEEDS DECLARED, PROMOTION EARNED)

- **RULE:** Per pattern (and per variant): trigger rate from candidacy · objective hit rate (B-6 columns, \$L bases) · throwback rate (A-1's machinery) · busted rate and busted-follow-through (P-8) · volume-signature lifts (the classical claims priced) · all × the regime column pair (X-9) and class tag. **The external-seed law:** Bulkowski's encyclopedia values may seed otherwise-empty cells, stamped **SEED-EXT** with vintage and source — a seeded cell may be *stated, never recommended* (B-11's law extended: external numbers are testimony from another instrument set and era, not this book's measurement); only loop-filled cells on the calibration class promote a claim past stated. A pattern whose loop columns stay flat against its seed columns is a candidate for the exclusion list by evidence (T-11 in reverse).
 - **CONFIRMATION:** Every published pattern rate resolves to a cell with vintage, source class (SEED-EXT vs LOOP), state and class tags.
 - **INVALIDATION:** A seeded cell consumed as a recommendation, or a naked pattern claim, fails review.
 - **WHY IT WORKS:** Pattern lore is the field's largest inventory of unaudited numbers — this chapter inherits the best external audit that exists, labels it as testimony, and makes the machine earn the promotion. The name's whole value is its row; the row's whole value is its vintage.
 - **STATUS:** DRAFT
-

P-10 — THE EXCLUSION LIST (WHAT THIS CHAPTER REFUSES)

- **RULE:** Named and excluded from v1, each with its ground, re-admission per T-11 (stated rule + evidence): **cup-and-handle**, **rounding tops/bottoms** (no compileable definition — "roundness" has no confirmed-swing sequence; a kernel-regression restatement would need V-14-safe machinery argued into Chapter 1 first) · **broadening formations** (diverging boundaries flunk D-2 validation economics — each touch is farther from the last; admissible only with evidence the class predicts) · **harmonic/Fibonacci-ratio patterns (Gartley family)** (ratio predicates are testable in principle, but the compositions multiply free parameters faster than any table can pay for — T-11's bar plus Aronson's discipline; the S-8 RD-FIB bands remain the book's only Fibonacci citizens) · **candlestick formations beyond Chapter 2's anatomy** (E-1..E-7 already own bar anatomy; a named two-candle "pattern" is an E-composition and may be proposed as one, not as a new family). The list is append-only in both directions: additions with grounds, removals with evidence.
- **CONFIRMATION:** Editorial at review; the list is checked against incoming proposals.
- **INVALIDATION:** An excluded name appearing in analysis under this book's name fails review.
- **WHY IT MATTERS:** A pattern chapter is judged by what it declines — every admission is a permanent tax on the testing surface and the reader's attention. Ten compositions with honest tables beat forty names with folklore, which is the three-iron-rules doctrine applied to the chapter most tempted to break it.
- **STATUS:** DRAFT

PARAMETER REGISTRY ENTRIES (introduced by this chapter)

PARAMETER	DOMAIN	CARD	PROPOSED TEST RANGE
pat.candidateClock	bars	P-1	20–60
pat.contextLookback	bars	P-2	10–30
pat.mwCount	2 · 3	P-4	both
flag.poleMin	VOLU units	P-6	2–4
flag.gapBars	bars	P-6	1–5
flag.maxBars	bars	P-6	5–15
tri.pennantMaxBars	bars	P-6	5–10
apex.frac	0–1	P-6/P-7	0.6–0.8
pat.bustedOdds / pattern ledger family	honesty tables	P-8/P-9	SEED-EXT (Bulkowski) → loop-filled

SOURCES

Bulkowski (the Encyclopedia — the seed tables, the busted-pattern statistics, and the empirical case that pattern claims must carry numbers) · Edwards, Magee & Bassetti (H&S, rectangle, and measured-move doctrine — the classical definitions these compositions mechanize) · Murphy (continuation/reversal taxonomy; volume signatures as lore, here priced) · Kirkpatrick & Dahlquist (the evidence review that patterns survive formalization or don't) · Lo, Mamaysky & Wang 2000 (the feasibility proof — patterns as formal sequences, this chapter's academic license) · Brooks (flags and the failure-side bias) · 97 §L (every objective's math home) · Internal: S-2 (the equality grammar), D-1..D-7 (walls), R-5/R-9 (the alias), B-1/B-6 (chain and grammar), A-2/A-3 (the failures), Q-5/Q-7 and I-9 (the witnesses).

OPEN-DEPOSITS (claims on later chapters)

To CH 16 (Risk): patterns are a *setup class* for profile participation only (K reads grades and classes, never names-as-magic); no pattern-specific knobs exist. **To the loop:** candidacy detection compiles entirely from stamped objects (EQ-runs, sequences, validated walls) — the pattern lane is a consumer of existing detectors plus tolerance predicates; the seed-vs-loop comparison columns (P-9) are the cheapest fraud-catcher in the book (if the loop can't reproduce the encyclopedia's direction on the calibration class, the seed was another era's truth).

OPEN QUESTIONS — RESOLVED (PUBLISHER-REVIEW-R8)

1. ~~Triple-family scope (P-4)~~ **RESOLVED (P-R1): KEEP THE VARIANT** — a ledger can always merge thin rows; it can never split merged ones. `pat.mwCount = 3` ships as its own variant row; if the loop's counts never separate it from the double, merging is one migration.
2. ~~Wedges' reversal folklore (P-7)~~ **RESOLVED (P-R2): NO PRIOR — ship as table rows** — the classical "rising wedge = bearish" read is the least-replicated of the classical set and gets no head start; it ships as busted-vs-triggered columns and the data settles it. No R-form recorded lean.
3. ~~The exclusion list's cup-and-handle (P-10)~~ **RESOLVED (P-R3): STAYS EXCLUDED; the re-admission path is scheduled, not walked** — no compileable definition, no admission (P-10). Flagged as a future CH 1 method-option candidate (a kernel-extrema SW-P restatement), unscheduled.

Chapter 12 v2 · 10 cards · DRAFT · review_ref: PUBLISHER-REVIEW-R7 (Sprint 8 go-ahead) · PUBLISHER-REVIEW-R8. Compiled against: Chapters 1–11 + 97 §L. Ten compositions, zero new machinery, every name reduced to a row it must earn. The cheap chapter, priced honestly. — THE SCINTILLA RULEMAKER

CHAPTER 13 — CONTEXT & REGIME RULES (X)

THE SCINTILLA TRADING RULEBOOK · Chapter draft · v2 (supersedes v1) v2 changelog (per PUBLISHER-REVIEW-R7, folded 2026-09-25 — decision D1): the three open questions are resolved in place below (X-R1, X-R2, X-R3), in the same form R2–R6 already use. No card text changed. **STATUS: DRAFT** (all cards; promotion by publisher testing) · Drafted as a pair with Chapter 14 ("The Context Pair," Sprint 7) — written first: this is the keystone the loop is blocked on (A2's regime law bars pooled promotion; until this chapter exists there is no stated regime to condition on).

SUMMARY: The chapter that turns a signal into a decision. The regime taxonomy the book has been building across six chapters, now stamped as one total, single-valued state; the detector options with their disagreement ledger; the governing-rules lookup — which rule families may open, per regime, argued past A-6's standard on the record; the climate axis; the rules that invert by regime; regime change and the dead zone after it; the calendar home, where the earnings default is finally ruled; and the backfill that puts a regime column on every honesty table in the book. The empirical spine under all of it is the loop's own first result: the break chain has **no unconditional edge** — +0.36 ATR on trending synthetic data, negative on mean-reverting, nothing pooled. Context is not decoration. It is where the edge lives.

For the loop engineer: X-2's state stamp is the conditioning variable the promotion path needs (A2 §2.3 — no pooled promotion; provisional green only *within a stated regime*). Every state here is built from events you already compile: S-4 verdicts, R-objects, S-5 states, I-10/I-11 gauge states, Q-6 climaxes. Nothing in this chapter requires new detection machinery — it requires reading what the ladder already stamps.

Compiles against: Chapters 1–11 + 97 §§C, G, J. (CH 12 is deliberately not required: patterns arrive as B-1 chains and inherit regime treatment through the chain — this chapter never needs to know a pattern's name.) Cited by: 14, 15, 16.

BLOCK ONE — THE DEFAULT AND THE FACT LAYER

X-1 — THE UNCLEAR-REGIME DEFAULT (FEWER RULES, NOT MORE)

- **RULE:** Whenever the regime state of record (X-2) is not decidable at a t_{close} — or the dead zone runs (X-7) — the governing set contracts to the **minimal core**: claims already in flight resolve under full C-machinery (claims always resolve — the iron clause inherited from A-6); all object bookkeeping continues (sequences accumulate per S-1/S-2, episodes stamp per L-5,

states transition per L-8/L-10, verdicts live and die by their own law); and **no new setup-class rule may fire** — no fresh claims from B-chain entries-as-setups, no A-3/A-4/A-5 trap entries, no WATCH-derived positioning. The default is contraction, never expansion: an unclear tape is answered with fewer rules, not cleverer ones. (Promoted to a card from assessment §7.5; this is the ancestor A-6 cited, now the law of the whole lookup.)

- **CONFIRMATION:** The X-2 detector returns no decidable state, or X-7's clock runs, at `t_close`.
 - **INVALIDATION:** A decidable X-2 state outside the dead zone — the full lookup (X-4) resumes. A rule found firing under the minimal core that is not on the core list fails at review.
 - **WHY IT WORKS:** Incoherence in the state read is information about the fit between model and tape, not about direction. Every mechanical system's worst losses come from forcing its full rule set onto a tape that matches none of its templates — the cheapest vaccine is scheduled restraint, stated as the default rather than rediscovered as a regret.
 - **STATUS:** DRAFT
-

X-2 — THE REGIME TAXONOMY (PRICE-NATIVE, TOTAL, SINGLE-VALUED)

- **RULE:** The **regime state of record** on a declared (`tf`, `swing.method`, `swing.degree`) is exactly one of four values at every `t_close`, computed from objects the book already stamps:
TRENDING(direction) — a live S-4 verdict and no live range object · **RANGING** — a live R-object (R-1..R-6) and no live S-4 verdict · **TREND-IN-RANGE(direction)** — both live at once (legal by construction: an S-10 PAUSE can birth a range while the trend verdict stands
EVENT_ONLY — this is the continuation-congestion state the field draws as a flag on the chart and this book reads as a pair of ledgers) · **TRANSITIONAL** — neither live (includes S-5 suspected states and post-death NO-STRUCTURE). The mapping is total and single-valued because each component is a decidable object: two strangers holding the same ledgers hold the same state. Overlapping ranges (R4-R-4) do not multiply states — any live R-object sets the range component. This price-native construction is detector option **RD-PRICE**, the primary (X-3).
 - **CONFIRMATION:** Recomputable at every `t_close` from the S-4/R/S-5 ledgers; the state changes only when a constituent object is born or dies (each a stamped event).
 - **INVALIDATION:** A state read from candidate swings, unconfirmed claims, or a dead range is void; a fifth state, or a rule reading "sort of trending," is malformed.
 - **WHY IT MATTERS:** Every card downstream of this one branches on the state, so the state must be arithmetic on the ledger — not a judgment call wearing a taxonomy. The four values are few on purpose: a regime scheme with nine moods is a discretionary system with extra paperwork.
 - **STATUS:** DRAFT
-

X-3 — DETECTOR OPTIONS & THE DISAGREEMENT LEDGER

- **RULE:** Two detector options for the trend/range axis, one seating law: **RD-PRICE** (X-2) — built entirely from the book's own confirmed events; **the primary by law:** the lookup (X-4) reads RD-PRICE's state and nothing else. **RD-ADX** (I-11, Wilder-exact, fixtured or inadmissible) — TREND-STRONG/TREND-WEAK bands as the independent cross-check; never operative, never an override (the witness doctrine applied to regime: gauges testify, the price-native ledger decides). When the two disagree at a `t_close` — ADX TREND-STRONG while RD-PRICE reads RANGING/TRANSITIONAL, or ADX TREND-WEAK inside a live TRENDING state — stamp **REGIME-DISPUTE(kind)**: an evidence annotation with its own honesty table `regime.disputeOdds` (what follows disputes, by kind: does the price-native read catch up, does the gauge lead, does the dispute itself mark chop — loop-filled; I-11's disagreement-column deposit, cashed). Disputes are grade/context evidence and CH 16 caution inputs; they change no state.
- **CONFIRMATION:** Both detectors computable at `t_close`; the dispute stamp when their reads cross.
- **INVALIDATION:** A lookup keyed to RD-ADX, or any gauge state overriding RD-PRICE, is malformed (the primary is law, not preference — the sweep may argue re-seating only with outcome evidence, per T-11).
- **WHY IT WORKS:** The book's own confirmed events are the only regime authority that cannot disagree with the book — a gauge-driven regime would let an indicator retire rules that price facts support. But a second thermometer that argues with the first is real information *about transition risk*, which is why the dispute is stamped and priced instead of suppressed.
- **STATUS:** DRAFT

BLOCK TWO — THE LOOKUP

X-4 — THE GOVERNING-RULES LOOKUP (ACTIVE / SUSPENDED — THE A-6 BURDEN, ARGUED)

- **RULE:** Per regime state, the **lookup** declares each setup-opening rule family ACTIVE or SUSPENDED. Suspension gates **activity only**: no new claims or setup entries from a suspended family; everything in flight resolves; verdicts, grades, ledgers, and bookkeeping are untouchable. **The falsifiability clause (this card's own iron rule):** no suspension may ever gate the void path of a live verdict — the BOS chain against a live trend's floor, the boundary chain of a live range, and every A-1/A-2 resolution run in every state, always; a regime that could protect its own verdicts from disproof would be a religion with a lookup table. **The v1 lookup (defaults; the table itself is registry object `regime.lookup`, swept by the loop):**

- **TRENDING(d): ACTIVE** — trend-direction B-chain on all five references, S-9 pullback machinery, A-1 retests, trend-direction A-3 (a void against direction d's counter-attack is a with-trend trap). **SUSPENDED** — counter-trend B-chain entries at references *other than* the structure floor/ceiling (the floor's chain is the void path — always live, per the clause).
- **RANGING: ACTIVE** — the boundary families (R-4..R-8 evidence, boundary B-chain, A-4 springs/upthrusts, A-1); R-3 already forbids the middle. Trend families are dormant by absence, not suspension (no S-4 verdict exists — the lookup marks N/A, and honesty demands the distinction: absent is not gated).
- **TREND-IN-RANGE(d): ACTIVE** — boundary machinery both sides (the range is the operative container) plus the trend-direction range-boundary break as the continuation trigger (it carries both stamps — the chain inherits TRENDING context and RANGE-BOUNDARY evidence). Counter-trend boundary setups (the trap against direction d) stay ACTIVE but carry the state stamp — the tables split them; v1 gates nothing it can measure instead.
- **TRANSITIONAL / UNCLEAR / DEAD-ZONE: X-1's minimal core. The A-6 burden (R5-R-2's standard, argued on the record):** A-6 is the book's sole sanctioned activity gate, and any card wanting to suspend activity must argue against its standard and clear the same bar. This card does, clause by clause: it gates activity, never truth (identical scope discipline); it fires on mechanical evidence only — states built from confirmed objects, decidable at every close (A-6's incoherence evidence, generalized from one reference to the whole tape); claims in flight always resolve (the clause inherited verbatim); and it is bounded and stamped (states change only by ledger events, the dead zone by a clock). A-6 remains the only *reference-local* gate; this lookup is the only *regime-scope* gate; any third gate must now argue against both standards.
- **CONFIRMATION:** The lookup entry for (state, family) at each `t_close`; transitions apply from the bar after the state-changing event (V-28).
- **INVALIDATION:** A suspension touching a verdict, a grade, an in-flight claim, or any void path fails the card at review and voids nothing else — the invariance boundary (truth untouchable) is the whole legality of this chapter.
- **WHY IT WORKS:** The loop's first real finding was that the same chain is +0.36 ATR in one regime and negative in another — a rule set that fires identically everywhere converts that spread into noise. The lookup is where the book stops pretending its rules are context-free, without ever letting context touch what is *true*.
- **STATUS:** DRAFT

X-5 — THE CLIMATE AXIS (VOLATILITY & VOLUME — CONTEXT, NEVER GATE)

- **RULE:** Orthogonal to X-2's state, the **climate pair** at each `t_close`: **volatility climate** per I-10 (VOL-RATIO or VOL-PCTL states: HIGH-VOL / DEAD-VOL / NORMAL) and **volume climate** per Chapter 10: CLIMACTIC when $\geq \text{clim.clusterCount}$ CLIMAX events (Q-6) print within `clim.clusterWindow` bars, else the aggregate `relVol` state (Q-2 classes over `vol.baseLen`).

Climate is **context and grade evidence only** in v1: it keys no lookup entry, suspends nothing, and enters every honesty table as the second regime column (X-9) plus CH 16's sizing knobs (volatility-scaled exposure — the legal channel). A climate-keyed lookup extension is second-wave and must argue the A-6/X-4 burden like any other gate — the requirement is stated now so the future argument arrives with its bar already set.

- **CONFIRMATION:** Both climate components computable at every `t_close` from stamped gauge states and climax events.
 - **INVALIDATION:** A climate state in any **CONFIRMATION** clause (C-9), keying any v1 lookup entry, or gating any activity, is malformed.
 - **WHY IT WORKS:** Volatility and attendance are the weather the state plays out in — the same **TRENDING** state means different follow-through in **DEAD-VOL** and **CLIMACTIC** climates, and the tables can prove exactly how much. Making climate a column instead of a gate keeps the chapter honest about what it has measured versus what it merely suspects.
 - **STATUS:** DRAFT
-

X-6 — THE INVERSION LIST (RULES THAT FLIP MEANING BY REGIME)

- **RULE:** An append-only register of evidence whose **grade weight flips sign or zeroes by regime state** — inversions touch grades only, never verdicts, never confirmations (C-9/C-10 unchanged; an inversion is a re-weighting, not a new judge). The v1 list, each entry = (evidence, state, declared weight, honesty column): **(1) Divergence against a strong trend** — heads the list (the deposit standing since assessment §7.6, cashed): in **TRENDING** carrying **WALK** (D-7) or **RUNAWAY** (B-7) witnesses, **DIV-HIGH/DIV-LOW** annotations (I-9) carry weight per `regime.divWeight[state]` — v1 default **zero** in witnessed-strong trends (inverted is admissible in the sweep), full weight in **RANGING** at boundaries. **(2) Oscillator OB/OS conditions** — I-6's range-shift law made operative: an OS state inside **TRENDING**(up) is trending-normal, not cheapness evidence; OB/OS grade weights are per-state (`regime.oscWeight[state]`), v1 default zero with-trend, full at **RANGING** boundaries. **(3) Climax-as-exhaustion** — a **CLIMAX**(side) against a witnessed-strong trend grades as continuation-risk rather than reversal evidence until the table says otherwise (`vol.climax0dds` splits by state — the column exists; the weight follows it). Entries change only by T-12 backfill with outcome evidence; removal follows T-11.
- **CONFIRMATION:** Each inversion applies at grade-computation time from the stamped state; the weights are registry values.
- **INVALIDATION:** An inversion cited to void, expire, or create a verdict fails at review; an unlisted flip applied in analysis is malformed (the list is the law — no ad-hoc inverting).
- **WHY IT WORKS:** The most expensive indicator errors are not wrong readings but right readings consumed in the wrong regime — divergence is genuinely predictive at range boundaries and genuinely ruinous against a walking trend, and the difference is the state, not the tool. The list makes regime-conditioning explicit, bounded, and priced instead of a folk warning.

- STATUS: DRAFT

BLOCK THREE — TRANSITIONS AND THE CALENDAR

X-7 — REGIME CHANGE & THE DEAD ZONE

- RULE: A **regime transition** = any change of X-2's state, stamped at the `t_close` of the causing ledger event (BOS confirmed, S-3 completion, range birth, range death, dissolution). For `regime.deadClock` bars after every transition, the **dead zone** runs: the lookup serves X-1's minimal core regardless of the new state — with the falsifiability clause fully in force (void paths and in-flight resolutions never pause). The transition event carries its origin (which object died/was born) as context for the tables; consecutive transitions inside one dead zone restart the clock and stamp `CHURN(n)` — itself evidence the tape is unresolved (and a dispute-class input to CH 16 caution).
- CONFIRMATION: The state-change at `t_close`; the clock per V-28.
- INVALIDATION: A dead zone suppressing a void path or an in-flight claim is malformed; a new-state setup fired inside the dead zone is void ab initio.
- WHY IT WORKS: The bars immediately after a regime change are where the crowd is repositioning and the new state's statistics have not yet attached — the maximum-misread window. The book's answer is the same as X-1's: scheduled restraint, priced by a clock, instead of confidence exactly where confidence is least earned.
- STATUS: DRAFT

X-8 — THE CALENDAR (STAND-DOWNS AS RULES; THE EARNINGS DEFAULT, RULED)

- RULE: The formal home of every scheduled stand-down, each already flagged by the contract and now governed in one place: (a) **Ex-dividend** (`bar.exDiv`, V-5/T-9): no claim may open on the flagged bar (C-8's law, homed here) — the gap is administrative arithmetic, not information. (b) **Short sessions** (`bar.short`, V-7): volume-side stand-down (Q-9 operative); price rules run. (c) **Earnings** (`bar.earnings`, T-9 — semantics RULED here, landing Q-R2's deferral): the flag is a **calendar fact with information content**, treated asymmetrically — **volume side**: `vol.earnStand` **default STAND** (the bar is excluded from baselines and volume grades, the conservative posture every registered liar receives; DISCOUNT sweeps); **price side: rules run unmodified** — an earnings gap is information-dense repricing (the E-10 taxonomy classifies it like any gap) with `bar.earnings` attached as a table-splitting stamp, because an administrative

gap and an informational gap must never share a row. No claim suppression on earnings bars (unlike ex-div): the repricing is real and the chain may read it. **(d) Declared calendar distortions** (vol.ca1Stand: index-rebalance and derivative-expiry dates): volume-side stand-down on the declared dates only — the set names its dates in the registry or excludes nothing (no silent judgment, Q-9's law). Session-level stand-downs remain stubbed at the v1 daily floor (T-9; CH 15 builds them with intraday).

- **CONFIRMATION:** Every stand-down fires from a stamped contract flag or a declared registry date at `t_close`.
 - **INVALIDATION:** An undeclared exclusion, a stand-down extended past its flag, or an earnings-bar volume grade under the STAND default, corrupts whatever consumed it.
 - **WHY IT WORKS:** The calendar is the one part of the future the book is allowed to know. Scheduled distortions handled by schedule — and the earnings split (stand the volume down, read the price, split the tables) takes the one bar the field argues most about and gives each of its two faces exactly one treatment.
 - **STATUS:** DRAFT
-

X-9 — REGIME COLUMNS JOIN THE LEDGERS (THE BACKFILL, CASHED) & THE STATED-REGIME LAW

- **RULE:** Every honesty table deposited for regime columns gains the **column pair (X-2 state · X-5 climate)** by this citation: the break ledger family (B-11: `brk.entry0dds`, `brk.obj0dds`, `brk.gapEntry0dds`, and its joined tables), the aftermath ledger (A-10's five), the volume ledger (Q-10's), `level.test0dds` (L-7), `range.mat0dds/range.failLoad0dds` (R-5/R-7), `ind.xcLift` and the audit standings (I-2/I-5), and this chapter's own (`regime.dispute0dds`, the inversion columns). Backfill executed this sprint in Chapters 8 v3, 9 v3, 10 v2 (B-11/A-10/Q-10 amended); the remaining owners inherit by this card's citation without version bumps (T-12 permits the join to be stated once at the joining chapter). **The stated-regime law (the loop's promotion precondition, book-side):** per the ratified regime law (ARCHITECT-REVIEW-A2 §2.3), no rule promotes to TESTED on a pooled cross-regime sample — every promotion conditions on a stated X-2 state, every published rate carries its state column, and a rate whose state column is empty reads UNMEASURED like any other naked number (B-11's law, regime edition).
- **CONFIRMATION:** Editorial + mechanical: every published rate resolves to a cell carrying the column pair; the loop's promotion path reads X-2 stamps.
- **INVALIDATION:** A pooled rate published without its state column, or a promotion argued from a pooled sample, fails review (and the loop's writer refuses it in code — the write-back law).
- **WHY IT WORKS:** The machine measured it before the book could assert it: pooled, the chain nets to nothing; conditioned, it has an edge and a sign. A regime column on every table is how that finding becomes permanent furniture instead of a remembered anecdote — and how every future rate the book publishes says *where* it is true. **[v2 note, D6 — 2026-09-25]** The evidence behind this sentence is the loop's synthetic-control run only (feed synthetic-v1, 7 DRAFT

verdicts for the swing rule, last decided 24 Jul 2026; lockbox untouched). No real-data verdict exists. Read "measured" / "proved" as *on synthetic controls* until one does.

- STATUS: DRAFT

PARAMETER REGISTRY ENTRIES (introduced by this chapter)

PARAMETER	DOMAIN	CARD	PROPOSED TEST RANGE
regime.lookup	(state × family) → ACTIVE/SUSPENDED table	X-4	v1 defaults above; loop- swept (falsifiability clause not sweepable)
regime.deadClock	bars	X-7	3-10
regime.divWeight[state] / regime.oscWeight[state]	grade weights ≥ 0 (inverted admissible in sweep)	X-6	v1: 0 with-trend- witnessed · full at RANGING boundaries
clim.clusterCount	int ≥ 2	X-5	2-4
clim.clusterWindow	bars	X-5	10-30
vol.earnStand	STAND · DISCOUNT	X-8 (rules Q- 9's default) · cited; owner Q- 9 [v2, D5]	STAND default; DISCOUNT sweeps
vol.calStand	declared-date set	X-8 · cited; owner Q-9 [v2, D5]	named dates or empty – no silent set
regime.disputeOdds	honesty table	X-3	loop-filled

SOURCES

The loop's own Sprint-1 result and ARCHITECT-REVIEW-A2 (the no-unconditional-edge finding and the ratified regime law — this chapter's empirical spine; the machine discovered its keystone before the chapter was written) · Rhea (trend-in-force as the state ancestor) · Brooks (trending vs trading-range days as the informal taxonomy this chapter mechanizes; the always-in discipline) · Kaufman (adaptivity — regime-conditioned parameters as an idea lineage) · Aronson (regime conditioning as the honest form of context claims; the data-mining discipline behind the stated-regime law) · Wilder 1978 (ADX, the cross-check) · Internal: S-4/S-5/S-10 (CH 6), R-objects (CH 7), I-10/I-11 (CH 11), Q-2/Q-6 (CH 10), A-6 (CH 9) — the taxonomy was built across five chapters and cashed here.

OPEN-DEPOSITS (claims on later chapters)

To CH 14 (MTF, landing with this chapter): the regime of record for activity gating is the record frame's X-2 state; higher-frame regime joins as context stamps (HTF-ALIGNED/OPPOSED) — M-4 states the law; any cross-frame regime *gate* is second-wave and owes the X-4 burden. **To CH 15 (Universe):** session-level stand-downs and per-class calendar sets build with intraday; regime-state conventions for FX/crypto (no RTH close) are that chapter's to restate. **To CH 16 (Risk):** regime and climate key exposure through the legal channel only (grade/regime size, never gate truth — the invariance boundary restated); REGIME-DISPUTE and CHURN as caution inputs; the dead zone as a sizing stand-down site. **To the loop:** X-2 state stamps are the promotion path's conditioning variable (the stated-regime law); regime.lookup and the inversion weights are sweep objects; regime.disputeOdds wants the disagreement ledger from wave 2.

OPEN QUESTIONS — RESOLVED (PUBLISHER-REVIEW-R7)

1. ~~TREND-IN-RANGE's counter-trend traps (X-4)~~ **RESOLVED (X-R1): MEASURE, don't gate** — springs/upthrusts against the trend stay ACTIVE in TREND-IN-RANGE with the state stamp; gate only if the state's trap odds come back inverted. The table decides, not a prior.
2. ~~The dead zone's scope (X-7)~~ **RESOLVED (X-R2): AFFIRM uniform for v1** — the minimal dead-zone core applies after every transition, range-birth included; the loop flags if range-birth dead zones cost more edge than they save. Measure the exception before carving it.
3. ~~regime.lookup as a swept object~~ **RESOLVED (X-R3): CONFIRMED, and tightened** — cells change only on outcome evidence that clears the loop's own gates, never a single green run — and the lookup's cells are *trials*: the loop counts them in the deflated-Sharpe trial total (G5) and runs the family SPA (G6) over the swept table.

Chapter 13 v2 · 9 cards · DRAFT · review_ref: PUBLISHER-REVIEW-R6 (go-ahead) ·

PUBLISHER-REVIEW-R7. Compiled against: Chapters 1–11 + 97. The keystone set: states from the ledger, a lookup argued past A-6's bar, climate as a column, inversions as law, the calendar ruled, and a regime column on every number the book will ever publish. The loop's promotion path is unblocked. — THE SCINTILLA RULEMAKER

CHAPTER 14 — MULTI-TIMEFRAME RULES (M)

THE SCINTILLA TRADING RULEBOOK · Chapter draft · v2 (supersedes v1) v2 changelog (per PUBLISHER-REVIEW-R7, folded 2026-09-25 — decision D1): the three open questions are resolved in place below (M-R1, M-R2, M-R3), in the same form R2–R6 already use. No card text changed. **STATUS: DRAFT** (all cards; promotion by publisher testing) · Drafted as a pair with Chapter 13 ("The Context Pair," Sprint 7) — the other half: X says *when* rules govern; this chapter says *which frame's* facts they govern from.

SUMMARY: One timeframe of record per truth (C-5 already binds); this chapter is the law of everything around that: the declared stack and its roles, the aggregation dependency made operative, the conflict table where authority flows downward — including the deposited hard case of degree against frame — the regime-authority join with Chapter 13, nesting as early warning that may never become verdict, entry-frame discipline stated as forward law for the intraday build-out, the mixing table that makes the upward ban checkable, and the ledger where "trade with the higher timeframe" finally has to produce a number.

Compiles against: Chapters 1–13 (chiefly V-6/V-8/V-16, C-5, L-12, D-8, B-9, X-2/X-4). Cited by: 15, 16.

BLOCK ONE — THE STACK AND ITS FACTS

M-1 — THE DECLARED STACK

- **RULE:** All multi-timeframe reading happens inside a **declared stack** `mtf.stack`: an ordered list of timeframes, each with exactly one role — **CONTEXT** (supplies standing verdicts, references, and regime stamps), **RECORD** (the frame of record where claims, confirmations, and verdicts live — `bar.tf`, C-5's citizen), or **ENTRY** (timing within a record-frame decision; M-6). v1 default for the calibration class: {W = CONTEXT, D = RECORD, ENTRY = RECORD} — the entry role collapses onto the record frame at the daily floor (T-9) and separates only when CH 15's intraday build-out opens sub-daily frames. **No undeclared frame may testify:** evidence from a frame outside the stack is inadmissible in any card or analysis (the V-19 declaration discipline applied to time — "the 4-hour looks strong" from a two-frame stack is prose, not analysis).
- **CONFIRMATION:** The stack is declared per analysis/profile in the registry; every cross-frame read names its frame and role.
- **INVALIDATION:** An undeclared frame's evidence anywhere voids the read that used it; a frame carrying two roles at once is malformed.

- WHY IT MATTERS: Frame-shopping is timeframe malpractice's retail form — with enough frames, some frame always agrees with you. A declared stack with fixed roles is how the book gets multi-frame context without a frame for every mood.
 - STATUS: DRAFT
-

M-2 — THE AGGREGATION DEPENDENCY (V-6, OPERATIVE)

- RULE: A higher frame exists only as completed V-6 aggregates. Operatively: at any record-frame `t_close`, the CONTEXT frame's current bar is **forming** and does not exist — every context read (verdicts, references, regime states, gauge values) uses the last **completed** context bar and the objects confirmed as of it. There is no "weekly close so far," no mid-week weekly RSI, no forming-bar context of any kind (V-8 upward). **Holiday-week law (the shell's deposit, made law)**: an aggregate built from a short constituent set (a 4-bar week, a holiday month) is a **full citizen** — no card may treat it as degraded evidence unless a stated rule says so and prices it; until such a rule exists with a table behind it, partial-set aggregates carry full standing and a `agg.short` stamp so the loop can test whether the distinction ever earns a rule.
 - CONFIRMATION: Context reads resolve to a completed aggregate's `t_close`; the stamp attaches mechanically from the exchange calendar (V-7).
 - INVALIDATION: Any read of a forming aggregate is void (V-6/V-8); silently down-weighting an `agg.short` bar without a stated rule fails at review.
 - WHY IT MATTERS: Half of multi-timeframe malpractice is treating Wednesday's weekly bar as a fact five times a week — and the other half is quietly distrusting holiday weeks by feel. Both die here: context is completed bars, and suspicion about short weeks is a hypothesis for the loop, not a habit.
 - STATUS: DRAFT
-

BLOCK TWO — AUTHORITY

M-3 — AUTHORITY FLOWS DOWNWARD (THE CONFLICT TABLE)

- RULE: Conflicts are **operations on verdict objects and references** (V-21 — never on moods), and they resolve by one law: **the higher frame in the declared stack outranks**. The table:
 - **Reference vs reference**: where a record-frame gate must pick one reference among frames (B-9's verdict-of-record generalized), frame rank applies *before* type rank — a weekly level

outranks a daily level; within one frame, `ref.rankOrder` (D-8) governs as before. Both objects keep their own ledgers regardless (outranked $\neq$ retired).

- **Verdict vs verdict:** when a consuming rule gates on trend context and the stack holds live S-4 verdicts that disagree (daily BEARISH under weekly BULLISH), the **governing verdict** is the highest frame's. The lower frame's verdict remains fully in force *on its own frame* — authority selects which verdict a consumer reads; it never voids, expires, or edits the outranked one (C-5: no cross-frame resurrection, and equally no cross-frame execution).
 - **Degree vs frame (the deposited hard case, ruled):** a degree-2 daily trend against a degree-1 weekly trend resolves **FRAME-FIRST** — frame outranks degree, then degree ranks within a frame. The ground: frame authority is a property of the bar contract (a weekly close is settled auction truth at scale — more capital, more participants, one more level of V-8 finality), while degree is recursion over one frame's summaries — a summary of summaries inherits its frame's authority, it does not multiply it. `mtf.conflictRank` = FRAME-FIRST default; DEGREE-FIRST ships as the alternative option for the sweep (a stated default beats an unstated one — the D-8 pattern).
 - **Regime vs regime:** M-4's law.
 - **CONFIRMATION:** Deterministic rank lookup (frame from the stack, then type per D-8, then degree) at the consuming rule's `t_close`.
 - **INVALIDATION:** A card synthesizing one verdict from two frames' disagreeing verdicts (averaging, "mixed"), or voiding a lower-frame verdict by higher-frame authority, is malformed.
 - **WHY IT WORKS:** Disagreement between frames is not noise — it is nested structure doing what nested structure does (every weekly pullback is a daily downtrend somewhere inside a weekly uptrend). The table lets both facts stand, names which one governs a given decision, and leaves the disagreement itself measurable (M-8) instead of argued.
 - **STATUS:** DRAFT
-

M-4 — REGIME AUTHORITY (THE X × M JOIN)

- **RULE:** The **regime of record for activity gating is the RECORD frame's X-2 state** — X-4's lookup reads it and only it. The CONTEXT frame's regime state joins every decision as a **stamp, not a gate: HTF-ALIGNED** (context regime's direction component agrees with the record-frame event being graded) or **HTF-OPPOSED** — a grade/context column on the tables (M-8; the alignment lift finally measured), plus CH 16 caution input. A cross-frame regime *gate* (suspending record-frame families because the weekly is TRANSITIONAL, and similar) is **second-wave and owes the X-4/A-6 burden in full** — stated now so the future argument arrives with its bar set (X's deposit, cashed).
- **CONFIRMATION:** Both states computable at the record `t_close` (context state from the last completed context bar, M-2); the stamp attaches at grade time.
- **INVALIDATION:** A v1 lookup entry keyed to a context-frame state, or an HTF stamp consumed as confirmation (C-9), is malformed.

- **WHY IT WORKS:** Gating on the higher frame *fee/s* obviously right — which is exactly why the book measures it first: the alignment column will say what the with-the-weekly edge actually is, per reference type and state, before any gate is allowed to assume it.
 - **STATUS:** DRAFT
-

BLOCK THREE — NESTING, ENTRY, AND THE BANS

M-5 — NESTING & EARLY WARNING (WARN, NEVER VERDICT)

- **RULE:** Lower-frame structure builds higher-frame swings (V-16's recursion runs on bars that are themselves aggregates — a weekly swing's anatomy *is* daily bars). The operative law: a confirmed record-frame event bearing on a context-frame object — a daily BOS against the weekly floor's direction, a daily range birth straddling a weekly level, a daily S-3 completion opposing the weekly verdict — stamps **WARN(context-object, kind)** on the context object: an **early-warning annotation, evidence-grade only** (C-10 class). A WARN never creates, confirms, voids, or expires anything on the context frame — the weekly bar is not closed, so no weekly event exists (V-6/V-8); the warning is the book's honest name for "the inside of the higher-frame bar is turning." WARN lead-times and hit-rates are ledgered (`mtf.warn0dds`: how often, and how early, does a record-frame BOS against context precede the context frame's own BOS — loop-filled).
 - **CONFIRMATION:** The record-frame event's own confirmation; the stamp attaches at that `t_close`.
 - **INVALIDATION:** A WARN consumed as a context-frame event, claim, or verdict-toucher of any kind is void — the field's "the weekly just broke" on a Wednesday is exactly the malpractice this card exists to name.
 - **WHY IT WORKS:** The higher frame always moves last but its interior moves first — nesting is real information with a real lag structure, and the only honest way to hold both is an annotation with a measured lead time instead of a premature verdict.
 - **STATUS:** DRAFT
-

M-6 — ENTRY-FRAME DISCIPLINE (FORWARD LAW FOR THE INTRADAY BUILD-OUT)

- **RULE:** Where the stack declares a separate ENTRY frame (v1: it does not — the daily floor collapses ENTRY onto RECORD; this card is the standing law CH 15's intraday build-out inherits): the entry frame may decide **timing only, inside a live record-frame decision** —

ENTRY-C/ENTRY-R events (B-5) evaluated on entry-frame bars against entry-frame-readable references, under the record frame's governing verdict and regime. The entry frame may **never**: open a record-frame claim, confirm or void one, extend or retire any record-frame verdict, resurrect a failed record-frame claim on its own bars (C-5), or trade against the record frame's governing verdict and call it timing. Entry-frame events are ledgered on the entry frame; their outcomes join the tables keyed to the record-frame context they executed within.

- **CONFIRMATION:** Per entry-frame `t_close`, inside a live record-frame verdict's window.
 - **INVALIDATION:** Any entry-frame read that changes record-frame truth is malformed; an "entry" with no live record-frame decision above it is a record-frame claim wearing a smaller bar.
 - **WHY IT MATTERS:** The entry frame is where discipline traditionally dies — a timing tool quietly becomes a second opinion, then a first one. Writing the wall before the intraday frames exist means the build-out arrives at a law, not a negotiation.
 - **STATUS:** DRAFT
-

M-7 — WHAT NEVER TRANSFERS UPSTAIRS (THE MIXING TABLE)

- **RULE:** C-5's mixing ban, made a checkable flow table. **DOWNWARD (legal):** context-frame verdicts govern and grade record-frame activity (M-3/M-4); context-frame references are citable on the record frame — a weekly level is a price, and record-frame bars may tag it, test it, and open claims against its zone. One object, **per-frame ledgers:** when a context-frame reference is read on the record frame, record-frame events accrue to a ledger keyed (object-id, reading-frame) — the weekly level's *weekly* episodes and quality stay computed from weekly bars only; record-frame contact never contaminates context-frame quality (the one-price-one-record law, refined: one record *per frame of reading*). **UPWARD (illegal):** record-frame events create no context-frame events, episodes, claims, or state transitions; record-frame verdicts never join context-frame gates; a lower frame never revives what a higher frame retired or retires what it holds. **The only legal upward flows are constructions, not testimony:** V-6 aggregation (bars build bars) and V-16 recursion (swings build swings) — and WARN stamps (M-5), which are annotations on the context object, never events of it.
 - **CONFIRMATION:** Every cross-frame read resolves to a legal row of this table; ledger keys carry reading-frame.
 - **INVALIDATION:** A context-frame quality, maturity, or attempt count containing record-frame entries is corrupt; any upward flow outside the three named constructions fails at review.
 - **WHY IT WORKS:** The upward ban is where two-strangers discipline meets its subtlest leak — daily touches quietly padding a weekly level's touch count is invisible in prose and obvious in a ledger key. The table makes the ban auditable instead of aspirational.
 - **STATUS:** DRAFT
-

M-8 — THE MTF LEDGER

- **RULE:** This chapter's claims under B-11's publication law: `mtf.align0dds` — record-frame chain outcomes split HTF-ALIGNED vs HTF-OPPOSED, per reference type × grade × X-2 state (the field's "trade with the higher timeframe" as a measured lift, finally) · `mtf.warn0dds` — WARN lead-times and hit-rates by kind (M-5) · `mtf.conflict0dds` — outcomes under FRAME-FIRST vs DEGREE-FIRST for the swept rank (M-3) · plus the regime column pair on all of them (X-9). Empty cells read UNMEASURED; an unmeasured alignment claim may be stated, never recommended — including the book's own FRAME-FIRST prior.
- **CONFIRMATION:** Every published MTF rate resolves to a cell with a vintage and its state column.
- **INVALIDATION:** Per B-11 — a naked "higher timeframe agrees" in analysis fails review.
- **WHY IT WORKS:** Top-down doctrine is the most repeated and least measured sentence in technical analysis. The ledger makes the book's own deference to the weekly a claim with a column — and if the column ever reads flat, the doctrine demotes like anything else.
- **STATUS:** DRAFT

PARAMETER REGISTRY ENTRIES (introduced by this chapter)

PARAMETER	DOMAIN	CARD	PROPOSED TEST RANGE
<code>mtf.stack</code>	ordered (frame, role) list	M-1	v1: {W CONTEXT, D RECORD, ENTRY=RECORD}
<code>agg.short</code>	stamp (calendar-derived)	M-2	mechanical; tested for rule-worthiness
<code>mtf.conflictRank</code>	FRAME-FIRST · DEGREE-FIRST	M-3	FRAME-FIRST default; both sweep
<code>mtf.regimeGate</code>	OFF · (second-wave gate, owes X-4 burden)	M-4	OFF v1
<code>mtf.align0dds</code> / <code>mtf.warn0dds</code> / <code>mtf.conflict0dds</code>	honesty tables	M-8	loop-filled

SOURCES

Elder (the triple-screen — the declared-stack-with-roles ancestor, mechanized and stripped of its indicator defaults) · Murphy (top-down doctrine — here made a measured claim) · Edwards, Magee & Bassetti (major/intermediate/minor trend nesting — M-5's classical lineage) · Kirkpatrick & Dahlquist (multi-frame evidence review) · Brooks (the smaller-timeframe-inside-the-bar reading behind WARN) · Internal: V-6/V-8 (aggregation truth), V-16 (degree recursion), C-5 (the one-frame law this chapter builds around), D-8/B-9 (rank machinery generalized), X-2/X-4 (the regime join).

OPEN-DEPOSITS (claims on later chapters)

To CH 15 (Universe): the ENTRY role activates with intraday frames (M-6 is its standing law); session templates per class re-state M-2's completed-bar law for 24h markets (no RTH close — what "completed" means per class is CH 15's to declare); per-class default stacks. **To CH 16 (Risk):** HTF-ALIGNED/OPPOSED and WARN as sizing/caution inputs through the legal channel (grade sizes, never gates); the conflict table's governing verdict is what profile-keyed exposure reads. **To the loop:** `mtf.align0dds` is the cheapest high-value table on the board (every chain event already carries `tf` and the context stamp once M-4 lands); `mtf.conflictRank` joins the sweep; WARN lead-time distributions want the real-bar spine.

OPEN QUESTIONS — RESOLVED (PUBLISHER-REVIEW-R7)

1. ~~The v1 stack (M-1)~~ **RESOLVED (M-R1): HOLD at two frames** — {W CONTEXT, D RECORD}; every added frame doubles the conflict surface and there is no measured alignment lift yet. Monthly joins when the alignment tables justify a third.
2. ~~FRAME-FIRST (M-3)~~ **RESOLVED (M-R2): FRAME-FIRST CONFIRMED** — frame authority is bar-contract authority (a weekly close is settled truth at scale); degree is recursion over one frame. Ships as the stated default; the loop may flip it per class on evidence.
3. ~~WARN scope (M-5)~~ **RESOLVED (M-R3): AFFIRM confirmed-only for v1; claim-based pre-authorized for wave 2** — the lead-time table (`mtf.warn0dds`) shows whether an earlier, claim-based WARN is worth its false-positive rate; if it is, admit it then.

Chapter 14 v2 · 8 cards · DRAFT · review_ref: PUBLISHER-REVIEW-R6 (go-ahead) ·

PUBLISHER-REVIEW-R7. Compiled against: Chapters 1–13. One frame per truth, authority downward, warnings never verdicts, constructions the only way upstairs — and the higher-timeframe doctrine sent to the same table as every other claim. The context pair is complete. — THE SCINTILLA RULEMAKER

CHAPTER 15 — UNIVERSE & RELATIVITY RULES (U)

THE SCINTILLA TRADING RULEBOOK · Chapter draft · v2 (supersedes v1) v2 changelog (per PUBLISHER-REVIEW-R8, folded 2026-09-25 — decision D1): the three open questions are resolved in place below (U-R1, U-R2, U-R3), in the same form R2–R6 already use. No card text changed. The footer's review_ref is corrected: the Sprint 8 go-ahead was R7, not R6 (R7 §5). **STATUS: DRAFT** (all cards; promotion by publisher testing) · Sprint 8 ("Finish the Draft") — written with Chapters 12 and 16.

SUMMARY: The application layer — how one rulebook reads many instruments without forking. Instrument classes as declared profiles over the registry; the normalization law that makes rules transfer at all (the Scale Law's payoff, stated as practice); the index problem and its fix (an instrument's own percentiles, §J cashed for every bounded gauge); relative strength as a ratio series that receives the book's machinery — with an honest list of what does *not* apply to a series nobody trades; macro-versus-ticker authority, never swapped; the session templates T-9 deferred here, including what "close of record" even means where the market never closes; the intraday build-out charter every chapter has been depositing to; and the per-class promotion law that keeps a rule's TESTED status from quietly leaking across classes it was never measured on.

Compiles against: Chapters 1–14 + 97 §§J, M. Cited by: 16.

BLOCK ONE — CLASSES AND TRANSFER

U-1 — INSTRUMENT CLASSES AS DECLARED PROFILES

- **RULE:** An **instrument class** (v1 registry: INDEX · ETF · LARGE-CAP · SMALL-CAP · FX · CRYPTO · COMMODITY-FUT) is a **declared profile**: a named bundle over existing registry parameters — the bar-contract fields (`bar.session`, `bar.tz`, `bar.adjust`, session anchor per U-6), threshold modes (U-3), calendar sets (`vol.calStand` instance, flag domains per U-7), default stack (`mtf.stack` instance), and tick/precision floors (`zone.tickFloor` values per U-8). **The class law:** rules never change per class — profiles re-parameterize them; a class needing a *different rule* (not a different value) is a finding to argue into the owning chapter, not a class overlay. Every stamped event, table cell, and promotion carries its **class tag**; the calibration class (US LARGE-CAP + INDEX, T-9 ratified) is where every default is born.
- **CONFIRMATION:** The profile resolves entirely to registry keys; an instrument maps to exactly one class per analysis.

- **INVALIDATION:** A class overlay containing rule text (not parameter values) is a forked rulebook and fails review; an untagged rate is malformed (B-11 extended).
 - **WHY IT MATTERS:** The alternative is the field's default: a book calibrated on one market, silently applied to all of them, with the reader eating the difference. One rulebook, many profiles, every number tagged with where it was true — that is the whole application doctrine in one card.
 - **STATUS:** DRAFT
-

U-2 — THE NORMALIZATION LAW (WHY RULES TRANSFER)

- **RULE:** The Scale Law's application clause, ratified at A2 and made book law: **VOLU (ATR units) is the transfer unit** — any threshold intended to generalize across instruments or classes is stated and swept in VOLU; **PCT thresholds are class-calibrated** — admissible cross-class only after per-class recalibration (they re-range with class volatility); raw price remains forbidden everywhere (T-10). Corollaries, operative: sweeps meant to produce transferable defaults run VOLU-primary (the loop's standing convention, now the book's); a VOLU-stated default carries a rebuttable transfer presumption to a new class (tested before trusted, per U-9); a PCT-stated default carries none.
 - **CONFIRMATION:** Every registry entry declares its unit; transfer claims cite VOLU statements.
 - **INVALIDATION:** A PCT threshold applied cross-class without recalibration, or a "universal" constant in raw price, voids what consumed it.
 - **WHY IT WORKS:** A sleepy utility and a crypto pair differ mainly in how far a normal day travels — divide that out and the same grammar reads both; fail to, and every threshold is a hidden bet on one class's volatility. T-10 did the heavy lifting six chapters before it paid; this card is the receipt.
 - **STATUS:** DRAFT
-

U-3 — ADAPTIVE THRESHOLDS (§J CASHED — THE INDEX PROBLEM)

- **RULE:** **The index problem, stated mechanically:** an index is a diversified mean — idiosyncratic moves cancel, return distributions compress, and every bounded gauge calibrated on single names systematically under-reaches on it (the standing example: the S&P's RSI almost never tags Wilder's 30 — "oversold" defined on stocks simply fails to occur on the aggregate). **The fix, generalized to every bounded oscillator and gauge state** (I-6/I-8's toggle, I-10's VOL-PCTL, 97 §J — one card, all instances): PERCENTILE mode — the instrument's **own** rolling `uni.pctlLookback-bar` quantiles (`q_ob/q_os` and analogs) define its OB/OS/HIGH/DEAD lines. **The cross-class admissibility law:** a threshold-bearing condition consumed outside its

calibration class must be either VOLU-denominated (U-2) or PERCENTILE-mode; a fixed absolute line is a single-class artifact, legal only inside the class that calibrated it.

- CONFIRMATION: Threshold mode declared per rule per class profile; percentile lines computable once the lookback fills.
- INVALIDATION: A fixed line consumed cross-class, or a percentile line read before its window fills, voids the condition's reads.
- WHY IT WORKS: "Oversold" is a claim about *this instrument's own history*, and only its own distribution can define it. Percentile mode is self-calibration — the gauge learns the instrument instead of the book guessing it — and it is the difference between one oscillator chapter and seven class-specific ones.
- STATUS: DRAFT

BLOCK TWO — RELATIVITY

U-4 — RELATIVE STRENGTH (THE RATIO SERIES, FULL TREATMENT — AND ITS HONEST LIMITS)

- RULE: $RS[t] = C_instrument[t] / C_benchmark[t]$ (97 §M), both legs from declared series of record, the benchmark declared per class profile (`rs.bench`). The ratio is a **derived series of record** and receives the book's machinery *by declaration, per module* — the book's best free lunch, itemized rather than assumed. **Applies unchanged:** swings (V-11 methods; SW-R's VOLU variant uses the ratio's own ATR), structure (S — a ratio BOS is a leadership change, stamped RS-BOS), levels and diagonals (L/D on ratio prices), regime (X-2 on the ratio's own objects), the C-machinery for all of it. **Does not apply, barred with grounds:** volume and every Q card (a ratio has no attendance; there is nothing to grade); gap machinery E-8..E-14 (a ratio "gap" is either leg's artifact — ratio bars carry `rs.noGap` and C-8's gap handling stands down); candle anatomy E-1..E-7 as *evidence* (a ratio bar's "wick" is a quotient of two anatomies — anatomy grades are inadmissible on ratio series; the events still exist as arithmetic, they simply may not testify). **Consumption law:** ratio verdicts and stamps are **context and grade evidence for the instrument** (RS-LEADING / RS-LAGGING / RS-BOS annotations joining tables) — they gate nothing and touch no instrument verdict (the M-4 pattern, cross-sectional edition).
- CONFIRMATION: Both legs' bars of record closed (the ratio bar exists only when the later of the two closes — V-8 across series); each applied module cited, not assumed.
- INVALIDATION: A volume, gap, or anatomy read on a ratio series is malformed; an RS annotation consumed as confirmation (C-9) or as an instrument gate is void.
- WHY IT WORKS: Leadership is real information the price of either leg alone cannot show, and the ratio is the one place the book gets an entire analysis dimension almost free — *almost* being

the card's honest work: the machinery that assumes an auction (volume, gaps, anatomy) has no subject in a series nobody trades, and pretending otherwise would counterfeit evidence.

- STATUS: DRAFT

U-5 — BREADTH (VERDICT ROLLUPS, NEVER A NEW VERDICT TYPE)

- RULE: **Breadth** = universe-level aggregation of member verdict objects (V-21 rollups, 97 §M): over a declared universe list (point-in-time membership — survivorship discipline is the loop's PIT law, cited not restated), $\text{breadth}[t] = \text{the fraction of members with a live S-4 verdict by direction (and analog rollups: fraction in RANGING, fraction of members' X-2 states by value)}$. Breadth series are **gauge inputs to the benchmark's context** (X-5-class evidence for the index's climate; MKT-stamps' supporting data per U-6's authority card... routed via U-1's INDEX profile) — never a new verdict type, never a member gate. Thresholds ($\text{breadth.hi}/\text{breadth.lo}$) are percentile-mode citizens (U-3).
- CONFIRMATION: Computable at t_{close} from members' stamped verdicts over the declared PIT universe.
- INVALIDATION: A breadth read over a non-PIT universe (today's members projected backward) is survivorship fiction and voids every consumer; a "breadth verdict" is malformed on its face.
- WHY IT WORKS: Breadth is the census of what the book already decided one instrument at a time — powerful precisely because it adds no new judgment, only counting. The moment it becomes its own verdict type it starts competing with its own inputs; as a rollup it can only inform them.
- STATUS: DRAFT

U-6 — MACRO vs TICKER AUTHORITY (NEVER SWAPPED)

- RULE: The cross-sectional analog of M-3/M-4, with the same shape and the same wall: for a single-name decision, the declared **context ladder** = benchmark index regime (X-2 on $\text{rs.bench's objects}$) → optional sector/group layer (a second declared benchmark) → the ticker itself. **Indexes set context; tickers produce trade verdicts — never swapped:** benchmark states enter as stamps (**MKT-ALIGNED / MKT-OPPOSED**, joining the tables beside HTF stamps) and as CH 16 exposure inputs; no benchmark verdict opens, confirms, voids, or expires anything on the ticker (the ticker's ledger is sovereign over its own truth), and no ticker aggregate re-judges the index (that is breadth's lane, U-5). A macro *gate* (suspending ticker rule families on benchmark regime) is second-wave and owes the X-4/A-6 burden — the third such wall in the book (regime scope, frame scope, and now cross-sectional scope), stated in advance each time so the future argument arrives with its bar set.

- **CONFIRMATION:** Ladder declared per profile; stamps computed from the benchmark's completed bars (M-2's discipline applies — a forming index bar is rumor here too).
 - **INVALIDATION:** A ticker analysis citing "the market" without a declared benchmark is prose; a benchmark state consumed as ticker confirmation or gate is void.
 - **WHY IT WORKS:** Most single-name mistakes are index opinions wearing a ticker's name, and most index mistakes are one ticker's story generalized. One ladder, stamps not gates, sovereignty at each level — and the alignment lift becomes a column (`uni.mktAlign0dds`) instead of a slogan, exactly as M-8 did for frames.
 - **STATUS:** DRAFT
-

BLOCK THREE — SESSIONS AND THE BUILD-OUT

U-7 — SESSION TEMPLATES & THE 24-HOUR PROBLEM (T-9'S DEFERRAL, LANDED)

- **RULE:** Per-class session declarations, completing the bar contract: **EQUITY/ETF/INDEX** — RTH (ratified; the closing auction is the close of record, V-2 as written). **FX** — FULL24 weekly (24/5): the bar boundary is the declared anchor bar `.sessionAnchor` (v1 default 17:00 America/New_York — the field's settlement convention); the "daily close" is that anchor's print, and V-2's truth-bearer survives by convention *declared*, not discovered. **CRYPTO** — FULL24 continuous: anchor default 00:00 UTC; no weekend absence (a seven-bar week is the class's normal — V-7's missing-bar law reads the class calendar, not the NYSE's). **COMMODITY-FUT** — exchange session per contract with the roll flagged (`bar.roll` — roll bars join Q-9's stand-down register for volume and E-8's for gaps; the administrative-gap doctrine, futures edition).
The anchor warning (T-9's own): different anchors produce different books — an anchor is a bar-contract field, stamped on every event, and two analyses with different anchors never share a ledger. M-2's "completed bar" re-states per class mechanically (completion = the anchor boundary passing).
 - **CONFIRMATION:** One template + anchor per class profile; every bar of record carries them.
 - **INVALIDATION:** Mixing anchors inside one analysis voids it (V-1's invalidation, session edition); an undeclared-anchor 24h close is not a close of record.
 - **WHY IT WORKS:** Where the market never closes, "the close" is a decision someone made — the book's move is to make it *once, in the registry, out loud*, because the alternative is every chart service quietly making it differently and every cross-source number disagreeing by one anchor's worth.
 - **STATUS:** DRAFT
-

U-8 — DEGENERATE-PRICE FLOORS (`zone.tickFloor` BUILT OUT)

- **RULE:** The C3 stub, cashed: `zone.tickFloor` (V-17/L-4 — effective zone width never below `zone.tickFloor × tick`) receives its per-class values: v1 proposal — calibration class 2 ticks; SMALL-CAP/sub-\$1 names 3–5 ticks (the class where the floor exists: percentage zones on a \$0.40 name collapse below markability and every touch list corrupts); FX 2–3 pips by pair convention; CRYPTO per-venue tick tables (declared per profile — venue precision varies). The floor applies wherever zones exist (levels, diagonals, boundaries — L-12 uniformity); an instrument whose normal zone computation sits *at* its floor for `> uni.floorClock` bars is stamped DEGENERATE and drops from the tradable universe per profile (a universe rule, not a truth rule — its ledgers keep accruing).
 - **CONFIRMATION:** Floors resolve from the class profile + instrument tick size; the DEGENERATE stamp from the clock.
 - **INVALIDATION:** A zone below its floor, or analysis published on a DEGENERATE-stamped instrument under a profile that excludes them, fails review.
 - **WHY IT MATTERS:** At the bottom of the price scale, the grid itself is the volatility — zones thinner than a few ticks measure the exchange's rounding, not the auction. The floor is one parameter; the alternative is every low-priced instrument quietly poisoning the class tables.
 - **STATUS:** DRAFT
-

U-9 — THE INTRADAY BUILD-OUT CHARTER & PER-CLASS PROMOTION

- **RULE: The charter (the deposits gathered, activation conditions declared):** when a class profile declares sub-daily frames, the following activate as a set, none separately: the ENTRY role under M-6's standing law (`mtf.stack` gains its entry frame); `vol.todSessions` time-of-day baselines (Q-2 — plain `relVol` lies at the open; the U-curve is the class's furniture); session-boundary stand-downs as X-8 calendar extensions (opening/closing auction windows, declared per class); and the bar floor drops per profile (T-9 amended by that profile, not globally). Until a profile activates the set, the daily floor stands and this card is the contract, not the construction. **Per-class promotion (the stated-class law, completing the ledger's third tag):** TESTED status is per-class, alongside per-regime (X-9) and the ≥ 2 -feed rule — promotion on the calibration class transfers to no other class; a VOLU-stated default carries U-2's rebuttable presumption *into the sweep*, never past it; `uni.transferOdds` publishes how calibration-born defaults actually fared out-of-class, loop-filled.
- **CONFIRMATION:** Activation is a profile event (registry change, stamped); promotions carry all three tags (regime · class · feeds).
- **INVALIDATION:** A sub-daily rule firing without its class's full activation set, or a cross-class TESTED claim without its own class's ladder, is void.
- **WHY IT WORKS:** The intraday world is not a smaller daily world — its volume lies on a clock, its opens are auctions, its noise floor is different furniture — so the book activates it as a *set of*

laws or not at all. And the promotion tag closes the last quiet leak: a rule true on large-caps in trend on two feeds is exactly that, and the ledger now says so in three dimensions.

- STATUS: DRAFT

PARAMETER REGISTRY ENTRIES (introduced by this chapter)

PARAMETER	DOMAIN	CARD	PROPOSED TEST RANGE
class profiles	INDEX · ETF · LARGE-CAP · SMALL-CAP · FX · CRYPTO · COMMODITY-FUT	U-1	calibration class first; others as build-outs
uni.pctlLookback	bars	U-3	252-504 (daily)
rs.bench	declared benchmark per profile	U-4	SPX/sector per class
rs.noGap	stamp (mechanical)	U-4	—
breadth.hi / breadth.lo	percentile-mode thresholds	U-5	\$J pattern
bar.sessionAnchor	class anchor time	U-7	FX 17:00 NY · crypto 00:00 UTC (declared, sweepable)
bar.roll	stamp (futures)	U-7	mechanical
zone.tickFloor per class	ticks	U-8 · cited; owner V-17 [v2, D5]	2 · 3-5 · 2-3 pips · per-venue
uni.floorClock	bars	U-8	20-60
uni.mktAlignOdds / uni.transferOdds	honesty tables	U-6/U-9	loop-filled

SOURCES

Kirkpatrick (relative strength as the field's best-evidenced ranking claim — U-4's empirical license, with Levy's lineage) · Murphy (intermarket context — U-6's ancestry, mechanized into a ladder of stamps) · Edwards, Magee & Bassetti (the class-dependence of classical thresholds, admitted in their own caveats) · Aronson (the cross-class data-mining trap behind U-3/U-9's admissibility laws) · ARCHITECT-REVIEW-A2 (PCT class-relative / VOLU transfer — ratified there, law here; the PIT universe discipline U-5 cites) · 97 §§J, M (the math homes) · The Contract T-9/T-10 (the deferrals this chapter lands).

OPEN-DEPOSITS (claims on later chapters)

To CH 16 (Risk, landing with this chapter): class profiles and DEGENERATE/floor rules bound each risk profile's tradable universe; MKT/RS stamps are sizing inputs through the legal channel; nothing here gates truth. **To the loop:** the class dimension multiplies the grid — VOLU-primary sweeps with per-class PCT recalibration is the standing order (A2 §2.4); `uni.transfer0dds` wants the first out-of-class run (ETF class is the cheapest second class: same feeds, same sessions); the FX/crypto anchors are declared and sweepable before any 24h data enters. **To the formalization pass:** class profiles are the natural serialization unit for CardSpec parameter blocks (one profile = one overlay file).

OPEN QUESTIONS — RESOLVED (PUBLISHER-REVIEW-R8)

1. ~~The v1 second class (U-1/U-9)~~ **RESOLVED (U-R1): ETF FIRST** — identical plumbing, one distribution step from the calibration class — the cheapest test of the transfer apparatus (U-2/U-9). Prove `uni.transfer0dds` on ETF before FX.
2. ~~Crypto's anchor (U-7)~~ **RESOLVED (U-R2): ONE-PER-CLASS, 00:00 UTC default, sweepable** — cross-venue comparability beats per-venue fidelity for a rulebook; per-venue anchors live in the profile only if `uni.transfer0dds` shows the comparability cost is real.
3. ~~The sector layer (U-6)~~ **RESOLVED (U-R3): INDEX-ONLY for calibration** — the sector rung ships as the optional declared layer with no default benchmark; the second rung earns its place when `uni.mktAlign0dds` justifies it. Deferred, pre-authorized.

Chapter 15 v2 · 9 cards · DRAFT · review_ref: PUBLISHER-REVIEW-R7 (Sprint 8 go-ahead) · PUBLISHER-REVIEW-R8. Compiled against: Chapters 1–14 + 97. One rulebook, many profiles; thresholds that learn their instrument; a free lunch itemized; the market never swapped for the ticker; and every promotion tagged with where it was earned. — THE SCINTILLA RULEMAKER

CHAPTER 16 — RISK PROFILE & APPLICATION RULES (K)

THE SCINTILLA TRADING RULEBOOK · Chapter draft · v2 (supersedes v1) v2 changelog (per PUBLISHER-REVIEW-R8, folded 2026-09-25 — decision D1): the three open questions are resolved in place below (K-R1, K-R2, K-R3), in the same form R2–R6 already use. No card text changed. The footer's review_ref is corrected: the Sprint 8 go-ahead was R7, not R6 (R7 §5). **STATUS: DRAFT** (all cards; promotion by publisher testing) · Sprint 8 ("Finish the Draft") — the closing chapter; with it, the full first draft stands: sixteen chapters, the Contract, and the math file, every deposit cashed or stated.

SUMMARY: The chapter where the reader finally enters — and the wall that keeps their appetite out of the truth. The invariance law as the chapter's constitution; the closed registry of legal knobs (the only surface a profile may touch); CONSERVATIVE, MODERATE, AGGRESSIVE as parameter sets and nothing else; the invalidation→stop bridge (truth never moves, the buffer does); sizing through the grade channel the book built nine chapters ago; regime, climate, and alignment keyed to exposure through the one legal door; the mechanical de-risking ladder; the position-versus-verdict proof the shell demanded; the application discipline that forbids forked rulebooks; and the last ledger — the one about the reader.

Compiles against: Chapters 1–15. Cited by: nothing — the book's application terminus.

BLOCK ONE — THE CONSTITUTION

K-1 — THE INVARIANCE LAW (APPETITE CHANGES EXPOSURE, NEVER TRUTH)

- **RULE:** Definitions, confirmations, invalidations, verdicts, grades, states, regimes, and every ledger entry are **profile-invariant**: no card's RULE, CONFIRMATION, or INVALIDATION may branch on profile, and two profiles reading one tape hold **identical truth records** — same claims, same verdicts, same voids, same grades, same stamps. A profile exists in exactly one place: the values it assigns to the legal knobs (K-2). Enforcement is C-10's pattern at chapter scale: any card, table, or published analysis in which profile touches a truth field fails review; any tool that computes different events per profile is broken by definition.
- **CONFIRMATION:** Editorial + mechanical — the truth pipeline runs profile-blind; profiles enter only at the exposure layer.
- **INVALIDATION:** One profile-conditional truth anywhere voids the analysis and indicts the tool (T-1's two strangers were always two *appetites* too — they must mark the same bar).

- **WHY IT MATTERS:** The moment appetite can edit truth, every stop becomes negotiable and every invalidation becomes a mood. Two strangers with different account sizes must disagree only about *how much* — never about *what happened*. This is the book's last law and its first one wearing risk clothing.
 - **STATUS:** DRAFT
-

K-2 — THE LEGAL KNOBS (A CLOSED REGISTRY)

- **RULE:** The **exhaustive** list of profile-touchable parameters — a knob is legal iff it parameterizes exposure or participation without touching a truth field: **entry doctrine** (`k.entryDoctrine`: ENTRY-C vs ENTRY-R vs context-keyed table — B-5's choice, finally assigned to its owner) · **participation tiers** (`k.gradeFloor`: the minimum C-10 grade a profile takes — declining a C-grade setup is the profile gating *its own* participation, exposure = 0; the setup's truth and everyone else's reading stand) · **setup-class participation** (`k.setupClasses`: which families a profile trades — chain entries, trap setups A-3/A-4/A-5, pattern classes per P; classes, never names-as-magic) · **stop construction** (K-4's options and buffers) · **risk fraction** (`k.riskPerTrade`) · **scale-out at PAID** (`k.scaleOutFrac` — A-9's knob) · **chase discipline at RUNAWAY** (`k.chaseMode` ∈ {NEVER, RETEST-ONLY} — B-7's knob; the measured cost of each response is the table's, the choice is the profile's) · **pyramiding** (`k.pyramid`: OFF or add-on-fresh-chain-only — a new add requires its own confirmed chain, never averaging into a thesis) · **exposure multipliers by context** (K-6) · **the de-risking ladder** (K-7) · **concurrency caps** (`k.maxPositions`, `k.maxPerClass`) · **position TTL** (`k.positionTTL`, K-8's proof governs). **The registry is closed:** a new knob enters only by amendment carrying the invariance argument (it must be shown to touch exposure only); anything not on the list is not a knob.
 - **CONFIRMATION:** Every profile field resolves to a listed knob; the list is checked at review against every new card.
 - **INVALIDATION:** An unlisted "knob," or a listed knob found reaching a truth field, fails the amendment or the card that smuggled it.
 - **WHY IT WORKS:** An open-ended risk layer is where discretion re-enters wearing a spreadsheet — every unlisted parameter is a place appetite can quietly become opinion. A closed registry makes the exposure surface as auditable as the truth surface, which is the only way the invariance law is checkable rather than aspirational.
 - **STATUS:** DRAFT
-

K-3 — THE THREE PROFILES (PARAMETER SETS, NOT PERSONALITIES)

- **RULE:** **CONSERVATIVE** · **MODERATE** · **AGGRESSIVE** are named rows over K-2's registry — v1 proposal, every value a testing target, none gospel: **CONSERVATIVE:** ENTRY-R only ·

k.gradeFloor = B · setup classes: chain entries + A-1 continuations only (no trap setups) ·

k.riskPerTrade 0.5% · scale-out 50% at PAID · chase NEVER · pyramid OFF · TTL tight.

MODERATE: doctrine context-keyed (the brk. entry0dds table decides per reference type × grade once measured; ENTRY-R until then) · floor = C with grade-keyed sizing (K-5) · classes: + A-3/A-4 traps · risk 1.0% · scale-out 33% · chase RETEST-ONLY · pyramid add-on-fresh-chain.

AGGRESSIVE: ENTRY-C permitted where the table prices it · all grades, sized by grade · all classes including gap traps · risk 1.5% · scale-out optional · chase RETEST-ONLY · pyramid on, capped. Profiles are registry rows — edited as sets, versioned like cards, **never forked into prose**; a fourth profile is a new row, not a new chapter.

- CONFIRMATION: A profile resolves to one value per knob; analyses declare their profile (K-8).
- INVALIDATION: A profile described in prose that cannot be read back as registry values is not a profile; per-trade knob overrides outside a declared profile change are discretion (K-8's law).
- WHY IT WORKS: The field sells risk appetite as identity; the book reduces it to arithmetic on a closed list — which is exactly what makes three appetites testable as three columns of the same ledger instead of three arguments.
- STATUS: DRAFT

BLOCK TWO — THE EXPOSURE MACHINERY

K-4 — THE INVALIDATION→STOP BRIDGE (TRUTH NEVER MOVES; THE BUFFER DOES)

- RULE: Every position's stop derives from its setup's **card-stated INVALIDATION** — the voiding close the rulebook already defined — never from a comfort distance: **stop price = invalidation reference's far zone edge ± risk.stopBufferAtr × ATR** (the buffer is the profile's, in VOLU; the invalidation is the card's, immutable — assessment §7.8, cashed). Because invalidations are close-events (V-8), the stop order at that price is an *execution hedge against gap-through and intrabar disorder*, and the book states the mismatch honestly: a position may be stopped intrabar while the setup is technically alive until the close — that is an exposure cost the profile chose (tighter buffer = more noise stops; wider = more adverse excursion; the table risk.stop0dds prices the buffer sweep). **The SUBSETUP stamp:** a profile choosing a stop *tighter than the invalidation-implied distance* is risking on noise inside a live thesis — legal (exposure choice) but stamped SUBSETUP, tabled separately, and never publishable as the setup's own statistics. **Position size = k.riskPerTrade × equity / stop distance (VOLU)** — size derives from truth-anchored risk, never the reverse (no sizing backward into a wider "stop" to fit a desired size; that is the invalidation moving, K-1 breach).
- CONFIRMATION: Stop resolves mechanically from the setup's stamped invalidation + profile buffer at entry.

- **INVALIDATION:** A stop placed off any un-cited price, a buffer edited mid-position outside the ladder's mechanics, or a size computed before its stop, fails review.
 - **WHY IT WORKS:** The stop is where truth and appetite meet, and the bridge keeps them in the right order: the card says where the thesis is dead; the profile says how much slack to pay around that fact. Every blown account has the arrow backwards.
 - **STATUS:** DRAFT
-

K-5 — SIZING THROUGH THE GRADE CHANNEL (C-10's PROMISE, SPENT)

- **RULE:** The channel built at C-10 and reserved through nine chapters, finally spent: **size multipliers key to evidence, through grades and stamps only** — `k.sizeMult[grade]` (v1 proposal: A = 1.0, B = 0.75, C = 0.5, profile-scaled), with measured-lift stamps (Q-FUND/Q-EVR, PRESSURE, MULTI(k), HTF/MKT-ALIGNED, DRYING-UP context) adjusting *within* the profile's caps **only where their lift columns are loop-filled. The UNMEASURED teeth (B-11's law reaching money):** sizing up on an UNMEASURED lift is the definition of *recommending* an unmeasured claim — barred; an unmeasured stamp sizes at 1.0 (neutral) until its column exists. Sizing reads grades; it never creates, requests, or back-pressures them (a sizing layer that wants better grades is K-1's breach by plumbing).
 - **CONFIRMATION:** Every size resolves to profile × grade × (measured stamps); the multiplication is auditable per position.
 - **INVALIDATION:** A size keyed to a raw indicator value, an unmeasured stamp, a pattern name, or anything not a grade/stamp with a filled column, fails review.
 - **WHY IT WORKS:** "Bet more when the evidence is better" is the one edge risk management can add — and it is only real if *better* means measured. The grade channel is where nine chapters of witnesses finally touch position size, with the UNMEASURED law standing between enthusiasm and the ledger.
 - **STATUS:** DRAFT
-

K-6 — PROFILE × REGIME (EXPOSURE THROUGH THE ONE LEGAL DOOR)

- **RULE:** Context keys **exposure multipliers**, never activity and never truth — the division of labor stated at X-4, completed here: X-4's lookup owns *which* rules may fire; this card owns *how much* a profile commits when they do. `k.regimeMult[state]` (v1: TRENDING-aligned 1.0 · TREND-IN-RANGE 0.75 · RANGING 0.75 at boundaries · TRANSITIONAL 0.5 · dead zone/CHURN/REGIME-DISPUTE 0.25-or-0 per profile) · `k.climateMult` (DEAD-VOL and CLIMACTIC reduce per profile — I-10/X-5 spent as sizing input, the deposit's exact shape) · alignment stamps (HTF, MKT) adjust within caps per K-5's measured-only law. All multipliers are profile-row values over states the truth layer already stamped; none reach backward.

- **CONFIRMATION:** The multiplier chain resolves from stamped states at entry (and at add-on events only — no continuous resizing of open risk by drifting context; changes ride the ladder or the exit).
 - **INVALIDATION:** A regime multiplier consumed as a gate (0 presented as "the rule didn't fire" rather than "the profile declined"), or any multiplier touching the lookup, is malformed — declining is exposure; the setup's record is untouched.
 - **WHY IT WORKS:** The loop proved the edge is regime-conditional; X made the condition a state; this card is where a reader's account finally meets that fact — scaled participation in what the book can defend, near-zero in what it cannot, with the ledger recording that the difference was appetite, never truth. [v2 note, D6 — 2026-09-25] The evidence behind this sentence is the loop's synthetic-control run only (feed synthetic-v1, 7 DRAFT verdicts for the swing rule, last decided 24 Jul 2026; lockbox untouched). No real-data verdict exists. Read "measured" / "proved" as *on synthetic controls* until one does.
 - **STATUS:** DRAFT
-

K-7 — MECHANICAL DE-RISKING (THE DRAWDOWN LADDER)

- **RULE:** Exposure keys to the account's own record, mechanically: from the equity high-water mark, at each `risk.stepDownR` of drawdown (denominated in R — the profile's per-trade risk unit — so the ladder is size-invariant), the profile's global exposure multiplier steps down one rung (`k.ladderMult`, v1: 1.0 → 0.75 → 0.5 → 0.25 → flat-except-exits); **restoration is hysteretic** — a rung recovers only after `risk.recoverR` of gain *from the rung's floor* (never immediately on the next win; the ratchet is the point), and rung changes apply from the next entry, never to open stops (K-4's truth-anchor stands). The ladder is profile-keyed in steepness, mandatory in existence: no profile ships without one, no discretion enters it, and no "conviction" overrides a rung (a rung override is K-1's breach in its most classical costume — revenge sizing with paperwork).
 - **CONFIRMATION:** The ladder state is a mechanical function of the equity series; every entry's size cites its rung.
 - **INVALIDATION:** An entry sized above its rung, a rung skipped on recovery, or a ladder edited mid-drawdown, fails review.
 - **WHY IT WORKS:** A drawdown is the one signal that is unambiguously about *the system-and-operator, not the market* — the book's own regime detector for its reader. De-risking into it prices ruin out mechanically and buys the loop time to find what changed; the alternative has a century of memoirs.
 - **STATUS:** DRAFT
-

BLOCK THREE — APPLICATION AND THE LAST LEDGER

K-8 — POSITIONS, VERDICTS & THE TTL PROOF; APPLICATION DISCIPLINE

- **RULE:** A **position** is an exposure object bound at entry to its setup's verdict. **The TTL law, with the proof the shell demanded:** a position may expire before its verdict (`k.positionTTL`, a pure exposure clock — legal, the profile paying time-cost for capital recycling, indispensable under `EVENT_ONLY` verdicts that may live for months); **the reverse is impossible by construction:** when a verdict dies (void, A-2 reset, or clock expiry — C-2 v3's two paths), the setup's stated invalidation has fired, and K-4 anchors the position's exit to exactly that event — holding beyond it would be exposure with no live thesis, which no card supports and this card forbids; positions close on verdict death, mechanically, same close or next open per `k.exitMode`. ■ **Application discipline (one book, no forks):** every published analysis declares its profile and cites the same cards with profile values attached; profile differences may appear **only in exposure fields** — two profiles publishing different verdicts from one tape is a review failure (K-1 operationalized); profile changes are scheduled, registry-stamped events (`k.profileChangeClock` minimum interval) — per-trade profile-hopping is discretion re-entering through the last unlocked door, and the ledger tags every position with the profile row that sized it.
 - **CONFIRMATION:** TTL and exits resolve mechanically; profile declarations and change stamps are registry facts.
 - **INVALIDATION:** A position alive after its verdict's death, an undeclared-profile analysis, or an unstamped profile change, fails review.
 - **WHY IT WORKS:** The proof holds because the book built it backwards on purpose: exits were anchored to invalidations (K-4) before TTLs existed, so the position can only ever be the *shorter-lived* object. And the discipline clause is the two-strangers law completing its journey — same tape, same truth, appetite visible only in the size column.
 - **STATUS:** DRAFT
-

K-9 — THE RISK LEDGER (THE BOOK'S LAST TABLE IS ABOUT THE READER)

- **RULE:** Under B-11's law, the chapter's own tables: `risk.profile0dds` — outcomes per profile row × setup class × grade × regime/class tags (the three profiles as three columns of one measured reality) · `risk.stop0dds` — the buffer sweep's noise-stop vs adverse-excursion frontier (K-4), with the `SUBSETUP` column segregated · `risk.entryDoctrine0dds` — `brk.entry0dds` consumed by its owner: the confirm-vs-retest cost, priced per context, closing the book's oldest deferred argument where it belonged (in the reader's column, not the prose) · ladder outcomes (K-7 — drawdown depth/duration with vs without rungs, the table that justifies

the chapter) · TTL cost (K-8 — what the time-stop pays and forfeits under EVENT_ONLY verdicts). Every cell loop-filled with vintage; UNMEASURED cells read UNMEASURED; and an unmeasured knob value may be shipped as a default, stated — never marketed as an edge.

- **CONFIRMATION:** Every published risk claim resolves to a cell with vintage and tags.
- **INVALIDATION:** Per B-11 — a naked "conservative is safer" in book prose fails review like any other unpaid claim.
- **WHY IT WORKS:** The book spent fifteen chapters making the market confess in numbers; the last table points the same instrument at the reader's own choices. If the profiles are real, their columns will differ where appetite should matter and match where truth does — and that sentence is itself a testable claim, which is the only kind this book ships.
- **STATUS:** DRAFT

PARAMETER REGISTRY ENTRIES (introduced by this chapter)

PARAMETER	DOMAIN	CARD	PROPOSED TEST RANGE
k.entryDoctrine	ENTRY-C · ENTRY-R · CONTEXT-TABLE	K-2/K-3	per profile (B-5's knob, owned)
k.gradeFloor / k.setupClasses	grade tier · class set	K-2/K-3	per profile
k.riskPerTrade	% equity	K-3	0.25–2.0
risk.stopBufferAtr	ATR mult ≥ 0	K-4	0.25–1.0 (profile-keyed)
k.sizeMult[grade]	≥ 0	K-5	A 1.0 · B 0.5–0.75 · C 0.25–0.5
k.regimeMult[state] / k.climateMult	≥ 0	K-6	v1 proposal in-card; swept
risk.stepDownR / risk.recoverR / k.ladderMult	R units · R units · rung set	K-7	3–6R · 2–4R · 4 rungs
k.positionTTL / k.exitMode	bars · SAME-CLOSE · NEXT-OPEN	K-8	profile-keyed · both
k.scaleOutFrac / k.chaseMode / k.pyramid / k.maxPositions / k.maxPerClass / k.profileChangeClock	per K-2	K-2/K-3/K-8	per profile
risk.profileOdds / risk.stopOdds / risk.entryDoctrineOdds	honesty tables	K-9	loop-filled

SOURCES

Elder (the risk-percent lineage behind `k.riskPerTrade`; the discipline framing) · Tharp (position sizing as the variable that dominates outcomes — K-5's ancestry, held to the measured-only law) · Vince (the mathematical case that overbetting ruins faster than edge saves — the ladder's arithmetic conscience, fractional in practice) · Bulkowski (the throwback/failure base rates that make the entry-doctrine table decidable) · Aronson (the system-vs-market signal distinction behind K-7; the discipline that keeps K-9 honest) · Internal: C-10 (the channel), B-5/B-7 (the knobs' owners), A-9 (PAID), X-4/X-5 (the division of labor), U-1/U-8 (the universe the profiles trade), T-8 (the verdicts positions live under).

OPEN-DEPOSITS (claims on later work)

To the formalization pass: profiles serialize as registry rows beside class profiles (U); the knob registry is `CardSpec`'s exposure block; the invariance law is a lint (profile tokens may appear only in exposure fields — mechanically checkable). **To the loop:** `risk.entryDoctrineOdds` is `brk.entryOdds` re-keyed — no new measurement, one new consumer; the ladder wants equity-curve simulation over the existing attempt ledger; profile sweeps are pure re-weighting of already-stamped events (cheap — no new detection). **To the publisher's desk (the R1 reader-model ruling, landing site):** v1 ships **trader profiles only**. An INVESTOR variant changes the knob list (no entry-doctrine knob, longer TTLs, W-record stack per M) — it is a fourth registry row plus a stack declaration, *not* a fork, and the invariance law holds unchanged. The open ruling from R1 can now be made against a concrete mechanism: say the word and the row ships; the chapter needed no restructuring to admit it.

OPEN QUESTIONS — RESOLVED (PUBLISHER-REVIEW-R8)

1. ~~The reader-model ruling (R1's open item, now concrete)~~ **RESOLVED (K-R1): TRADER-ONLY for v1** — the INVESTOR row (a fourth registry row, no entry-doctrine knob, longer TTLs, a W-record stack — not a fork) is pre-authorized to drop the moment its tables exist. This closes R1's reader-model question against a concrete mechanism.
2. ~~The MODERATE doctrine default (K-3)~~ **RESOLVED (K-R2): ENTRY-R fallback for all profiles until `risk.entryDoctrineOdds` fills** — a table that is UNMEASURED at birth cannot key anything (K-5's own law); the context-keyed table takes over per context only as the loop fills it.
3. ~~Ladder universality (K-7)~~ **RESOLVED (K-R3): MANDATORY-EXISTENCE IS LAW, not default** — every profile ships with a de-risking ladder; steepness varies, existence does not; an absent ladder is not a legal profile. K-7's mandatory-existence clause is elevated to a stated law of the chapter.

Chapter 16 v2 · 9 cards · DRAFT · review_ref: PUBLISHER-REVIEW-R7 (Sprint 8 go-ahead) · PUBLISHER-REVIEW-R8. Compiled against: Chapters 1–15. The reader enters; the truth doesn't move. Sixteen chapters, one contract, one math file — the full first draft of THE SCINTILLA

TRADING RULEBOOK stands complete, every deposit cashed or stated, awaiting the formalization pass. — THE SCINTILLA RULEMAKER

CHAPTER 98 — THE FORMALIZATION APPENDIX

v2 changelog (2026-09-25, decisions D3–D5): three used-but-unregistered bar flags registered (`bar.exDiv` T-9, `bar.short` V-7, `bar.basis` V-1); three deliberate reservations listed as RESERVED, not registered; the eight parameters that were registered twice now show one owner, the other listing marked as a citation.

THE SCINTILLA TRADING RULEBOOK · Finalization pass · v1 STATUS: REFERENCE

(navigation + audit surface; introduces no new rules — every entry is a pointer to a card that owns it) **Built:** at draft-complete, from the sixteen chapters + the Contract (00) + the math file (97). The deposits every chapter left for "the formalization pass" are cashed here: the Master Rule Index, the Consolidated Parameter Registry, the Graveyard, and the Glossary.

This appendix is the book reading itself. It compiles nothing new. If any line here disagrees with the card it points to, the **card wins** — this is an index, not an authority. Its job is to make ~150 cards and ~180 parameters navigable, and to make the book's *refusals* as visible as its rules.

HOW TO READ THIS BOOK (the one-page orientation)

The rulebook is a machine spec, not a theory book. Every rule is a **card** (T-2): RULE · CONFIRMATION · INVALIDATION · WHY IT WORKS · STATUS, and a card is only finished when **two strangers mark the same bar** (T-1, the two-strangers test). The spine underneath everything:

1. **The close is the only truth** (V-2, V-8). Nothing evaluates before a bar of record closes; intrabar is rumor.
2. **A claim is not a verdict** (C-1 → C-2). A close beyond a reference *opens a claim*; the claim becomes a **verdict** (the only opinion object, T-8/V-21) only on a confirming close. Close back inside first and the claim **voids** — and a void is the first sighting of a trapped trader (C-3), which is where the money is (A-3).
3. **Everything is measured in scale units** (T-10): **PCT** (log-percent) or **VOLU** (ATR units). Raw price and chart angles are forbidden. VOLU is what lets one rule read a utility and a crypto pair (U-2).
4. **Witnesses grade; the close decides** (C-9, C-10, Q-1, I-1). Volume and indicators are graders and gauges, never judges. Correlated witnesses count once (I-2, the no-stacking law).
5. **Context gates activity, never truth** (X-4). A regime can suspend which rules *fire*; it may never touch a verdict, a void path, or an in-flight claim (the falsifiability clause).
6. **No rule is TESTED until the loop proves it** — within a stated regime (X-9), on a stated class (U-9), on ≥ 2 feeds. Every rate in the book is either loop-filled with vintage or stamped UNMEASURED (B-11). The publisher's opinions get no head start (Note R6.1).

The book compiles **forward once** (T-5): earlier chapters never cite later ones; later chapters deposit obligations backward, which earlier chapters cash. This appendix is where you see the finished weave.

PART I — THE MASTER RULE INDEX

Every card, by chapter, with a one-line function. Cards are LETTER-n; the letter is the chapter's namespace (T-6, never reused). Status is DRAFT book-wide until loop promotion, except where a card is a pure law/definition.

00 · THE CONTRACT (T) — how the book is built

- **T-1** — Two-strangers law: a rule is finished only if two independent implementations mark the same bar.
- **T-2** — Card law: every rule is a five-part card, no part omitted.
- **T-3** — Precision law: inputs/outputs stated so a computer executes without judgment.
- **T-4** — Parameter law: every constant is a named registered parameter; no inline numbers.
- **T-5** — Compile law: the book compiles forward once; no forward citation — backfill instead.
- **T-6** — Rule-ID law: IDs bind to chapter letters, never reused or re-keyed.
- **T-7** — Promotion pipeline: STATUS ∈ {DRAFT, TESTED, LAW, RETIRED}; only evidence promotes.
- **T-8** — Verdict law: the verdict is the only opinion object; seven fields; EVENT_ONLY admissibility.
- **T-9** — Bar contract (RATIFIED): one series of record; ratified v1 defaults; feed-agnostic.
- **T-10** — Scale law: all distance in PCT or VOLU; raw price and angles forbidden.
- **T-11** — Scope ledger: excluded methods listed with reasons, re-admissible only by algorithm.
- **T-12** — Amendment & backfill law: versioned passes; backfill and deposit-forward mechanics.
- **T-13** — Standard formal form: promotion appends an executable schema block (the loop's CardSpec target).

01 · VOCABULARY (V) — the primitives everything is built from

- **V-1** — Bar of record: the OHLCV+time tuple under one declared construction.
- **V-2** — Close of record: the sole truth-bearer (the official closing print).
- **V-3** — Scale law (applied): every distance declared PCT or VOLU per rule.
- **V-4** — Revision doctrine: a closed bar is restatable until bar.revClock, then immutable.
- **V-5** — Adjustment policy: bar.adjust ∈ {SPLIT_ONLY, TOTAL_RETURN}.

- **V-6** — Aggregation law: a higher-TF bar exists only when its last constituent closes.
- **V-7** — Short & missing bars: no session = no bar; short bars flagged, volume stands down.
- **V-8** — Prime axiom (no-partial): no rule evaluates before `t_close`.
- **V-9** — Tag: completed-bar price contact, direction-less, no verdict.
- **V-10** — Close beyond: a close past a reference by `pen.min` — a claim, not a verdict.
- **V-11** — Swing candidate & confirmed swing: local extreme, candidate until a method confirms.
- **V-12** — Method SW-F (N-bar fractal): fixed-lag fractal, STRICT/LEFT tie option.
- **V-13** — Method SW-R (reversal threshold / zigzag): counter-move threshold, variable lag.
- **V-14** — Repaint prohibition: confirmed outputs are immutable under new data.
- **V-15** — Method SW-P (perceptual key points / PIP): frozen rolling-kernel extrema.
- **V-16** — Swing of record & degree: most recent confirmed swing; recursive degree.
- **V-17** — Level & zone: horizontal level object with states; zone adds a tolerance band.
- **V-18** — Diagonal & channel: trendline through two swings; channel adds a parallel.
- **V-19** — Dynamic level: an indicator series declared as a reference price.
- **V-20** — Support/resistance by position; role flip is a confirmed event.
- **V-21** — Verdict object: seven required fields; `EVENT_ONLY` sentinel.
- **V-22** — Adjective bar: bullish/bearish/neutral only as verdict direction values.
- **V-23** — Breakout/breakdown (claim terms): a close past a zone edge; a claim.
- **V-24** — Retest · hold · fail · fakeout: post-break terms, each with a clock.
- **V-25** — True range & ATR: Wilder-exact; the book's volatility unit.
- **V-26** — Distance (PCT & VOLU forms): the two signed distance formulas.
- **V-27** — Slope: distance per bar in a declared unit; never degrees.
- **V-28** — Clocks & lookbacks: count closed bars; named parameters, never inline.

02 · EVENTS (E) — the countable things a single bar (or two) can do

- **E-1** — Anatomy quantities (+ degenerate guard): body/wick/close numbers; `ANATOMY-NULL` when `range=0`.
- **E-2** — Trend bar: directional bar by body-fraction and close-location.
- **E-3** — Neutral bar: the doji family collapsed to one threshold.
- **E-4** — Reject: tag a zone and close back outside (the pin/hammer, three inequalities).
- **E-5** — Inside/outside bar: containment vs engulfing of the prior bar.
- **E-6** — Engulfing close: body- or range-engulf at the close.
- **E-7** — Compression events: `NR-n` / `ATR-fraction` / declining-mean contraction.
- **E-8** — Gap event & size: open beyond the prior boundary; `ex-div` stands down.

- **E-9** — Gap fill & survival: pre-gap boundary retagged vs clock expiry.
- **E-10** — Gap classification (the law): one class, staged; provisional then final.
- **E-11** — Common gap: crosses no active level, stays in context range.
- **E-12** — Breakaway gap: crosses an active level after one-sided consolidation.
- **E-13** — Continuation gap: matches the live structure verdict.
- **E-14** — Exhaustion & failed-breakaway: fill within gap. exhClock reclassifies.

03 · STANDARDS (C) — how a claim becomes a verdict

- **C-1** — The claim: a close beyond a reference zone opens a directional claim with a clock.
- **C-2** — The confirming close: claim → verdict, under TWO-CONSEC / WINDOW / SINGLE-FILTERED.
- **C-3** — The void: a close back inside before confirmation voids the claim (the fakeout trigger).
- **C-4** — The mirror law: invalidation must be the symmetric, equally-precise voiding event.
- **C-5** — Timeframe of record: one declared tf per claim; no timeframe-shopping.
- **C-6** — Confirmation clock & expiry: window passes → EXPIRED-UNCONFIRMED.
- **C-7** — Wick treatment: wicks only tag and grade — never open/confirm/void.
- **C-8** — Gap handling in confirmation: gap+close-beyond = one claim; close-back = none.
- **C-9** — What never confirms: volume, indicators, anatomy, news, opinion.
- **C-10** — The evidence grade: A/B/C by grader count; orders participation, never gates existence.
- **C-11** — Re-claim discipline: a fresh claim needs a fresh V-10; per-direction attempt counter.

04 · HORIZONTAL LEVELS (L)

- **L-1** — Level birth from a confirmed swing at its anchor price.
- **L-2** — Level birth from surviving gap edges.
- **L-3** — Level birth from a prior completed period (PDH/PWH/...).
- **L-4** — Zone-width method options (percent / ATR / max / wick-cluster).
- **L-5** — Test episodes: role-side tag runs, gap-separated.
- **L-6** — Level quality (tier vs score) — a grade, never a gate.
- **L-7** — The third-test problem: WATCH annotation + odds table.
- **L-8** — Break state transition ACTIVE → BROKEN on a confirmed break.
- **L-9** — Role-flip confirmation via retest hold (or reversion on failure).
- **L-10** — Retirement (staleness / irrelevance / period-roll / absorption).
- **L-11** — Confluence clusters of overlapping zones (counted once).

- **L-12** — Reference-binding export: the level behaviors bind *any* reference object.
- **L-13** — Round-number level birth (SKELETON stub, no standing until proven).

05 · DIAGONALS & CHANNELS (D)

- **D-1** — Diagonal proposal: a line through two consecutive same-side swings.
- **D-2** — Validation at the first defended test episode (the third touch).
- **D-3** — Slope limits: below floor → level; above cap → parabolic/watch-only.
- **D-4** — The L-12 binding: a diagonal runs the level behaviors unchanged.
- **D-5** — Channel construction/validation via a parallel; midline is evidence-only.
- **D-6** — Redraw law: anchors immutable; a redraw is a new proposal.
- **D-7** — Channel walks and exits (a confirmed boundary break).
- **D-8** — Reference rank on disagreement (HORIZONTAL > DIAGONAL > DYNAMIC).
- **D-9** — Internal-line exclusion: only swing-anchored lines are references.

06 · TREND & STRUCTURE (S)

- **S-1** — The alternating confirmed-swing sequence (H, L, H, L ...).
- **S-2** — Pairwise events HH/HL/LH/LL/EQ under tolerance.
- **S-3** — Trend existence from interleaved qualifying events.
- **S-4** — Trend verdict: the EVENT_ONLY citizen with a decidable void.
- **S-5** — Suspected-trend state (forming; rules forbidden to fire).
- **S-6** — Structure floor/ceiling is the swing-of-record level.
- **S-7** — Break of structure (BOS) through the floor zone.
- **S-8** — Retracement depth methods (fixed / fib / vol / structural).
- **S-9** — Pullback / deep pullback / reversal-candidate events.
- **S-10** — Trend death vs pause (no auto-reversal, ever).
- **S-11** — After the break: the routing handoff to owner chapters.

07 · RANGES (R)

- **R-1** — Range birth via two doorways (structure-pause / de-novo).
- **R-2** — Boundaries are level objects (one ledger).
- **R-3** — No-man's-land: the forbidden middle band.
- **R-4** — Boundary defense classes (defended / reject / void / expiry).
- **R-5** — Maturity by defended-episode count + odds table.
- **R-6** — Range death: confirmed break or dissolution.

- **R-7** — Failed range break: LOADED-OPPOSITE (the spring/upthrust stamp).
- **R-8** — Pre-break context: COILED compression at a boundary.
- **R-9** — Rebirth needs a fresh birth; the rectangle is CH 12's alias.

08 · BREAKOUTS (B)

- **B-1** — The break chain: one grammar over five admissible reference types.
- **B-2** — Attempt taxonomy (attempt / failed / break) and the counter reset.
- **B-3** — Pre-break PRESSURE annotation.
- **B-4** — The grade join: which evidence is legible to which break type.
- **B-5** — Entry doctrines: ON-CONFIRM (ENTRY-C) vs ON-RETEST (ENTRY-R).
- **B-6** — Measured objectives: one projection grammar, five methods.
- **B-7** — The runaway break (no-retest + distant close).
- **B-8** — Failure routing: non-clean outcomes handed to Chapter 9.
- **B-9** — Multi-reference breaks; MULTI(k) evidence, highest-rank verdict of record.
- **B-10** — Gap-borne breaks; a separate entry-economics ledger.
- **B-11** — The honesty ledger: the publication law for every rate.

09 · AFTERMATH (A)

- **A-1** — Retest machinery: clocks priced; HOLD / FAIL / NO-RETEST.
- **A-2** — Retest-fail: the verdict reset; stamps TRAPPED(break-direction).
- **A-3** — The fakeout setup (C-3's void spent): the first full setup card.
- **A-4** — Spring & upthrust: the named pair at range boundaries.
- **A-5** — The gap trap (E-14's failed-breakaway, spent).
- **A-6** — Whipsaw & the stand-down: the *only* sanctioned activity gate.
- **A-7** — Post-flip third test: single home, flip-test odds.
- **A-8** — Withdrawal & contest evidence at the retest.
- **A-9** — Post-objective law: PAID and the anti-greed rule.
- **A-10** — The aftermath ledger.

10 · VOLUME (Q)

- **Q-1** — The evidence doctrine: volume grades; the close decides.
- **Q-2** — Relative volume: the only admissible volume form.
- **Q-3** — Volume grade tiers (Q-FUND, Q-EVR): the C-10 backfill cashed.
- **Q-4** — Effort vs result: ABSORPTION and SUSPECT, position-gated.

- **Q-5** — Volume at tests: DRYING-UP and PRESSING.
- **Q-6** — Climax: the exhaustion candidate, never a reversal signal.
- **Q-7** — Breakout volume (the B-4 row cashed).
- **Q-8** — Aftermath volume: retest signature, trap premiums.
- **Q-9** — Where volume lies: the stand-down register.
- **Q-10** — The volume ledger.

11 · INDICATORS (I)

- **I-1** — The witness doctrine: grader, gauge, or reference — three capacities.
- **I-2** — The no-stacking / independence law: correlated witnesses count once.
- **I-3** — Moving-average construction: the house set (SMA/EMA/RMA).
- **I-4** — The dynamic level constructed (V-19 cashed) — and its claim limit.
- **I-5** — Cross events: PRICE×MA (witness) and MA×MA (gauge).
- **I-6** — RSI (Wilder-exact): conditions not signals; the range-shift law.
- **I-7** — MACD (Appel-exact): the momentum witness.
- **I-8** — Williams %R (full standing) & the Stochastic-%K identity.
- **I-9** — Indicator swings, divergence & failure swings (mechanical, swing-indexed).
- **I-10** — Volatility gauges (for the regime chapter).
- **I-11** — Trend-strength gauge (ADX, the cross-check witness).
- **I-12** — The forbidden-uses register (the chapter's spine).

12 · PATTERNS (P)

- **P-1** — The composition law: patterns define no machinery — they compose existing objects.
- **P-2** — The pattern-in-structure gate: context is part of the definition.
- **P-3** — The rectangle: the range alias, honored (R-9 cashed, zero new cards).
- **P-4** — Double & triple tops/bottoms: the M/W family (EQ-runs + neckline level).
- **P-5** — Head & shoulders (top & inverse): sequence-failure + a diagonal neckline.
- **P-6** — Flags, pennants & triangles: the continuation containers.
- **P-7** — Wedges (rising & falling): converging lines with a lean.
- **P-8** — The busted-pattern law: failure is first-class (the trapped crowd is fuel).
- **P-9** — The pattern ledger: Bulkowski numbers as SEED-EXT; the loop earns promotion.
- **P-10** — The exclusion list: what the chapter refuses (cup-and-handle, harmonics, ...).

13 · CONTEXT & REGIME (X)

- **X-1** — Unclear-regime default: contract to a minimal core; no new setup rules.
- **X-2** — Regime taxonomy: four price-native, total, single-valued states.
- **X-3** — Detector options RD-PRICE (primary) vs RD-ADX; stamp disagreements.
- **X-4** — Governing-rules lookup: ACTIVE/SUSPENDED per regime; never gates truth (falsifiability clause).
- **X-5** — Climate axis (volatility, volume): context/grade only, never a gate.
- **X-6** — The inversion list: evidence whose grade weight flips by regime.
- **X-7** — Regime change & the dead zone after a transition.
- **X-8** — Calendar stand-downs; earnings ruled (stand the volume, read the price).
- **X-9** — Regime columns on every honesty table; the stated-regime law (no pooled promotion).

14 · MULTI-TIMEFRAME (M)

- **M-1** — The declared stack: ordered frames, one role each.
- **M-2** — Aggregation dependency: context reads use the last completed bar only.
- **M-3** — Authority flows downward: the conflict table (FRAME-FIRST default).
- **M-4** — Regime authority: the record-frame X-2 gates; context regime stamps only.
- **M-5** — Nesting / early warning: WARN annotations, never context-frame verdicts.
- **M-6** — Entry-frame discipline: timing only, never touches record-frame truth.
- **M-7** — The mixing table: downward legal, upward banned except constructions.
- **M-8** — The MTF ledger: higher-timeframe deference measured as a number.

15 · UNIVERSE & RELATIVITY (U)

- **U-1** — Instrument classes as declared profiles (rules never change per class).
- **U-2** — The normalization law: VOLU is the transfer unit; PCT is class-calibrated.
- **U-3** — Adaptive thresholds (§J cashed): the index problem and percentile mode.
- **U-4** — Relative strength: the ratio series, full treatment — and its honest limits.
- **U-5** — Breadth: verdict rollups, never a new verdict type.
- **U-6** — Macro vs ticker authority (never swapped).
- **U-7** — Session templates & the 24-hour problem (what "the close" means in FX/crypto).
- **U-8** — Degenerate-price floors (zone.tickFloor built out).
- **U-9** — The intraday build-out charter & per-class promotion.

16 · RISK PROFILE & APPLICATION (K)

- **K-1** — The invariance law: appetite changes exposure, never truth.

- **K-2** — The legal knobs: a closed registry of profile-touchable parameters.
- **K-3** — The three profiles (CONSERVATIVE / MODERATE / AGGRESSIVE) as parameter sets.
- **K-4** — The invalidation → stop bridge: truth never moves; the buffer does.
- **K-5** — Sizing through the grade channel (C-10's promise, spent; UNMEASURED sizes neutral).
- **K-6** — Profile × regime: exposure through the one legal door.
- **K-7** — Mechanical de-risking: the drawdown ladder (mandatory, hysteretic).
- **K-8** — Positions, verdicts & the TTL proof; application discipline (one book, no forks).
- **K-9** — The risk ledger: the book's last table is about the reader.

Card count: 13 T · 28 V · 14 E · 11 C · 13 L · 9 D · 11 S · 9 R · 11 B · 10 A · 10 Q · 12 I · 10 P · 9 X · 8 M · 9 U · 9 K = ~156 cards, seventeen namespaces, one contract.

PART II — THE CONSOLIDATED PARAMETER REGISTRY

Every named parameter, its home card, and its domain. This is the surface the loop sweeps and the surface T-4 forbids anyone to bypass with an inline number. Honesty tables (loop-filled rate cells) are listed last per chapter and marked [table].

Bar contract & vocabulary (T, V)

- `bar.earnings` — bool session flag — T-9 · `bar.exDiv` — bool session flag (ex-dividend open) — T-9 [v2, D3]
- `bar.tf` · `bar.session` (RTH·ETH·FULL24) · `bar.tz` · `bar.basis` (price basis, last trade) — V-1 [v2, D3: `bar.basis` **registered**]
- `bar.short` — bool session flag (shortened session; volume-graded rules stand down) — V-7 [v2, D3]
- `bar.adjust` (SPLIT_ONLY·TOTAL_RETURN) — V-5 · `bar.revClock` (bars) — V-4
- `pen.min` (scale units ≥ 0) — V-10
- `swing.method` (FRACTAL·REVERSAL·PIP) — V-11 · `swing.n`, `swing.tie` (STRICT·LEFT) — V-12
- `swing.basis` (CLOSE·HL), `swing.revPct`, `swing.revAtr` — V-13
- `swing.window`, `swing.k`, `swing.minDist`, `swing.freeze`, `swing.pipMetric` — V-15 · `swing.degree` — V-16
- `zone.width`, `zone.tickFloor` — V-17 · `diag.anchor` (WICK·CLOSE) — V-18
- `retest.clock`, `retest.confirmClock`, `fake.clock` — V-24 · `atr.len` — V-25 · `scale.mode` (PCT·VOLU) — V-3

Events (E)

- `ebar.trendBodyFrac`, `ebar.trendCloseLoc` — E-2 · `ebar.neutralBodyFrac` — E-3
- `reject.method` (RJ-W·RJ-C·RJ-R), `reject.wickFrac`, `reject.closeLoc`, `reject.rangeAtr` — E-4
- `ebar.insideStrict` — E-5 · `ebar.engulfMode` (EG-B·EG-R) — E-6
- `sqz.method`, `sqz.n`, `sqz.atrFrac`, `sqz.meanLen`, `sqz.declineCount`, `sqz.clock` — E-7
- `gap.basis` (RANGE-CLOSE), `gap.minSize` — E-8 · `gap.fillClock` — E-9 · `gap.ctxLookback` — E-11/12 · `gap.exhClock` — E-14

Standards (C)

- `cfm.mode` (TWO-CONSEC-WINDOW-SINGLE-FILTERED), `cfm.window`, `cfm.singlePen`, `cfm.verdictClock` — C-1/2/6
- `cfm.graders`, `cfm.gradePen`, `cfm.gradeLookback` — C-10

Levels (L)

- `level.anchor` (WICK-CLOSE) — L-1 · `level.gapEdges` (BOTH-NEAR-FAR) — L-2 · `level.periodSet` — L-3 · `level.roundSet` — L-13
- `zone.method` (ZW-P·ZW-A·ZW-MAX·ZW-W), `zone.pct`, `zone.atrMult`, `zone.minTouches` — L-4
- `level.testGapMin` — L-5 · `level.qMethod` (QL-TIER·QL-SCORE), `q.minEpisodes`, `q.minReact`, `q.reactWindow`, `q.minAge`, `q.srcWeight.*` — L-6
- `level.watchAt` — L-7 · `level.lateFlip` (ALLOW-FORBID), `retest.clock2` — L-9 · `level.maxAge`, `level.farDist`, `level.farClock` — L-10 · `level.clusterRetire` (MERGE-KEEP) — L-10/11
- [table] `level.testOdds[n]` — L-7

Diagonals (D)

- `diag.anchorSkip`, `diag.roleSlope` (WITH-BOTH) — D-1 · `diag.slopeMin`, `diag.slopeMax` — D-3
- `chan.anchor` — D-5 · `chan.walkCount` — D-7 · `diag.maxLive` — D-6 · `ref.rankOrder` — D-8

Structure (S)

- `struct.sameSide` (EXTREME) — S-1 · `struct.eqTol` — S-2 · `trend.minSwings` — S-3
- `retr.basis` (CLOSE-HL), `retr.method` (RD-F·RD-FIB·RD-V·RD-S), `retr.atrMult`, `retr.shallowMax`, `retr.deepMin` — S-8 · `struct.pauseBars` — S-10

Ranges (R)

- `range.formLookback`, `range.minTouches`, `range.minHeight` — R-1 · `range.nmzFrac` — R-3 · `range.matEpisodes` — R-5 · `range.dissolveBars` — R-6
- [table] `range.matOdds` — R-5 · `range.failLoadOdds` — R-7

Breakouts (B)

- `brk.pressureClock`, `brk.tightCount` — B-3 · `brk.objMethod` (OBJ-H·OBJ-SW·OBJ-ATR·OBJ-NEXT·OBJ-MG), `brk.objBase` (BREAK-LEVEL·CONFIRM-CLOSE), `brk.objAtrMult` — B-6 · `brk.runawayDist` — B-7
- [table] `brk.entryOdds`, `brk.objOdds`, `brk.gapEntryOdds` — B-5/6/10

Aftermath (A)

- `fake.entryMode` (IMMEDIATE·CONF), `fake.setupClock` — A-3 · `after.whipsawCount`, `after.whipsawWindow`, `after.standDownClock` — A-6 · `after.flipWatchAt` — A-7
- [table] `fake.setupOdds`, `after.flipTestOdds` — A-3/A-7

Volume (Q)

- `vol.baseMethod` (SMA·MEDIAN), `vol.baseLen`, `vol.hiMult`, `vol.loMult`, `vol.todSessions` — Q-2 · `evr.smallMax`, `evr.largeMin` — Q-4 · `vol.dryCount` — Q-5 · `clim.volMult`, `clim.rangeMult`, `clim.extremeLookback` — Q-6 · `vol.earnStand` (STAND·DISCOUNT), `vol.calStand` — Q-9
- [table] `vol.breakLift`, `vol.dryLift`, `vol.climaxOdds` — Q-7/5/6

Indicators (I)

- `ma.houseSet`, `ma.type` (SMA·EMA·RMA), `ma.period` — I-3 · `dyn.set` — I-4
- `rsi.period`, `rsi.thresholdMode` (FIXED·PERCENTILE), `rsi.ob`, `rsi.os` — I-6 · `macd.fast`, `macd.slow`, `macd.signal` — I-7 · `wr.period`, `wr.ob`, `wr.os` — I-8
- `audit.rhoWindow`, `audit.rhoMax`, `audit.liftMin`, `audit.pairs` — I-2 · `div.minDelta`, `div.hidden`, `isw.n` — I-9 · `vol.nFast`, `vol.nSlow`, `vol.hi`, `vol.lo`, `vol.window` — I-10 · `adx.period`, `adx.trendMin` — I-11
- [table] `ind.xcLift` — I-5

Patterns (P)

- `pat.candidateClock` — P-1 · `pat.contextLookback` — P-2 · `pat.mwCount` (2·3) — P-4 · `flag.poleMin`, `flag.gapBars`, `flag.maxBars` — P-6 · `tri.pennantMaxBars`, `apex.frac` — P-6/7
- [table] `pat.bustedOdds` + the pattern ledger family (SEED-EXT → loop-filled) — P-8/9

Regime (X)

- `regime.lookup (state × family → ACTIVE/SUSPENDED)` — X-4 · `regime.deadClock` — X-7 · `regime.divWeight[state]`, `regime.oscWeight[state]` — X-6 · `clim.clusterCount`, `clim.clusterWindow` — X-5 · `vol.earnStand`, `vol.calStand` — X-8
- [table] `regime.disputeOdds` — X-3

Multi-timeframe (M)

- `mtf.stack (ordered frame,role)` — M-1 · `agg.short (stamp)` — M-2 · `mtf.conflictRank (FRAME-FIRST·DEGREE-FIRST)` — M-3 · `mtf.regimeGate (OFF; second-wave)` — M-4
- [table] `mtf.alignOdds`, `mtf.warnOdds`, `mtf.conflictOdds` — M-8

Universe (U)

- class profiles (INDEX·ETF·LARGE-CAP·SMALL-CAP·FX·CRYPTO·COMMODITY·FUT) — U-1 · `uni.pctlLookback` — U-3 · `rs.bench`, `rs.noGap` — U-4 · `breadth.hi`, `breadth.lo` — U-5 · `bar.sessionAnchor`, `bar.roll` — U-7 · `zone.tickFloor` per class, `uni.floorClock` — U-8
- [table] `uni.mktAlignOdds`, `uni.transferOdds` — U-6/9

Risk (K)

- `k.entryDoctrine (ENTRY-C·ENTRY-R·CONTEXT-TABLE)`, `k.gradeFloor`, `k.setupClasses`, `k.riskPerTrade`, `k.scaleOutFrac`, `k.chaseMode`, `k.pyramid`, `k.maxPositions`, `k.maxPerClass`, `k.profileChangeClock` — K-2 · `risk.stopBufferAtr` — K-4 · `k.sizeMult[grade]` — K-5 · `k.regimeMult[state]`, `k.climateMult` — K-6 · `risk.stepDownR`, `risk.recoverR`, `k.ladderMult` — K-7 · `k.positionTTL`, `k.exitMode` — K-8
- [table] `risk.profileOdds`, `risk.stopOdds`, `risk.entryDoctrineOdds` — K-9

≈180 named parameters across seventeen namespaces. Every one is swept, defaulted, or declared — none is a magic number (T-4).

Reserved names — named in chapter text, deliberately unregistered [v2, D4]

These three were left out of the registry by rulings, not by omission, and stay out. They are listed so no future pass "fixes" them into live parameters.

- `chan.midClaims` — evidence-only for v1 (R4-R-2); CH 5.
- `zone.asym` — reserved, untested (L-4); CH 4.
- `range.maxHeight` — no cap in v1 (R4-R-3); already in the Graveyard below.

PART III — THE GRAVEYARD

What the book **refuses**, and why. A pattern chapter is judged by what it declines (P-10); so is a rulebook. This is the append-only register of every excluded method, retired form, and forbidden move — the negative space that makes the positive space honest. Two directions of entry: **excluded** (never admitted, re-admissible only by algorithm + evidence, T-11) and **superseded** (once in the book, replaced on the record).

Excluded methods (whole approaches, T-11 scope ledger)

- **Elliott Wave, Gann** — multiple legal counts, no unique algorithm; fail the two-strangers test.
- **Point & figure, Renko, Kagi, three-line-break, Heikin-Ashi** — different bar algebra; not the series of record.
- **Market profile** — a different data object (a distribution, not OHLCV bars).
- **Cycles & seasonality as edge** — survive only as CH 13 calendar stand-downs, never as a signal.
- **Sentiment, COT, flow-of-funds, open interest** — not chart events; inadmissible as confirmation.
- **Intermarket analysis** — admitted only as CH 15 macro-vs-ticker authority (stamps, not gates).
- **Fibonacci as numerology** — admitted only as CH 6/8 fraction *options* (RD-FIB, OBJ methods); ratio-pattern families (Gartley/harmonics) excluded (parameter explosion, P-10).
- **The candlestick name-zoo** — admitted only as CH 2 measurable primitives (E-1..E-7); named two-candle "patterns" are E-compositions, not a new family.
- **Breadth as a verdict** — admitted only as CH 15 rollups of verdicts already made (U-5).
- **OBV / A-D cumulative lines** — path-dependent; a second spelling, not a second witness (Q-9). Re-admission pre-authorized via the independence-audit queue, not run.
- **VWAP** — sub-daily, below the bar floor; site is CH 15's intraday build-out (Q-9).
- **Cup-and-handle, rounding tops/bottoms** — no compileable definition ("roundness" has no confirmed-swing sequence); needs a kernel-regression restatement argued into CH 1 first (P-10).
- **Broadening formations** — diverging boundaries flunk D-2 validation economics (P-10).

Forbidden forms (moves that fail review anywhere)

- **Raw price / currency distance / chart angles ("45°")** — malformed; only PCT or VOLU (V-3/T-10, C1's lintable bug class).
- **Any indicator, volume, anatomy, or news in a CONFIRMATION/INVALIDATION clause** — nothing but price confirms (C-9); a verdict traced to a volume/indicator "confirmation" is void.
- **A grade read as permission** (branching a verdict's *existence* on a grade) — grades order, never gate (C-10, L-6, Q-3).

- **Repainting / centered / zero-lag / globally-refit methods** — barred book-wide; confirmed outputs are immutable (V-14); centered MAs specifically (I-3).
- **Free adjectives** (bullish/bearish/neutral outside a verdict's direction field) — banned (V-22); classical "bullish/bearish divergence" spellings likewise (I-9).
- **Timeframe-shopping** (cross-tf event sequences; upward event flow) — malformed (C-5, M-7).
- **Confluence double-count** (one close counted as k independent proofs) — voids the analysis (B-9, L-11); the arithmetic case of the no-stacking law.
- **Counting correlated witnesses twice** (e.g. %R and Stochastic %K, the identity pair) — one witness forever; RSI×%R seated as two *before* the audit clears — void (I-2/I-8).
- **A sixth break-reference type** — none exists until a chapter defines one and B-1 is amended (B-1).
- **Extending an objective after PAID without a fresh chain** — anti-greed; void (A-9, B-6).
- **Any activity gate other than A-6's whipsaw stand-down and X-4's regime lookup** — a new gate must clear the A-6 standard and the X-4/A-6 burden, stated in advance each time (regime scope, frame scope, cross-sectional scope).
- **A profile touching a truth field** — the invariance law; voids the analysis and indicts the tool (K-1).
- **A naked rate in prose** (any hit-rate/odds claim without a loop-filled cell + vintage) — fails review (B-11, the publication law, extended to every ledger).
- **A rule/default named after or justified by the publisher's preference** — stripped on sight (Publisher Note R6.1).

Superseded on the record (replaced, kept for lineage)

- **V-10 v1 (arithmetic-percent $C > P \times (1 + \text{pen.min})$)** → PCT/log form (corrected by C1).
- **V-12 latest-tied-bar inequalities** → the C-R5-1 tie fix (the loop caught the prose/spec contradiction in compilation).
- **E-10 gap-taxonomy stub** → promoted to E-11..E-14 (the backfill cashed).
- **C-10 reserved grader seats / Q-FUND-Q-EVR deposits** → joined at Q-3 (backfill cashed).
- **"The Alan amendment" (naming)** → the no-stacking / independence law, grounded in statistical hygiene (Note R6.1).
- **OBJ-MG (measuring-gap objective)** — pre-authorized funeral: SUPERSEDED if its hit-rate is indistinguishable from OBJ-H within CI on the loop's first pass (B-6).
- **MACD's witness seat** — pre-authorized graveyard (I-R3): retires to SUPERSEDED if the {MACD × MA-slope} audit shows no conditional lift; formula kept in 97 for reference.
- **No fifth STATUS tier / review-as-status** — resolved NO; reviews annotate via review_ref, only evidence promotes (T-7).
- **range.maxHeight** — excluded in v1 (R4-R-3); added only if data demands.

- **Hidden divergence, L-13 round numbers, VWAP, SW-P (PIP)** — parked/stub, second-wave; SW-P self-graveyards if it never beats SW-R.

PART IV — THE GLOSSARY

The load-bearing vocabulary, in plain terms. Where a term is a defined object, its owning card is cited; the card is the authority.

Bar of record / close of record (V-1/V-2) — the one declared bar construction every rule reads, and its close, which is the *only* thing the book treats as true.

Two-strangers test (T-1) — a rule is finished only when two independent implementations, given the same bars, mark the same events. The book's definition of "precise enough."

Claim vs verdict (C-1 / C-2 / T-8) — a *claim* is a close beyond a reference, awaiting confirmation; a *verdict* is the confirmed opinion object (seven fields), the only thing in the book allowed to hold a direction.

Void / trapped (C-3 / A-2) — a claim that closes back inside before confirming. The failed side is now inventory that must cover — the fakeout's fuel (A-3), the book's stated edge bias.

PCT / VOLU (T-10 / V-25/26) — the two legal distance units: log-percent, and ATR (volatility) units. VOLU is the *transfer* unit — what lets one threshold read every instrument (U-2).

EVENT_ONLY (T-8 / S-4) — a verdict with no time clock, alive until a specific structural event voids it (e.g. a trend, dead only on a BOS).

Tag (V-9) — a completed-bar price touch of a zone. Direction-less; it grades and counts, it never decides.

Swing (candidate / confirmed / of record) (V-11/16) — a local extreme; *candidate* until a method (SW-F/SW-R/SW-P) confirms it; *of record* = the most recent confirmed one. Confirmed swings are immutable (V-14) and are the backbone S-1 reads.

Level / zone / dynamic level (V-17/19, L) — a horizontal reference with a state machine and a touch ledger; the zone is its tolerance band; a *dynamic* level is an indicator (e.g. an MA) used as a reference price — test-grade only, never claim-grade (I-4).

Reference-binding export (L-12) — the level behaviors (test/break/flip) are written once and *bind to any reference object* (diagonals, range boundaries), so no chapter re-writes them.

Structure: HH/HL/LH/LL/EQ, BOS, floor/ceiling (S) — the alternating confirmed-swing sequence and its pairwise events; a *break of structure* through the swing-of-record level (the floor/ceiling) is how a trend dies. Death is not birth of the opposite (S-10).

Range, NMZ, spring/upthrust, COILED (R, A-4) — two defended boundaries with traffic between; the *no-man's-land* is the forbidden middle; a failed boundary break loads the far side

(LOADED-OPPOSITE) and is carded as a spring (down) or upthrust (up).

The break chain (B-1) — the book's spine: reference → claim → confirming close → verdict → aftermath, over five admissible reference types. Everything downstream reads the chain, never the setup's name (which is why regime and patterns compose cleanly).

Entry doctrine (ENTRY-C / ENTRY-R) (B-5, K-2) — enter on the confirming close, or on the retest hold. A *profile's* choice (K), priced by `brk.entry0dds`.

Grade (A/B/C) & the grade channel (C-10, K-5) — the count-tier of satisfied witnesses; it orders participation and, in CH 16, *sizes* the position — but only on measured (not UNMEASURED) evidence.

Witness: grader / gauge / reference (I-1) — an indicator's three legal capacities. Never a judge (C-9).

No-stacking / independence law (I-2) — correlated witnesses count once; a pair earns a second seat only by an independence audit (rank-corr + event-agreement + conditional lift). Kills the confluence self-delusion with a measurement.

Relative volume, ABSORPTION, CLIMAX, stand-down register (Q) — volume only ever as a ratio to its own baseline; effort-vs-result reads at a level; the exhaustion candidate (never a reversal signal); and the register of scheduled "liars" (earnings, ex-div, roll) excluded from the baseline itself.

Regime: the four states, the lookup, the falsifiability clause (X) — TRENDING / RANGING / TREND-IN-RANGE / TRANSITIONAL, read as arithmetic on ledgers you already stamp. The lookup suspends which rules *fire*; it may never touch a verdict's truth or void path — "a regime that could protect its own verdicts from disproof would be a religion with a lookup table."

Stated-regime law (X-9) — nothing promotes to TESTED on a pooled cross-regime sample. The loop's own keystone finding (the chain has no unconditional edge), written into the book as a promotion precondition.

MTF: the stack, authority-downward, FRAME-FIRST, WARN (M) — declared frames each with one role (CONTEXT/RECORD/ENTRY); higher frames outrank on conflict; lower-frame structure can only *warn* the higher frame early, never overrule it.

Instrument class / profile, the normalization law, percentile mode (U) — a class is a bundle of parameter values (never different *rules*); VOLU makes rules transfer; percentile mode lets a threshold learn each instrument's own distribution (the fix for "the S&P's RSI never reaches 30").

Invariance law, legal knobs, the three profiles, the drawdown ladder (K) — appetite (CONSERVATIVE/MODERATE/AGGRESSIVE) may touch only a closed list of *exposure* knobs; two profiles reading one tape hold identical truth; the stop is anchored to the card's invalidation (truth never moves, the buffer does); and every profile ships a mandatory, hysteretic de-risking ladder keyed to its own drawdown.

SEED-EXT vs loop-filled (P-9, B-11) — an external number (e.g. Bulkowski's failure rate) may *seed* an empty cell, stamped with its vintage and source; it may be *stated*, *never recommended*

— only a cell the loop fills on the calibration class promotes a claim past "stated."

UNMEASURED (B-11) — the honest state of any rate the loop has not yet filled. An UNMEASURED claim may be stated, never recommended, and never sizes a position above neutral (K-5).

The loop / the gate ladder (G0–G6) — the separate validation engine that compiles each card to code and runs it through compile → signal → cross-validation → walk-forward → permutation → deflated-Sharpe → family-SPA before any DRAFT becomes TESTED. The book proposes; the loop disposes; the data crowns the defaults.

Chapter 98 · the formalization appendix · v1 · REFERENCE. Master Rule Index (~156 cards) · Consolidated Parameter Registry (~180 parameters) · the Graveyard (every refusal on the record) · the Glossary. Built at draft-complete from Chapters 00–16 + 97. The book, made navigable and made honest about its own edges. — THE PUBLISHER (Alan + orchestrating session)

CHAPTER 99 — THE CLAIMS LEDGER (v2, 2026-09-25)

Every sentence the 22 September checkup caught as a claim, one per row: what it says in plain words, whether it has been tested, and which study would test it. The test status column is the loop's verdict where one exists. As of 2026-09-25 the loop holds seven verdicts, all DRAFT, all on synthetic data, all for the swing rule — so no row below is tested on real prices. Study codes S1–S5 are the five descriptive studies specified in the 25 September package (deliverables/20260925/rulebook-stats); the rest wait for the loop by family.

#	CARD · PAGE	THE CLAIM, IN PLAIN WORDS	KIND	TEST STATUS	WHICH STUDY TESTS IT
1	E-10 · p.23	The four gap classes are four different populations (different follow-through).	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	S5 · do common gaps fill fast
2	E-10 · p.23	Gap class is computed by three lookups and a clock (a construction statement).	DESIGN	untested — mechanical check not run	family F11 mechanical check — G0: two independent implementations classify every fixture gap identically; report provisi
3	E-11 · p.23	Common gaps fill fast (the classical claim).	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	S5 · do common gaps fill fast
4	C-2 · p.?	Which confirmation doctrine is cheaper (two closes, a window, or one big close) is empirical.	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	family F2 (Method and doctrine bake-offs) — the loop, next
5	L-8 · p.35	The level state machine is bookkeeping the ledger does for you.	DESIGN	untested — mechanical check not run	family F11 mechanical check — Property test: no state change on an unconfirmed claim; streaming == batch bar-for-bar.
6	D-8 · p.41	Default rank Horizontal > Diagonal > Dynamic when	TESTABLE	untested on real prices	family F2 (Method and doctrine bake-offs) —

#	CARD · PAGE	THE CLAIM, IN PLAIN WORDS	KIND	TEST STATUS	WHICH STUDY TESTS IT
		references disagree (the default worth testing).		(the loop's 7 verdicts are synthetic)	the loop, later
7	D-9 · p.41	Hand-fit trendlines always agree with the person who drew them.	HUMAN	untested on real prices (the loop's 7 verdicts are synthetic)	family F12 (A claim about people) – the loop, later
8	S-6 · p.45	The structure floor and the level at that price are one object.	DESIGN	untested – mechanical check not run	family F11 mechanical check – Ledger audit: every structure floor id resolves to an existing level object.
9	S-8 · p.46	Which pullback-depth method (thirds, Fibonacci, ATR, floor-only) predicts trend continuation is empirical.	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	family F2 (Method and doctrine bake-offs) – the loop, next
10	S-10 · p.47	Never auto-reversing after a trend dies prevents overtrading.	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	family F2 (Method and doctrine bake-offs) – the loop, later
11	R-2 · p.?	Range boundaries are the same level objects (one ledger).	DESIGN	untested – mechanical check not run	family F11 mechanical check – Ledger audit: no price carries two records; each boundary is a live level id.
12	B-2 · p.55	Third attempt predicts a break only if attempts are counted with the reset rule.	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	family F4 (Does a label add information?) – the loop, next
13	B-3 · p.55	Shrinking reactions at a defended price (PRESSURE) signal a coming break.	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	family F4 (Does a label add information?) – the loop, next
14	B-5 · p.56	Retrace-to-break happens about 60% of the time (Bulkowski) –	TESTABLE	untested on real prices	S4 · the throwback base rate against

#	CARD · PAGE	THE CLAIM, IN PLAIN WORDS	KIND	TEST STATUS	WHICH STUDY TESTS IT
		so confirm-vs-retest is a priced trade-off.		(the loop's 7 verdicts are synthetic)	Bulkowski's 60%
15	B-6 · p.56	Every price-target method has a real (measurable) hit rate.	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	family F2 (Method and doctrine bake-offs) – the loop, next
16	B-6 · p.56	No target method may be quoted without its measured number.	DESIGN	untested – mechanical check not run	family F11 mechanical check – Publication lint: every target method cited in analysis resolves to a filled brk.objOdds c
17	B-10 · p.58	Breaks that start with a gap give the worst entry price.	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	family F4 (Does a label add information?) – the loop, later
18	B-11 · p.58	Every promise in the break chapter comes with its measured number or the word UNMEASURED.	DESIGN	untested – mechanical check not run	family F11 mechanical check – Publication lint across published analyses.
19	A-1 · p.?	A retest of the broken level happens more often than not (Bulkowski).	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	S4 · the throwback base rate against Bulkowski's 60%
20	A-6 · p.62	Two opposite traps at one price in quick succession means the level is noise.	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	family F4 (Does a label add information?) – the loop, later
21	A-10 · p.64	Trap setups are where the book's edge is (its strongest conviction).	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	family F10 (Trap setups) – the loop, next
22	Q-5 · p.68	Volume drying up across tests is the one volume read worth	TESTABLE	untested on real prices	family F4 (Does a label add information?) – the

#	CARD · PAGE	THE CLAIM, IN PLAIN WORDS	KIND	TEST STATUS	WHICH STUDY TESTS IT
		having.		(the loop's 7 verdicts are synthetic)	loop, next
23	Q-10 · p.70	Volume folklore ('breakouts need volume') must be numbered or silent.	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	family F4 (Does a label add information?) – the loop, next
24	I-2 · p.74	Counting correlated indicators as independent inflates confidence.	ARITHMETIC	untested – true by arithmetic; the audit it calls for has not run	S2 · are RSI and %R one witness or two
25	I-4 · p.75	A moving-average bounce is real exactly as often as defended MA episodes predict follow- through.	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	family F4 (Does a label add information?) – the loop, later
26	I-9 · p.78	Gating divergence by regime fixes its false signals.	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	family F5 (Regime conditioning) – the loop, later
27	I-9 · p.78	Divergence (pressure waning) matters where it historically mattered.	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	family F5 (Regime conditioning) – the loop, later
28	I-10 · p.78	Same rule, different weather: edge in trending, negative in mean-reverting, none pooled (loop Sprint-1).	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	S3 · regime conditioning on real prices
29	I-11 · p.79	When ADX and the price-based trend call disagree, one is early – the ledger can say which.	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	family F7 (Independent witnesses) – the loop, later

#	CARD · PAGE	THE CLAIM, IN PLAIN WORDS	KIND	TEST STATUS	WHICH STUDY TESTS IT
30	P-1 · p.?	Patterns are compositions of existing machinery (one chain, one grammar).	DESIGN	untested – mechanical check not run	family F11 mechanical check – Compile check: every pattern card compiles to existing citations only.
31	P-1 · p.?	Pattern names earn their keep only as statistical categories.	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	family F4 (Does a label add information?) – the loop, next
32	P-2 · p.83	The same shape performs differently depending on what came before (double top after a trend vs in chop).	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	family F4 (Does a label add information?) – the loop, later
33	P-5 · p.84	Head-and-shoulders comes with 60 years of measured statistics (the seed tables).	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	family F3 (Base rates vs the classical books) – the loop, later
34	P-6 · p.85	In flags/pennants/triangles the pole tells who is winning (with-pole exits dominate).	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	family F4 (Does a label add information?) – the loop, later
35	P-7 · p.85	Wedges are read by folklore as exhaustion (reversal).	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	family F3 (Base rates vs the classical books) – the loop, later
36	X-7 · p.92	The bars right after a regime change are the maximum-misread window.	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	family F5 (Regime conditioning) – the loop, next

#	CARD · PAGE	THE CLAIM, IN PLAIN WORDS	KIND	TEST STATUS	WHICH STUDY TESTS IT
37	X-9 · p.93	Pooled, the break chain nets to nothing; conditioned on regime, it has an edge and a sign.	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	S3 · regime conditioning on real prices
38	M-4 · p.97	Trading with the weekly trend has a measurable edge (not assumed).	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	family F6 (Higher timeframe) – the loop, next
39	M-5 · p.97	Daily structure moves first; the weekly moves last – WARN has a real lead time.	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	family F6 (Higher timeframe) – the loop, later
40	M-7 · p.98	Daily touches must not pad a weekly level's touch count.	DESIGN	untested – mechanical check not run	family F11 mechanical check – Ledger-key audit: 0 context-frame counts containing record-frame entries; optional counter
41	M-8 · p.98	If the alignment column reads flat, higher-timeframe doctrine demotes.	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	family F6 (Higher timeframe) – the loop, later
42	U-3 · p.101	Percentile mode self-calibrates; the S&P's RSI almost never reaches 30.	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	S1 · percentile lines and the index problem
43	U-9 · p.104	A rule proven on large-caps in trend on two feeds is only proven there.	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	family F8 (Other markets) – the loop, later
44	K-3 · p.107	Three risk appetites are testable as three columns of one ledger.	TESTABLE	untested on real prices (the loop's 7	family F9 (Risk profiles and sizing) – the loop, later

#	CARD · PAGE	THE CLAIM, IN PLAIN WORDS	KIND	TEST STATUS	WHICH STUDY TESTS IT
				verdicts are synthetic)	
45	K-5 · p.108	Betting more when evidence is better only helps if better is measured.	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	family F9 (Risk profiles and sizing) – the loop, next
46	K-5 · p.108	Sizing may never lean on an unmeasured stamp.	DESIGN	untested – mechanical check not run	family F11 mechanical check – Code lint: 0 size multipliers other than 1.0 on stamps whose lift column is UNMEASURED.
47	K-6 · p.109	The loop proved the edge is regime-conditional;; exposure should scale by regime.	TESTABLE	untested on real prices (the loop's 7 verdicts are synthetic)	S3 · regime conditioning on real prices

EDIT LIST — every change between v1 and v2

Produced by build_v2.py; nothing else was changed.

- **12-PATTERNS** — D1: OPEN QUESTIONS block resolved against R8 (3 rulings); header v1→v2; changelog line added; review_ref R6→R7 corrected
- **13-REGIME** — D1: OPEN QUESTIONS block resolved against R7 (3 rulings); header v1→v2; changelog line added
- **14-MTF** — D1: OPEN QUESTIONS block resolved against R7 (3 rulings); header v1→v2; changelog line added
- **15-UNIVERSE** — D1: OPEN QUESTIONS block resolved against R8 (3 rulings); header v1→v2; changelog line added; review_ref R6→R7 corrected
- **16-RISK** — D1: OPEN QUESTIONS block resolved against R8 (3 rulings); header v1→v2; changelog line added; review_ref R6→R7 corrected
- **01-VOCABULARY** — D1: the four open questions marked with their R1 answers (2 resolved, 2 recorded); v3→v4
- **00-THE-CONTRACT** — D2: T-13 EMITS admits object{NAME} and none (provisional, warning-flagged); D3: bar.exDiv row in the Contract's registry table; v2→v3
- **09-AFTERMATH** — D5: registry row(s) marked as citations of the owner: retest.clock, retest.confirmClock, fake.clock
- **15-UNIVERSE** — D5: registry row(s) marked as citations of the owner: zone.tickFloor
- **13-REGIME** — D5: registry row(s) marked as citations of the owner: vol.earnStand, vol.calStand
- **98-APPENDIX** — D3: bar.exDiv/bar.short/bar.basis registered; D4: RESERVED block for chan.midClaims, zone.asym, range.maxHeight; D5: 6 chapter registry rows marked as citations (see per-chapter lines)
- **11-INDICATORS** — D6: 'on synthetic controls' note appended to I-10
- **13-REGIME** — D6: 'on synthetic controls' note appended to X-9
- **16-RISK** — D6: 'on synthetic controls' note appended to K-6