
File Edit View History Bookmarks Tools Help

Get Docker | Docker Document ×   Manual installation steps for olc ×   +

https://docs.docker.com/get-docker/

docker docs   Search the docs   Home   Guides   Manuals   Reference   Samples

Guides / Get Docker

- Docker overview
- Get Docker
- Get started
- Language-specific guides
- Develop with Docker
- Set up CI/CD
- Deploy your app to the cloud
- Run your app in production
- Educational resources
- Contribute to documentation

Get Docker

Update to the Docker Desktop terms

Commercial use of Docker Desktop in larger enterprises (more than 250 employees OR more than $10 million USD in annual revenue) now requires a paid subscription.

Docker is an open platform for developing, shipping, and running applications. Docker enables you to separate your applications from your infrastructure so you can deliver software quickly. With Docker, you can manage your infrastructure in the same ways you manage your applications. By taking advantage of Docker's methodologies for shipping, testing, and deploying code quickly, you can significantly reduce the delay between writing code and running it in production.

You can download and install Docker on multiple platforms. Refer to the following section and choose the best installation path for you.

Docker Desktop for Mac

A native application using the macOS sandbox security model which delivers all Docker tools to your Mac.

Docker Desktop for Windows

A native Windows application which delivers all Docker tools to your Windows computer.

Docker Desktop for Linux

A native Linux application which delivers all Docker tools to your Linux computer.

Edit this page

Request docs changes

On this page:

- Docker Desktop for Mac
- Docker Desktop for Windows
- Docker Desktop for Linux


File Edit View History Bookmarks Tools Help

Google ×   Manual installation steps for olc ×   +

https://docs.microsoft.com/en-us/windows/wsl/install-manual#step-4---download-the-linux-kernel-update-package

Filter by title

- WSL Documentation
- Overview
- Install
  - Install WSL
  - Manual install steps for older versions
  - Install on Windows Server
- Tutorials
- Concepts
- How-to
- Frequently Asked Questions
- Troubleshooting
- Release Notes

Download PDF

Step 4 - Download the Linux kernel update package

1. Download the latest package:
   - WSL2 Linux kernel update package for x64 machines

Note

If you're using an ARM64 machine, please download the **ARM64 package** instead. If you're not sure what kind of machine you have, open Command Prompt or PowerShell and enter: `systeminfo | find "System Type"`. **Caveat:** On non-English Windows versions, you might have to modify the search text, translating the "System Type" string. You may also need to escape the quotations for the find command. For example, in German `systeminfo | find '"Systemtyp"'`.

2. Run the update package downloaded in the previous step. (Double-click to run - you will be prompted for elevated permissions, select 'yes' to approve this installation.)

Once the installation is complete, move on to the next step - setting WSL 2 as your default version when installing new Linux distributions. (Skip this step if you want your new Linux installs to be set to WSL 1).

Note

For more information, read the article **changes to updating the WSL2 Linux kernel**, available on the **Windows Command Line Blog**.


File Edit View History Bookmarks Tools Help
Get Docker | Docker Document
Manual installation steps for ol
https://docs.microsoft.com/en-us/windows/wsl/install-manual#step-4---download-the-linux-kernel-update-package
Filter by title
WSL Documentation
Overview
Install
Install WSL
Manual install steps for older versions
Install on Windows Server
Tutorials
Concepts
How-to
Frequently Asked Questions
Troubleshooting
Release Notes
Download PDF
Step 4 - Download the Linux kernel update package
1. Download the
WSL2 Lin
Note
If you're usi
instead. If
you're not s
owerShell and
enter: syste
ersions, you
might have
u may also
need to esc
n systeminfo
| find '"Sy
2. Run the updat
- you will be prompted for elevated permissions, select 'yes' to approve this installation.)
Once the installation is complete, move on to the next step - setting WSL 2 as your default version when installing new Linux distributions. (Skip this step if you want your new Linux installs to be set to WSL 1).
Note
For more information, read the article changes to updating the WSL2 Linux kernel, available on the Windows Command Line Blog.
Windows Subsystem for Linux Update Setup
Installing Windows Subsystem for Linux Update
Please wait while the Setup Wizard installs Windows Subsystem for Linux Update.
Status:
Back
Next
Cancel


Docker Desktop
Upgrade plan
ajb254
Containers
Images
Volumes
Dev Environments
BETA
Extensions
BETA
Add Extensions
Docker Desktop - Install WSL 2 kernel update
WSL 2 installation is incomplete.
The WSL 2 Linux kernel is now installed using a separate MSI update package.
Please click the link and follow the instructions to install the kernel update:
https://aka.ms/wsl2kernel.
Press Restart after installing the Linux kernel.
Restart
Cancel


Docker Desktop
Upgrade plan
ajb254
Get started with Docker
in a few easy steps!
ESTIMATED TIME: 2 minutes
Start
Skip tutorial
We send usage statistics. Check your privacy settings.


Docker Desktop
Upgrade plan
ajb254
Containers
Images
Volumes
Dev Environments BETA
Extensions BETA
Add Extensions
Containers Give Feedback
A container packages up code and its dependencies so the application runs quickly and reliably from one computing environment to another. Learn more
Run a Sample Container
Try running a container: Copy and paste this command into your terminal and then come back
docker run -d -p 80:80 docker/getting-started
Explore more in the Docker Docs
Guides
Redis
An open-source in-memory key-value store that functions as a data structure server.
Run
NGINX
An open-source web server, reverse proxy, load balancer and HTTP cache.
Run
PostgreSQL
An open-source object-relational transactional ACID-compliant SQL database.
Run
RAM 1.62GB
CPU 0.23%
Connected to Hub
v4.10.1


Docker Desktop
Upgrade plan
ajb254
Containers
Images
Volumes
Dev Environments BETA
Extensions BETA
Add Extensions
Containers Give Feedback
A container packages up code and its dependencies so the application runs quickly and reliably from one computing environment to another. Learn more
Showing 1 items
Search
NAME
IMAGE
STATUS
PORT(S)
STARTED
inspiring_williamson
4ba78d3163eb
docker/getting-started
Running
80
1 minute ago
Command Prompt
Microsoft Windows [Version 10.0.19044.1826]
(c) Microsoft Corporation. All rights reserved.
C:\Users\user1>docker run -d -p 80:80 docker/getting-started
Unable to find image 'docker/getting-started:latest' locally
latest: Pulling from docker/getting-started
df9b9388f04a: Pull complete
5867cba5fcbd: Pull complete
4b639e65cb3b: Pull complete
061ed9e2b976: Pull complete
bc19f3e8eeb1: Pull complete
4071be97c256: Pull complete
79b586f1a54b: Pull complete
0c9732f525d6: Pull complete
Digest: sha256:b558be874169471bd4e65bd6eac8c303b271a7ee8553ba47481b73b2bf597aae
Status: Downloaded newer image for docker/getting-started:latest
4ba78d3163ebed93d7af1f025dc1514609781dd0959c3297ecb51947e84fe545
C:\Users\user1>
RAM 1.70GB
CPU 0.00%
Connected to Hub


Docker Desktop
Upgrade plan
ajb254
Containers
Images
Volumes
Dev Environments BETA
Extensions BETA
Add Extensions
Containers Give Feedback
A container packages up code and its dependencies so the application runs quickly and reliably from one computing environment to another. Learn more
Showing 1 items
Search
NAME
IMAGE
STATUS
PORT(S)
STARTED
inspiring_williamson
4ba78d3163eb
docker/getting-started
Running
80
2 minutes ago
OPEN IN TERMINAL
RAM 1.71GB
CPU 0.11%
Connected to Hub
v4.10.1


Docker Desktop
Upgrade plan
ajb254
Containers
Images
Volumes
Dev Environments BETA
Extensions BETA
Add Extensions
Containers
Give Feedback
A container packages up code and its dependencies so the application runs quickly and reliably from one computing environment to another. Learn more
Showing 1 items
Search
NAME
IMAGE
STATUS
PORT(S)
STARTED
inspiring_williamson
4ba78d3163eb
docker/getting-started
Running
80
3 minutes ago
docker exec -it 4ba78d3163ebed93d7af1f025dc1514609781dd0959c3297ecb51947e84fe545 /bin/sh
/ # top
RAM 1.72GB
v4.10.1
Page 4 of 4
0 words


Docker Desktop
Upgrade plan
ajb254
Containers
Images
Volumes
Dev Environments BETA
Extensions BETA
Add Extensions
Containers
Give Feedback
A container packages up code and its dependencies so the application runs quickly and reliably from one computing environment to another. Learn more
Showing 1 items
Search
NAME
IMAGE
STATUS
PORT(S)
STARTED
inspiring_williamson
4ba78d3163eb
docker/getting-started
Running
80
3 minutes ago
docker exec -it 4ba78d3163ebed93d7af1f025dc1514609781dd0959c3297ecb51947e84fe545 /bin/sh
Mem: 1856856K used, 11097248K free, 1532K shrd, 15128K buff, 1253444K cached
CPU: 0% usr   0% sys   0% nic 100% idle   0% io   0% irq   0% sirq
Load average: 0.07 0.11 0.04 2/598 53
PID PPID USER   STAT   VSZ %VSZ CPU %CPU COMMAND
33   1 nginx   S   6732   0%   1   0% nginx: worker process
32   1 nginx   S   6732   0%   5   0% nginx: worker process
35   1 nginx   S   6732   0%   6   0% nginx: worker process
34   1 nginx   S   6732   0%   5   0% nginx: worker process
39   1 nginx   S   6732   0%   0   0% nginx: worker process
36   1 nginx   S   6732   0%   1   0% nginx: worker process
37   1 nginx   S   6732   0%   3   0% nginx: worker process
38   1 nginx   S   6732   0%   4   0% nginx: worker process
1   0 root   S   6276   0%   2   0% nginx: master process nginx -g daemon off;
40   0 root   S   1660   0%   0   0% /bin/sh
47   0 root   S   1660   0%   4   0% /bin/sh
53   47 root   R   1592   0%   7   0% top
46   40 root   S   1584   0%   5   0% top
RAM 1.73GB
v4.10.1


Docker Desktop
Upgrade plan
ajb254
Containers
Images
Volumes
Dev Environments BETA
Extensions BETA
Add Extensions
Containers
Give Feedback
A container packages up code and its dependencies so the application runs quickly and reliably from one computing environment to another. Learn more
Showing 1 items
Search
NAME
IMAGE
STATUS
PORT(S)
STARTED
inspiring_williamson
4ba78d3163eb
docker/getting-started
Running
80
9 minutes ago
OPEN WITH BROWSER
RAM 1.79GB
CPU 0.11%
Connected to Hub
v4.10.1
Page 5 of 5
0 words
Focus
100%


File Edit View History Bookmarks Tools Help
Getting Started - Getting Starte
localhost/tutorial/
docker Labs
Getting Started
Search
docker/getting-started
2.1k Stars · 5.5k Forks
Getting Started
Getting Started
Our Application
Updating our App
Sharing our App
Persisting our DB
Using Bind Mounts
Multi-Container Apps
Using Docker Compose
Image Building Best Practices
What Next?
Getting Started
The command you just ran
Congratulations! You have started the container for this tutorial! Let's first explain the command that you just ran. In case you forgot, here's the command:
docker run -d -p 80:80 docker/getting-started
You'll notice a few flags being used. Here's some more info on them:
-d - run the container in detached mode (in the background)
-p 80:80 - map port 80 of the host to port 80 in the container
docker/getting-started - the image to use
Pro tip
You can combine single character flags to shorten the full command. As an example, the command above could be written as:
docker run -dp 80:80 docker/getting-started
The Docker Dashboard
Table of contents
The command you just ran
The Docker Dashboard
What is a container?
What is a container image?


File Edit View History Bookmarks Tools Help
Getting Started - Getting Starte
localhost/tutorial/
docker Labs
Getting Started
Search
docker/getting-started
2.1k Stars · 5.5k Forks
long time. Docker has worked to make these capabilities approachable and easy to use.
Getting Started
Getting Started
Our Application
Updating our App
Sharing our App
Persisting our DB
Using Bind Mounts
Multi-Container Apps
Using Docker Compose
Image Building Best Practices
What Next?
Creating Containers from Scratch
If you'd like to see how containers are built from scratch, Liz Rice from Aqua Security has a fantastic talk in which she creates a container from scratch in Go. While she makes a simple container, this talk doesn't go into networking, using images for the filesystem, and more. But, it gives a fantastic deep dive into how things are working.
Containers From Scratch • Liz Rice • GOTO 2018
Copy link
aqua
Watch on YouTube
What is a container image?
When running a container, it uses an isolated filesystem. This custom filesystem is provided by a container image. Since the image contains the container's filesystem, it must contain everything needed to run an application - all dependencies, configuration, scripts, binaries, etc. The image also contains other configuration for the container, such as environment variables, a default
Table of contents
The command you just ran
The Docker Dashboard
What is a container?
What is a container image?


File Edit View History Bookmarks Tools Help
Getting Started - Getting Starte
PLAYING
localhost/tutorial/
docker Labs
Getting Started
Search
docker/getting-started
2.1k Stars · 5.5k Forks
long time. Docker has worked to make these capabilities approachable and easy to use.
Getting Started
Getting Started
Our Application
Updating our App
Sharing our App
Persisting our DB
Using Bind Mounts
Multi-Container Apps
Using Docker Compose
Image Building Best Practices
What Next?
Creating Containers from Scratch
If you'd like to see how containers are built from scratch, Liz Rice from Aqua Security has a fantastic talk in which she creates a container from scratch in Go. While she makes a simple container, this talk doesn't go into networking, using images for the filesystem, and more. But, it gives a fantastic deep dive into how things are working.
goto;
Build my own container in Go
Namespaces
Chroot
Cgroups
aqua
goto; amsterdam
What is a container image?
When running a container, it uses an isolated filesystem. This custom filesystem is provided by a container image. Since the image contains the container's filesystem, it must contain everything needed to run an application - all dependencies, configuration, scripts, binaries, etc. The image also contains other configuration for the container, such as environment variables, a default
Table of contents
The command you just ran
The Docker Dashboard
What is a container?
What is a container image?