Webcash Vietnam

WeTax API Development Guide

for POS

Version	1.0
Update Date	2026.04.10

History

Version	Date	Details	Writer
1.0	**2026.04.10**	First version	P.Tuyen

Table of Contents

1. Overview 4
1.1 Description 4
1.2 Basic Information 4
1.3 List of API 4
1.4 API Architecture/Flowchart 6
1.5 API Structure 6
2. API 7
2.1 [WT00] Login (Required) 7
2.2 [WT01] Seller Info (Optional) 8
2.3 [WT02] Create Shop (Optional) 11
2.4 [WT03] Create Bill (Required) 12
2.5 [WT04] Delete Bill (Required) 15
2.6 [WT05] Create & Issue Invoice (Optional) 16
2.7 [WT06] Invoice Status (Required 21
2.8 [WT07] Resend email (Optional) 22
2.9 [WT08] Closing Shops (Optional) 24
2.4 [WT09] Company information (Optional 25
3. [Reference] Common Information 26
3.1 Payment Method (Required) 26
3.2 Invoice Type 27
3.3 Tax Rate 27
3.4 Feature (Required) 27

3.5 Shop List & Symbol for Testing 27

3.6 Declaration status 28

3.7 Template Status 28

3.8 Form no 28

3.9 Serial No 28

3.10 Transaction Type 28

3.11 Pos No. 29

3.12 Invoice Status 29

3.13 CQT Code 29

3.14 Email Status 29

3.15 Report to Tax Office Status 30

3.16 Error Response 30

1. Overview

1.1 Description

WETAX offers an API for accessing essential website information.

1.2 Basic Information

Data format	JSON	**Network**	Internet
Protocol	HTTPS	**API Style**	RESTful
Content-Type	Application/JSON		
Headers	{ Authorization: Bearer + token }		
Test server	https://apitest.wetax.com.vn		
User/Password	{ "user_id": "webcashvietnam_test_api@gmail.com", "password": "12345679Aa" }		
Swagger Document	https://docs.wetax.com.vn/		

1.3 List of API

API Code	API Name	WeTax End point	Method	Token	Description
POS ==> WeTAX					
WT00	Login *(Required)*	/api/wtx/pa/v1/auth/login	POST	No	API for account authentication integration of WeTax
WT01	Seller Info *(Optional)*	/api/wtx/pa/v1/seller-info	GET	Yes	Retrieve detailed information about a seller registered in WeTax, including seller ID, name, and tax registration data.
WT02	Create Shop *(Optional)*	/api/wtx/pa/v1/pos/shops	POST	Yes	Register new shops or add POS machines for a seller, enabling them to

					submit bills and issue invoices. seller ID, name, and tax registration data.
WT03	Create Bill *(Required)*	/api/wtx/pa/v1/pos/invoices	**POST**	Yes	API send completed bill information to the WeTax system so that WeTax can generate invoices as required.
WT04	Delete Bill *(Required)*	/api/wtx/pa/v1/pos/invoices/{ref_id}	**DELETE**	Yes	API delete bill that WeTax have not been issued invoice.
WT05	Create and Issue Invoice *(Optional)*	/api/wtx/pa/v1/pos/invoices-issue	**POST**	Yes	API is used to send completed bill information to the WeTax system, WeTax to generate and issue invoices.
WT06	Invoice Status *(Required)*	/api/wtx/pa/v1/pos/invoices-status	**GET**	Yes	API retrieves the current status of invoices in the WeTax system
WT07	Resend Email *(Optional)*	/api/wtx/pa/v1/resend-email	**POST**	Yes	API resend the issued invoice to the customer via email
WT08	Closing Shop *(Optional)*	/api/wtx/pa/v1/pos/shops/inform-closing-store	**POST**	Yes	API send the total number of invoices from a shop for WeTax reconciliation
WT09	Get Company *(Optional)*	/api/wtx/pa/v1/company/{tax_code}	**GET**	Yes	API retrieve business information (enter tax code to get name, tax code, address, and status). https://tracuunnt.gdt.gov.vn/

1.4 API Architecture/Flowchart



※ Flow Example : General

1. Application gathers necessary information and assembles INPUT data, including an Authentication Key and Request Value.
2. API Request: The assembled INPUT data is used to make a request to the [WETAX API].
3. Application generates a response in OUTPUT format, containing the requested information.

1.5 API Structure



2. API

2.1 [WT00] Login (Required)

- ✓ **End point: /api/wtx/pa/v1/auth/login**
- ✓ **Method: POST**
- ✓ **Explanation:** This API is used for authentication. VNPT EPAY calls this API to obtain an access token before invoking other WeTax APIs.
- ✓ **Condition:** This API is used to obtain an access token for authentication.
  It is not required to call this API before every request.
  The token can be reused and should be refreshed every 24 hours (or when it expires).
- ✓ **Usage Flow:**
  Call WT00 once to get the access token.
  Include the token in the Authorization header for subsequent API calls (WT01 → WT09).
  When the token expires, call WT00 again to refresh it.

Request Element (Input) - WeTax

Attribute	Type (Max Length)	Required	Explanation
user_id	String (100)	Yes	API account ID used for authentication
password	String (100)	Yes	Password of the API account

Request Sample (Input)

```
{
  "user_id": "webcashvietnam_test_api@gmail.com",
  "password": "12345679Aa"
}
```

Response Element (Output)

Attribute	Type (Max Length)	Required	Explanation
status	**object**	Yes	
data	**object**	Yes	

Attribute	Type (Max Length)	Required	Explanation
access_token	String (200)	Yes	Access token
token_type	String (10)	Yes	Bearer
expires_in	String (10)	Yes	Token expiration time in seconds (default: 24 hours = 86400 seconds)

Response Sample


```
  "status": {
    "success": true,
    "message": "Success"
  },
  "data": {
    "access_token":
"eyJhbGciOiJSUzI1NiJ9.eyJzdWIiOiJ3ZWJjYXNodmlldG5hbV90ZXN0X2FwaUBnbWFpbC5jb20iLCJzY29wZSI6IlNZU19
BRE1JTiIsImlzcyI6IlBBUlRORVIiLCJuYW1lIjoid2ViY2FzaHZpZXRuYW1fdGVzdF9hcGlAZ21haWwuY29tIiwiZXhwIjoxNz
Q3MTg4Mzg3LCJpYXQiOjE3NDcxMDE5ODd9.nFXPFVntpkNANTwVbBbRnb3rIQrDwnzjynzc0oSoIfS5l4TrXQZDO-
M6p4AFdi-Aue1-j2kbzNn1Ar1AP41WvPwIHmQh_2MrAnXarcLsKsm4ixxIOgkWPgoAdnDtWK36VnZ4z-
1jVR8iKplXBgpGGFDEGc58qfp7skEbqOcWGbGVE5aVJFWfXed5sN_oCOqOHrqW3hudAktuTl2kXkd9gogysXsAj1HES
q6CA_qTEF_-
y3cKw2R4x5fiUv3w1wWBS7slkELCEv6PSachw2qyejbZK8wzG4UU_Ya20V6Yac6O070y1iWPcvBNsu0Z4FuGxoRX-
siQt3dH54K_hAJWdw",
    "token_type": "Bearer",
    "expires_in": 86400
  }
}
```


2.2 [WT01] Seller Info (Optional)

- ✓ **End point: /api/wtx/pa/v1/seller-info**
- ✓ **Method: GET**
- ✓ **Description:** This API is used to retrieve seller-related information, including declaration details, shop information, and serial numbers.
- ✓ **Conditions:**
  The seller must be registered and exist in the WeTax.

Request Element (Input)

Attribute	Type (Max Length)	Required	Explanation
tax_code	String (14)	Yes	Seller tax code

Request Sample

```
{
    "tax_code": "1201496252",
}
```

Response Element (Output)

Attribute	Type (Max Length)	Required	Explanation
status	**object**		
data	**Array Object**		
declaration			
register_date	String (8)		Declaration date
status_code	String (1)		**5 / 6 / 3**
status_name	String (50)		5: Accepted / 6: Rejected / 3: In Progress
pos_key	String (5)		
shops	**Array Object**		
shop_code	String (50)		Shop code
shop_name	String (400)		Shop name
template	**Array Object**		
form_no	String (1)		Form no **(Reference 3.8)**
serial_no	String (6)		Serial no **(Reference 3.9)**
start_date	String (8)		Start date to using the template
status_code	String (1)		0 / 1 / 2 **(Reference 3.7)**
status_name	String (50)		0: Ready to Use / 1: Using / 2: Closed **(Reference 3.7)**
end_point	String (30)		End point: using self-issuance

Response Sample

```
{
  "status": {
    "success": true,
    "message": "Success"
  },
  "data": {
    "declaration": {
```

```
        "register_date": "2024-03-29",
        "status_code": "5",
        "status_name": "Accepted",
        "pos_key": "VZQYY"
    },
    "shops": [
        {
            "shop_code": "7175",
            "shop_name": "WEBCASH VIETNAM - TEST",
            "templates": [
                {
                    "form_no": "1",
                    "serial_no": "C25TMA",
                    "start_date": "2025-01-01",
                    "status_code": "1",
                    "status_name": "Using"
                },
                {
                    "form_no": "1",
                    "serial_no": "C25TKT",
                    "start_date": "2025-01-01",
                    "status_code": "1",
                    "status_name": "Using"
                }
            ]
        },
        {
            "shop_code": "ESPG6V85LUW",
            "shop_name": "SHOP1 - EASYPOSS",
            "templates": [
                {
                    "form_no": "1",
                    "serial_no": "C25MTT",
                    "start_date": "2025-01-01",
                    "status_code": "1",
                    "status_name": "Using"
                }
            ]
        }
    ],
```

```
    "end_point": "webcashvn"
  }
}
```

2.3 [WT02] Create Shop (Optional)

- ✓ **End point: /api/wtx/pa/v1/pos/shops**
- ✓ **Method: POST**
- ✓ **Description:** Register new shops or add POS machines for a seller. This enables the shop or POS to submit bills to WeTax
- ✓ **Conditions:** Call only when adding new shops or POS terminals.

Request Element (Input)

Attribute	Type (Max Length)	Required	Explanation
shop_code	String (50)	Yes	Shop code
shop_name	String (400)	Yes	Shop name
address	String (400)	No	Address
fax_no	String (20)	No	Fax no
tel_no	String (20)	No	Telephone number
email	String (50)	No	Email
logo	String (500)	No	Logo
pos_no	String (50)	Yes	POS machine code

Request Sample

```
{
  "shops": [
    {
      "shop_code": "0000000000",
      "shop_name": "Shop 1",
      "address": "",
      "fax_no": "",
      "tel_no": "",
      "email": "",
      "logo": "",
      "pos_no": "002"
    }
  ]
```

```
}
```

Response Element (Output)

Attribute	Type (Max Length)	Required	Explanation
status	**object**		
data	**object**		

Response Sample

```
{
  "status": {
    "success": true,
    "message": "success"
  },
  "data": null
}
```

2.4 [WT03] Create Bill (Required)

- ✓ **End point: /api/wtx/pa/v1/pos/invoices**
- ✓ **Method: POST**
- ✓ **Description:** This API is used to send completed/paid bill information from POS System to WeTax.
- ✓ **Conditions:**
  The store/shop must exist in WeTax.

Request Element (Input)

Attribute	Type (Max Length)	Required	Explanation
invoices	**Array Object**		
ref_id	String (100)	Yes	Refid of order number - The unique identification for this request message. - This ID may be used for the cross-checking process. Unique reference ID of the invoice - POS System
cqt_code	String (23)	No	Tax authority code
store_code	String (50)	Yes	Shop code **(Reference 3.5)**

Attribute	Type (Max Length)	Required	Explanation
store_name	String (400)	Yes	Shop name **(Reference 3.5)**
order_date	String (14)	Yes	Order date (format date: yyyymmddhhmmss)
bill_no	String (100)	Yes	Bill No.
pos_no	String (100)	Yes	Pos No. (Default = '**001**) **(Reference 3.11)**
trans_type	String (1)	Yes	Sale Type (Default = 1) **(Reference 3.10)**
currency_code	String (3)	Yes	Currency (Default = 'VND')
exchange_rate	Number (7,2)	Yes	Exchange rate (Default = 1)
payment_method	String (50)	Yes	Payment method (Default = 'TM/CK') **(Reference 3.1)**
buyer_comp_name	String (400)	No	Buyer legal name
buyer_comp_tax_code	String (14)	No	Buyer tax code
buyer_comp_address	String (400)	No	Buyer address
buyer_comp_tel	String (20)	No	Buyer phone
buyer_comp_email	String (50)	No	Buyer email
buyer_nm	String (50)	No	Buyer name
buyer_cccd	String (12)	No	Buyer Citizen ID
buyer_passport_no	String (20)	No	Buyer passport passport number
buyer_budget_unit_code	String (7)	No	Buyer Budget relationship code
invoice_details	**Array Object**		
feature	Number	Yes	Default = 1 **(Reference 3.4)**
seq	Number	Yes	Sequence (1,2,3)
item_code	String (50)	No	Item code
item_name	String (500)	Yes	Item name
uom	String (50)	Yes	Unit name
quantity	Number (21,6)	Yes	Quantity
unit_price	Number (21,6)	Yes	Unit price
dc_rate	Number (6,4)	No	Discount rate (without %)
dc_amt	Number (21,6)	No	Discount amount
total_amount	Number (21,6)	Yes	amount = (quantity * unit_price) - dc_amount
vat_rate	String (11)	Yes (Form no = 2 No)	VAT Invoice as Vat rate (0%, 5%, 8%, 10%, KCT, KKKNT) Sale Invoice as Vat rate is null **(Reference 3.3)**
vat_amount	Number (21,6)	Yes	Vat amount
paying_amount	Number (21,6)	Yes	Total payment

Request Sample

```
{
  "invoices": [
    {
      "ref_id": "221b14aa-919a-026b-2cd2-cd251ddb9514",
      "cqt_code": "",
      "store_code": "111103",
      "store_name": "WEBCASH VIETNAM - TEST API",
      "order_date": "20240911152501",
      "bill_no": "20240911DH34",
      "pos_no": "001",
      "trans_type": "1",
      "currency_code": "VND",
      "exchange_rate": "1.0",
      "payment_method": "TM/CK",
      "buyer_comp_name": "",
      "buyer_comp_tax_code": "",
      "buyer_comp_address": "",
      "buyer_comp_tel": "",
      "buyer_comp_email": "",
      "buyer_nm": "",
      "buyer_cccd": "",
      "buyer_passport_no": "",
      "buyer_budget_unit_code": "",
      "products": [
        {
          "feature": "1",
          "seq": "1",
          "item_code": "228785",
          "item_name": "BLUEBERRY YOGURT CAKE",
          "uom": "EA",
          "quantity": "1",
          "unit_price": "100000",
          "dc_rate": "",
          "dc_amt": "",
          "total_amount": "100000",
          "vat_rate": "10%",
          "vat_amount": "10000",
          "paying_amount": "110000"
        }
      ]
```

```
    }
  ]
}
```

Response Element (Output)

Attribute	Type (Max Length)	Required	Explanation
status	**object**		
data	**object**		

Response Sample

```
{
  "status": {
    "success": true,
    "message": "Success"
  },
  "data": [
    {
      "ref_id": "2a4b4ea6-ed54-241d-ad92-d92461c1ce9a",
      "sid": "221b14aa-919a-026b-2cd2-cd251ddb9514",
      "status": {
        "code": "0",
        "message": "Insert successfully!"
      }
    }
  ]
}
```

2.5 [WT04] Delete Bill (Required)

- ✓ **End point: /api/wtx/pa/v1/pos/invoices /{ref_id}**
- ✓ **Method: DELETE**
- ✓ **Description:** This API is used to delete bills that have been sent to WeTax but have not yet been officially issued as invoices.

- ✓ **Conditions:**
  Only bills that have not been issued as invoices can be deleted
  Each ref_id must be unique and correspond to a bill previously sent via WT03.

Request Element (Input)

Attribute	Type (Max Length)	Param type	Required	Explanation
ref_id	String (100)	Path variable	Yes	Unique reference ID of the invoice - POS System

Request Sample

```
/api/wtx/pa/v1/pos/invoice/2a4b4ea6-ed54-241d-ad92-d92461c1ce9a
```

Response Element(Output)

Attribute	Type (Max Length)	Required	Explanation
status	**object**		
data	**object**		

Response Sample

```
{
  "status": {
    "success": true,
    "message": "success"
  },
  "data": null
}
```

2.6 [WT05] Create & Issue Invoice (Optional)

- ✓ **End point: /api/wtx/pa/v1/pos/invoices-publish**
- ✓ **Method: POST**
- ✓ **Description:** This API is used to create and issue invoices in WeTax automatically based on sales data from POS System.
  Combines the data submission of WT03 (Create Bill) with invoice creation and issuance in one step.

✓ **Conditions:**

The store/shop must exist in WeTax

Call when invoice creation and issuance is needed

Request Element (Input)

Attribute	Type (Max Length)	Required	Explanation
seller	**object**		
tax_code	String (14)	Yes	Tax code
store_code	String (50)	Yes	Shop code **(Reference 3.5)**
store_name	String (400)	Yes	Shop name **(Reference 3.5)**
invoices	**Array Object**		
order_date	String (14)	Yes	Ngày đơn hàng (format date: yyyymmddhhmmss)
ref_id	String (100)	Yes	Unique reference ID of the invoice - POS System
cqt_code	String (23)	No	Tax authority code **(Reference 3.13)**
bill_no	String (100)	Yes	Bill No.
pos_no	String (100)	Yes	Pos No. (Default = '**001**) **(Reference 3.11)**
invoice_type	String (1)	Yes	Invoice Type (Default = '0') **(Reference 3.2)**
form_no	String (1)	Yes	Form no **(Reference 3.8)**
serial_no	String (6)	Yes	Serial no **(Reference 3.9)**
trans_type	String (1)	Yes	Sale Type (Default = 1) **(Reference 3.10)**
currency_code	String (3)	Yes	Currency (Default = 'VND')
exchange_rate	Number (7,2)	Yes	Exchange rate (Default = 1)
payment_method	String (50)	Yes	Payment method (Default = 'TM/CK') **(Reference 3.1)**
buyer_comp_name	String (400)	No	Buyer legal name
buyer_tax_code	String (14)	No	Buyer tax code
buyer_address	String (400)	Yes	Buyer address
buyer_tel	String (20)	No	Buyer phone
buyer_email	String (50)	No	Buyer email
buyer_email_cc	String (100)	No	Buyer email cc
buyer_name	String (400)	No	Buyer name
buyer_cccd	String (12)	No	Buyer Citizen ID
buyer_passport_no	String (20)	No	Buyer passport passport number
buyer_budget_unit_code	String (7)	No	Buyer Budget relationship code
tot_amount	Number (21,6)	Yes	Total amount
tot_dc_amount	Number (21,6)	Yes	Total discount amount
tot_vat_amount	Number (21,6)	Yes	Total vat amount
tot_pay_amount	Number (21,6)	Yes	Total payment amount

Attribute	Type (Max Length)	Required	Explanation
invoice_details	**Array Object**		
seq	Number	Yes	Sequence (1,2,3)
item_code	String (50)	No	Item code
item_name	String (500)	Yes	Item name
uom	String (50)	Yes	Unit name
quantity	Number (21,6)	Yes	Quantity
unit_price	Number (21,6)	Yes	Unit price
dc_rate	Number (6,4)	No	Discount rate (without %)
dc_amount	Number (21,6)	No	Discount amount
amount	Number (21,6)	Yes	amount = (quantity * unit_price) - dc_amount
vat_rate	String (11)	Yes (Form no = 2 No)	VAT Invoice as Vat rate (0%, 5%, 8%, 10%, KCT, KKKNT) Sale Invoice as Vat rate is null **(Reference 3.3)**
vat_amount	Number (21,6)	Yes	Vat amount
pay_amount	Number (21,6)	Yes	Payment amount
feature	String (1)	Yes	Featue for Goods and services 1/2/3/4/5 **(Reference 3.4)**

Request Sample


```
{
  "seller": {
    "tax_code": "1201496252",
    "store_code": "111103",
    "store_name": "WEBCASH VIETNAM - TEST API"
  },
  "invoices": [
    {
      "order_date": "20240101120000",
      "ref_id": "9a6100b6-141b-92ad-dedc-edce64e4b2da",
      "cqt_code": "M1-24-VZQYY-21100004054",
      "bill_no": "20240911DH34",
      "pos_no": "001",
      "invoice_type": "0",
      "form_no ": "1",
      "serial_no ": "C24TKT",
      "trans_type": "1",
      "currency_code": "VND",
      "exchange_rate": 1,
      "payment_method": "TM/CK",
      "buyer_comp_name": "Buyer Company Name",
```

```
        "buyer_comp_ename": "Buyer Company English Name",
        "buyer_tax_code": "1201496252",
        "buyer_address": "Buyer Address",
        "buyer_tel": "1231231230",
        "buyer_email": "buyer@example.com",
        "buyer_email_cc": "buyer@example.com;buyer2@example.com",
        "buyer_name": "1231231230",
        "buyer_cccd": "",
        "buyer_passport_no": "",
        "buyer_budget_unit_code": "",
        "tot_amount": 100000,
        "tot_vat_amount": 10000,
        "tot_dc_amount": 0,
        "tot_pay_amount": 110000,
        "invoice_details": [
          {
            "seq": 1,
            "item_code": "110",
            "item_name": "BLUEBERRY YOGURT CAKE ",
            "uom": "EA",
            "quantity": 1,
            "unit_price": 100000,
            "dc_rate": "",
            "dc_amount": "",
            "amount": "100000",
            "vat_rate": "10%",
            "vat_amount": "10000",
            "pay_amount": "110000",
            "feature": 1
          }
        ]
      }
    ]
}
```


Response Element (Output)

Attribute	Type (Max Length)	Required	Explanation
status	object		
data	object		

Attribute	Type (Max Length)	Required	Explanation
sid	String (36)		Unique reference ID of the invoice (GUID) - WeTax
ref_id	String (100)		Unique reference ID of the invoice - POS System
symbol	String (8)		Form no || Serial No
invoice_no	String (8)		Invoice number
cqt_report_status	String (20)		AUTHORITY Status
issuance_status	String (20)		Invoice status ('Issued', 'Not Issued', 'Error')
email_status	String (20)		Email status ('Sent', 'Not Sent', 'Fail')
lookup_code	String (50)		Invoice code
lookup_url	String (100)		link
cqt_code	String (34)		TAX AUTHORITY CODE
seller_signature_time	String (14)		Signature time by seller
tax_signature_time	String (14)		Signature time by CQT
error_message	String (1000)		**(Reference 3.16)**

Response Sample


```
{
  "status": {
    "code": "200",
    "message": "success"
  },
  "data": [
    {
      "sid": "175398",
      "ref_id": "9a6100b6-141b-92ad-dedc-edce64e4b2da",
      "form_no": "1",
      "serial_no": "C24TKT",
      "invoice_no": "56",
      "invoice_type": "Original",
      "cqt_report_status": "Reported",
      "issuance_status": "Issued",
      "email_status": "Sent",
      "lookup_code": "JGSJIAIQ",
      "lookup_url": "string",
      "cqt_code": "",
      "seller_signature_time": "",
      "tax_signature_time": "",
      "error_message": ""
    }
```

```
  ]
}
```

2.7 [WT06] Invoice Status (Required)

- ✓ **End point: /api/wtx/pa/v1/pos/invoices-status**
- ✓ **Method: POST**
- ✓ **Description:**

  This API is used to check the current status of invoices in WeTax.

  This API applies to invoices sent via WT03 (Create Bill) or WT05 (Issue Invoices).
- ✓ **Conditions:**

  Each ref_id must match a previously sent invoice.

  Must be called to track invoice processing; useful for reporting or error handling.

Request Element (Input)

Attribute	Type (Max Length)	Required	Explanation
data	**Array Object**		
ref_id	String (100)		Unique reference ID of the invoice - POS System

Request Sample

```
{
  "invoices": [
    "221b14aa-919a-026b-2cd2-cd251ddb9514"
  ]
}
```

Response Element (Output)

Attribute	Type (Max Length)	Required	Explanation
status	**object**		
data	**object**		
sid	String (36)		Unique reference ID of the invoice (GUID) - WeTax
ref_id	String (100)		Unique reference ID of the invoice - POS System
symbol	String (8)		Form no || Serial no **(Reference 3.8 & Reference 3.9)**
invoice_no	String (8)		Invoice number
cqt_report_status	String (20)		Tax authority status **(Reference 3.15)**

Attribute	Type (Max Length)	Required	Explanation
issuance_status	String (20)		Invoice status **(Reference 3.12)**
email_status	String (20)		Email status **(Reference 3.14)**
lookup_code	String (50)		Lookup code
lookup_url	String (100)		Lookup on website
cqt_code	String (34)		Tax authority code **(Reference 3.13)**
seller_signature_time	String (14)		Signature time by seller
tax_signature_time	String (14)		Signature time by CQT
error_message	String (1000)		**(Reference 3.16)**

Response Sample


```
{
  "status": {
    "success": true,
    "message": "Success"
  },
  "data": [
    {
      "sid": "2a4b4ea6-ed54-241d-ad92-d92461c1ce9a",
      "ref_id": "221b14aa-919a-026b-2cd2-cd251ddb9514",
      "symbol": "1C24MTT",
      "invoice_no": "2",
      "cqt_report_status": "Not reported",
      "issuance_status": "Issued",
      "email_status": "Sent",
      "lookup_code": "ESPG6V85LUWDH32",
      "lookup_url": "https://test.wetax.com.vn/view/webcashvn?guid=2a4b4ea6-ed54-241d-ad92-d92461c1ce9a
",
      "cqt_code": "M1-24-VZQYY-00600000002",
      "seller_signature_time": "",
      "tax_signature_time": "2024-09-12",
      "error_message": ""
    }
  ]
}
```


2.8 [WT07] Resend email (Optional)

- ✓ **End point: /api/wtx/pa/v1/resend-email**
- ✓ **Method: POST**
- ✓ **Description:** Resends previously issued invoices to the buyer via email.
- ✓ **Conditions:**

  The invoice must have been successfully issued.

  The buyer's email address must be valid.

Request Element (Input)

Attribute	Type (Max Length)	Required	Explanation
data	**Array Object**		
ref_id	String (100)	Yes	Reference ID (GUID)
email	String (100)	Yes	Resend email

Request Sample

```
{
  "data": [
    {
      "ref_id": "bceee212-5d05-c22a-6429-4295e0cb2d5c",
      "email": "email@webcashvietnam.com"
    },
    {
      "ref_id": "bceee212-5d05-c22a-6429-4295e0cb2d5d",
      "email": "email@webcashvietnam.com"
    }
  ]
}
```

Response Element (Output)

Attribute	Type (Max Length)	Required	Explanation
status	**object**		
data	**object**		

Response Sample

```
{
  "status": {
    "success": true,
    "message": "success"
  },
  "data": null
}
```

2.9 [WT08] Closing Shops (Optional)

- ✓ **End point: /api/wtx/pa/v1/pos/shops/inform-closing-store**
- ✓ **Method: POST**
- ✓ **Description:** Send the total number of invoices from a shop for WeTax reconciliation
- ✓ **Conditions:**
  Call at the end of each shift if supported; not all POS have this feature

Request Element (Input)

Attribute	Type (Max Length)	Required	Explanation
closing_date	String (8)	Yes	Closing Date of POS (current date)
closing_time	String (14)	No	if POS is close, closingTime = actual closed time
store_code	String (50)	Yes	Shop code
store_name	String (400)	Yes	Shop name
total_order_count	Number	Yes	Total number of Orders created in the POS of the closing date.

Request Sample

```
{
  "closing_date": "20230731",
  "closing_time": "20230731220000",
  "store_code": "111103",
  "store_name": "WEBCASH VIETNAM - TEST API'",
  "total_order_count": "1230"
}
```

Response Element (Output)

Attribute	Type (Max Length)	Required	Explanation
status	**object**		

Attribute	Type (Max Length)	Required	Explanation
data	object		

Response Sample

```
{
  "status": {
    "success": true,
    "message": "success"
  },
  "data": null
}
```

2.4 [WT09] Company information (Optional

- ✓ **End point: /api/wtx/pa/v1/company/{tax_code}**
- ✓ **Method: GET**
- ✓ **Description:**

  This API retrieve company information in WeTax based on the provided tax code.
- ✓ **Conditions:**

  Company information is retrieved from the General Department of Taxation (GDT) system. (https://tracuunnt.gdt.gov.vn/)

Request Element (Input)

Attribute	Type (Max Length)	Required	Explanation
tax_code	String (14)	Yes	Tax code

Request Sample

```
{
  "tax_code": " 1201496252"
}
```

Response Element(Output)

Attribute	Type (Max Length)	Required	Explanation
tax_code	String (14)		Tax Code (Business code)

Attribute	Type (Max Length)	Required	Explanation
vietnam_name	String (400)		Offical name
english_name	String (400)		Offical english name
address	String (400)		Offical address
representative_name	String (50)		Legal representative name
phonenumber	String (20)		Phone nummber
fax	String (20)		Fax number
status	String (100)		Status
email	String (50)		Email contact

Response Sample


```
{
  "status": {
    "code": "200",
    "message": "success"
  },
  "data": {
    "tax_code": "1201496252",
    "vietnam_name": "CÔNG TY CỔ PHẦN WEBCASH VIỆT NAM",
    "english_name": "WEBCASH VIETNAM JOINT STOCK COMPANY",
    "address": "LK08-13, Khu phố 3, Phường 6, Thành phố Mỹ Tho, Tiền Giang",
    "representative_name": "string",
    "phonenumber": "string",
    "fax": "string",
    "email": "string",
    "status": "NNT đang hoạt động (đã được cấp GCN ĐKT)"
  }
}
```


3. [Reference] Common Information

3.1 Payment Method (Required)

Content
Cash - Tiền mặt
Transfer - Chuyển khoản
Cash/Transfer - **Tiền mặt/Chuyển khoản**

Reconciliation of accounts payable/receivable - Đối trừ công nợ
No payment - Không thu tiền
Etc

- Contain other values and is not required to belong to one of the five methods listed above
- The invoice must display in Vietnamese, so the default values are **'TM/CK'** or '**Tiền mặt/Chuyển khoản'**.

3.2 Invoice Type

Code	Content
0	Original - Hóa đơn mới
1	Canceled - Hóa đơn hủy
2	Replaced - Hóa đơn bị thay thế
3	Adjusted - Hóa đơn bị điều chỉnh
6	Replacement - Hóa đơn thay thế
7	Adjustment - Hóa đơn điều chỉnh

3.3 Tax Rate

Code	Content
0%	Tax rate 0%
5%	Tax rate 5%
8%	Tax rate 8%
10%	Tax rate 10%
KCT	Not VAT (Value Added Tax)
KKKNT	Not declaring or calculating VAT (Value Added Tax) payable

3.4 Feature (Required)

Code	Content
1	Goods and services
2	Promotion
3	Trade discount (In case you want to display discount information by line)
4	Notes
5	Feature goods (Hàng hóa đặc trưng)

3.5 Shop List & Symbol for Testing

Shop Code	Shop Name	Symbol (Normal e-Invoice)	Symbol (POS e-Invoice)

0319388179	GLOBOSVN	1C26TKT	1C26MTT

3.6 Declaration status

Code	Content
3	In Progress
5	Accepted
6	Rejected

3.7 Template Status

Code	Content
0	Ready to Use (Not use to issue invoice)
1	Using (used to issue invoice)
2	Closed (Can not use)

3.8 Form no

Code	Content
1	Electronic VAT invoice
2	Electronic sales invoice
3	E-invoice for sale of public property
4	E-invoice for sale of national reserve goods
5	E-invoice for electronic stamp, ticket, card, receipt or other electronic documents
6	E-invoice for electronic delivery, internal consignment notes, electronic delivery notes for goods sent to sales agents.

3.9 Serial No

Code	Content
C25TKT	C: With CQT code
K25TAB	K: Without CQT code
C25**M**TT	M: Cash Register
C**25**MAB	Two char of year

3.10 Transaction Type

Code	Content
1	Sale

2	Return

3.11 Pos No.

Code	Content
001	Pos No. 1
002	Pos No. 2

3.12 Invoice Status

Name	Content
Issued	Issued
Not Issued	Issuance Error
Error	Issuance Error
In Progress	Issuing in Progress
Waiting	Waiting Issuance

3.13 CQT Code

The tax authority code on e-invoices generated from cash registers is a 23-character string structured as follows:

C1C2-C3C4-C5C6C7C8C9-C10C11C12C13C14C15C16C17C18C19C20

Example**: M1-25-ABCDE-00000000011**

M: the e-invoice is generated from a cash register

1: the invoice type of e-invoice (from 1 to 6) (**Ref 3.2**)

25: The last two digits of the year the invoice is issued

ABCDE: POS Key is string uniquely generated by the tax authority's e-invoice system

00000000011: 11-digit numeric sequence automatically generated by the taxpayer's sales software to ensure uniqueness

3.14 Email Status

Name	Content
Not Sent	Failed to send the invoice email due to an error.
In progress	The invoice email is currently being sent.
Sent	The invoice email was sent successfully to the customer
Fail	Email status not set or the invoice email has not been sent yet.

3.15 Report to Tax Office Status

Name	Content
Issued	Issuance Success
Not Issued	Save as Draft
Error	Issuance Error
In Progress	Issuing in Progress
Waiting	Waiting Issuance

3.16 Error Response

Code	Name	Content
200	Default Response	The request was successful.
401	Unauthorized	Access is not allowed due to invalid credentials.
403	Forbidden	You don't have permission to access this resource.
404	Not Found	The requested data could not be found.
409	Conflict	There is a conflict with the current state of the data.
500	Internal Server Error	The server encountered an unexpected condition.

Code	error_message {field key} || Content
	success
	E_INVALID_JWT_TOKEN: jwt must be provided
	{} is incorrect
	{} can not be null
	{} not found
	{} must not be blank
	{} invalid number
	ERROR: {} has issued the invoice serial no – invoice no
	{} Missing Serial No
	{} Duplicate order number
Additional Message will be added more to specific error codes.	