

Our ref: ASH/26/063117
14 May 2026

Dr Priya Raman
Marlow Fields Medical Centre
3 Pinner Row
Ashcombe Vale
ZZ99 3DF

Re: Mr Samuel Adeyemi
Date of birth: 14 March 1952 NHS number: 999 471 3382
12 Wreneley Gardens, Ashcombe Vale, ZZ99 3CZ

Pathology Report

Specimen type Serum
Date collected 10 May 2026
Date received 11 May 2026
Date reported 14 May 2026
Laboratory number ASH/26/063117
Requested by Dr P Raman, Marlow Fields Medical Centre
Clinical details supplied Routine monitoring. Repeat U&E and HbA1c requested.

Results

Test	Result	Units	Reference range
Sodium	137	mmol/L	133 - 146
Potassium	5.1	mmol/L	3.5 - 5.3
Creatinine	131 H	umol/L	59 - 104
eGFR (CKD-EPI)	46 L	mL/min/1.73m2	> 90
HbA1c (IFCC)	61 H	mmol/mol	20 - 41

Specimen ASH/26/063117, collected 10 May 2026.

Key: L = result below the quoted reference range. H = result above the quoted reference range. Reference ranges are those in routine use by this laboratory and may differ from those quoted by other providers. Results should not be compared directly with assays performed elsewhere.

Comments

Renal function: the estimated glomerular filtration rate is reduced at 46 mL/min/1.73m2 and has fallen compared with the previous specimen from this patient collected on 16 March 2026, with a corresponding rise in serum creatinine to 131 umol/L. This represents a genuine change rather than analytical variation on our assay. Suggest repeat of renal function to establish the trend, together with review of any renally cleared or potentially nephrotoxic medication. Please correlate with your clinical findings.

Glycaemic control: HbA1c remains raised at 61 mmol/mol against a laboratory reference range of 20 to 41 mmol/mol. This result reflects average glycaemia over the preceding two to three months and should be read

in the context of any recent acute illness, transfusion or change in therapy.

Electrolytes: potassium is within the reference range but towards its upper limit at 5.1 mmol/L, and sodium is within range at 137 mmol/L. No haemolysis was noted on this specimen. This report is issued for the information of the requesting clinician and is not a clinical opinion.

Report authorised electronically by the duty clinical biochemist. Analyses performed at St Saviour's Hospital laboratory. Telephoned results are available on request; laboratory enquiries 01632 960118, quoting the laboratory number above.