

Cara menjalankan aplikasi

1. Download terlebih dahulu filenya
2. Jika sudah silahkan pindah kan filenya ke httdoc.
3. Buat database pada xampp kalian dengan nama db_qatros, kemudian import database yang terletak pada foldel yang barusan di download trs dalam folder db.
4. Jika sudah maka lakukan konfigurasi pada framework codeigniternya
5. Pertama konfigurasi database nya yang terletak pada qatros/application/config/database.php

```
1 <?php
2 defined('BASEPATH') OR exit('No direct script access allowed');
3
4 $active_group = 'default';
5 $query_builder = TRUE;
6
7 $db['default'] = array(
8     'dsn' => '',
9     'hostname' => 'localhost',
10    'username' => 'root',
11    'password' => '',
12    'database' => 'db_qatros',
13    'dbdriver' => 'mysqli',
14    'dbprefix' => '',
15    'strict' => FALSE,
16    'db_debug' => (ENVIRONMENT !== 'production'),
17    'cache_on' => FALSE,
18    'cachedir' => '',
19    'char_set' => 'utf8',
20    'dbcollat' => 'utf8_general_ci',
21    'swap_pre' => '',
22    'encrypt' => FALSE,
23    'compress' => FALSE,
24    'stricton' => FALSE,
25    'failover' => array(),
26    'save_queries' => TRUE
27 );
28
```

6. Lalu konfigurasi file pada qatros/application/config/config.php

```
23
24 WARNING! You MUST set this value!
25
26 If it is not set, then CodeIgniter will try guess the protocol and path
27 your installation, but due to security concerns the hostname will be set
28 to '127.0.0.1' ('localhost' if available, or 'localhost' otherwise).
29 The auto-detection mechanism exists only for convenience during
30 development and MUST NOT be used in production!
31
32 If you need to allow multiple domains, remember that this file is still
33 a PHP script and you can easily do that on your own.
34
35
36 $config['base_url'] = 'http://localhost/qatros/';
37
38
```

Di isi dengan 'http://localhost/nama_foldernya/'

7. Jika sudah aplikasi bias dijalankan dengan mengetikkan url http://localhost/nama_folder/admin/ pada browser anda.