

Lab #:

30701

Patient Name:

Mrs. Dr. Farah Hanif
MBBS, M.Phill Consultant
Pathologist

Contact #:

03325512668

MR #:

AKRH-076155-20

DOB:

06 Jan 1978

Consultant:

Department:

Outdoor

Sampled:

06-Jan-2020 5:09PM

Result Reported:

06-Jan-2020 6:02PM

SPECIAL CHEMISTRY

Test	Result	Units	Reference Range
Free T4	1.42	ng/dl	Adults: 0.70-1.90 Child (1-12 Yrs): 0.65-2.30
Remarks			
Please Note: Tests are performed on state - of - the - art cobas e 411 Analyzer from Roche Diagnostics, Germany.			
TSH	4.55	uIU/mL	0.47 - 4.64 Euthyroid < 0.01 Hyperthroid > 7.1 Hypothroid 0.33-7.60 Upto 5 Yrs 1.19-15.73 Neonates
Remarks			
Please Note: Tests are performed on state - of - the - art cobas e 411 Analyzer from Roche Diagnostics, Germany.			

Note: This is a computer generated report duly verified by a pathologist,therefore signatures are not required.

Dr. Nadeem Ikram

MBBS, M.Phil, FCPS

Clinical Haematologist

Dr. Farah Hanif

MBBS, M. Phil

Clinical Haematologist

Dr. Rafia Behzad

MBBS, FCPS

Consultant Haematologist