

Patient Name: MR. M YAQOOB

Age: 61 Y

Contact #: 03027416824

MR #: AKHM-098389-25

Lab #: 345219

Consultant: Dr RASHID RIAZ

Department: Outdoor

Sampled: 7/24/2025 3:20:13PM

Approved At: 7/24/2025 9:22:10PM

DEPARTMENT OF PATHOLOGY
CHEMICAL PATHOLOGY

Test	Result	Units	Reference Range
Glycosylated Hb (HBA1C)	8.8	%	Non Diabetic: 4.0-5.6 Pre Diabetic: 5.7-6.4 Diabetic:>6.5 Good Control:5.5-6.8 Fair Control:6.8-7.6 Poor Control:>7.6

Remarks

Mean Glucose Levels for specified HBA1C Levels:

HBA1C%	Mean Plasma Glucose
6	126 mg/dl (7.0 mmol/l)
6.5	140 mg/dl (7.8 mmol/l)
7	154 mg/dl (8.6 mmol/l)
7.5	169 mg/dl (9.4 mmol/l)
8	183 mg/dl (10.2 mmol/l)
8.5	197 mg/dl (10.9 mmol/l)
9	212 mg/dl (11.8 mmol/l)
9.5	226 mg/dl (12.6 mmol/l)
10	240 mg/dl (13.4 mmol/l)

American Diabetes Association (ADA) recommendations for Glycemic Goal:

Less Stringent: <8%

General: <7%

More Stringent: <6.5%

Reference: American Diabetes Association (ADA). Diagnosis and Classification of Diabetes Mellitus ; Diabetes Care 2014;37 (Supp 1): S81-S90

Please Note: Tests are performed on state - of - the - art D-10 Analyzer from Bio-Rad Laboratories california, USA

Note: This is a computer generated report duly verified by a pathologist,therefore signatures are not required.

Approved By: Dr. Mujahid Habib

Resulted at: 7/24/2025 9:20:24PM

Printed at: 7/24/2025 | 9:22:11PM

Dr. Irshad Ahmed Ansari

M.B.B.S DCP

Consultant Pathologist

Dr. Mujahid Habib

M.B.B.S , Dcp , M-phil

(Consultant Pathologist)