

Patient Name:

MR. ATTA
MUHAMMAD

Age:

60 Y

Contact #:

03064315797

Medical Record#:

AKHM-104719-25

Lab #:

346112

Consultant:

Dr

Department :

Outdoor

Sampled:

10-Aug-2025 9:07AM

Resulted At:

10-Aug-2025 9:07AM

DEPARTMENT OF PATHOLOGY

STOOL EXAMINATION

Test	Result	Reference Range
Stool for H. Pylori Antigen	Negative	

Note: This is a computer generated report duly verified by a pathologist,therefore signatures are not required.

Approved By: Dr Mujahid Habib

Approved at: 8/10/2025 9:07:33AM

Printed at: 8/10/2025 | 9:08:52AM

Patient Name:

MR. ATTA MUHAMMAD

Age:

60 Y

Contact #:

03064315797

Medical Record#:

AKHM-104719-25

Lab #:

346112

Consultant:

Dr

Department :

Outdoor

Sampled:

10-Aug-2025 9:07AM

Resulted At:

10-Aug-2025 9:07AM

DEPARTMENT OF PATHOLOGY

STOOL EXAMINATION

Test	Result	Reference Range
	Dr. Irshad Ahmed Ansari M.B.B.S DCP Consultant Pathologist	Dr. Mujahid Habib M.B.B.S , Dcp , M-phil (Consultant Pathologist)