

```
import{FeatureNotFoundError}from"./cs-client.js";const t$5=globalThis,e$a=t$5.ShadowRoot&&(void 0===t$5.ShadyCSS||t$5.ShadyCSS.nativeShadow)&&"adoptedStyleSheets"in Document.prototype&&"replace"in CSSStyleSheet.prototype,s$4=Symbol(),o$c=new WeakMap;let n$8=class{constructor(t,e,o){if(this._$cssResult$=!0,o!==(s$4))throw Error("CSSResult is not constructable. Use `unsafeCSS` or `css` instead.");this.cssText=t,this.t=e}get styleSheet(){let t=this.o;const s=this.t;if(e$a&&void 0===t){const e=void 0!==(s&&1===s.length;e&&(t=o$c.get(s)),void 0===t&&((this.o=t=new CSSStyleSheet).replaceSync(this.cssText,e&&o$c.set(s,t)))return t}toString(){return this.cssText}};const r$a=t=>new n$8("string"==typeof t?t:t+"",void 0,s$4),i$7=(t,...e)=>{const o=1===t.length?t[0]:e.reduce((e,s,o)=>e+(t=>{if(!0===t._$cssResult$)return t.cssText;if("number"==typeof t)return t;throw Error("Value passed to 'css' function must be a 'css' function result: "+t+"). Use 'unsafeCSS' to pass non-literal values, but take care to ensure page security.")))(s)+t[o+1],t[0]);return new n$8(o,t,s$4)},S$2=(s,o)=>{if(e$a)s.adoptedStyleSheets=o.map(t=>t instanceof CSSStyleSheet?t:t.styleSheet);else for(const e of o){const o=document.createElement("style"),n=t$5.litNonce;void 0!=n&&o.setAttribute("nonce",n),o.textContent=e.cssText,s.appendChild(o)},c$4=e$a?t=>t:t=>t instanceof CSSStyleSheet?(t=>{let e="";for(const s of t.cssRules)e+=s.cssText;return r$a(e)})(t):t,{is:i$6,defineProperty:e$9,getOwnPropertyDescriptor:h$4,getOwnPropertyNames:r$9,getOwnPropertySymbols:o$b,getPrototypeOf:n$7}=Object,a$2=globalThis,c$3=a$2.trustedTypes,l$3=c$3?c$3.emptyScript:"",p$2=a$2.reactiveElementPolyfillSupport,d$2=t=>t,u$4={toAttribute(t,s){return s===Boolean?t=t?l$3:null:s===Object||s===Array?t=null==t?t:JSON.stringify(t):void 0,t},fromAttribute(t,s){let i=t;switch(s){case Boolean:i=null!=t;break;case Number:i=null==t?null:t;break;case Object:case Array:try{i=JSON.parse(t)}catch(t){i=null}}return i}},f$3=(t,s)=>{i$6(t,s),b$1={attribute:!0,type:String,converter:u$4,reflect:!1,useDefault:!1,hasChanged:f$3};Symbol.metadata??=Symbol("metadata"),a$2.litPropertyMetadata??=new WeakMap;let y$2=class extends HTMLElement{static addInitializer(t){this._$Ei(),(this.l??=[]).push(t)}static get observedAttributes(){return this.finalize(),this._$Eh&&[...this._$Eh.keys()]}static createProperty(t,s=b$1){if(s.state&&(s.attribute=!1),this._$Ei(),this.prototype.hasOwnProperty(t)&&((s=Object.create(s)).wrapped=!0),this.elementProperties.set(t,s),!s.noAccessor){const i=Symbol(),h=this.getPropertyDescriptor(t,i,s);void 0!=h&&e$9(this.prototype,t,h)}}static getPropertyDescriptor(t,s,i){const{get:e,set:r}=h$4(this.prototype,t)??{get(){return this[s]},set(t){this[s]=t}};return{get:e,set(s){const h=e?.call(this);r?.call(this,s),this.requestUpdate(t,h,i)},configurable:!0,enumerable:!0}}static getPropertyOptions(t){return this.elementProperties.get(t)??b$1}static _$Ei(){if(!this.hasOwnProperty(d$2("elementProperties"))){const t=n$7(this);t.finalize(),void 0!=t.l&&(this.l=[...t.l],this.elementProperties=new Map(t.elementProperties))}static finalize(){if(!this.hasOwnProperty(d$2("finalized"))){if(this.finalized=!0,this._$Ei(),this.hasOwnProperty(d$2("properties"))){const t=this.properties,s=[...r$9(t),...o$b(t)];for(const i of s)this.createProperty(i,t[i])}const t=this[Symbol.metadata];if(null!=t){const s=litPropertyMetadata.get(t);if(void 0!=s)for(const[t,i]of s)this.elementProperties.set(t,i)}this._$Eh=new Map;for(const[t,s]of this.elementProperties){const i=this._$Eu(t,s);void 0!=i&&this._$Eh.set(i,t)}this.elementStyles=this.finalizeStyles(this.styles)}}static finalizeStyles(s){const i=[];if(Array.isArray(s)){const e=new Set(s.flat(1/0).reverse());for(const s of e)i.unshift(c$4(s))}else void 0!=s&&i.push(c$4(s));return i}static _$Eu(t,s){const i=s.attribute;return!1===i?void 0:"string"==typeof i?i:"string"==typeof t?t.toLowerCase():void 0}constructor(){super(),this._$Ep=void 0,this.isUpdatePending=!1,this.hasUpdated=!1,this._$Em=null,this._$Ev()}_$Ev(){this._$ES=new Promise(t=>this.enableUpdating=t),this._$AL=new Map,this._$E(),this.requestUpdate(),this.constructor.l?.forEach(t=>t(this))}addController(t){(this._$EO??=new Set).add(t),void 0!=this.renderRoot&&this.isConnected&&t.hostConnected?.()removeController(t){this._$EO?.delete(t)}_$E(){const t=new Map,s=this.constructor.elementProperties;for(const i of s.keys())this.hasOwnProperty(i)&&(t.set(i,this[i]),delete this[i]);0<t.size&&(this._$Ep=t)}createRenderRoot(){const t=this.shadowRoot??this.attachShadow(this.constructor.shadowRootOptions);return S$2(t,this.constructor.elementStyles),t}connectedCallback(){this.renderRoot??=this.createRenderRoot(),this.enableUpdating(!0),this._$EO?.forEach(t=>t.hostConnected?.())}enableUpdating(){disconnectedCallback(){this._$EO?.forEach(t=>t.hostDisconnected?.())}attributeChangedCallback(t,s,i){this._$AK(t,i)}_$ET(t,s){const i=this.constructor.elementProperties.get(t),e=this.constructor._$Eu(t,i);if(void 0!=e&&!0===i.reflect){const h=(void 0===i.converter?.toAttribute?u$4:i.converter).toAttribute(s,i.type);this._$Em=t,null==h?this.removeAttribute(e):this.setAttribute(e,h),this._$Em=null}}_$AK(t,s){const i=this.constructor,e=i._$Eh.get(t);if(void 0!=e&&this._$Em!=e){const t=i.getPropertyOptions(e),h="function"==typeof t.converter?{fromAttribute:t.converter}:void 0===t.converter?.fromAttribute?u$4:t.converter;this._$Em=e;const r=h.fromAttribute(s,t.type);this[e]=r??this._$Ej?.get(e)??r,this._$Em=null}}requestUpdate(t,s,i){if(void 0!=t){const e=this.constructor,h=this[t];if(i??=e.getPropertyOptions(t),!((i.hasChanged??f$3)(h,s)||i.useDefault&&i.reflect&&h===this._$Ej?.get(t)&&!this.hasAttribute(e._$Eu(t,i))))return;this.C(t,s,i)!1===this.isUpdatePending&&(this._$ES=this._$EP())C(t,s,{useDefault:i,reflect:e,wrapped:h},r)}i&&(this._$Ej??=new Map).has(t)&&(this._$Ej.set(t,r??s??this[t]),!0!=h||void 0!=r||this._$AL.has(t)||this.hasUpdated||i||s||(s=void 0),this._$AL.set(t,s)),!0===e&&this._$Em!=t&&(this._$Eq??=new Set).add(t)}async _$EP(){this.isUpdatePending=!0;try{await this._$ES}catch(t){Promise.reject(t)}const t=this.scheduleUpdate();return null!=t&&(await t),!this.isUpdatePending}scheduleUpdate(){return this.performUpdate()}performUpdate(){if(!this.isUpdatePending)return;if(!this.hasUpdated){if(this.renderRoot??=this.createRenderRoot(),this._$Ep){for(const[t,s]of this._$Ep)this[t]=s;this._$Ep=void 0}const t=this.constructor.elementProperties;if(0<t.size)for(const[s,i]of t){const{wrapped:t}=i,e=this[s];!0!=t||this._$AL.has(s)||void 0===e||this.C(s,void 0,i,e)}let t=1;const s=this._$AL;try{t=this.shouldUpdate(s),t?(this.willUpdate(s),this._$EO?.forEach(t=>t.hostUpdate?.()),this.update(s)):this._$EM()}catch(s){throw t=!1,this._$EM(),s}t&&this._$AE(s)}willUpdate(){this._$AE(t){this._$EO?.forEach(t=>t.hostUpdated?.()),this.hasUpdated||this.hasUpdated=!0,this.firstUpdated(t),this.updated(t)}_$EM(){this._$AL=new Map,this.isUpdatePending=!1}get updateComplete(){return this.getUpdateComplete()}getUpdateComplete(){return this._$ES}shouldUpdate(){return!0}update(){this._$Eq&&this._$Eq.forEach(t=>this._$ET(t,this[t])),this._$EM()}updated(){firstUpdated()}}
```

```
{};y$2.elementStyles=[],y$2.shadowRootOptions={mode:"open"},y$2[d$2("elementProperties")]=new
Map,y$2[d$2("finalized")]=new Map,p$2?.((ReactiveElement:y$2)),(a$2.reactiveElementVersions??=
[]).push("2.1.1");const t$4=globalThis,i$5=t$4.trustedTypes,s$3=i$5?i$5.createPolicy("lit-html",
{createHTML:t=>t}):void
0,e$8="$lit$",h$3=`lit${Math.random().toFixed(9).slice(2)}$`,o$a="?" + h$3,n$6=`<${o$a}>`,r$8=document,l
$2=()=>>r$8.createComment(""),c$2=t=>null===t||"object"!=typeof t&&"function"!=typeof
t,a$1=Array.isArray,u$3=t=>a$1(t)||"function"==typeof t?.[Symbol.iterator],d$1="[ \t\n\f\r]",f$2=/(?:
(!--|\\/[^\a-zA-Z])|(\\/?[a-zA-Z][^\>s]*)|(\\/?$))/g,v$2=/->/g,_$1=/>/g,m$2=/>|[\n\f\r](?:([^\s"'>=]/+
([\n\f\r]*=[\n\f\r]*(?:[^\n\f\r"'>=])|
("|'))|)|$)/g,p$1=/'/g,g="/'/g,$$1=/^(?:script|style|textarea|title)$/i,y$1=t=>(i,...s)=>
({_$litType$:t,strings:i,values:s}),x$1=y$1(1),T$1=Symbol.for("lit-noChange"),E$1=Symbol.for("lit-
nothing"),A=new WeakMap,C$1=r$8.createTreeWalker(r$8,129);function P$1(t,i)
{if(!a$1(t)||!t.hasOwnProperty("raw"))throw Error("invalid template strings array");return void
0===s$3?i:s$3.createHTML(i)}const V=(t,i)=>{const s=t.length-1,o=[];let l=2===i?"<svg>:3===i?"
<math>":":",c=f$2,r;for(let i=0;i<s;i++){const s=t[i];let d=-1,y=0,a,u;for(;y<s.length&&
(c.lastIndex=y,u=c.exec(s),null!==u);)y=c.lastIndex,c===f$2?"!--"===u[1]?c=v$2:void 0===u[1]?void
0===u[2]?void 0!==u[3]&&(c=m$2):($$1.test(u[2])&&(r=RegExp("
</"+u[2],"g")),c=m$2):c=_$1:c===m$2?">"===u[0]?(c=r??f$2,d=-1):void 0===u[1]?d=-2:(d=c.lastIndex-
u[2].length,a=u[1],c=void 0===u[3]?m$2:"\"\"\"===u[3]?g:p$1):c===g|c===p$1?c=m$2:c===v$2|c===_
$1?c=f$2:(c=m$2,r=void 0);const x=c===m$2&&t[i+1].startsWith("/>")?" ":"";l+=c===f$2?s+n$6:0<=d?
(o.push(a),s.slice(0,d)+e$8+s.slice(d)+h$3+x):s+h$3+(-2===d?i:x)}return[P$1(t,l+(t[s]||"<?>")+(2===i?"
</svg>:3===i?"</math>:"))],o}};let N$1=class N{constructor({strings:t,_$litType$:s},n){let
r;this.parts=[];let c=0,a=0;const u=t.length-1,d=this.parts,
[f,v]=V(t,s);if(this.el=N.createElement(f,n),C$1.currentNode=this.el.content,2===s||3===s){const
t=this.el.content.firstChild;t.replaceWith(...t.childNodes)}for(;null!==(
r=C$1.nextNode())&&d.length<u){if(1===r.nodeType){if(r.hasAttributes())for(const t of
r.getAttributeNames())if(t.endsWith(e$8)){const i=v[a++],s=r.getAttribute(t).split(h$3),e=/([.?@])?
(.*)/.exec(i);d.push({type:1,index:c,name:e[2],strings:s,ctor:". "===e[1]?H$1:"?"===e[1]?I$1:"@"===e[1]?
L$1:k$1}),r.removeAttribute(t)}else t.startsWith(h$3)&&
(d.push({type:6,index:c}),r.removeAttribute(t));if($$1.test(r.tagName)){const
t=r.textContent.split(h$3),s=t.length-1;if(0<s){r.textContent=i$5?i$5.emptyScript:"";for(let
i=0;i<s;i++)r.append(t[i],l$2()),C$1.nextNode(),d.push({type:2,index:++c});r.append(t[s],l$2())}}else
if(8===r.nodeType)if(r.data===o$a)d.push({type:2,index:c});else for(let t=-1;-1!==
(t=r.data.indexOf(h$3,t+1));)d.push({type:7,index:c}),t+=h$3.length-1;c++}}static createElement(t)
{const s=r$8.createElement("template");return s.innerHTML=t,s}};function S$1(t,i,s=t,e)
{if(i===T$1)return i;let h=void 0===e?s._$C1:s._$Co?.[e];const o=c$2(i)?void 0:i._$litDirective;return
h?.constructor!==o&&(h?._$AO?.(!1),void 0===o?h=void 0:(h=new o(t),h._$AT(t,s,e)),void 0===e?s._$C1=h:
(s._$Co??=[])[e]=h),void 0!==(h&&(i=S$1(t,h._$AS(t,i.values),h,e)),i)}let M$2=class{constructor(t,i)
{this._$AV=[],this._$AN=void 0,this._$AD=t,this._$AM=i}get parentNode(){return this._$AM.parentNode}get
_$AU(){return this._$AM._$AU}u(t){const{el:{content:i},parts:s}=this._$AD,e=(t?.creationScope??
r$8).importNode(i,!0);C$1.currentNode=e;for(let h=C$1.nextNode(),o=0,n=0,l=s[0];void 0!==l;){
if(o===l.index){let i;2===l.type?i=new R(h,h.nextSibling,this,t):1===l.type?i=new
l.ctor(h,l.name,l.strings,this,t):6===l.type&&(i=new
z$1(h,this,t)),this._$AV.push(i),l=s[++n]}o!==(l?.index&&(h=C$1.nextNode(),o++))}return
C$1.currentNode=r$8,e}p(t){let i=0;for(const s of this._$AV)void 0!==(s&&(void 0===s.strings?
s._$AI(t[i]):(s._$AI(t,s,i),i+=s.strings.length-2)),i++);class R{get _$AU(){return this._$AM?._$AU??
this._$Cv}constructor(t,i,s,e){this.type=2,this._$AH=E$1,this._$AN=void
0,this._$AA=t,this._$AB=i,this._$AM=s,this.options=e,this._$Cv=e?.isConnected??!0}get parentNode(){let
t=this._$AA.parentNode;const i=this._$AM;return void 0!==(i&&11===t?.nodeType&&(t=i.parentNode),t)}get
startNode(){return this._$AA}get endNode(){return this._$AB}_$AI(t,i=this){t=S$1(this,t,i),c$2(t)?
t===E$1||null==t||""===t?
(this._$AH!==(E$1&&this._$AR()),this._$AH=E$1):t!==this._$AH&&t!==T$1&&this._(t):void 0===t._$litType$?
void 0===t.nodeType?u$3(t)?this.k(t):this._(t):this.T(t):this.$(t)}O(t){return
this._$AA.parentNode.insertBefore(t,this._$AB)}T(t){this._$AH!==(t&&
(this._$AR(),this._$AH=this.O(t)))_ (t){this._$AH!==(E$1&&c$2(this._$AH)?
this._$AA.nextSibling.data=t:this.T(r$8.createTextNode(t))),this._$AH=t}$(t)
{const{values:i,_$litType$:s}=t,e="number"==typeof s?this._$AC(t):(void 0===s.el&&
(s.el=N$1.createElement(P$1(s.h,s.h[0]),this.options)),s);if(this._$AH?._$AD===e)this._$AH.p(i);else{co
nst t=new M$2(e,this),s=t.u(this.options);t.p(i),this.T(s),this._$AH=t}}_ $AC(t){let
i=A.get(t.strings);return void 0===i&&A.set(t.strings,i=new N$1(t)),i}k(t){a$1(this._$AH)||((this._$AH=
[],this._$AR());const i=this._$AH;let e=0,s;for(const h of t)e===i.length?i.push(s=new
R(this.O(l$2()),this.O(l$2()),this.options)):s=i[e],s._$AI(h,e++<i.length&&
(this._$AR(s&&s._$AB.nextSibling,e),i.length=e)}_$AR(t=this._$AA.nextSibling,i){for(this._$AP?.
(!1,!0,i);i!==this._$AB;){const i=t.nextSibling;t.remove(i),t=i}}setConnected(t){void 0===this._$AM&&
(this._$Cv=t,this._$AP?.(t))}let k$1=class{get tagName(){return this.element.tagName}get _$AU(){return
this._$AM._$AU}constructor(t,i,s,e,h){this.type=1,this._$AH=E$1,this._$AN=void
0,this.element=t,this.name=i,this._$AM=e,this.options=h,2<s.length||""!==s[0]||""!==s[1]?
(this._$AH=Array(s.length-1).fill(new String),this.strings=s):this._$AH=E$1}_$AI(t,i=this,s,e){const
h=this.strings;let o=!1;if(void 0===h)t=S$1(this,t,i,0),o=!c$2(t)||t!==this._$AH&&t!==T$1,o&&
(this._$AH=t);else{const e=t;let n,r;for(t=h[0],n=0;n<h.length-1;n++)r=S$1(this,e[s+n],i,n),r===T$1&&
(r=this._$AH[n]),o|=!c$2(r)||r!==this._$AH[n],r===E$1?t=E$1:t!==(E$1&&(t+=
(r???"")+h[n+1]),this._$AH[n]=r)o&&!e&&this.j(t)}j(t){t===E$1?
this.element.removeAttribute(this.name):this.element.setAttribute(this.name,t???"")}},H$1=class extends
k$1{constructor(){super(...arguments),this.type=3}j(t){this.element[this.name]=t===E$1?void
0:t}},I$1=class extends k$1{constructor(){super(...arguments),this.type=4}j(t)
{this.element.toggleAttribute(this.name,!t&&t!==E$1)}},L$1=class extends k$1{constructor(t,i,s,e,h)
{super(t,i,s,e,h),this.type=5}_$AI(t,i=this){if((t=S$1(this,t,i,0)?E$1)!==(T$1){const
s=this._$AH,e=t===E$1&&s!==(E$1||t.capture!==s.capture||t.once!==s.once||t.passive!==s.passive,h=t!==(E$1
&&
(s===E$1||e);e&&this.element.removeEventListener(this.name,this,s),h&&this.element.addEventListener(thi
s.name,this,t),this._$AH=t}}handleEvent(t){"function"==typeof this._$AH?
this._$AH.call(this.options?.host??
this.element,t):this._$AH.handleEvent(t)}},z$1=class{constructor(t,i,s)
{this.element=t,this.type=6,this._$AN=void 0,this._$AM=i,this.options=s}get _$AU(){return
this._$AM._$AU}_$AI(t){S$1(this,t)};const Z$1={I:R},j$1=t$4.litHtmlPolyfillSupport;j$1?.(N$1,R),
(t$4.litHtmlVersions??=[]).push("3.3.1");const B$1=(t,i,s)=>{const e=s?.renderBefore??i;let
```

```
h=e._$litPart$;if(void 0===h){const t=s?.renderBefore??null;e._$litPart$=h=new
R(i.insertBefore(l$2(),t),t,void 0,s??{}})return h._$AI(t),h},s$2=globalThis;let i$4=class extends
y$2{constructor(){super(...arguments),this.renderOptions={host:this},this._$Do=void
0}createRenderRoot(){const t=super.createRenderRoot();return this.renderOptions.renderBefore??
=t.firstChild,t}update(t){const r=this.render();this.hasUpdated||
(this.renderOptions.isConnected=this.isConnected),super.update(t),this._$Do=B$1(r,this.renderRoot,this.
renderOptions)}connectedCallback(){
super.connectedCallback(),this._$Do?.setConnected(!0)}disconnectedCallback(){
super.disconnectedCallback(),this._$Do?.setConnected(!1)}render(){return
T$1}};i$4._$litElement$=!0,i$4.finalized=!0,s$2.litElementHydrateSupport?.({LitElement:i$4});const
o$9=s$2.litElementPolyfillSupport;o$9?.({LitElement:i$4}),(s$2.litElementVersions??=
[]).push("4.2.1");var spinner_styles_default=i$7`
:host {
  --track-width: 2px;
  --track-color: rgb(128 128 128 / 25%);
  --indicator-color: var(--sl-color-primary-600);
  --speed: 2s;

  display: inline-flex;
  width: 1em;
  height: 1em;
  flex: none;
}

.spinner {
  flex: 1 1 auto;
  height: 100%;
  width: 100%;
}

.spinner__track,
.spinner__indicator {
  fill: none;
  stroke-width: var(--track-width);
  r: calc(0.5em - var(--track-width) / 2);
  cx: 0.5em;
  cy: 0.5em;
  transform-origin: 50% 50%;
}

.spinner__track {
  stroke: var(--track-color);
  transform-origin: 0% 0%;
}

.spinner__indicator {
  stroke: var(--indicator-color);
  stroke-linecap: round;
  stroke-dasharray: 150% 75%;
  animation: spin var(--speed) linear infinite;
}

@keyframes spin {
  0% {
    transform: rotate(0deg);
    stroke-dasharray: 0.05em, 3em;
  }

  50% {
    transform: rotate(450deg);
    stroke-dasharray: 1.375em, 1.375em;
  }

  100% {
    transform: rotate(1080deg);
    stroke-dasharray: 0.05em, 3em;
  }
}
`;const connectedElements=new Set,translations=new Map;let
documentDirection="ltr",documentLanguage="en",fallback;const isClient="undefined"!=typeof
MutationObserver&&"undefined"!=typeof document&&"undefined"!=typeof
document.documentElement;if(isClient){const documentElementObserver=new
MutationObserver(update);documentDirection=document.documentElement.dir||"ltr",documentLanguage=documen
t.documentElement.lang||navigator.language,documentElementObserver.observe(document.documentElement,
{attributes:!0,attributeFilter:["dir","lang"]})}function registerTranslation(...translation)
{translation.map(t=>{const code=t.$code.toLowercase();translations.has(code)?
translations.set(code,Object.assign(Object.assign({},translations.get(code)),t)):translations.set(code,
t),fallback||(fallback=t)}),update()}function update(){isClient&&
(documentDirection=document.documentElement.dir||"ltr",documentLanguage=document.documentElement.lang||
navigator.language),[...connectedElements.keys()].map(el=>{"function"==typeof
el.requestUpdate&&el.requestUpdate()})}let LocalizeController$1=class{constructor(host)
{this.host=host,this.host.addController(this)}hostConnected(){
connectedElements.add(this.host)}hostDisconnected(){connectedElements.delete(this.host)}dir()
{return`$${this.host.dir||documentDirection}`.toLowerCase()}lang()
{return`$${this.host.lang||documentLanguage}`.toLowerCase()}getTranslationData(lang){var _a,_b;const
locale=new Intl.Locale(lang.replace(/_/g,"-")),language=null===locale||void 0===locale?void
```

```
0:locale.language.toLowerCase(),region=null!==(b=null===(_a=null===locale||void 0===locale?void
0:locale.region)||void 0===_a?void 0:_a.toLowerCase())&&void 0!==(b?
_b:""),primary=translations.get(`${language}-${region}`),secondary=translations.get(language);return{loc
ale,language,region,primary,secondary}}exists(key,options){var
_a;const{primary,secondary}=this.getTranslationData(null!==(a=options.lang)&&void 0!==(a?
_a:this.lang()));return options=Object.assign({includeFallback:!1},options),!!
(primary&&primary[key]||secondary&&secondary[key]||options.includeFallback&&fallback&&fallback[key])}te
rm(key,...args){const{primary,secondary}=this.getTranslationData(this.lang());let
term;if(primary&&primary[key])term=primary[key];else
if(secondary&&secondary[key])term=secondary[key];else
if(fallback&&fallback[key])term=fallback[key];else return console.error(`No translation found for:
${key+"`"}`),key+"";return"function"==typeof term?term(...args):term}date(dateToFormat,options){return
dateToFormat=new Date(dateToFormat),new
Intl.DateTimeFormat(this.lang(),options).format(dateToFormat)}number(numberToFormat,options){return
numberToFormat+=numberToFormat,isNaN(numberToFormat)?"":new
Intl.NumberFormat(this.lang(),options).format(numberToFormat)}relativeTime(value,unit,options){return
new Intl.RelativeTimeFormat(this.lang(),options).format(value,unit)}};var translation=
{$code:"en",$name:"English",$dir:"ltr",carousel:"Carousel",clearEntry:"Clear
entry",close:"Close",copied:"Copied",copy:"Copy",currentValue:"Current value",error:"Error",goToSlide:
(slide,count)=>`Go to slide ${slide} of ${count}`,hidePassword:"Hide
password",loading:"Loading",nextSlide:"Next slide",numOptionsSelected:num=>0==num?"No options
selected":1==num?"1 option selected":`${num} options selected`,previousSlide:"Previous
slide",progress:"Progress",remove:"Remove",resize:"Resize",scrollToEnd:"Scroll to
end",scrollToStart:"Scroll to start",selectAColorFromTheScreen:"Select a color from the
screen",showPassword:"Show password",slideNum:slide=>`Slide ${slide}`,toggleColorFormat:"Toggle color
format"}};registerTranslation(translation);var en_default=translation,LocalizeController=class extends
LocalizeController$1{};registerTranslation(en_default);var component_styles_default=i$7`
:host {
  box-sizing: border-box;
}

:host *,
:host *::before,
:host *::after {
  box-sizing: inherit;
}

[hidden] {
  display: none !important;
}

`,__defProp=Object.defineProperty,__defProps=Object.defineProperties,__getOwnPropDesc=Object.getOwnProp
ertyDescriptor,__getOwnPropDescs=Object.getOwnPropertyDescriptors,__getOwnPropSymbols=Object.getOwnProp
ertySymbols,__hasOwnProp=Object.prototype.hasOwnProperty,__propIsEnum=Object.prototype.propertyIsEnumer
able,__knownSymbol=(name,symbol)=>(symbol=Symbol[name])?
symbol:Symbol.for("Symbol."+name),__TypeError=msg=>{throw TypeError(msg)},__defNormalProp=
(obj,key,value)=>key in obj?__defProp(obj,key,
{enumerable:!0,configurable:!0,writable:!0,value}):obj[key]=value,__spreadValues=(a,b)=>{for(var prop
in b){(b={})__hasOwnProp.call(b,prop)&&__defNormalProp(a,prop,b[prop]);if(__getOwnPropSymbols)for(var
prop of __getOwnPropSymbols(b))__propIsEnum.call(b,prop)&&__defNormalProp(a,prop,b[prop]);return
a},__spreadProps=(a,b)=>__defProps(a,__getOwnPropDescs(b)),__decorateClass=
(decorators,target,key,kind)=>{for(var result=1,kind?void 0:kind?
__getOwnPropDesc(target,key):target,i=decorators.length-1,decorator;0<=i;i--)
(decorator=decorators[i])&&(result=(kind?
decorator(target,key,result):decorator(result))||result);return
kind&&result&&__defProp(target,key,result),result},__accessCheck=
(obj,member,msg)=>member.has(obj)||__TypeError("Cannot "+msg),__privateGet=(obj,member)=>
(__accessCheck(obj,member,"read from private field"),member.get(obj)),__privateAdd=
(obj,member,value)=>member.has(obj)?__TypeError("Cannot add the same private member more than
once"):member instanceof WeakSet?member.add(obj):member.set(obj,value),__privateSet=
(obj,member,value)=>(__accessCheck(obj,member,"write to private
field"),member.set(obj,value),value),__await=function(promise,isYieldStar)
{this[0]=promise,this[1]=isYieldStar},__yieldStar=value=>{var
obj=value[__knownSymbol("asyncIterator")],isAwait=!1,it={},method;return null==obj?
(obj=value[__knownSymbol("iterator")])(),method=k=>it[k]=x=>obj[k](x)):
(obj=obj.call(value),method=k=>it[k]=v=>{if(isAwait){if(isAwait=!1,"throw"===k)throw v;return v}return
isAwait=!0,{done:!1,value:new __await(new Promise(resolve=>{var x=obj[k](v);x instanceof
Object||__TypeError("Object expected"),resolve(x)}),1)}},it[__knownSymbol("iterator")]=
())=>it,method("next"),"throw"in obj?method("throw"):it.throw=x=>{throw x},"return"in
obj&&method("return"),it};const t$3=t=>(e,o)=>{void 0===o?
customElements.define(t,e):o.addInitializer(()=>{customElements.define(t,e)}),o$8=
{attribute:!0,type:String,converter:u$4,reflect:!1,hasChanged:f$3},r$7=(t=o$8,e,r)=>
{const{kind:n,metadata:i}=r;let s=globalThis.litPropertyMetadata.get(i);if(void
0===s&&globalThis.litPropertyMetadata.set(i,s=new Map),"setter"===n&&
((t=Object.create(t)).wrapped=!0),s.set(r.name,t),"accessor"===n){const{name:o}=r;return{set(r){const
n=e.get.call(this);e.set.call(this,r),this.requestUpdate(o,n,t)},init(e){return void
0!==(e&&this.C(o,void 0,t,e),e)}}if("setter"===n){const{name:o}=r;return function(r){const
n=this[o];e.call(this,r),this.requestUpdate(o,n,t)}throw Error("Unsupported decorator location:
"+n)};function n$5(t){return(e,o)=>"object"==typeof o?r$7(t,e,o):((t,e,o)=>{const
r=e.hasOwnProperty(o);return e.constructor.createProperty(o,t),r?
Object.getOwnPropertyDescriptor(e,o):void 0})(t,e,o)}function r$6(r){return
n$5({...r,state:!0,attribute:!1})}function t$2(t){return(n,o)=>{const c="function"==typeof n?
n:n[o];Object.assign(c,t)}const e$7=(e,t,c)=>
(c.configurable=!0,c.enumerable=!0,Reflect.decorate&&"object"!=typeof
t&&Object.defineProperty(e,t,c,c);function e$6(e){return(n,s)=>{const
o=t=>t.renderRoot?.querySelector(e)?null;return e$7(n,s,{get(){return o(this)}})}}let e$5;function
r$5(r){return(n,o)=>e$7(n,o,{get(){return(this.renderRoot??(e$5??
```

```

=document.createDocumentFragment()).querySelectorAll(r)}}}function r$(r){return(n,e)=>e$7(n,e,{async
get(){return await this.updateComplete,this.renderRoot?.querySelector(r)?null}})}var
ShoelaceElement=class extends i$4{constructor()
{super().__privateAdd(this,_hasRecordedInitialProperties,!1),this.initialReflectedProperties=new
Map,Object.entries(this.constructor.dependencies).forEach(([name,component])=>
{this.constructor.define(name,component)}).emit(name,options){const event=new
CustomEvent(name,__spreadValues({bubbles:!0,cancelable:!1,composed:!0,detail:{},options));return
this.dispatchEvent(event),event}static define(name,elementConstructor=this,options={}){const
currentlyRegisteredConstructor=customElements.get(name);if(!currentlyRegisteredConstructor)
{try{customElements.define(name,elementConstructor,options)}catch(_err)
{customElements.define(name,class extends elementConstructor{},options)}return}let newVersion="
(unknown version)",existingVersion=newVersion;"version"in
elementConstructor&&elementConstructor.version&&(newVersion="
v"+elementConstructor.version),"version"in
currentlyRegisteredConstructor&&currentlyRegisteredConstructor.version&&(existingVersion="
v"+currentlyRegisteredConstructor.version);newVersion&&existingVersion&&newVersion===existingVersion||c
onsole.warn(`Attempted to register <${name}>${newVersion}, but <${name}>${existingVersion} has already
been registered.`)}attributeChangedCallback(name,oldValue,newValue)
{__privateGet(this,_hasRecordedInitialProperties)||
(this.constructor.elementProperties.forEach((obj,prop)=>
{obj.reflect&&null!=this[prop]&&this.initialReflectedProperties.set(prop,this[prop])}),__privateSet(thi
s,_hasRecordedInitialProperties,!0)),super.attributeChangedCallback(name,oldValue,newValue))willUpdate(
changedProperties)
{super.willUpdate(changedProperties),this.initialReflectedProperties.forEach((value,prop)=>
{changedProperties.has(prop)&&null==this[prop]&&
(this[prop]=value)}),_hasRecordedInitialProperties;_hasRecordedInitialProperties=new
WeakMap,ShoelaceElement.version="2.20.1",ShoelaceElement.dependencies=
{,__decorateClass([n$5()],ShoelaceElement.prototype,"dir",2),__decorateClass([n$5()],ShoelaceElement.p
rototype,"lang",2);var SlSpinner=class extends ShoelaceElement{constructor()
{super(...arguments),this.localize=new LocalizeController(this)}render(){return x$1`
  <svg part="base" class="spinner" role="progressbar" aria-label=${this.localize.term("loading")}>
    <circle class="spinner__track"></circle>
    <circle class="spinner__indicator"></circle>
  </svg>
`}};SlSpinner.styles=[component_styles_default,spinner_styles_default];var formCollections=new
WeakMap,reportValidityOverloads=new WeakMap,checkValidityOverloads=new
WeakMap,userInteractedControls=new WeakSet,interactions=new
WeakMap,FormController=class{constructor(host,options){this.handleFormData=event=>{const
disabled=this.options.disabled(this.host),name=this.options.name(this.host),value=this.options.value(thi
s.host),isButton="sl-
button"===this.host.tagName.toLowerCase();this.host.isConnected&&!disabled&&!isButton&&"string"==typeof
name&&0<name.length&&"undefined"!=typeof value&&(Array.isArray(value)?value.forEach(val=>
{event.formData.append(name,val.toString())}):event.formData.append(name,value.toString()))},this.handl
eFormSubmit=event=>{var _a;const
disabled=this.options.disabled(this.host),reportValidity=this.options.reportValidity;this.form&&!this.f
orm.noValidate&&(null==( _a=formCollections.get(this.form))?void 0:_a).forEach(control=>
{this.setUserInteracted(control,!0)}),!this.form||this.form.noValidate||disabled||reportValidity(this.
host)||event.preventDefault(),event.stopImmediatePropagation(),this.handleFormReset=()=>>
{this.options.setValue(this.host,this.options.defaultValue(this.host)),this.setUserInteracted(this.host
,!1),interactions.set(this.host,[ ]),this.handleInteraction=event=>{const
emittedEvents=interactions.get(this.host);emittedEvents.includes(event.type)||emittedEvents.push(event.
type),emittedEvents.length===this.options.assumeInteractionOn.length&&this.setUserInteracted(this.host,
!0)},this.checkFormValidity=()=>{if(this.form&&!this.form.noValidate){const
elements=this.form.querySelectorAll("*");for(const element of elements)if("function"==typeof
element.checkValidity&&!element.checkValidity())return!1}return!0},this.reportFormValidity=()=>>
{if(this.form&&!this.form.noValidate){const elements=this.form.querySelectorAll("*");for(const element
of elements)if("function"==typeof element.reportValidity&&!element.reportValidity())return!1}return!0},
(this.host=host).addController(this),this.options=__spreadValues({form:input=>{const
formId=input.form;if(formId){const
root=input.getRootNode(),form=root.querySelector(`#${formId}`);if(form)return form}return
input.closest("form")},name:input=>input.name,value:input=>input.value,defaultValue:input=>input.default
Value,disabled:input=>{var _a;return null!=
(_a=input.disabled)&&_a},reportValidity:input=>"function"!=typeof
input.reportValidity||input.reportValidity(),checkValidity:input=>"function"!=typeof
input.checkValidity||input.checkValidity(),setValue:
(input,value)=>input.value=value,assumeInteractionOn:["sl-input"]},options)}hostConnected(){const
form=this.options.form(this.host);form&&this.attachForm(form),interactions.set(this.host,
[ ]),this.options.assumeInteractionOn.forEach(event=>
{this.host.addEventListener(event,this.handleInteraction)})}hostDisconnected()
{this.detachForm(),interactions.delete(this.host),this.options.assumeInteractionOn.forEach(event=>
{this.host.removeEventListener(event,this.handleInteraction)})}hostUpdated(){const
form=this.options.form(this.host);form||this.detachForm(),form&&this.form!=form&&
(this.detachForm(),this.attachForm(form)),this.host.hasUpdated&&this.setValidity(this.host.validity.val
id)}attachForm(form){form?(this.form=form,formCollections.has(this.form)?
formCollections.get(this.form).add(this.host):formCollections.set(this.form,new
Set([this.host])),this.form.addEventListener("formdata",this.handleFormData),this.form.addEventListener
("submit",this.handleFormSubmit),this.form.addEventListener("reset",this.handleFormReset),!reportValidi
tyOverloads.has(this.form)&&
(reportValidityOverloads.set(this.form,this.form.reportValidity),this.form.reportValidity=
()=>this.reportFormValidity(),!checkValidityOverloads.has(this.form)&&
(checkValidityOverloads.set(this.form,this.form.checkValidity),this.form.checkValidity=
()=>this.checkFormValidity())):this.form=void 0}detachForm(){if(this.form){const
formCollection=formCollections.get(this.form);formCollection&&
(formCollection.delete(this.host),0>=formCollection.size&&
(this.form.removeEventListener("formdata",this.handleFormData),this.form.removeEventListener("submit",t
his.handleFormSubmit),this.form.removeEventListener("reset",this.handleFormReset),reportValidityOverloa

```

```

ds.has(this.form)&&
(this.form.reportValidity=reportValidityOverloads.get(this.form),reportValidityOverloads.delete(this.form)),checkValidityOverloads.has(this.form)&&
(this.form.checkValidity=checkValidityOverloads.get(this.form),checkValidityOverloads.delete(this.form)),this.form=void 0)}}setUserInteracted(el,hasInteracted){hasInteracted?
userInteractedControls.add(el):userInteractedControls.delete(el),el.requestUpdate()}doAction(type,submitter){if(this.form){const
button=document.createElement("button");button.type=type,button.style.position="absolute",button.style.width="0",button.style.height="0",button.style.clipPath="inset(50%)",button.style.overflow="hidden",button.style.whiteSpace="nowrap",submitter&&(button.name=submitter.name,button.value=submitter.value,
["formaction","formenctype","formmethod","formnovalidate","formtarget"].forEach(attr=>
{submitter.hasAttribute(attr)&&button.setAttribute(attr,submitter.getAttribute(attr))})),this.form.append(button),button.click(),button.remove()}}getForm(){var _a;return null==( _a=this.form)?
null:_a}reset(submitter){this.doAction("reset",submitter)}submit(submitter)
{this.doAction("submit",submitter)}setValidity(isValid){const
host=this.host,hasInteracted=!userInteractedControls.has(host),required=!host.required;host.toggleAttribute("data-required",required),host.toggleAttribute("data-optional",!required),host.toggleAttribute("data-invalid",!isValid),host.toggleAttribute("data-valid",isValid),host.toggleAttribute("data-user-invalid",!isValid&&hasInteracted),host.toggleAttribute("data-user-valid",isValid&&hasInteracted)}updateValidity(){const
host=this.host;this.setValidity(host.validity.valid)}emitInvalidEvent(originalInvalidEvent){const slInvalidEvent=new CustomEvent("sl-invalid",{bubbles:!1,composed:!1,cancelable:!0,detail:
{}});originalInvalidEvent||slInvalidEvent.preventDefault(),this.host.dispatchEvent(slInvalidEvent)||
(null==originalInvalidEvent?void
0:originalInvalidEvent.preventDefault())},validValidityState=Object.freeze({badInput:!1,customError:!1,patternMismatch:!1,rangeOverflow:!1,rangeUnderflow:!1,stepMismatch:!1,tooLong:!1,tooShort:!1,typeMismatch:!1,valid:!0,valueMissing:!1}),valueMissingValidityState=Object.freeze(__spreadProps(__spreadValues({},validValidityState),
{valid:!1,valueMissing:!0})),customErrorValidityState=Object.freeze(__spreadProps(__spreadValues({},validValidityState),{valid:!1,customError:!0})),button_styles_default=i$7`
:host {
  display: inline-block;
  position: relative;
  width: auto;
  cursor: pointer;
}

.button {
  display: inline-flex;
  align-items: stretch;
  justify-content: center;
  width: 100%;
  border-style: solid;
  border-width: var(--sl-input-border-width);
  font-family: var(--sl-input-font-family);
  font-weight: var(--sl-font-weight-semibold);
  text-decoration: none;
  user-select: none;
  -webkit-user-select: none;
  white-space: nowrap;
  vertical-align: middle;
  padding: 0;
  transition:
    var(--sl-transition-x-fast) background-color,
    var(--sl-transition-x-fast) color,
    var(--sl-transition-x-fast) border,
    var(--sl-transition-x-fast) box-shadow;
  cursor: inherit;
}

.button::-moz-focus-inner {
  border: 0;
}

.button:focus {
  outline: none;
}

.button:focus-visible {
  outline: var(--sl-focus-ring);
  outline-offset: var(--sl-focus-ring-offset);
}

.button--disabled {
  opacity: 0.5;
  cursor: not-allowed;
}

/* When disabled, prevent mouse events from bubbling up from children */
.button--disabled * {
  pointer-events: none;
}

.button__prefix,
.button__suffix {

```

```
flex: 0 0 auto;
display: flex;
align-items: center;
pointer-events: none;
}

.button__label {
  display: inline-block;
}

.button__label::slotted(sl-icon) {
  vertical-align: -2px;
}

/*
 * Standard buttons
 */

/* Default */
.button--standard.button--default {
  background-color: var(--sl-color-neutral-0);
  border-color: var(--sl-input-border-color);
  color: var(--sl-color-neutral-700);
}

.button--standard.button--default:hover:not(.button--disabled) {
  background-color: var(--sl-color-primary-50);
  border-color: var(--sl-color-primary-300);
  color: var(--sl-color-primary-700);
}

.button--standard.button--default:active:not(.button--disabled) {
  background-color: var(--sl-color-primary-100);
  border-color: var(--sl-color-primary-400);
  color: var(--sl-color-primary-700);
}

/* Primary */
.button--standard.button--primary {
  background-color: var(--sl-color-primary-600);
  border-color: var(--sl-color-primary-600);
  color: var(--sl-color-neutral-0);
}

.button--standard.button--primary:hover:not(.button--disabled) {
  background-color: var(--sl-color-primary-500);
  border-color: var(--sl-color-primary-500);
  color: var(--sl-color-neutral-0);
}

.button--standard.button--primary:active:not(.button--disabled) {
  background-color: var(--sl-color-primary-600);
  border-color: var(--sl-color-primary-600);
  color: var(--sl-color-neutral-0);
}

/* Success */
.button--standard.button--success {
  background-color: var(--sl-color-success-600);
  border-color: var(--sl-color-success-600);
  color: var(--sl-color-neutral-0);
}

.button--standard.button--success:hover:not(.button--disabled) {
  background-color: var(--sl-color-success-500);
  border-color: var(--sl-color-success-500);
  color: var(--sl-color-neutral-0);
}

.button--standard.button--success:active:not(.button--disabled) {
  background-color: var(--sl-color-success-600);
  border-color: var(--sl-color-success-600);
  color: var(--sl-color-neutral-0);
}

/* Neutral */
.button--standard.button--neutral {
  background-color: var(--sl-color-neutral-600);
  border-color: var(--sl-color-neutral-600);
  color: var(--sl-color-neutral-0);
}

.button--standard.button--neutral:hover:not(.button--disabled) {
  background-color: var(--sl-color-neutral-500);
  border-color: var(--sl-color-neutral-500);
  color: var(--sl-color-neutral-0);
}
```

```
}

.button--standard.button--neutral:active:not(.button--disabled) {
  background-color: var(--sl-color-neutral-600);
  border-color: var(--sl-color-neutral-600);
  color: var(--sl-color-neutral-0);
}

/* Warning */
.button--standard.button--warning {
  background-color: var(--sl-color-warning-600);
  border-color: var(--sl-color-warning-600);
  color: var(--sl-color-neutral-0);
}
.button--standard.button--warning:hover:not(.button--disabled) {
  background-color: var(--sl-color-warning-500);
  border-color: var(--sl-color-warning-500);
  color: var(--sl-color-neutral-0);
}

.button--standard.button--warning:active:not(.button--disabled) {
  background-color: var(--sl-color-warning-600);
  border-color: var(--sl-color-warning-600);
  color: var(--sl-color-neutral-0);
}

/* Danger */
.button--standard.button--danger {
  background-color: var(--sl-color-danger-600);
  border-color: var(--sl-color-danger-600);
  color: var(--sl-color-neutral-0);
}

.button--standard.button--danger:hover:not(.button--disabled) {
  background-color: var(--sl-color-danger-500);
  border-color: var(--sl-color-danger-500);
  color: var(--sl-color-neutral-0);
}

.button--standard.button--danger:active:not(.button--disabled) {
  background-color: var(--sl-color-danger-600);
  border-color: var(--sl-color-danger-600);
  color: var(--sl-color-neutral-0);
}

/*
 * Outline buttons
 */

.button--outline {
  background: none;
  border: solid 1px;
}

/* Default */
.button--outline.button--default {
  border-color: var(--sl-input-border-color);
  color: var(--sl-color-neutral-700);
}

.button--outline.button--default:hover:not(.button--disabled),
.button--outline.button--default.button--checked:not(.button--disabled) {
  border-color: var(--sl-color-primary-600);
  background-color: var(--sl-color-primary-600);
  color: var(--sl-color-neutral-0);
}

.button--outline.button--default:active:not(.button--disabled) {
  border-color: var(--sl-color-primary-700);
  background-color: var(--sl-color-primary-700);
  color: var(--sl-color-neutral-0);
}

/* Primary */
.button--outline.button--primary {
  border-color: var(--sl-color-primary-600);
  color: var(--sl-color-primary-600);
}

.button--outline.button--primary:hover:not(.button--disabled),
.button--outline.button--primary.button--checked:not(.button--disabled) {
  background-color: var(--sl-color-primary-600);
  color: var(--sl-color-neutral-0);
}

.button--outline.button--primary:active:not(.button--disabled) {
```



```
border-color: var(--sl-color-primary-700);
background-color: var(--sl-color-primary-700);
color: var(--sl-color-neutral-0);
}

/* Success */
.button--outline.button--success {
  border-color: var(--sl-color-success-600);
  color: var(--sl-color-success-600);
}

.button--outline.button--success:hover:not(.button--disabled),
.button--outline.button--success.button--checked:not(.button--disabled) {
  background-color: var(--sl-color-success-600);
  color: var(--sl-color-neutral-0);
}

.button--outline.button--success:active:not(.button--disabled) {
  border-color: var(--sl-color-success-700);
  background-color: var(--sl-color-success-700);
  color: var(--sl-color-neutral-0);
}

/* Neutral */
.button--outline.button--neutral {
  border-color: var(--sl-color-neutral-600);
  color: var(--sl-color-neutral-600);
}

.button--outline.button--neutral:hover:not(.button--disabled),
.button--outline.button--neutral.button--checked:not(.button--disabled) {
  background-color: var(--sl-color-neutral-600);
  color: var(--sl-color-neutral-0);
}

.button--outline.button--neutral:active:not(.button--disabled) {
  border-color: var(--sl-color-neutral-700);
  background-color: var(--sl-color-neutral-700);
  color: var(--sl-color-neutral-0);
}

/* Warning */
.button--outline.button--warning {
  border-color: var(--sl-color-warning-600);
  color: var(--sl-color-warning-600);
}

.button--outline.button--warning:hover:not(.button--disabled),
.button--outline.button--warning.button--checked:not(.button--disabled) {
  background-color: var(--sl-color-warning-600);
  color: var(--sl-color-neutral-0);
}

.button--outline.button--warning:active:not(.button--disabled) {
  border-color: var(--sl-color-warning-700);
  background-color: var(--sl-color-warning-700);
  color: var(--sl-color-neutral-0);
}

/* Danger */
.button--outline.button--danger {
  border-color: var(--sl-color-danger-600);
  color: var(--sl-color-danger-600);
}

.button--outline.button--danger:hover:not(.button--disabled),
.button--outline.button--danger.button--checked:not(.button--disabled) {
  background-color: var(--sl-color-danger-600);
  color: var(--sl-color-neutral-0);
}

.button--outline.button--danger:active:not(.button--disabled) {
  border-color: var(--sl-color-danger-700);
  background-color: var(--sl-color-danger-700);
  color: var(--sl-color-neutral-0);
}

@media (forced-colors: active) {
  .button.button--outline.button--checked:not(.button--disabled) {
    outline: solid 2px transparent;
  }
}

/*
 * Text buttons
 */
```

```
.button--text {
  background-color: transparent;
  border-color: transparent;
  color: var(--sl-color-primary-600);
}

.button--text:hover:not(.button--disabled) {
  background-color: transparent;
  border-color: transparent;
  color: var(--sl-color-primary-500);
}

.button--text:focus-visible:not(.button--disabled) {
  background-color: transparent;
  border-color: transparent;
  color: var(--sl-color-primary-500);
}

.button--text:active:not(.button--disabled) {
  background-color: transparent;
  border-color: transparent;
  color: var(--sl-color-primary-700);
}

/*
 * Size modifiers
 */

.button--small {
  height: auto;
  min-height: var(--sl-input-height-small);
  font-size: var(--sl-button-font-size-small);
  line-height: calc(var(--sl-input-height-small) - var(--sl-input-border-width) * 2);
  border-radius: var(--sl-input-border-radius-small);
}

.button--medium {
  height: auto;
  min-height: var(--sl-input-height-medium);
  font-size: var(--sl-button-font-size-medium);
  line-height: calc(var(--sl-input-height-medium) - var(--sl-input-border-width) * 2);
  border-radius: var(--sl-input-border-radius-medium);
}

.button--large {
  height: auto;
  min-height: var(--sl-input-height-large);
  font-size: var(--sl-button-font-size-large);
  line-height: calc(var(--sl-input-height-large) - var(--sl-input-border-width) * 2);
  border-radius: var(--sl-input-border-radius-large);
}

/*
 * Pill modifier
 */

.button--pill.button--small {
  border-radius: var(--sl-input-height-small);
}

.button--pill.button--medium {
  border-radius: var(--sl-input-height-medium);
}

.button--pill.button--large {
  border-radius: var(--sl-input-height-large);
}

/*
 * Circle modifier
 */

.button--circle {
  padding-left: 0;
  padding-right: 0;
}

.button--circle.button--small {
  width: var(--sl-input-height-small);
  border-radius: 50%;
}

.button--circle.button--medium {
  width: var(--sl-input-height-medium);
  border-radius: 50%;
}
```

```
}

.button--circle.button--large {
  width: var(--sl-input-height-large);
  border-radius: 50%;
}

.button--circle .button__prefix,
.button--circle .button__suffix,
.button--circle .button__caret {
  display: none;
}

/*
 * Caret modifier
 */

.button--caret .button__suffix {
  display: none;
}

.button--caret .button__caret {
  height: auto;
}

/*
 * Loading modifier
 */

.button--loading {
  position: relative;
  cursor: wait;
}

.button--loading .button__prefix,
.button--loading .button__label,
.button--loading .button__suffix,
.button--loading .button__caret {
  visibility: hidden;
}

.button--loading sl-spinner {
  --indicator-color: currentColor;
  position: absolute;
  font-size: 1em;
  height: 1em;
  width: 1em;
  top: calc(50% - 0.5em);
  left: calc(50% - 0.5em);
}

/*
 * Badges
 */

.button ::slotted(sl-badge) {
  position: absolute;
  top: 0;
  right: 0;
  translate: 50% -50%;
  pointer-events: none;
}

.button--rtl ::slotted(sl-badge) {
  right: auto;
  left: 0;
  translate: -50% -50%;
}

/*
 * Button spacing
 */

.button--has-label.button--small .button__label {
  padding: 0 var(--sl-spacing-small);
}

.button--has-label.button--medium .button__label {
  padding: 0 var(--sl-spacing-medium);
}

.button--has-label.button--large .button__label {
  padding: 0 var(--sl-spacing-large);
}

.button--has-prefix.button--small {
```

```
padding-inline-start: var(--sl-spacing-x-small);
}

.button--has-prefix.button--small .button__label {
padding-inline-start: var(--sl-spacing-x-small);
}

.button--has-prefix.button--medium {
padding-inline-start: var(--sl-spacing-small);
}

.button--has-prefix.button--medium .button__label {
padding-inline-start: var(--sl-spacing-small);
}

.button--has-prefix.button--large {
padding-inline-start: var(--sl-spacing-small);
}

.button--has-prefix.button--large .button__label {
padding-inline-start: var(--sl-spacing-small);
}

.button--has-suffix.button--small,
.button--caret.button--small {
padding-inline-end: var(--sl-spacing-x-small);
}

.button--has-suffix.button--small .button__label,
.button--caret.button--small .button__label {
padding-inline-end: var(--sl-spacing-x-small);
}

.button--has-suffix.button--medium,
.button--caret.button--medium {
padding-inline-end: var(--sl-spacing-small);
}

.button--has-suffix.button--medium .button__label,
.button--caret.button--medium .button__label {
padding-inline-end: var(--sl-spacing-small);
}

.button--has-suffix.button--large,
.button--caret.button--large {
padding-inline-end: var(--sl-spacing-small);
}

.button--has-suffix.button--large .button__label,
.button--caret.button--large .button__label {
padding-inline-end: var(--sl-spacing-small);
}

/*
 * Button groups support a variety of button types (e.g. buttons with tooltips, buttons as dropdown
triggers, etc.).
 * This means buttons aren't always direct descendants of the button group, thus we can't target them
with the
 * ::slotted selector. To work around this, the button group component does some magic to add these
special classes to
 * buttons and we style them here instead.
 */

:host([data-sl-button-group__button--first]:not([data-sl-button-group__button--last])) .button {
border-start-end-radius: 0;
border-end-end-radius: 0;
}

:host([data-sl-button-group__button--inner]) .button {
border-radius: 0;
}

:host([data-sl-button-group__button--last]:not([data-sl-button-group__button--first])) .button {
border-start-start-radius: 0;
border-end-start-radius: 0;
}

/* All except the first */
:host([data-sl-button-group__button]:not([data-sl-button-group__button--first])) {
margin-inline-start: calc(-1 * var(--sl-input-border-width));
}

/* Add a visual separator between solid buttons */
:host(
[data-sl-button-group__button]:not(
[data-sl-button-group__button--first],
```



```
1 1h8a1 1 0 0 0 1-1v-1h1v1a2 2 0 0 1-2 2H2a2 2 0 0 1-2-2V6a2 2 0 0 1 2-2h1v1H2Z"/>
  </svg>
  `,"eye":`
    <svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" fill="currentColor" class="bi bi-eye" viewBox="0 0 16 16">
      <path d="M16 8s-3-5.5-8-5.5S0 8 8s3 5.5 8 5.5S16 8 16 8zM1.173 8a13.133 13.133 0 0 1 1.66-2.043C4.12 4.668 5.88 3.5 8 3.5c2.12 0 3.879 1.168 5.168 2.457A13.133 13.133 0 0 1 14.828 8c-.058.087-.122.183-.195.288-.335.48-.83 1.12-1.465 1.755C11.879 11.332 10.119 12.5 8 12.5c-2.12 0-3.879-1.168-5.168-2.457A13.134 13.134 0 0 1 1.172 8z"/>
      <path d="M8 5.5a2.5 2.5 0 1 0 0 5 2.5 2.5 0 0 0 0-5zM4.5 8a3.5 3.5 0 1 1 7 0 3.5 3.5 0 0 1-7 0z"/>
    </svg>
  `,"eye-slash":`
    <svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" fill="currentColor" class="bi bi-eye-slash" viewBox="0 0 16 16">
      <path d="M13.359 11.238C15.06 9.72 16 8 16 8s-3-5.5-8-5.5a7.028 7.028 0 0 0-2.79.588l.77.771A5.944 5.944 0 0 1 8 3.5c2.12 0 3.879 1.168 5.168 2.457A13.134 13.134 0 0 1 14.828 8c-.058.087-.122.183-.195.288-.335.48-.83 1.12-1.465 1.755-.165.165-.337.328-.517.486l.708.709z"/>
      <path d="M11.297 9.176a3.5 3.5 0 0 0-4.474-4.474l.823.823a2.5 2.5 0 0 1 2.829 2.829l.822.822zm-2.943 1.299.822.822a3.5 3.5 0 0 1-4.474-4.474l.823.823a2.5 2.5 0 0 0 2.829 2.829z"/>
      <path d="M3.35 5.47c-.18.16-.353.322-.518.487A13.134 13.134 0 0 0 1.172 8l.195.288c.335.48.83 1.12 1.465 1.755C4.121 11.332 5.881 12.5 8 12.5c.716 0 1.39-.133 2.02-.361.777.772A7.029 7.029 0 0 1 8 13.5C3 13.5 0 8 8s.939-1.721 2.641-3.238l.708.709zm10.296 8.884-12-12 .708-.708 12-12-.708.708z"/>
    </svg>
  `,"eyedropper":`
    <svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" fill="currentColor" class="bi bi-eyedropper" viewBox="0 0 16 16">
      <path d="M13.354.646a1.207 1.207 0 0 0-1.708 0L8.5 3.793l-.646-.647a.5.5 0 1 0-.708.708L8.293 5l.7147 7.146A.5.5 0 0 0 1 12.5v1.793l-.854.853a.5.5 0 1 0 .708.707l1.707 15H3.5a.5.5 0 0 0 .354-.146L11 7.707l1.146 1.147a.5.5 0 0 0 .708-.708l-.647-.646 3.147-3.146a1.207 1.207 0 0 0 0-1.708l-2-2zM2 12.707l7-7L10.293 7l-7 7H2v-1.293z"></path>
    </svg>
  `,"grip-vertical":`
    <svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" fill="currentColor" class="bi bi-grip-vertical" viewBox="0 0 16 16">
      <path d="M7 2a1 1 0 1 1-2 0 1 1 0 0 1 2 0zM3 0a1 1 0 1 1-2 0 1 1 0 0 1 2 0zM7 5a1 1 0 1 1-2 0 1 1 0 0 1 2 0zM7 8a1 1 0 1 1-2 0 1 1 0 0 1 2 0zM7 11a1 1 0 1 1-2 0 1 1 0 0 1 2 0zM3 14a1 1 0 1 1-2 0 1 1 0 0 1 2 0zM3 17a1 1 0 1 1-2 0 1 1 0 0 1 2 0z"></path>
    </svg>
  `,"indeterminate":`
    <svg part="indeterminate-icon" class="checkbox__icon" viewBox="0 0 16 16">
      <g stroke="none" stroke-width="1" fill="none" fill-rule="evenodd" stroke-linecap="round">
        <g stroke="currentColor" stroke-width="2">
          <g transform="translate(2.285714, 6.857143)">
            <path d="M10.2857143,1.14285714 L1.14285714,1.14285714"></path>
          </g>
        </g>
      </g>
    </svg>
  `,"person-fill":`
    <svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" fill="currentColor" class="bi bi-person-fill" viewBox="0 0 16 16">
      <path d="M3 14s-1 0-1-1 1-4 6-4 6 3 6 4-1 1-1 1H3zm5-6a3 3 0 1 0 0-6 3 3 0 0 0 0 6z"/>
    </svg>
  `,"play-fill":`
    <svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" fill="currentColor" class="bi bi-play-fill" viewBox="0 0 16 16">
      <path d="m11.596 8.697-6.363 3.692c-.54.313-1.233-.066-1.233-.697V4.308c0-.63.692-1.01 1.233-.696l6.363 3.692a.802.802 0 0 1 0 1.393z"></path>
    </svg>
  `,"pause-fill":`
    <svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" fill="currentColor" class="bi bi-pause-fill" viewBox="0 0 16 16">
      <path d="M5.5 3.5A1.5 1.5 0 0 1 7 5v6a1.5 1.5 0 0 1-3 0V5a1.5 1.5 0 0 1 1.5-1.5zm5 0A1.5 1.5 0 0 1 12 5v6a1.5 1.5 0 0 1-3 0V5a1.5 1.5 0 0 1 1.5-1.5z"></path>
    </svg>
  `,"radio":`
    <svg part="checked-icon" class="radio__icon" viewBox="0 0 16 16">
      <g stroke="none" stroke-width="1" fill="none" fill-rule="evenodd">
        <g fill="currentColor">
          <circle cx="8" cy="8" r="3.42857143"></circle>
        </g>
      </g>
    </svg>
  `,"star-fill":`
    <svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" fill="currentColor" class="bi bi-star-fill" viewBox="0 0 16 16">
      <path d="M3.612 15.443c-.386.198-.824-.149-.746-.592l.83-4.73L1.173 6.765c-.329-.314-.158-.888.283-.951L4.898-.696L7.538.792c.197-.39.73-.39.927 0l2.184 4.327 4.898.696c.441.062.612.636.282.951-3.522 3.356-.83 4.73c.078.443-.36.79-.746.592L8 13.187l-4.389 2.256z"/>
    </svg>
  `,"x-lg":`
    <svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" fill="currentColor" class="bi bi-x-lg" viewBox="0 0 16 16">
```

```

    <path d="M2.146 2.854a.5.5 0 1 1 .708-.708L8 7.293L15.146-5.147a.5.5 0 0 1 .708.708L8.707 8L15.147
5.146a.5.5 0 0 1-.708.708L8 8.707L-5.146 5.147a.5.5 0 0 1-.708-.708L7.293 8 2.146 2.854Z"/>
  </svg>
  `,"x-circle-fill":`
  <svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" fill="currentColor" class="bi bi-x-
circle-fill" viewBox="0 0 16 16">
    <path d="M16 8a8 8 0 1 1 0 8a8 8 0 1 16 0zM5.354 4.646a.5.5 0 1 0-.708.708L7.293 8L-2.647
2.646a.5.5 0 0 0 .708.708L8 8.707L12.646 2.647a.5.5 0 0 0 .708-.708L8.707 8L12.647-2.646a.5.5 0 0
0-.708-.708L8 7.293 5.354 4.646Z"></path>
  </svg>
  `},systemLibrary={name:"system",resolver:name=>name in icons?
`data:image/svg+xml,${encodeURIComponent(icons[name])}`:""},library_system_default=systemLibrary,regist
ry=[library_default_default,library_system_default],watchedIcons=[];function watchIcon(icon)
{watchedIcons.push(icon)}function unwatchIcon(icon)
{watchedIcons=watchedIcons.filter(el=>el!==icon)}function getIconLibrary(name){return
registry.find(lib=>lib.name===name)}function registerIconLibrary(name,options)
{unregisterIconLibrary(name),registry.push({name,resolver:options.resolver,mutable:options.mutable,sprite
Sheet:options.spriteSheet}),watchedIcons.forEach(icon=>
{icon.library===name&&icon.setIcon()})}function unregisterIconLibrary(name)
{registry=registry.filter(lib=>lib.name!==name)}var icon_styles_default=i$7`
: host {
  display: inline-block;
  width: 1em;
  height: 1em;
  box-sizing: content-box !important;
}

svg {
  display: block;
  height: 100%;
  width: 100%;
}
`;function watch(propertyName,options){const
resolvedOptions=__spreadValues({waitForFirstUpdate:!1},options);return(proto,decoratedFnName)=>
{const{update}=proto,watchedProperties=Array.isArray(propertyName)?propertyName:
[propertyName];proto.update=function(changedProps){watchedProperties.forEach(property=>{const
key=property;if(changedProps.has(key)){const
oldValue=changedProps.get(key),newValue=this[key];oldValue!==newValue&&
(!resolvedOptions.waitForFirstUpdate||this.hasUpdated)&&this[decoratedFnName]
(oldValue,newValue)}}),update.call(this,changedProps)}}const{I:t$1}=Z$1,e$4=o=>void
0!==(o?._$litType$,$$1=o=>void 0===o.strings,r$3=())=>document.createComment(""),s$1=(o,i,n)=>{const
e=o._$AA.parentNode,l=void 0===i?o._$AB:i._$AA;if(void 0===n){const
i=e.insertBefore(r$3(),l),d=e.insertBefore(r$3(),l);n=new t$1(i,d,o.options)}else{const
t=n._$AB.nextSibling,i=n._$AM,d=i!==(o?._$AQ?.(o),n._$AM=o,void 0!==(n._$AP&&
(t=o._$AU)!==(i._$AU&&n._$AP(t))if(t!==l||d)for(let o=n._$AA;o!==(t);){const
t=o.nextSibling;e.insertBefore(o,l),o=t}}return n},v$1=(o,t,i=o)=>(o._$AI(t,i),o),u$2={},m$1=
(o,t=u$2)=>o._$AH=t,p=o=>o._$AH,M$1=o=>{o._$AR(),o._$AA.remove()};var
CACHEABLE_ERROR=Symbol(),RETRYABLE_ERROR=Symbol(),iconCache=new Map,SIcon=class extends
ShoelaceElement{constructor()
{super(...arguments),this.initialRender=!1,this.svg=null,this.label="",this.library="default"}async
resolveIcon(url,library){var _a;let fileData;if(null==library?void 0:library.spriteSheet)return
this.svg=x$1`<svg part="svg">
  <use part="use" href="${url}"></use>
</svg>`,this.svg;try{if(fileData=await fetch(url,{mode:"cors"}),!fileData.ok)return
410===fileData.status?CACHEABLE_ERROR:RETRYABLE_ERROR}catch(e){return RETRYABLE_ERROR}try{const
div=document.createElement("div");div.innerHTML=await fileData.text();const
svg=div.firstElementChild;if("svg"!==null==(_a=null==svg?void 0:svg.tagName)?void
0:_a.toLowerCase())return CACHEABLE_ERROR;parser||(parser=new DOMParser);const
doc=parser.parseFromString(svg.outerHTML,"text/html"),svgEl=doc.body.querySelector("svg");return svgEl?
(svgEl.part.add("svg"),document.adoptNode(svgEl)):CACHEABLE_ERROR}catch(e){return
CACHEABLE_ERROR}}connectedCallback(){super.connectedCallback(),watchIcon(this)}firstUpdated()
{this.initialRender=!0,this.setIcon()}disconnectedCallback()
{super.disconnectedCallback(),unwatchIcon(this)}getIconSource(){const
library=getIconLibrary(this.library);return this.name&&library?
{url:library.resolver(this.name),fromLibrary:!0}:{url:this.src,fromLibrary:!1}}handleLabelChange()
{const hasLabel="string"===typeof this.label&&0<this.label.length;hasLabel?
(this.setAttribute("role","img"),this.setAttribute("aria-label",this.label),this.removeAttribute("aria-
hidden")):(this.removeAttribute("role"),this.removeAttribute("aria-label"),this.setAttribute("aria-
hidden","true"))}async setIcon(){var
_a;const{url,fromLibrary}=this.getIconSource(),library=fromLibrary?getIconLibrary(this.library):void
0;if(!url)return void(this.svg=null);let iconResolver=iconCache.get(url);if(iconResolver||
(iconResolver=this.resolveIcon(url,library),iconCache.set(url,iconResolver)),!this.initialRender)
{const svg=await
iconResolver;if(svg===RETRYABLE_ERROR&&iconCache.delete(url),url===this.getIconSource().url)
{if(e$4(this){if(this.svg=svg,library){await this.updateComplete;const
shadowSVG=this.shadowRoot.querySelector("[part='svg']");"function"===typeof
library.mutable&&shadowSVG&&library.mutable(shadowSVG)}return}svg===RETRYABLE_ER
ROR?(this.svg=null,this.emit("sl-error")):(this.svg=svg.cloneNode(!0),null==(_a=null==library?void
0:library.mutable)?void 0:_a.call(library,this.svg),this.emit("sl-load"))}}render(){return
this.svg}},parser;SIcon.styles=
[component_styles_default,icon_styles_default],__decorateClass([r$6()],SIcon.prototype,"svg",2),__deco
rateClass([n$5({reflect:!0})],SIcon.prototype,"name",2),__decorateClass([n$5()],SIcon.prototype,"src"
,2),__decorateClass([n$5()],SIcon.prototype,"label",2),__decorateClass([n$5({reflect:!0})],SIcon.prototype,"library",2),__decorateClass([watch("label")],SIcon.prototype,"handleLabelChange",1),__decorateC
lass([watch(["name","src","library"])],SIcon.prototype,"setIcon",1);const t=
{ATTRIBUTE:1,CHILD:2,PROPERTY:3,BOOLEAN_ATTRIBUTE:4},e$3=t=>(...e)=>({_$litDirective$:t,values:e});let
```

```
i$3=class{constructor(){get _$AU(){return this._$AM._$AU}_$AT(t,e,i)
{this._$Ct=t,this._$AM=e,this._$Ci=i}_$AS(t,e){return this.update(t,e)}update(t,e){return
this.render(...e)}};const e$2=e$3(class extends i$3{constructor(t$1)
{if(super(t$1),t$1.type!==t.ATTRIBUTE||"class"!==t$1.name||2<t$1.strings?.length)throw
Error("`classMap()` can only be used in the `class` attribute and must be the only part in the
attribute.")}render(t){return" "+Object.keys(t).filter(s=>t[s]).join(" ")+" "}update(s,[i]){if(void
0===this.st){for(const t in this.st=new Set,void 0!==s.strings&&(this.nt=new Set(s.strings.join("
").split(/\s/)).filter(t=>"!"!==t))),i[i[t]&&!this.nt?.has(t)&&this.st.add(t);return this.render(i)}const
r=s.element.classList;for(const t of this.st)t in i||(r.remove(t),this.st.delete(t));for(const t in i)
{const s=!i[t];s===this.st.has(t)||this.nt?.has(t)||(s?(r.add(t),this.st.add(t)):
(r.remove(t),this.st.delete(t)))}return T$1}},a=Symbol.for(""),o$7=t=>{if(t?.r===a)return
t?._$litStatic$,i$2=(t,...r)=>({_$litStatic$:r.reduce((r,e,a)=>r+(t=>{if(void
0!==t._$litStatic$)return t._$litStatic$;throw Error(`Value passed to 'literal' function must be a
'literal' result: ${t}. Use 'unsafeStatic' to pass non-literal values, but\n          take care to
ensure page security.`)))(e)+t[a+1],t[0]),r:a)),l$1=new Map,n$4=t=>(r,...e)=>{const a=e.length;let
s,i;const n=[],u=[];let $=0,f=!1,c;for(;;$<a){for(c=r[$];;$<a&&void 0!==
(i=e[$],s=o$7(i));c+=s+r[++$],f=!0;$!=$&&u.push(i),n.push(c),$$+=1;if($===a&&n.push(r[a]),f){const
t=n.join("$_$lit$");void 0===(r=l$1.get(t))&&(n.raw=n,l$1.set(t,r=n)),e=u}return
t(r,...e)},u$1=n$4(x$1),o$6=o=>o?E$1;var S1Button=class extends ShoelaceElement{constructor()
{super(...arguments),this.formControlController=new FormControlController(this,{assumeInteractionOn:
["click"]}),this.hasSlotController=new HasSlotController(this,"
[default]","prefix","suffix"),this.localize=new
LocalizeController(this),this.hasFocus=!1,this.invalid=!1,this.title="",this.variant="default",this.siz
e="medium",this.caret=!1,this.disabled=!1,this.loading=!1,this.outline=!1,this.pill=!1,this.circle=!1,t
his.type="button",this.name="",this.value="",this.href="",this.rel="noreferrer noopener"}get validity()
{return this.isButton()?this.button.validity:validValidityState}get validationMessage(){return
this.isButton()?this.button.validationMessage:""}firstUpdated()
{this.isButton()&&this.formControlController.updateValidity()}handleBlur()
{this.hasFocus=!1,this.emit("sl-blur")}handleFocus(){this.hasFocus=!0,this.emit("sl-
focus")}handleClick()
{"submit"===this.type&&this.formControlController.submit(this),"reset"===this.type&&this.formControlCon
troller.reset(this)}handleInvalid(event)
{this.formControlController.setValidity(!1),this.formControlController.emitInvalidEvent(event)}isButton
(){return!this.href}isLink(){return!!this.href}handleDisabledChange()
{this.isButton()&&this.formControlController.setValidity(this.disabled)}click()
{this.button.click()}focus(options){this.button.focus(options)}blur()
{this.button.blur()}checkValidity(){return!this.isButton()||this.button.checkValidity()}getForm()
{return this.formControlController.getForm()}reportValidity()
{return!this.isButton()||this.button.reportValidity()}setCustomValidity(message){this.isButton()&&
(this.button.setCustomValidity(message),this.formControlController.updateValidity())}render(){const
isLink=this.isLink(),tag=isLink?i$2`a`:i$2`button`;return u$1`
<${tag}
  part="base"
  class=${e$2({button:!0,"button--default":"default"===this.variant,"button--
primary":"primary"===this.variant,"button--success":"success"===this.variant,"button--
neutral":"neutral"===this.variant,"button--warning":"warning"===this.variant,"button--
danger":"danger"===this.variant,"button--text":"text"===this.variant,"button--
small":"small"===this.size,"button--medium":"medium"===this.size,"button--
large":"large"===this.size,"button--caret":this.caret,"button--circle":this.circle,"button--
disabled":this.disabled,"button--focused":this.hasFocus,"button--loading":this.loading,"button--
standard":!this.outline,"button--outline":this.outline,"button--pill":this.pill,"button--
rtl":"rtl"===this.localize.dir(),"button--has-label":this.hasSlotController.test("[default]"),"button--
has-prefix":this.hasSlotController.test("prefix"),"button--has-
suffix":this.hasSlotController.test("suffix")})}
  ?disabled=${o$6(isLink?void 0:this.disabled)}
  type=${o$6(isLink?void 0:this.type)}
  title=${this.title}
  name=${o$6(isLink?void 0:this.name)}
  value=${o$6(isLink?void 0:this.value)}
  href=${o$6(isLink&&!this.disabled?this.href:void 0)}
  target=${o$6(isLink?this.target:void 0)}
  download=${o$6(isLink?this.download:void 0)}
  rel=${o$6(isLink?this.rel:void 0)}
  role=${o$6(isLink?void 0:"button")}
  aria-disabled=${this.disabled?"true":"false"}
  tabindex=${this.disabled?"-1":"0"}
  @blur=${this.handleBlur}
  @focus=${this.handleFocus}
  @invalid=${this.isButton()?this.handleInvalid:null}
  @click=${this.handleClick}
>
  <slot name="prefix" part="prefix" class="button__prefix"></slot>
  <slot part="label" class="button__label"></slot>
  <slot name="suffix" part="suffix" class="button__suffix"></slot>
  ${this.caret?u$1`<sl-icon part="caret" class="button__caret" library="system" name="caret">
</sl-icon>`:""}
  ${this.loading?u$1`<sl-spinner part="spinner"></sl-spinner>`:""}
</${tag}>
`}};S1Button.styles=[component_styles_default,button_styles_default],S1Button.dependencies={"sl-
icon":S1Icon,"sl-
spinner":S1Spinner},__decorateClass([e$6(".button")],S1Button.prototype,"button",2),__decorateClass([r$
6()],S1Button.prototype,"hasFocus",2),__decorateClass([r$6()],S1Button.prototype,"invalid",2),__decorat
eClass([n$5()],S1Button.prototype,"title",2),__decorateClass([n$5({reflect:!0})],S1Button.prototype,"va
riant",2),__decorateClass([n$5({reflect:!0})],S1Button.prototype,"size",2),__decorateClass([n$5({type:B
oolean,reflect:!0})],S1Button.prototype,"caret",2),__decorateClass([n$5({type:Boolean,reflect:!0})],S1B
utton.prototype,"disabled",2),__decorateClass([n$5({type:Boolean,reflect:!0})],S1Button.prototype,"load
```



```
ing",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlButton.prototype,"outline",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlButton.prototype,"pill",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlButton.prototype,"circle",2),__decorateClass([n$5()],SlButton.prototype,"type",2),__decorateClass([n$5()],SlButton.prototype,"name",2),__decorateClass([n$5()],SlButton.prototype,"value",2),__decorateClass([n$5()],SlButton.prototype,"href",2),__decorateClass([n$5()],SlButton.prototype,"target",2),__decorateClass([n$5()],SlButton.prototype,"rel",2),__decorateClass([n$5()],SlButton.prototype,"download",2),__decorateClass([n$5()],SlButton.prototype,"form",2),__decorateClass([n$5({attribute:"formaction"})],SlButton.prototype,"formAction",2),__decorateClass([n$5({attribute:"formenctype"})],SlButton.prototype,"formEnctype",2),__decorateClass([n$5({attribute:"formmethod"})],SlButton.prototype,"formMethod",2),__decorateClass([n$5({attribute:"formnovalidate",type:Boolean})],SlButton.prototype,"formNoValidate",2),__decorateClass([n$5({attribute:"formtarget"})],SlButton.prototype,"formTarget",2),__decorateClass([watch("disabled",{waitUntilFirstUpdate:!0})],SlButton.prototype,"handleDisabledChange",1),SlButton.define("sl-button");var checkbox_styles_default=i$7`
:host {
  display: inline-block;

.checkbox {
  position: relative;
  display: inline-flex;
  align-items: flex-start;
  font-family: var(--sl-input-font-family);
  font-weight: var(--sl-input-font-weight);
  color: var(--sl-input-label-color);
  vertical-align: middle;
  cursor: pointer;
}

.checkbox--small {
  --toggle-size: var(--sl-toggle-size-small);
  font-size: var(--sl-input-font-size-small);
}

.checkbox--medium {
  --toggle-size: var(--sl-toggle-size-medium);
  font-size: var(--sl-input-font-size-medium);
}

.checkbox--large {
  --toggle-size: var(--sl-toggle-size-large);
  font-size: var(--sl-input-font-size-large);
}

.checkbox__control {
  flex: 0 0 auto;
  position: relative;
  display: inline-flex;
  align-items: center;
  justify-content: center;
  width: var(--toggle-size);
  height: var(--toggle-size);
  border: solid var(--sl-input-border-width) var(--sl-input-border-color);
  border-radius: 2px;
  background-color: var(--sl-input-background-color);
  color: var(--sl-color-neutral-0);
  transition:
    var(--sl-transition-fast) border-color,
    var(--sl-transition-fast) background-color,
    var(--sl-transition-fast) color,
    var(--sl-transition-fast) box-shadow;
}

.checkbox__input {
  position: absolute;
  opacity: 0;
  padding: 0;
  margin: 0;
  pointer-events: none;
}

.checkbox__checked-icon,
.checkbox__indeterminate-icon {
  display: inline-flex;
  width: var(--toggle-size);
  height: var(--toggle-size);
}

/* Hover */
.checkbox:not(.checkbox--checked):not(.checkbox--disabled) .checkbox__control:hover {
  border-color: var(--sl-input-border-color-hover);
  background-color: var(--sl-input-background-color-hover);
}

/* Focus */
.checkbox:not(.checkbox--checked):not(.checkbox--disabled) .checkbox__input:focus-visible ~
```

```

.checkbox__control {
  outline: var(--sl-focus-ring);
  outline-offset: var(--sl-focus-ring-offset);
}

/* Checked/indeterminate */
.checkbox--checked .checkbox__control,
.checkbox--indeterminate .checkbox__control {
  border-color: var(--sl-color-primary-600);
  background-color: var(--sl-color-primary-600);
}

/* Checked/indeterminate + hover */
.checkbox.checkbox--checked:not(.checkbox--disabled) .checkbox__control:hover,
.checkbox.checkbox--indeterminate:not(.checkbox--disabled) .checkbox__control:hover {
  border-color: var(--sl-color-primary-500);
  background-color: var(--sl-color-primary-500);
}

/* Checked/indeterminate + focus */
.checkbox.checkbox--checked:not(.checkbox--disabled) .checkbox__input:focus-visible ~
.checkbox__control,
.checkbox.checkbox--indeterminate:not(.checkbox--disabled) .checkbox__input:focus-visible ~
.checkbox__control {
  outline: var(--sl-focus-ring);
  outline-offset: var(--sl-focus-ring-offset);
}

/* Disabled */
.checkbox--disabled {
  opacity: 0.5;
  cursor: not-allowed;
}

.checkbox__label {
  display: inline-block;
  color: var(--sl-input-label-color);
  line-height: var(--toggle-size);
  margin-inline-start: 0.5em;
  user-select: none;
  -webkit-user-select: none;
}

:host([required]) .checkbox__label::after {
  content: var(--sl-input-required-content);
  color: var(--sl-input-required-content-color);
  margin-inline-start: var(--sl-input-required-content-offset);
}
`,defaultValue=(propertyName="value")=>(proto,key)=>{const
ctor=proto.constructor,attributeChangedCallback=ctor.prototype.attributeChangedCallback;ctor.prototype.
attributeChangedCallback=function(name,old,value){var _a;const
options=ctor.getPropertyOptions(propertyName),attributeName="string"==typeof options.attribute?
options.attribute:propertyName;if(name===attributeName){const
converter=options.converter||u$4,fromAttribute="function"==typeof converter?converter:null==
(_a=null==converter?void 0:converter.fromAttribute)?
u$4.fromAttribute:_a,newValue=fromAttribute(value,options.type);this[propertyName]!==newValue&&
(this[key]=newValue)}attributeChangedCallback.call(this,name,old,value)}};form_control_styles_default=i
$7
.form-control .form-control__label {
  display: none;
}

.form-control .form-control__help-text {
  display: none;
}

/* Label */
.form-control--has-label .form-control__label {
  display: inline-block;
  color: var(--sl-input-label-color);
  margin-bottom: var(--sl-spacing-3x-small);
}

.form-control--has-label.form-control--small .form-control__label {
  font-size: var(--sl-input-label-font-size-small);
}

.form-control--has-label.form-control--medium .form-control__label {
  font-size: var(--sl-input-label-font-size-medium);
}

.form-control--has-label.form-control--large .form-control__label {
  font-size: var(--sl-input-label-font-size-large);
}

:host([required]) .form-control--has-label .form-control__label::after {

```

```

    content: var(--sl-input-required-content);
    margin-inline-start: var(--sl-input-required-content-offset);
    color: var(--sl-input-required-content-color);
  }

  /* Help text */
  .form-control--has-help-text .form-control__help-text {
    display: block;
    color: var(--sl-input-help-text-color);
    margin-top: var(--sl-spacing-3x-small);
  }

  .form-control--has-help-text.form-control--small .form-control__help-text {
    font-size: var(--sl-input-help-text-font-size-small);
  }

  .form-control--has-help-text.form-control--medium .form-control__help-text {
    font-size: var(--sl-input-help-text-font-size-medium);
  }

  .form-control--has-help-text.form-control--large .form-control__help-text {
    font-size: var(--sl-input-help-text-font-size-large);
  }

  .form-control--has-help-text.form-control--radio-group .form-control__help-text {
    margin-top: var(--sl-spacing-2x-small);
  }
`const l=e$3(class extends i$3{constructor(r)
{if(super(r),r.type!==t.PROPERTY&&r.type!==t.ATTRIBUTE&&r.type!==t.BOOLEAN_ATTRIBUTE)throw Error("The
`live` directive is not allowed on child or event bindings");if(!f$1(r))throw Error("`live` bindings
can only contain a single expression")}}render(r){return r}update(i,[t$1])
{if(t$1===T$1||t$1===E$1)return t$1;const o=i.element,l=i.name;if(i.type===t.PROPERTY)
{if(t$1===o[l])return T$1;}else if(i.type===t.BOOLEAN_ATTRIBUTE){if(!t$1===o.hasAttribute(l))return
T$1;}else if(i.type===t.ATTRIBUTE&&o.getAttribute(l)===t$1+"")return T$1;return m$1(i),t$1}});var
SlCheckbox=class extends ShoelaceElement{constructor()
{super(...arguments),this.formControlController=new FormControlController(this,
{value:control=>control.checked?control.value||"on":void
0,defaultValue:control=>control.defaultChecked,setValue:
(control,checked)=>control.checked=checked}},this.hasSlotController=new HasSlotController(this,"help-
text"),this.hasFocus=!1,this.title="",this.name="",this.size="medium",this.disabled=!1,this.checked=!1,
this.indeterminate=!1,this.defaultChecked=!1,this.form="",this.required=!1,this.helpText=""}}get
validity(){return this.input.validity}get validationMessage(){return
this.input.validationMessage}firstUpdated(){this.formControlController.updateValidity()}handleClick()
{this.checked=!this.checked,this.indeterminate=!1,this.emit("sl-change")}handleBlur()
{this.hasFocus=!1,this.emit("sl-blur")}handleInput(){this.emit("sl-input")}handleInvalid(event)
{this.formControlController.setValidity(!1),this.formControlController.emitInvalidEvent(event)}handleFo
cus(){this.hasFocus=!0,this.emit("sl-focus")}handleDisabledChange()
{this.formControlController.setValidity(this.disabled)}handleStateChange()
{this.input.checked=this.checked,this.input.indeterminate=this.indeterminate,this.formControlController
.updateValidity()}click(){this.input.click()}focus(options){this.input.focus(options)}blur()
{this.input.blur()}checkValidity(){return this.input.checkValidity()}getForm(){return
this.formControlController.getForm()}reportValidity(){return
this.input.reportValidity()}setCustomValidity(message)
{this.input.setCustomValidity(message),this.formControlController.updateValidity()}render(){const
hasHelpTextSlot=this.hasSlotController.test("help-
text"),hasHelpText=!!this.helpText||!!hasHelpTextSlot;return x$1`
  <div
    class=${e$2({`form-control`:!0,`form-control--small`:this.size,`form-control--
medium`:this.size,`form-control--large`:this.size,`form-control--has-help-
text`:hasHelpText})}
  >
    <label
      part="base"
      class=${e$2({checkbox:!0,`checkbox--checked`:this.checked,`checkbox--
disabled`:this.disabled,`checkbox--focused`:this.hasFocus,`checkbox--
indeterminate`:this.indeterminate,`checkbox--small`:this.size,`checkbox--
medium`:this.size,`checkbox--large`:this.size})}
    >
      <input
        class="checkbox__input"
        type="checkbox"
        title=${this.title}
        name=${this.name}
        value=${o$6(this.value)}
        .indeterminate=${l(this.indeterminate)}
        .checked=${l(this.checked)}
        .disabled=${this.disabled}
        .required=${this.required}
        aria-checked=${this.checked?"true":"false"}
        aria-describedby="help-text"
        @click=${this.handleClick}
        @input=${this.handleInput}
        @invalid=${this.handleInvalid}
        @blur=${this.handleBlur}
        @focus=${this.handleFocus}
      />
    </label>
  </div>
`}
```

```

    <span
      part="control${this.checked?" control--checked":""}${this.indeterminate?" control--
indeterminate":""}"
      class="checkbox__control"
    >
      ${this.checked?x$1`
        <sl-icon part="checked-icon" class="checkbox__checked-icon" library="system"
name="check"></sl-icon>
        `:""}
      ${!this.checked&&this.indeterminate?x$1`
        <sl-icon
          part="indeterminate-icon"
          class="checkbox__indeterminate-icon"
          library="system"
          name="indeterminate"
        ></sl-icon>
        `:""}
    </span>

    <div part="label" class="checkbox__label">
      <slot></slot>
    </div>
  </label>

  <div
    aria-hidden=${hasHelpText?"false":"true"}
    class="form-control__help-text"
    id="help-text"
    part="form-control-help-text"
  >
    <slot name="help-text">${this.helpText}</slot>
  </div>
</div>
`}};SlCheckbox.styles=
[component_styles_default,form_control_styles_default,checkbox_styles_default],SlCheckbox.dependencies=
{"sl-
icon":SlIcon},__decorateClass([e$6("input[type=\`checkbox\`")],SlCheckbox.prototype,"input",2),__decor
ateClass([r$6()],SlCheckbox.prototype,"hasFocus",2),__decorateClass([n$5()],SlCheckbox.prototype,"title
",2),__decorateClass([n$5()],SlCheckbox.prototype,"name",2),__decorateClass([n$5()],SlCheckbox.prototyp
e,"value",2),__decorateClass([n$5({reflect:!0})],SlCheckbox.prototype,"size",2),__decorateClass([n$5({t
ype:Boolean,reflect:!0})],SlCheckbox.prototype,"disabled",2),__decorateClass([n$5({type:Boolean,reflect
:!0})],SlCheckbox.prototype,"checked",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlCheckbox.pr
ototype,"indeterminate",2),__decorateClass([defaultValue("checked")],SlCheckbox.prototype,"defaultCheck
ed",2),__decorateClass([n$5({reflect:!0})],SlCheckbox.prototype,"form",2),__decorateClass([n$5({type:Bo
olean,reflect:!0})],SlCheckbox.prototype,"required",2),__decorateClass([n$5({attribute:"help-
text"})],SlCheckbox.prototype,"helpText",2),__decorateClass([watch("disabled",
{waitUntilFirstUpdate:!0})],SlCheckbox.prototype,"handleDisabledChange",1),__decorateClass([watch([`che
cked`,`indeterminate`],
{waitUntilFirstUpdate:!0})],SlCheckbox.prototype,"handleStateChange",1),SlCheckbox.define("sl-
checkbox");function*activeElements(activeElement=document.activeElement){null===activeElement||void
0===activeElement||(yield activeElement,"shadowRoot"in
activeElement&&activeElement.shadowRoot&&"closed"!==activeElement.shadowRoot.mode&&
(yield*__yieldStar(activeElements(activeElement.shadowRoot.activeElement))))}function
getDeepestActiveElement(){return[...activeElements()].pop()}var computedStyleMap=new WeakMap;function
getCachedComputedStyle(el){let computedStyle=computedStyleMap.get(el);return computedStyle||
(computedStyle=window.getComputedStyle(el,null),computedStyleMap.set(el,computedStyle)),computedStyle}f
unction isVisible(el){if("function"===typeof el.checkVisibility)return
el.checkVisibility({checkOpacity:!1,checkVisibilityCSS:!0});const
computedStyle=getCachedComputedStyle(el);return"hidden"!==computedStyle.visibility&&"none"!==computedSt
yle.display}function isOverflowingAndTabbable(el){const computedStyle=getCachedComputedStyle(el),
{overflowY,overflowX}=computedStyle;if("scroll"===overflowY||"scroll"===overflowX)return!0;if("auto"!==
overflowY||"auto"===overflowX)return!1;const
isOverflowingY=el.scrollHeight>el.clientHeight;if(isOverflowingY&&"auto"===overflowY)return!0;const
isOverflowingX=el.scrollWidth>el.clientWidth;return!(isOverflowingX&&"auto"===overflowX)}function
isTabbable(el){const
tag=el.tagName.toLowerCase(),tabindex+=el.getAttribute("tabindex"),hasTabIndex=el.hasAttribute("tabinde
x");if(hasTabIndex&&
(isNaN(tabindex)||-1>=tabindex))return!1;if(el.hasAttribute("disabled"))return!1;if(el.closest("
[inert]"))return!1;if("input"===tag&&"radio"===el.getAttribute("type")){const
rootNode=el.getRootNode(),findRadios=`input[type='radio']
[name='${el.getAttribute("name")}']`,firstChecked=rootNode.querySelector(`${findRadios}:checked`);if(fi
rstChecked)return firstChecked===el;const firstRadio=rootNode.querySelector(findRadios);return
firstRadio===el}if(!isVisible(el))return!1;if(("audio"===tag||"video"===tag)&&el.hasAttribute("controls
"))return!0;if(el.hasAttribute("tabindex"))return!0;if(el.hasAttribute("contenteditable")&&"false"!==el
.getAttribute("contenteditable"))return!0;const isNativelyTabbable=
["button","input","select","textarea","a","audio","video","summary","iframe"].includes(tag);return!!isN
ativelyTabbable||isOverflowingAndTabbable(el)}function getTabbableBoundary(root){var _a,_b;const
tabbableElements=getTabbableElements(root),start=null==( _a=tabbableElements[0])?null:_a,end=null==(
 _b=tabbableElements[tabbableElements.length-1])?null:_b;return{start,end}}function
getSlottedChildrenOutsideRootElement(slotElement,root){var _a;return(null==(
 _a=slotElement.getRootNode({composed:!0}))?void 0:_a.host)!==root}function getTabbableElements(root)
{function walk(el){if(el instanceof Element){if(el.hasAttribute("inert")||el.closest("
[inert]"))return;if(walkedEls.has(el))return;walkedEls.set(el,!0),!tabbableElements.includes(el)&&isTab
bable(el)&&tabbableElements.push(el),el instanceof
HTMLSlotElement&&getSlottedChildrenOutsideRootElement(el,root)&&el.assignedElements({flatten:!0}).forEa
```

```
ch(assignedEl=>
{walk(assignedEl)}),null!==e1.shadowRoot&&"open"===e1.shadowRoot.mode&&walk(e1.shadowRoot)}for(const e
of e1.children)walk(e)}const walkedEls=new WeakMap,tabbableElements=[];return
walk(root),tabbableElements.sort((a,b)=>{const
aTabIndex+=a.getAttribute("tabindex")||0,bTabIndex+=b.getAttribute("tabindex")||0;return bTabIndex-
aTabIndex}})var activeModals=[],Modal=class{constructor(element)
{this.tabDirection="forward",this.handleFocusIn=()=>
{this.isActive()&&this.checkFocus()},this.handleKeyDown=event=>{var
_a;if("Tab"!==event.key||this.isExternalActivated)return;if(!this.isActive())return;const
currentActiveElement=getDeepestActiveElement();if(this.previousFocus=currentActiveElement,this.previous
Focus&&this.possiblyHasTabbableChildren(this.previousFocus))return;this.tabDirection=event.shiftKey?"ba
ckward":"forward";const tabbableElements=getTabbableElements(this.element);let
currentFocusIndex=tabbableElements.findIndex(el=>el===currentActiveElement);this.previousFocus=this.cur
rentFocus;for(const addition="forward"===this.tabDirection?1:-1;;)
{currentFocusIndex+=addition>=tabbableElements.length?currentFocusIndex=0:0>currentFocusIndex+addition?
currentFocusIndex=tabbableElements.length-
1:currentFocusIndex+=addition,this.previousFocus=this.currentFocus;const
nextFocus=tabbableElements[currentFocusIndex];if("backward"===this.tabDirection&&this.previousFocus&&th
is.possiblyHasTabbableChildren(this.previousFocus))return;if(nextFocus&&this.possiblyHasTabbableChildre
n(nextFocus))return;event.preventDefault(),this.currentFocus=nextFocus,null==(_a=this.currentFocus)?
void 0:_a.focus({preventScroll:!1});const allActiveElements=
[...activeElements()];if(allActiveElements.includes(this.currentFocus)||!allActiveElements.includes(thi
s.previousFocus))break}setTimeout(()=>this.checkFocus()),this.handleKeyUp=()=>
{this.tabDirection="forward"},this.element=element,this.elementsWithTabbableControls=
["iframe"]}activate()
{activeModals.push(this.element),document.addEventListener("focusin",this.handleFocusIn),document.addEv
entListener("keydown",this.handleKeyDown),document.addEventListener("keyup",this.handleKeyUp)}deactivat
e()
{activeModals=activeModals.filter(modal=>modal!==this.element),this.currentFocus=null,document.removeEv
entListener("focusin",this.handleFocusIn),document.removeEventListener("keydown",this.handleKeyDown),do
cument.removeEventListener("keyup",this.handleKeyUp)}isActive(){return
activeModals[activeModals.length-1]===this.element}activateExternal()
{this.isExternalActivated=!0}deactivateExternal(){this.isExternalActivated=!1}checkFocus()
{if(this.isActive()&&!this.isExternalActivated){const
tabbableElements=getTabbableElements(this.element);if(!this.element.matches(":focus-within")){const
start=tabbableElements[0],end=tabbableElements[tabbableElements.length-
1],target="forward"===this.tabDirection?start:end;"function"===typeof(null===target?void
0:target.focus)&&
(this.currentFocus=target,target.focus({preventScroll:!1}))}}}}possiblyHasTabbableChildren(element)
{return
this.elementsWithTabbableControls.includes(element.tagName.toLowerCase())||element.hasAttribute("contro
ls")}};function getOffset(element,parent){var
_Mathround=Math.round;return{top:_Mathround(element.getBoundingClientRect().top-
parent.getBoundingClientRect().top),left:_Mathround(element.getBoundingClientRect().left-
parent.getBoundingClientRect().left)}var locks=new Set;function getScrollbarWidth(){const
documentWidth=document.documentElement.clientWidth;return Math.abs(window.innerWidth-
documentWidth)}function getExistingBodyPadding(){const
padding+=getComputedStyle(document.body).paddingRight.replace(/px/, "");return isNaN(padding)||!padding?
0:padding}function lockBodyScrolling(lockingEl)
{if(locks.add(lockingEl),!document.documentElement.classList.contains("sl-scroll-lock")){const
scrollbarWidth=getScrollbarWidth()+getExistingBodyPadding();let
scrollbarGutterProperty=getComputedStyle(document.documentElement).scrollbarGutter;scrollbarGutterPrope
rty&&"auto"!==scrollbarGutterProperty||(scrollbarGutterProperty="stable"),2>scrollbarWidth&&
(scrollbarGutterProperty=""),document.documentElement.style.setProperty("--sl-scroll-lock-
gutter",scrollbarGutterProperty),document.documentElement.classList.add("sl-scroll-
lock"),document.documentElement.style.setProperty("--sl-scroll-lock-
size`,`${scrollbarWidth}px`)}function unlockBodyScrolling(lockingEl)
{locks.delete(lockingEl),0===locks.size&&(document.documentElement.classList.remove("sl-scroll-
lock"),document.documentElement.style.removeProperty("--sl-scroll-lock-size"))}function
scrollIntoView(element,container,direction="vertical",behavior="smooth"){const
offset=getOffset(element,container),offsetTop=offset.top+container.scrollTop,offsetLeft=offset.left+con
tainer.scrollLeft,minX=container.scrollLeft,maxX=container.scrollLeft+container.offsetWidth,minY=contai
ner.scrollTop,maxY=container.scrollTop+container.offsetHeight;
("horizontal"===direction||"both"===direction)&&(offsetLeft<minX?
container.scrollTo({left:offsetLeft,behavior}):offsetLeft+element.clientWidth>maxX&&container.scrollTo(
{left:offsetLeft-container.offsetWidth+element.clientWidth,behavior})),
("vertical"===direction||"both"===direction)&&(offsetTop<minY?
container.scrollTo({top:offsetTop,behavior}):offsetTop+element.clientHeight>maxY&&container.scrollTo({t
op:offsetTop-container.offsetHeight+element.clientHeight,behavior}))}var dialog_styles_default=i$7`
:host {
  --width: 31rem;
  --header-spacing: var(--sl-spacing-large);
  --body-spacing: var(--sl-spacing-large);
  --footer-spacing: var(--sl-spacing-large);

  display: contents;
}

.dialog {
  display: flex;
  align-items: center;
  justify-content: center;
  position: fixed;
  top: 0;
  right: 0;
  bottom: 0;
```

```
    left: 0;
    z-index: var(--sl-z-index-dialog);
  }

  .dialog__panel {
    display: flex;
    flex-direction: column;
    z-index: 2;
    width: var(--width);
    max-width: calc(100% - var(--sl-spacing-2x-large));
    max-height: calc(100% - var(--sl-spacing-2x-large));
    background-color: var(--sl-panel-background-color);
    border-radius: var(--sl-border-radius-medium);
    box-shadow: var(--sl-shadow-x-large);
  }

  .dialog__panel:focus {
    outline: none;
  }

  /* Ensure there's enough vertical padding for phones that don't update vh when chrome appears (e.g.
  iPhone) */
  @media screen and (max-width: 420px) {
    .dialog__panel {
      max-height: 80vh;
    }
  }

  .dialog--open .dialog__panel {
    display: flex;
    opacity: 1;
  }

  .dialog__header {
    flex: 0 0 auto;
    display: flex;
  }

  .dialog__title {
    flex: 1 1 auto;
    font: inherit;
    font-size: var(--sl-font-size-large);
    line-height: var(--sl-line-height-dense);
    padding: var(--header-spacing);
    margin: 0;
  }

  .dialog__header-actions {
    flex-shrink: 0;
    display: flex;
    flex-wrap: wrap;
    justify-content: end;
    gap: var(--sl-spacing-2x-small);
    padding: 0 var(--header-spacing);
  }

  .dialog__header-actions sl-icon-button,
  .dialog__header-actions ::slotted(sl-icon-button) {
    flex: 0 0 auto;
    display: flex;
    align-items: center;
    font-size: var(--sl-font-size-medium);
  }

  .dialog__body {
    flex: 1 1 auto;
    display: block;
    padding: var(--body-spacing);
    overflow: auto;
    -webkit-overflow-scrolling: touch;
  }

  .dialog__footer {
    flex: 0 0 auto;
    text-align: right;
    padding: var(--footer-spacing);
  }

  .dialog__footer ::slotted(sl-button:not(:first-of-type)) {
    margin-inline-start: var(--sl-spacing-x-small);
  }

  .dialog:not(.dialog--has-footer) .dialog__footer {
    display: none;
  }
```

```

.dialog__overlay {
  position: fixed;
  top: 0;
  right: 0;
  bottom: 0;
  left: 0;
  background-color: var(--sl-overlay-background-color);
}

@media (forced-colors: active) {
  .dialog__panel {
    border: solid 1px var(--sl-color-neutral-0);
  }
}

`, blurActiveElement=elm=>{var
_a;const{activeElement}=document;activeElement&&elm.contains(activeElement)&&(null==
(_a=document.activeElement)?void 0:_a.blur())},icon_button_styles_default=i$7`
:host {
  display: inline-block;
  color: var(--sl-color-neutral-600);
}

.icon-button {
  flex: 0 0 auto;
  display: flex;
  align-items: center;
  background: none;
  border: none;
  border-radius: var(--sl-border-radius-medium);
  font-size: inherit;
  color: inherit;
  padding: var(--sl-spacing-x-small);
  cursor: pointer;
  transition: var(--sl-transition-x-fast) color;
  -webkit-appearance: none;
}

.icon-button:hover:not(.icon-button--disabled),
.icon-button:focus-visible:not(.icon-button--disabled) {
  color: var(--sl-color-primary-600);
}

.icon-button:active:not(.icon-button--disabled) {
  color: var(--sl-color-primary-700);
}

.icon-button:focus {
  outline: none;
}

.icon-button--disabled {
  opacity: 0.5;
  cursor: not-allowed;
}

.icon-button:focus-visible {
  outline: var(--sl-focus-ring);
  outline-offset: var(--sl-focus-ring-offset);
}

.icon-button__icon {
  pointer-events: none;
}

`,SlIconButton=class extends ShoelaceElement{constructor()
{super(...arguments),this.hasFocus=!1,this.label="",this.disabled=!1}handleBlur()
{this.hasFocus=!1,this.emit("sl-blur")}handleFocus(){this.hasFocus=!0,this.emit("sl-
focus")}handleClick(event){this.disabled&&(event.preventDefault(),event.stopPropagation())}click()
{this.button.click()}focus(options){this.button.focus(options)}blur(){this.button.blur()}render(){const
isLink=!1,this.href,tag=isLink?i$2`a` :i$2`button`;return u$1`
  <${tag}
    part="base"
    class=${e$2({"icon-button":!0,"icon-button--disabled":!isLink&&this.disabled,"icon-button--
focused":this.hasFocus})}
    ?disabled=${o$6(isLink?void 0:this.disabled)}
    type=${o$6(isLink?void 0:"button")}
    href=${o$6(isLink?this.href:void 0)}
    target=${o$6(isLink?this.target:void 0)}
    download=${o$6(isLink?this.download:void 0)}
    rel=${o$6(isLink&&this.target?"noreferrer noopener":void 0)}
    role=${o$6(isLink?void 0:"button")}
    aria-disabled=${this.disabled?"true":"false"}
    aria-label="${this.label}"
    tabindex=${this.disabled?"-1":"0"}
    @blur=${this.handleBlur}
    @focus=${this.handleFocus}
    @click=${this.handleClick}

```

```

    >
    <sl-icon
      class="icon-button__icon"
      name=${o$6(this.name)}
      library=${o$6(this.library)}
      src=${o$6(this.src)}
      aria-hidden="true"
    ></sl-icon>
  </${tag}>
  `});SlIconButton.styles=
[component_styles_default,icon_button_styles_default],SlIconButton.dependencies={"sl-
icon":SlIcon},__decorateClass([e$6(".icon-
button")],SlIconButton.prototype,"button",2),__decorateClass([r$6()],SlIconButton.prototype,"hasFocus",
2),__decorateClass([n$5()],SlIconButton.prototype,"name",2),__decorateClass([n$5()],SlIconButton.prototype,"library",2),__decorateClass([n$5()],SlIconButton.prototype,"href",2),__decorateClass([n$5()],SlIconButton.prototype,"target",2),__decorateClass([n$5()],SlIconButton.prototype,"download",2),__decorateClass([n$5()],SlIconButton.prototype,"label",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlIconButton.prototype,"disabled",2);var
defaultAnimationRegistry=new Map,customAnimationRegistry=new WeakMap;function
ensureAnimation(animation){return null==animation?{keyframes:[],options:
{duration:0}}:animation}function getLogicalAnimation(animation,dir){return rtl===dir.toLowerCase()?
{keyframes:animation.rtlKeyframes|animation.keyframes,options:animation.options}:animation}function
setDefaultAnimation(animationName,animation)
{defaultAnimationRegistry.set(animationName,ensureAnimation(animation))}function
getAnimation(el,animationName,options){const
customAnimation=customAnimationRegistry.get(el);if(null==customAnimation?void
0:customAnimation[animationName])return
getLogicalAnimation(customAnimation[animationName],options.dir);const
defaultAnimation=defaultAnimationRegistry.get(animationName);return defaultAnimation?
getLogicalAnimation(defaultAnimation,options.dir):{keyframes:[],options:{duration:0}}function
waitForEvent(el,eventName){return new Promise(resolve=>{function done(event){event.target===el&&
(el.removeEventListener(eventName,done),resolve())}el.addEventListener(eventName,done)})}function
animateTo(el,keyframes,options){return new Promise(resolve=>{if((null==options?void
0:options.duration)===1/0)throw new Error("Promise-based animations must be finite.");const
animation=el.animate(keyframes,__spreadProps(__spreadValues({},options),
{duration:prefersReducedMotion()?0:options.duration}));animation.addEventListener("cancel",resolve,
{once:!0}),animation.addEventListener("finish",resolve,{once:!0})}function parseDuration(delay)
{return delay=delay.toString().toLowerCase(),-1<delay.indexOf("ms")?
parseFloat(delay):-1<delay.indexOf("s")?1e3*parseFloat(delay):parseFloat(delay)}function
prefersReducedMotion(){const query=window.matchMedia("(prefers-reduced-motion: reduce)");return
query.matches}function stopAnimations(el){return Promise.all(el.getAnimations().map(animation=>new
Promise(resolve=>{animation.cancel(),requestAnimationFrame(resolve)}))})}function
shimKeyframesHeightAuto(keyframes,calculatedHeight){return
keyframes.map(keyframe=>__spreadProps(__spreadValues({},keyframe),{height:"auto"===keyframe.height?
`${calculatedHeight}px`:keyframe.height}))}var SlDialog=class extends ShoelaceElement{constructor()
{super(...arguments),this.hasSlotController=new HasSlotController(this,"footer"),this.localize=new
LocalizeController(this),this.modal=new
Modal(this),this.open=!1,this.label="",this.noHeader=!1,this.handleDocumentKeyDown=event=>
{"Escape"===event.key&&this.modal.isActive()&&this.open&&
(event.stopPropagation(),this.requestClose("keyboard"))}}firstUpdated()
{this.dialog.hidden=!this.open,this.open&&
(this.addOpenListeners(),this.modal.activate(),lockBodyScrolling(this))}disconnectedCallback()
{super.disconnectedCallback(),this.modal.deactivate(),unlockBodyScrolling(this),this.removeOpenListene
s()}requestClose(source){const slRequestClose=this.emit("sl-request-close",{cancelable:!0,detail:
{source}});if(slRequestClose.defaultPrevented){const animation=getAnimation(this,"dialog.denyClose",
{dir:this.localize.dir()});return void
animateTo(this.panel,animation.keyframes,animation.options)}this.hide()}addOpenListeners(){var
_a;"CloseWatcher" in window?(null==(a=this.closeWatcher)?void 0:a.destroy(),this.closeWatcher=new
CloseWatcher,this.closeWatcher.onclose=
())=>this.requestClose("keyboard")):document.addEventListener("keydown",this.handleDocumentKeyDown)}remo
veOpenListeners(){var _a;null==(a=this.closeWatcher)?void
0:_a.destroy(),document.removeEventListener("keydown",this.handleDocumentKeyDown)}async
handleOpenChange(){if(this.open){this.emit("sl-
show"),this.addOpenListeners(),this.originalTrigger=document.activeElement,this.modal.activate(),lockBo
dyScrolling(this);const autoFocusTarget=this.querySelector("
[autofocus]");autoFocusTarget&&autoFocusTarget.removeAttribute("autofocus"),await
Promise.all([stopAnimations(this.dialog),stopAnimations(this.overlay)]),this.dialog.hidden=!1,requestAn
imationFrame(()=>{const slInitialFocus=this.emit("sl-initial-focus",
{cancelable:!0});slInitialFocus.defaultPrevented||(autoFocusTarget?
autoFocusTarget.focus({preventScroll:!0}):this.panel.focus({preventScroll:!0})),autoFocusTarget&&autoFo
cusTarget.setAttribute("autofocus","")});const panelAnimation=getAnimation(this,"dialog.show",
{dir:this.localize.dir()}),overlayAnimation=getAnimation(this,"dialog.overlay.show",
{dir:this.localize.dir()});await
Promise.all([animateTo(this.panel,panelAnimation.keyframes,panelAnimation.options),animateTo(this.overl
ay,overlayAnimation.keyframes,overlayAnimation.options)]),this.emit("sl-after-
show")}else{blurActiveElement(this),this.emit("sl-
hide"),this.removeOpenListeners(),this.modal.deactivate(),await
Promise.all([stopAnimations(this.dialog),stopAnimations(this.overlay)]);const
panelAnimation=getAnimation(this,"dialog.hide",
{dir:this.localize.dir()}),overlayAnimation=getAnimation(this,"dialog.overlay.hide",
{dir:this.localize.dir()});await
Promise.all([animateTo(this.overlay,overlayAnimation.keyframes,overlayAnimation.options).then(()=>
{this.overlay.hidden=!0}),animateTo(this.panel,panelAnimation.keyframes,panelAnimation.options).then(()
=>
{this.panel.hidden=!0}))],this.dialog.hidden=!0,this.overlay.hidden=!1,this.panel.hidden=!1,unlockBodyS
crolling(this);const trigger=this.originalTrigger;"function"===typeof(null==trigger?void

```



```
0:trigger.focus)&&setTimeout(()=>trigger.focus()),this.emit("sl-after-hide"))}}async show()
{if(!this.open)return this.open=!0,waitForEvent(this,"sl-after-show")}async hide(){if(this.open)return
this.open=!1,waitForEvent(this,"sl-after-hide")}render(){return x$1`
  <div
    part="base"
    class=${e$2({dialog:!0,"dialog--open":this.open,"dialog--has-
footer":this.hasSlotController.test("footer")})}
  >
    <div part="overlay" class="dialog__overlay" @click=${{()=>this.requestClose("overlay")}}
tabindex="-1"></div>

    <div
      part="panel"
      class="dialog__panel"
      role="dialog"
      aria-modal="true"
      aria-hidden=${this.open?"false":"true"}
      aria-label=${o$6(this.noHeader?this.label:void 0)}
      aria-labelledby=${o$6(this.noHeader?void 0:"title")}
      tabindex="-1"
    >
      ${this.noHeader?"":x$1`
        <header part="header" class="dialog__header">
          <h2 part="title" class="dialog__title" id="title">
            <slot name="label"> ${0<this.label.length?this.label:String.fromCharCode(65279)}
          </h2>
          <div part="header-actions" class="dialog__header-actions">
            <slot name="header-actions"></slot>
            <sl-icon-button
              part="close-button"
              exportparts="base:close-button__base"
              class="dialog__close"
              name="x-lg"
              label=${this.localize.term("close")}
              library="system"
              @click=${{()=>this.requestClose("close-button")}}
            ></sl-icon-button>
          </div>
        </header>
      `}
      ${""}
      <div part="body" class="dialog__body" tabindex="-1"><slot></slot></div>

      <footer part="footer" class="dialog__footer">
        <slot name="footer"></slot>
      </footer>
    </div>
  </div>
`}};SlDialog.styles=[component_styles_default,dialog_styles_default],SlDialog.dependencies={"sl-
icon-
button":SlIconButton},__decorateClass([e$6(".dialog")],SlDialog.prototype,"dialog",2),__decorateClass([
e$6(".dialog__panel")],SlDialog.prototype,"panel",2),__decorateClass([e$6(".dialog__overlay")],SlDialog
.prototype,"overlay",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlDialog.prototype,"open",2),_
__decorateClass([n$5({reflect:!0})],SlDialog.prototype,"label",2),__decorateClass([n$5({attribute:"no-
header",type:Boolean,reflect:!0})],SlDialog.prototype,"noHeader",2),__decorateClass([watch("open",
{waitUntilFirstUpdate:!0})],SlDialog.prototype,"handleOpenChange",1),setDefaultAnimation("dialog.show",
{keyframes:[{opacity:0,scale:.8},{opacity:1,scale:1}],options:
{duration:250,easing:"ease"}}),setDefaultAnimation("dialog.hide",{keyframes:[{opacity:1,scale:1},
{opacity:0,scale:.8}],options:{duration:250,easing:"ease"}}),setDefaultAnimation("dialog.denyClose",
{keyframes:[{scale:1},{scale:1.02},{scale:1}],options:
{duration:250}}),setDefaultAnimation("dialog.overlay.show",{keyframes:[{opacity:0},
{opacity:1}],options:{duration:250}}),setDefaultAnimation("dialog.overlay.hide",{keyframes:
[{opacity:1},{opacity:0}],options:{duration:250}}),SlDialog.define("sl-dialog");var
drawer_styles_default=i$7`
:host {
  --size: 25rem;
  --header-spacing: var(--sl-spacing-large);
  --body-spacing: var(--sl-spacing-large);
  --footer-spacing: var(--sl-spacing-large);

  display: contents;
}

.drawer {
  top: 0;
  inset-inline-start: 0;
  width: 100%;
  height: 100%;
  pointer-events: none;
  overflow: hidden;
}

.drawer--contained {
  position: absolute;
  z-index: initial;
}
```

```
}

.drawer--fixed {
  position: fixed;
  z-index: var(--sl-z-index-drawer);
}

.drawer__panel {
  position: absolute;
  display: flex;
  flex-direction: column;
  z-index: 2;
  max-width: 100%;
  max-height: 100%;
  background-color: var(--sl-panel-background-color);
  box-shadow: var(--sl-shadow-x-large);
  overflow: auto;
  pointer-events: all;
}

.drawer__panel:focus {
  outline: none;
}

.drawer--top .drawer__panel {
  top: 0;
  inset-inline-end: auto;
  bottom: auto;
  inset-inline-start: 0;
  width: 100%;
  height: var(--size);
}

.drawer--end .drawer__panel {
  top: 0;
  inset-inline-end: 0;
  bottom: auto;
  inset-inline-start: auto;
  width: var(--size);
  height: 100%;
}

.drawer--bottom .drawer__panel {
  top: auto;
  inset-inline-end: auto;
  bottom: 0;
  inset-inline-start: 0;
  width: 100%;
  height: var(--size);
}

.drawer--start .drawer__panel {
  top: 0;
  inset-inline-end: auto;
  bottom: auto;
  inset-inline-start: 0;
  width: var(--size);
  height: 100%;
}

.drawer__header {
  display: flex;
}

.drawer__title {
  flex: 1 1 auto;
  font: inherit;
  font-size: var(--sl-font-size-large);
  line-height: var(--sl-line-height-dense);
  padding: var(--header-spacing);
  margin: 0;
}

.drawer__header-actions {
  flex-shrink: 0;
  display: flex;
  flex-wrap: wrap;
  justify-content: end;
  gap: var(--sl-spacing-2x-small);
  padding: 0 var(--header-spacing);
}

.drawer__header-actions sl-icon-button,
.drawer__header-actions ::slotted(sl-icon-button) {
  flex: 0 0 auto;
  display: flex;
```

```

    align-items: center;
    font-size: var(--sl-font-size-medium);
  }

.drawer__body {
  flex: 1 1 auto;
  display: block;
  padding: var(--body-spacing);
  overflow: auto;
  -webkit-overflow-scrolling: touch;
}

.drawer__footer {
  text-align: right;
  padding: var(--footer-spacing);
}

.drawer__footer ::slotted(sl-button:not(:last-of-type)) {
  margin-inline-end: var(--sl-spacing-x-small);
}

.drawer:not(.drawer--has-footer) .drawer__footer {
  display: none;
}

.drawer__overlay {
  display: block;
  position: fixed;
  top: 0;
  right: 0;
  bottom: 0;
  left: 0;
  background-color: var(--sl-overlay-background-color);
  pointer-events: all;
}

.drawer--contained .drawer__overlay {
  display: none;
}

@media (forced-colors: active) {
  .drawer__panel {
    border: solid 1px var(--sl-color-neutral-0);
  }
}

`function uppercaseFirstLetter(string){return string.charAt(0).toUpperCase()+string.slice(1)}var
SlDrawer=class extends ShoelaceElement{constructor(){super(...arguments),this.hasSlotController=new
HasSlotController(this,"footer"),this.localize=new LocalizeController(this),this.modal=new
Modal(this),this.open=!1,this.label="",this.placement="end",this.contained=!1,this.noHeader=!1,this.han
dleDocumentKeyDown=event=>{this.contained||"Escape"===event.key&&this.modal.isActive()&&this.open&&
(event.stopImmediatePropagation(),this.requestClose("keyboard"))}}firstUpdated()
{this.drawer.hidden=!this.open,this.open&&(this.addOpenListeners(),!this.contained&&
(this.modal.activate(),lockBodyScrolling(this)))}disconnectedCallback()
{super.disconnectedCallback(),unlockBodyScrolling(this),this.removeOpenListeners()}requestClose(source)
{const slRequestClose=this.emit("sl-request-close",{cancelable:!0,detail:
{source}});if(slRequestClose.defaultPrevented){const animation=getAnimation(this,"drawer.denyClose",
{dir:this.localize.dir()});return void
animateTo(this.panel,animation.keyframes,animation.options)}this.hide()}addOpenListeners(){var
_a;"CloseWatcher"in window?(null==(a=this.closeWatcher)?void 0:_a.destroy(),!this.contained&&
(this.closeWatcher=new CloseWatcher,this.closeWatcher.onclose=
()=>this.requestClose("keyboard"))):document.addEventListener("keydown",this.handleDocumentKeyDown)}rem
oveOpenListeners(){var _a;document.removeEventListener("keydown",this.handleDocumentKeyDown),null==
(_a=this.closeWatcher)?void 0:_a.destroy()}async handleOpenChange(){if(this.open){this.emit("sl-
show"),this.addOpenListeners(),this.originalTrigger=document.activeElement,this.contained||
(this.modal.activate(),lockBodyScrolling(this));const autoFocusTarget=this.querySelector("
[autofocus]");autoFocusTarget&&autoFocusTarget.removeAttribute("autofocus"),await
Promise.all([stopAnimations(this.drawer),stopAnimations(this.overlay)]),this.drawer.hidden=!1,requestAn
imationFrame(()=>{const slInitialFocus=this.emit("sl-initial-focus",
{cancelable:!0});slInitialFocus.defaultPrevented||(autoFocusTarget?
autoFocusTarget.focus({preventScroll:!0}):this.panel.focus({preventScroll:!0})),autoFocusTarget&&autoFo
cusTarget.setAttribute("autofocus","")});const
panelAnimation=getAnimation(this,`drawer.show${uppercaseFirstLetter(this.placement)}`,
{dir:this.localize.dir()}),overlayAnimation=getAnimation(this,"drawer.overlay.show",
{dir:this.localize.dir()});await
Promise.all([animateTo(this.panel,panelAnimation.keyframes,panelAnimation.options),animateTo(this.overl
ay,overlayAnimation.keyframes,overlayAnimation.options)]),this.emit("sl-after-
show")}else{blurActiveElement(this),this.emit("sl-hide"),this.removeOpenListeners(),this.contained||
(this.modal.deactivate(),unlockBodyScrolling(this)),await
Promise.all([stopAnimations(this.drawer),stopAnimations(this.overlay)]);const
panelAnimation=getAnimation(this,`drawer.hide${uppercaseFirstLetter(this.placement)}`,
{dir:this.localize.dir()}),overlayAnimation=getAnimation(this,"drawer.overlay.hide",
{dir:this.localize.dir()});await
Promise.all([animateTo(this.overlay,overlayAnimation.keyframes,overlayAnimation.options).then(()=>
{this.overlay.hidden=!0}),animateTo(this.panel,panelAnimation.keyframes,panelAnimation.options).then(()
=>{this.panel.hidden=!0}))],this.drawer.hidden=!0,this.overlay.hidden=!1,this.panel.hidden=!1;const
trigger=this.originalTrigger;"function"===typeof(null==trigger?void

```

```
0:trigger.focus)&&setTimeout(()=>trigger.focus()),this.emit("sl-after-hide"))}}handleNoModalChange()
{this.open&&!this.contained&&
(this.modal.activate(),lockBodyScrolling(this)),this.open&&this.contained&&
(this.modal.deactivate(),unlockBodyScrolling(this))}async show(){if(!this.open)return
this.open=!0,waitForEvent(this,"sl-after-show")}async hide(){if(this.open)return
this.open=!1,waitForEvent(this,"sl-after-hide")}render(){return x$1`
  <div
    part="base"
    class=${e$2({drawer:!0,"drawer--open":this.open,"drawer--top":"top"===this.placement,"drawer--
end":"end"===this.placement,"drawer--bottom":"bottom"===this.placement,"drawer--
start":"start"===this.placement,"drawer--contained":this.contained,"drawer--
fixed":!this.contained,"drawer--rtl":"rtl"===this.localize.dir(),"drawer--has-
footer":this.hasSlotController.test("footer")})}
  >
    <div part="overlay" class="drawer__overlay" @click=${()=>this.requestClose("overlay")}
tabindex="-1"></div>

    <div
      part="panel"
      class="drawer__panel"
      role="dialog"
      aria-modal="true"
      aria-hidden=${this.open?"false":"true"}
      aria-label=${o$6(this.noHeader?this.label:void 0)}
      aria-labelledby=${o$6(this.noHeader?void 0:"title")}
      tabindex="0"
    >
      ${this.noHeader?"":x$1`
        <header part="header" class="drawer__header">
          <h2 part="title" class="drawer__title" id="title">
            <!-- If there's no label, use an invisible character to prevent the header from
collapsing -->
            <slot name="label"> ${o<this.label.length?this.label:String.fromCharCode(65279)}
</slot>
          </h2>
          <div part="header-actions" class="drawer__header-actions">
            <slot name="header-actions"></slot>
            <sl-icon-button
              part="close-button"
              exportparts="base:close-button__base"
              class="drawer__close"
              name="x-lg"
              label=${this.localize.term("close")}
              library="system"
              @click=${()=>this.requestClose("close-button")}
            ></sl-icon-button>
          </div>
        </header>
      `}

      <slot part="body" class="drawer__body"></slot>

      <footer part="footer" class="drawer__footer">
        <slot name="footer"></slot>
      </footer>
    </div>
  </div>
`}};SlDrawer.styles=[component_styles_default,drawer_styles_default],SlDrawer.dependencies={"sl-
icon-
button":SlIconButton},__decorateClass([e$6(".drawer")],SlDrawer.prototype,"drawer",2),__decorateClass([
e$6(".drawer__panel")],SlDrawer.prototype,"panel",2),__decorateClass([e$6(".drawer__overlay")],SlDrawer
.prototype,"overlay",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlDrawer.prototype,"open",2),_
_decorateClass([n$5({reflect:!0})],SlDrawer.prototype,"label",2),__decorateClass([n$5({reflect:!0})],Sl
Drawer.prototype,"placement",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlDrawer.prototype,"co
ntained",2),__decorateClass([n$5({attribute:"no-
header",type:Boolean,reflect:!0})],SlDrawer.prototype,"noHeader",2),__decorateClass([watch("open",
{waitUntilFirstUpdate:!0})],SlDrawer.prototype,"handleOpenChange",1),__decorateClass([watch("contained"
,{waitUntilFirstUpdate:!0})],SlDrawer.prototype,"handleNoModalChange",1),setDefaultAnimation("drawer.sho
wTop",{keyframes:[{opacity:0,translate:"0 -100%"},{opacity:1,translate:"0 0"}],options:
{duration:250,easing:"ease"}}),setDefaultAnimation("drawer.hideTop",{keyframes:[{opacity:1,translate:"0
0"},{opacity:0,translate:"0 -100%"}],options:
{duration:250,easing:"ease"}}),setDefaultAnimation("drawer.showEnd",{keyframes:
[{opacity:0,translate:"100%"},{opacity:1,translate:"0"}],rtlKeyframes:[{opacity:0,translate:"-100%"},
{opacity:1,translate:"0"}],options:{duration:250,easing:"ease"}}),setDefaultAnimation("drawer.hideEnd",
{keyframes:[{opacity:1,translate:"0"},{opacity:0,translate:"100%"}],rtlKeyframes:
[{opacity:1,translate:"0"},{opacity:0,translate:"-100%"}],options:
{duration:250,easing:"ease"}}),setDefaultAnimation("drawer.showBottom",{keyframes:
[{opacity:0,translate:"0 100%"},{opacity:1,translate:"0 0"}],options:
{duration:250,easing:"ease"}}),setDefaultAnimation("drawer.hideBottom",{keyframes:
[{opacity:1,translate:"0 0"},{opacity:0,translate:"0 100%"}],options:
{duration:250,easing:"ease"}}),setDefaultAnimation("drawer.showStart",{keyframes:
[{opacity:0,translate:"-100%"},{opacity:1,translate:"0"}],rtlKeyframes:[{opacity:0,translate:"100%"},
{opacity:1,translate:"0"}],options:
{duration:250,easing:"ease"}}),setDefaultAnimation("drawer.hideStart",{keyframes:
[{opacity:1,translate:"0"},{opacity:0,translate:"-100%"}],rtlKeyframes:[{opacity:1,translate:"0"},
```

```
{opacity:0,translate:"100%"}],options:
{duration:250,easing:"ease"}}),setDefaultAnimation("drawer.denyClose",{keyframes:[{scale:1},
{scale:1.01},{scale:1}],options:{duration:250}}),setDefaultAnimation("drawer.overlay.show",{keyframes:
[{opacity:0},{opacity:1}],options:{duration:250}}),setDefaultAnimation("drawer.overlay.hide",
{keyframes:[{opacity:1},{opacity:0}],options:{duration:250}}),SlDrawer.define("sl-drawer");var
details_styles_default=i$7`
:host {
  display: block;
}

.details {
  border: solid 1px var(--sl-color-neutral-200);
  border-radius: var(--sl-border-radius-medium);
  background-color: var(--sl-color-neutral-0);
  overflow-anchor: none;
}

.details--disabled {
  opacity: 0.5;
}

.details__header {
  display: flex;
  align-items: center;
  border-radius: inherit;
  padding: var(--sl-spacing-medium);
  user-select: none;
  -webkit-user-select: none;
  cursor: pointer;
}

.details__header::-webkit-details-marker {
  display: none;
}

.details__header:focus {
  outline: none;
}

.details__header:focus-visible {
  outline: var(--sl-focus-ring);
  outline-offset: calc(1px + var(--sl-focus-ring-offset));
}

.details--disabled .details__header {
  cursor: not-allowed;
}

.details--disabled .details__header:focus-visible {
  outline: none;
  box-shadow: none;
}

.details__summary {
  flex: 1 1 auto;
  display: flex;
  align-items: center;
}

.details__summary-icon {
  flex: 0 0 auto;
  display: flex;
  align-items: center;
  transition: var(--sl-transition-medium) rotate ease;
}

.details--open .details__summary-icon {
  rotate: 90deg;
}

.details--open.details--rtl .details__summary-icon {
  rotate: -90deg;
}

.details--open slot[name='expand-icon'],
.details:not(.details--open) slot[name='collapse-icon'] {
  display: none;
}

.details__body {
  overflow: hidden;
}

.details__content {
  display: block;
  padding: var(--sl-spacing-medium);
```

```

    }
    ` ,SlDetails=class extends ShoelaceElement{constructor(){super(...arguments),this.localize=new
    LocalizeController(this),this.open=!1,this.disabled=!1}firstUpdated()
    {this.body.style.height=this.open?"auto":"0",this.open&&(this.details.open=!0),this.detailsObserver=new
    MutationObserver(changes=>{for(const change of
    changes)"attributes"===change.type&&"open"===change.attributeName&&(this.details.open?
    this.show():this.hide())}),this.detailsObserver.observe(this.details,
    {attributes:!0})}disconnectedCallback(){var _a;super.disconnectedCallback(),null==
    (_a=this.detailsObserver)?void 0:_a.disconnect()}handleSummaryClick(event)
    {event.preventDefault(),this.disabled||this.open?
    this.hide():this.show(),this.header.focus()}handleSummaryKeyDown(event){("Enter"===event.key||"
    "===event.key)&&(event.preventDefault(),this.open?this.hide():this.show()),
    ("ArrowUp"===event.key||"ArrowLeft"===event.key)&&(event.preventDefault(),this.hide()),
    ("ArrowDown"===event.key||"ArrowRight"===event.key)&&(event.preventDefault(),this.show())}async
    handleOpenChange(){if(this.open){this.details.open=!0;const slShow=this.emit("sl-show",
    {cancelable:!0});if(slShow.defaultPrevented)return this.open=!1,void(this.details.open=!1);await
    stopAnimations(this.body);const{keyframes,options}=getAnimation(this,"details.show",
    {dir:this.localize.dir()});await
    animateTo(this.body,shimKeyframesHeightAuto(keyframes,this.body.scrollHeight),options),this.body.style.
    height="auto",this.emit("sl-after-show")}else{const slHide=this.emit("sl-hide",
    {cancelable:!0});if(slHide.defaultPrevented)return this.details.open=!0,void(this.open=!0);await
    stopAnimations(this.body);const{keyframes,options}=getAnimation(this,"details.hide",
    {dir:this.localize.dir()});await
    animateTo(this.body,shimKeyframesHeightAuto(keyframes,this.body.scrollHeight),options),this.body.style.
    height="auto",this.details.open=!1,this.emit("sl-after-hide")}async show(){if(!
    (this.open||this.disabled))return this.open=!0,waitForEvent(this,"sl-after-show")}async hide()
    {if(this.open&&!this.disabled)return this.open=!1,waitForEvent(this,"sl-after-hide")}render(){const
    isRtl="rtl"===this.localize.dir();return x$1`
      <details
        part="base"
        class=${e$2({details:!0,"details--open":this.open,"details--disabled":this.disabled,"details--
        rtl":isRtl})}
      >
        <summary
          part="header"
          id="header"
          class="details__header"
          role="button"
          aria-expanded=${this.open?"true":"false"}
          aria-controls="content"
          aria-disabled=${this.disabled?"true":"false"}
          tabindex=${this.disabled?"-1":"0"}
          @click=${this.handleSummaryClick}
          @keydown=${this.handleSummaryKeyDown}
        >
          <slot name="summary" part="summary" class="details__summary">${this.summary}</slot>

          <span part="summary-icon" class="details__summary-icon">
            <slot name="expand-icon">
              <sl-icon library="system" name=${isRtl?"chevron-left":"chevron-right"}></sl-icon>
            </slot>
            <slot name="collapse-icon">
              <sl-icon library="system" name=${isRtl?"chevron-left":"chevron-right"}></sl-icon>
            </slot>
          </span>
        </summary>

        <div class="details__body" role="region" aria-labelledby="header">
          <slot part="content" id="content" class="details__content"></slot>
        </div>
      </details>
    `;SlDetails.styles=[component_styles_default,details_styles_default],SlDetails.dependencies={"sl-
    icon":SlIcon},__decorateClass([e$6(".details")],SlDetails.prototype,"details",2),__decorateClass([e$6("
    .details__header")],SlDetails.prototype,"header",2),__decorateClass([e$6(".details__body")],SlDetails.p
    prototype,"body",2),__decorateClass([e$6(".details__expand-icon-
    slot")],SlDetails.prototype,"expandIconSlot",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlDeta
    ils.prototype,"open",2),__decorateClass([n$5()],SlDetails.prototype,"summary",2),__decorateClass([n$5({
    type:Boolean,reflect:!0})],SlDetails.prototype,"disabled",2),__decorateClass([watch("open",
    {waitForFirstUpdate:!0})],SlDetails.prototype,"handleOpenChange",1),setDefaultAnimation("details.show",
    {keyframes:[{height:"0",opacity:"0"},{height:"auto",opacity:"1"}],options:
    {duration:250,easing:"linear"}}),setDefaultAnimation("details.hide",{keyframes:
    [{height:"auto",opacity:"1"},{height:"0",opacity:"0"}],options:
    {duration:250,easing:"linear"}}),SlDetails.define("sl-details");var dropdown_styles_default=i$7`
    :host {
      display: inline-block;
    }

    .dropdown::part(popup) {
      z-index: var(--sl-z-index-dropdown);
    }

    .dropdown[data-current-placement^='top']::part(popup) {
      transform-origin: bottom;
    }

    .dropdown[data-current-placement^='bottom']::part(popup) {

```

```

    transform-origin: top;
  }

.dropdown[data-current-placement^='left']::part(popup) {
  transform-origin: right;
}

.dropdown[data-current-placement^='right']::part(popup) {
  transform-origin: left;
}

.dropdown__trigger {
  display: block;
}

.dropdown__panel {
  font-family: var(--sl-font-sans);
  font-size: var(--sl-font-size-medium);
  font-weight: var(--sl-font-weight-normal);
  box-shadow: var(--sl-shadow-large);
  border-radius: var(--sl-border-radius-medium);
  pointer-events: none;
}

.dropdown--open .dropdown__panel {
  display: block;
  pointer-events: all;
}

/* When users slot a menu, make sure it conforms to the popup's auto-size */
::slotted(sl-menu) {
  max-width: var(--auto-size-available-width) !important;
  max-height: var(--auto-size-available-height) !important;
}
`,popup_styles_default=i$7`
:host {
  --arrow-color: var(--sl-color-neutral-1000);
  --arrow-size: 6px;

  /*
   * These properties are computed to account for the arrow's dimensions after being rotated 45°.
   The constant
   * 0.7071 is derived from sin(45), which is the diagonal size of the arrow's container after
   rotating.
   */
  --arrow-size-diagonal: calc(var(--arrow-size) * 0.7071);
  --arrow-padding-offset: calc(var(--arrow-size-diagonal) - var(--arrow-size));

  display: contents;
}

.popup {
  position: absolute;
  isolation: isolate;
  max-width: var(--auto-size-available-width, none);
  max-height: var(--auto-size-available-height, none);
}

.popup--fixed {
  position: fixed;
}

.popup:not(.popup--active) {
  display: none;
}

.popup__arrow {
  position: absolute;
  width: calc(var(--arrow-size-diagonal) * 2);
  height: calc(var(--arrow-size-diagonal) * 2);
  rotate: 45deg;
  background: var(--arrow-color);
  z-index: -1;
}

/* Hover bridge */
.popup-hover-bridge:not(.popup-hover-bridge--visible) {
  display: none;
}

.popup-hover-bridge {
  position: fixed;
  z-index: calc(var(--sl-z-index-dropdown) - 1);
  top: 0;
  right: 0;
  bottom: 0;

```

```

    left: 0;
    clip-path: polygon(
      var(--hover-bridge-top-left-x, 0) var(--hover-bridge-top-left-y, 0),
      var(--hover-bridge-top-right-x, 0) var(--hover-bridge-top-right-y, 0),
      var(--hover-bridge-bottom-right-x, 0) var(--hover-bridge-bottom-right-y, 0),
      var(--hover-bridge-bottom-left-x, 0) var(--hover-bridge-bottom-left-y, 0)
    );
  }
};const min=Math.min,max=Math.max,round=Math.round,floor=Math.floor,createCoords=v=>
({x:v,y:v}),oppositeSideMap={left:"right",right:"left",bottom:"top",top:"bottom"},oppositeAlignmentMap=
{start:"end",end:"start"};function clamp$1(start,value,end){return max(start,min(value,end))}function
evaluate(value,param){return"function"===typeof value?value(param):value}function getSide(placement)
{return placement.split("-")[0]}function getAlignment(placement){return placement.split("-")
[1]}function getOppositeAxis(axis){return"x"===axis?"y":"x"}function getAxisLength(axis)
{return"y"===axis?"height":"width"}const yAxisSides=new Set(["top","bottom"]);function
getSideAxis(placement){return yAxisSides.has(getSide(placement))?"y":"x"}function
getAlignmentAxis(placement){return getOppositeAxis(getSideAxis(placement))}function
getAlignmentSides(placement,rects,rtl){void 0===rtl&&(rtl=!1);const
alignment=getAlignment(placement),alignmentAxis=getAlignmentAxis(placement),length=getAxisLength(aligm
entAxis);let mainAlignmentSide="x"===alignmentAxis?alignment===
(rtl?"end":"start")?"right":"left":"start"===alignment?"bottom":"top";return
rects.reference[length]>rects.floating[length]&&
(mainAlignmentSide=getOppositePlacement(mainAlignmentSide)),
[mainAlignmentSide,getOppositePlacement(mainAlignmentSide)]}function getExpandedPlacements(placement)
{const
oppositePlacement=getOppositePlacement(placement);return[getOppositeAlignmentPlacement(placement),oppos
itePlacement,getOppositeAlignmentPlacement(oppositePlacement)]}function
getOppositeAlignmentPlacement(placement){return
placement.replace(/start|end/g,alignment=>oppositeAlignmentMap[alignment])}const lrPlacement=
["left","right"],rlPlacement=["right","left"],tbPlacement=["top","bottom"],btPlacement=
["bottom","top"];function getSideList(side,isStart,rtl){return"top"===side||"bottom"===side?rtl?
isStart?rlPlacement:lrPlacement:isStart?lrPlacement:rlPlacement:"left"===side||"right"===side?isStart?
tbPlacement:btPlacement:[]}function getOppositeAxisPlacements(placement,flipAlignment,direction,rtl)
{const alignment=getAlignment(placement);let
list=getSideList(getSide(placement),"start"===direction,rtl);return alignment&&
(list=list.map(side=>side+"-"+alignment),flipAlignment&&
(list=list.concat(list.map(getOppositeAlignmentPlacement)))),list}function
getOppositePlacement(placement){return
placement.replace(/left|right|bottom|top/g,side=>oppositeSideMap[side])}function
expandPaddingObject(padding){return{top:0,right:0,bottom:0,left:0,...padding}}function
getPaddingObject(padding){return"number"===typeof padding?
{top:padding,right:padding,bottom:padding,left:padding}:expandPaddingObject(padding)}function
rectToClientRect(rect)
{const{x,y,width,height}=rect;return{width,height,top:y,left:x,right:x+width,bottom:y+height,x,y}}funct
ion computeCoordsFromPlacement(_ref,placement,rtl){let{reference,floating}=_ref;const
sideAxis=getSideAxis(placement),alignmentAxis=getAlignmentAxis(placement),alignLength=getAxisLength(alig
nmentAxis),side=getSide(placement),isVertical="y"===sideAxis,commonX=reference.x+reference.width/2-
floating.width/2,commonY=reference.y+reference.height/2-
floating.height/2,commonAlign=reference[alignLength]/2-floating[alignLength]/2;let
coords;switch(coords="top"===side?{x:commonX,y:reference.y-floating.height}:"bottom"===side?
{x:commonX,y:reference.y+reference.height}:"right"===side?
{x:reference.x+reference.width,y:commonY}:"left"===side?{x:reference.x-floating.width,y:commonY}:
{x:reference.x,y:reference.y},getAlignment(placement)){case"start":coords[alignmentAxis]-=commonAlign*
(rtl&&isVertical?-1:1);break;case"end":coords[alignmentAxis]+=commonAlign*(rtl&&isVertical?-1:1)}return
coords}const computePosition$1=async(reference,floating,config)=>
{const{placement="bottom",strategy="absolute",middleware=
[],platform}=config,validMiddleware=middleware.filter(Boolean),rtl=await(null==platform.isRTL?void
0:platform.isRTL(floating));let rects=await platform.getElementRects({reference,floating,strategy}),
{x,y}=computeCoordsFromPlacement(rects,placement,rtl),statefulPlacement=placement,middlewareData=
{},resetCount=0;for(let i=0;i<validMiddleware.length;i++){const{name,fn}=validMiddleware[i],
{x:nextX,y:nextY,data,reset}=await
fn({x,y,initialPlacement:placement,placement:statefulPlacement,strategy,middlewareData,rects,platform,e
lements:{reference,floating}});x=null==nextX?x:nextX,y=null==nextY?y:nextY,middlewareData=
{...middlewareData,[name]:{...middlewareData[name],...data}},reset&&50>=resetCount&&
(resetCount++, "object"===typeof reset&&(reset.placement&&
(statefulPlacement=reset.placement),reset.rects&&(rects=!0===reset.rects?await
platform.getElementRects({reference,floating,strategy}):reset.rects),
{x,y}=computeCoordsFromPlacement(rects,statefulPlacement,rtl)),i=-1)}return{x,y,placement:statefulPlace
ment,strategy,middlewareData}};async function detectOverflow(state,options){var
_await$platform$isEle;void 0===options&&(options={});const{x,y,platform,rects,elements,strategy}=state,
{boundary="clippingAncestors",rootBoundary="viewport",elementContext="floating",altBoundary=!1,padding=
0}=evaluate(options,state),paddingObject=getPaddingObject(padding),altContext="floating"===elementConte
xt?"reference":"floating",element=elements[altBoundary?
altContext:elementContext],clippingClientRect=rectToClientRect(await
platform.getClippingRect({element:(null!=(_await$platform$isEle=await(null==platform.isElement?void
0:platform.isElement(element))))||_await$platform$isEle?element:element.contextElement||
(await(null==platform.getDocumentElement?void
0:platform.getDocumentElement(elements.floating))),boundary,rootBoundary,strategy})),rect="floating"===
elementContext?
{x,y,width:rects.floating.width,height:rects.floating.height}:rects.reference,offsetParent=await(null==
platform.getOffsetParent?void 0:platform.getOffsetParent(elements.floating)),offsetScale=
(await(null==platform.isElement?void 0:platform.isElement(offsetParent)))?
(await(null==platform.getScale?void 0:platform.getScale(offsetParent)))||{x:1,y:1}:
{x:1,y:1},elementClientRect=rectToClientRect(platform.convertOffsetParentRelativeRectToViewportRelative
Rect?await
platform.convertOffsetParentRelativeRectToViewportRelativeRect({elements,rect,offsetParent,strategy}):r
```



```

ect);return{top:(clippingClientRect.top-elementClientRect.top+paddingObject.top)/offsetScale.y,bottom:
(elementClientRect.bottom-clippingClientRect.bottom+paddingObject.bottom)/offsetScale.y,left:
(clippingClientRect.left-elementClientRect.left+paddingObject.left)/offsetScale.x,right:
(elementClientRect.right-clippingClientRect.right+paddingObject.right)/offsetScale.x}}const
arrow$1=options=>({name:"arrow",options,async fn(state)
{const{x,y,placement,rects,platform,elements,middlewareData}=state,
{element,padding=0}=evaluate(options,state)||{};if(null==element)return{};const
paddingObject=getPaddingObject(padding),coords=
{x,y},axis=getAlignmentAxis(placement),length=getAxisLength(axis),arrowDimensions=await
platform.getDimensions(element),isYAxis="y"===axis,minProp=isYAxis?"top":"left",maxProp=isYAxis?"bottom
":"right",clientProp=isYAxis?"clientHeight":"clientWidth",endDiff=rects.reference[length]+rects.referen
ce[axis]-coords[axis]-rects.floating[length],startDiff=coords[axis]-
rects.reference[axis],arrowOffsetParent=await(null==platform.getOffsetParent?void
0:platform.getOffsetParent(element));let clientSize=arrowOffsetParent?
arrowOffsetParent[clientProp]:0;clientSize&&(await(null==platform.isElement?void
0:platform.isElement(arrowOffsetParent))))||
(clientSize=elements.floating[clientProp]||rects.floating[length]);const
largestPossiblePadding=clientSize/2-arrowDimensions[length]/2-
1,minPadding=min(paddingObject[minProp],largestPossiblePadding),maxPadding=min(paddingObject[maxProp],l
argestPossiblePadding),min$1=minPadding,max=clientSize-arrowDimensions[length]-
maxPadding,center=clientSize/2-arrowDimensions[length]/2+(endDiff/2-
startDiff/2),offset=clamp$1(min$1,center,max),shouldAddOffset=!middlewareData.arrow&&null!=getAlignment
(placement)&&center!=offset&&0>rects.reference[length]/2-(center<min$1?minPadding:maxPadding)-
arrowDimensions[length]/2,alignmentOffset=shouldAddOffset?center<min$1?center-min$1:center-
max:0;return{[axis]:coords[axis]+alignmentOffset,data:{[axis]:offset,centerOffset:center-offset-
alignmentOffset,...(shouldAddOffset&&
{alignmentOffset}),reset:shouldAddOffset}}}),flip$2=function(options){return void 0===options&&
(options={}),{name:"flip",options,async fn(state){var
_middlewareData$arrow,_middlewareData$flip;const{placement,middlewareData,rects,initialPlacement,platfo
rm,elements}=state,
{mainAxis:checkMainAxis=!0,crossAxis:checkCrossAxis=!0,fallbackPlacements:specifiedFallbackPlacements,f
allbackStrategy="bestFit",fallbackAxisSideDirection="none",flipAlignment=!0,...detectOverflowOptions}=e
valuate(options,state);if(null!=
(_middlewareData$arrow=middlewareData.arrow)&&_middlewareData$arrow.alignmentOffset)return{};const
side=getSide(placement),initialSideAxis=getSideAxis(initialPlacement),isBasePlacement=getSide(initialPl
acement)===initialPlacement,rtl=await(null==platform.isRTL?void
0:platform.isRTL(elements.floating)),fallbackPlacements=specifiedFallbackPlacements||
(isBasePlacement||!flipAlignment?
[getOppositePlacement(initialPlacement)]:getExpandedPlacements(initialPlacement)),hasFallbackAxisSideDi
rection="none"!==fallbackAxisSideDirection;!specifiedFallbackPlacements&&hasFallbackAxisSideDirection&&
fallbackPlacements.push(...getOppositeAxisPlacements(initialPlacement,flipAlignment,fallbackAxisSideDir
ection,rtl));const placements=[initialPlacement,...fallbackPlacements],overflow=await
detectOverflow(state,detectOverflowOptions),overflows=[];let overflowsData=(null==
(_middlewareData$flip=middlewareData.flip)?void 0:_middlewareData$flip.overflows)||
[];if(checkMainAxis&&overflows.push(overflow[side]),checkCrossAxis){const
sides=getAlignmentSides(placement,rects,rtl);overflows.push(overflow[sides[0]],overflow[sides[1]])}if(o
verflowsData=[...overflowsData,{placement,overflows}],!overflows.every(side=>0>=side)){var
_middlewareData$flip2,_overflowsData$filter;const nextIndex=((null==
(_middlewareData$flip2=middlewareData.flip)?void
0:_middlewareData$flip2.index)||0)+1,nextPlacement=placements[nextIndex];if(nextPlacement){const
ignoreCrossAxisOverflow="alignment"===checkCrossAxis&&initialSideAxis!=getSideAxis(nextPlacement);if(!
ignoreCrossAxisOverflow|overflowsData.every(d=>getSideAxis(d.placement)===initialSideAxis||0<d.overflow
s[0]))return{data:{index:nextIndex,overflows:overflowsData},reset:{placement:nextPlacement}}}let
resetPlacement=null==
(_overflowsData$filter=overflowsData.filter(d=>0>=d.overflows[0])).sort((a,b)=>a.overflows[1]-
b.overflows[1])[0]?void 0:_overflowsData$filter.placement;if(!resetPlacement)switch(fallbackStrategy)
{case"bestFit":{var _overflowsData$filter2;const placement=null==
(_overflowsData$filter2=overflowsData.filter(d=>{if(hasFallbackAxisSideDirection){const
currentSideAxis=getSideAxis(d.placement);return
currentSideAxis===initialSideAxis||"y"===currentSideAxis}return!0}).map(d=>
[d.placement,d.overflows.filter(overflow=>0<overflow).reduce((acc,overflow)=>acc+overflow,0)]).sort((a,
b)=>a[1]-b[1])[0]?void 0:_overflowsData$filter2[0];placement&&
(resetPlacement=placement);break}case"initialPlacement":resetPlacement=initialPlacement}if(placement!=
resetPlacement)return{reset:{placement:resetPlacement}}return{}}},originSides=new
Set(["left","top"]);async function convertValueToCoords(state,options)
{const{placement,platform,elements}=state,rtl=await(null==platform.isRTL?void
0:platform.isRTL(elements.floating)),side=getSide(placement),alignment=getAlignment(placement),isVertic
al="y"===getSideAxis(placement),mainAxisMulti=originSides.has(side)?
-1:1,crossAxisMulti=rtl&&isVertical?
-1:1,rawValue=evaluate(options,state);let{mainAxis,crossAxis,alignmentAxis}="number"===typeof rawValue?
{mainAxis:rawValue,crossAxis:0,alignmentAxis:null}:
{mainAxis:rawValue.mainAxis||0,crossAxis:rawValue.crossAxis||0,alignmentAxis:rawValue.alignmentAxis};re
turn alignment&&"number"===typeof alignmentAxis&&(crossAxis="end"===alignment?
-1*alignmentAxis:alignmentAxis),isVertical?{x:crossAxis*crossAxisMulti,y:mainAxis*mainAxisMulti}:
{x:mainAxis*mainAxisMulti,y:crossAxis*crossAxisMulti}const offset$1=function(options){return void
0===options&&(options=0),{name:"offset",options,async fn(state){var
_middlewareData$offse,_middlewareData$arrow;const{x,y,placement,middlewareData}=state,diffCoords=await
convertValueToCoords(state,options);return placement===(null==
(_middlewareData$offse=middlewareData.offset)?void 0:_middlewareData$offse.placement)&&null!=
(_middlewareData$arrow=middlewareData.arrow)&&_middlewareData$arrow.alignmentOffset?{
{x:x+diffCoords.x,y:y+diffCoords.y,data:{...diffCoords,placement}}}}},shift$1=function(options){return
void 0===options&&(options={}),{name:"shift",options,async fn(state){const{x,y,placement}=state,
{mainAxis:checkMainAxis=!0,crossAxis:checkCrossAxis=!1,limiter={fn:_ref=>
{let{x,y}=_ref;return{x,y}}},...detectOverflowOptions}=evaluate(options,state),coords=
{x,y},overflow=await
detectOverflow(state,detectOverflowOptions),crossAxis=getSideAxis(getSide(placement)),mainAxis=getOppos

```

```
iteAxis(crossAxis);let
mainAxisCoord=coords[mainAxis],crossAxisCoord=coords[crossAxis];if(checkMainAxis){const
minSide="y"===mainAxis?"top":"left",maxSide="y"===mainAxis?"bottom":"right",min=mainAxisCoord+overflow[
minSide],max=mainAxisCoord-
overflow[maxSide];mainAxisCoord=clamp$1(min,mainAxisCoord,max)}if(checkCrossAxis){const
minSide="y"===crossAxis?"top":"left",maxSide="y"===crossAxis?"bottom":"right",min=crossAxisCoord+overfl
ow[minSide],max=crossAxisCoord-overflow[maxSide];crossAxisCoord=clamp$1(min,crossAxisCoord,max)}const
limitedCoords=limiter.fn({...state,[mainAxis]:mainAxisCoord,
[crossAxis]:crossAxisCoord});return {...limitedCoords,data:{x:limitedCoords.x-x,y:limitedCoords.y-
y,enabled:[{[mainAxis]:checkMainAxis,[crossAxis]:checkCrossAxis}]}}},size$1=function(options){return
void 0===options&&(options={}),{name:"size",options,async fn(state){var
_state$middlewareData,_state$middlewareData2;const{placement,rects,platform,elements}=state,{apply=()=>>
{,...detectOverflowOptions}=evaluate(options,state),overflow=await
detectOverflow(state,detectOverflowOptions),side=getSide(placement),alignment=getAlignment(placement),i
sYAxis="y"===getSideAxis(placement),{width,height}=rects.floating;let
heightSide,widthSide;"top"===side||"bottom"===side?(heightSide=side,widthSide=alignment===
((await(null===platform.isRTL?void 0:platform.isRTL(elements.floating)))?"start":"end")?"left":"right"):
(widthSide=side,heightSide="end"===alignment?"top":"bottom");const maximumClippingHeight=height-
overflow.top-overflow.bottom,maximumClippingWidth=width-overflow.left-
overflow.right,overflowAvailableHeight=min(height-
overflow[heightSide],maximumClippingHeight),overflowAvailableWidth=min(width-
overflow[widthSide],maximumClippingWidth),noShift=!state.middlewareData.shift;let
availableHeight=overflowAvailableHeight,availableWidth=overflowAvailableWidth;if(null!=
(_state$middlewareData=state.middlewareData.shift)&&_state$middlewareData.enabled.x&&
(availableWidth=maximumClippingWidth),null!=
(_state$middlewareData2=state.middlewareData.shift)&&_state$middlewareData2.enabled.y&&
(availableHeight=maximumClippingHeight),noShift&&!alignment){const
xMin=max(overflow.left,0),xMax=max(overflow.right,0),yMin=max(overflow.top,0),yMax=max(overflow.bottom,
0);isYAxis?availableWidth=width-2*(0!==xMin||0!==xMax?
xMin+xMax:max(overflow.left,overflow.right)):availableHeight=height-2*(0!==yMin||0!==yMax?
yMin+yMax:max(overflow.top,overflow.bottom))}await
apply({...state,availableWidth,availableHeight});const nextDimensions=await
platform.getDimensions(elements.floating);return
width!==nextDimensions.width||height!==nextDimensions.height?{reset:{rects:!0}}:{}}}};function
hasWindow$1(){return"undefined"!==typeof window}function getNodeName(node){return isNode(node)?
(node.nodeName||"").toLowerCase():"#document"}function getWindow(node){var
_node$ownerDocument;return(null===node||null==(_node$ownerDocument=node.ownerDocument)?void
0:_node$ownerDocument.defaultView)||window}function getDocumentElement(node){var _ref;return null==
(_ref=isNode(node)?node.ownerDocument:node.document)||window.document)?void
0:_ref.documentElement}function isNode(value){return!!hasWindow$1()&&(value instanceof Node||value
instanceof getWindow(value).Node)}function isElement(value){return!!hasWindow$1()&&(value instanceof
Element||value instanceof getWindow(value).Element)}function isHTMLElement(value)
{return!!hasWindow$1()&&(value instanceof HTMLElement||value instanceof
getWindow(value).HTMLElement)}function isShadowRoot(value){return!(hasWindow$1()&&"undefined"!==typeof
ShadowRoot)&&(value instanceof ShadowRoot||value instanceof getWindow(value).ShadowRoot)}const
invalidOverflowDisplayValues=new Set(["inline","contents"]);function isOverflowElement(element)
{const{overflow,overflowX,overflowY,display}=getComputedStyle$1(element);return
/aut|scroll|overlay|hidden|clip/.test(overflow+overflowY+overflowX)&&!invalidOverflowDisplayValues.has
(display)}const tableElements=new Set(["table","td","th"]);function isTableElement(element){return
tableElements.has(getNodeName(element))}const topLayerSelectors=[":popover-open",":modal"];function
isTopLayer(element){return topLayerSelectors.some(selector=>{try{return
element.matches(selector)}catch(_e){return!1}})}const transformProperties=
["transform","translate","scale","rotate","perspective"],willChangeValues=
["transform","translate","scale","rotate","perspective","filter"],containValues=
["paint","layout","strict","content"];function isContainingBlock(elementOrCss){const
webkit=isWebKit(),css=isElement(elementOrCss)?getComputedStyle$1(elementOrCss):elementOrCss;return
transformProperties.some(value=>!!css[value]&&"none"!==css[value])||!css.containerType&&"normal"!==css
.containerType||!webkit&&!!css.backdropFilter&&"none"!==css.backdropFilter||!webkit&&!!css.filter&&"non
e"!==css.filter||willChangeValues.some(value=>
(css.willChange||"").includes(value))||containValues.some(value=>
(css.contain||"").includes(value))}function getContainingBlock(element){for(let
currentNode=getParentNode(element);isHTMLElement(currentNode)&&!isLastTraversableNode(currentNode);)
{if(isContainingBlock(currentNode))return currentNode;if(isTopLayer(currentNode))return
null;currentNode=getParentNode(currentNode)}return null}function isWebKit(){return!!
("undefined"!==typeof CSS&&CSS.supports)&&CSS.supports("-webkit-backdrop-filter","none")}const
lastTraversableNodeNames=new Set(["html","body","#document"]);function isLastTraversableNode(node)
{return lastTraversableNodeNames.has(getNodeName(node))}function getComputedStyle$1(element){return
getWindow(element).getComputedStyle(element)}function getNodeScroll(element){return isElement(element)?
{scrollLeft:element.scrollLeft,scrollTop:element.scrollTop}:
{scrollLeft:element.scrollX,scrollTop:element.scrollTop}}function getParentNode(node)
{if("html"===getNodeName(node))return node;const
result=node.assignedSlot||node.parentNode||isShadowRoot(node)&&node.host||getDocumentElement(node);retu
rn isShadowRoot(result)?result.host:result}function getNearestOverflowAncestor(node){const
parentNode=getParentNode(node);return isLastTraversableNode(parentNode)?node.ownerDocument?
node.ownerDocument.body:node.body:isHTMLElement(parentNode)&&isOverflowElement(parentNode)?
parentNode:getNearestOverflowAncestor(parentNode)}function
getOverflowAncestors(node,list,truncateIframes){var _node$ownerDocument2;void 0===list&&(list=[]),void
0===truncateIframes&&(truncateIframes=!0);const
scrollableAncestor=getNearestOverflowAncestor(node),isBody=scrollableAncestor===(null==
(_node$ownerDocument2=node.ownerDocument)?void
0:_node$ownerDocument2.body),win=getWindow(scrollableAncestor);if(isBody){const
frameElement=getFrameElement(win);return list.concat(win,win.visualViewport||
[],isOverflowElement(scrollableAncestor)?scrollableAncestor:[],frameElement&&truncateIframes?
getOverflowAncestors(frameElement):[])}return
list.concat(scrollableAncestor,getOverflowAncestors(scrollableAncestor,[],truncateIframes))}function
getFrameElement(win){return win.parent&&Object.getPrototypeOf(win.parent)?
```

```
win.frameElement:null}function getCssDimensions(element){const css=getComputedStyle$1(element);let
width=parseFloat(css.width)||0,height=parseFloat(css.height)||0;const
hasOffset=isHTMLElement(element),offsetWidth=hasOffset?
element.offsetWidth:width,offsetHeight=hasOffset?
element.offsetHeight:height,shouldFallback=round(width)!==offsetWidth||round(height)!==offsetHeight;ret
urn shouldFallback&&(width=offsetWidth,height=offsetHeight),{width,height,$:shouldFallback}}function
unwrapElement(element){return isElement(element)?element:element.contextElement}function
getScale(element){var _NumberisFinite=Number.isFinite;const
domElement=unwrapElement(element);if(!isHTMLElement(domElement))return createCoords(1);const
rect=domElement.getBoundingClientRect(),{width,height,$}=getCssDimensions(domElement);let x=($?
round(rect.width):rect.width)/width,y=($?round(rect.height):rect.height)/height;return
x&&_NumberisFinite(x)||x=1,y&&_NumberisFinite(y)||y=1,{x,y}}const
noOffsets=createCoords(0);function getVisualOffsets(element){const win=getWindow(element);return
isWebKit()&&win.visualViewport?
{x:win.visualViewport.offsetLeft,y:win.visualViewport.offsetTop}:noOffsets}function
shouldAddVisualOffsets(element,isFixed,floatingOffsetParent){return void 0===isFixed&&
(isFixed=1),floatingOffsetParent&&
(!isFixed||floatingOffsetParent===getWindow(element))&&isFixed}function
getClientRect(element,includeScale,isFixedStrategy,offsetParent){void 0===includeScale&&
(includeScale=1),void 0===isFixedStrategy&&(isFixedStrategy=1);const
clientRect=element.getBoundingClientRect(),domElement=unwrapElement(element);let
scale=createCoords(1);includeScale&&(offsetParent?isElement(offsetParent)&&
(scale=getScale(offsetParent)):scale=getScale(element));const
visualOffsets=shouldAddVisualOffsets(domElement,isFixedStrategy,offsetParent)?
getVisualOffsets(domElement):createCoords(0);let x=(clientRect.left+visualOffsets.x)/scale.x,y=
(clientRect.top+visualOffsets.y)/scale.y,width=clientRect.width/scale.x,height=clientRect.height/scale.
y;if(domElement){const win=getWindow(domElement),offsetWin=offsetParent&&isElement(offsetParent)?
getWindow(offsetParent):offsetParent;let
currentWin=win,currentIFrame=getFrameElement(currentWin);for(;currentIFrame&&offsetParent&&offsetWin!==
currentWin;){const
iframeScale=getScale(currentIFrame),iframeRect=currentIFrame.getBoundingClientRect(),css=getComputedSty
le$1(currentIFrame),left=iframeRect.left+
(currentIFrame.clientLeft+parseFloat(css.paddingLeft))*iframeScale.x,top=iframeRect.top+
(currentIFrame.clientTop+parseFloat(css.paddingTop))*iframeScale.y;x*=iframeScale.x,y*=iframeScale.y,wi
dth*=iframeScale.x,height*=iframeScale.y,x+=left,y+=top,currentWin=getWindow(currentIFrame),currentIFra
me=getFrameElement(currentWin)}}return rectToClientRect({width,height,x,y})}function
getWindowScrollBarX(element,rect){const leftScroll=getNodeScroll(element).scrollLeft;return rect?
rect.left+leftScroll:getBoundingClientRect(getDocumentElement(element)).left+leftScroll}function
getHTMLOffset(documentElement,scroll){const
htmlRect=documentElement.getBoundingClientRect(),x=htmlRect.left+scroll.scrollLeft-
getWindowScrollBarX(documentElement,htmlRect),y=htmlRect.top+scroll.scrollTop;return{x,y}}function
convertOffsetParentRelativeRectToViewportRelativeRect(_ref)
{let{elements,rect,offsetParent,strategy}=_ref;const
isFixed="fixed"===strategy,documentElement=getDocumentElement(offsetParent),topLayer=!elements&&isTopL
ayer(elements.floating);if(offsetParent===documentElement||topLayer&&isFixed)return rect;let scroll=
{scrollLeft:0,scrollTop:0},scale=createCoords(1);const
offsets=createCoords(0),isOffsetParentAnElement=isHTMLElement(offsetParent);if((isOffsetParentAnElement
||!isOffsetParentAnElement&&!isFixed)&&
(("body"!==getNodeName(offsetParent)||isOverflowElement(documentElement))&&
(scroll=getNodeScroll(offsetParent)),isHTMLElement(offsetParent)))const
offsetRect=getBoundingClientRect(offsetParent);scale=getScale(offsetParent),offsets.x=offsetRect.x+offs
etParent.clientLeft,offsets.y=offsetRect.y+offsetParent.clientTop}const
htmlOffset=!documentElement||isOffsetParentAnElement||isFixed?
createCoords(0):getHTMLOffset(documentElement,scroll);return{width:rect.width*scale.x,height:rect.heigh
t*scale.y,x:rect.x*scale.x-scroll.scrollLeft*scale.x+offsets.x+htmlOffset.x,y:rect.y*scale.y-
scroll.scrollTop*scale.y+offsets.y+htmlOffset.y}}function getClientRects(element){return
Array.from(element.getClientRects())}function getDocumentRect(element){const
html=getDocumentElement(element),scroll=getNodeScroll(element),body=element.ownerDocument.body,width=ma
x(html.scrollWidth,html.clientWidth,body.scrollWidth,body.clientWidth),height=max(html.scrollHeight,htm
l.clientHeight,body.scrollHeight,body.clientHeight);let x=-
scroll.scrollLeft+getWindowScrollBarX(element);const y=-
scroll.scrollTop;return"rtl"===getComputedStyle$1(body).direction&&
(x+=max(html.clientWidth,body.clientWidth)-width),{width,height,x,y}}const SCROLLBAR_MAX=25;function
getViewPortRect(element,strategy){const
win=getWindow(element),html=getDocumentElement(element),visualViewport=win.visualViewport;let
width=html.clientWidth,height=html.clientHeight,x=0,y=0;if(visualViewport)
{width=visualViewport.width,height=visualViewport.height;const visualViewportBased=isWebKit();
(!visualViewportBased||visualViewportBased&&"fixed"===strategy)&&
(x=visualViewport.offsetLeft,y=visualViewport.offsetTop)}const
windowScrollbarX=getWindowScrollBarX(html);if(0>windowScrollbarX){const
doc=html.ownerDocument,body=doc.body,bodyStyles=getComputedStyle(body),bodyMarginInline="CSS1Compat"===
doc.compatMode?
parseFloat(bodyStyles.marginLeft)+parseFloat(bodyStyles.marginRight)||0:0,clippingStableScrollbarWidth=
Math.abs(html.clientWidth-body.clientWidth-
bodyMarginInline);clippingStableScrollbarWidth<=SCROLLBAR_MAX&&(width-
=clippingStableScrollbarWidth)}else windowScrollbarX<=SCROLLBAR_MAX&&
(width+=windowScrollbarX);return{width,height,x,y}}const absoluteOrFixed=new
Set(["absolute","fixed"]);function getInnerBoundingClientRect(element,strategy){const
clientRect=getBoundingClientRect(element,!0,"fixed"===strategy),top=clientRect.top+element.clientTop,le
ft=clientRect.left+element.clientLeft,scale=isHTMLElement(element)?
getScale(element):createCoords(1),width=element.clientWidth*scale.x,height=element.clientHeight*scale.y
,x=left*scale.x,y=top*scale.y;return{width,height,x,y}}function
getClientRectFromClippingAncestor(element,clippingAncestor,strategy){let
rect;if("viewport"===clippingAncestor)rect=getViewPortRect(element,strategy);else
if("document"===clippingAncestor)rect=getDocumentRect(getDocumentElement(element));else
if(isElement(clippingAncestor))rect=getInnerBoundingClientRect(clippingAncestor,strategy);else{const
```

```

visualOffsets=getVisualOffsets(element);rect={x:clippingAncestor.x-
visualOffsets.x,y:clippingAncestor.y-
visualOffsets.y,width:clippingAncestor.width,height:clippingAncestor.height}}return
rectToClientRect(rect)}function hasFixedPositionAncestor(element,stopNode){const
parentNode=getParentNode(element);return
parentNode!==stopNode&&isElement(parentNode)&&!isLastTraversableNode(parentNode)&&
("fixed"===getComputedStyle$1(parentNode).position||hasFixedPositionAncestor(parentNode,stopNode))}func
tion getClippingElementAncestors(element,cache){const
cachedResult=cache.get(element);if(cachedResult)return cachedResult;let
result=getOverflowAncestors(element,
[],!1).filter(el=>isElement(el)&&"body"!==getNodeName(el)),currentContainingBlockComputedStyle=null;con
st elementIsFixed="fixed"===getComputedStyle$1(element).position;for(let currentNode=elementIsFixed?
getParentNode(element):element;isElement(currentNode)&&!isLastTraversableNode(currentNode);){const
computedStyle=getComputedStyle$1(currentNode),currentNodeIsContaining=isContainingBlock(currentNode);cu
rrentNodeIsContaining||"fixed"!==computedStyle.position||
(currentContainingBlockComputedStyle=null);const
shouldDropCurrentNode=elementIsFixed?!currentNodeIsContaining&&!currentContainingBlockComputedStyle:!cu
rrentNodeIsContaining&&"static"===computedStyle.position&&!currentContainingBlockComputedStyle&&absolu
teOrFixed.has(currentContainingBlockComputedStyle.position)||isOverflowElement(currentNode)&&!currentNo
deIsContaining&&hasFixedPositionAncestor(element,currentNode);shouldDropCurrentNode?
result=result.filter(ancestor=>ancestor!==currentNode):currentContainingBlockComputedStyle=computedStyl
e,currentNode=getParentNode(currentNode)}return cache.set(element,result),result}function
getClippingRect(_ref){let{element,boundary,rootBoundary,strategy}=_ref;const
elementClippingAncestors="clippingAncestors"===boundary?isTopLayer(element)?
[]:getClippingElementAncestors(element,this._c):[].concat(boundary),clippingAncestors=
[...elementClippingAncestors,rootBoundary],firstClippingAncestor=clippingAncestors[0],clippingRect=clip
pingAncestors.reduce((accRect,clippingAncestor)=>{const
rect=getClientRectFromClippingAncestor(element,clippingAncestor,strategy);return
accRect.top=max(rect.top,accRect.top),accRect.right=min(rect.right,accRect.right),accRect.bottom=min(re
ct.bottom,accRect.bottom),accRect.left=max(rect.left,accRect.left),accRect},getClientRectFromClippingAn
cestor(element,firstClippingAncestor,strategy));return{width:clippingRect.right-
clippingRect.left,height:clippingRect.bottom-
clippingRect.top,x:clippingRect.left,y:clippingRect.top}}function getDimensions(element)
{const{width,height}=getCssDimensions(element);return{width,height}}function
getRectRelativeToOffsetParent(element,offsetParent,strategy){function setLeftRTLScrollbarOffset()
{offsets.x=getWindowScrollBarX(documentElement)}const
isOffsetParentAnElement=isHTMLElement(offsetParent),documentElement=getDocumentElement(offsetParent),is
Fixed="fixed"===strategy,rect=getBoundingClientRect(element,!0,isFixed,offsetParent);let scroll=
{scrollLeft:0,scrollTop:0};const
offsets=createCoords(0);if(isOffsetParentAnElement||!isOffsetParentAnElement&&!isFixed)if(("body"!==get
NodeName(offsetParent)||isOverflowElement(documentElement))&&
(scroll=getNodeScroll(offsetParent)),isOffsetParentAnElement){const
offsetRect=getBoundingClientRect(offsetParent,!0,isFixed,offsetParent);offsets.x=offsetRect.x+offsetPar
ent.clientLeft,offsets.y=offsetRect.y+offsetParent.clientTop}else
documentElement&&setLeftRTLScrollbarOffset();isFixed&&!isOffsetParentAnElement&&documentElement&&setLef
tRTLScrollbarOffset();const htmlOffset=!documentElement||isOffsetParentAnElement||isFixed?
createCoords(0):getHTMLOffset(documentElement,scroll),x=rect.left+scroll.scrollLeft-offsets.x-
htmlOffset.x,y=rect.top+scroll.scrollTop-offsets.y-
htmlOffset.y;return{x,y,width:rect.width,height:rect.height}}function isStaticPositioned(element)
{return"static"===getComputedStyle$1(element).position}function getTrueOffsetParent(element,polyfill)
{if(!isHTMLElement(element)||"fixed"===getComputedStyle$1(element).position)return
null;if(polyfill)return polyfill(element);let rawOffsetParent=element.offsetParent;return
getDocumentElement(element)===rawOffsetParent&&
(rawOffsetParent=rawOffsetParent.ownerDocument.body),rawOffsetParent}function
getOffsetParent(element,polyfill){const win=getWindow(element);if(isTopLayer(element))return
win;if(!isHTMLElement(element)){for(let
svgOffsetParent=getParentNode(element);svgOffsetParent&&!isLastTraversableNode(svgOffsetParent);)
{if(isElement(svgOffsetParent)&&isStaticPositioned(svgOffsetParent))return
svgOffsetParent;svgOffsetParent=getParentNode(svgOffsetParent)}return win}let
offsetParent=getTrueOffsetParent(element,polyfill);for(;offsetParent&&isTableElement(offsetParent)&&isS
taticPositioned(offsetParent);)offsetParent=getTrueOffsetParent(offsetParent,polyfill);return
offsetParent&&isLastTraversableNode(offsetParent)&&isStaticPositioned(offsetParent)&&!isContainingBlock
(offsetParent)?win:offsetParent||getContainingBlock(element)||win}const getElementRects=async
function(data){const
getOffsetParentFn=this.getOffsetParent||getOffsetParent,getDimensionsFn=this.getDimensions,floatingDime
nsions=await
getDimensionsFn(data.floating);return{reference:getRectRelativeToOffsetParent(data.reference,await
getOffsetParentFn(data.floating),data.strategy),floating:
{x:0,y:0,width:floatingDimensions.width,height:floatingDimensions.height}}};function isRTL(element)
{return"rtl"===getComputedStyle$1(element).direction}const platform=
{convertOffsetParentRelativeRectToViewportRelativeRect,getDocumentElement,getClippingRect,getOffsetPare
nt,getElementRects,getClientRects,getDimensions,getScale,isElement,isRTL};function rectsAreEqual(a,b)
{return a.x===b.x&&a.y===b.y&&a.width===b.width&&a.height===b.height}function
observeMove(element,onMove){function cleanup(){var _io;clearTimeout(timeoutId),null==
(_io=io)||_io.disconnect(),io=null}function refresh(skip,threshold){function handleObserve(entries)
{const ratio=entries[0].intersectionRatio;if(ratio!==threshold){if(!isFirstUpdate)return
refresh();ratio?refresh(!1,ratio):timeoutId=setTimeout(=>{refresh(!1,1e-
7)},1e3)}!===ratio||rectsAreEqual(elementRectForRootMargin,element.getBoundingClientRect())||refresh(),
isFirstUpdate=!1}void 0===skip&&(skip=!1),void 0===threshold&&(threshold=1),cleanup();const
elementRectForRootMargin=element.getBoundingClientRect(),
{left,top,width,height}=elementRectForRootMargin;if(skip||onMove(),!width||!height)return;const
insetTop=floor(top),insetRight=floor(root.clientWidth-
(left+width)),insetBottom=floor(root.clientHeight-(top+height)),insetLeft=floor(left),options=
{rootMargin:-insetTop+"px "+-insetRight+"px "+-insetBottom+"px "+-
insetLeft+"px",threshold:max(0,min(1,threshold))||1};let isFirstUpdate=!0;try{io=new
IntersectionObserver(handleObserve,{...options,root:root.ownerDocument})}catch(_e){io=new

```

```
IntersectionObserver(handleObserve,options)}io.observe(element)}let io=null,timeoutId;const
root=getDocumentElement(element);return refresh(!0),cleanup}function
autoUpdate(reference,floating,update,options){function frameLoop(){const
nextRefRect=getBoundingClientRect(reference);prevRefRect&&!rectsAreEqual(prevRefRect,nextRefRect)&&upda
te(),prevRefRect=nextRefRect,frameId=requestAnimationFrame(frameLoop)}void 0===options&&(options=
{});const{ancestorScroll=!0,ancestorResize=!0,elementResize="function"===typeof
ResizeObserver,layoutShift="function"===typeof
IntersectionObserver,animationFrame=!1}=options,referenceEl=unwrapElement(reference),ancestors=ancestor
Scroll||ancestorResize?[... (referenceEl?getOverflowAncestors(referenceEl):
[]),...getOverflowAncestors(floating)]:[];ancestors.forEach(ancestor=>
{ancestorScroll&&ancestor.addEventListener("scroll",update,
{passive:!0}),ancestorResize&&ancestor.addEventListener("resize",update)});const
cleanupIo=referenceEl&&layoutShift?observeMove(referenceEl,update):null;let
reobserveFrame=-1,resizeObserver=null;elementResize&&(resizeObserver=new ResizeObserver(_ref=>
{let[firstEntry]=_ref;firstEntry&&firstEntry.target===referenceEl&&resizeObserver&&
(resizeObserver.unobserve(floating),cancelAnimationFrame(reobserveFrame),reobserveFrame=requestAnimatio
nFrame())=>{var _resizeObserver;null==
(_resizeObserver=resizeObserver)||_resizeObserver.observe(floating)})),update()}),referenceEl&&!animati
onFrame&&resizeObserver.observe(referenceEl),resizeObserver.observe(floating));let
prevRefRect=animationFrame?getBoundingClientRect(reference):null,frameId;return
animationFrame&&frameLoop(),update(),()=>{var _resizeObserver2;ancestors.forEach(ancestor=>
{ancestorScroll&&ancestor.removeEventListener("scroll",update),ancestorResize&&ancestor.removeEventList
ener("resize",update)},null==cleanupIo||cleanupIo(),null==
(_resizeObserver2=resizeObserver)||_resizeObserver2.disconnect(),resizeObserver=null,animationFrame&&ca
ncelAnimationFrame(frameId)}}const
offset=offset$1,shift=shift$1,flip$1=flip$2,size=size$1,arrow=arrow$1,computePosition=
(reference,floating,options)=>{const cache=new Map,mergedOptions=
{platform,...options},platformWithCache={...mergedOptions.platform,_c:cache};return
computePosition$1(reference,floating,{...mergedOptions,platform:platformWithCache});function
offsetParent(element){return offsetParentPolyfill(element)}function flatTreeParent(element){return
element.assignedSlot?element.assignedSlot:element.parentNode instanceof ShadowRoot?
element.parentNode.host:element.parentNode}function offsetParentPolyfill(element){for(let
ancestor=element;ancestor;ancestor=flatTreeParent(ancestor))if(ancestor instanceof
Element&&"none"===getComputedStyle(ancestor).display)return null;for(let
ancestor=flatTreeParent(element);ancestor;ancestor=flatTreeParent(ancestor)){if(!(ancestor instanceof
Element))continue;const style=getComputedStyle(ancestor);if("contents"!==style.display)
{if("static"!==style.position||isContainingBlock(style))return
ancestor;if("BODY"===ancestor.tagName)return ancestor}}return null}function isVirtualElement(e){return
null!==(e&&"object"===typeof e&&"getBoundingClientRect"in e&&!("contextElement"in e)||e.contextElement
instanceof Element)}var SlPopup=class extends ShoelaceElement{constructor()
{super(...arguments),this.localize=new
LocalizeController(this),this.active=!1,this.placement="top",this.strategy="absolute",this.distance=0,t
his.skidding=0,this.arrow=!1,this.arrowPlacement="anchor",this.arrowPadding=10,this.flip=!1,this.flipFa
llbackPlacements="",this.flipFallbackStrategy="best-
fit",this.flipPadding=0,this.shift=!1,this.shiftPadding=0,this.autoSizePadding=0,this.hoverBridge=!1,th
is.updateHoverBridge=()=>{if(this.hoverBridge&&this.anchorEl){const
anchorRect=this.anchorEl.getBoundingClientRect(),popupRect=this.popup.getBoundingClientRect(),isVertica
l=this.placement.includes("top")||this.placement.includes("bottom");let
topLeftX=0,topLeftY=0,topRightX=0,topRightY=0,bottomLeftX=0,bottomLeftY=0,bottomRightX=0,bottomRightY=0
;isVertical?anchorRect.top<popupRect.top?
(topLeftX=anchorRect.left,topLeftY=anchorRect.bottom,topRightX=anchorRect.right,topRightY=anchorRect.bo
ttom,bottomLeftX=popupRect.left,bottomLeftY=popupRect.top,bottomRightX=popupRect.right,bottomRightY=pop
upRect.top):
(topLeftX=popupRect.left,topLeftY=popupRect.bottom,topRightX=popupRect.right,topRightY=popupRect.bottom
,bottomLeftX=anchorRect.left,bottomLeftY=anchorRect.top,bottomRightX=anchorRect.right,bottomRightY=anch
orRect.top):anchorRect.left<popupRect.left?
(topLeftX=anchorRect.right,topLeftY=anchorRect.top,topRightX=popupRect.left,topRightY=popupRect.top,bot
tomLeftX=anchorRect.right,bottomLeftY=anchorRect.bottom,bottomRightX=popupRect.left,bottomRightY=popupR
ect.bottom):
(topLeftX=popupRect.right,topLeftY=popupRect.top,topRightX=anchorRect.left,topRightY=anchorRect.top,bot
tomLeftX=popupRect.right,bottomLeftY=popupRect.bottom,bottomRightX=anchorRect.left,bottomRightY=anchorR
ect.bottom),this.style.setProperty("--hover-bridge-top-left-
x",`${topLeftX}px`),this.style.setProperty("--hover-bridge-top-left-
y",`${topLeftY}px`),this.style.setProperty("--hover-bridge-top-right-
x",`${topRightX}px`),this.style.setProperty("--hover-bridge-top-right-
y",`${topRightY}px`),this.style.setProperty("--hover-bridge-bottom-left-
x",`${bottomLeftX}px`),this.style.setProperty("--hover-bridge-bottom-left-
y",`${bottomLeftY}px`),this.style.setProperty("--hover-bridge-bottom-right-
x",`${bottomRightX}px`),this.style.setProperty("--hover-bridge-bottom-right-
y",`${bottomRightY}px`)}}async connectedCallback(){super.connectedCallback(),await
this.updateComplete,this.start()}disconnectedCallback(){super.disconnectedCallback(),this.stop()}async
updated(changedProps){super.updated(changedProps),changedProps.has("active")&&(this.active?
this.start():this.stop()),changedProps.has("anchor")&&this.handleAnchorChange(),this.active&&(await
this.updateComplete,this.reposition())}async handleAnchorChange(){if(await
this.stop(),this.anchor&&"string"===typeof this.anchor){const
root=this.getRootNode();this.anchorEl=root.getElementById(this.anchor)}else this.anchorEl=this.anchor
instanceof Element||isVirtualElement(this.anchor)?this.anchor:this.querySelector("[slot=\"anchor\"]");this.anchorEl instanceof HTMLSlotElement&&
(this.anchorEl=this.anchorEl.assignedElements({flatten:!0})
[0]),this.anchorEl&&this.active&&this.start()}start(){this.anchorEl&&this.active&&
(this.cleanup=autoUpdate(this.anchorEl,this.popup,()=>{this.reposition()}))}async stop(){return new
Promise(resolve=>{this.cleanup?(this.cleanup(),this.cleanup=void 0,this.removeAttribute("data-current-
placement"),this.style.removeProperty("--auto-size-available-width"),this.style.removeProperty("--auto-
size-available-height"),requestAnimationFrame(()=>resolve())):resolve()}})reposition()
{if(this.active&&this.anchorEl){const middleware=
[offset({mainAxis:this.distance,crossAxis:this.skidding})];this.sync?middleware.push(size({apply:
```

```
{rects})=>{const
syncWidth="width"===this.sync||"both"===this.sync,syncHeight="height"===this.sync||"both"===this.sync;t
his.popup.style.width=syncWidth?`${rects.reference.width}px`:"",this.popup.style.height=syncHeight?
`${rects.reference.height}px`:"")}:
(this.popup.style.width="",this.popup.style.height=""),this.flip&&middleware.push(flip$1({boundary:this
.flipBoundary,fallbackPlacements:this.flipFallbackPlacements,fallbackStrategy:"best-
fit"===this.flipFallbackStrategy?"bestFit":"initialPlacement",padding:this.flipPadding})),this.shift&&m
iddleware.push(shift({boundary:this.shiftBoundary,padding:this.shiftPadding})),this.autoSize?
middleware.push(size({boundary:this.autoSizeBoundary,padding:this.autoSizePadding,apply:
({availableWidth,availableHeight})=>{"vertical"===this.autoSize||"both"===this.autoSize?
this.style.setProperty("--auto-size-available-
height",`${availableHeight}px`):this.style.removeProperty("--auto-size-available-
height"),"horizontal"===this.autoSize||"both"===this.autoSize?this.style.setProperty("--auto-size-
available-width",`${availableWidth}px`):this.style.removeProperty("--auto-size-available-width")})):
(this.style.removeProperty("--auto-size-available-width"),this.style.removeProperty("--auto-size-
available-
height")),this.arrow&&middleware.push(arrow({element:this.arrowEl,padding:this.arrowPadding}));const
getOffsetParent="absolute"===this.strategy?
element=>platform.getOffsetParent(element,offsetParent):platform.getOffsetParent;computePosition(this.a
nchorEl,this.popup,
{placement:this.placement,middleware,strategy:this.strategy,platform:__spreadProps(__spreadValues({},pl
atform),{getOffsetParent}})).then(({x,y,middlewareData,placement})=>{const
isRtl="rtl"===this.localize.dir(),staticSide={top:"bottom",right:"left",bottom:"top",left:"right"}
[placement.split("-")[0]];if(this.setAttribute("data-current-
placement",placement),Object.assign(this.popup.style,{left:`${x}px`,top:`${y}px`}),this.arrow){const
arrowX=middlewareData.arrow.x,arrowY=middlewareData.arrow.y;let
top="",right="",bottom="",left="";if("start"===this.arrowPlacement){const value="number"===typeof
arrowX?`calc(${this.arrowPadding}px - var(--arrow-padding-offset))`:"";top="number"===typeof arrowY?
`calc(${this.arrowPadding}px - var(--arrow-padding-offset))`:"",right=isRtl?
value:"",left=isRtl?"":value}else if("end"===this.arrowPlacement){const value="number"===typeof arrowX?
`calc(${this.arrowPadding}px - var(--arrow-padding-offset))`:"";right=isRtl?"":value,left=isRtl?
value:"",bottom="number"===typeof arrowY?`calc(${this.arrowPadding}px - var(--arrow-padding-
offset))`:""}else"center"===this.arrowPlacement?(left="number"===typeof arrowX?`calc(50% - var(--arrow-
size-diagonal))`:"",top="number"===typeof arrowY?`calc(50% - var(--arrow-size-diagonal))`:""):
(left="number"===typeof arrowX?`${arrowX}px`:"",top="number"===typeof arrowY?
`${arrowY}px`:"");Object.assign(this.arrowEl.style,{top,right,bottom,left,[staticSide]:`calc(var(--
arrow-size-diagonal) * -1)`}})),requestAnimationFrame(()=>this.updateHoverBridge()),this.emit("sl-
reposition")}}render(){return x$1`
  <slot name="anchor" @slotchange=${this.handleAnchorChange}></slot>

  <span
    part="hover-bridge"
    class=${e$2({"popup-hover-bridge":!0,"popup-hover-bridge--
visible":this.hoverBridge&&this.active})}
  ></span>

  <div
    part="popup"
    class=${e$2({"popup:!0","popup--active":this.active,"popup--
fixed":this.fixed===this.strategy,"popup--has-arrow":this.arrow})}
  >
    <slot></slot>
    ${this.arrow?x$1`<div part="arrow" class="popup__arrow" role="presentation"></div>`:""}
  </div>
`}};SlPopup.styles=
[component_styles_default,popup_styles_default],__decorateClass([e$6(".popup")],SlPopup.prototype,"popu
p",2),__decorateClass([e$6(".popup__arrow")],SlPopup.prototype,"arrowEl",2),__decorateClass([n$5()],SlP
opup.prototype,"anchor",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlPopup.prototype,"active",
2),__decorateClass([n$5({reflect:!0})],SlPopup.prototype,"placement",2),__decorateClass([n$5({reflect:!
0})],SlPopup.prototype,"strategy",2),__decorateClass([n$5({type:Number})],SlPopup.prototype,"distance",
2),__decorateClass([n$5({type:Number})],SlPopup.prototype,"skidding",2),__decorateClass([n$5({type:Bool
ean})],SlPopup.prototype,"arrow",2),__decorateClass([n$5({attribute:"arrow-
placement"})],SlPopup.prototype,"arrowPlacement",2),__decorateClass([n$5({attribute:"arrow-
padding",type:Number})],SlPopup.prototype,"arrowPadding",2),__decorateClass([n$5({type:Boolean})],SlPop
up.prototype,"flip",2),__decorateClass([n$5({attribute:"flip-fallback-placements",converter:
{fromAttribute:value=>value.split("
").map(p=>p.trim()).filter(p=>p!="!")==p),toAttribute:value=>value.join("
")}]}],SlPopup.prototype,"flipFallbackPlacements",2),__decorateClass([n$5({attribute:"flip-fallback-
strategy"})],SlPopup.prototype,"flipFallbackStrategy",2),__decorateClass([n$5({type:Object})],SlPopup.p
rototype,"flipBoundary",2),__decorateClass([n$5({attribute:"flip-
padding",type:Number})],SlPopup.prototype,"flipPadding",2),__decorateClass([n$5({type:Boolean})],SlPopu
p.prototype,"shift",2),__decorateClass([n$5({type:Object})],SlPopup.prototype,"shiftBoundary",2),__deco
rateClass([n$5({attribute:"shift-
padding",type:Number})],SlPopup.prototype,"shiftPadding",2),__decorateClass([n$5({attribute:"auto-
size"})],SlPopup.prototype,"autoSize",2),__decorateClass([n$5()],SlPopup.prototype,"sync",2),__decorate
Class([n$5({type:Object})],SlPopup.prototype,"autoSizeBoundary",2),__decorateClass([n$5({attribute:"aut
o-size-
padding",type:Number})],SlPopup.prototype,"autoSizePadding",2),__decorateClass([n$5({attribute:"hover-
bridge",type:Boolean})],SlPopup.prototype,"hoverBridge",2);var SlDropdown=class extends
ShoelaceElement{constructor(){super(...arguments),this.localize=new
LocalizeController(this),this.open=!1,this.placement="bottom-
start",this.disabled=!1,this.stayOpenOnSelect=!1,this.distance=0,this.skidding=0,this.hoist=!1,this.syn
c=void 0,this.handleKeyDown=event=>{this.open&&"Escape"===event.key&&
(event.stopPropagation(),this.hide(),this.focusOnTrigger())},this.handleDocumentKeyDown=event=>{var
_a;if("Escape"===event.key&&this.open&&!this.closeWatcher)return
event.stopPropagation(),this.focusOnTrigger(),void this.hide();if("Tab"===event.key){if(this.open&&"sl-
```

```
menu-item"===(_a=document.activeElement)?void 0:_a.tagName.toLowerCase()))return
event.preventDefault(),this.hide(),void this.focusOnTrigger();const computeClosestContaining=
(element,tagName)=>{if(!element)return null;const closest=element.closest(tagName);if(closest)return
closest;const rootNode=element.getRootNode();return rootNode instanceof ShadowRoot?
computeClosestContaining(rootNode.host,tagName):null};setTimeout(=>{var _a2;const activeElement=
(null==(_a2=this.containingElement)?void 0:_a2.getRootNode()))instanceof ShadowRoot?
getDeepestActiveElement():document.activeElement;this.containingElement&&computeClosestContaining(activ
eElement,this.containingElement.tagName.toLowerCase())===this.containingElement||this.hide()}}},this.h
andleDocumentMouseDown=event=>{const
path=event.composedPath();this.containingElement&&!path.includes(this.containingElement)&&this.hide(),
this.handlePanelSelect=event=>{const target=event.target;this.stayOpenOnSelect||"sl-
menu"!==target.tagName.toLowerCase()||(this.hide(),this.focusOnTrigger())}}connectedCallback()
{super.connectedCallback(),this.containingElement||(this.containingElement=this)}firstUpdated()
{this.panel.hidden=!this.open,this.open&&
(this.addOpenListeners(),this.popup.active=!0)}disconnectedCallback()
{super.disconnectedCallback(),this.removeOpenListeners(),this.hide()}focusOnTrigger(){const
trigger=this.trigger.assignedElements({flatten:!0})[0];"function"===typeof(null==trigger?void
0:trigger.focus)&&trigger.focus()}getMenu(){return
this.panel.assignedElements({flatten:!0}).find(el=>"sl-
menu"===el.tagName.toLowerCase())}handleTriggerClick(){this.open?this.hide():
(this.show(),this.focusOnTrigger())}async handleTriggerKeyDown(event){if(["
","Enter"].includes(event.key))return event.preventDefault(),void this.handleTriggerClick();const
menu=this.getMenu();if(menu){const
menuItems=menu.getAllItems(),firstMenuItem=menuItems[0],lastMenuItem=menuItems[menuItems.length-1];
["ArrowDown","ArrowUp","Home","End"].includes(event.key)&&(event.preventDefault(),!this.open&&
(this.show(),await this.updateComplete),0<menuItems.length&&this.updateComplete.then(=>
{("ArrowDown"===event.key||"Home"===event.key)&&
(menu.setCurrentItem(firstMenuItem),firstMenuItem.focus()),("ArrowUp"===event.key||"End"===event.key)&&
(menu.setCurrentItem(lastMenuItem),lastMenuItem.focus())}))}}handleTriggerKeyUp(event){"
"===event.key&&event.preventDefault()}handleTriggerSlotChange()
{this.updateAccessibleTrigger()}updateAccessibleTrigger(){const
assignedElements=this.trigger.assignedElements({flatten:!0}),accessibleTrigger=assignedElements.find(el
=>getTabbableBoundary(el).start);let target;if(accessibleTrigger)
{switch(accessibleTrigger.tagName.toLowerCase()){case"sl-button":case"sl-icon-
button":target=accessibleTrigger.button;break;default:target=accessibleTrigger}target.setAttribute("ari
a-haspopup","true"),target.setAttribute("aria-expanded",this.open?"true":"false")}}async show()
{if(!this.open)return this.open=!0,waitForEvent(this,"sl-after-show")}async hide(){if(this.open)return
this.open=!1,waitForEvent(this,"sl-after-hide")}reposition(){this.popup.reposition()}addOpenListeners()
{var _a;this.panel.addEventListener("sl-select",this.handlePanelSelect),"CloseWatcher"in window?(null==
(_a=this.closeWatcher)?void 0:_a.destroy()),this.closeWatcher=new
CloseWatcher,this.closeWatcher.onclose=())=>
{this.hide(),this.focusOnTrigger()}:this.panel.addEventListener("keydown",this.handleKeyDown),document
.addEventListener("keydown",this.handleDocumentKeyDown),document.addEventListener("mousedown",this.hand
leDocumentMouseDown)}removeOpenListeners(){var _a;this.panel&&(this.panel.removeEventListener("sl-
select",this.handlePanelSelect),this.panel.removeEventListener("keydown",this.handleKeyDown),document.
removeEventListener("keydown",this.handleDocumentKeyDown),document.removeEventListener("mousedown",this
.handleDocumentMouseDown),null==(_a=this.closeWatcher)?void 0:_a.destroy())}async handleOpenChange()
{if(this.disabled)return void(this.open=!1);if(this.updateAccessibleTrigger(),this.open){this.emit("sl-
show"),this.addOpenListeners(),await
stopAnimations(this),this.panel.hidden=!1,this.popup.active=!0;const{keyframes,options}=getAnimation(th
is,"dropdown.show",{dir:this.localize.dir()});await
animateTo(this.popup.popup,keyframes,options),this.emit("sl-after-show")}else{this.emit("sl-
hide"),this.removeOpenListeners(),await
stopAnimations(this);const{keyframes,options}=getAnimation(this,"dropdown.hide",
{dir:this.localize.dir()});await
animateTo(this.popup.popup,keyframes,options),this.panel.hidden=!0,this.popup.active=!1,this.emit("sl-
after-hide")}}render(){return x$1`
  <sl-popup
    part="base"
    exportparts="popup:base__popup"
    id="dropdown"
    placement=${this.placement}
    distance=${this.distance}
    skidding=${this.skidding}
    strategy=${this.hoist?"fixed":"absolute"}
    flip
    shift
    auto-size="vertical"
    auto-size-padding="10"
    sync=${o$6(this.sync?this.sync:void 0)}
    class=${e$2({dropdown:!0,"dropdown--open":this.open})}
  >
    <slot
      name="trigger"
      slot="anchor"
      part="trigger"
      class="dropdown__trigger"
      @click=${this.handleTriggerClick}
      @keydown=${this.handleTriggerKeyDown}
      @keyup=${this.handleTriggerKeyUp}
      @slotchange=${this.handleTriggerSlotChange}
    ></slot>

    <div aria-hidden=${this.open?"false":"true"} aria-labelledby="dropdown">
      <slot part="panel" class="dropdown__panel"></slot>
    </div>
```



```

    </sl-popup>
  `}};SlDropdown.styles=[component_styles_default,dropdown_styles_default],SlDropdown.dependencies=
{"sl-
popup":SlPopup},__decorateClass([e$6(".dropdown")],SlDropdown.prototype,"popup",2),__decorateClass([e$6
(".dropdown__trigger")],SlDropdown.prototype,"trigger",2),__decorateClass([e$6(".dropdown__panel")],SlD
ropdown.prototype,"panel",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlDropdown.prototype,"ope
n",2),__decorateClass([n$5({reflect:!0})],SlDropdown.prototype,"placement",2),__decorateClass([n$5({typ
e:Boolean,reflect:!0})],SlDropdown.prototype,"disabled",2),__decorateClass([n$5({attribute:"stay-open-
on-
select",type:Boolean,reflect:!0})],SlDropdown.prototype,"stayOpenOnSelect",2),__decorateClass([n$5({att
ribute:!1})],SlDropdown.prototype,"containingElement",2),__decorateClass([n$5({type:Number})],SlDropdw
n.prototype,"distance",2),__decorateClass([n$5({type:Number})],SlDropdown.prototype,"skidding",2),__dec
orateClass([n$5({type:Boolean})],SlDropdown.prototype,"hoist",2),__decorateClass([n$5({reflect:!0})],Sl
Dropdown.prototype,"sync",2),__decorateClass([watch("open",
{waitUntilFirstUpdate:!0})],SlDropdown.prototype,"handleOpenChange",1),setDefaultAnimation("dropdown.sh
ow",{keyframes:[{opacity:0,scale:.9},{opacity:1,scale:1}],options:
{duration:100,easing:"ease"}}),setDefaultAnimation("dropdown.hide",{keyframes:[{opacity:1,scale:1},
{opacity:0,scale:.9}],options:{duration:100,easing:"ease"}});var
dropdown_default=SlDropdown;SlDropdown.define("sl-dropdown"),SlIcon.define("sl-
icon"),SlIconButton.define("sl-icon-button");var input_styles_default=i$7`
:host {
  display: block;

.input {
  flex: 1 1 auto;
  display: inline-flex;
  align-items: stretch;
  justify-content: start;
  position: relative;
  width: 100%;
  font-family: var(--sl-input-font-family);
  font-weight: var(--sl-input-font-weight);
  letter-spacing: var(--sl-input-letter-spacing);
  vertical-align: middle;
  overflow: hidden;
  cursor: text;
  transition:
    var(--sl-transition-fast) color,
    var(--sl-transition-fast) border,
    var(--sl-transition-fast) box-shadow,
    var(--sl-transition-fast) background-color;
}

/* Standard inputs */
.input--standard {
  background-color: var(--sl-input-background-color);
  border: solid var(--sl-input-border-width) var(--sl-input-border-color);
}

.input--standard:hover:not(.input--disabled) {
  background-color: var(--sl-input-background-color-hover);
  border-color: var(--sl-input-border-color-hover);
}

.input--standard.input--focused:not(.input--disabled) {
  background-color: var(--sl-input-background-color-focus);
  border-color: var(--sl-input-border-color-focus);
  box-shadow: 0 0 0 var(--sl-focus-ring-width) var(--sl-input-focus-ring-color);
}

.input--standard.input--focused:not(.input--disabled) .input__control {
  color: var(--sl-input-color-focus);
}

.input--standard.input--disabled {
  background-color: var(--sl-input-background-color-disabled);
  border-color: var(--sl-input-border-color-disabled);
  opacity: 0.5;
  cursor: not-allowed;
}

.input--standard.input--disabled .input__control {
  color: var(--sl-input-color-disabled);
}

.input--standard.input--disabled .input__control::placeholder {
  color: var(--sl-input-placeholder-color-disabled);
}

/* Filled inputs */
.input--filled {
  border: none;
  background-color: var(--sl-input-filled-background-color);
  color: var(--sl-input-color);
}

```



```
.input--filled:hover:not(.input--disabled) {
  background-color: var(--sl-input-filled-background-color-hover);
}

.input--filled.input--focused:not(.input--disabled) {
  background-color: var(--sl-input-filled-background-color-focus);
  outline: var(--sl-focus-ring);
  outline-offset: var(--sl-focus-ring-offset);
}

.input--filled.input--disabled {
  background-color: var(--sl-input-filled-background-color-disabled);
  opacity: 0.5;
  cursor: not-allowed;
}

.input__control {
  flex: 1 1 auto;
  font-family: inherit;
  font-size: inherit;
  font-weight: inherit;
  min-width: 0;
  height: 100%;
  color: var(--sl-input-color);
  border: none;
  background: inherit;
  box-shadow: none;
  padding: 0;
  margin: 0;
  cursor: inherit;
  -webkit-appearance: none;
}

.input__control::-webkit-search-decoration,
.input__control::-webkit-search-cancel-button,
.input__control::-webkit-search-results-button,
.input__control::-webkit-search-results-decoration {
  -webkit-appearance: none;
}

.input__control:-webkit-autofill,
.input__control:-webkit-autofill:hover,
.input__control:-webkit-autofill:focus,
.input__control:-webkit-autofill:active {
  box-shadow: 0 0 0 var(--sl-input-height-large) var(--sl-input-background-color-hover) inset
!important;
  -webkit-text-fill-color: var(--sl-color-primary-500);
  caret-color: var(--sl-input-color);
}

.input--filled .input__control:-webkit-autofill,
.input--filled .input__control:-webkit-autofill:hover,
.input--filled .input__control:-webkit-autofill:focus,
.input--filled .input__control:-webkit-autofill:active {
  box-shadow: 0 0 0 var(--sl-input-height-large) var(--sl-input-filled-background-color) inset
!important;
}

.input__control::placeholder {
  color: var(--sl-input-placeholder-color);
  user-select: none;
  -webkit-user-select: none;
}

.input:hover:not(.input--disabled) .input__control {
  color: var(--sl-input-color-hover);
}

.input__control:focus {
  outline: none;
}

.input__prefix,
.input__suffix {
  display: inline-flex;
  flex: 0 0 auto;
  align-items: center;
  cursor: default;
}

.input__prefix ::slotted(sl-icon),
.input__suffix ::slotted(sl-icon) {
  color: var(--sl-input-icon-color);
}
```

```
/*
 * Size modifiers
 */

.input--small {
  border-radius: var(--sl-input-border-radius-small);
  font-size: var(--sl-input-font-size-small);
  height: var(--sl-input-height-small);
}

.input--small .input__control {
  height: calc(var(--sl-input-height-small) - var(--sl-input-border-width) * 2);
  padding: 0 var(--sl-input-spacing-small);
}

.input--small .input__clear,
.input--small .input__password-toggle {
  width: calc(1em + var(--sl-input-spacing-small) * 2);
}

.input--small .input__prefix ::slotted(*) {
  margin-inline-start: var(--sl-input-spacing-small);
}

.input--small .input__suffix ::slotted(*) {
  margin-inline-end: var(--sl-input-spacing-small);
}

.input--medium {
  border-radius: var(--sl-input-border-radius-medium);
  font-size: var(--sl-input-font-size-medium);
  height: var(--sl-input-height-medium);
}

.input--medium .input__control {
  height: calc(var(--sl-input-height-medium) - var(--sl-input-border-width) * 2);
  padding: 0 var(--sl-input-spacing-medium);
}

.input--medium .input__clear,
.input--medium .input__password-toggle {
  width: calc(1em + var(--sl-input-spacing-medium) * 2);
}

.input--medium .input__prefix ::slotted(*) {
  margin-inline-start: var(--sl-input-spacing-medium);
}

.input--medium .input__suffix ::slotted(*) {
  margin-inline-end: var(--sl-input-spacing-medium);
}

.input--large {
  border-radius: var(--sl-input-border-radius-large);
  font-size: var(--sl-input-font-size-large);
  height: var(--sl-input-height-large);
}

.input--large .input__control {
  height: calc(var(--sl-input-height-large) - var(--sl-input-border-width) * 2);
  padding: 0 var(--sl-input-spacing-large);
}

.input--large .input__clear,
.input--large .input__password-toggle {
  width: calc(1em + var(--sl-input-spacing-large) * 2);
}

.input--large .input__prefix ::slotted(*) {
  margin-inline-start: var(--sl-input-spacing-large);
}

.input--large .input__suffix ::slotted(*) {
  margin-inline-end: var(--sl-input-spacing-large);
}

/*
 * Pill modifier
 */

.input--pill.input--small {
  border-radius: var(--sl-input-height-small);
}

.input--pill.input--medium {
  border-radius: var(--sl-input-height-medium);
}
```

```
}

.input--pill.input--large {
  border-radius: var(--sl-input-height-large);
}

/*
 * Clearable + Password Toggle
 */

.input__clear,
.input__password-toggle {
  display: inline-flex;
  align-items: center;
  justify-content: center;
  font-size: inherit;
  color: var(--sl-input-icon-color);
  border: none;
  background: none;
  padding: 0;
  transition: var(--sl-transition-fast) color;
  cursor: pointer;
}

.input__clear:hover,
.input__password-toggle:hover {
  color: var(--sl-input-icon-color-hover);
}

.input__clear:focus,
.input__password-toggle:focus {
  outline: none;
}

/* Don't show the browser's password toggle in Edge */
::-ms-reveal {
  display: none;
}

/* Hide the built-in number spinner */
.input--no-spin-buttons input[type='number']::-webkit-outer-spin-button,
.input--no-spin-buttons input[type='number']::-webkit-inner-spin-button {
  -webkit-appearance: none;
  display: none;
}

.input--no-spin-buttons input[type='number'] {
  -moz-appearance: textfield;
}

`,SlInput=class extends ShoelaceElement{constructor()
{super(...arguments),this.formControlController=new FormControlController(this,{assumeInteractionOn:["sl-blur","sl-input"]}),this.hasSlotController=new HasSlotController(this,"help-text","label"),this.localize=new LocalizeController(this),this.hasFocus=!1,this.title="",this.__numberInput=Object.assign(document.createElement("input"),{type:"number"}),this.__dateInput=Object.assign(document.createElement("input"),{type:"date"}),this.type="text",this.name="",this.value="",this.defaultValue="",this.size="medium",this.filled=!1,this.pill=!1,this.label="",this.helpText="",this.clearable=!1,this.disabled=!1,this.placeholder="",this.readonly=!1,this.passwordToggle=!1,this.passwordVisible=!1,this.noSpinButtons=!1,this.form="",this.required=!1,this.spellcheck=!0}get valueAsDate(){var _a;return this.__dateInput.type=this.type,this.__dateInput.value=this.value,(null==( _a=this.input)?void 0:_a.valueAsDate)||this.__dateInput.valueAsDate}set valueAsDate(newValue){this.__dateInput.type=this.type,this.__dateInput.valueAsDate=newValue,this.value=this.__dateInput.value}get valueAsNumber(){var _a;return this.__numberInput.value=this.value,(null==( _a=this.input)?void 0:_a.valueAsNumber)||this.__numberInput.valueAsNumber}set valueAsNumber(newValue){this.__numberInput.valueAsNumber=newValue,this.value=this.__numberInput.value}get validity(){return this.input.validity}get validationMessage(){return this.input.validationMessage}firstUpdated(){this.formControlController.updateValidity()}handleBlur(){this.hasFocus=!1,this.emit("sl-blur")}handleChange(){this.value=this.input.value,this.emit("sl-change")}handleClearClick(event){event.preventDefault(),""!==this.value&&(this.value="",this.emit("sl-clear"),this.emit("sl-input"),this.emit("sl-change")),this.input.focus()}handleFocus(){this.hasFocus=!0,this.emit("sl-focus")}handleInput(){this.value=this.input.value,this.formControlController.updateValidity(),this.emit("sl-input")}handleInvalid(event){this.formControlController.setValidity(!1),this.formControlController.emitInvalidEvent(event)}handleKeyDown(event){const hasModifier=event.metaKey||event.ctrlKey||event.shiftKey||event.altKey;"Enter"!==event.key||hasModifier||setTimeout(()=>{event.defaultPrevented||event.isComposing||this.formControlController.submit()})}handlePasswordToggle(){this.passwordVisible=!this.passwordVisible}handleDisabledChange(){this.formControlController.setValidity(this.disabled)}handleStepChange(){this.input.step=this.step+"" ,this.formControlController.updateValidity()}async handleValueChange(){await this.updateComplete,this.formControlController.updateValidity()}focus(options){this.input.focus(options)}blur(){this.input.blur()}select(){this.input.select()}setSelectionRange(selectionStart,selectionEnd,selectionDirection="none"){this.input.setSelectionRange(selectionStart,selectionEnd,selectionDirection)}setRangeText(replacement,start,end,selectMode="preserve"){const selectionStart=null==start?
```

```
this.input.selectionStart:start,selectionEnd=null==end?
this.input.selectionEnd:end;this.input.setRangeText(replacement,selectionStart,selectionEnd,selectMode)
,this.value!==this.input.value&&(this.value=this.input.value)}showPicker(){ "showPicker"in
HTMLInputElement.prototype&&this.input.showPicker()}stepUp()
{this.input.stepUp(),this.value!==this.input.value&&(this.value=this.input.value)}stepDown()
{this.input.stepDown(),this.value!==this.input.value&&(this.value=this.input.value)}checkValidity()
{return this.input.checkValidity()}getForm(){return
this.formControlController.getForm()}reportValidity(){return
this.input.reportValidity()}setCustomValidity(message)
{this.input.setCustomValidity(message),this.formControlController.updateValidity()}render(){const
hasLabelSlot=this.hasSlotController.test("label"),hasHelpTextSlot=this.hasSlotController.test("help-
text"),hasLabel=!!this.label||!!hasLabelSlot,hasHelpText=!!this.helpText||!!hasHelpTextSlot,hasClearIco
n=this.clearable&&!this.disabled&&!this.readonly,isClearIconVisible=hasClearIcon&&("number"==typeof
this.value||0<this.value.length);return x$1`
  <div
    part="form-control"
    class=${e$2({"form-control":!0,"form-control--small":"small"===this.size,"form-control--
medium":"medium"===this.size,"form-control--large":"large"===this.size,"form-control--has-
label":hasLabel,"form-control--has-help-text":hasHelpText})}
  >
    <label
      part="form-control-label"
      class="form-control__label"
      for="input"
      aria-hidden=${hasLabel?"false":"true"}
    >
      <slot name="label">${this.label}</slot>
    </label>

    <div part="form-control-input" class="form-control-input">
      <div
        part="base"
        class=${e$2({input:!0,"input--small":"small"===this.size,"input--
medium":"medium"===this.size,"input--large":"large"===this.size,"input--pill":this.pill,"input--
standard":!this.filled,"input--filled":this.filled,"input--disabled":this.disabled,"input--
focused":this.hasFocus,"input--empty":!this.value,"input--no-spin-buttons":this.noSpinButtons})}
      >
        <span part="prefix" class="input__prefix">
          <slot name="prefix"></slot>
        </span>

        <input
          part="input"
          id="input"
          class="input__control"
          type=${{"password"===this.type&&this.passwordVisible?"text":this.type}}
          title=${this.title}
          name=${o$6(this.name)}
          ?disabled=${this.disabled}
          ?readonly=${this.readonly}
          ?required=${this.required}
          placeholder=${o$6(this.placeholder)}
          minlength=${o$6(this.minlength)}
          maxlength=${o$6(this.maxlength)}
          min=${o$6(this.min)}
          max=${o$6(this.max)}
          step=${o$6(this.step)}
          .value=${l(this.value)}
          autocapitalize=${o$6(this.autocapitalize)}
          autocomplete=${o$6(this.autocomplete)}
          autocorrect=${o$6(this.autocorrect)}
          ?autofocus=${this.autofocus}
          spellcheck=${this.spellcheck}
          pattern=${o$6(this.pattern)}
          enterkeyhint=${o$6(this.enterkeyhint)}
          inputmode=${o$6(this.inputmode)}
          aria-describedby="help-text"
          @change=${this.handleChange}
          @input=${this.handleInput}
          @invalid=${this.handleInvalid}
          @keydown=${this.handleKeyDown}
          @focus=${this.handleFocus}
          @blur=${this.handleBlur}
        />

        ${isClearIconVisible?x$1`
          <button
            part="clear-button"
            class="input__clear"
            type="button"
            aria-label=${this.localize.term("clearEntry")}
            @click=${this.handleClearClick}
            tabindex="-1"
          >
            <slot name="clear-icon">
              <sl-icon name="x-circle-fill" library="system"></sl-icon>
            </slot>
          </button>
        `}
```

```

    </slot>
  </button>
  `:""}
  ${this.passwordToggle&&!this.disabled?x$1`
    <button
      part="password-toggle-button"
      class="input__password-toggle"
      type="button"
      aria-
label=${this.localize.term(this.passwordVisible?"hidePassword":"showPassword")}
      @click=${this.handlePasswordToggle}
      tabindex="-1"
    >
      ${this.passwordVisible?x$1`
        <slot name="show-password-icon">
          <sl-icon name="eye-slash" library="system"></sl-icon>
        </slot>
        `:x$1`
          <slot name="hide-password-icon">
            <sl-icon name="eye" library="system"></sl-icon>
          </slot>
        `}
      </button>
    `:""}

    <span part="suffix" class="input__suffix">
      <slot name="suffix"></slot>
    </span>
  </div>
</div>

<div
  part="form-control-help-text"
  id="help-text"
  class="form-control__help-text"
  aria-hidden=${hasHelpText?"false":"true"}
>
  <slot name="help-text">${this.helpText}</slot>
</div>
</div>
`}};SlInput.styles=
[component_styles_default,form_control_styles_default,input_styles_default],SlInput.dependencies={"sl-
icon":SlIcon},__decorateClass([e$6(".input__control")],SlInput.prototype,"input",2),__decorateClass([r$
6()],SlInput.prototype,"hasFocus",2),__decorateClass([n$5()],SlInput.prototype,"title",2),__decorateCla
ss([n$5({reflect:!0})],SlInput.prototype,"type",2),__decorateClass([n$5()],SlInput.prototype,"name",2),
__decorateClass([n$5()],SlInput.prototype,"value",2),__decorateClass([defaultValue()],SlInput.prototype
,"defaultValue",2),__decorateClass([n$5({reflect:!0})],SlInput.prototype,"size",2),__decorateClass([n$5
({type:Boolean,reflect:!0})],SlInput.prototype,"filled",2),__decorateClass([n$5({type:Boolean,reflect:!
0})],SlInput.prototype,"pill",2),__decorateClass([n$5()],SlInput.prototype,"label",2),__decorateClass([
n$5({attribute:"help-
text"})],SlInput.prototype,"helpText",2),__decorateClass([n$5({type:Boolean})],SlInput.prototype,"clear
able",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlInput.prototype,"disabled",2),__decorateCla
ss([n$5()],SlInput.prototype,"placeholder",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlInput.
prototype,"readonly",2),__decorateClass([n$5({attribute:"password-
toggle",type:Boolean})],SlInput.prototype,"passwordToggle",2),__decorateClass([n$5({attribute:"password
-visible",type:Boolean})],SlInput.prototype,"passwordVisible",2),__decorateClass([n$5({attribute:"no-
spin-
buttons",type:Boolean})],SlInput.prototype,"noSpinButtons",2),__decorateClass([n$5({reflect:!0})],SlInp
ut.prototype,"form",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlInput.prototype,"required",2)
,__decorateClass([n$5()],SlInput.prototype,"pattern",2),__decorateClass([n$5({type:Number})],SlInput.pr
ototype,"minlength",2),__decorateClass([n$5({type:Number})],SlInput.prototype,"maxlength",2),__decorate
Class([n$5()],SlInput.prototype,"min",2),__decorateClass([n$5()],SlInput.prototype,"max",2),__decorateC
lass([n$5()],SlInput.prototype,"step",2),__decorateClass([n$5()],SlInput.prototype,"autocapitalize",2),
__decorateClass([n$5()],SlInput.prototype,"autocorrect",2),__decorateClass([n$5()],SlInput.prototype,"a
utocomplete",2),__decorateClass([n$5({type:Boolean})],SlInput.prototype,"autofocus",2),__decorateClass(
[n$5()],SlInput.prototype,"enterkeyhint",2),__decorateClass([n$5({type:Boolean,converter:
{fromAttribute:value=>!!
(value&&"false"!==value),toAttribute:value=>value?"true":"false"}})],SlInput.prototype,"spellcheck",2),
__decorateClass([n$5()],SlInput.prototype,"inputmode",2),__decorateClass([watch("disabled",
{waitUntilFirstUpdate:!0})],SlInput.prototype,"handleDisabledChange",1),__decorateClass([watch("step",
{waitUntilFirstUpdate:!0})],SlInput.prototype,"handleStepChange",1),__decorateClass([watch("value",
{waitUntilFirstUpdate:!0})],SlInput.prototype,"handleValueChange",1),SlInput.define("sl-input");var
menu_styles_default=i$7`
: host {
  display: block;
  position: relative;
  background: var(--sl-panel-background-color);
  border: solid var(--sl-panel-border-width) var(--sl-panel-border-color);
  border-radius: var(--sl-border-radius-medium);
  padding: var(--sl-spacing-x-small) 0;
  overflow: auto;
  overscroll-behavior: none;
}

::slotted(sl-divider) {
  --spacing: var(--sl-spacing-x-small);
```

```

    }
    `},SlMenu=class extends ShoelaceElement{connectedCallback()
    {super.connectedCallback(),this.setAttribute("role","menu")}handleClick(event){const menuItemTypes=
    ["menuItem","menuItemcheckbox"],composedPath=event.composedPath(),target=composedPath.find(el=>{var
    _a;return menuItemTypes.includes((null==( _a=null==el?void 0:el.getAttribute)?void
    0:_a.call(el,"role"))||""}));if(!target)return;const closestMenu=composedPath.find(el=>{var
    _a;return"menu"===(null==( _a=null==el?void 0:el.getAttribute)?void
    0:_a.call(el,"role"))}),clickHasSubmenu=closestMenu!==this;if(!clickHasSubmenu){const
    item=target;"checkbox"===item.type&&(item.checked=!item.checked),this.emit("sl-select",{detail:
    {item}})}handleKeyDown(event){if("Enter"===event.key||" "===event.key){const
    item=this.getCurrentItem();event.preventDefault(),event.stopPropagation(),null==item?void
    0:item.click()}else if(["ArrowDown","ArrowUp","Home","End"].includes(event.key)){const
    items=this.getAllItems(),activeItem=this.getCurrentItem();let index=activeItem?
    items.indexOf(activeItem):0;0<items.length&&
    (event.preventDefault(),event.stopPropagation(),"ArrowDown"===event.key?index++:"ArrowUp"===event.key?
    index--:"Home"===event.key?index=0:"End"===event.key&&(index=items.length-1),0>index&&
    (index=items.length-1),index>items.length-1&&
    (index=0),this.setCurrentItem(items[index]),items[index].focus())}handleMouseDown(event){const
    target=event.target;this.isMenuItem(target)&&this.setCurrentItem(target)}handleSlotChange(){const
    items=this.getAllItems();0<items.length&&this.setCurrentItem(items[0])}isMenuItem(item){var
    _a;return"sl-menu-item"===item.tagName.toLowerCase()||
    ["menuItem","menuItemcheckbox","menuItemradio"].includes(null==(
    _a=item.getAttribute("role"))?"":_a)}getAllItems()
    {return[...this.defaultSlot.assignedElements({flatten:!0})].filter(el=>!el.inert&&this.isMenuItem(el))}
    getCurrentItem(){return
    this.getAllItems().find(i=>"0"===i.getAttribute("tabindex"))}setCurrentItem(item){const
    items=this.getAllItems();items.forEach(i=>{i.setAttribute("tabindex",i===item?"0":"-1")})}render()
    {return x$1
      <slot
        @slotchange=${this.handleSlotChange}
        @click=${this.handleClick}
        @keydown=${this.handleKeyDown}
        @mousedown=${this.handleMouseDown}
      ></slot>
    `}};SlMenu.styles=
    [component_styles_default,menu_styles_default],__decorateClass([e$6("slot")],SlMenu.prototype,"defaultSlot",2),SlMenu.define("sl-menu");var menu_item_styles_default=i$7`
    :host {
      --submenu-offset: -2px;

      display: block;
    }

    :host([inert]) {
      display: none;
    }

    .menu-item {
      position: relative;
      display: flex;
      align-items: stretch;
      font-family: var(--sl-font-sans);
      font-size: var(--sl-font-size-medium);
      font-weight: var(--sl-font-weight-normal);
      line-height: var(--sl-line-height-normal);
      letter-spacing: var(--sl-letter-spacing-normal);
      color: var(--sl-color-neutral-700);
      padding: var(--sl-spacing-2x-small) var(--sl-spacing-2x-small);
      transition: var(--sl-transition-fast) fill;
      user-select: none;
      -webkit-user-select: none;
      white-space: nowrap;
      cursor: pointer;
    }

    .menu-item.menu-item--disabled {
      outline: none;
      opacity: 0.5;
      cursor: not-allowed;
    }

    .menu-item.menu-item--loading {
      outline: none;
      cursor: wait;
    }

    .menu-item.menu-item--loading *:not(sl-spinner) {
      opacity: 0.5;
    }

    .menu-item--loading sl-spinner {
      --indicator-color: currentColor;
      --track-width: 1px;
      position: absolute;
      font-size: 0.75em;
      top: calc(50% - 0.5em);

```

```
    left: 0.65rem;
    opacity: 1;
  }

.menu-item .menu-item__label {
  flex: 1 1 auto;
  display: inline-block;
  text-overflow: ellipsis;
  overflow: hidden;
}

.menu-item .menu-item__prefix {
  flex: 0 0 auto;
  display: flex;
  align-items: center;
}

.menu-item .menu-item__prefix::slotted(*) {
  margin-inline-end: var(--sl-spacing-x-small);
}

.menu-item .menu-item__suffix {
  flex: 0 0 auto;
  display: flex;
  align-items: center;
}

.menu-item .menu-item__suffix::slotted(*) {
  margin-inline-start: var(--sl-spacing-x-small);
}

/* Safe triangle */
.menu-item--submenu-expanded::after {
  content: '';
  position: fixed;
  z-index: calc(var(--sl-z-index-dropdown) - 1);
  top: 0;
  right: 0;
  bottom: 0;
  left: 0;
  clip-path: polygon(
    var(--safe-triangle-cursor-x, 0) var(--safe-triangle-cursor-y, 0),
    var(--safe-triangle-submenu-start-x, 0) var(--safe-triangle-submenu-start-y, 0),
    var(--safe-triangle-submenu-end-x, 0) var(--safe-triangle-submenu-end-y, 0)
  );
}

:host(:focus-visible) {
  outline: none;
}

:host(:hover:not([aria-disabled='true'], :focus-visible)) .menu-item,
.menu-item--submenu-expanded {
  background-color: var(--sl-color-neutral-100);
  color: var(--sl-color-neutral-1000);
}

:host(:focus-visible) .menu-item {
  outline: none;
  background-color: var(--sl-color-primary-600);
  color: var(--sl-color-neutral-0);
  opacity: 1;
}

.menu-item .menu-item__check,
.menu-item .menu-item__chevron {
  flex: 0 0 auto;
  display: flex;
  align-items: center;
  justify-content: center;
  width: 1.5em;
  visibility: hidden;
}

.menu-item--checked .menu-item__check,
.menu-item--has-submenu .menu-item__chevron {
  visibility: visible;
}

/* Add elevation and z-index to submenus */
sl-popup::part(popup) {
  box-shadow: var(--sl-shadow-large);
  z-index: var(--sl-z-index-dropdown);
  margin-left: var(--submenu-offset);
}
```

```

.menu-item--rtl sl-popup::part(popup) {
  margin-left: calc(-1 * var(--submenu-offset));
}

@media (forced-colors: active) {
  :host(:hover:not([aria-disabled='true'])) .menu-item,
  :host(:focus-visible) .menu-item {
    outline: dashed 1px SelectedItem;
    outline-offset: -1px;
  }
}

::slotted(sl-menu) {
  max-width: var(--auto-size-available-width) !important;
  max-height: var(--auto-size-available-height) !important;
}

`const s=(i,t)=>{const e=i._$AN;if(void 0===e)return!1;for(const i of e)i._$AO?.
(t,!1),s(i,t);return!0},o$5=i=>{let t,e;do{if(void 0===
(t=i._$AM))break;e=t._$AN,e.delete(i),i=t}while(0===e?.size)},r$2=i=>{for(let t,e;t=i._$AM;i=t)
{if(e=t._$AN,void 0===e)t._$AN=e=new Set;else if(e.has(i))break;e.add(i),c$1(t)};function h$2(i){void
0===this._$AN?this._$AM=i:(o$5(this),this._$AM=i,r$2(this))}function n$3(i,t=!1,e=0){const
r=this._$AH,h=this._$AN;if(void 0!==h&&0!==h.size)if(!t)s(this,i);else if(Array.isArray(r))for(let
i=e;i<r.length;i++)s(r[i],!1),o$5(r[i]);else null!=r&&(s(r,!1),o$5(r))}const c$1=i=>{i.type=t.CHILD&&
(i._$AP?n$3,i._$AO?h$2)};class f extends i$3{constructor(){super(...arguments),this._$AN=void
0}_$AT(i,t,e){super._$AT(i,t,e),r$2(this),this.isConnected=i._$AU}_$AO(i,t=!0){i!==this.isConnected&&
(this.isConnected=i,i?this.reconnected?().():this.disconnected?().():t&&(s(this,i),o$5(this)))}setValue(t)
{if(f$1(this._$Ct))this._$Ct._$AI(t,this);else{const i=
[...this._$Ct._$AH];i[this._$Ci]=t,this._$Ct._$AI(i,this,0)}}disconnected(){reconnected()}}const e$1=
()=>>new h$1;let h$1=class{};const o$4=new WeakMap,n$2=e$3(class extends f{render(){return E$1}update(i,
[s]){const e=s!==this.G;return e&&void 0!==this.G&&this.rt(void 0),(e||this.lt!==this.ct)&&
(this.G=s,this.ht=i.options?.host,this.rt(this.ct=i.element)),E$1}rt(t){if(this.isConnected||(t=void
0),"function"==typeof this.G){const i=this.ht??globalThis;let s=o$4.get(i);void 0===s&&(s=new
WeakMap,o$4.set(i,s)),void 0!==s.get(this.G)&&this.G.call(this.ht,void 0),s.set(this.G,t),void
0!==t&&this.G.call(this.ht,t)}else this.G.value=t}get lt(){return"function"==typeof this.G?
o$4.get(this.ht??globalThis)?.get(this.G):this.G?.value}disconnected(){this.lt===this.ct&&this.rt(void
0)}reconnected(){this.rt(this.ct)}};var SubmenuController=class{constructor(host,hasSlotController)
{this.popupRef=e$1(),this.enableSubmenuTimer=-1,this.isConnected=!1,this.isPopupConnected=!1,this.skidd
ing=0,this.submenuOpenDelay=100,this.handleMouseMove=event=>{this.host.style.setProperty("--safe-
triangle-cursor-x",`${event.clientX}px`),this.host.style.setProperty("--safe-triangle-cursor-
y",`${event.clientY}px`)},this.handleMouseOver=()=>>
{this.hasSlotController.test("submenu")&&this.enableSubmenu(),this.handleKeyDown=event=>
{switch(event.key)
{case"Escape":case"Tab":this.disableSubmenu();break;case"ArrowLeft":event.target!==this.host&&
(event.preventDefault(),event.stopPropagation(),this.host.focus(),this.disableSubmenu());break;case"Arr
owRight":case"Enter":case" ":this.handleSubmenuEntry(event)}},this.handleClick=event=>{var
_a;event.target===this.host?(event.preventDefault(),event.stopPropagation()):event.target instanceof
Element&&("sl-menu-item"===event.target.tagName||(null==(a=event.target.role)?void
0:_a.startsWith("menuitem")))&&this.disableSubmenu(),this.handleFocusOut=event=>
{event.relatedTarget&&event.relatedTarget instanceof
Element&&this.host.contains(event.relatedTarget)||this.disableSubmenu(),this.handlePopupMouseover=even
t=>{event.stopPropagation(),this.handlePopupReposition=()=>>{const
submenuSlot=this.host.renderRoot.querySelector("slot[name='submenu']"),menu=null===submenuSlot?void
0:submenuSlot.assignedElements({flatten:!0}).filter(el=>"sl-menu"===el.localName)
[0],isRtl="rtl"===getComputedStyle(this.host).direction;if(menu)
{const{left,top,width,height}=menu.getBoundingClientRect();this.host.style.setProperty("--safe-
triangle-submenu-start-x",`${isRtl?left+width:left}px`),this.host.style.setProperty("--safe-triangle-
submenu-start-y",`${top}px`),this.host.style.setProperty("--safe-triangle-submenu-end-x",`${isRtl?
left+width:left}px`),this.host.style.setProperty("--safe-triangle-submenu-end-y",`${top+height}px`)}},
(this.host=host).addController(this),this.hasSlotController=hasSlotController}hostConnected()
{this.hasSlotController.test("submenu")&&!this.host.disabled&&this.addListeners()}hostDisconnected()
{this.removeListeners()}hostUpdated(){this.hasSlotController.test("submenu")&&!this.host.disabled?
(this.addListeners(),this.updateSkidding()):this.removeListeners()}addListeners(){this.isConnected||
(this.host.addEventListeners("mousemove",this.handleMouseMove),this.host.addEventListeners("mouseover",th
is.handleMouseOver),this.host.addEventListeners("keydown",this.handleKeyDown),this.host.addEventListeners
("click",this.handleClick),this.host.addEventListeners("focusout",this.handleFocusOut),this.isConnected=
!0,!this.isPopupConnected&&this.popupRef.value&&
(this.popupRef.value.addEventListeners("mouseover",this.handlePopupMouseover),this.popupRef.value.addEve
ntListeners("sl-reposition",this.handlePopupReposition),this.isPopupConnected=!0)}removeListeners()
{this.isConnected&&
(this.host.removeEventListeners("mousemove",this.handleMouseMove),this.host.removeEventListeners("mouseov
er",this.handleMouseOver),this.host.removeEventListeners("keydown",this.handleKeyDown),this.host.removeE
ventListeners("click",this.handleClick),this.host.removeEventListeners("focusout",this.handleFocusOut),th
is.isConnected=!1),this.isPopupConnected&&this.popupRef.value&&
(this.popupRef.value.removeEventListeners("mouseover",this.handlePopupMouseover),this.popupRef.value.rem
oveEventListeners("sl-
reposition",this.handlePopupReposition),this.isPopupConnected=!1)}handleSubmenuEntry(event){const
submenuSlot=this.host.renderRoot.querySelector("slot[name='submenu']");if(!submenuSlot)return void
console.error("Cannot activate a submenu if no corresponding menuitem can be found.",this);let
menuItems=null;for(const elt of submenuSlot.assignedElements())if(menuItems=elt.querySelectorAll("sl-
menu-item, [role^='menuitem']"),0!==menuItems.length)break;if(menuItems&&0!==menuItems.length)
{menuItems[0].setAttribute("tabindex","0");for(let
i=1;i!==menuItems.length;++i)menuItems[i].setAttribute("tabindex",-1);this.popupRef.value&&
(event.preventDefault(),event.stopPropagation(),this.popupRef.value.active?menuItems[0]instanceof
HTMLElement&&menuItems[0].focus():this.enableSubmenu(!1),this.host.updateComplete.then(()=>
{menuItems[0]instanceof
HTMLElement&&menuItems[0].focus()}),this.host.requestUpdate()))}}setSubmenuState(state)

```



```
{this.popupRef.value&&this.popupRef.value.active!==state&&
(this.popupRef.value.active=state,this.host.requestUpdate())}enableSubmenu(delay=!0){delay?
(window.clearTimeout(this.enableSubmenuTimer),this.enableSubmenuTimer=window.setTimeout(=>
{this.setSubmenuState(!0)},this.submenuOpenDelay)):this.setSubmenuState(!0)}disableSubmenu()
{window.clearTimeout(this.enableSubmenuTimer),this.setSubmenuState(!1)}updateSkidding(){var
_a;if(null==(a=this.host.parentElement)||!_a.computedStyleMap)return;const
styleMap=this.host.parentElement.computedStyleMap(),skidding=["padding-top","border-top-width","margin-
top"].reduce((accumulator,attr)=>{var _a2;const styleValue=null==(a2=styleMap.get(attr))?new
CSSUnitValue(0,"px"):a2,unitValue=styleValue instanceof CSSUnitValue?styleValue:new
CSSUnitValue(0,"px"),pxValue=unitValue.to("px");return accumulator-
pxValue.value},0);this.skidding=skidding}isExpanded()
{return!!this.popupRef.value&&this.popupRef.value.active}renderSubmenu(){const
isRtl="rtl"===getComputedStyle(this.host).direction;return this.isConnected?x$1`
  <sl-popup
    ${n$2(this.popupRef)}
    placement=${isRtl?"left-start":"right-start"}
    anchor="anchor"
    flip
    flip-fallback-strategy="best-fit"
    skidding=${this.skidding}
    strategy="fixed"
    auto-size="vertical"
    auto-size-padding="10"
  >
    <slot name="submenu"></slot>
  </sl-popup>
` : x$1` <slot name="submenu" hidden></slot> `}},SlMenuItem=class extends
ShoelaceElement{constructor(){super(...arguments),this.localize=new
LocalizeController(this),this.type="normal",this.checked=!1,this.value="",this.loading=!1,this.disabled
=!1,this.hasSlotController=new HasSlotController(this,"submenu"),this.submenuController=new
SubmenuController(this,this.hasSlotController),this.handleHostClick=event=>{this.disabled&&
(event.preventDefault(),event.stopImmediatePropagation())},this.handleMouseOver=event=>
{this.focus(),event.stopPropagation()}}connectedCallback()
{super.connectedCallback(),this.addEventListener("click",this.handleHostClick),this.addEventListener("m
ouseover",this.handleMouseOver)}disconnectedCallback()
{super.disconnectedCallback(),this.removeEventListener("click",this.handleHostClick),this.removeEventLi
stener("mouseover",this.handleMouseOver)}handleDefaultSlotChange(){const
textLabel=this.getTextLabel();return"undefined"!==typeof this.cachedTextLabel?
void(this.cachedTextLabel=TextLabel):void(TextLabel!==this.cachedTextLabel&&
(this.cachedTextLabel=TextLabel,this.emit("slotchange",
{bubbles:!0,composed:!1,cancelable:!1})))}handleCheckedChange(){return
this.checked&&"checkbox"!==this.type?(this.checked=!1,void console.error("The checked attribute can
only be used on menu items with type=\"checkbox\"",this)):void("checkbox"===this.type?
this.setAttribute("aria-checked",this.checked?"true":"false"):this.removeAttribute("aria-
checked"))}handleDisabledChange(){this.setAttribute("aria-
disabled",this.disabled?"true":"false")}handleTypeChange(){"checkbox"===this.type?
(this.setAttribute("role","menuitemcheckbox"),this.setAttribute("aria-
checked",this.checked?"true":"false")):
(this.setAttribute("role","menuitem"),this.removeAttribute("aria-checked"))}getTextLabel(){return
getTextContent(this.defaultSlot)}isSubmenu(){return this.hasSlotController.test("submenu")}render()
{const isRtl="rtl"===this.localize.dir(),isSubmenuExpanded=this.submenuController.isExpanded();return
x$1`
  <div
    id="anchor"
    part="base"
    class=${e$2({"menu-item":!0,"menu-item--rtl":isRtl,"menu-item--checked":this.checked,"menu-
item--disabled":this.disabled,"menu-item--loading":this.loading,"menu-item--has-
submenu":this.isSubmenu(),"menu-item--submenu-expanded":isSubmenuExpanded})}
    ?aria-haspopup=${this.isSubmenu()}
    ?aria-expanded=${!!isSubmenuExpanded}
  >
    <span part="checked-icon" class="menu-item__check">
      <sl-icon name="check" library="system" aria-hidden="true"></sl-icon>
    </span>

    <slot name="prefix" part="prefix" class="menu-item__prefix"></slot>

    <slot part="label" class="menu-item__label" @slotchange=${this.handleDefaultSlotChange}></slot>

    <slot name="suffix" part="suffix" class="menu-item__suffix"></slot>

    <span part="submenu-icon" class="menu-item__chevron">
      <sl-icon name=${isRtl?"chevron-left":"chevron-right"} library="system" aria-hidden="true">
    </sl-icon>
    </span>

    ${this.submenuController.renderSubmenu()}
    ${this.loading?x$1` <sl-spinner part="spinner" exportparts="base:spinner__base"></sl-spinner>
`:""}
  </div>
`}};SlMenuItem.styles=[component_styles_default,menu_item_styles_default],SlMenuItem.dependencies=
{"sl-icon":SlIcon,"sl-popup":SlPopup,"sl-
spinner":SlSpinner},__decorateClass([e$6("slot:not([name])"),SlMenuItem.prototype,"defaultSlot",2),__d
ecorateClass([e$6(".menu-
item"),SlMenuItem.prototype,"menuItem",2),__decorateClass([n$5()],SlMenuItem.prototype,"type",2),__dec
orateClass([n$5({type:Boolean,reflect:!0})],SlMenuItem.prototype,"checked",2),__decorateClass([n$5()],S
```

```
MenuItem.prototype,"value",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlMenuItem.prototype,"loading",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlMenuItem.prototype,"disabled",2),__decorateClass([watch("checked")],SlMenuItem.prototype,"handleCheckedChange",1),__decorateClass([watch("disabled")],SlMenuItem.prototype,"handleDisabledChange",1),__decorateClass([watch("type")],SlMenuItem.prototype,"handleTypeChange",1),SlMenuItem.define("sl-menu-item");var option_styles_default=i$7`
:host {
  display: block;
  user-select: none;
  -webkit-user-select: none;
}

:host(:focus) {
  outline: none;
}

.option {
  position: relative;
  display: flex;
  align-items: center;
  font-family: var(--sl-font-sans);
  font-size: var(--sl-font-size-medium);
  font-weight: var(--sl-font-weight-normal);
  line-height: var(--sl-line-height-normal);
  letter-spacing: var(--sl-letter-spacing-normal);
  color: var(--sl-color-neutral-700);
  padding: var(--sl-spacing-x-small) var(--sl-spacing-medium) var(--sl-spacing-x-small) var(--sl-spacing-x-small);
  transition: var(--sl-transition-fast) fill;
  cursor: pointer;
}

.option--hover:not(.option--current):not(.option--disabled) {
  background-color: var(--sl-color-neutral-100);
  color: var(--sl-color-neutral-1000);
}

.option--current,
.option--current.option--disabled {
  background-color: var(--sl-color-primary-600);
  color: var(--sl-color-neutral-0);
  opacity: 1;
}

.option--disabled {
  outline: none;
  opacity: 0.5;
  cursor: not-allowed;
}

.option__label {
  flex: 1 1 auto;
  display: inline-block;
  line-height: var(--sl-line-height-dense);
}

.option .option__check {
  flex: 0 0 auto;
  display: flex;
  align-items: center;
  justify-content: center;
  visibility: hidden;
  padding-inline-end: var(--sl-spacing-2x-small);
}

.option--selected .option__check {
  visibility: visible;
}

.option__prefix,
.option__suffix {
  flex: 0 0 auto;
  display: flex;
  align-items: center;
}

.option__prefix::slotted(*) {
  margin-inline-end: var(--sl-spacing-x-small);
}

.option__suffix::slotted(*) {
  margin-inline-start: var(--sl-spacing-x-small);
}

@media (forced-colors: active) {
  :host(:hover:not([aria-disabled='true'])) .option {
    outline: dashed 1px SelectedItem;
  }
}
```

```

    outline-offset: -1px;
  }
}
`,SlOption=class extends ShoelaceElement{constructor(){super(...arguments),this.localize=new
LocalizeController(this),this.isInitialized=!1,this.current=!1,this.selected=!1,this.hasHover=!1,this.v
alue="",this.disabled=!1}connectedCallback(){super.connectedCallback(),this.setAttribute("role","option"),this.setAttribute("aria-
selected","false")}handleDefaultSlotChange(){this.isInitialized?customElements.whenDefined("sl-
select").then(()=>{const controller=this.closest("sl-
select");controller&&controller.handleDefaultSlotChange()}:this.isInitialized=!0)}handleMouseEnter()
{this.hasHover=!0}handleMouseLeave(){this.hasHover=!1}handleDisabledChange(){this.setAttribute("aria-
disabled",this.disabled?"true":"false")}handleSelectedChange(){this.setAttribute("aria-
selected",this.selected?"true":"false")}handleValueChange(){this.value!=typeof this.value&&
(this.value=this.value+""),this.value.includes(" ")&&(console.error(`Option values cannot include a
space. All spaces have been replaced with underscores.`),this),this.value=this.value.replace(/
/g,"_"))}getTextLabel(){const nodes=this.childNodes;let label="";return[...nodes].forEach(node=>
{node.nodeType!==Node.ELEMENT_NODE||node.hasAttribute("slot")||
(label+=node.textContent),node.nodeType===Node.TEXT_NODE&&
(label+=node.textContent)}),label.trim()}render(){return x$1`
  <div
    part="base"
    class=${e$2({option:!0,"option--current":this.current,"option--disabled":this.disabled,"option-
-selected":this.selected,"option--hover":this.hasHover})}
    @mouseenter=${this.handleMouseEnter}
    @mouseleave=${this.handleMouseLeave}
  >
    <sl-icon part="checked-icon" class="option__check" name="check" library="system" aria-
hidden="true"></sl-icon>
    <slot part="prefix" name="prefix" class="option__prefix"></slot>
    <slot part="label" class="option__label" @slotchange=${this.handleDefaultSlotChange}></slot>
    <slot part="suffix" name="suffix" class="option__suffix"></slot>
  </div>
`}};SlOption.styles=[component_styles_default,option_styles_default],SlOption.dependencies={"sl-
icon":SlIcon},__decorateClass([e$6(".option__label"),SlOption.prototype,"defaultSlot",2],__decorateCla
ss([r$6()],SlOption.prototype,"current",2),__decorateClass([r$6()],SlOption.prototype,"selected",2),__d
ecorateClass([r$6()],SlOption.prototype,"hasHover",2),__decorateClass([n$5({reflect:!0})],SlOption.prototype,"value",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlOption.prototype,"disabled",2),__de
corateClass([watch("disabled")],SlOption.prototype,"handleDisabledChange",1),__decorateClass([watch("se
lected")],SlOption.prototype,"handleSelectedChange",1),__decorateClass([watch("value")],SlOption.prototype,"handleValueChange",1),SlOption.define("sl-option"),SlPopup.define("sl-popup");var
progress_bar_styles_default=i$7`
:host {
  --height: 1rem;
  --track-color: var(--sl-color-neutral-200);
  --indicator-color: var(--sl-color-primary-600);
  --label-color: var(--sl-color-neutral-0);

  display: block;
}

.progress-bar {
  position: relative;
  background-color: var(--track-color);
  height: var(--height);
  border-radius: var(--sl-border-radius-pill);
  box-shadow: inset var(--sl-shadow-small);
  overflow: hidden;
}

.progress-bar__indicator {
  height: 100%;
  font-family: var(--sl-font-sans);
  font-size: 12px;
  font-weight: var(--sl-font-weight-normal);
  background-color: var(--indicator-color);
  color: var(--label-color);
  text-align: center;
  line-height: var(--height);
  white-space: nowrap;
  overflow: hidden;
  transition:
    400ms width,
    400ms background-color;
  user-select: none;
  -webkit-user-select: none;
}

/* Indeterminate */
.progress-bar--indeterminate .progress-bar__indicator {
  position: absolute;
  animation: indeterminate 2.5s infinite cubic-bezier(0.37, 0, 0.63, 1);
}

.progress-bar--indeterminate.progress-bar--rtl .progress-bar__indicator {
  animation-name: indeterminate-rtl;
}

```

```

@media (forced-colors: active) {
  .progress-bar {
    outline: solid 1px SelectedItem;
    background-color: var(--sl-color-neutral-0);
  }

  .progress-bar__indicator {
    outline: solid 1px SelectedItem;
    background-color: SelectedItem;
  }
}

@keyframes indeterminate {
  0% {
    left: -50%;
    width: 50%;
  }
  75%,
  100% {
    left: 100%;
    width: 50%;
  }
}

@keyframes indeterminate-rtl {
  0% {
    right: -50%;
    width: 50%;
  }
  75%,
  100% {
    right: 100%;
    width: 50%;
  }
}

`;const n$1="important",i$1=" !important",o$3=e$3(class extends i$3{constructor(t$1)
{if(super(t$1),t$1.type!==t.ATTRIBUTE||"style"!==t$1.name||2<t$1.strings?.length)throw Error("The
`styleMap` directive must be used in the `style` attribute and must be the only part in the
attribute.")}render(t){return Object.keys(t).reduce((e,r)=>{const s=t[r];return null==s?
e:e+` ${r=r.includes("-")?r:r.replace(/(?:^(webkit|moz|ms|o|)))(?=[A-
Z])/g,"-$&").toLowerCase()}:${s};`,`,"")update(e,[r]){const{style:s}=e.element;if(void
0===this.ft)return this.ft=new Set(Object.keys(r)),this.render(r);for(const t of this.ft)null==r[t]&&
(this.ft.delete(t),t.includes("-")?s.removeProperty(t):s[t]=null);for(const t in r){const
e=r[t];if(null!=e){this.ft.add(t);const r="string"==typeof e&&e.endsWith(i$1);t.includes("-")||r?
s.setProperty(t,r?e.slice(0,-11):e,r?n$1:""):s[t]=e}}return T$1}});var SlProgressBar=class extends
ShoelaceElement{constructor(){super(...arguments),this.localize=new
LocalizeController(this),this.value=0,this.indeterminate=!1,this.label=""}render(){return x$1`
  <div
    part="base"
    class=${e$2({"progress-bar":!0,"progress-bar--indeterminate":this.indeterminate,"progress-bar--
rtl":"rtl"===this.localize.dir())}}
    role="progressbar"
    title=${o$6(this.title)}
    aria-label=${o$0<this.label.length?this.label:this.localize.term("progress")}
    aria-valuemin="0"
    aria-valuemax="100"
    aria-valuenow=${this.indeterminate?0:this.value}
  >
    <div part="indicator" class="progress-bar__indicator" style=${o$3({width:`${this.value}%`})}>
      ${this.indeterminate?"":x$1` <slot part="label" class="progress-bar__label"></slot>`}
    </div>
  </div>
`}};SlProgressBar.styles=
[component_styles_default,progress_bar_styles_default],__decorateClass([n$5({type:Number,reflect:!0})],
SlProgressBar.prototype,"value",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlProgressBar.proto
type,"indeterminate",2),__decorateClass([n$5()],SlProgressBar.prototype,"label",2),SlProgressBar.define
("sl-progress-bar");var radio_group_styles_default=i$7`
:host {
  display: block;
}

.form-control {
  position: relative;
  border: none;
  padding: 0;
  margin: 0;
}

.form-control__label {
  padding: 0;
}

.radio-group--required .radio-group__label::after {
  content: var(--sl-input-required-content);
  margin-inline-start: var(--sl-input-required-content-offset);
}

```

```

    }

    .visually-hidden {
      position: absolute;
      width: 1px;
      height: 1px;
      padding: 0;
      margin: -1px;
      overflow: hidden;
      clip: rect(0, 0, 0, 0);
      white-space: nowrap;
      border: 0;
    }
  }, button_group_styles_default=i$7`
  :host {
    display: inline-block;
  }

  .button-group {
    display: flex;
    flex-wrap: nowrap;
  }
`, SlButtonGroup=class extends ShoelaceElement{constructor()
{super(...arguments),this.disableRole=!1,this.label=""}}handleFocus(event){const
button=findButton(event.target);null==button?void 0:button.toggleAttribute("data-s1-button-
group__button--focus",!0)}handleBlur(event){const button=findButton(event.target);null==button?void
0:button.toggleAttribute("data-s1-button-group__button--focus",!1)}handleMouseOver(event){const
button=findButton(event.target);null==button?void 0:button.toggleAttribute("data-s1-button-
group__button--hover",!0)}handleMouseOut(event){const button=findButton(event.target);null==button?void
0:button.toggleAttribute("data-s1-button-group__button--hover",!1)}handleSlotChange(){const
slottedElements=[...this.defaultSlot.assignedElements({flatten:!0})];slottedElements.forEach(el=>{const
index=slottedElements.indexOf(el),button=findButton(el);button&&(button.toggleAttribute("data-s1-
button-group__button",!0),button.toggleAttribute("data-s1-button-group__button--
first",0===index),button.toggleAttribute("data-s1-button-group__button--
inner",0<index&&index<slottedElements.length-1),button.toggleAttribute("data-s1-button-group__button--
last",index===slottedElements.length-1),button.toggleAttribute("data-s1-button-group__button--
radio","s1-radio-button"===button.tagName.toLowerCase()))}})render(){return x$1`
  <div
    part="base"
    class="button-group"
    role="${this.disableRole?"presentation":"group"}"
    aria-label=${this.label}
    @focusout=${this.handleBlur}
    @focusin=${this.handleFocus}
    @mouseover=${this.handleMouseOver}
    @mouseout=${this.handleMouseOut}
  >
    <slot @slotchange=${this.handleSlotChange}></slot>
  </div>
`}};SlButtonGroup.styles=
[component_styles_default,button_group_styles_default],__decorateClass([e$6("slot")],SlButtonGroup.prototype,"defaultSlot",2),__decorateClass([r$6()],SlButtonGroup.prototype,"disableRole",2),__decorateClass
([n$5()],SlButtonGroup.prototype,"label",2);function findButton(el){var _a;return null==(
_a=el.closest("s1-button, s1-radio-button"))?el.querySelector("s1-button, s1-radio-button"):_a}var
SlRadioGroup=class extends ShoelaceElement{constructor()
{super(...arguments),this.formControlController=new
FormControlController(this),this.hasSlotController=new HasSlotController(this,"help-
text","label"),this.customValidityMessage="",this.hasButtonGroup=!1,this.errorMessage="",this.defaultValue=
"",this.label="",this.helpText="",this.name="option",this.value="",this.size="medium",this.form="",
this.required=!1}get validity(){const
isRequiredAndEmpty=this.required&&!this.value,hasCustomValidityMessage=""!==this.customValidityMessage;
if(hasCustomValidityMessage)return customErrorValidityState;return isRequiredAndEmpty?
valueMissingValidityState:validValidityState}get validationMessage(){const
isRequiredAndEmpty=this.required&&!this.value,hasCustomValidityMessage=""!==this.customValidityMessage;
if(hasCustomValidityMessage)return this.customValidityMessage;return isRequiredAndEmpty?
this.validationInput.validationMessage:""}connectedCallback()
{super.connectedCallback(),this.defaultValue=this.value}firstUpdated()
{this.formControlController.updateValidity()}getAllRadios(){return[...this.querySelectorAll("s1-radio,
s1-radio-button")]}handleRadioClick(event){const target=event.target.closest("s1-radio, s1-radio-
button"),radios=this.getAllRadios(),oldValue=this.value;!target||target.disabled||
(this.value=target.value,radios.forEach(radio=>radio.checked=radio===target),this.value!==oldValue&&
(this.emit("s1-change"),this.emit("s1-input")))}handleKeyDown(event){var _a;if(!
["ArrowUp","ArrowDown","ArrowLeft","ArrowRight"," "].includes(event.key))return;const
radios=this.getAllRadios().filter(radio=>!radio.disabled),checkedRadio=null==(
_a=radios.find(radio=>radio.checked))?radios[0]:_a,incr=" "===event.key?0:
["ArrowUp","ArrowLeft"].includes(event.key)?-1:1,oldValue=this.value;let
index=radios.indexOf(checkedRadio)+incr;0>index&&(index=radios.length-1),index>radios.length-1&&
(index=0),this.getAllRadios().forEach(radio=>
{radio.checked=!1,this.hasButtonGroup||radio.setAttribute("tabindex",-1)}),this.value=radios[index].v
alue,radios[index].checked=!0,this.hasButtonGroup?
radios[index].shadowRoot.querySelector("button").focus():
(radios[index].setAttribute("tabindex",0),radios[index].focus()),this.value!==oldValue&&
(this.emit("s1-change"),this.emit("s1-input")),event.preventDefault()}handleLabelClick()
{this.focus()}handleInvalid(event)
{this.formControlController.setValidity(!1),this.formControlController.emitInvalidEvent(event)}async
syncRadioElements(){var _a,_b;const radios=this.getAllRadios();if(await Promise.all(radios.map(async

```

```
radio=>{await
radio.updateComplete,radio.checked=radio.value===this.value,radio.size=this.size})),this.hasButtonGroup
=radios.some(radio=>"sl-radio-
button"===radio.tagName.toLowerCase()),0<radios.length&&!radios.some(radio=>radio.checked))if(this.hasB
uttonGroup){const buttonRadio=null==(_a=radios[0].shadowRoot)?void
0:_a.querySelector("button");buttonRadio&&buttonRadio.setAttribute("tabindex","0")}else
radios[0].setAttribute("tabindex","0");if(this.hasButtonGroup){const buttonGroup=null==
(_b=this.shadowRoot)?void 0:_b.querySelector("sl-button-group");buttonGroup&&
(buttonGroup.disableRole=!0)}}syncRadios(){return customElements.get("sl-
radio")&&customElements.get("sl-radio-button"?void
this.syncRadioElements():void(customElements.get("sl-radio"?
this.syncRadioElements():customElements.whenDefined("sl-
radio").then(()=>this.syncRadios()),customElements.get("sl-radio-button"?
this.syncRadioElements():customElements.whenDefined("sl-radio-
button").then(()=>this.syncRadios()))}updateCheckedRadio(){const
radios=this.getAllRadios();radios.forEach(radio=>radio.checked=radio.value===this.value),this.formContr
olController.setValidity(this.validity.valid)}handleSizeChange(){this.syncRadios()}handleValueChange()
{this.hasUpdated&&this.updateCheckedRadio()}checkValidity(){const
isRequiredAndEmpty=this.required&&!this.value,hasCustomValidityMessage=""!==this.customValidityMessage;
return!(isRequiredAndEmpty||hasCustomValidityMessage)||
(this.formControlController.emitInvalidEvent(),!1)}getForm(){return
this.formControlController.getForm()}reportValidity(){const isValid=this.validity.valid;return
this.errorMessage=this.customValidityMessage||isValid?"":this.validationInput.validationMessage,this.fo
rmControlController.setValidity(isValid),this.validationInput.hidden=!0,clearTimeout(this.validationTim
eout),isValid||
(this.validationInput.hidden=!1,this.validationInput.reportValidity(),this.validationTimeout=setTimeout
((()=>this.validationInput.hidden=!0,1e4)),isValid)setCustomValidity(message="")
{this.customValidityMessage=message,this.errorMessage=message,this.validationInput.setCustomValidity(me
ssage),this.formControlController.updateValidity()}focus(options){const
radios=this.getAllRadios(),checked=radios.find(radio=>radio.checked),firstEnabledRadio=radios.find(radi
o=>!radio.disabled),radioToFocus=checked||firstEnabledRadio;radioToFocus&&radioToFocus.focus(options)}r
ender(){const
hasLabelSlot=this.hasSlotController.test("label"),hasHelpTextSlot=this.hasSlotController.test("help-
text"),hasLabel=!!this.label||!!hasLabelSlot,hasHelpText=!!this.helpText||!!hasHelpTextSlot,defaultSlot
=x$1`
  <slot @slotchange=${this.syncRadios} @click=${this.handleRadioClick}
@keydown=${this.handleKeyDown}></slot>
  `;return x$1`
  <fieldset
    part="form-control"
    class=${e$2({"form-control":!0,"form-control--small":"small"===this.size,"form-control--
medium":"medium"===this.size,"form-control--large":"large"===this.size,"form-control--radio-
group":!0,"form-control--has-label":hasLabel,"form-control--has-help-text":hasHelpText})}
    role="radiogroup"
    aria-labelledby="label"
    aria-describedby="help-text"
    aria-errormessage="error-message"
  >
    <label
      part="form-control-label"
      id="label"
      class="form-control__label"
      aria-hidden=${hasLabel?"false":"true"}
      @click=${this.handleLabelClick}
    >
      <slot name="label">${this.label}</slot>
    </label>

    <div part="form-control-input" class="form-control-input">
      <div class="visually-hidden">
        <div id="error-message" aria-live="assertive">${this.errorMessage}</div>
        <label class="radio-group__validation">
          <input
            type="text"
            class="radio-group__validation-input"
            ?required=${this.required}
            tabindex="-1"
            hidden
            @invalid=${this.handleInvalid}
          />
        </label>
      </div>

      ${this.hasButtonGroup?x$1`
        <sl-button-group part="button-group" exportparts="base:button-group__base"
role="presentation">
          ${defaultSlot}
        </sl-button-group>
        `:defaultSlot}
    </div>

    <div
      part="form-control-help-text"
      id="help-text"
      class="form-control__help-text"
      aria-hidden=${hasHelpText?"false":"true"}
```

```

    >
    <slot name="help-text">${this.helpText}</slot>
  </div>
</fieldset>
`}};SlRadioGroup.styles=
[component_styles_default,form_control_styles_default,radio_group_styles_default],SlRadioGroup.dependen
cies={"sl-button-
group":SlButtonGroup},__decorateClass([e$6("slot:not([name])"),SlRadioGroup.prototype,"defaultSlot",2)
,__decorateClass([e$6(".radio-group__validation-
input"),SlRadioGroup.prototype,"validationInput",2),__decorateClass([r$6()],SlRadioGroup.prototype,"ha
sButtonGroup",2),__decorateClass([r$6()],SlRadioGroup.prototype,"errorMessage",2),__decorateClass([r$6(
)],SlRadioGroup.prototype,"defaultValue",2),__decorateClass([n$5()],SlRadioGroup.prototype,"label",2),_
__decorateClass([n$5({attribute:"help-
text"})],SlRadioGroup.prototype,"helpText",2),__decorateClass([n$5()],SlRadioGroup.prototype,"name",2),
__decorateClass([n$5({reflect:!0})],SlRadioGroup.prototype,"value",2),__decorateClass([n$5({reflect:!0}
)],SlRadioGroup.prototype,"size",2),__decorateClass([n$5({reflect:!0})],SlRadioGroup.prototype,"form",2
),__decorateClass([n$5({type:Boolean,reflect:!0})],SlRadioGroup.prototype,"required",2),__decorateClass
([watch("size",
{waitUntilFirstUpdate:!0})],SlRadioGroup.prototype,"handleSizeChange",1),__decorateClass([watch("value"
)],SlRadioGroup.prototype,"handleValueChange",1),SlRadioGroup.define("sl-radio-group");var
radio_styles_default=i$7`
:host {
  display: block;
}

:host(:focus-visible) {
  outline: 0px;
}

.radio {
  display: inline-flex;
  align-items: top;
  font-family: var(--sl-input-font-family);
  font-size: var(--sl-input-font-size-medium);
  font-weight: var(--sl-input-font-weight);
  color: var(--sl-input-label-color);
  vertical-align: middle;
  cursor: pointer;
}

.radio--small {
  --toggle-size: var(--sl-toggle-size-small);
  font-size: var(--sl-input-font-size-small);
}

.radio--medium {
  --toggle-size: var(--sl-toggle-size-medium);
  font-size: var(--sl-input-font-size-medium);
}

.radio--large {
  --toggle-size: var(--sl-toggle-size-large);
  font-size: var(--sl-input-font-size-large);
}

.radio__checked-icon {
  display: inline-flex;
  width: var(--toggle-size);
  height: var(--toggle-size);
}

.radio__control {
  flex: 0 0 auto;
  position: relative;
  display: inline-flex;
  align-items: center;
  justify-content: center;
  width: var(--toggle-size);
  height: var(--toggle-size);
  border: solid var(--sl-input-border-width) var(--sl-input-border-color);
  border-radius: 50%;
  background-color: var(--sl-input-background-color);
  color: transparent;
  transition:
    var(--sl-transition-fast) border-color,
    var(--sl-transition-fast) background-color,
    var(--sl-transition-fast) color,
    var(--sl-transition-fast) box-shadow;
}

.radio__input {
  position: absolute;
  opacity: 0;
  padding: 0;
  margin: 0;
  pointer-events: none;
}
```

```

    }

    /* Hover */
    .radio:not(.radio--checked):not(.radio--disabled) .radio__control:hover {
      border-color: var(--sl-input-border-color-hover);
      background-color: var(--sl-input-background-color-hover);
    }

    /* Checked */
    .radio--checked .radio__control {
      color: var(--sl-color-neutral-0);
      border-color: var(--sl-color-primary-600);
      background-color: var(--sl-color-primary-600);
    }

    /* Checked + hover */
    .radio.radio--checked:not(.radio--disabled) .radio__control:hover {
      border-color: var(--sl-color-primary-500);
      background-color: var(--sl-color-primary-500);
    }

    /* Checked + focus */
    :host(:focus-visible) .radio__control {
      outline: var(--sl-focus-ring);
      outline-offset: var(--sl-focus-ring-offset);
    }

    /* Disabled */
    .radio--disabled {
      opacity: 0.5;
      cursor: not-allowed;
    }

    /* When the control isn't checked, hide the circle for Windows High Contrast mode a11y */
    .radio:not(.radio--checked) svg circle {
      opacity: 0;
    }

    .radio__label {
      display: inline-block;
      color: var(--sl-input-label-color);
      line-height: var(--toggle-size);
      margin-inline-start: 0.5em;
      user-select: none;
      -webkit-user-select: none;
    }
  `, SlRadio = class extends ShoelaceElement {
    constructor() {
      super(), this.checked = !1, this.hasFocus = !1, this.size = "medium", this.disabled = !1, this.handleBlur = () => {
        this.hasFocus = !1, this.emit("sl-blur")
      }, this.handleClick = () => {
        this.disabled || (this.checked = !0), this.handleFocus = () => {
          this.hasFocus = !0, this.emit("sl-focus")
        }, this.addEventListener("blur", this.handleBlur), this.addEventListener("click", this.handleClick), this.addEventListener("focus", this.handleFocus)}connectedCallback() {
        super.connectedCallback(), this.setInitialAttributes()
      }setInitialAttributes() {
        this.setAttribute("role", "radio"), this.setAttribute("tabindex", "-1"), this.setAttribute("aria-disabled", this.disabled ? "true" : "false"), this.handleCheckedChange(), this.setAttribute("aria-checked", this.checked ? "true" : "false"), this.setAttribute("tabindex", this.checked ? "0" : "-1"), this.handleDisabledChange(), this.setAttribute("aria-disabled", this.disabled ? "true" : "false")
      }render() {
        return x`
          <span
            part="base"
            class=${e$2({radio: !0, "radio--checked": this.checked, "radio--disabled": this.disabled, "radio--focused": this.hasFocus, "radio--small": "small" === this.size, "radio--medium": "medium" === this.size, "radio--large": "large" === this.size})}
          >
            <span part=${`control${this.checked ? " control--checked": ""}`} class="radio__control">
              ${this.checked ? x`<sl-icon part="checked-icon" class="radio__checked-icon" library="system" name="radio"></sl-icon>` : ""}
            </span>

            <slot part="label" class="radio__label"></slot>
          </span>
        `;
      }
    };
    SlRadio.styles = [component_styles_default, radio_styles_default], SlRadio.dependencies = {"sl-icon": SlIcon}, __decorateClass([r$6()], SlRadio.prototype, "checked", 2), __decorateClass([r$6()], SlRadio.prototype, "hasFocus", 2), __decorateClass([n$5()], SlRadio.prototype, "value", 2), __decorateClass([n$5({reflect: !0})], SlRadio.prototype, "size", 2), __decorateClass([n$5({type: Boolean, reflect: !0})], SlRadio.prototype, "disabled", 2), __decorateClass([watch("checked")], SlRadio.prototype, "handleCheckedChange", 1), __decorateClass([watch("disabled"), {waitUntilFirstUpdate: !0}], SlRadio.prototype, "handleDisabledChange", 1), SlRadio.define("sl-radio");
    var availableUnits = [{max: 276e4, value: 6e4, unit: "minute"}, {max: 72e6, value: 36e5, unit: "hour"}, {max: 5184e5, value: 864e5, unit: "day"}, {max: 24192e5, value: 6048e5, unit: "week"}, {max: 28512e6, value: 2592e6, unit: "month"}, {max: 1/0, value: 31536e6, unit: "year"}], SlRelativeTime = class extends ShoelaceElement {
    constructor() {
      super(...arguments), this.localize = new LocalizeController(this), this.isoTime = "", this.relativeTime = "", this.date = new Date, this.format = "long", this.numeric = "auto", this.sync = !1
    }disconnectedCallback() {
      super.disconnectedCallback(), clearTimeout(this.updateTimeout)
    }render() {
      var _Mathabs = Math.abs, _Mathround2 = Math.round;
      const now = new Date, then = new Date(this.date);
      if (isNaN(then.getMilliseconds())) return this.relativeTime = "", this.isoTime = "", "";
      const

```



```
diff=then.getTime()-now.getTime(),{unit,value}=availableUnits.find(singleUnit=>_Mathabs(diff)
<singleUnit.max);if(this.isoTime=then.toISOString(),this.relativeTime=this.localize.relativeTime(_Mathr
ound2(diff/value),unit,
{numeric:this.numeric,style:this.format}),clearTimeout(this.updateTimeout),this.sync){let
nextInterval;nextInterval="minute"===unit?getTimeUntilNextUnit("second"):"hour"===unit?
getTimeUntilNextUnit("minute"):"day"===unit?
getTimeUntilNextUnit("hour"):getTimeUntilNextUnit("day"),this.updateTimeout=window.setTimeout(=>this.
requestUpdate(),nextInterval)}return x$1` <time datetime=${this.isoTime}>${this.relativeTime}</time>
`}};__decorateClass([r$6()],SlRelativeTime.prototype,"isoTime",2),__decorateClass([r$6()],SlRelativeTim
e.prototype,"relativeTime",2),__decorateClass([n$5()],SlRelativeTime.prototype,"date",2),__decorateClas
s([n$5()],SlRelativeTime.prototype,"format",2),__decorateClass([n$5()],SlRelativeTime.prototype,"numeri
c",2),__decorateClass([n$5({type:Boolean})],SlRelativeTime.prototype,"sync",2);function
getTimeUntilNextUnit(unit){const value={second:1e3,minute:6e4,hour:36e5,day:864e5}[unit];return value-
Date.now()%value}SlRelativeTime.define("sl-relative-time");var skeleton_styles_default=i$7`
:host {
  --border-radius: var(--sl-border-radius-pill);
  --color: var(--sl-color-neutral-200);
  --sheen-color: var(--sl-color-neutral-300);

  display: block;
  position: relative;
}

.skeleton {
  display: flex;
  width: 100%;
  height: 100%;
  min-height: 1rem;
}

.skeleton__indicator {
  flex: 1 1 auto;
  background: var(--color);
  border-radius: var(--border-radius);
}

.skeleton--sheen .skeleton__indicator {
  background: linear-gradient(270deg, var(--sheen-color), var(--color), var(--color), var(--sheen-
color));
  background-size: 400% 100%;
  animation: sheen 8s ease-in-out infinite;
}

.skeleton--pulse .skeleton__indicator {
  animation: pulse 2s ease-in-out 0.5s infinite;
}

/* Forced colors mode */
@media (forced-colors: active) {
  :host {
    --color: GrayText;
  }
}

@keyframes sheen {
  0% {
    background-position: 200% 0;
  }
  to {
    background-position: -200% 0;
  }
}

@keyframes pulse {
  0% {
    opacity: 1;
  }
  50% {
    opacity: 0.4;
  }
  100% {
    opacity: 1;
  }
}
`,SlSkeleton=class extends ShoelaceElement{constructor()
{super(...arguments),this.effect="none"}render(){return x$1`
  <div
    part="base"
    class=${e$2({skeleton:!0,"skeleton--pulse":"pulse"===this.effect,"skeleton--
sheen":"sheen"===this.effect})}
  >
    <div part="indicator" class="skeleton__indicator"></div>
  </div>
`}};SlSkeleton.styles=
[component_styles_default,skeleton_styles_default],__decorateClass([n$5()],SlSkeleton.prototype,"effect
",2),SlSkeleton.define("sl-skeleton");var tag_styles_default=i$7`
```

```
:host {
  display: inline-block;
}

.tag {
  display: flex;
  align-items: center;
  border: solid 1px;
  line-height: 1;
  white-space: nowrap;
  user-select: none;
  -webkit-user-select: none;
}

.tag__remove::part(base) {
  color: inherit;
  padding: 0;
}

/*
 * Variant modifiers
 */

.tag--primary {
  background-color: var(--sl-color-primary-50);
  border-color: var(--sl-color-primary-200);
  color: var(--sl-color-primary-800);
}

.tag--primary:active > sl-icon-button {
  color: var(--sl-color-primary-600);
}

.tag--success {
  background-color: var(--sl-color-success-50);
  border-color: var(--sl-color-success-200);
  color: var(--sl-color-success-800);
}

.tag--success:active > sl-icon-button {
  color: var(--sl-color-success-600);
}

.tag--neutral {
  background-color: var(--sl-color-neutral-50);
  border-color: var(--sl-color-neutral-200);
  color: var(--sl-color-neutral-800);
}

.tag--neutral:active > sl-icon-button {
  color: var(--sl-color-neutral-600);
}

.tag--warning {
  background-color: var(--sl-color-warning-50);
  border-color: var(--sl-color-warning-200);
  color: var(--sl-color-warning-800);
}

.tag--warning:active > sl-icon-button {
  color: var(--sl-color-warning-600);
}

.tag--danger {
  background-color: var(--sl-color-danger-50);
  border-color: var(--sl-color-danger-200);
  color: var(--sl-color-danger-800);
}

.tag--danger:active > sl-icon-button {
  color: var(--sl-color-danger-600);
}

/*
 * Size modifiers
 */

.tag--small {
  font-size: var(--sl-button-font-size-small);
  height: calc(var(--sl-input-height-small) * 0.8);
  line-height: calc(var(--sl-input-height-small) - var(--sl-input-border-width) * 2);
  border-radius: var(--sl-input-border-radius-small);
  padding: 0 var(--sl-spacing-x-small);
}

.tag--medium {
```

```

    font-size: var(--sl-button-font-size-medium);
    height: calc(var(--sl-input-height-medium) * 0.8);
    line-height: calc(var(--sl-input-height-medium) - var(--sl-input-border-width) * 2);
    border-radius: var(--sl-input-border-radius-medium);
    padding: 0 var(--sl-spacing-small);
  }

  .tag--large {
    font-size: var(--sl-button-font-size-large);
    height: calc(var(--sl-input-height-large) * 0.8);
    line-height: calc(var(--sl-input-height-large) - var(--sl-input-border-width) * 2);
    border-radius: var(--sl-input-border-radius-large);
    padding: 0 var(--sl-spacing-medium);
  }

  .tag__remove {
    margin-inline-start: var(--sl-spacing-x-small);
  }

  /*
   * Pill modifier
   */

  .tag--pill {
    border-radius: var(--sl-border-radius-pill);
  }
`,SlTag=class extends ShoelaceElement{constructor(){super(...arguments),this.localize=new
LocalizeController(this),this.variant="neutral",this.size="medium",this.pill=!1,this.removable=!1}handle
RemoveClick(){this.emit("sl-remove")}render(){return x$1`
  <span
    part="base"
    class=${e$2({tag:!0,"tag--primary":"primary"===this.variant,"tag--
success":"success"===this.variant,"tag--neutral":"neutral"===this.variant,"tag--
warning":"warning"===this.variant,"tag--danger":"danger"===this.variant,"tag--
text":"text"===this.variant,"tag--small":"small"===this.size,"tag--medium":"medium"===this.size,"tag--
large":"large"===this.size,"tag--pill":this.pill,"tag--removable":this.removable})}
  >
    <slot part="content" class="tag__content"></slot>

    ${this.removable?x$1`
      <sl-icon-button
        part="remove-button"
        exportparts="base:remove-button__base"
        name="x-lg"
        library="system"
        label=${this.localize.term("remove")}
        class="tag__remove"
        @click=${this.handleRemoveClick}
        tabindex="-1"
      ></sl-icon-button>
    `:""}
  </span>
`}};SlTag.styles=[component_styles_default,tag_styles_default],SlTag.dependencies={"sl-icon-
button":SlIconButton},__decorateClass([n$5({reflect:!0})],SlTag.prototype,"variant",2),__decorateClass(
[n$5({reflect:!0})],SlTag.prototype,"size",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlTag.pr
ototype,"pill",2),__decorateClass([n$5({type:Boolean})],SlTag.prototype,"removable",2);var
select_styles_default=i$7`
:host {
  display: block;
}

/** The popup */
.select {
  flex: 1 1 auto;
  display: inline-flex;
  width: 100%;
  position: relative;
  vertical-align: middle;
}

.select::part(popup) {
  z-index: var(--sl-z-index-dropdown);
}

.select[data-current-placement^='top']::part(popup) {
  transform-origin: bottom;
}

.select[data-current-placement^='bottom']::part(popup) {
  transform-origin: top;
}

/* Combobox */
.select__combobox {
  flex: 1;
  display: flex;

```

```
width: 100%;
min-width: 0;
position: relative;
align-items: center;
justify-content: start;
font-family: var(--sl-input-font-family);
font-weight: var(--sl-input-font-weight);
letter-spacing: var(--sl-input-letter-spacing);
vertical-align: middle;
overflow: hidden;
cursor: pointer;
transition:
  var(--sl-transition-fast) color,
  var(--sl-transition-fast) border,
  var(--sl-transition-fast) box-shadow,
  var(--sl-transition-fast) background-color;
}

.select__display-input {
  position: relative;
  width: 100%;
  font: inherit;
  border: none;
  background: none;
  color: var(--sl-input-color);
  cursor: inherit;
  overflow: hidden;
  padding: 0;
  margin: 0;
  -webkit-appearance: none;
}

.select__display-input::placeholder {
  color: var(--sl-input-placeholder-color);
}

.select:not(.select--disabled):hover .select__display-input {
  color: var(--sl-input-color-hover);
}

.select__display-input:focus {
  outline: none;
}

/* Visually hide the display input when multiple is enabled */
.select--multiple:not(.select--placeholder-visible) .select__display-input {
  position: absolute;
  z-index: -1;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
  opacity: 0;
}

.select__value-input {
  position: absolute;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
  padding: 0;
  margin: 0;
  opacity: 0;
  z-index: -1;
}

.select__tags {
  display: flex;
  flex: 1;
  align-items: center;
  flex-wrap: wrap;
  margin-inline-start: var(--sl-spacing-2x-small);
}

.select__tags::slotted(sl-tag) {
  cursor: pointer !important;
}

.select--disabled .select__tags,
.select--disabled .select__tags::slotted(sl-tag) {
  cursor: not-allowed !important;
}

/* Standard selects */
.select--standard .select__combobox {
```

```
background-color: var(--sl-input-background-color);
border: solid var(--sl-input-border-width) var(--sl-input-border-color);
}

.select--standard.select--disabled .select__combobox {
  background-color: var(--sl-input-background-color-disabled);
  border-color: var(--sl-input-border-color-disabled);
  color: var(--sl-input-color-disabled);
  opacity: 0.5;
  cursor: not-allowed;
  outline: none;
}

.select--standard:not(.select--disabled).select--open .select__combobox,
.select--standard:not(.select--disabled).select--focused .select__combobox {
  background-color: var(--sl-input-background-color-focus);
  border-color: var(--sl-input-border-color-focus);
  box-shadow: 0 0 0 var(--sl-focus-ring-width) var(--sl-input-focus-ring-color);
}

/* Filled selects */
.select--filled .select__combobox {
  border: none;
  background-color: var(--sl-input-filled-background-color);
  color: var(--sl-input-color);
}

.select--filled:hover:not(.select--disabled) .select__combobox {
  background-color: var(--sl-input-filled-background-color-hover);
}

.select--filled.select--disabled .select__combobox {
  background-color: var(--sl-input-filled-background-color-disabled);
  opacity: 0.5;
  cursor: not-allowed;
}

.select--filled:not(.select--disabled).select--open .select__combobox,
.select--filled:not(.select--disabled).select--focused .select__combobox {
  background-color: var(--sl-input-filled-background-color-focus);
  outline: var(--sl-focus-ring);
}

/* Sizes */
.select--small .select__combobox {
  border-radius: var(--sl-input-border-radius-small);
  font-size: var(--sl-input-font-size-small);
  min-height: var(--sl-input-height-small);
  padding-block: 0;
  padding-inline: var(--sl-input-spacing-small);
}

.select--small .select__clear {
  margin-inline-start: var(--sl-input-spacing-small);
}

.select--small .select__prefix::slotted(*) {
  margin-inline-end: var(--sl-input-spacing-small);
}

.select--small.select--multiple:not(.select--placeholder-visible) .select__prefix::slotted(*) {
  margin-inline-start: var(--sl-input-spacing-small);
}

.select--small.select--multiple:not(.select--placeholder-visible) .select__combobox {
  padding-block: 2px;
  padding-inline-start: 0;
}

.select--small .select__tags {
  gap: 2px;
}

.select--medium .select__combobox {
  border-radius: var(--sl-input-border-radius-medium);
  font-size: var(--sl-input-font-size-medium);
  min-height: var(--sl-input-height-medium);
  padding-block: 0;
  padding-inline: var(--sl-input-spacing-medium);
}

.select--medium .select__clear {
  margin-inline-start: var(--sl-input-spacing-medium);
}

.select--medium .select__prefix::slotted(*) {
```

```
margin-inline-end: var(--sl-input-spacing-medium);
}

.select--medium.select--multiple:not(.select--placeholder-visible) .select__prefix::slotted(*) {
margin-inline-start: var(--sl-input-spacing-medium);
}

.select--medium.select--multiple:not(.select--placeholder-visible) .select__combobox {
padding-inline-start: 0;
padding-block: 3px;
}

.select--medium .select__tags {
gap: 3px;
}

.select--large .select__combobox {
border-radius: var(--sl-input-border-radius-large);
font-size: var(--sl-input-font-size-large);
min-height: var(--sl-input-height-large);
padding-block: 0;
padding-inline: var(--sl-input-spacing-large);
}

.select--large .select__clear {
margin-inline-start: var(--sl-input-spacing-large);
}

.select--large .select__prefix::slotted(*) {
margin-inline-end: var(--sl-input-spacing-large);
}

.select--large.select--multiple:not(.select--placeholder-visible) .select__prefix::slotted(*) {
margin-inline-start: var(--sl-input-spacing-large);
}

.select--large.select--multiple:not(.select--placeholder-visible) .select__combobox {
padding-inline-start: 0;
padding-block: 4px;
}

.select--large .select__tags {
gap: 4px;
}

/* Pills */
.select--pill.select--small .select__combobox {
border-radius: var(--sl-input-height-small);
}

.select--pill.select--medium .select__combobox {
border-radius: var(--sl-input-height-medium);
}

.select--pill.select--large .select__combobox {
border-radius: var(--sl-input-height-large);
}

/* Prefix and Suffix */
.select__prefix,
.select__suffix {
flex: 0;
display: inline-flex;
align-items: center;
color: var(--sl-input-placeholder-color);
}

.select__suffix::slotted(*) {
margin-inline-start: var(--sl-spacing-small);
}

/* Clear button */
.select__clear {
display: inline-flex;
align-items: center;
justify-content: center;
font-size: inherit;
color: var(--sl-input-icon-color);
border: none;
background: none;
padding: 0;
transition: var(--sl-transition-fast) color;
cursor: pointer;
}

.select__clear:hover {
```

```

    color: var(--sl-input-icon-color-hover);
  }

.select__clear:focus {
  outline: none;
}

/* Expand icon */
.select__expand-icon {
  flex: 0 0 auto;
  display: flex;
  align-items: center;
  transition: var(--sl-transition-medium) rotate ease;
  rotate: 0;
  margin-inline-start: var(--sl-spacing-small);
}

.select--open .select__expand-icon {
  rotate: -180deg;
}

/* Listbox */
.select__listbox {
  display: block;
  position: relative;
  font-family: var(--sl-font-sans);
  font-size: var(--sl-font-size-medium);
  font-weight: var(--sl-font-weight-normal);
  box-shadow: var(--sl-shadow-large);
  background: var(--sl-panel-background-color);
  border: solid var(--sl-panel-border-width) var(--sl-panel-border-color);
  border-radius: var(--sl-border-radius-medium);
  padding-block: var(--sl-spacing-x-small);
  padding-inline: 0;
  overflow: auto;
  overscroll-behavior: none;

  /* Make sure it adheres to the popup's auto size */
  max-width: var(--auto-size-available-width);
  max-height: var(--auto-size-available-height);
}

.select__listbox ::slotted(sl-divider) {
  --spacing: var(--sl-spacing-x-small);
}

.select__listbox ::slotted(small) {
  display: block;
  font-size: var(--sl-font-size-small);
  font-weight: var(--sl-font-weight-semibold);
  color: var(--sl-color-neutral-500);
  padding-block: var(--sl-spacing-2x-small);
  padding-inline: var(--sl-spacing-x-large);
}

`class e extends i$3{constructor(i){if(super(i),this.it=E$1,i.type!==t.CHILD)throw
Error(this.constructor.directiveName+"() can only be used in child bindings")}render(r)
{if(r===E$1||null==r)return this._t=void 0,this.it=r;if(r===T$1)return r;if("string"!==typeof r)throw
Error(this.constructor.directiveName+"() called with a non-string value");if(r===this.it)return
this._t;this.it=r;const s=[r];return s.raw=s,this._t=
{_$litType$:this.constructor.resultType,strings:s,values:
[]}}e.directiveName="unsafeHTML",e.resultType=1;const o$2=e$3(e);var S1Select=class extends
ShoelaceElement{constructor(){var _Mathmax=Math.max;super(...arguments),this.formControlController=new
FormControlController(this,{assumeInteractionOn:["sl-blur","sl-input"]}),this.hasSlotController=new
HasSlotController(this,"help-text","label"),this.localize=new
LocalizeController(this),this.typeToSelectString="",this.hasFocus=!1,this.displayLabel="",this.selected
Options=
[],this.valueHasChanged=!1,this.name="",this._value="",this.defaultValue="",this.size="medium",this.pla
ceholder="",this.multiple=!1,this.maxOptionsVisible=3,this.disabled=!1,this.clearable=!1,this.open=!1,t
his.ghost=!1,this.filled=!1,this.pill=!1,this.label="",this.placement="bottom",this.helpText="",this.fo
rm="",this.required=!1,this.getTag=option=>x$1`
  <sl-tag
    part="tag"
    exportparts="
      base:tag__base,
      content:tag__content,
      remove-button:tag__remove-button,
      remove-button__base:tag__remove-button__base
    "

    ?pill=${this.pill}
    size=${this.size}
    removable
    @sl-remove=${event=>this.handleTagRemove(event,option)}
  >
    ${option.getTextLabel()}
  </sl-tag>
`,this.handleDocumentFocusIn=event=>{const

```

```

path=event.composedPath();this&&!path.includes(this)&&this.hide()},this.handleDocumentKeyDown=event=>
{const
target=event.target,isClearButton=null!==(target.closest(".select__clear"),isIconButton=null!==(target.cl
osest("sl-icon-button"));if(!(isClearButton||isIconButton))
{if("Escape"===event.key&&this.open&&this.closeWatcher&&
(event.preventDefault(),event.stopPropagation(),this.hide(),this.displayInput.focus({preventScroll:!0}
),"Enter"===event.key||"
"===event.key&&"===this.typeToSelectString)return(event.preventDefault(),event.stopImmediatePropagatio
n(),!this.open)?void this.show():void(this.currentOption&&this.currentOption.disabled&&
(this.valueHasChanged=!0,this.multiple?
this.toggleOptionSelection(this.currentOption):this.setSelectedOptions(this.currentOption),this.updateC
omplete.then(()=>{this.emit("sl-input"),this.emit("sl-change")}),!this.multiple&&
(this.hide(),this.displayInput.focus({preventScroll:!0})))));if(["ArrowUp","ArrowDown","Home","End"].inc
ludes(event.key)){const
allOptions=this.getAllOptions(),currentIndex=allOptions.indexOf(this.currentOption);let
newIndex=Mathmax(0,currentIndex);if(event.preventDefault(),!this.open&&
(this.show(),this.currentOption))return;"ArrowDown"===event.key?
(newIndex=currentIndex+1,newIndex>allOptions.length-1&&(newIndex=0)):"ArrowUp"===event.key?
(newIndex=currentIndex-1,0>newIndex&&(newIndex=allOptions.length-1)):"Home"===event.key?
newIndex=0:"End"===event.key&&(newIndex=allOptions.length-
1),this.setCurrentOption(allOptions[newIndex])}if(event.key&&1===event.key.length||"Backspace"===event.
key){const
allOptions=this.getAllOptions();if(event.metaKey||event.ctrlKey||event.altKey)return;if(!this.open)
{if("Backspace"===event.key)return;this.show()}event.stopPropagation(),event.preventDefault(),clearTime
out(this.typeToSelectTimeout),this.typeToSelectTimeout=window.setTimeout(()=>this.typeToSelectString=""
,1e3),"Backspace"===event.key?
this.typeToSelectString=this.typeToSelectString.slice(0,-1):this.typeToSelectString+=event.key.toLowerC
ase();for(const option of allOptions){const
label=option.getTextLabel().toLowerCase();if(label.startsWith(this.typeToSelectString))
{this.setCurrentOption(option);break}}},this.handleDocumentMouseDown=event=>{const
path=event.composedPath();this&&!path.includes(this)&&this.hide()}get value(){return this._value}set
value(val){val=this.multiple?Array.isArray(val)?val:val.split(" "):Array.isArray(val)?val.join("
"):val;this._value===val||(this.valueHasChanged=!0,this._value=val)}get validity(){return
this.valueInput.validity}get validationMessage(){return
this.valueInput.validationMessage}connectedCallback(){super.connectedCallback(),setTimeout(()=>
{this.handleDefaultSlotChange()}),this.open=!1}addOpenListeners(){var
_a;document.addEventListener("focusin",this.handleDocumentFocusIn),document.addEventListener("keydown",
this.handleDocumentKeyDown),document.addEventListener("mousedown",this.handleDocumentMouseDown),this.ge
tRootNode()!==document&&this.getRootNode().addEventListener("focusin",this.handleDocumentFocusIn),"Clos
eWatcher"in window&&(null==(a=this.closeWatcher)?void 0:_a.destroy(),this.closeWatcher=new
CloseWatcher,this.closeWatcher.onclose=()=>{this.open&&
(this.hide(),this.displayInput.focus({preventScroll:!0})))}}removeOpenListeners(){var
_a;document.removeEventListener("focusin",this.handleDocumentFocusIn),document.removeEventListener("key
down",this.handleDocumentKeyDown),document.removeEventListener("mousedown",this.handleDocumentMouseDown
),this.getRootNode()!==document&&this.getRootNode().removeEventListener("focusin",this.handleDocumentFo
cusIn),null==(a=this.closeWatcher)?void 0:_a.destroy()}handleFocus()
{this.hasFocus=!0,this.displayInput.setSelectionRange(0,0),this.emit("sl-focus")}handleBlur()
{this.hasFocus=!1,this.emit("sl-blur")}handleLabelClick()
{this.displayInput.focus()}handleComboboxMouseDown(event){const
path=event.composedPath(),isIconButton=path.some(el=>el instanceof Element&&"sl-icon-
button"===el.tagName.toLowerCase());this.disabled||isIconButton||
(event.preventDefault(),this.displayInput.focus({preventScroll:!0}),this.open=!this.open)}handleCombobo
xKeyDown(event){"Tab"===event.key||
(event.stopPropagation(),this.handleDocumentKeyDown(event))}handleClearClick(event)
{event.stopPropagation(),this.valueHasChanged=!0,""!==this.value&&
(this.setSelectedOptions([]),this.displayInput.focus({preventScroll:!0}),this.updateComplete.then(()=>
{this.emit("sl-clear"),this.emit("sl-input"),this.emit("sl-change")}))}handleClearMouseDown(event)
{event.stopPropagation(),event.preventDefault()}handleOptionClick(event){const
target=event.target,option=target.closest("sl-option"),oldValue=this.value;option&&!option.disabled&&
(this.valueHasChanged=!0,this.multiple?
this.toggleOptionSelection(option):this.setSelectedOptions(option),this.updateComplete.then(()=>this.di
splayInput.focus({preventScroll:!0})),this.value!==oldValue&&this.updateComplete.then(()=>
{this.emit("sl-input"),this.emit("sl-change")}),!this.multiple&&
(this.hide(),this.displayInput.focus({preventScroll:!0})))}handleDefaultSlotChange()
{customElements.get("sl-option")||customElements.whenDefined("sl-
option").then(()=>this.handleDefaultSlotChange());const
allOptions=this.getAllOptions(),val=this.valueHasChanged?
this.value:this.defaultValue,value=Array.isArray(val)?val:[val],values=
[];allOptions.forEach(option=>values.push(option.value)),this.setSelectedOptions(allOptions.filter(el=>
value.includes(el.value)))}handleTagRemove(event,option)
{event.stopPropagation(),this.valueHasChanged=!0,this.disabled||
(this.toggleOptionSelection(option,!1),this.updateComplete.then(()=>{this.emit("sl-
input"),this.emit("sl-change")}))}getAllOptions(){return [...this.querySelectorAll("sl-
option")]}getFirstOption(){return this.querySelector("sl-option")}setCurrentOption(option){const
allOptions=this.getAllOptions();allOptions.forEach(el=>{el.current=!1,el.tabIndex=-1}),option&&
(this.currentOption=option,option.current=!0,option.tabIndex=0,option.focus())}setSelectedOptions(optio
n){const allOptions=this.getAllOptions(),newSelectedOptions=Array.isArray(option)?option:
[option];allOptions.forEach(el=>el.selected=!1),newSelectedOptions.length&&newSelectedOptions.forEach(e
l=>el.selected=!0),this.selectionChanged()}toggleOptionSelection(option,force)
{option.selected=!0===force||!1===force?
force:!option.selected,this.selectionChanged()}selectionChanged(){var _a,_b,_c;const
options=this.getAllOptions();this.selectedOptions=options.filter(el=>el.selected);const
cachedValueHasChanged=this.valueHasChanged;if(this.multiple)this.value=this.selectedOptions.map(el=>el.
value),this.displayLabel=this.placeholder&&0===this.value.length?"":this.localize.term("numOptionsSele
cted",this.selectedOptions.length);else{const selectedOption=this.selectedOptions[0];this.value=null==
(_a=null==selectedOption?void 0:selectedOption.value)?":_a,this.displayLabel=null==(_c=null==

```



```
(_b=null==selectedOption?void 0:selectedOption.getTextLabel)?void
0:_b.call(selectedOption))?"":_c}this.valueHasChanged=cachedValueHasChanged,this.updateComplete.then(()
=>{this.formControlController.updateValidity()})}get tags(){return
this.selectedOptions.map((option,index)=>{if(index<this.maxOptionsVisible||0>=this.maxOptionsVisible)
{const tag=this.getTag(option,index);return x$1`<div @sl-remove=${e=>this.handleTagRemove(e,option)}>
  ${"string"==typeof tag?o$2(tag):tag}
  </div>`}return index==this.maxOptionsVisible?x$1`<sl-tag
size=${this.size}>+${this.selectedOptions.length-index}</sl-tag>`:x$1``}}handleInvalid(event)
{this.formControlController.setValidity(!1),this.formControlController.emitInvalidEvent(event)}handleDis
abledChange(){this.disabled&&
(this.open=!1,this.handleOpenChange())}attributeChangedCallback(name,oldVal,newVal)
{if(super.attributeChangedCallback(name,oldVal,newVal),"value"===name){const
cachedValueHasChanged=this.valueHasChanged;this.value=this.defaultValue,this.valueHasChanged=cachedValu
eHasChanged}}handleValueChange(){if(!this.valueHasChanged){const
cachedValueHasChanged=this.valueHasChanged;this.value=this.defaultValue,this.valueHasChanged=cachedValu
eHasChanged}const allOptions=this.getAllOptions(),value=Array.isArray(this.value)?this.value:
[this.value];this.setSelectedOptions(allOptions.filter(el=>value.includes(el.value)))}async
handleOpenChange(){if(this.open&&!this.disabled)
{this.setCurrentOption(this.selectedOptions[0]||this.getFirstOption()),this.emit("sl-
show"),this.addOpenListeners(),await
stopAnimations(this),this.listbox.hidden=!1,this.popup.active=!0,requestAnimationFrame(()=>
{this.setCurrentOption(this.currentOption)});const{keyframes,options}=getAnimation(this,"select.show",
{dir:this.localize.dir()});await
animateTo(this.popup.popup,keyframes,options),this.currentOption&&scrollIntoView(this.currentOption,thi
s.listbox,"vertical","auto"),this.emit("sl-after-show")}else{this.emit("sl-
hide"),this.removeOpenListeners(),await
stopAnimations(this);const{keyframes,options}=getAnimation(this,"select.hide",
{dir:this.localize.dir()});await
animateTo(this.popup.popup,keyframes,options),this.listbox.hidden=!0,this.popup.active=!1,this.emit("sl
-after-hide")}}}async show(){return this.open||this.disabled?void(this.open=!1):
(this.open=!0,waitForEvent(this,"sl-after-show"))}async hide(){return!this.open||this.disabled?
void(this.open=!1):(this.open=!1,waitForEvent(this,"sl-after-hide"))}checkValidity(){return
this.valueInput.checkValidity()}getForm(){return this.formControlController.getForm()}reportValidity()
{return this.valueInput.reportValidity()}setCustomValidity(message)
{this.valueInput.setCustomValidity(message),this.formControlController.updateValidity()}focus(options)
{this.displayInput.focus(options)}blur(){this.displayInput.blur()}render(){const
hasLabelSlot=this.hasSlotController.test("label"),hasHelpTextSlot=this.hasSlotController.test("help-
text"),hasLabel=!!this.label||!!hasLabelSlot,hasHelpText=!!this.helpText||!!hasHelpTextSlot,hasClearIco
n=this.clearable&&!this.disabled&&0<this.value.length,isPlaceholderVisible=this.placeholder&&this.value
&&0>=this.value.length;return x$1`
  <div
    part="form-control"
    class=${e$2({"form-control":!0,"form-control--small":"small"===this.size,"form-control--
medium":"medium"===this.size,"form-control--large":"large"===this.size,"form-control--has-
label":hasLabel,"form-control--has-help-text":hasHelpText})}
  >
    <label
      id="label"
      part="form-control-label"
      class="form-control__label"
      aria-hidden=${hasLabel?"false":"true"}
      @click=${this.handleLabelClick}
    >
      <slot name="label">${this.label}</slot>
    </label>

    <div part="form-control-input" class="form-control-input">
      <sl-popup
        class=${e$2({select:!0,"select--standard":!0,"select--filled":this.filled,"select--
pill":this.pill,"select--open":this.open,"select--disabled":this.disabled,"select--
multiple":this.multiple,"select--focused":this.hasFocus,"select--placeholder-
visible":isPlaceholderVisible,"select--top":"top"===this.placement,"select--
bottom":"bottom"===this.placement,"select--small":"small"===this.size,"select--
medium":"medium"===this.size,"select--large":"large"===this.size})}
        placement=${this.placement}
        strategy=${this.hoist?"fixed":"absolute"}
        flip
        shift
        sync="width"
        auto-size="vertical"
        auto-size-padding="10"
      >
        <div
          part="combobox"
          class="select__combobox"
          slot="anchor"
          @keydown=${this.handleComboboxKeyDown}
          @mousedown=${this.handleComboboxMouseDown}
        >
          <slot part="prefix" name="prefix" class="select__prefix"></slot>

          <input
            part="display-input"
            class="select__display-input"
            type="text"
            placeholder=${this.placeholder}
```

```
.disabled=${this.disabled}
.value=${this.displayLabel}
autocomplete="off"
spellcheck="false"
autocapitalize="off"
readonly
aria-controls="listbox"
aria-expanded=${this.open?"true":"false"}
aria-haspopup="listbox"
aria-labelledby="label"
aria-disabled=${this.disabled?"true":"false"}
aria-describedby="help-text"
role="combobox"
tabindex="0"
@focus=${this.handleFocus}
@blur=${this.handleBlur}
/>

${this.multiple?x$1`<div part="tags" class="select__tags">${this.tags}</div>`: ""}

<input
  class="select__value-input"
  type="text"
  ?disabled=${this.disabled}
  ?required=${this.required}
  .value=${Array.isArray(this.value)?this.value.join(", "):this.value}
  tabindex="-1"
  aria-hidden="true"
  @focus=${()=>this.focus()}
  @invalid=${this.handleInvalid}
/>

${hasClearIcon?x$1`
  <button
    part="clear-button"
    class="select__clear"
    type="button"
    aria-label=${this.localize.term("clearEntry")}
    @mousedown=${this.handleClearMouseDown}
    @click=${this.handleClearClick}
    tabindex="-1"
  >
    <slot name="clear-icon">
      <sl-icon name="x-circle-fill" library="system"></sl-icon>
    </slot>
  </button>
  `: ""}

<slot name="suffix" part="suffix" class="select__suffix"></slot>

<slot name="expand-icon" part="expand-icon" class="select__expand-icon">
  <sl-icon library="system" name="chevron-down"></sl-icon>
</slot>
</div>

<div
  id="listbox"
  role="listbox"
  aria-expanded=${this.open?"true":"false"}
  aria-multiselectable=${this.multiple?"true":"false"}
  aria-labelledby="label"
  part="listbox"
  class="select__listbox"
  tabindex="-1"
  @mouseup=${this.handleOptionClick}
  @slotchange=${this.handleDefaultSlotChange}
>
  <slot></slot>
</div>
</sl-popup>
</div>

<div
  part="form-control-help-text"
  id="help-text"
  class="form-control__help-text"
  aria-hidden=${hasHelpText?"false":"true"}
>
  <slot name="help-text">${this.helpText}</slot>
</div>
</div>
`}};SlSelect.styles=
[component_styles_default,form_control_styles_default,select_styles_default],SlSelect.dependencies=
{"sl-icon":SlIcon,"sl-popup":SlPopup,"sl-tag":SlTag},__decorateClass([e$6(".select")],SlSelect.prototype,"popup",2),__decorateClass([e$6(".select__combobox")],SlSelect.prototype,"combobox",2),__decorateClass([e$6(".select__display-
```

```
input"))],SlSelect.prototype,"displayInput",2),__decorateClass([e$6(".select__value-
input"))],SlSelect.prototype,"valueInput",2),__decorateClass([e$6(".select__listbox")],SlSelect.prototype,"listbox",2),__decorateClass([r$6()],SlSelect.prototype,"hasFocus",2),__decorateClass([r$6()],SlSelect.prototype,"displayLabel",2),__decorateClass([r$6()],SlSelect.prototype,"currentOption",2),__decorateClass([r$6()],SlSelect.prototype,"selectedOptions",2),__decorateClass([r$6()],SlSelect.prototype,"valueHasChanged",2),__decorateClass([n$5()],SlSelect.prototype,"name",2),__decorateClass([r$6()],SlSelect.prototype,"value",1),__decorateClass([n$5({attribute:"value"})],SlSelect.prototype,"defaultValue",2),__decorateClass([n$5({reflect:!0})],SlSelect.prototype,"size",2),__decorateClass([n$5()],SlSelect.prototype,"placeholder",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlSelect.prototype,"multiple",2),__decorateClass([n$5({attribute:"max-options-visible",type:Number})],SlSelect.prototype,"maxOptionsVisible",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlSelect.prototype,"disabled",2),__decorateClass([n$5({type:Boolean})],SlSelect.prototype,"clearable",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlSelect.prototype,"open",2),__decorateClass([n$5({type:Boolean})],SlSelect.prototype,"hoist",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlSelect.prototype,"filled",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlSelect.prototype,"pill",2),__decorateClass([n$5()],SlSelect.prototype,"label",2),__decorateClass([n$5({reflect:!0})],SlSelect.prototype,"placement",2),__decorateClass([n$5({attribute:"help-text"})],SlSelect.prototype,"helpText",2),__decorateClass([n$5({reflect:!0})],SlSelect.prototype,"form",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlSelect.prototype,"required",2),__decorateClass([n$5()],SlSelect.prototype,"getTag",2),__decorateClass([watch("disabled",{waitUntilFirstUpdate:!0})],SlSelect.prototype,"handleDisabledChange",1),__decorateClass([watch(["defaultValue","value"],{waitUntilFirstUpdate:!0})],SlSelect.prototype,"handleValueChange",1),__decorateClass([watch("open",{waitUntilFirstUpdate:!0})],SlSelect.prototype,"handleOpenChange",1),setDefaultAnimation("select.show",{keyframes:[{opacity:0,scale:.9},{opacity:1,scale:1}],options:{duration:100,easing:"ease"}}),setDefaultAnimation("select.hide",{keyframes:[{opacity:1,scale:1},{opacity:0,scale:.9}],options:{duration:100,easing:"ease"}}),SlSelect.define("sl-select");var
textarea_styles_default=i$7`
:host {
  display: block;

  .textarea {
    display: grid;
    align-items: center;
    position: relative;
    width: 100%;
    font-family: var(--sl-input-font-family);
    font-weight: var(--sl-input-font-weight);
    line-height: var(--sl-line-height-normal);
    letter-spacing: var(--sl-input-letter-spacing);
    vertical-align: middle;
    transition:
      var(--sl-transition-fast) color,
      var(--sl-transition-fast) border,
      var(--sl-transition-fast) box-shadow,
      var(--sl-transition-fast) background-color;
    cursor: text;
  }

  /* Standard textareas */
  .textarea--standard {
    background-color: var(--sl-input-background-color);
    border: solid var(--sl-input-border-width) var(--sl-input-border-color);
  }

  .textarea--standard:hover:not(.textarea--disabled) {
    background-color: var(--sl-input-background-color-hover);
    border-color: var(--sl-input-border-color-hover);
  }
  .textarea--standard:hover:not(.textarea--disabled) .textarea__control {
    color: var(--sl-input-color-hover);
  }

  .textarea--standard.textarea--focused:not(.textarea--disabled) {
    background-color: var(--sl-input-background-color-focus);
    border-color: var(--sl-input-border-color-focus);
    color: var(--sl-input-color-focus);
    box-shadow: 0 0 0 var(--sl-focus-ring-width) var(--sl-input-focus-ring-color);
  }

  .textarea--standard.textarea--focused:not(.textarea--disabled) .textarea__control {
    color: var(--sl-input-color-focus);
  }

  .textarea--standard.textarea--disabled {
    background-color: var(--sl-input-background-color-disabled);
    border-color: var(--sl-input-border-color-disabled);
    opacity: 0.5;
    cursor: not-allowed;
  }

  .textarea__control,
  .textarea__size-adjuster {
    grid-area: 1 / 1 / 2 / 2;
  }
}
```

```
.textarea__size-adjuster {
  visibility: hidden;
  pointer-events: none;
  opacity: 0;
}

.textarea--standard.textarea--disabled .textarea__control {
  color: var(--sl-input-color-disabled);
}

.textarea--standard.textarea--disabled .textarea__control::placeholder {
  color: var(--sl-input-placeholder-color-disabled);
}

/* Filled textareas */
.textarea--filled {
  border: none;
  background-color: var(--sl-input-filled-background-color);
  color: var(--sl-input-color);
}

.textarea--filled:hover:not(.textarea--disabled) {
  background-color: var(--sl-input-filled-background-color-hover);
}

.textarea--filled.textarea--focused:not(.textarea--disabled) {
  background-color: var(--sl-input-filled-background-color-focus);
  outline: var(--sl-focus-ring);
  outline-offset: var(--sl-focus-ring-offset);
}

.textarea--filled.textarea--disabled {
  background-color: var(--sl-input-filled-background-color-disabled);
  opacity: 0.5;
  cursor: not-allowed;
}

.textarea__control {
  font-family: inherit;
  font-size: inherit;
  font-weight: inherit;
  line-height: 1.4;
  color: var(--sl-input-color);
  border: none;
  background: none;
  box-shadow: none;
  cursor: inherit;
  -webkit-appearance: none;
}

.textarea__control::-webkit-search-decoration,
.textarea__control::-webkit-search-cancel-button,
.textarea__control::-webkit-search-results-button,
.textarea__control::-webkit-search-results-decoration {
  -webkit-appearance: none;
}

.textarea__control::placeholder {
  color: var(--sl-input-placeholder-color);
  user-select: none;
  -webkit-user-select: none;
}

.textarea__control:focus {
  outline: none;
}

/*
 * Size modifiers
 */

.textarea--small {
  border-radius: var(--sl-input-border-radius-small);
  font-size: var(--sl-input-font-size-small);
}

.textarea--small .textarea__control {
  padding: 0.5em var(--sl-input-spacing-small);
}

.textarea--medium {
  border-radius: var(--sl-input-border-radius-medium);
  font-size: var(--sl-input-font-size-medium);
}
```

```
.textarea--medium .textarea__control {
  padding: 0.5em var(--sl-input-spacing-medium);
}

.textarea--large {
  border-radius: var(--sl-input-border-radius-large);
  font-size: var(--sl-input-font-size-large);
}

.textarea--large .textarea__control {
  padding: 0.5em var(--sl-input-spacing-large);
}

/*
 * Resize types
 */

.textarea--resize-none .textarea__control {
  resize: none;
}

.textarea--resize-vertical .textarea__control {
  resize: vertical;
}

.textarea--resize-auto .textarea__control {
  height: auto;
  resize: none;
  overflow-y: hidden;
}

` ,SlTextarea=class extends ShoelaceElement{constructor()
{super(...arguments),this.formControlController=new FormControlController(this,{assumeInteractionOn:
["sl-blur","sl-input"]}),this.hasSlotController=new HasSlotController(this,"help-
text","label"),this.hasFocus=!1,this.title="",this.name="",this.value="",this.size="medium",this.filled
=!1,this.label="",this.helpText="",this.placeholder="",this.rows=4,this.resize="vertical",this.disabled
=!1,this.readonly=!1,this.form="",this.required=!1,this.spellcheck=!0,this.defaultValue=""}}get
validity(){return this.input.validity}get validationMessage(){return
this.input.validationMessage}connectedCallback(){super.connectedCallback(),this.resizeObserver=new
ResizeObserver(()=>this.setTextareaHeight()),this.updateComplete.then(()=>
{this.setTextareaHeight(),this.resizeObserver.observe(this.input)})}firstUpdated()
{this.formControlController.updateValidity()}disconnectedCallback(){var
_a;super.disconnectedCallback(),this.input&&(null==(a=this.resizeObserver)?void
0:_a.unobserve(this.input))}handleBlur(){this.hasFocus=!1,this.emit("sl-blur")}handleChange()
{this.value=this.input.value,this.setTextareaHeight(),this.emit("sl-change")}handleFocus()
{this.hasFocus=!0,this.emit("sl-focus")}handleInput(){this.value=this.input.value,this.emit("sl-
input")}handleInvalid(event)
{this.formControlController.setValidity(!1),this.formControlController.emitInvalidEvent(event)}setTexta
reaHeight(){if("auto"===this.resize?
(this.sizeAdjuster.style.height=`${this.input.clientHeight}px`,this.input.style.height="auto",this.inpu
t.style.height=`${this.input.scrollHeight}px`):this.input.style.height=""}handleDisabledChange()
{this.formControlController.setValidity(this.disabled)}handleRowsChange()
{this.setTextareaHeight()}async handleValueChange(){await
this.updateComplete,this.formControlController.updateValidity(),this.setTextareaHeight()}focus(options)
{this.input.focus(options)}blur(){this.input.blur()}select()
{this.input.select()}scrollTop(position){return position?("number"===typeof position.top&&
(this.input.scrollTop=position.top),void("number"===typeof position.left&&
(this.input.scrollLeft=position.left))):
{top:this.input.scrollTop,left:this.input.scrollTop}}setSelectionRange(selectionStart,selectionEnd,sele
ctionDirection="none")
{this.input.setSelectionRange(selectionStart,selectionEnd,selectionDirection)}setRangeText(replacement,
start,end,selectMode="preserve"){const selectionStart=null==start?
this.input.selectionStart: start,selectionEnd=null==end?
this.input.selectionEnd: end;this.input.setRangeText(replacement,selectionStart,selectionEnd,selectMode)
,this.value!==this.input.value&&(this.value=this.input.value,this.setTextareaHeight())}checkValidity()
{return this.input.checkValidity()}getForm(){return
this.formControlController.getForm()}reportValidity(){return
this.input.reportValidity()}setCustomValidity(message)
{this.input.setCustomValidity(message),this.formControlController.updateValidity()}render(){const
hasLabelSlot=this.hasSlotController.test("label"),hasHelpTextSlot=this.hasSlotController.test("help-
text"),hasLabel=!!this.label||!!hasLabelSlot,hasHelpText=!!this.helpText||!!hasHelpTextSlot;return x$1`
<div
  part="form-control"
  class=${e$2({"form-control":!0,"form-control--small":"small"===this.size,"form-control--
medium":"medium"===this.size,"form-control--large":"large"===this.size,"form-control--has-
label":hasLabel,"form-control--has-help-text":hasHelpText})}
>
  <label
    part="form-control-label"
    class="form-control__label"
    for="input"
    aria-hidden=${hasLabel?"false":"true"}
  >
    <slot name="label">${this.label}</slot>
  </label>

  <div part="form-control-input" class="form-control-input">
```

```
<div
  part="base"
  class=${e$2({textarea:!0,"textarea--small":"small"===this.size,"textarea--
medium":"medium"===this.size,"textarea--large":"large"===this.size,"textarea--
standard":!this.filled,"textarea--filled":this.filled,"textarea--disabled":this.disabled,"textarea--
focused":this.hasFocus,"textarea--empty":!this.value,"textarea--resize-
none":"none"===this.resize,"textarea--resize-vertical":"vertical"===this.resize,"textarea--resize-
auto":"auto"===this.resize)}}
  >
    <textarea
      part="textarea"
      id="input"
      class="textarea__control"
      title=${this.title}
      name=${o$6(this.name)}
      .value=${l(this.value)}
      ?disabled=${this.disabled}
      ?readonly=${this.readonly}
      ?required=${this.required}
      placeholder=${o$6(this.placeholder)}
      rows=${o$6(this.rows)}
      minlength=${o$6(this.minlength)}
      maxlength=${o$6(this.maxlength)}
      autocapitalize=${o$6(this.autocapitalize)}
      autocorrect=${o$6(this.autocorrect)}
      ?autofocus=${this.autofocus}
      spellcheck=${o$6(this.spellcheck)}
      enterkeyhint=${o$6(this.enterkeyhint)}
      inputmode=${o$6(this.inputmode)}
      aria-describedby="help-text"
      @change=${this.handleChange}
      @input=${this.handleInput}
      @invalid=${this.handleInvalid}
      @focus=${this.handleFocus}
      @blur=${this.handleBlur}
    ></textarea>
    <!-- This "adjuster" exists to prevent layout shifting. https://github.com/shoelace-
style/shoelace/issues/2180 -->
    <div part="textarea-adjuster" class="textarea__size-adjuster" ?
hidden=${"auto"!==this.resize}></div>
  </div>
</div>

<div
  part="form-control-help-text"
  id="help-text"
  class="form-control__help-text"
  aria-hidden=${hasHelpText?"false":"true"}
  >
    <slot name="help-text">${this.helpText}</slot>
  </div>
</div>
`}};SlTextarea.styles=
[component_styles_default,form_control_styles_default,textarea_styles_default],__decorateClass([e$6(".t
extarea__control")],SlTextarea.prototype,"input",2),__decorateClass([e$6(".textarea__size-
adjuster")],SlTextarea.prototype,"sizeAdjuster",2),__decorateClass([r$6()],SlTextarea.prototype,"hasFoc
us",2),__decorateClass([n$5()],SlTextarea.prototype,"title",2),__decorateClass([n$5()],SlTextare
a.prototype,"name",2),__decorateClass([n$5()],SlTextarea.prototype,"value",2),__decorateClass([n$5({reflect:!0
})],SlTextarea.prototype,"size",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlTextarea.prototype
,"filled",2),__decorateClass([n$5()],SlTextarea.prototype,"label",2),__decorateClass([n$5({attribute:"
help-
text"})],SlTextarea.prototype,"helpText",2),__decorateClass([n$5()],SlTextarea.prototype,"placeholder",
2),__decorateClass([n$5({type:Number})],SlTextarea.prototype,"rows",2),__decorateClass([n$5()],SlTextar
ea.prototype,"resize",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlTextarea.prototype,"disable
d",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlTextarea.prototype,"readonly",2),__decorateCla
ss([n$5({reflect:!0})],SlTextarea.prototype,"form",2),__decorateClass([n$5({type:Boolean,reflect:!0})],
SlTextarea.prototype,"required",2),__decorateClass([n$5({type:Number})],SlTextarea.prototype,"minlength
",2),__decorateClass([n$5({type:Number})],SlTextarea.prototype,"maxlength",2),__decorateClass([n$5()],S
lTextarea.prototype,"autocapitalize",2),__decorateClass([n$5()],SlTextarea.prototype,"autocorrect",2),_
__decorateClass([n$5()],SlTextarea.prototype,"autocomplete",2),__decorateClass([n$5({type:Boolean})],SlT
extarea.prototype,"autofocus",2),__decorateClass([n$5()],SlTextarea.prototype,"enterkeyhint",2),__decor
ateClass([n$5({type:Boolean,converter:{fromAttribute:value=>!!
(value&&"false"!==value),toAttribute:value=>value?"true":"false"}})],SlTextarea.prototype,"spellcheck",
2),__decorateClass([n$5()],SlTextarea.prototype,"inputmode",2),__decorateClass([defaultValue()],SlTexta
rea.prototype,"defaultValue",2),__decorateClass([watch("disabled",
{waitUntilFirstUpdate:!0})],SlTextarea.prototype,"handleDisabledChange",1),__decorateClass([watch("rows
",
{waitUntilFirstUpdate:!0})],SlTextarea.prototype,"handleRowsChange",1),__decorateClass([watch("value",
{waitUntilFirstUpdate:!0})],SlTextarea.prototype,"handleValueChange",1);var
textarea_default=SlTextarea;SlTextarea.define("sl-textarea");var badge_styles_default=i$7`
: host {
  display: inline-flex;
}

.badge {
  display: inline-flex;
```

```
align-items: center;
justify-content: center;
font-size: max(12px, 0.75em);
font-weight: var(--sl-font-weight-semibold);
letter-spacing: var(--sl-letter-spacing-normal);
line-height: 1;
border-radius: var(--sl-border-radius-small);
border: solid 1px var(--sl-color-neutral-0);
white-space: nowrap;
padding: 0.35em 0.6em;
user-select: none;
-webkit-user-select: none;
cursor: inherit;
}

/* Variant modifiers */
.badge--primary {
  background-color: var(--sl-color-primary-600);
  color: var(--sl-color-neutral-0);
}

.badge--success {
  background-color: var(--sl-color-success-600);
  color: var(--sl-color-neutral-0);
}

.badge--neutral {
  background-color: var(--sl-color-neutral-600);
  color: var(--sl-color-neutral-0);
}

.badge--warning {
  background-color: var(--sl-color-warning-600);
  color: var(--sl-color-neutral-0);
}

.badge--danger {
  background-color: var(--sl-color-danger-600);
  color: var(--sl-color-neutral-0);
}

/* Pill modifier */
.badge--pill {
  border-radius: var(--sl-border-radius-pill);
}

/* Pulse modifier */
.badge--pulse {
  animation: pulse 1.5s infinite;
}

.badge--pulse.badge--primary {
  --pulse-color: var(--sl-color-primary-600);
}

.badge--pulse.badge--success {
  --pulse-color: var(--sl-color-success-600);
}

.badge--pulse.badge--neutral {
  --pulse-color: var(--sl-color-neutral-600);
}

.badge--pulse.badge--warning {
  --pulse-color: var(--sl-color-warning-600);
}

.badge--pulse.badge--danger {
  --pulse-color: var(--sl-color-danger-600);
}

@keyframes pulse {
  0% {
    box-shadow: 0 0 0 0 var(--pulse-color);
  }
  70% {
    box-shadow: 0 0 0 0.5rem transparent;
  }
  100% {
    box-shadow: 0 0 0 0 transparent;
  }
}

`SlBadge=class extends ShoelaceElement{constructor(){
super(...arguments),this.variant="primary",this.pill=!1,this.pulse=!1}render(){return x$1`
  <span
    part="base"
```

```
class=${e$2({badge:!0,"badge--primary":"primary"===this.variant,"badge--
success":"success"===this.variant,"badge--neutral":"neutral"===this.variant,"badge--
warning":"warning"===this.variant,"badge--danger":"danger"===this.variant,"badge--
pill":this.pill,"badge--pulse":this.pulse})}
  role="status"
>
  <slot></slot>
</span>
`}};SlBadge.styles=
[component_styles_default,badge_styles_default],__decorateClass([n$5({reflect:!0})],SlBadge.prototype,"
variant",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlBadge.prototype,"pill",2),__decorateClas
s([n$5({type:Boolean,reflect:!0})],SlBadge.prototype,"pulse",2),SlBadge.define("sl-
badge"),SlTag.define("sl-tag");var tooltip_styles_default=i$7`
:host {
  --max-width: 20rem;
  --hide-delay: 0ms;
  --show-delay: 150ms;

  display: contents;
}

.tooltip {
  --arrow-size: var(--sl-tooltip-arrow-size);
  --arrow-color: var(--sl-tooltip-background-color);
}

.tooltip:part(popup) {
  z-index: var(--sl-z-index-tooltip);
}

.tooltip[placement^='top']::part(popup) {
  transform-origin: bottom;
}

.tooltip[placement^='bottom']::part(popup) {
  transform-origin: top;
}

.tooltip[placement^='left']::part(popup) {
  transform-origin: right;
}

.tooltip[placement^='right']::part(popup) {
  transform-origin: left;
}

.tooltip__body {
  display: block;
  width: max-content;
  max-width: var(--max-width);
  border-radius: var(--sl-tooltip-border-radius);
  background-color: var(--sl-tooltip-background-color);
  font-family: var(--sl-tooltip-font-family);
  font-size: var(--sl-tooltip-font-size);
  font-weight: var(--sl-tooltip-font-weight);
  line-height: var(--sl-tooltip-line-height);
  text-align: start;
  white-space: normal;
  color: var(--sl-tooltip-color);
  padding: var(--sl-tooltip-padding);
  pointer-events: none;
  user-select: none;
  -webkit-user-select: none;
}
`,SlTooltip=class extends ShoelaceElement{constructor(){super(),this.localize=new
LocalizeController(this),this.content="",this.placement="top",this.disabled=!1,this.distance=8,this.ope
n=!1,this.skidding=0,this.trigger="hover focus",this.hoist=!1,this.handleBlur={()=>
{this.hasTrigger("focus")&&this.hide()},this.handleClick={()=>{this.hasTrigger("click")&&(this.open?
this.hide():this.show())},this.handleFocus={()=>
{this.hasTrigger("focus")&&this.show()},this.handleDocumentKeyDown=event=>{"Escape"===event.key&&
(event.stopPropagation(),this.hide())},this.handleMouseOver={()=>{if(this.hasTrigger("hover")){const
delay=parseDuration(getComputedStyle(this).getPropertyValue("--show-
delay"));clearTimeout(this.hoverTimeout),this.hoverTimeout=window.setTimeout(()=>this.show(),delay)}}},t
his.handleMouseOut={()=>{if(this.hasTrigger("hover")){const
delay=parseDuration(getComputedStyle(this).getPropertyValue("--hide-
delay"));clearTimeout(this.hoverTimeout),this.hoverTimeout=window.setTimeout(()=>this.hide(),delay)}}},t
his.addEventListener("blur",this.handleBlur,!0),this.addEventListener("focus",this.handleFocus,!0),this
.addEventListener("click",this.handleClick),this.addEventListener("mouseover",this.handleMouseOver),thi
s.addEventListener("mouseout",this.handleMouseOut)}disconnectedCallback(){var
_a;super.disconnectedCallback(),null==(a=this.closeWatcher)?void
0:_a.destroy(),document.removeEventListener("keydown",this.handleDocumentKeyDown)}firstUpdated()
{this.body.hidden=!this.open,this.open&&
(this.popup.active=!0,this.popup.reposition())}hasTrigger(triggerType){const
triggers=this.trigger.split(" ");return triggers.includes(triggerType)}async handleOpenChange(){var
_a,_b;if(this.open){if(this.disabled)return;this.emit("sl-show"),"CloseWatcher"in window?(null==
(_a=this.closeWatcher)?void 0:_a.destroy()),this.closeWatcher=new
```



```
CloseWatcher, this.closeWatcher.onclose=()=>
{this.hide()}:document.addEventListener("keydown", this.handleDocumentKeyDown), await
stopAnimations(this.body), this.body.hidden=!1, this.popup.active=!0; const {keyframes, options}=getAnimation(
  this, "tooltip.show", {dir: this.localize.dir()}); await
animateTo(this.popup.popup, keyframes, options), this.popup.reposition(), this.emit("sl-after-show")} else {this.emit("sl-hide"), null==(_b=this.closeWatcher)?void
0:_b.destroy(), document.removeEventListener("keydown", this.handleDocumentKeyDown), await
stopAnimations(this.body); const {keyframes, options}=getAnimation(this, "tooltip.hide",
  {dir: this.localize.dir()}); await
animateTo(this.popup.popup, keyframes, options), this.popup.active=!1, this.body.hidden=!0, this.emit("sl-after-hide")}} async handleOptionsChange(){this.hasUpdated&&(await
this.updateComplete, this.popup.reposition())} handleDisabledChange()
{this.disabled&&this.open&&this.hide()} async show(){if(!this.open)return
this.open=!0, waitForEvent(this, "sl-after-show")} async hide(){if(this.open)return
this.open=!1, waitForEvent(this, "sl-after-hide")} render(){return x$1`
  <sl-popup
    part="base"
    exportparts="
      popup:base__popup,
      arrow:base__arrow
    "
    class=${e$2({tooltip:!0, "tooltip--open":this.open})}
    placement=${this.placement}
    distance=${this.distance}
    skidding=${this.skidding}
    strategy=${this.hoist?"fixed":"absolute"}
    flip
    shift
    arrow
    hover-bridge
  >
    ${""}
    <slot slot="anchor" aria-describedby="tooltip"></slot>

    ${""}
    <div part="body" id="tooltip" class="tooltip__body" role="tooltip" aria-
live=${this.open?"polite":"off"}>
      <slot name="content">${this.content}</slot>
    </div>
  </sl-popup>
`}}; SlTooltip.styles=[component_styles_default, tooltip_styles_default], SlTooltip.dependencies={"sl-popup":SlPopup}, __decorateClass([e$6("slot:not([name])")], SlTooltip.prototype, "defaultSlot", 2), __decorateClass([e$6(".tooltip__body")], SlTooltip.prototype, "body", 2), __decorateClass([e$6("sl-popup")], SlTooltip.prototype, "popup", 2), __decorateClass([n$5()], SlTooltip.prototype, "content", 2), __decorateClass([n$5()], SlTooltip.prototype, "placement", 2), __decorateClass([n$5({type:Boolean, reflect:!0})], SlTooltip.prototype, "disabled", 2), __decorateClass([n$5({type:Number})], SlTooltip.prototype, "distance", 2), __decorateClass([n$5({type:Boolean, reflect:!0})], SlTooltip.prototype, "open", 2), __decorateClass([n$5({type:Number})], SlTooltip.prototype, "skidding", 2), __decorateClass([n$5()], SlTooltip.prototype, "trigger", 2), __decorateClass([n$5({type:Boolean})], SlTooltip.prototype, "hoist", 2), __decorateClass([watch("open", {waitUntilFirstUpdate:!0})], SlTooltip.prototype, "handleOpenChange", 1), __decorateClass([watch(["content", "distance", "hoist", "placement", "skidding"])], SlTooltip.prototype, "handleOptionsChange", 1), __decorateClass([watch("disabled")], SlTooltip.prototype, "handleDisabledChange", 1), setDefaultAnimation("tooltip.show", {keyframes:[{opacity:0, scale:.8}, {opacity:1, scale:1}], options:{duration:150, easing:"ease"}}), setDefaultAnimation("tooltip.hide", {keyframes:[{opacity:1, scale:1}, {opacity:0, scale:.8}], options:{duration:150, easing:"ease"}}), SlTooltip.define("sl-tooltip"); const
VARS=i$7`
:host {
  --default-font-color: #222;
  --page-background: #fafafa;

  --light-grey: #eee;

  --gray-1: #e6e6e6;
  --gray-2: #a9a9a9;
  --gray-3: #797979;
  --gray-4: #515151;

  --nav-link-color: #444;

  --bar-shadow-color: rgba(0, 0, 0, .065);
  --bar-border-color: #D4D4D4;
  --error-border-color: #FF0000;

  --chromium-color-dark: #366597;
  --chromium-color-medium: #85b4df;
  --chromium-color-light: #bdd6ed;
  --chromium-color-center: #4580c0;

  --material-primary-button: #58f;

  --card-background: white;
  --card-border: 1px solid #ddd;
  --card-box-shadow: rgba(0, 0, 0, 0.067) 1px 1px 4px;

  /* App specific */
  --invalid-color: rgba(255,0,0,0.75);
```

```
--content-padding: 16px;
--content-padding-half: 8px;
--content-padding-negative: -16px;
--content-padding-huge: 80px;
--default-border-radius: 3px;

--max-content-width: 860px;
}`,RESET=i$7`
html, body {
  margin: 0;
  padding: 0;
  border: 0;
  font-weight: inherit;
  font-style: inherit;
  font-size: 100%;
  font-family: inherit;
  vertical-align: baseline;
}

div, span, object, iframe, h1, h2, h3, h4, h5, h6, p,
pre, a, abbr, acronym, address, code, del, dfn, em, img,
dl, dt, dd, ol, ul, li, fieldset, form, label, legend, caption, tbody, tfoot, thead, tr {
  margin: 0;
  padding: 0;
  border: 0;
  font-weight: inherit;
  font-size: 100%;
  font-family: inherit;
  vertical-align: baseline;
}

ol, ul {
  padding: revert;
}

blockquote, q {
  margin: 0;
  padding: 0;
  border: 0;
  font-weight: inherit;
  font-style: inherit;
  font-size: 100%;
  font-family: inherit;
  vertical-align: baseline;
  quotes: "" "";
}

blockquote {
  margin-left: 1em;
  border-left: 2px solid #999;
  padding-left: 1em;
}

blockquote:before, q:before,
blockquote:after, q:after {
  content: "";
}

th, td, caption {
  margin: 0;
  padding: 0;
  border: 0;
  font-weight: inherit;
  font-style: inherit;
  font-size: 100%;
  font-family: inherit;
  vertical-align: baseline;
  text-align: left;
  font-weight: normal;
  vertical-align: middle;
}

table {
  margin: 0;
  padding: 0;
  border: 0;
  font-weight: inherit;
  font-style: inherit;
  font-size: 100%;
  font-family: inherit;
  vertical-align: baseline;
  border-collapse: separate;
  border-spacing: 0;
  vertical-align: middle;
}
```

```
a img {
  border: none;
}
`,FLEX_BOX=i$7`
.hbox,
.vbox {
  display: flex;
  align-items: center;
}

.hbox {
  flex-direction: row;
}
.hbox.align-top {
  align-items: flex-start;
}
.vbox {
  flex-direction: column;
}

.hbox > .spacer,
.vbox > .spacer {
  flex-grow: 1;
  visibility: hidden;
}
`,SHARED_STYLES=[VARS,RESET,FLEX_BOX,i$7`

* {
  box-sizing: border-box;
  /* font: inherit; */
  text-decoration: inherit;
  -webkit-tap-highlight-color: rgba(0, 0, 0, 0);
}

.conditional-comma:last-child {
  display: none;
}

.data-table {
  width: 100%;
  border: var(--default-border);
  border-radius: var(--border-radius);
}
.data-table th {
  text-align: left;
  background: var(--table-header-background);
  padding: var(--content-padding-half) var(--content-padding);
}
.data-table td {
  vertical-align: top;
  border-top: var(--default-border);
  padding: var(--content-padding-half) var(--content-padding);
}

h1,
h2,
h3,
h4 {
  font-weight: 300;
}

h1 {
  font-size: 30px;
}

h2,
h3,
h4 {
  background: var(--heading-background);
  color: var(--heading-color);
}

h2 {
  font-size: 25px;
}

h3 {
  font-size: 20px;
}

a {
  text-decoration: none;
  color: var(--link-color);
}
a:hover {
  text-decoration: underline;
```

```

    color: var(--link-hover-color);
    cursor: pointer;
  }

input:not([type="submit"]),
textarea {
  border: 1px solid var(--bar-border-color);
}

input:not([type="submit"])[disabled],
textarea[disabled],
button[disabled] {
  opacity: 0.5;
}

button,
input[type="submit"],
.button {
  display: inline-block;
  padding: 4px 16px;
  background: var(--button-background);
  border: var(--button-border);
  border-radius: var(--button-border-radius);
  color: var(--button-color);
  white-space: nowrap;
  user-select: none;
  cursor: pointer;
  font-size: var(--button-font-size);
}

button.primary,
input[type="submit"],
.button.primary {
  background: var(--primary-button-background);
  color: var(--primary-button-color);
  font-weight: bold;
}

button.primary:disabled,
input[type="submit"]:disabled,
.button.primary:disabled {
  background: var(--gray-4);
}

.button.secondary {
  margin: var(--content-padding);
  border: var(--default-border);
  border-color: var(--primary-border-background);
  border-radius: var(--border-radius);
}

button:not(:disabled):hover {
  border-color: var(--gray-4);
}

#subheader {
  display: flex;
  align-items: center;
  margin: var(--content-padding) 0;
  max-width: var(--max-content-width);
  width: 100%;
}
#subheader div.search {
  min-width: 350px;
}
#subheader div input {
  width: 280px;
  padding: 10px 7px;
}

code {
  font-family: monospace;
}

.description {
  line-height: 1.4;
}

.comma::after {
  content: ",";
  margin-right: 0.2em;
}

details {
  padding: var(--content-padding-quarter);
}
```

```
details summary {
  white-space: nowrap;
  box-sizing: border-box;
  contain: content;
  overflow: hidden;
  cursor: pointer;
  transition: margin 250ms ease-out;
}

details summary:hover {
  color: var(--link-hover-color);
}

details[open] #preview {
  display: none;
}

details[open] summary {
  margin-bottom: var(--content-padding-quarter);
}

details > div {
  padding: var(--content-padding-quarter);
  padding-left: var(--content-padding);
}

.no-web-share {
  display: none;
}

.preformatted {
  white-space: pre-wrap;
}

.warning {
  margin: var(--content-padding);
  padding: var(--content-padding);
  background: var(--warning-background);
  color: var(--warning-color);
}

#breadcrumbs {
  display: flex;
  align-items: center;
}

#breadcrumbs a {
  text-decoration: none;
  color: inherit;
  display: flex;
  align-items: center;
}

#breadcrumbs a sl-icon {
  padding-right: var(--content-padding-half);
}

sl-dialog::part(title) {
  padding-top: calc(var(--header-spacing) / 2);
  padding-bottom: calc(var(--header-spacing) / 2);
}

sl-dialog::part(close-button) {
  padding-right: 0;
}

sl-dialog::part(body) {
  padding-top: 0;
  padding-bottom: calc(var(--body-spacing) / 2);
}

sl-details::part(base) {
  margin: var(--content-padding-half) 0 0 0;
  color: var(--accordion-color);
  border: none;
  border-radius: 0;
  background-color: transparent;
}

sl-details::part(header) {
  border-radius: var(--accordion-border-radius);
  background: var(--accordion-background);
  font-weight: 300;
  font-size: 20px;
  padding: var(--content-padding-quarter) var(--content-padding-half)
```

```
}

sl-details::part(content) {
  padding: 0;
}

sl-skeleton {
  --color: #eee;
  --sheen-color: #ccc;
}

sl-relative-time {
  margin: 0 -3px; // Mitigate spacing from unknown cause.
}

sl-relative-time.no-squeeze {
  margin: 0 0;
}

@media only screen and (max-width: 700px) {
  h1 {
    font-size: 24px;
  }
  h2 {
    font-size: 20px;
  }
  h3 {
    font-size: 15px;
  }

  #subheader div:not(.search):not(.actionlinks):not(.tooltips) {
    display: none;
  }

  #subheader div.search {
    text-align: center;
    min-width: 0;
    margin: 0;
  }
  #subheader div.search input {
    width: auto;
  }
}
`], LAYOUT_CSS=i$7`
.layout {
  display: flex;
}
.layout.wrap {
  flex-wrap: wrap;
}
.layout.center {
  align-items: center;
}
.layout.center-center {
  align-items: center;
  justify-content: center;
}
.layout.vertical {
  flex-direction: column;
};var __decorate$1a=function(decorators,target,key,desc){var c=arguments.length,r=3>c?
target:null===desc?desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof
Reflect&&"function"===typeof Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else
for(var i=decorators.length-1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?
d(target,key,r):d(target,key))||r);return 3<c&&r&&Object.defineProperty(target,key,r),r};let
ChromedashAdminBlinkComponentListing=class extends i$4{constructor()
{super(...arguments),this.editing=!1,this.component={},this.index=0,this.usersMap=new
Map,this.componentId=0,this.name="",this.subscriberIds=[],this.ownerIds=
[],this._client=window.csOpenApiClient}static get styles(){return[SHARED_STYLES,VARS,LAYOUT_CSS,i$7`
  :host {
    display: flex;
  }

  :host([editing]) .owners_list_add_remove {
    opacity: 1;
    pointer-events: all;
  }

  :host([editing]) .owners_list select[multiple] {
    background-color: #fff;
    border-color: rgba(0, 0, 0, 0);
  }

  :host([editing]) .owners_list select[multiple] option {
    padding-left: 4px;
  }
`];
}
```

```

.component_name {
  flex: 1 0 130px;
  margin-right: var(--content-padding);
}

.component_name h3 {
  color: initial;
  padding-top: 4px;
}

.column_header {
  margin-bottom: calc(var(--content-padding) / 2);
}

.owners_list {
  flex: 1 0 auto;
}

.component_owner {
  font-weight: 600;
}

.owners_list_add_remove {
  margin-left: calc(var(--content-padding) / 2);
  opacity: 0;
  transition: 200ms opacity cubic-bezier(0, 0, 0.2, 1);
  pointer-events: none;
}

.owners_list_add_remove button[disabled] {
  pointer-events: none;
  opacity: 0.5;
}

.remove_owner_button {
  color: darkred;
}

select[multiple] {
  min-width: 275px;
  background-color: #eee;
  border: none;
  transition: 200ms background-color cubic-bezier(0, 0, 0.2, 1);
  font-size: inherit;
}

select[multiple]:disabled option {
  color: initial;
  padding: 4px 0;
}

`}}getOwnerListElement(){return
this.shadowRoot?.querySelector(`#owner_list_${this.index}`)}_getOptionsElement(){return
this._ownerCandidates}_findSelectedOptionElement(){return
this._getOptionsElement().selectedOptions[0]}_isOwnerCheckboxChecked(){return
this._isPrimaryCheckbox.checked}_isUserInOwnerList(userId){const
ownersList=this.getOwnerListElement();return
Array.from(ownersList.options).find(option=>parseInt(option.value)===userId)}_addUser(){const
toggleAsOwner=this._isOwnerCheckboxChecked(),selectedCandidate=this._findSelectedOptionElement(),userId
=parseInt(selectedCandidate.value);if(selectedCandidate.disabled)return void alert("Please select a
user before trying to add");if(this._isUserInOwnerList(userId)&&!toggleAsOwner)return;let
isError=!1;this._client.addUserToComponent({componentId:this.componentId,userId:userId,componentUsersRe
quest:{owner:toggleAsOwner}}).then(()=>{}).catch(()=>{isError=!0}).finally(()=>{this.dispatchEvent(new
CustomEvent("adminAddComponentUser",{detail:
{userId:userId,toggleAsOwner:toggleAsOwner,index:this.index,isError:isError},bubbles:!0,composed:!0})))
}}_removeUser(){const
toggleAsOwner=this._isOwnerCheckboxChecked(),selectedCandidate=this._findSelectedOptionElement(),userId
=parseInt(selectedCandidate.value);if(selectedCandidate.disabled)return void alert("Please select a
user before trying to remove");if(!this._isUserInOwnerList(userId))return;let
isError=!1;this._client.removeUserFromComponent({componentId:this.componentId,userId:userId,componentUs
ersRequest:{owner:toggleAsOwner}}).then(()=>{}).catch(()=>{isError=!0}).finally(()=>
{this.dispatchEvent(new CustomEvent("adminRemoveComponentUser",{detail:
{userId:userId,toggleAsOwner:toggleAsOwner,index:this.index,isError:isError},bubbles:!0,composed:!0})))
}}_printUserDetails(userId){return x$1`${this.usersMap.get(userId).name}:
${this.usersMap.get(userId).email}`}render(){const userListTemplate=[];for(const user of
this.usersMap.values())userListTemplate.push(x$1`<option
  class="owner_name"
  value="${user.id}"
  data-email="${user.email}"
  data-name="${user.name}"
>
  ${user.name}: ${user.email}
</option>`);return x$1`
<div class="component_name">
  <div class="column_header">Component</div>
  <h3>${this.name}</h3>
</div>

```

```
<div class="owners_list layout horizontal center">
  <div>
    <div class="column_header">Receives email updates:</div>
    <select
      multiple
      disabled
      id="owner_list_${this.index}"
      size="${this.subscriberIds.length}"
    >
      ${this.subscriberIds.map(subscriberId=>this.ownerIds.includes(subscriberId)?x$1`<option
        class="owner_name component_owner"
        value="${subscriberId}"
      >
        ${this._printUserDetails(subscriberId)}
      </option>`:x$1`<option class="owner_name" value="${subscriberId}">
        ${this._printUserDetails(subscriberId)}
      </option>`)});
    </select>
  </div>
  <div class="owners_list_add_remove">
    <div>
      <select class="owner_candidates">
        <option selected disabled data-placeholder="true">
          Select owner to add/remove
        </option>
      </select>
      ${userListTemplate}</select>
    ><br />
    <label
      title="Toggles the user as an owner. If you click 'Remove' and this is not checked, the
user is removed from the component."
    >Owner? <input type="checkbox" class="is_primary_checkbox"
    /></label>
  </div>
  <button
    @click="${this._addUser}"
    class="add_owner_button"
    data-component-name="${this.name}"
  >
    Add
  </button>
  <button
    @click="${this._removeUser}"
    class="remove_owner_button"
    data-component-name="${this.name}"
  >
    Remove
  </button>
</div>
</div>

`});__decorate$1a([n$5({type:Boolean,reflect:!0})],ChromedashAdminBlinkComponentListing.prototype,"edit
ing",void
0),__decorate$1a([n$5({type:Object})],ChromedashAdminBlinkComponentListing.prototype,"component",void
0),__decorate$1a([n$5({type:Number})],ChromedashAdminBlinkComponentListing.prototype,"index",void
0),__decorate$1a([n$5({type:Object})],ChromedashAdminBlinkComponentListing.prototype,"usersMap",void
0),__decorate$1a([n$5({type:Number})],ChromedashAdminBlinkComponentListing.prototype,"componentId",void
0),__decorate$1a([n$5({type:String})],ChromedashAdminBlinkComponentListing.prototype,"name",void
0),__decorate$1a([n$5({type:Array})],ChromedashAdminBlinkComponentListing.prototype,"subscriberIds",voi
d 0),__decorate$1a([n$5({type:Array})],ChromedashAdminBlinkComponentListing.prototype,"ownerIds",void
0),__decorate$1a([e$6(".owner_candidates")],ChromedashAdminBlinkComponentListing.prototype,"_ownerCandi
dates",void
0),__decorate$1a([e$6(".is_primary_checkbox")],ChromedashAdminBlinkComponentListing.prototype,"_isPrima
ryCheckbox",void 0),ChromedashAdminBlinkComponentListing=__decorate$1a([t$3("chromedash-admin-blink-
component-
listing")],ChromedashAdminBlinkComponentListing);const{entries,setPrototypeOf,isFrozen,getPrototypeOf,g
etOwnPropertyDescriptor}=Object;let{freeze,seal,create}=Object,{apply,construct}="undefined"!=typeof
Reflect&&Reflect;freeze||(freeze=function(x){return x}),seal||(seal=function(x){return x}),apply||
(apply=function(func,thisArg){for(var _len=arguments.length,args=Array(2<_len?_len-
2:0),_key=2;_key<_len;_key++)args[_key-2]=arguments[_key];return func.apply(thisArg,args)}),construct||
(construct=function(Func){for(var _len2=arguments.length,args=Array(1<_len2?_len2-
1:0),_key2=1;_key2<_len2;_key2++)args[_key2-1]=arguments[_key2];return new Func(...args)});const
arrayForEach=unapply(Array.prototype.forEach),arrayLastIndexOf=unapply(Array.prototype.lastIndexOf),arr
ayPop=unapply(Array.prototype.pop),arrayPush=unapply(Array.prototype.push),arraySplice=unapply(Array.pr
ototype.splice),stringToLowerCase=unapply(String.prototype.toLowerCase),stringToString=unapply(String.p
rototype.toString),stringMatch=unapply(String.prototype.match),stringReplace=unapply(String.prototype.r
eplace),stringIndexOf=unapply(String.prototype.indexOf),stringTrim=unapply(String.prototype.trim),objec
tHasOwnProperty=unapply(Object.prototype.hasOwnProperty),RegExpTest=unapply(RegExp.prototype.test),type
ErrorCreate=unconstruct(TypeError);function unapply(func){return function(thisArg){thisArg instanceof
RegExp&&(thisArg.lastIndex=0);for(var _len3=arguments.length,args=Array(1<_len3?_len3-
1:0),_key3=1;_key3<_len3;_key3++)args[_key3-1]=arguments[_key3];return
apply(func,thisArg,args)}}function unconstruct(Func){return function(){for(var
_len4=arguments.length,args=Array(_len4),_key4=0;_key4<_len4;_key4++)args[_key4]=arguments[_key4];retur
n construct(Func,args)}}function addToSet(set,array){let
transformCaseFunc=2<arguments.length&&arguments[2]!=void 0?
arguments[2]:stringToLowerCase;setPrototypeOf&&setPrototypeOf(set,null);for(let l=array.length;l--;)
{let element=array[l];if("string"==typeof element){const
```



```
lcElement=transformCaseFunc(element);lcElement!==element&&(!isFrozen(array)&&
(array[1]=lcElement),element=lcElement)}set[element]=!0}return set}function cleanArray(array){for(let
index=0;index<array.length;index++){const
isPropertyExist=objectHasOwnProperty(array,index);isPropertyExist||(array[index]=null)}return
array}function clone(object){const newObject=create(null);for(const[property,value]of entries(object))
{const isPropertyExist=objectHasOwnProperty(object,property);isPropertyExist&&(Array.isArray(value)?
newObject[property]=cleanArray(value):value&&"object"===typeof value&&value.constructor===Object?
newObject[property]=clone(value):newObject[property]=value)}return newObject}function
lookupGetter(object,prop){for(;null!==object;){const
desc=getOwnPropertyDescriptor(object,prop);if(desc){if(desc.get)return
unapply(desc.get);if("function"===typeof desc.value)return
unapply(desc.value)}object=getPrototypeOf(object)}return function(){return null}}const
html$1=freeze(["a","abbr","acronym","address","area","article","aside","audio","b","bdi","bdo","big","b
link","blockquote","body","br","button","canvas","caption","center","cite","code","col","colgroup","con
tent","data","datalist","dd","decorator","del","details","dfn","dialog","dir","div","dl","dt","element"
,"em","fieldset","figcaption","figure","font","footer","form","h1","h2","h3","h4","h5","h6","head","hea
der","hgroup","hr","html","i","img","input","ins","kbd","label","legend","li","main","map","mark","marq
uee","menu","menuitem","meter","nav","nobr","ol","optgroup","option","output","p","picture","pre","prog
ress","q","rp","rt","ruby","s","samp","search","section","select","shadow","slot","small","source","spa
cer","span","strike","strong","style","sub","summary","sup","table","tbody","td","template","textarea",
"tfoot","th","thead","time","tr","track","tt","u","ul","var","video","wbr"]),svg$1=freeze(["svg","a","a
ltglyph","altglyphdef","altglyphitem","animatecolor","animatemotion","animatetransform","circle","clipp
ath","defs","desc","ellipse","enterkeyhint","exportparts","filter","font","g","glyph","glyphref","hkern
","image","inputmode","line","lineargradient","marker","mask","metadata","mpath","part","path","pattern
","polygon","polyline","radialgradient","rect","stop","style","switch","symbol","text","textpath","titl
e","tref","tspan","tspan","view","vkern"]),svgFilters=freeze(["feBlend","feColorMatrix","feComponentTransfer","
feComposite","feConvolveMatrix","feDiffuseLighting","feDisplacementMap","feDistantLight","feDropShadow"
,"feFlood","feFuncA","feFuncB","feFuncG","feFuncR","feGaussianBlur","feImage","feMerge","feMergeNode","
feMorphology","feOffset","fePointLight","feSpecularLighting","feSpotLight","feTile","feTurbulence"]),sv
gDisallowed=freeze(["animate","color-profile","cursor","discard","font-face","font-face-format","font-
face-name","font-face-src","font-face-
uri","foreignobject","hatch","hatchpath","mesh","meshgradient","meshpatch","meshrow","missing-
glyph","script","set","solidcolor","unknown","use"]),mathMl$1=freeze(["math","menclose","merror","mfenc
ed","mfrac","mglyph","mi","mlabeledtr","mmultiscripts","mn","mo","mover","mpadded","mphantom","mroot","
mrow","ms","mspace","msqrt","mstyle","msub","msup","msubsup","mtable","mtd","mtext","mtr","munder","mun
derover","mprescripts"]),mathMlDisallowed=freeze(["maction","maligngroup","malignmark","mlongdiv","msca
rries","mscarry","msgroup","mstack","msline","msrow","semantics","annotation","annotation-
xml","mprescripts","none"]),text=freeze(["#text"]),html=freeze(["accept","action","align","alt","autoca
pitalize","autocomplete","autopictureinpicture","autoplay","background","bgcolor","border","capture","c
ellpadding","cellspacing","checked","cite","class","clear","color","cols","colspan","controls","control
slist","coords","crossorigin","datetime","decoding","default","dir","disabled","disablepictureinpicture
","disableremoteplayback","download","draggable","enctype","enterkeyhint","exportparts","face","for","h
eaders","height","hidden","high","href","hreflang","id","inert","inputmode","integrity","ismap","kind",
"label","lang","list","loading","loop","low","max","maxlength","media","method","min","minlength","mult
iple","muted","name","nonce","noshade","novalidate","nowrap","open","optimum","part","pattern","placeho
lder","playsinline","popover","popovertarget","popovertargetaction","poster","preload","pubdate","radio
group","readonly","rel","required","rev","reversed","role","rows","rowspan","spellcheck","scope","selec
ted","shape","size","sizes","slot","span","srclang","start","src","srcset","step","style","summary","ta
bindex","title","translate","type","usemap","valign","value","width","wrap","xmlns","slot"]),svg=freeze
(["accent-height","accumulate","additive","alignment-
baseline","amplitude","ascent","attributename","attributetype","azimuth","basefrequency","baseline-
shift","begin","bias","by","class","clip","clippathunits","clip-path","clip-rule","color","color-
interpolation","color-interpolation-filters","color-profile","color-
rendering","cx","cy","d","dx","dy","diffuseconstant","direction","display","divisor","dur","edgemode",""
elevation","end","exponent","fill","fill-opacity","fill-rule","filter","filterunits","flood-
color","flood-opacity","font-family","font-size","font-size-adjust","font-stretch","font-style","font-
variant","font-weight","fx","fy","g1","g2","glyph-
name","glyphref","gradientunits","gradienttransform","height","href","id","image-
rendering","in","in2","intercept","k","k1","k2","k3","k4","kerning","keypoints","keysplines","keytimes"
,"lang","lengthadjust","letter-spacing","kernelmatrix","kernelunitlength","lighting-
color","local","marker-end","marker-mid","marker-
start","markerheight","markerunits","markerwidth","maskcontentunits","maskunits","max","mask","mask-
type","media","method","mode","min","name","numoctaves","offset","operator","opacity","order","orient",
"orientation","origin","overflow","paint-
order","path","pathlength","patterncontentunits","patterntransform","patternunits","points","preserveal
pha","preserveaspectratio","primitiveunits","r","rx","ry","radius","refx","refy","repeatcount","repeatd
ur","restart","result","rotate","scale","seed","shape-
rendering","slope","specularconstant","specularexponent","spreadmethod","startoffset","stddeviation","s
titchtiles","stop-color","stop-opacity","stroke-dasharray","stroke-dashoffset","stroke-
linecap","stroke-linejoin","stroke-miterlimit","stroke-opacity","stroke","stroke-
width","style","surfacescale","systemlanguage","tabindex","tablevalues","targetx","targety","transform"
,"transform-origin","text-anchor","text-decoration","text-
rendering","textlength","type","u1","u2","unicode","values","viewbox","visibility","version","vert-adv-
y","vert-origin-x","vert-origin-y","width","word-spacing","wrap","writing-
mode","xchannelselector","ychannelselector","x","x1","x2","xmlns","y","y1","y2","z","zoomandpan"]),math
Ml=freeze(["accent","accentunder","align","bevelled","close","columnsalign","columnlines","columnspan",
"denomalign","depth","dir","display","displaystyle","encoding","fence","frame","height","href","id","la
rgeop","length","linethickness","lspace","lquote","mathbackground","mathcolor","mathsize","mathvariant"
,"maxsize","minsize","movablelimits","notation","numalign","open","rowalign","rowlines","rowspacing","r
owspan","rspace","rquote","scriptlevel","scriptminsize","scriptsizemultiplier","selection","separator",
"separators","stretchy","subscriptshift","superscriptshift","symmetric","voffset","width","xmlns"]),xml=f
reeze(["xlink:href","xml:id","xlink:title","xml:space","xmlns:xlink"]),MUSTACHE_EXPR=seal(/\\{\\{[\\w\\W]*|
[\\w\\W]*\\}\\}/gm),ERB_EXPR=seal(/<%[\\w\\W]*|[\\w\\W]*%>/gm),TMPLIT_EXPR=seal(/\\$\\
{[\\w\\W]*}/gm),DATA_ATTR=seal(/^data-[-\\.\\w.\\u00B7-\\uFFFF]+$/),ARIA_ATTR=seal(/^aria-[-\\
\\w]+$/),IS_ALLOWED_URI=seal(/^(:?(:(:(:f|ht)tps?|mailto|tel|callto|sms|cid|xmpp|matrix):|[^a-z]|a-
z+\\.\\-|+)(?:^[a-
```

```
z+.\-:~|)$)))/i),IS_SCRIPT_OR_DATA=seal(/^(?:\w+script|data):/i),ATTR_WHITESPACE=seal(/\u0000-
\u0020\u00A0\u0168\u0180\u0200-
\u0209\u020F\u0300]/g),DOCTYPE_NAME=seal(/^(html$/i),CUSTOM_ELEMENT=seal(/^[a-z][.\w]*(-[.\w]+)+$/i);var
EXPRESSIONS=Object.freeze({__proto__:null,ARIA_ATTR:ARIA_ATTR,ATTR_WHITESPACE:ATTR_WHITESPACE,CUSTOM_EL
EMENT:CUSTOM_ELEMENT,DATA_ATTR:DATA_ATTR,DOCTYPE_NAME:DOCTYPE_NAME,ERB_EXPR:ERB_EXPR,IS_ALLOWED_URI:IS_
ALLOWED_URI,IS_SCRIPT_OR_DATA:IS_SCRIPT_OR_DATA,MUSTACHE_EXPR:MUSTACHE_EXPR,TMPLIT_EXPR:TMPLIT_EXPR});c
onst NODE_TYPE={element:1,text:3,progressingInstruction:7,comment:8,document:9},getGlobal=function()
{return"undefined"==typeof window?
null>window},_createTrustedTypesPolicy=function(trustedTypes,purifyHostElement){if("object"!==typeof
trustedTypes||"function"!==typeof trustedTypes.createPolicy)return null;let
suffix=null;purifyHostElement&&purifyHostElement.hasAttribute("data-tt-policy-suffix")&&
(suffix=purifyHostElement.getAttribute("data-tt-policy-suffix"));const policyName="dompurify"+
(suffix?"#"+suffix:"");try{return trustedTypes.createPolicy(policyName,{createHTML(html){return
html},createScriptURL(scriptUrl){return scriptUrl}})}catch(_){return console.warn("TrustedTypes policy
"+policyName+" could not be created."),null}},_createHooksMap=function()
{return{afterSanitizeAttributes:[],afterSanitizeElements:[],afterSanitizeShadowDOM:
[],beforeSanitizeAttributes:[],beforeSanitizeElements:[],beforeSanitizeShadowDOM:
[],uponSanitizeAttribute:[],uponSanitizeElement:[],uponSanitizeShadowNode:[]}};function
createDOMPurify(){function _executeHooks(hooks,currentNode,data){arrayForEach(hooks,hook=>
{hook.call(DOMPurify,currentNode,data,CONFIG)})}let window=0<arguments.length&&void 0!==(arguments[0]?
arguments[0]:getGlobal());const
DOMPurify=root=>createDOMPurify(root);if(DOMPurify.version="3.3.1",DOMPurify.removed=
[],!window||!window.document||window.document.nodeType!==NODE_TYPE.document||!window.Element)return
DOMPurify.isSupported=!1,DOMPurify;let{document}=window;const
originalDocument=document,currentScript=originalDocument.currentScript,
{DocumentFragment,HTMLTemplateElement,Node,Element,NodeFilter,NamedNodeMap=window.NamedNodeMap||window.
MozNamedAttrMap,HTMLFormElement,DOMParser,trustedTypes}=window,ElementPrototype=Element.prototype,clone
Node=lookupGetter(ElementPrototype,"cloneNode"),remove=lookupGetter(ElementPrototype,"remove"),getNextS
ibling=lookupGetter(ElementPrototype,"nextSibling"),getChildNodes=lookupGetter(ElementPrototype,"childN
odes"),getParentNode=lookupGetter(ElementPrototype,"parentNode");if("function"===typeof
HTMLTemplateElement){const
template=document.createElement("template");template.content&&template.content.ownerDocument&&
(document=template.content.ownerDocument)}let
emptyHTML="",trustedTypesPolicy;const{implementation,createNodeIterator,createDocumentFragment,getEleme
ntsByTagName}=document,{importNode}=originalDocument;let
hooks=_createHooksMap();DOMPurify.isSupported="function"===typeof entries&&"function"===typeof
getParentNode&&implementation&&void
0!==implementation.createHTMLDocument;const{MUSTACHE_EXPR,ERB_EXPR,TMPLIT_EXPR,DATA_ATTR,ARIA_ATTR,IS_S
CRIPT_OR_DATA,ATTR_WHITESPACE,CUSTOM_ELEMENT}=EXPRESSIONS;let{IS_ALLOWED_URI:IS_ALLOWED_URI$1}=EXPRESSI
ONS,ALLOWED_TAGS=null;const DEFAULT_ALLOWED_TAGS=addToSet({},
[...html$1,...svg$1,...svgFilters,...mathMl$1,...text]);let ALLOWED_ATTR=null;const
DEFAULT_ALLOWED_ATTR=addToSet({},[...html,...svg,...mathMl,...xml]);let
CUSTOM_ELEMENT_HANDLING=Object.seal(create(null,{tagNameCheck:
{writable:!0,configurable:!1,enumerable:!0,value:null},attributeNameCheck:
{writable:!0,configurable:!1,enumerable:!0,value:null},allowCustomizedBuiltInElements:
{writable:!0,configurable:!1,enumerable:!0,value:!1}})),FORBID_TAGS=null,FORBID_ATTR=null;const
EXTRA_ELEMENT_HANDLING=Object.seal(create(null,{tagCheck:
{writable:!0,configurable:!1,enumerable:!0,value:null},attributeCheck:
{writable:!0,configurable:!1,enumerable:!0,value:null}}));let
ALLOW_ARIA_ATTR=!0,ALLOW_DATA_ATTR=!0,ALLOW_UNKNOWN_PROTOCOLS=!1,ALLOW_SELF_CLOSE_IN_ATTR=!0,SAFE_FOR_T
EMPLATES=!1,SAFE_FOR_XML=!0,WHOLE_DOCUMENT=!1,SET_CONFIG=!1,FORCE_BODY=!1,RETURN_DOM=!1,RETURN_DOM_FRAG
MENT=!1,RETURN_TRUSTED_TYPE=!1,SANITIZE_DOM=!0,SANITIZE_NAMED_PROPS=!1;let
KEEP_CONTENT=!0,IN_PLACE=!1,USE_PROFILES={},FORBID_CONTENTS=null;const
DEFAULT_FORBID_CONTENTS=addToSet({},["annotation-
xml","audio","colgroup","desc","foreignobject","head","iframe","math","mi","mn","mo","ms","mtext","noem
bed","noframes","noscript","plaintext","script","style","svg","template","thead","title","video","xmp"]
);let DATA_URI_TAGS=null;const DEFAULT_DATA_URI_TAGS=addToSet({},
["audio","video","img","source","image","track"]);let URI_SAFE_ATTRIBUTES=null;const
DEFAULT_URI_SAFE_ATTRIBUTES=addToSet({},
["alt","class","for","id","label","name","pattern","placeholder","role","summary","title","value","styl
e","xmlns"]);MATHML_NAMESPACE="http://www.w3.org/1998/Math/MathML",SVG_NAMESPACE="http://www.w3.org/200
0/svg",HTML_NAMESPACE="http://www.w3.org/1999/xhtml";let
NAMESPACE=HTML_NAMESPACE,IS_EMPTY_INPUT=!1,ALLOWED_NAMESPACES=null;const
DEFAULT_ALLOWED_NAMESPACES=addToSet({},
[MATHML_NAMESPACE,SVG_NAMESPACE,HTML_NAMESPACE],toString);let
MATHML_TEXT_INTEGRATION_POINTS=addToSet({},
["mi","mo","mn","ms","mtext"]),HTML_INTEGRATION_POINTS=addToSet({},["annotation-xml"]);const
COMMON_SVG_AND_HTML_ELEMENTS=addToSet({},["title","style","font","a","script"]);let
PARSER_MEDIA_TYPE=null;const SUPPORTED_PARSER_MEDIA_TYPES=["application/xhtml+xml","text/html"];let
transformCaseFunc=null,CONFIG=null;const
formElement=document.createElement("form"),isRegexOrFunction=function isRegexOrFunction(testValue)
{return testValue instanceof RegExp||testValue instanceof Function},_parseConfig=function
_parseConfig(){let cfg=0<arguments.length&&void 0!==(arguments[0]?arguments[0]:{});if(!
(CONFIG&&CONFIG===cfg)){if(cfg&&"object"===typeof cfg||!(cfg=
{}),cfg=clone(cfg),PARSER_MEDIA_TYPE=-1===SUPPORTED_PARSER_MEDIA_TYPES.indexOf(cfg.PARSER_MEDIA_TYPE)?"
text/html":cfg.PARSER_MEDIA_TYPE,transformCaseFunc="application/xhtml+xml"===PARSER_MEDIA_TYPE?
toString:stringToLowerCase,ALLOWED_TAGS=objectHasOwnProperty(cfg,"ALLOWED_TAGS"?
addToSet({},cfg.ALLOWED_TAGS,transformCaseFunc):DEFAULT_ALLOWED_TAGS,ALLOWED_ATTR=objectHasOwnProperty(
cfg,"ALLOWED_ATTR"?
addToSet({},cfg.ALLOWED_ATTR,transformCaseFunc):DEFAULT_ALLOWED_ATTR,ALLOWED_NAMESPACES=objectHasOwnPro
perty(cfg,"ALLOWED_NAMESPACES"?
addToSet({},cfg.ALLOWED_NAMESPACES,toString):DEFAULT_ALLOWED_NAMESPACES,URI_SAFE_ATTRIBUTES=objec
tHasOwnProperty(cfg,"ADD_URI_SAFE_ATTR"?
addToSet(clone(DEFAULT_URI_SAFE_ATTRIBUTES),cfg.ADD_URI_SAFE_ATTR,transformCaseFunc):DEFAULT_URI_SAFE_A
TTRIBUTES,DATA_URI_TAGS=objectHasOwnProperty(cfg,"ADD_DATA_URI_TAGS"?
addToSet(clone(DEFAULT_DATA_URI_TAGS),cfg.ADD_DATA_URI_TAGS,transformCaseFunc):DEFAULT_DATA_URI_TAGS,FO
```

```

RBID_CONTENTS=objectHasOwnProperty(cfg,"FORBID_CONTENTS")?
addToSet({},cfg.FORBID_CONTENTS,transformCaseFunc):DEFAULT_FORBID_CONTENTS,FORBID_TAGS=objectHasOwnProp
erty(cfg,"FORBID_TAGS")?
addToSet({},cfg.FORBID_TAGS,transformCaseFunc):clone({}),FORBID_ATTR=objectHasOwnProperty(cfg,"FORBID_A
TTR")?
addToSet({},cfg.FORBID_ATTR,transformCaseFunc):clone({}),USE_PROFILES=!objectHasOwnProperty(cfg,"USE_P
ROFILES")&&cfg.USE_PROFILES,ALLOW_ARIA_ATTR=!1!==cfg.ALLOW_ARIA_ATTR,ALLOW_DATA_ATTR=!1!==cfg.ALLOW_DAT
A_ATTR,ALLOW_UNKNOWN_PROTOCOLS=cfg.ALLOW_UNKNOWN_PROTOCOLS||!1,ALLOW_SELF_CLOSE_IN_ATTR=!1!==cfg.ALLOW_
SELF_CLOSE_IN_ATTR,SAFE_FOR_TEMPLATES=cfg.SAFE_FOR_TEMPLATES||!1,SAFE_FOR_XML=!1!==cfg.SAFE_FOR_XML,WHO
LE_DOCUMENT=cfg.WHOLE_DOCUMENT||!1,RETURN_DOM=cfg.RETURN_DOM||!1,RETURN_DOM_FRAGMENT=cfg.RETURN_DOM_FRA
GMENT||!1,RETURN_TRUSTED_TYPE=cfg.RETURN_TRUSTED_TYPE||!1,FORCE_BODY=cfg.FORCE_BODY||!1,SANITIZE_DOM=!1
!==cfg.SANITIZE_DOM,SANITIZE_NAMED_PROPS=cfg.SANITIZE_NAMED_PROPS||!1,KEEP_CONTENT=!1!==cfg.KEEP_CONTEN
T,IN_PLACE=cfg.IN_PLACE||!1,IS_ALLOWED_URI$1=cfg.ALLOWED_URI_REGEX||IS_ALLOWED_URI,NAMESPACE=cfg.NAMES
PACE||HTML_NAMESPACE,MATHML_TEXT_INTEGRATION_POINTS=cfg.MATHML_TEXT_INTEGRATION_POINTS||MATHML_TEXT_INT
EGRATION_POINTS,HTML_INTEGRATION_POINTS=cfg.HTML_INTEGRATION_POINTS||HTML_INTEGRATION_POINTS,CUSTOM_ELE
MENT_HANDLING=cfg.CUSTOM_ELEMENT_HANDLING||
{,cfg.CUSTOM_ELEMENT_HANDLING&&isRegexOrFunction(cfg.CUSTOM_ELEMENT_HANDLING.tagNameCheck)&&
(CUSTOM_ELEMENT_HANDLING.tagNameCheck=cfg.CUSTOM_ELEMENT_HANDLING.tagNameCheck),cfg.CUSTOM_ELEMENT_HAN
DLING&&isRegexOrFunction(cfg.CUSTOM_ELEMENT_HANDLING.attributeNameCheck)&&
(CUSTOM_ELEMENT_HANDLING.attributeNameCheck=cfg.CUSTOM_ELEMENT_HANDLING.attributeNameCheck),cfg.CUSTOM_
ELEMENT_HANDLING&&"boolean"==typeof cfg.CUSTOM_ELEMENT_HANDLING.allowCustomizedBuiltInElements&&
(CUSTOM_ELEMENT_HANDLING.allowCustomizedBuiltInElements=cfg.CUSTOM_ELEMENT_HANDLING.allowCustomizedBuil
tInElements),SAFE_FOR_TEMPLATES&&(ALLOW_DATA_ATTR=!1),RETURN_DOM_FRAGMENT&&
(RETURN_DOM=!0),USE_PROFILES&&(ALLOWED_TAGS=addToSet({},text),ALLOWED_ATTR=[],!0===USE_PROFILES.html&&
(addToSet(ALLOWED_TAGS,html$1),addToSet(ALLOWED_ATTR,html)),!0===USE_PROFILES.svg&&
(addToSet(ALLOWED_TAGS,svg$1),addToSet(ALLOWED_ATTR,svg),addToSet(ALLOWED_ATTR,xml)),!0===USE_PROFILES.
svgFilters&&
(addToSet(ALLOWED_TAGS,svgFilters),addToSet(ALLOWED_ATTR,svg),addToSet(ALLOWED_ATTR,xml)),!0===USE_PROF
ILES.mathml&&
(addToSet(ALLOWED_TAGS,mathml$1),addToSet(ALLOWED_ATTR,mathml),addToSet(ALLOWED_ATTR,xml))),cfg.ADD_TAG
S&&("function"==typeof cfg.ADD_TAGS?EXTRA_ELEMENT_HANDLING.tagCheck=cfg.ADD_TAGS:
(ALLOWED_TAGS===DEFAULT_ALLOWED_TAGS&&
(ALLOWED_TAGS=clone(ALLOWED_TAGS)),addToSet(ALLOWED_TAGS,cfg.ADD_TAGS,transformCaseFunc))),cfg.ADD_ATTR
&&("function"==typeof cfg.ADD_ATTR?EXTRA_ELEMENT_HANDLING.attributeCheck=cfg.ADD_ATTR:
(ALLOWED_ATTR===DEFAULT_ALLOWED_ATTR&&
(ALLOWED_ATTR=clone(ALLOWED_ATTR)),addToSet(ALLOWED_ATTR,cfg.ADD_ATTR,transformCaseFunc))),cfg.ADD_URI_
SAFE_ATTR&&addToSet(URI_SAFE_ATTRIBUTES,cfg.ADD_URI_SAFE_ATTR,transformCaseFunc),cfg.FORBID_CONTENTS&&
(FORBID_CONTENTS===DEFAULT_FORBID_CONTENTS&&
(FORBID_CONTENTS=clone(FORBID_CONTENTS)),addToSet(FORBID_CONTENTS,cfg.FORBID_CONTENTS,transformCaseFunc
)),cfg.ADD_FORBID_CONTENTS&&(FORBID_CONTENTS===DEFAULT_FORBID_CONTENTS&&
(FORBID_CONTENTS=clone(FORBID_CONTENTS)),addToSet(FORBID_CONTENTS,cfg.ADD_FORBID_CONTENTS,transformCase
Func)),KEEP_CONTENT&&(ALLOWED_TAGS["#text"]=!0),WHOLE_DOCUMENT&&addToSet(ALLOWED_TAGS,
["html","head","body"]),ALLOWED_TAGS.table&&(addToSet(ALLOWED_TAGS,["tbody"]),delete
FORBID_TAGS.tbody),cfg.TRUSTED_TYPES_POLICY){if("function"!=typeof
cfg.TRUSTED_TYPES_POLICY.createHTML)throw TypeErrorCreate("TRUSTED_TYPES_POLICY configuration option
must provide a \"createHTML\" hook.");if("function"!=typeof
cfg.TRUSTED_TYPES_POLICY.createScriptURL)throw TypeErrorCreate("TRUSTED_TYPES_POLICY configuration
option must provide a \"createScriptURL\"
hook.");trustedTypesPolicy=cfg.TRUSTED_TYPES_POLICY,emptyHTML=trustedTypesPolicy.createHTML("")}else
void 0===trustedTypesPolicy&&
(trustedTypesPolicy=_createTrustedTypesPolicy(trustedTypes,currentScript)),null!==trustedTypesPolicy&&"
string"==typeof emptyHTML&&
(emptyHTML=trustedTypesPolicy.createHTML(""));freeze&&freeze(cfg),CONFIG=cfg}},ALL_SVG_TAGS=addToSet({
,...svg$1,...svgFilters,...svgDisallowed}),ALL_MATHML_TAGS=addToSet({,
,...mathml$1,...mathmlDisallowed}),_checkValidNamespace=function _checkValidNamespace(element){let
parent=getParentNode(element);parent&&parent.tagName||(parent=
{namespaceURI:NAMESPACE,tagName:"template"});const
tagName=stringToLowerCase(element.tagName),parentTagName=stringToLowerCase(parent.tagName);return!!ALLO
WED_NAMESPACES[element.namespaceURI]&&(element.namespaceURI===SVG_NAMESPACE?
parent.namespaceURI===HTML_NAMESPACE?"svg"===tagName:parent.namespaceURI===MATHML_NAMESPACE?"svg"===tag
Name&&("annotation-
xml"===parentTagName||MATHML_TEXT_INTEGRATION_POINTS[parentTagName]):!ALL_SVG_TAGS[tagName]:element.na
mespaceURI===MATHML_NAMESPACE?
parent.namespaceURI===HTML_NAMESPACE?"math"===tagName:parent.namespaceURI===SVG_NAMESPACE?"math"===tagN
ame&&HTML_INTEGRATION_POINTS[parentTagName]:!ALL_MATHML_TAGS[tagName]:element.namespaceURI===HTML_NAME
SPACE?!(parent.namespaceURI!==SVG_NAMESPACE||HTML_INTEGRATION_POINTS[parentTagName])&&!!
(parent.namespaceURI!==MATHML_NAMESPACE||MATHML_TEXT_INTEGRATION_POINTS[parentTagName])&&!ALL_MATHML_TA
GS[tagName]&&(COMMON_SVG_AND_HTML_ELEMENTS[tagName]||!ALL_SVG_TAGS[tagName]):!!
("application/xhtml+xml"===PARSER_MEDIA_TYPE&&ALLOWED_NAMESPACES[element.namespaceURI]))},_forceRemove=
function _forceRemove(node){arrayPush(DOMPurify.removed,
{element:node});try{getParentNode(node).removeChild(node)}catch(_
){remove(node)}},_removeAttribute=function _removeAttribute(name,element)
{try{arrayPush(DOMPurify.removed,{attribute:element.getAttributeNode(name),from:element})}catch(_
){arrayPush(DOMPurify.removed,
{attribute:null,from:element})}if(element.removeAttribute(name),"is"===name)if(RETURN_DOM||RETURN_DOM_F
RAGMENT)try{_forceRemove(element)}catch(_){}else try{element.setAttribute(name,"")}catch(_
){}},_initDocument=function _initDocument(dirty){let
doc=null,leadingWhitespace=null;if(FORCE_BODY)dirty="<remove></remove>"+dirty;else{const
matches=stringMatch(dirty,/^[\r\n\t
]+/);leadingWhitespace=matches&&matches[0]}"application/xhtml+xml"===PARSER_MEDIA_TYPE&&NAMESPACE===HTM
L_NAMESPACE&&(dirty="<html xmlns=\"http://www.w3.org/1999/xhtml\"><head></head><body>"+dirty+"</body>
</html>");const dirtyPayload=trustedTypesPolicy?
trustedTypesPolicy.createHTML(dirty):dirty;if(NAMESPACE===HTML_NAMESPACE)try{doc=new
DOMParser().parseFromString(dirtyPayload,PARSER_MEDIA_TYPE)}catch(_){if(!doc||!doc.documentElement)
{doc=implementation.createDocument(NAMESPACE,"template",null);try{doc.documentElement.innerHTML=IS_EMPTY
Y_INPUT?emptyHTML:dirtyPayload}catch(_){}}const body=doc.body||doc.documentElement;return

```

```

dirty&&leadingWhitespace&&body.insertBefore(document.createTextNode(leadingWhitespace),body.childNodes[
0])||null),NAMESPACE===HTML_NAMESPACE?getElementsByTagName.call(doc,WHOLE_DOCUMENT?"html":"body")
[0]:WHOLE_DOCUMENT?doc.documentElement:body},{_createNodeIterator=function _createNodeIterator(root)
{return
createNodeIterator.call(root.ownerDocument||root,root,NodeFilter.SHOW_ELEMENT|NodeFilter.SHOW_COMMENT|N
odeFilter.SHOW_TEXT|NodeFilter.SHOW_PROCESSING_INSTRUCTION|NodeFilter.SHOW_CDATA_SECTION,null)},_isClob
bered=function _isClobbered(element){return element instanceof HTMLFormElement&&("string"!==typeof
element.nodeName)||"string"!==typeof element.textContent||"function"!==typeof element.removeChild||
(element.attributes instanceof NamedNodeMap)||"function"!==typeof
element.removeAttribute||"function"!==typeof element.setAttribute||"string"!==typeof
element.namespaceURI||"function"!==typeof element.insertBefore||"function"!==typeof
element.hasChildNodes}},_isNode=function _isNode(value){return"function"===typeof Node&&value instanceof
Node},_sanitizeElements=function _sanitizeElements(currentNode){let
content=null;if(!_executeHooks(hooks.beforeSanitizeElements,currentNode,null),_isClobbered(currentNode))
return _forceRemove(currentNode),!0;const
tagName=transformCaseFunc(currentNode.nodeName);if(!_executeHooks(hooks.uponSanitizeElement,currentNode,
{tagName,allowedTags:ALLOWED_TAGS}),SAFE_FOR_XML&&currentNode.hasChildNodes())&&!_isNode(currentNode.fir
stElementChild)&&regExpTest(<[/\w!]/g,currentNode.innerHTML)&&regExpTest(<[/\w!]/g,currentNode.textCo
ntent))return
_forceRemove(currentNode),!0;if(currentNode.nodeType===NODE_TYPE.progressingInstruction)return
_forceRemove(currentNode),!0;if(SAFE_FOR_XML&&currentNode.nodeType===NODE_TYPE.comment&&regExpTest(<[/
\w]/g,currentNode.data))return _forceRemove(currentNode),!0;if(!(EXTRA_ELEMENT_HANDLING.tagCheck
instanceof Function&&EXTRA_ELEMENT_HANDLING.tagCheck(tagName))&&
(!ALLOWED_TAGS[tagName]||FORBID_TAGS[tagName]))
{if(!FORBID_TAGS[tagName]&&_isBasicCustomElement(tagName)){if(CUSTOM_ELEMENT_HANDLING.tagNameCheck
instanceof
RegExp&&regExpTest(CUSTOM_ELEMENT_HANDLING.tagNameCheck,tagName))return!1;if(CUSTOM_ELEMENT_HANDLING.ta
gNameCheck instanceof
Function&&CUSTOM_ELEMENT_HANDLING.tagNameCheck(tagName))return!1;if(KEEP_CONTENT&&!FORBID_CONTENTS[tagN
ame]){const
parentNode=getParentNode(currentNode)||currentNode.parentNode,childNodes=getChildNodes(currentNode)||cu
rrentNode.childNodes;if(childNodes&&parentNode){const childCount=childNodes.length;for(let
i=childCount-1;0<=i;--i){const childClone=cloneNode(childNodes[i],!0);childClone.__removalCount=
(currentNode.__removalCount||0)+1,parentNode.insertBefore(childClone,getNextSibling(currentNode))}}ret
urn _forceRemove(currentNode),!0}return currentNode instanceof
Element&&(!_checkValidNamespace(currentNode)?(_forceRemove(currentNode),!0):
("noscript"===tagName||"noembed"===tagName||"noframes"===tagName)&&regExpTest(<\/no(script|embed|frame
s)/i,currentNode.innerHTML)?(_forceRemove(currentNode),!0):
(SAFE_FOR_TEMPLATES&&currentNode.nodeType===NODE_TYPE.text&&
(content=currentNode.textContent,arrayForEach([MUSTACHE_EXPR,ERB_EXPR,TMLIT_EXPR],expr=>
{content=stringReplace(content,expr," ")),currentNode.textContent!==content&&
(arrayPush(DOMPurify.removed,
{element:currentNode.cloneNode()}),currentNode.textContent=content)),_executeHooks(hooks.afterSanitizeE
lements,currentNode,null),!1)},_isValidAttribute=function _isValidAttribute(lcTag,lcName,value)
{if(SANITIZE_DOM&&("id"===lcName||"name"===lcName)&&(value in document||value in
formElement))return!1;if(ALLOW_DATA_ATTR&&!FORBID_ATTR[lcName]&&regExpTest(DATA_ATTR,lcName));else
if(ALLOW_ARIA_ATTR&&regExpTest(ARIA_ATTR,lcName));else if(EXTRA_ELEMENT_HANDLING.attributeCheck
instanceof Function&&EXTRA_ELEMENT_HANDLING.attributeCheck(lcName,lcTag));else
if(!ALLOWED_ATTR[lcName]||FORBID_ATTR[lcName]){if(!_isBasicCustomElement(lcTag)&&
(CUSTOM_ELEMENT_HANDLING.tagNameCheck instanceof
RegExp&&regExpTest(CUSTOM_ELEMENT_HANDLING.tagNameCheck,lcTag)||CUSTOM_ELEMENT_HANDLING.tagNameCheck
instanceof Function&&CUSTOM_ELEMENT_HANDLING.tagNameCheck(lcTag))&&
(CUSTOM_ELEMENT_HANDLING.attributeNameCheck instanceof
RegExp&&regExpTest(CUSTOM_ELEMENT_HANDLING.attributeNameCheck,lcName)||CUSTOM_ELEMENT_HANDLING.attribut
eNameCheck instanceof
Function&&CUSTOM_ELEMENT_HANDLING.attributeNameCheck(lcName,lcTag))||"is"===lcName&&CUSTOM_ELEMENT_HAN
DLING.allowCustomizedBuiltInElements&&(CUSTOM_ELEMENT_HANDLING.tagNameCheck instanceof
RegExp&&regExpTest(CUSTOM_ELEMENT_HANDLING.tagNameCheck,value)||CUSTOM_ELEMENT_HANDLING.tagNameCheck
instanceof Function&&CUSTOM_ELEMENT_HANDLING.tagNameCheck(value)));else return!1;}else
if(URI_SAFE_ATTRIBUTES[lcName]);else
if(regExpTest(IS_ALLOWED_URI$1,stringReplace(value,ATTR_WHITESPACE,"")));else
if(("src"===lcName||"xlink:href"===lcName||"href"===lcName)&&"script"!==lcTag&&0===stringIndexOf(value,
"data:")&&DATA_URI_TAGS[lcTag]);else
if(ALLOW_UNKNOWN_PROTOCOLS&&!regExpTest(IS_SCRIPT_OR_DATA,stringReplace(value,ATTR_WHITESPACE,"")));els
e if(value)return!1;return!0},_isBasicCustomElement=function _isBasicCustomElement(tagName)
{return"annotation-xml"!==tagName&&stringMatch(tagName,CUSTOM_ELEMENT)},_sanitizeAttributes=function
_sanitizeAttributes(currentNode)
{_executeHooks(hooks.beforeSanitizeAttributes,currentNode,null);const{attributes}=currentNode;if(attrib
utes&&!_isClobbered(currentNode)){const hookEvent=
{attrName:"",attrValue:"",keepAttr:!0,allowedAttributes:ALLOWED_ATTR,forceKeepAttr:void 0};for(let
l=attributes.length;l--){const attr=attributes[l],
{name,namespaceURI,value:attrValue}=attr,lcName=transformCaseFunc(name),initValue=attrValue;let
value="value"===name?
initValue:stringTrim(initValue);if(hookEvent.attrName=lcName,hookEvent.attrValue=value,hookEvent.keepAt
tr=!0,hookEvent.forceKeepAttr=void
0,_executeHooks(hooks.uponSanitizeAttribute,currentNode,hookEvent),value=hookEvent.attrValue,SANITIZE_N
AMED_PROPS&&("id"===lcName||"name"===lcName)&&(_removeAttribute(name,currentNode),value="user-content-
"+value),SAFE_FOR_XML&&regExpTest(<((--!?)>|<\/(style|title|textarea)/i,value))
{_removeAttribute(name,currentNode);continue}if("attributename"===lcName&&stringMatch(value,"href"))
{_removeAttribute(name,currentNode);continue}if(hookEvent.forceKeepAttr)continue;if(!hookEvent.keepAttr
){_removeAttribute(name,currentNode);continue}if(!ALLOW_SELF_CLOSE_IN_ATTR&&regExpTest(<\/>/i,value))
{_removeAttribute(name,currentNode);continue}SAFE_FOR_TEMPLATES&&arrayForEach([MUSTACHE_EXPR,ERB_EXPR,T
MLIT_EXPR],expr=>{value=stringReplace(value,expr," ")});const
lcTag=transformCaseFunc(currentNode.nodeName);if(!_isValidAttribute(lcTag,lcName,value))
{_removeAttribute(name,currentNode);continue}if(trustedTypesPolicy&&"object"===typeof
trustedTypes&&"function"===typeof trustedTypes.getAttributeType)if(namespaceURI);else

```

```
switch(trustedTypes.getAttributeType(lcTag,lcName)){case"TrustedHTML":
{value=trustedTypesPolicy.createHTML(value);break}case"TrustedScriptURL":
{value=trustedTypesPolicy.createScriptURL(value);break}}if(value!==initValue)try{namespaceURI?
currentNode.setAttributeNS(namespaceURI,name,value):currentNode.setAttribute(name,value),_isClobbered(c
urrentNode)?_forceRemove(currentNode):arrayPop(DOMPurify.removed)}catch(_
){_removeAttribute(name,currentNode)}}_executeHooks(hooks.afterSanitizeAttributes,currentNode,null)}},_s
anitizeShadowDOM=function _sanitizeShadowDOM(fragment){let shadowNode=null;const
shadowIterator=_createNodeIterator(fragment);for(_executeHooks(hooks.beforeSanitizeShadowDOM,fragment,n
ull);shadowNode=shadowIterator.nextNode();)_executeHooks(hooks.uponSanitizeShadowNode,shadowNode,null),
_sanitizeElements(shadowNode),_sanitizeAttributes(shadowNode),shadowNode.content instanceof
DocumentFragment&&_sanitizeShadowDOM(shadowNode.content);_executeHooks(hooks.afterSanitizeShadowDOM,fr
agment,null)};return DOMPurify.sanitize=function(dirty){let cfg=1<arguments.length&&void
0!==arguments[1]?arguments[1]:
{}},body=null,importedNode=null,currentNode=null,returnNode=null;if(IS_EMPTY_INPUT=!dirty,IS_EMPTY_INPUT
&&(dirty="<!-->"),"string"!==typeof dirty&&!_isNode(dirty))if("function"!==typeof dirty.toString)throw
TypeErrorCreate("toString is not a function");else if(dirty=dirty.toString(),"string"!==typeof
dirty)throw TypeErrorCreate("dirty is not a string, aborting");if(!DOMPurify.isSupported)return
dirty;if(SET_CONFIG||_parseConfig(cfg),DOMPurify.removed=[],_string"===typeof dirty&&
(IN_PLACE=!1),IN_PLACE){if(dirty.nodeName){const
tagName=transformCaseFunc(dirty.nodeName);if(!ALLOWED_TAGS[tagName]||FORBID_TAGS[tagName])throw
TypeErrorCreate("root node is forbidden and cannot be sanitized in-place")}}else if(dirty instanceof
Node)body=_initDocument("<!---
>"),importedNode=body.ownerDocument.importNode(dirty,!0),importedNode.nodeType===NODE_TYPE.element&&"BO
DY"===importedNode.nodeName?body=importedNode:"HTML"===importedNode.nodeName?
body=importedNode:body.appendChild(importedNode);else if(!RETURN_DOM&&!SAFE_FOR_TEMPLATES&&!WHOLE_DOCUM
ENT&&-1===dirty.indexOf("<"))return trustedTypesPolicy&&RETURN_TRUSTED_TYPE?
trustedTypesPolicy.createHTML(dirty):dirty;if(body=_initDocument(dirty),!body)return RETURN_DOM?
null:RETURN_TRUSTED_TYPE?emptyHTML:""}body&&FORCE_BODY&&_forceRemove(body.firstChild);for(const
nodeIterator=_createNodeIterator(IN_PLACE?
dirty:body);currentNode=nodeIterator.nextNode();)_sanitizeElements(currentNode),_sanitizeAttributes(cu
rrentNode),currentNode.content instanceof
DocumentFragment&&_sanitizeShadowDOM(currentNode.content);if(IN_PLACE)return dirty;if(RETURN_DOM)
{if(RETURN_DOM_FRAGMENT)for(returnNode=createDocumentFragment.call(body.ownerDocument);body.firstChild;
)returnNode.appendChild(body.firstChild);else
returnNode=body;return(ALLOWED_ATTR.shadowroot|ALLOWED_ATTR.shadowrootmode)&&
(returnNode=importNode.call(originalDocument,returnNode,!0)),returnNode}let
serializedHTML=WHOLE_DOCUMENT?body.outerHTML:body.innerHTML;return
WHOLE_DOCUMENT&&ALLOWED_TAGS["!doctype"]&&body.ownerDocument&&body.ownerDocument.doctype&&body.ownerDoc
ument.doctype.name&&regExpTest(DOCTYPE_NAME,body.ownerDocument.doctype.name)&&(serializedHTML="
<!DOCTYPE
"+body.ownerDocument.doctype.name+">\n"+serializedHTML),SAFE_FOR_TEMPLATES&&arrayForEach([MUSTACHE_EXPR
,ERB_EXPR,TMPLIT_EXPR],expr=>{serializedHTML=stringReplace(serializedHTML,expr,"
"))},trustedTypesPolicy&&RETURN_TRUSTED_TYPE?
trustedTypesPolicy.createHTML(serializedHTML):serializedHTML},DOMPurify.setConfig=function(){let
cfg=0<arguments.length&&void 0!==arguments[0]?arguments[0]:
{};_parseConfig(cfg),SET_CONFIG=!0},DOMPurify.clearConfig=function()
{CONFIG=null,SET_CONFIG=!1},DOMPurify.isValidAttribute=function(tag,attr,value)
{CONFIG||_parseConfig({});const lcTag=transformCaseFunc(tag),lcName=transformCaseFunc(attr);return
_isValidAttribute(lcTag,lcName,value)},DOMPurify.addHook=function(entryPoint,hookFunction)
{"function"!==typeof
hookFunction||arrayPush(hooks[entryPoint],hookFunction)},DOMPurify.removeHook=function(entryPoint,hookF
unction){if(void 0!==hookFunction){const index=arrayLastIndexOf(hooks[entryPoint],hookFunction);return-
1===index?void 0:arraySplice(hooks[entryPoint],index,1)[0]}return
arrayPop(hooks[entryPoint])},DOMPurify.removeHooks=function(entryPoint){hooks[entryPoint]=
[]},DOMPurify.removeAllHooks=function(){hooks=_createHooksMap()},DOMPurify}var
purify=createDOMPurify();function L()
{return{async:!1,breaks:!1,extensions:null,gfm:!0,hooks:null,pedantic:!1,renderer:null,silent:!1,tokeni
zer:null,walkTokens:null}}var T=L();function Z(u){T=u}var C={exec:()=>null};function k(u,e=""){let
t="string"===typeof u?u:u.source,n={replace:(r,i)=>{let s="string"===typeof i?i:i.source;return
s=s.replace(m.caret,"$1"),t=t.replace(r,s),n},getRegex:()=>new RegExp(t,e)};return n}var me=()=>>
{try{return!/(?<=1)(?<!1)/}catch{return!1}}(),m={codeRemoveIndent:/^(?: {1,4}|
{0,3}\t)/gm,outputLinkReplace:/\[\[ \[ \] \] \]/g,indentCodeCompensation:/^( \s+
)(?:` ` `)/,beginningSpace:/^\s+/,endingHash:/#$/ ,startingSpaceChar:/^ / ,endingSpaceChar:/
$/ ,nonSpaceChar:/^[^
]/ ,newLineCharGlobal:/\n/g,tabCharGlobal:/\t/g,multipleSpaceGlobal:/\s+/g,blankLine:/^[
\t]*$/ ,doubleBlankLine:/\n[ \t]*\n[ \t]*$/ ,blockquoteStart:/^ {0,3}>/ ,blockquoteSetTextReplace:/\n {0,3}
((?:=+| -+ )*(?=\n|$)/g,blockquoteSetTextReplace2:/^ {0,3}>[
\t]?/gm,listReplaceTabs:/^ \t+/,listReplaceNesting:/^ {1,4}(?=( {4})*[^\ ])/g,listIsTask:/^ \[ [ xX] \]
+$/ ,listReplaceTask:/^ \[ [ xX] \] +/ ,listTaskCheckbox:/^ \[
xX] \] / ,anyLine:/\n.*\n/,hrefBrackets:/^(<.*>)/ ,tableDelimiter:/[:|]/ ,tableAlignChars:/^ \[ \] |
*$/g,tableRowBlankLine:/\n[ \t]*$/ ,tableAlignRight:/^ *-+: *$/ ,tableAlignCenter:/^ *-+:
*$/ ,tableAlignLeft:/^ *-+: *$/ ,startATag:/^<a
/i,endATag:/^<\/a>/i,startPreScriptTag:/^<(pre|code|kbd|script)
(\s|>)/i,endPreScriptTag:/^<\/(pre|code|kbd|script)
(\s|>)/i,startAngleBracket:/^</ ,endAngleBracket:/>$/ ,pedanticHrefTitle:/^([^\"]*)[^\s]+\s+(['"]
)(.*)\2/,unicodeAlphaNumeric:/[\p{L}\p{N}]/u,escapeTest:/[<>"']/ ,escapeReplace:/[&
<>"']/g,escapeTestNoEncode:/[<>"' ]|&(?!(#\d{1,7}|#[Xx][a-fA-F0-9]
{1,6})\w+);)/ ,escapeReplaceNoEncode:/[<>"' ]|&(?!(#\d{1,7}|#[Xx][a-fA-F0-9]
{1,6})\w+);)/g,unescapeTest:/&#(?:\d+)|(?:#x[0-9A-Fa-f]+)|(?:\w+);?/ig,caret:/^ \[ ^
\] \^ /g,percentDecode:/%25/g,findPipe:/\|/g,splitPipe:/
\/ / ,slashPipe:/\\\|/g,carriageReturn:/\r\n|\r/g,spaceLine:/^
+$/gm,notSpaceStart:/^\s*/ ,endingNewline:/\n$/ ,listItemRegex:u=>new RegExp(`^( {0,3}${u})((?:[
^ \n]*)?(?:\n|$))`),nextBulletRegex:u=>new RegExp(`^ {0,${Math.min(3,u-1)}}(?:[*+-]|\d{1,9}[.])((?:
[
^ \n]*)?(?:\n|$))`),hrRegex:u=>new RegExp(`^ {0,${Math.min(3,u-1)}}(?:[-*]{3,}|(?:_*){3,}|
(?:\\* *){3,})?(?:\n+|$)`),fencesBeginRegex:u=>new RegExp(`^ {0,${Math.min(3,u-1)}}
(?:` ` `|~~~)`),headingBeginRegex:u=>new RegExp(`^ {0,${Math.min(3,u-1)}}#`),htmlBeginRegex:u=>new
```

[illegible]


```
=punct)|notPunctSpace(\\*+)(?
=notPunctSpace)","gu").replace(/notPunctSpace/g,ae).replace(/punctSpace/g,K).replace(/punct/g,D).getReg
ex(),He=k(/^[_*]?__[_*]?\\*[_*]?(?=__)|^*+(?=[^*])|(?!\\*)punct(\\*+)(?=
[\\s]|$)|notPunctSpace(\\*+)(?!\\*)(?=punctSpace$)|(?!\\*)punctSpace(\\*+)(?=notPunctSpace)|[\\s]
(\\*+)(?!\\*)(?=punct)|(?!\\*)punct(\\*+)(?!\\*)(?=punct)|notPunctSpace(\\*+)(?
=notPunctSpace)","gu").replace(/notPunctSpace/g,Ee).replace(/punctSpace/g,Ie).replace(/punct/g,Ie).getR
egex(),Ze=k(/^[_*]?\\*\\*[_*]?[_*]?(?=\\*\\*)|^_+(?=[^_])|(?!_)punct(_+)(?=
[\\s]|$)|notPunctSpace(_+)(?!_)(?=punctSpace$)|(?!_)punctSpace(_+)(?=notPunctSpace)|[\\s](_+)(?!_)(?
=punct)|(?!_)punct(_+)(?!_)(?
=punct)","gu").replace(/notPunctSpace/g,ae).replace(/punctSpace/g,K).replace(/punct/g,D).getRegex(),Ge=
k(/\\(punct)/,"gu").replace(/punct/g,D).getRegex(),Ne=k(/^<(scheme:[^\\s\\x00-
\\x1f<>]*|email)>|).replace("scheme",/[a-zA-Z][a-zA-Z0-9+.-]{1,31}/).replace("email",/[a-zA-Z0-
9.!#$%&'*/+=?^_`{|}~-]+(@)[a-zA-Z0-9](?:[a-zA-Z0-9-]{0,61}[a-zA-Z0-9])?(?:\\.[a-zA-Z0-9-]
{0,61}[a-zA-Z0-9])?)+(?![_])//).getRegex(),Qe=k(j).replace("(?:-->$)","--
>").getRegex(),Fe=k("^comment|^<[/a-zA-Z][\\w:-]*\\s*>|^<[/a-zA-Z][\\w-]*(?:attribute)*?\\s*/>|^<\\?
[\\s\\S]*?\\?>|^<[/a-zA-Z]+\\s[\\s\\S]*?>|^<![CDATA\\[[\\s\\S]*?
\\]\\]>").replace("comment",Qe).replace("attribute",/\\s+[a-zA-Z:_][\\w.-]*(?:\\s*=\\s*
[\\^"]*"|\\s*=\\s*'[^']*'|\\s*=\\s*[\\^\\s'"=;<>]+)?//).getRegex(),q=/(?:\\[\\(?:\\s\\S|\\[\\^\\[\\S\\S]\\]\\)*\\]|\\s\\S|`+
[\\^]*?'+(?!')|\\[\\^\\[\\S\\S]\\])*?/,je=k(/!?!\\[(label)\\]\\(\\s*(href)(?:\\(?:[\\t]*\\(?:\\n[\\t]*\\)?)?(title))?
\\s*\\)/).replace("label",q).replace("href",/<(?:\\.|[\\^\\n<>\\]]+)>|^\\t\\n\\x00-\\x1f*/).replace("title",/
(?:\\\"?|\\'\\?|\\`\\?|\\[\\^\\S\\S]*'|\\(\\(?:\\s\\S|\\[\\^\\[\\S\\S]\\]\\)*\\)/).getRegex(),ce=k(/!?!\\[(label)\\]\\
[(ref)\\]/).replace("label",q).replace("ref",F).getRegex(),he=k(/!?!\\[(ref)\\]\\(?:\\
[\\])?//).replace("ref",F).getRegex(),Ue=k("reflink|nolink(?:!\\
)","g").replace("reflink",ce).replace("nolink",he).getRegex(),ne=/[hH][tT][tT][pP][sS]?|[fF][tT]
[pP]/,W=
{_backpedal:C,anyPunctuation:Ge,autolink:Ne,blockSkip:Be,br:oe,code:ze,del:C,emStrongLDelim:qe,emStrong
RDelimAst:De,emStrongRDelimUnd:Ze,escape:Me,link:je,nolink:he,punctuation:Ce,reflink:ce,reflinkSearch:U
e,tag:Fe,text:Ae,url:C},Ke={...W,link:k(/!?!\\[(label)\\]\\
((.*?)\\)/).replace("label",q).getRegex(),reflink:k(/!?!\\[(label)\\]\\s*\\
[\\(\\^\\)]*)\\)/).replace("label",q).getRegex(),G$1=
{...W,emStrongRDelimAst:He,emStrongLDelim:ve,url:k(/^(?:protocol):\\|\\/|www\\.)(?:[a-zA-Z0-9\\-]+\\.?)
+[^\\s<]*|^email/).replace("protocol",ne).replace("email",/[A-Za-z0-9._+-]+(@)[a-zA-Z0-9-]_+(?:\\.
[a-zA-Z0-9-]_*[a-zA-Z0-9])+(?![_])//).getRegex(),_backpedal:/(?:[\\^?!.,:;*_'"~()&]+|\\(\\^\\)*\\)|&?![a-zA-Z0-
9]+;$)|[?!.,,:;*_'"~]+(?!$))+/,del:/^(~?)(?=[^\\s~])(?:\\s\\S|\\[\\^\\S\\S]*?(?:\\s\\S|\\[\\^\\s~\\S\\S\\])\\1(=
[^~]|$)/,text:k(/^[\\~]+|[\\^~])(?:\\s{2,}\\n|(?=[a-zA-Z0-9.!#$%&'*/+=?_`\\|}\\~]+@)|[\\s\\S]*?(?:\\s{2,}=
<|\\[\\^*_~]\\b_|protocol:|\\|\\/|www\\.|$)|^[\\^](?=[a-zA-Z0-9.!#$%&'*/+=?_`\\|}\\~]+@)|[\\s\\S]*?(?:\\s{2,}=
9.!#$%&'*/+=?_`\\|}\\~]+@))//).replace("protocol",ne).getRegex(),We={...G$1,br:k(oe).replace("
{2,},"*").getRegex(),text:k(G$1.text).replace("\\b_", "\\b_| {2,}\\n").replace("/
{2,}/g,"*").getRegex(),E={normal:U,gfm:_e,pedantic:Le},M={normal:W,gfm:G$1,breaks:We,pedantic:Ke},Xe=
{"&":"&","<":"<",">":">","'":"'&quot;","'":"'&#39;";ke=u=>Xe[u];function w(u,e){if(e)
{if(m.escapeTest.test(u))return u.replace(m.escapeReplace,ke);}else
if(m.escapeTestNoEncode.test(u))return u.replace(m.escapeReplaceNoEncode,ke);return u}function X(u)
{try{u=encodeURIComponent().replace(m.percentDecode,"%")}catch{return null}return u}function J(u,e){let
t=u.replace(m.findPipe,(i,s,a)=>{let o=!1,l=s;for(;o<--l&&"\\"===a[l];)o=!o;return o?"|":
"|"}),n=t.split(m.splitPipe),r=0;if(n[0].trim()||n.shift(),o<n.length&&!n.at(-1)?.trim()&&n.pop(),e)if(n
.length>e)n.splice(e);else
for(;n.length<e;n.push(""));for(;r<n.length;r++)n[r]=n[r].trim().replace(m.slashPipe,"|");return
n}function z(u,e,t){let n=u.length;if(0===n)return"";let r=0;for(;r<n;){let i=u.charAt(n-r-
1);if(i===e&&!r)++;else break}return u.slice(0,n-r)}function de(u,e){if(-1===u.indexOf(e[1]))return-
1;let t=0;for(let n=0;n<u.length;n++)if("\\\"===u[n])n++;else if(u[n]===e[0])t++;else if(u[n]===e[1]&&
(t--,o>t))return n;return o<t?-2:-1}function ge(u,e,t,n,r){let
i=e.href,s=e.title||null,a=u[1].replace(r.other.outputLinkReplace,"$1");n.state.inLink=!0;let o=
{type:"!"===u[0].charAt(0)?"image":"link",raw:t,href:i,title:s,text:a,tokens:n.inlineTokens(a)};return
n.state.inLink=!1,o}function Je(u,e,t){let n=u.match(t.other.indentCodeCompensation);if(null===n)return
e;let r=n[1];return e.split(`
`).map(i=>{let s=i.match(t.other.beginningSpace);if(null===s)return i;let[a]=s;return
a.length>r.length?i.slice(r.length):i}).join(`
`)}var y=class{options;rules;lexer;constructor(e){this.options=e||T}space(e){let
t=this.rules.block.newline.exec(e);if(t&&0<t[0].length)return{type:"space",raw:t[0]}}code(e){let
t=this.rules.block.code.exec(e);if(t){let
n=t[0].replace(this.rules.other.codeRemoveIndent,"");return{type:"code",raw:t[0],codeBlockStyle:"indent
ed",text:this.options.pedantic?n:z(n,`
`)}fences(e){let t=this.rules.block.fences.exec(e);if(t){let
n=t[0],r=Je(n,t[3]||"",this.rules);return{type:"code",raw:n,lang:t[2]?
t[2].trim().replace(this.rules.inline.anyPunctuation,"$1"):t[2],text:r}}heading(e){let
t=this.rules.block.heading.exec(e);if(t){let n=t[2].trim();if(this.rules.other.endingHash.test(n)){let
r=z(n,"#");(this.options.pedantic||!r||this.rules.other.endingSpaceChar.test(r))&&
(n=r.trim())}return{type:"heading",raw:t[0],depth:t[1].length,text:n,tokens:this.lexer.inline(n)}}hr(e)
{let t=this.rules.block.hr.exec(e);if(t)return{type:"hr",raw:z(t[0],`
`)}blockquote(e){let t=this.rules.block.blockquote.exec(e);if(t){let n=z(t[0],`
`).split(`
`),r="",i="",s=[];for(;o<n.length;){let a=!1,o=
[],l;for(l=0;l<n.length;l++)if(this.rules.other.blockquoteStart.test(n[l]))o.push(n[l]),a=!0;else
if(!a)o.push(n[l]);else break;n=n.slice(1);let p=o.join(`
`),c=p.replace(this.rules.other.blockquoteSetTextReplace,`
$1` ).replace(this.rules.other.blockquoteSetTextReplace2,"");r=r+` ${r}
${p}`:p,i=i+` ${i}
${c}`:c;let
g=this.lexer.state.top;if(this.lexer.state.top!==0,this.lexer.blockTokens(c,s,!0),this.lexer.state.top=g
,0===n.length)break;let h=s.at(-1);if("code"===h?.type)break;if("blockquote"===h?.type){let
R=h,f=R.raw+`
`+n.join(`
`),0=this.blockquote(f);s[s.length-1]=0,r=r.substring(0,r.length-
R.raw.length)+0.raw,i=i.substring(0,i.length-R.text.length)+0.text;break}else if("list"===h?.type){let
R=h,f=R.raw+`
`+n.join(`
```

```
`),0=this.list(f);s[s.length-1]=0,r=r.substring(0,r.length-
h.raw.length)+0.raw,i=i.substring(0,i.length-
R.raw.length)+0.raw,n=f.substring(s.at(-1).raw.length).split(`
`);continue}}return{type:"blockquote",raw:r,tokens:s,text:i}}list(e){let
t=this.rules.block.list.exec(e);if(t){let n=t[1].trim(),r=1<n.length,i=
{type:"list",raw:"",ordered:r,start:r?+n.slice(0,-1):"",loose:!1,items:[]};n=r?
`\\d{1,9}\\$\\{n.slice(-1)}:`\\$\\{n}`,this.options.pedantic&&(n=r?n:"[*+-]");for(let
s=this.rules.other.listItemRegex(n),a=!1;e){let l=!1,p="",c="";if(!
(t=s.exec(e))||this.rules.block.hr.test(e))break;p=t[0],e=e.substring(p.length);let g=t[2].split(`
`,1)[0].replace(this.rules.other.listReplaceTabs,0=>" ".repeat(3*0.length)),h=e.split(`
`,1)[0],R=!g.trim(),f=0;if(this.options.pedantic?(f=2,c=g.trimStart()):R?f=t[1].length+1:
(f=t[2].search(this.rules.other.nonSpaceChar),f=4<f?
1:f,c=g.slice(f),f+=t[1].length),R&&this.rules.other.blankLine.test(h)&&(p+=h+`
`,e=e.substring(h.length+1),l=!0),!l)for(let
0=this.rules.other.nextBulletRegex(f),V=this.rules.other.hrRegex(f),Y=this.rules.other.fencesBeginRegex
(f),ee=this.rules.other.headingBeginRegex(f),fe=this.rules.other.htmlBeginRegex(f);e){let H=e.split(`
`,1)[0],A;if(h=H,this.options.pedantic?(h=h.replace(this.rules.other.listReplaceNesting,"
"),A=h):A=h.replace(this.rules.other.tabCharGlobal,"
"),Y.test(h)||ee.test(h)||fe.test(h)||0.test(h)||V.test(h))break;if(A.search(this.rules.other.nonSpaceC
har)>=f||!h.trim())c+=`
`+A.slice(f);else{if(R||4<=g.replace(this.rules.other.tabCharGlobal,"
").search(this.rules.other.nonSpaceChar)||Y.test(g)||ee.test(g)||V.test(g))break;c+=`
`+h}R||h.trim()||(R=!0),p+=H+`
`,e=e.substring(H.length+1),g=A.slice(f)}i.loose||(a?
i.loose=!0:this.rules.other.doubleBlankLine.test(p)&&
(a=!0)),i.items.push({type:"list_item",raw:p,task:!!this.options.gfm&&this.rules.other.listIsTask.test(
c),loose:!1,text:c,tokens:[]}),i.raw+=p}let
o=i.items.at(-1);if(o)o.raw=o.raw.trimEnd(),o.text=o.text.trimEnd();else
return;i.raw=i.raw.trimEnd();for(let l of i.items)
{if(this.lexer.state.top!=1,l.tokens=this.lexer.blockTokens(l.text,[],l.task)
{if(l.text=l.text.replace(this.rules.other.listReplaceTask,""),"text"===l.tokens[0]?.type||"paragraph"=
==l.tokens[0]?.type)
{l.tokens[0].raw=l.tokens[0].raw.replace(this.rules.other.listReplaceTask,""),l.tokens[0].text=l.tokens
[0].text.replace(this.rules.other.listReplaceTask,"");for(let c=this.lexer.inlineQueue.length-1;0<=c;c-
-)if(this.rules.other.listIsTask.test(this.lexer.inlineQueue[c].src))
{this.lexer.inlineQueue[c].src=this.lexer.inlineQueue[c].src.replace(this.rules.other.listReplaceTask,"
");break}}let p=this.rules.other.listTaskCheckbox.exec(l.raw);if(p){let c={type:"checkbox",raw:p[0]+"
",checked:"[ ]"!==p[0]};l.checked=c.checked,i.loose?l.tokens[0]&&
["paragraph","text"].includes(l.tokens[0].type)&&"tokens"in l.tokens[0]&&l.tokens[0].tokens?
(l.tokens[0].raw=c.raw+l.tokens[0].raw,l.tokens[0].text=c.raw+l.tokens[0].text,l.tokens[0].tokens.unshi
ft(c)):l.tokens.unshift({type:"paragraph",raw:c.raw,text:c.raw,tokens:
[c]}):l.tokens.unshift(c)}if(!i.loose){let
p=l.tokens.filter(g=>"space"===g.type),c=0<p.length&&p.some(g=>this.rules.other.anyLine.test(g.raw));i.
loose=c}}if(i.loose)for(let l of i.items){l.loose=!0;for(let p of l.tokens)"text"===p.type&&
(p.type="paragraph")}return i}}html(e){let
t=this.rules.block.html.exec(e);if(t)return{type:"html",block:!0,raw:t[0],pre:"pre"===t[1]||"script"===
t[1]||"style"===t[1],text:t[0]}def(e){let t=this.rules.block.def.exec(e);if(t){let
n=t[1].toLowerCase().replace(this.rules.other.multipleSpaceGlobal," "),r=t[2]?
t[2].replace(this.rules.other.hrefBrackets,"$1").replace(this.rules.inline.anyPunctuation,"$1"): "",i=t[
3]?t[3].substring(1,t[3].length-
1).replace(this.rules.inline.anyPunctuation,"$1"):t[3];return{type:"def",tag:n,raw:t[0],href:r,title:i}
}}table(e){let
t=this.rules.block.table.exec(e);if(!t||!this.rules.other.tableDelimiter.test(t[2]))return;let
n=J(t[1]),r=t[2].replace(this.rules.other.tableAlignChars,"").split("|"),i=t[3]?trim():
t[3].replace(this.rules.other.tableRowBlankLine,"").split(`
`):[],s={type:"table",raw:t[0],header:[],align:[],rows:[]};if(n.length===r.length){for(let a of
r)this.rules.other.tableAlignRight.test(a)?
s.align.push("right"):this.rules.other.tableAlignCenter.test(a)?
s.align.push("center"):this.rules.other.tableAlignLeft.test(a)?
s.align.push("left"):s.align.push(null);for(let
a=0;a<n.length;a++)s.header.push({text:n[a],tokens:this.lexer.inline(n[a]),header:!0,align:s.align[a]})
;for(let a of i)s.rows.push(J(a,s.header.length).map((o,l)=>
({text:o,tokens:this.lexer.inline(o),header:!1,align:s.align[l]})));return s}}lheading(e){let
t=this.rules.block.lheading.exec(e);if(t)return{type:"heading",raw:t[0],depth:""===t[2].charAt(0)?
1:2,text:t[1],tokens:this.lexer.inline(t[1])}paragraph(e){let
t=this.rules.block.paragraph.exec(e);if(t){let n=`
`===t[1].charAt(t[1].length-1)?
t[1].slice(0,-1):t[1];return{type:"paragraph",raw:t[0],text:n,tokens:this.lexer.inline(n)}}text(e){let
t=this.rules.block.text.exec(e);if(t)return{type:"text",raw:t[0],text:t[0],tokens:this.lexer.inline(t[0
])}}escape(e){let
t=this.rules.inline.escape.exec(e);if(t)return{type:"escape",raw:t[0],text:t[1]}tag(e){let
t=this.rules.inline.tag.exec(e);if(t)return!this.lexer.state.inLink&&this.rules.other.startATag.test(t[
0])?this.lexer.state.inLink=!0:this.lexer.state.inLink&&this.rules.other.endATag.test(t[0])&&
(this.lexer.state.inLink=!1),!this.lexer.state.inRawBlock&&this.rules.other.startPreScriptTag.test(t[0
])?
this.lexer.state.inRawBlock=!0:this.lexer.state.inRawBlock&&this.rules.other.endPreScriptTag.test(t[0])
&&(this.lexer.state.inRawBlock=!1),
{type:"html",raw:t[0],inLink:this.lexer.state.inLink,inRawBlock:this.lexer.state.inRawBlock,block:!1,te
xt:t[0]}}link(e){let t=this.rules.inline.link.exec(e);if(t){let
n=t[2].trim();if(!this.options.pedantic&&this.rules.other.startAngleBracket.test(n))
{if(!this.rules.other.endAngleBracket.test(n))return;let s=z(n.slice(0,-1),"\\");if(0==(n.length-
s.length)%2)return}else{let s=de(t[2],"(");if(-2===s)return;if(-1<s){let o=(0===t[0].indexOf("!"))?
5:4)+t[1].length+s;t[2]=t[2].substring(0,s),t[0]=t[0].substring(0,o).trim(),t[3]=""}}let
r=t[2],i="";if(this.options.pedantic){let s=this.rules.other.pedanticHrefTitle.exec(r);s&&
(r=s[1],i=s[3])}else i=t[3]?t[3].slice(1,-1):"";return
r=r.trim(),this.rules.other.startAngleBracket.test(r)&&
```



```
(this.options.pedantic&&!this.rules.other.endAngleBracket.test(n)?r=r.slice(1):r=r.slice(1,-1)),ge(t,{href:r&&r.replace(this.rules.inline.anyPunctuation,"$1"),title:i&&i.replace(this.rules.inline.anyPunctuation,"$1")},t[0],this.lexer,this.rules)}}reflink(e,t){let n;if((n=this.rules.inline.reflink.exec(e))||(n=this.rules.inline.nolink.exec(e))){let r=(n[2]||n[1]).replace(this.rules.other.multipleSpaceGlobal," "),i=t[r.toLowerCase()];if(!i){let s=n[0].charAt(0);return{type:"text",raw:s,text:s}}return ge(n,i,n[0],this.lexer,this.rules)}}emStrong(e,t,n=""){var _Mathmin=Math.min;let r=this.rules.inline.emStrongLDelim.exec(e);if(!(!r||r[3]&&n.match(this.rules.other.unicodeAlphaNumeric))&&!(r[1]||r[2]||""))||n||this.rules.inline.punctuation.exec(n)){let s=[...r[0]].length-1,l=s,p=0,c="*"===r[0][0]?this.rules.inline.emStrongRDelimAst:this.rules.inline.emStrongRDelimUnd,a,o;for(c.lastIndex=0,t=t.slice(-1*e.length+s);null!=(r=c.exec(t));){if(a=r[1]||r[2]||r[3]||r[4]||r[5]||r[6],!a)continue;if(o=[...a].length,r[3]||r[4]){l+=o;continue}else if((r[5]||r[6])&&s%3&&((s+o)%3)){p+=o;continue;if(1-o,0<1)continue;o=_Mathmin(o,o+l+p);let g=[...r[0]][0].length,h=e.slice(0,s+r.index+g+o);if(_Mathmin(s,o)%2){let f=h.slice(1,-1);return{type:"em",raw:h,text:f,tokens:this.lexer.inlineTokens(f)}}let R=h.slice(2,-2);return{type:"strong",raw:h,text:R,tokens:this.lexer.inlineTokens(R)}}}}codespan(e){let t=this.rules.inline.code.exec(e);if(t){let n=t[2].replace(this.rules.other.newLineCharGlobal,""),r=this.rules.other.nonSpaceChar.test(n),i=this.rules.other.startingSpaceChar.test(n)&&this.rules.other.endingSpaceChar.test(n);return r&&i&&(n=n.substring(1,n.length-1)),{type:"codespan",raw:t[0],text:n}}}br(e){let t=this.rules.inline.br.exec(e);if(t)return{type:"br",raw:t[0]}}del(e){let t=this.rules.inline.del.exec(e);if(t)return{type:"del",raw:t[0],text:t[2],tokens:this.lexer.inlineTokenS(t[2])}}autolink(e){let t=this.rules.inline.autolink.exec(e);if(t){let n,r;return"@")==t[2]?(n=t[1],r="mailto:"+n):(n=t[1],r=n),{type:"link",raw:t[0],text:n,href:r,tokens:[{type:"text",raw:n,text:n}]}}}url(e){let t;if(t=this.rules.inline.url.exec(e)){let n,r;if("@")==t[2])n=t[0],r="mailto:"+n;else{let i;do i=t[0],t[0]=this.rules.inline._backpedal.exec(t[0])?.[0]??"":while(i!==t[0]);n=t[0],r="www."===t[1]?"http://"+t[0]:t[0]}return{type:"link",raw:t[0],text:n,href:r,tokens:[{type:"text",raw:n,text:n}]}}}inlineText(e){let t=this.rules.inline.text.exec(e);if(t){let n=this.lexer.state.inRawBlock;return{type:"text",raw:t[0],text:t[0],escaped:n}}},x=class u{tokens;options;state;inlineQueue;tokenizer;constructor(e){this.tokens=[],this.tokens.links=Object.create(null),this.options=e||T,this.options.tokenizer=this.options.tokenizer||new y,this.tokenizer=this.options.tokenizer,this.tokenizer.options=this.options,this.tokenizer.lexer=this,this.tokenizer.inlineQueue=[],this.state={inLink:!1,inRawBlock:!1,top:!0};let t={other:m,block:E.normal,inline:M.normal};this.options.pedantic?(t.block=E.pedantic,t.inline=M.pedantic):this.options.gfm&&(t.block=E.gfm,t.inline=this.options.breaks?M.breaks:M.gfm),this.tokenizer.rules=t}static get rules(){return{block:E,inline:M}}static lex(e,t){return new u(t).lex(e)}static lexInline(e,t){return new u(t).inlineTokens(e)}lex(e){e=e.replace(m.carriageReturn,"`"),this.blockTokens(e,this.tokens);for(let t=0,n;t<this.inlineQueue.length;t++)n=this.inlineQueue[t],this.inlineTokens(n.src,n.tokens);return this.inlineQueue=[],this.tokens}blockTokens(e,t=[],n=!1){for(this.options.pedantic&&(e=e.replace(m.tabCharGlobal,"").replace(m.spaceLine,""));e;){let r;if(this.options.extensions?.block?.some(s=>!(r=s.call({lexer:this},e,t))&&(e=e.substring(r.raw.length),t.push(r),!0)))continue;if(r=this.tokenizer.space(e)){e=e.substring(r.raw.length);let s=t.at(-1);1===r.raw.length&&void 0!==(s=s.raw+`):t.push(r);continue}if(r=this.tokenizer.code(e)){e=e.substring(r.raw.length);let s=t.at(-1);"paragraph"===s?.type||"text"===s?.type?(s.raw+=(s.raw.endsWith(`)??"":`)+r.raw,s.text+=`+r.text,this.inlineQueue.at(-1).src=s.text):t.push(r);continue}if(r=this.tokenizer.fences(e)){e=e.substring(r.raw.length),t.push(r);continue}if(r=this.tokenizer.heading(e)){e=e.substring(r.raw.length),t.push(r);continue}if(r=this.tokenizer.hr(e)){e=e.substring(r.raw.length),t.push(r);continue}if(r=this.tokenizer.blockquote(e)){e=e.substring(r.raw.length),t.push(r);continue}if(r=this.tokenizer.list(e)){e=e.substring(r.raw.length),t.push(r);continue}if(r=this.tokenizer.html(e)){e=e.substring(r.raw.length),t.push(r);continue}if(r=this.tokenizer.def(e)){e=e.substring(r.raw.length);let s=t.at(-1);"paragraph"===s?.type||"text"===s?.type?(s.raw+=(s.raw.endsWith(`)??"":`)+r.raw,s.text+=`+r.raw,this.inlineQueue.at(-1).src=s.text):this.tokens.links[r.tag]||(this.tokens.links[r.tag]={href:r.href,title:r.title},t.push(r));continue}if(r=this.tokenizer.table(e)){e=e.substring(r.raw.length),t.push(r);continue}if(r=this.tokenizer.lheading(e)){e=e.substring(r.raw.length),t.push(r);continue}let i=e;if(this.options.extensions?.startBlock){let s=1/0,a=e.slice(1,o);this.options.extensions.startBlock.forEach(l=>{o=l.call({lexer:this},a),"number"==typeof o&&o<=o&&(s=Math.min(s,o))},s<1/0&&0<=s&&(i=e.substring(0,s+1))}if(this.state.top&&(r=this.tokenizer.paragraph(i))){let s=t.at(-1);n&&"paragraph"===s?.type?(s.raw+=(s.raw.endsWith(`)??"":`)+r.raw,s.text+=`+r.text,this.inlineQueue.pop(),this.inlineQueue.at(-1).src=s.text):t.push(r),n=i.length!==e.length,e=e.substring(r.raw.length);continue}if(r=this.tokenizer.text(e)){e=e.substring(r.raw.length);let s=t.at(-1);"text"===s?.type?(s.raw+=(s.raw.endsWith(`)??"":`)+r.raw,s.text+=`+r.text,this.inlineQueue.pop(),this.inlineQueue.at(-1).src=s.text):t.push(r);continue}if(e){let s="Infinite loop on byte: "+e.charCodeAt(0);if(this.options.silent){console.error(s);break}else throw new Error(s)}}return this.state.top=!0,t}inline(e,t=[]){return this.inlineQueue.push({src:e,tokens:t}),t}inlineTokens(e,t=[]){let n=e,r=null;if(this.tokens.links){let o=Object.keys(this.tokens.links);if(0<o.length)for(;null!=(r=this.tokenizer.rules.inline.reflinkSearch.exec(n));)o.includes(r[0].slice(r[0].lastIndexOf("[")+1,-1))&&(n=n.slice(0,r.index)+"["+a".repeat(r[0].length-
```

```
2)+""]"+n.slice(this.tokenizer.rules.inline.reflinkSearch.lastIndex))}for(;null!=
(r=this.tokenizer.rules.inline.anyPunctuation.exec(n));)n=n.slice(0,r.index)+"++"+n.slice(this.tokenize
r.rules.inline.anyPunctuation.lastIndex);for(let i;null!=
(r=this.tokenizer.rules.inline.blockSkip.exec(n));)i=r[2]?r[2].length:0,n=n.slice(0,r.index+i)+"
["+a".repeat(r[0].length-i-
2)+""]"+n.slice(this.tokenizer.rules.inline.blockSkip.lastIndex);n=this.options.hooks?.emStrongMask?.cal
l({lexer:this},n)?n:for(let s=!1,a="";e;){s||(a=""),s=!1;let
o;if(this.options.extensions?.inline?.some(p=>!!(o=p.call({lexer:this},e,t))&&
(e=e.substring(o.raw.length),t.push(o),!0)))continue;if(o=this.tokenizer.escape(e))
{e=e.substring(o.raw.length),t.push(o);continue}if(o=this.tokenizer.tag(e))
{e=e.substring(o.raw.length),t.push(o);continue}if(o=this.tokenizer.link(e))
{e=e.substring(o.raw.length),t.push(o);continue}if(o=this.tokenizer.reflink(e,this.tokens.links))
{e=e.substring(o.raw.length);let p=t.at(-1);"text"===o.type&&"text"===p?.type?
(p.raw+=o.raw,p.text+=o.text):t.push(o);continue}if(o=this.tokenizer.emStrong(e,n,a))
{e=e.substring(o.raw.length),t.push(o);continue}if(o=this.tokenizer.codespan(e))
{e=e.substring(o.raw.length),t.push(o);continue}if(o=this.tokenizer.br(e))
{e=e.substring(o.raw.length),t.push(o);continue}if(o=this.tokenizer.del(e))
{e=e.substring(o.raw.length),t.push(o);continue}if(o=this.tokenizer.autolink(e))
{e=e.substring(o.raw.length),t.push(o);continue}if(!this.state.inLink&&(o=this.tokenizer.url(e)))
{e=e.substring(o.raw.length),t.push(o);continue}let l=e;if(this.options.extensions?.startInline){let
p=1/0,c=e.slice(1),g=this.options.extensions.startInline.forEach(h=>
{g=h.call({lexer:this},c),"number"==typeof g&&0<=g&&(p=Math.min(p,g))}),p<1/0&&0<=p&&
(l=e.substring(0,p+1))}if(o=this.tokenizer.inlineText(l))
{e=e.substring(o.raw.length),"_"!==o.raw.slice(-1)&&(a=o.raw.slice(-1)),s=!0;let
p=t.at(-1);"text"===p?.type?(p.raw+=o.raw,p.text+=o.text):t.push(o);continue}if(e){let p="Infinite loop
on byte: "+e.charCodeAt(0);if(this.options.silent){console.error(p);break}else throw new
Error(p)}return t}},P=class{options;parser;constructor(e){this.options=e||T}space(e)
{return""}code({text:e,lang:t,escaped:n}){let r=(t||"").match(m.notSpaceStart)?.
[0],i=e.replace(m.endingNewline,"")+`
`;return r?"<pre><code class=\"language-"+w(r)+"\">"+(n?i:w(i,!0))+`</code></pre>
`:"<pre><code>"+(n?i:w(i,!0))+`</code></pre>
`}blockquote({tokens:e}){return`<blockquote>
${this.parser.parse(e)}</blockquote>
`}html({text:e}){return e}def(e){return""}heading({tokens:e,depth:t})
{return`<h${t}>${this.parser.parseInline(e)}</h${t}>
`}hr(e){return`<hr>
`}list(e){let t=e.ordered,n=e.start,r="";for(let
a=0,o;a<e.items.length;a++)o=e.items[a],r+=this.listitem(o);let i=t?"ol":"ul",s=t&&1!==n?"
start=\""+n+\"\\\"\":\"\";return`<${i+s}>
`+r+`</${i+s}>
`}listitem(e){return`<li>${this.parser.parse(e.tokens)}</li>
`}checkbox({checked:e}){return`<input "+(e?"checked=\"\" "":"")+\"disabled=\"\" type=\"checkbox\">
`}paragraph({tokens:e}){return`<p>${this.parser.parseInline(e)}</p>
`}table(e){let t="",n="";for(let
i=0;i<e.header.length;i++)n+=this.tablecell(e.header[i]);t+=this.tablerow({text:n});let r="";for(let
i=0,s;i<e.rows.length;i++){s=e.rows[i],n="";for(let
a=0;a<s.length;a++)n+=this.tablecell(s[a]);r+=this.tablerow({text:n})}return r&&(r=`<tbody>${r}
</tbody>`,`<table>
<thead>
`+t+`</thead>
`+r+`</table>
`}tablerow({text:e}){return`<tr>
${e}</tr>
`}tablecell(e){let t=this.parser.parseInline(e.tokens),n=e.header?"th":"td";return(e.align?`<${n}
align=\"${e.align}>`:`<${n}>`) +t+`</${n}>
`}strong({tokens:e}){return`<strong>${this.parser.parseInline(e)}</strong>`}em({tokens:e})
{return`<em>${this.parser.parseInline(e)}</em>`}codespan({text:e}){return`<code>${w(e,!0)}
</code>`}br(e){return`<br>`}del({tokens:e}){return`<del>${this.parser.parseInline(e)}
</del>`}link({href:e,title:t,tokens:n}){let r=this.parser.parseInline(n),i=X(e);if(null===i)return
r;e=i;let s="<a href=\""+e+"\"";return t&&(s+=` title=\""+w(t)+"\"`,s+=`>"+r+`
</a>`,s)}image({href:e,title:t,text:n,tokens:r}){r&&
(n=this.parser.parseInline(r,this.parser.textRenderer));let i=X(e);if(null===i)return w(n);e=i;let
s="<img src=\"${e}\" alt=\"${n}\"";return t&&(s+=` title=\"${w(t)}\"`,s+=`>`,s)}text(e){return"tokens"in
e&&e.tokens?this.parser.parseInline(e.tokens):"escaped"in e&&e.escaped?
e.text:w(e.text)},$=class{strong({text:e}){return e}em({text:e}){return e}codespan({text:e}){return
e}del({text:e}){return e}html({text:e}){return e}text({text:e}){return e}link({text:e})
{return""+e}image({text:e}){return""+e}br(){return""}checkbox({raw:e}){return e}},b=class
u{options;renderer;textRenderer;constructor(e)
{this.options=e||T,this.options.renderer=this.options.renderer||new
P,this.renderer=this.options.renderer,this.renderer.options=this.options,this.renderer.parser=this,
this.textRenderer=new $}static parse(e,t){return new u(t).parse(e)}static parseInline(e,t){return new
u(t).parseInline(e)}parse(e){let t="";for(let n=0,r;n<e.length;n++)
{if(r=e[n],this.options.extensions?.renderers?.[r.type]){let
s=r,a=this.options.extensions.renderers[s.type].call({parser:this},s);if(!1!==a||
["space","hr","heading","code","table","blockquote","list","html","def","paragraph","text"].includes(s.
type)){t+=a||"";continue}}let i=r;switch(i.type){case"space":{t+=this.renderer.space(i);break}case"hr":
{t+=this.renderer.hr(i);break}case"heading":{t+=this.renderer.heading(i);break}case"code":
{t+=this.renderer.code(i);break}case"table":{t+=this.renderer.table(i);break}case"blockquote":
{t+=this.renderer.blockquote(i);break}case"list":{t+=this.renderer.list(i);break}case"checkbox":
{t+=this.renderer.checkbox(i);break}case"html":{t+=this.renderer.html(i);break}case"def":
{t+=this.renderer.def(i);break}case"paragraph":{t+=this.renderer.paragraph(i);break}case"text":
{t+=this.renderer.text(i);break}default:{let s="Token with \""+i.type+"\" type was not
found.";if(this.options.silent)return console.error(s),"";throw new Error(s)}}}return
t}parseInline(e,t=this.renderer){let n="";for(let r=0,i;r<e.length;r++)
{if(i=e[r],this.options.extensions?.renderers?.[i.type]){let
a=this.options.extensions.renderers[i.type].call({parser:this},i);if(!1!==a||!
```

```
["escape", "html", "link", "image", "strong", "em", "codespan", "br", "del", "text"].includes(i.type))
{n+=a||"";continue}}let s=i;switch(s.type){case"escape":{n+=t.text(s);break}case"html":
{n+=t.html(s);break}case"link":{n+=t.link(s);break}case"image":{n+=t.image(s);break}case"checkbox":
{n+=t.checkbox(s);break}case"strong":{n+=t.strong(s);break}case"em":{n+=t.em(s);break}case"codespan":
{n+=t.codespan(s);break}case"br":{n+=t.br(s);break}case"del":{n+=t.del(s);break}case"text":
{n+=t.text(s);break}default:{let a="Token with \""+s.type+"\" type was not
found.";if(this.options.silent)return console.error(a),"";throw new Error(a)}}return
n}},S=class{options;block;constructor(e){this.options=e||T}static passThroughHooks=new
Set(["preprocess","postprocess","processAllTokens","emStrongMask"]);static
passThroughHooksRespectAsync=new Set(["preprocess","postprocess","processAllTokens"]);preprocess(e)
{return e}postprocess(e){return e}processAllTokens(e){return e}emStrongMask(e){return e}provideLexer()
{return this.block?x.lex:x.lexInline}provideParser(){return this.block?
b.parse:b.parseInline}},B=class{defaults=L();options=this.setOptions;parse=this.parseMarkdown(!0);parse
Inline=this.parseMarkdown(!1);Parser=b;Renderer=P;TextRenderer=$;Lexer=x;Tokenizer=y;Hooks=S;constructo
r(...e){this.use(...e)}walkTokens(e,t){let n=[];for(let r of
e)switch(n=n.concat(t.call(this,r)),r.type){case"table":{let i=r;for(let s of
i.header)n=n.concat(this.walkTokens(s.tokens,t));for(let s of i.rows)for(let a of
s)n=n.concat(this.walkTokens(a.tokens,t));break}case"list":{let
i=r;n=n.concat(this.walkTokens(i.items,t));break}default:{let
i=r;this.defaults.extensions?.childTokens?.[i.type]?
this.defaults.extensions.childTokens[i.type].forEach(s=>{let
a=i[s].flat(1/0);n=n.concat(this.walkTokens(a,t))}:i.tokens&&
(n=n.concat(this.walkTokens(i.tokens,t))))}return n}use(...e){let t=this.defaults.extensions||
{renderers:{},childTokens:{}};return e.forEach(n=>{let r=
{...n};if(r.async=this.defaults.async||r.async||!1,n.extensions&&(n.extensions.forEach(i=>
{if(!i.name)throw new Error("extension name required");if("renderer"in i){let
s=t.renderers[i.name];t.renderers[i.name]=s?function(...a){let
o=i.renderer.apply(this,a);return!1===o&&(o=s.apply(this,a)),o}:i.renderer}if("tokenizer"in i)
{if(!i.level||"block"!==i.level&&"inline"!==i.level)throw new Error("extension level must be 'block' or
'inline'");let s=t[i.level];s?s.unshift(i.tokenizer):t[i.level]=[i.tokenizer],i.start&&
("block"===i.level?t.startBlock?t.startBlock.push(i.start):t.startBlock=[i.start]:"inline"===i.level&&
(t.startInline?t.startInline.push(i.start):t.startInline=[i.start]))}"childTokens"in i&&i.childTokens&&
(t.childTokens[i.name]=i.childTokens)}},r.extensions=t),n.renderer){let i=this.defaults.renderer||new
P(this.defaults);for(let s in n.renderer){if(!(s in i))throw new Error(`renderer '${s}' does not
exist`);if(["options","parser"].includes(s))continue;let a=s,o=n.renderer[a],l=i[a];i[a]=(...p)=>{let
c=o.apply(i,p);return!1===c&&(c=l.apply(i,p)),c||""}}r.renderer=i}if(n.tokenizer){let
i=this.defaults.tokenizer||new y(this.defaults);for(let s in n.tokenizer){if(!(s in i))throw new
Error(`tokenizer '${s}' does not exist`);if(["options","rules","lexer"].includes(s))continue;let
a=s,o=n.tokenizer[a],l=i[a];i[a]=(...p)=>{let c=o.apply(i,p);return!1===c&&
(c=l.apply(i,p)),c}}r.tokenizer=i}if(n.hooks){let i=this.defaults.hooks||new S;for(let s in n.hooks)
{if(!(s in i))throw new Error(`hook '${s}' does not
exist`);if(["options","block"].includes(s))continue;let
a=s,o=n.hooks[a],l=i[a];i[a]=S.passThroughHooks.has(s)?p=>
{if(this.defaults.async&&S.passThroughHooksRespectAsync.has(s))return(async()=>{let g=await
o.call(i,p);return l.call(i,g)}());let c=o.call(i,p);return l.call(i,c)}:(...p)=>
{if(this.defaults.async)return(async()=>{let g=await o.apply(i,p);return!1===g&&(g=await
l.apply(i,p)),g)}());let c=o.apply(i,p);return!1===c&&(c=l.apply(i,p)),c}}r.hooks=i}if(n.walkTokens){let
i=this.defaults.walkTokens,s=n.walkTokens;r.walkTokens=function(a){let o=[];return
o.push(s.call(this,a)),i&&(o=o.concat(i.call(this,a))),o}}this.defaults=
{...this.defaults,...r}},this)lex(e,t){return x.lex(e,t??this.defaults)}parser(e,t){return
b.parse(e,t??this.defaults)}parseMarkdown(e){return(n,r)=>{let i={...r},s=
{...this.defaults,...i},a=this.onError(!s.silent,!s.async);if(!0===this.defaults.async&&!1===i.async)
return a(new Error("marked(): The async option was set to true by an extension. Remove async: false
from the parse options object to return a Promise."));if("u"<typeof n||null===n)return a(new
Error("marked(): input parameter is undefined or null"));if("string"!==typeof n)return a(new
Error("marked(): input parameter is of type "+Object.prototype.toString.call(n)+", string
expected"));if(s.hooks&&(s.hooks.options=s,s.hooks.block=e),s.async)return(async()=>{let o=s.hooks?
await s.hooks.preprocess(n):n,p=await(s.hooks?await s.hooks.provideLexer():e?x.lex:x.lexInline)
(o,s),c=s.hooks?await s.hooks.processAllTokens(p):p;s.walkTokens&&(await
Promise.all(this.walkTokens(c,s.walkTokens)));let h=await(s.hooks?await s.hooks.provideParser():e?
b.parse:b.parseInline)(c,s);return s.hooks?await s.hooks.postprocess(h):h)}().catch(a);try{s.hooks&&
(n=s.hooks.preprocess(n));let l=(s.hooks?s.hooks.provideLexer():e?x.lex:x.lexInline)(n,s);s.hooks&&
(l=s.hooks.processAllTokens(l)),s.walkTokens&&this.walkTokens(l,s.walkTokens);let c=(s.hooks?
s.hooks.provideParser():e?b.parse:b.parseInline)(l,s);return s.hooks&&
(c=s.hooks.postprocess(c)),c}catch(o){return a(o)}}onError(e,t){return n=>{if(n.message+`=
Please report this to https://github.com/markedjs/marked.`e){let r="<p>An error occurred:</p>
<pre>"+w(n.message+""",!0)+"</pre>";return t?Promise.resolve(r):r}if(t)return Promise.reject(n);throw
n}}},_=new B;function d(u,e){return _.parse(u,e)}d.options=d.setOptions=function(u){return
_.setOptions(u),d.defaults=_.defaults,Z(d.defaults),d},d.getDefaults=L,d.defaults=T,d.use=function(...u)
{return _.use(...u),d.defaults=_.defaults,Z(d.defaults),d},d.walkTokens=function(u,e){return
_.walkTokens(u,e)},d.parseInline=_.parseInline,d.Parser=b,d.parser=b.parse,d.Renderer=P,d.TextRenderer=
$,d.Lexer=x,d.lexer=x.lex,d.Tokenizer=y,d.Hooks=S,d.parse=d,d.options,d.setOptions,d.use,d.walkTokens,d
.parseInline,b.parse,x.lex;class ExternalReviewer{static get(repo){return"mozilla/standards-
positions"===repo?new ExternalReviewer("https://avatars.githubusercontent.com/u/131524?s=48&v=4",
{"position: defer":{description:"Defer",variant:"neutral"},"position: negative":
{description:"Negative",variant:"danger"},"position: neutral":
{description:"Neutral",variant:"neutral"},"position: positive":
{description:"Positive",variant:"success"},"position: under consideration":{description:"Under
Consideration",variant:"neutral"}}):"WebKit/standards-positions"===repo?new
ExternalReviewer("https://avatars.githubusercontent.com/u/6458?s=48&v=4",{"position: oppose":
{description:"Oppose",variant:"danger"},"position: neutral":
{description:"Neutral",variant:"neutral"},"position: support":
{description:"Support",variant:"success"}}):"w3ctag/design-reviews"===repo?new
ExternalReviewer("https://avatars.githubusercontent.com/u/3874462?s=48&v=4",{"Resolution: ambivalent":
{description:"Ambivalent",variant:"neutral"},"Resolution: decline":
```

```
{description:"Decline",variant:"neutral"},"Resolution: lack of consensus":{description:"Lack of
Consensus",variant:"neutral"},"Resolution: object":{description:"Object",variant:"danger"},"Resolution:
out of scope":{description:"Out of Scope",variant:"neutral"},"Resolution: overtaken":
{description:"Overtaken",variant:"warning"},"Resolution: satisfied with concerns":
{description:"Satisfied with Concerns",variant:"warning"},"Resolution: satisfied":
{description:"Satisfied",variant:"success"},"Resolution: timed out":{description:"Timed
Out",variant:"warning"},"Resolution: too early":{description:"Too
Early",variant:"warning"},"Resolution: unsatisfied":
{description:"Unsatisfied",variant:"danger"},"Resolution: validated":{description:"Early Review
Validated",variant:"warning"},"Resolution: withdrawn":
{description:"Withdrawn",variant:"warning"}}):void 0}label(name){return
this._labels[name]}constructor(icon,labels){this.icon=icon,this._labels=labels}}var
__decorate$19=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};const
LINK_TYPE_CHROMIUM_BUG="chromium_bug",LINK_TYPE_GITHUB_ISSUE="github_issue",LINK_TYPE_GITHUB_PULL_REQUE
ST="github_pull_request",LINK_TYPE_GITHUB_MARKDOWN="github_markdown",LINK_TYPE_MDN_DOCS="mdn_docs",LINK
_TYPE_GOOGLE_DOCS="google_docs",LINK_TYPE_MOZILLA_BUG="mozilla_bug",LINK_TYPE_WEBKIT_BUG="webkit_bug",L
INK_TYPE_SPECS="specs";function _formatLongText(text,maxLength=50){return text.length>maxLength?
text.substring(0,35)+"..." +text.substring(text.length-15,text.length):text}const _dateTimeFormat=new
Intl.DateTimeFormat("en-US",
{weekday:"long",year:"numeric",month:"long",day:"numeric",hour:"numeric",minute:"numeric"});function
enhanceChromeStatusLink(featureLink,text){function _formatTimestamp(timestamp){return
_dateTimeFormat.format(new Date(1e3*timestamp))}function renderTooltipContent(){return x$1`<div
class="tooltip">
  ${summary&&x$1`
    <div>
      <strong>Summary:</strong>
      <span>${summary}</span>
    </div>
  `}
  ${openedTimestamp&&x$1`
    <div>
      <strong>Opened:</strong>
      <span>${_formatTimestamp(openedTimestamp)}</span>
    </div>
  `}
  ${closedTimestamp&&x$1`
    <div>
      <strong>Closed:</strong>
      <span>${_formatTimestamp(closedTimestamp)}</span>
    </div>
  `}
  ${reporterRef&&x$1`
    <div>
      <strong>Reporter:</strong>
      <span>${reporterRef.displayName}</span>
    </div>
  `}
  ${ownerRef&&x$1`
    <div>
      <strong>Owner:</strong>
      <span>${ownerRef.displayName}</span>
    </div>
  `}
</div>`}const
information=featureLink.information,summary=information.summary,statusRef=information.statusRef,reporte
rRef=information.reporterRef,ownerRef=information.ownerRef,openedTimestamp=information.openedTimestamp,
closedTimestamp=information.closedTimestamp;return text||(text=summary),x$1`<a
href="${featureLink.url}"
target="_blank"
rel="noopener noreferrer"
>
<sl-tooltip style="--sl-tooltip-arrow-size: 0;--max-width: 50vw;">
  <div slot="content">${renderTooltipContent()}</div>
  <sl-tag>
    
    <sl-badge
      size="small"
      variant="${statusRef.meansOpen?"success":"neutral"}"
      >${statusRef.status}</sl-badge
    >
    ${_formatLongText(text)}
  </sl-tag>
</sl-tooltip>
</a>`}function enhanceGithubIssueLink(featureLink,text){function _formatISOTime(dateString){return
_dateTimeFormat.format(new Date(dateString))}function renderTooltipContent(){return x$1`<div
class="tooltip">
  ${title&&x$1`
    <div>
```

```

    <strong>Title:</strong>
    <span>${title}</span>
  </div>
`
}
${repo}&&x$1`
  <div>
    <strong>Repo:</strong>
    <span>${repo}</span>
  </div>
`
}
${type}&&x$1`
  <div>
    <strong>Type:</strong>
    <span>${type}</span>
  </div>
`
}
${createdAt}&&x$1`
  <div>
    <strong>Opened:</strong>
    <span>${_formatISOTime(createdAt)}</span>
  </div>
`
}
${updatedAt}&&x$1`
  <div>
    <strong>Updated:</strong>
    <span>${_formatISOTime(updatedAt)}</span>
  </div>
`
}
${closedAt}&&x$1`
  <div>
    <strong>Closed:</strong>
    <span>${_formatISOTime(closedAt)}</span>
  </div>
`
}
${assignee}&&x$1`
  <div>
    <strong>Assignee:</strong>
    <span>${assignee}</span>
  </div>
`
}
${owner}&&x$1`
  <div>
    <strong>Owner:</strong>
    <span>${owner}</span>
  </div>
`
</div>`const information=featureLink.information,assignee=information.assignee_login,createdAt=new
Date(information.created_at),closedAt=information.closed_at,updatedAt=information.updated_at,state=info
rmation.state,title=information.title,owner=information.user_login,number=information.number,repo=infor
mation.url.split("/").slice(4,6).join("/"),typePath=featureLink.url.split("/").slice(-2)
[0],type==="issues"===typePath?"Issue":"pull"===typePath?"Pull
Request":typePath,externalReviewer=ExternalReviewer.get(repo);let
stateDescription=x$1``,stateVariant;if(externalReviewer)for(const label of information.labels){const
labelInfo=externalReviewer.label(label);if(labelInfo)
{({description:stateDescription,variant:stateVariant}=labelInfo);break}}if(void
0===stateVariant)if("open"===state){const age=Date.now()-
createdAt.getTime();stateDescription=x$1`Opened
  <sl-relative-time date=${createdAt.toISOString()}
    >on ${_dateTimeFormat.format(createdAt)}</sl-relative-time
  >;const week=604800000;stateVariant="success",externalReviewer&&(2419200000>age?
stateVariant="warning":stateVariant="neutral")}else
console.assert("closed"===state),stateDescription="Closed",stateVariant="neutral";return text||
(text=title),x$1`<a
  href="${featureLink.url}"
  target="_blank"
  rel="noopener noreferrer"
>
  <sl-tooltip style="--sl-tooltip-arrow-size: 0;--max-width: 50vw;">
    <div slot="content">${renderTooltipContent()}</div>
    <sl-tag>
      <img
        src=${externalReviewer?.icon??`https://docs.github.com/assets/cb-
600/images/site/favicon.png`}
        alt="icon"
        class="icon"
      />
      <sl-badge size="small" variant=${stateVariant}
        >${stateDescription}</sl-badge
      >
      ${_formatLongText(`#${number} `+text)}
    </sl-tag>
  </sl-tooltip>
</a>`}function enhanceGithubMarkdownLink(featureLink,text){function renderTooltipContent(){return
x$1`<div class="tooltip">
  ${title}&&x$1`
  <div>
```

```

    <strong>Title:</strong>
    <span>${title}</span>
  </div>
` }
${path}&&x$1`
  <div>
    <strong>File:</strong>
    <span>${path}</span>
  </div>
` }
${size}&&x$1`
  <div>
    <strong>Size:</strong>
    <span>${readableSize}</span>
  </div>
` }
</div>` }const
information=featureLink.information,path=information.path,title=information._parsed_title,size=information.size,readableSize=(size/1024).toFixed(2)+" KB";return text||(text=title),x$1`<a
href="${featureLink.url}"
target="_blank"
rel="noopener noreferrer"
>
<sl-tooltip style="--sl-tooltip-arrow-size: 0;--max-width: 50vw;">
  <div slot="content">${renderTooltipContent()}</div>
  <sl-tag>
    
    ${_formatLongText("Markdown: "+text)}
  </sl-tag>
</sl-tooltip>
</a>` }function _enhancelinkWithTitleAndDescription(featureLink,iconUrl){function
renderTooltipContent(){return x$1`<div class="tooltip">
  ${title}&&x$1`
  <div>
    <strong>Title:</strong>
    <span>${title}</span>
  </div>
` }
  ${description}&&x$1`
  <div>
    <strong>Description:</strong>
    <span>${description}</span>
  </div>
` }
</div>` }const
information=featureLink.information,title=information.title,description=information.description;return
x$1`<a
href="${featureLink.url}"
target="_blank"
rel="noopener noreferrer"
>
<sl-tooltip style="--sl-tooltip-arrow-size: 0;--max-width: 50vw;">
  <div slot="content">${renderTooltipContent()}</div>
  <sl-tag>
    
    ${_formatLongText(title)}
  </sl-tag>
</sl-tooltip>
</a>` }function enhanceSpecsLink(featureLink){function renderTooltipContent(){return x$1`<div
class="tooltip">
  ${title}&&x$1`
  <div>
    <strong>Title:</strong>
    <span>${title}</span>
  </div>
` }
  ${description}&&x$1`
  <div>
    <strong>Description:</strong>
    <span>${description}</span>
  </div>
` }
  ${hashtag}&&x$1`
  <div>
    <strong>Hashtag:</strong>
    <span>#${hashtag}</span>
  </div>
` }
</div>` }const url=featureLink.url,iconUrl=`https://www.google.com/s2/favicons?
domain_url=${url}`,hashtag=url.split("#")
[1],information=featureLink.information,title=information.title,description=information.description;ret
urn x$1`<a
```

```
href="${featureLink.url}"
target="_blank"
rel="noopener noreferrer"
>
<sl-tooltip style="--sl-tooltip-arrow-size: 0;--max-width: 50vw;">
  <div slot="content">${renderTooltipContent()}</div>
  <sl-tag>
    
    Spec: ${_formatLongText(title)}
  </sl-tag>
</sl-tooltip>
</a>` }function enhanceMDNDocsLink(featureLink){return
_enhanceLinkWithTitleAndDescription(featureLink,"https://developer.mozilla.org/favicon-
48x48.png")}function enhanceMozillaBugLink(featureLink){return
_enhanceLinkWithTitleAndDescription(featureLink,"https://bugzilla.mozilla.org/favicon.ico")}function
enhanceWebKitBugLink(featureLink){return
_enhanceLinkWithTitleAndDescription(featureLink,"https://bugs.webkit.org/images/favicon.ico")}function
enhanceGoogleDocsLink(featureLink){const url=featureLink.url,type=url.split("/")[3];let
iconUrl="https://ssl.gstatic.com/docs/documents/images/kix-favicon7.ico";return"spreadsheets"===type?
iconUrl="https://ssl.gstatic.com/docs/spreadsheets/favicon3.ico":"presentation"===type?
iconUrl="https://ssl.gstatic.com/docs/presentations/images/favicon5.ico":"forms"===type&&
(iconUrl="https://ssl.gstatic.com/docs/spreadsheets/forms/favicon_qp2.png"),_enhanceLinkWithTitleAndDes
cription(featureLink,iconUrl)}let ChromedashLink=class ChromedashLink extends i$4{constructor()
{super(...arguments),this.showContentAsLabel=!1,this.class="",this.featureLinks=
[],this.ignoreHttpErrorCodes=[],this.alwaysInTag=!1}static{this.styles=[...SHARED_STYLES,i$7`
:host {
  display: inline;
  white-space: normal;
  line-break: anywhere;
  color: var(--default-font-color);
}

a:hover {
  text-decoration: none;
}

sl-badge::part(base) {
  display: inline;
  padding: 0 4px;
  border-width: 0;
  text-transform: capitalize;
  font-weight: 400;
}

sl-tag::part(base) {
  vertical-align: middle;
  height: 18px;
  background-color: rgb(232, 234, 237);
  color: var(--default-font-color);
  border: none;
  border-radius: 500px;
  display: inline-flex;
  align-items: center;
  column-gap: 0.3em;
  padding: 1px 5px;
  margin: 1px 0;
}

sl-tag::part(base):hover {
  background-color: rgb(209, 211, 213);
}

sl-relative-time {
  margin: 0;
}

.icon {
  display: block;
  width: 12px;
  height: 12px;
}

.tooltip {
  display: flex;
  flex-direction: column;
  row-gap: 0.5em;
}
`]]willUpdate(changedProperties)
{
  (changedProperties.has("href")||changedProperties.has("featureLinks"))&&
  (this._featureLink=this.featureLinks.find(fe=>fe.url===this.href))}fallback(){const
slot=x$1`<slot>${this.href}</slot>`;return x$1`<a
href=${o$6(this.href)}
target="_blank"
rel="noopener noreferrer"
class=${this.class}
>${this.alwaysInTag?x$1`<sl-tag>${slot}</sl-tag>`:slot}</a`

```

```

    >`withLabel(link){return this.showContentAsLabel?x$1`<slot></slot>: ${link}`:link}render()
    {if(!this.href)return console.error("Missing [href] attribute in",this),x$1`<slot></slot>`;const
    featureLink=this._featureLink;if(!featureLink)return this.fallback();if(!featureLink.information)return
    featureLink.http_error_code&&!this.ignoreHttpErrorCodes.includes(featureLink.http_error_code)?x$1`<sl-
    tag>

      <sl-icon library="material" name="link"></sl-icon>
      <sl-badge
        size="small"
        variant="${500<=featureLink.http_error_code?"danger":"warning"}"
      >
        ${featureLink.http_error_code}
      </sl-badge>
      ${this.fallback()}
    </sl-tag>`:this.fallback();try{switch(featureLink.type){case LINK_TYPE_CHROMIUM_BUG:return
    this.withLabel(enhanceChromeStatusLink(featureLink));case LINK_TYPE_GITHUB_ISSUE:return
    this.withLabel(enhanceGithubIssueLink(featureLink));case LINK_TYPE_GITHUB_PULL_REQUEST:return
    this.withLabel(enhanceGithubIssueLink(featureLink));case LINK_TYPE_GITHUB_MARKDOWN:return
    this.withLabel(enhanceGithubMarkdownLink(featureLink));case LINK_TYPE_MDN_DOCS:return
    this.withLabel(enhanceMDNDocsLink(featureLink));case LINK_TYPE_GOOGLE_DOCS:return
    this.withLabel(enhanceGoogleDocsLink(featureLink));case LINK_TYPE_MOZILLA_BUG:return
    this.withLabel(enhanceMozillaBugLink(featureLink));case LINK_TYPE_WEBKIT_BUG:return
    this.withLabel(enhanceWebKitBugLink(featureLink));case LINK_TYPE_SPECS:return
    this.withLabel(enhanceSpecsLink(featureLink));default:return this.fallback()}}catch(e){return
    console.log("feature link render
    error:",this,e),this.fallback()}};__decorate$19([n$5({type:String})],ChromedashLink.prototype,"href",v
    oid 0),__decorate$19([n$5({type:Boolean})],ChromedashLink.prototype,"showContentAsLabel",void
    0),__decorate$19([n$5({type:String})],ChromedashLink.prototype,"class",void
    0),__decorate$19([n$5({type:Array})],ChromedashLink.prototype,"featureLinks",void
    0),__decorate$19([n$5({type:Array})],ChromedashLink.prototype,"ignoreHttpErrorCodes",void
    0),__decorate$19([n$5({type:Boolean})],ChromedashLink.prototype,"alwaysInTag",void
    0),__decorate$19([r$6()],ChromedashLink.prototype,"_featureLink",void
    0),ChromedashLink=__decorate$19([t$3("chromedash-link")],ChromedashLink);function
    enhanceUrl(url,featureLinks=[],text){return x$1`<chromedash-link href=${url}
    .featureLinks=${featureLinks}
    >${url}</chromedash-link
    >`}function enhanceAutolink(part,featureLinks){return x$1`<chromedash-link href=${part.href}
    .featureLinks=${featureLinks} .ignoreHttpErrorCodes=${[404]}>${part.content}</chromedash-link>`}const
    CRBUG_DEFAULT_PROJECT="chromium",CRBUG_URL="https://bugs.chromium.org",ISSUE_TRACKER_RE=/(\b(issues?
    |bugs?)[ \t]*(?:|=|\b)|\bfixed[ \t]*:)([ \t]*((\b[-a-z0-9+][\s#])?(\#?)(\d+)\b(,?[ \t]*
    (and|or)?))+/gi,PROJECT_LOCALID_RE=/((\b(issue|bug)[ \t]*(?:|=)?[ \t]*|\bfixed[ \t]*:[ \t]*?)(\b[-a-
    z0-9+)[\s#])?(\#?)(\d+))/gi,PROJECT_COMMENT_BUG_RE=/((\b(issue|bug)[ \t]*(?:|=)?[ \t]*)(\#?)(\d+)[
    \t]*)?((\b((comment)[ \t]*(?:|=)?[ \t]*(\#?))|(\b((\#))(c)))
    (\d+))/gi,PROJECT_LOCALID_RE_PROJECT_GROUP=6,PROJECT_LOCALID_RE_ID_GROUP=8,SHORT_LINK_RE=/^(^[-
    \/. _])\b(https?:\/\/\/|ftp:\/\/\/|mailto:)?(go|g|shortn|who|teams)\\/([^\s<]+)/gi,NUMERIC_SHORT_LINK_RE=/^(^[-
    \/. _])\b(https?:\/\/\/|ftp:\/\/\/)?(b|t|o|omg|cl|cr|fxr|fxrev|fxb|tqr)\\/([0-
    9]+)/gi,IMPLIED_LINK_RE=/(?!@)(^[-\/. _])\b[a-z]((-|\.)?[a-z0-9])+\.
    (com|net|org|edu|dev)\b(\\/[^\s<]*)?/gi,IS_LINK_RE=/() \b(https?:\/\/\/|ftp:\/\/\/|mailto:)
    ([^\s<]+)/gi,LINK_TRAILING_CHARS=[null,":",[null,"."],[null,","],[null,">"],["(",")"],["[","]"],["{",
    "",""},["","]"],["","]"],GOOG_SHORT_LINK_RE=/^(b|t|o|omg|cl|cr|go|g|shortn|who|teams|fxr|fxrev|fxb|tqr)\.\/.*\/gi,Comp
    onents=new Map;Components.set("00-commentbug",{refRegs:
    [PROJECT_COMMENT_BUG_RE],replacer:replaceCommentBugRef}),Components.set("02-full-urls",{refRegs:
    [IS_LINK_RE],replacer:replaceLinkRef}),Components.set("04-tracker-regular",{refRegs:
    [ISSUE_TRACKER_RE],replacer:replaceTrackerIssueRef}),Components.set("05-linkify-shorthand",{refRegs:
    [SHORT_LINK_RE,NUMERIC_SHORT_LINK_RE,IMPLIED_LINK_RE],replacer:replaceLinkRef});function
    replaceIssueRef(stringMatch,projectId,commentId){return
    createIssueRefRun(projectName,projectId,stringMatch,commentId)}function
    replaceTrackerIssueRef(match,currentProjectName=CRBUG_DEFAULT_PROJECT){const
    issueRefRE=PROJECT_LOCALID_RE,commentId="",textRuns=[];let pos=0,refMatch;for(;null!==
    (refMatch=issueRefRE.exec(match[0]));)refMatch.index>pos&&textRuns.push({content:match[0].slice(pos,ref
    Match.index)}),refMatch[PROJECT_LOCALID_RE_PROJECT_GROUP]&&
    (currentProjectName=refMatch[PROJECT_LOCALID_RE_PROJECT_GROUP]),textRuns.push(replaceIssueRef(refMatch[
    0],currentProjectName,refMatch[PROJECT_LOCALID_RE_ID_GROUP],commentId)),pos=refMatch.index+refMatch[0].
    length;return""!==match[0].slice(pos)&&textRuns.push({content:match[0].slice(pos)}),textRuns}function
    replaceCommentBugRef(match){let textRun;const
    issueNum=match[7],commentNum=match[18];if(issueNum&&commentNum){const
    href=`${CRBUG_URL}/p/${CRBUG_DEFAULT_PROJECT}/issues/detail?id=${issueNum}#c${commentNum}`;textRun=
    {content:match[0],tag:"a",href}}else if(commentNum){const
    href=`${CRBUG_URL}/p/${CRBUG_DEFAULT_PROJECT}/issues/detail#c${commentNum}`;textRun=
    {content:match[0],tag:"a",href}}else textRun={content:match[0]};return[textRun]}function
    replaceLinkRef(match){const textRuns=[];let content=match[0],trailing="";match[1]&&
    (textRuns.push({content:match[1]}),content=content.slice(match[1].length)),LINK_TRAILING_CHARS.forEach(
    ([begin,end])=>{!content.endsWith(end)||begin&&content.slice(0,-end.length).includes(begin)||
    (trailing=end+trailing,content=content.slice(0,-end.length))});let href=content;const
    lowerHref=href.toLowerCase();return
    lowerHref.startsWith("http")||lowerHref.startsWith("ftp")||lowerHref.startsWith("mailto")||
    (href=GOOG_SHORT_LINK_RE.test(lowerHref)?"http://"+href:"https://"+href,GOOG_SHORT_LINK_RE.lastIndex=0)
    ,textRuns.push({content:content,tag:"a",href:href}),trailing.length&&textRuns.push({content:trailing}),
    textRuns}function createIssueRefRun(projectName,projectId,content,commentId)
    {return{tag:"a",content:content,href:`${CRBUG_URL}/p/${projectId}/issues/detail?
    id=${projectId}${commentId}`} }function markupAutolinks(plainString,featureLinks=[]
    ){plainString=plainString||"";const chunks=[plainString.trim()],textRuns=
    [];chunks.filter(Boolean).forEach(chunk=>{textRuns.push(...autolinkChunk(chunk))});const
    result=textRuns.map(part=>"a"===part.tag?
    enhanceAutolink(part,featureLinks):x$1`${part.content}`);return result}function autolinkChunk(chunk)
    {let textRuns=[{content:chunk}];return Components.forEach(({refRegs,replacer})=>{refRegs.forEach(re=>
```



```
{textRuns=applyLinks(textRuns,replacer,re)}}),textRuns}function applyLinks(textRuns,replacer,re){const
resultRuns=[];return textRuns.forEach(textRun=>{if(textRun.tag)resultRuns.push(textRun);else{const
content=textRun.content;let pos=0,match;for(;null!==
(match=re.exec(content));)match.index>pos&&resultRuns.push({content:content.slice(pos,match.index)}),re
sultRuns.push(...replacer(match)),pos=match.index+match[0].length;""!==content.slice(pos)&&resultRuns.p
ush({content:content.slice(pos)}})},resultRuns}const FEATURE_CATEGORIES={WEBCOMPONENTS:[1,"Web
Components"],MISC:[2,"Miscellaneous"],SECURITY:[3,"Security"],MULTIMEDIA:[4,"Multimedia"],DOM:
[5,"DOM"],FILE:[6,"File APIs"],OFFLINE:[7,"Offline / Storage"],DEVICE:[8,"Device"],COMMUNICATION:
[9,"Realtime / Communication"],JAVASCRIPT:[10,"JavaScript"],NETWORKING:[11,"Network /
Connectivity"],INPUT:[12,"User input"],PERFORMANCE:[13,"Performance"],GRAPHICS:[14,"Graphics"],CSS:
[15,"CSS"],HOUDINI:[16,"Houdini"],SERVICEWORKER:[17,"Service Worker"],WEBRTC:[18,"WebRTC"],LAYERED:
[19,"Layered APIs"],WEBASSEMBLY:[20,"WebAssembly"],CAPABILITIES:[21,"Capabilities (Fugu)"],IWA:
[22,"Isolated Web Apps-specific API"]},ENTERPRISE_FEATURE_CATEGORIES={SECURITYANDPRIVACY:[1,"Security /
Privacy"],USERPRODUCTIVITYANDAPPS:[2,"User Productivity / Apps"],MANAGEMENT:
[3,"Management"]},ENTERPRISE_FEATURE_CATEGORIES_DISPLAYNAME={1:"Security/Privacy",2:"User
Productivity/Apps",3:"Management"},PLATFORM_CATEGORIES={PLATFORM_ANDROID:[1,"Android"],PLATFORM_IOS:
[2,"iOS"],PLATFORM_CHROMEOS:[3,"ChromeOS"],PLATFORM_LACROS:[4,"LaCrOS",!0],PLATFORM_LINUX:
[5,"Linux"],PLATFORM_MAC:[6,"MacOS"],PLATFORM_WINDOWS:[7,"Windows"],PLATFORM_FUCHSIA:
[8,"Fuchsia"]},PLATFORMS_DISPLAYNAME=
{1:"Android",2:"iOS",3:"ChromeOS",4:"LaCrOS",5:"Linux",6:"MacOS",7:"Windows",8:"Fuchsia"},ROLLOUT_STAGE
_PLAN_CATEGORIES={ROLLOUT_STAGE_PLAN_SLOW:[0,"Feature rolls out
gradually"],ROLLOUT_STAGE_PLAN_TRUSTED_TESTERS:[1,"Early preview available to Chrome Enterprise Truster
Testers"],ROLLOUT_STAGE_PLAN_CUSTOM:[2,"Custom rollout (explain in Rollout details
field)"]},ROLLOUT_STAGE_PLAN_DISPLAYNAME={0:"Feature rolls out gradually",1:"Early preview available to
Chrome Enterprise Truster Testers",2:"Custom rollout (explain in Rollout details
field)"},ENTERPRISE_IMPACT_DISPLAYNAME={1:"None",2:"Low",3:"Medium",4:"High"},ENTERPRISE_IMPACT=
{IMPACT_NONE:[1,"None"],IMPACT_LOW:[2,"Low"],IMPACT_MEDIUM:[3,"Medium"],IMPACT_HIGH:
[4,"High"]},ROLLOUT_PLAN={ROLLOUT_100:[0,"Will ship enabled for all users"],ROLLOUT_0_THEN_100:[1,"
(RARE) Ships disabled, then flips on for all users"],ROLLOUT_GRADUAL:[2,"(RARE) Experiment users ramp
up over time"],ROLLOUT_OTHER:[3,"(RARE) It's complicated or unusual"]},ROLLOUT_PLAN_DISPLAYNAME=
{0:ROLLOUT_PLAN.ROLLOUT_100[1],1:ROLLOUT_PLAN.ROLLOUT_0_THEN_100[1],2:ROLLOUT_PLAN.ROLLOUT_GRADUAL[1],3
:ROLLOUT_PLAN.ROLLOUT_OTHER[1]},USE_COUNTER_TYPE_WEBFEATURE=0,USE_COUNTER_TYPE_WEBDXFEATURE=1,USE_COUNT
ER_TYPE_CSS_PROPERTY_ID=2,WEBFEATURE_USE_COUNTER_TYPES={WEBFEATURE:
[USE_COUNTER_TYPE_WEBFEATURE,"WebFeature",x$1`The feature's use counter has been added to
<a
target="_blank"

href="https://source.chromium.org/chromium/chromium/src/+main:third_party/blink/public/mojom/use_count
er/metrics/web_feature.mojom"
>web_feature.mojom</a
>.`],WEBDXFEATURE:[USE_COUNTER_TYPE_WEBDXFEATURE,"WebDXFeature",x$1`The feature's use counter has
been added to
<a
target="_blank"

href="https://source.chromium.org/chromium/chromium/src/+main:third_party/blink/public/mojom/use_count
er/metrics/webdx_feature.mojom"
>webdx_feature.mojom</a
>.`],CSS:[USE_COUNTER_TYPE_CSS_PROPERTY_ID,"CSSSampleID",x$1`The feature's use counter has been
added to
<a
target="_blank"

href="https://source.chromium.org/chromium/chromium/src/+main:third_party/blink/public/mojom/use_count
er/metrics/css_property_id.mojom"
>css_property_id.mojom</a
>.`];var FeatureType;(function(FeatureType)
{FeatureType[FeatureType.Incubate=0]="Incubate",FeatureType[FeatureType.Existing=1]="Existing",FeatureT
ype[FeatureType.CodeChange=2]="CodeChange",FeatureType[FeatureType.Deprecation=3]="Deprecation",Feature
Type[FeatureType.Enterprise=4]="Enterprise"})(FeatureType||(FeatureType={}));var
AITestEvaluationStatus;(function(AITestEvaluationStatus)
{AITestEvaluationStatus[AITestEvaluationStatus.COMPLETE=1]="COMPLETE",AITestEvaluationStatus[AITestEval
uationStatus.IN_PROGRESS=2]="IN_PROGRESS",AITestEvaluationStatus[AITestEvaluationStatus.FAILED=3]="FAIL
ED"})(AITestEvaluationStatus||(AITestEvaluationStatus={}));const FEATURE_TYPES_WITHOUT_ENTERPRISE=
{FEATURE_TYPE_INCUBATE_ID:[0,"New or changed feature",x$1`Choose this if you're still working on the
design of a feature and
might need to send an Intent to Prototype or request a TAG review. Note
that backward-incompatible changes sometimes need to be implemented as a
pair of adding the new behavior and a separate entry to remove the old
behavior. This feature type follows the
<a
href="https://www.chromium.org/blink/launching-features/#new-feature-process"
target="_blank"
>New Feature Incubation</a
>
process.`],FEATURE_TYPE_EXISTING_ID:[1,"Chromium catches up",x$1`Choose this if a standards body
already has consensus for a feature, or
it's already shipped in another implementation. This feature type omits
some options that the "New feature" type includes. It follows the
<a
href="https://www.chromium.org/blink/launching-features/#process-existing-standard"
target="_blank"
>Implementations of already-defined consensus-based standards</a
>
process.`],FEATURE_TYPE_CODE_CHANGE_ID:[2,"No developer-visible change",x$1`Choose this if you're
hoping that nobody notices the change you're
```

```
going to make, but there's a chance that a bug will make it visible. This
feature type follows the
<a
  href="https://www.chromium.org/blink/launching-features/#behavior-changes"
  target="_blank"
>Web-developer-facing change to existing behavior</a>
>
process.`},FEATURE_TYPE_DEPRECATION_ID:[3,"Feature removal"],x$1`Choose this if you are
deprecating and then removing an existing
feature. This feature type follows the
<a
  href="https://www.chromium.org/blink/launching-features/#feature-deprecations"
  target="_blank"
>Feature deprecations</a>
>
process.`}},FEATURE_TYPES={...FEATURE_TYPES_WITHOUT_ENTERPRISE,FEATURE_TYPE_ENTERPRISE_ID:[4,"New
Feature or removal affecting enterprises","For features or changes that need to be communicated to
enterprises or schools."}},ENTERPRISE_PRODUCT_CATEGORY={CHROME_BROWSER_UPDATE:[0,"Chrome Browser
update","New features, performance improvements, security fixes and minor updates addressing security
vulnerabilities and bugs. These features apply to both consumers and
enterprises."],CHROME_ENTERPRISE_CORE:[1,"Chrome Enterprise Core (CEC)","These features allow IT
administrators to manage Chrome browser settings, policies, apps and extensions across an organization
from a central location (Admin Console)."],CHROME_ENTERPRISE_PREMIUM:[2,"Chrome Enterprise Premium
(CEP, paid SKU)","These features add advanced security and enhanced controls for organizations with
more custom needs e.g. data masking functionality."]},ENTERPRISE_PRODUCT_CATEGORY_DISPLAYNAME=
{0:"Chrome Browser update",1:"Chrome Enterprise Core (CEC)",2:"Chrome Enterprise Premium (CEP, paid
SKU)"},STAGE_BLINK_INCUBATE=110,STAGE_BLINK_PROTOTYPE=120,STAGE_BLINK_DEV_TRIAL=130,STAGE_BLINK_EVAL_RE
ADINESS=140,STAGE_BLINK_ORIGIN_TRIAL=150,STAGE_BLINK_EXTEND_ORIGIN_TRIAL=151,STAGE_BLINK_SHIPPING=160,S
TAGE_FAST_PROTOTYPE=220,STAGE_FAST_DEV_TRIAL=230,STAGE_FAST_ORIGIN_TRIAL=250,STAGE_FAST_EXTEND_ORIGIN_T
RIAL=251,STAGE_FAST_SHIPPING=260,STAGE_PSA_IMPLEMENT_FIELDS=320,STAGE_PSA_DEV_TRIAL=330,STAGE_PSA_SHIPP
ING=360,STAGE_DEP_PLAN=410,STAGE_DEP_DEV_TRIAL=430,STAGE_DEP_DEPRECATION_TRIAL=450,STAGE_DEP_EXTEND_DEP
RECACTION_TRIAL=451,STAGE_DEP_SHIPPING=460,STAGE_ENT_ROLLOUT=1061,STAGE_ENT_SHIPPED=1070,STAGE_TYPES_DEV
_TRIAL=new
Set([STAGE_BLINK_DEV_TRIAL,STAGE_FAST_DEV_TRIAL,STAGE_PSA_DEV_TRIAL,STAGE_DEP_DEV_TRIAL]),STAGE_TYPES_O
RIGIN_TRIAL=new
Set([STAGE_BLINK_ORIGIN_TRIAL,STAGE_FAST_ORIGIN_TRIAL,STAGE_DEP_DEPRECATION_TRIAL]),STAGE_TYPES_SHIPPIN
G=new
Set([STAGE_BLINK_SHIPPING,STAGE_FAST_SHIPPING,STAGE_PSA_SHIPPING,STAGE_DEP_SHIPPING]),OT_EXTENSION_STAG
E_MAPPING=([STAGE_BLINK_ORIGIN_TRIAL]:STAGE_BLINK_EXTEND_ORIGIN_TRIAL,
[STAGE_FAST_ORIGIN_TRIAL]:STAGE_FAST_EXTEND_ORIGIN_TRIAL,
[STAGE_DEP_DEPRECATION_TRIAL]:STAGE_DEP_EXTEND_DEPRECATION_TRIAL},STAGE_SHORT_NAMES=
{[STAGE_BLINK_INCUBATE]:"Incubate",[STAGE_BLINK_PROTOTYPE]:"Prototype",
[STAGE_BLINK_DEV_TRIAL]:"DevTrial",[STAGE_BLINK_EVAL_READINESS]:"Eval readiness",
[STAGE_BLINK_ORIGIN_TRIAL]:"OT",[STAGE_BLINK_EXTEND_ORIGIN_TRIAL]:"Extend OT",
[STAGE_BLINK_SHIPPING]:"Ship",[STAGE_FAST_PROTOTYPE]:"Prototype",[STAGE_FAST_DEV_TRIAL]:"DevTrial",
[STAGE_FAST_ORIGIN_TRIAL]:"OT",[STAGE_FAST_EXTEND_ORIGIN_TRIAL]:"Extend OT",
[STAGE_FAST_SHIPPING]:"Ship",[STAGE_PSA_IMPLEMENT_FIELDS]:"Implement",[STAGE_PSA_DEV_TRIAL]:"DevTrial",
[STAGE_PSA_SHIPPING]:"Ship",[STAGE_DEP_PLAN]:"Plan",[STAGE_DEP_DEV_TRIAL]:"DevTrial",
[STAGE_DEP_DEPRECATION_TRIAL]:"Dep Trial",[STAGE_DEP_EXTEND_DEPRECATION_TRIAL]:"Extend Dep Trial",
[STAGE_DEP_SHIPPING]:"Ship",[STAGE_ENT_ROLLOUT]:"Rollout",[STAGE_ENT_SHIPPED]:"Ship"},INTENT_STAGES=
{INTENT_NONE:[0,"None"],INTENT_INCUBATE:[7,"Start incubating"],INTENT_IMPLEMENT:[1,"Start
prototyping"],INTENT_EXPERIMENT:[2,"Dev trials"],INTENT_IMPLEMENT_SHIP:[4,"Evaluate readiness to
ship"],INTENT_ORIGIN_TRIAL:[3,"Origin Trial"],INTENT_EXTEND_ORIGIN_TRIAL:[11,"Extend
Trial"],INTENT_SHIP:[5,"Prepare to ship"],INTENT_REMOVED:[6,"Removed"],INTENT_SHIPPED:
[8,"Shipped"],INTENT_PARKED:[9,"Parked"],INTENT_ROLLOUT:[10,"Rollout"]},DT_MILESTONE_FIELDS=new
Set(["dt_milestone_desktop_start","dt_milestone_android_start","dt_milestone_ios_start","dt_milestone_w
ebview_start"]),OT_MILESTONE_START_FIELDS=new
Set(["ot_milestone_desktop_start","ot_milestone_android_start","ot_milestone_webview_start"]),SHIPPED_M
ILESTONE_FIELDS=new
Set(["shipped_milestone","shipped_android_milestone","shipped_ios_milestone","shipped_webview_milestone
"]);var UsageType;(function(UsageType)
{UsageType[UsageType.Prototype=0]="Prototype",UsageType[UsageType.DeveloperTesting=1]="DeveloperTesting
",UsageType[UsageType.Experiment=2]="Experiment",UsageType[UsageType.Ship=3]="Ship",UsageType[UsageType
.PSA=4]="PSA",UsageType[UsageType.DeprecateAndRemove=5]="DeprecateAndRemove",UsageType[UsageType.CrossF
unctionReview=6]="CrossFunctionReview",UsageType[UsageType.ReleaseNotes=7]="ReleaseNotes"})(UsageType||
(UsageType={}));const ALL_FEATURE_TYPE_INCUBATE_INTENTS=new
Set([UsageType.Prototype,UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),ALL_FEATURE_T
YPE_EXISTING_INTENTS=new
Set([UsageType.Prototype,UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),ALL_FEATURE_T
YPE_CODE_CHANGE_INTENTS=new
Set([UsageType.DeveloperTesting,UsageType.PSA]),ALL_FEATURE_TYPE_DEPRECATION_INTENTS=new
Set([UsageType.DeprecateAndRemove,UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),ALL_
INTENT_USAGE_BY_FEATURE_TYPE=([FeatureType.Incubate]:ALL_FEATURE_TYPE_INCUBATE_INTENTS,
[FeatureType.Existing]:ALL_FEATURE_TYPE_EXISTING_INTENTS,
[FeatureType.CodeChange]:ALL_FEATURE_TYPE_CODE_CHANGE_INTENTS,
[FeatureType.Deprecation]:ALL_FEATURE_TYPE_DEPRECATION_INTENTS},STAGE_SPECIFIC_FIELDS=new
Set(["shipped_milestone","shipped_android_milestone","shipped_ios_milestone","shipped_webview_milestone
","ot_milestone_desktop_start","ot_milestone_desktop_end","ot_milestone_android_start","ot_milestone_an
droid_end","ot_milestone_webview_start","ot_milestone_webview_end","dt_milestone_desktop_start","dt_mil
estone_android_start","dt_milestone_ios_start","dt_milestone_webview_start","extension_desktop_last","e
xtension_android_last","extension_webview_last","intent_to_implement_url","intent_to_ship_url","intent_
to_experiment_url","intent_to_extend_experiment_url","intent_thread_url","ot_creation__intent_to_experi
ment_url","ot_extension__intent_to_extend_experiment_url","r4dt_url","display_name","ot_display_name","
ot_owner_email","origin_trial_feedback_url","ot_chromium_trial_name","ot_description","ot_emails","ot_f
eedback_submission_url","ot_request_note","ot_webfeature_use_counter","ot_documentation_url","ot_creati
on_bypass_file_checks","ot_creation__ot_documentation_url","ot_is_deprecation_trial","ot_has_third_par
```

```
ty_support","ot_is_critical_trial","ot_creation_milestone_desktop_first","ot_creation_milestone_desk
op_last","ot_extension_milestone_desktop_last","ot_require_approvals","ot_approval_buganizer_component
","ot_approval_buganizer_custom_field_id","ot_approval_group_email","ot_approval_criteria_url","finch_u
rl","experiment_goals","experiment_risks","experiment_extension_reason","rollout_milestone","rollout_pl
atforms","rollout_details","rollout_stage_plan","enterprise_policies","announcement_url"])),STAGE_FIELD_
NAME_MAPPING=
{shipped_milestone:"desktop_first",shipped_android_milestone:"android_first",shipped_ios_milestone:"ios
_first",shipped_webview_milestone:"webview_first",ot_milestone_desktop_start:"desktop_first",ot_milesto
ne_desktop_end:"desktop_last",ot_milestone_android_start:"android_first",ot_milestone_android_end:"andr
oid_last",ot_milestone_webview_start:"webview_first",ot_milestone_webview_end:"webview_last",ot_creatio
n_milestone_desktop_first:"desktop_first",ot_creation_milestone_desktop_last:"desktop_last",ot_creati
on_ot_documentation_url:"ot_documentation_url",ot_extension_milestone_desktop_last:"desktop_last",dt_
milestone_desktop_start:"desktop_first",dt_milestone_android_start:"android_first",dt_milestone_ios_sta
rt:"ios_first",dt_milestone_webview_start:"webview_first",extension_desktop_last:"desktop_last",extensi
on_android_last:"android_last",extension_webview_last:"webview_last",rollout_milestone:"desktop_first",
intent_to_implement_url:"intent_thread_url",intent_to_ship_url:"intent_thread_url",intent_to_experiment
_url:"intent_thread_url",intent_to_extend_experiment_url:"intent_thread_url",ot_creation_intent_to_exp
eriment_url:"intent_thread_url",ot_extension_intent_to_extend_experiment_url:"intent_thread_url",r4dt_
url:"intent_thread_url"},GATE_TYPES=
{API_PROTOTYPE:1,API_ORIGIN_TRIAL:2,API_EXTEND_ORIGIN_TRIAL:3,API_SHIP:4,API_PLAN:5,PRIVACY_ORIGIN_TRIA
L:32,PRIVACY_SHIP:34,SECURITY_ORIGIN_TRIAL:42,SECURITY_SHIP:44,ENTERPRISE_SHIP:54,ENTERPRISE_PLAN:55,DE
BUGGABILITY_ORIGIN_TRIAL:62,DEBUGGABILITY_SHIP:64,DEBUGGABILITY_PLAN:65,TESTING_SHIP:74,TESTING_PLAN:75
},GATE_PREPARING=0,GATE_REVIEW_REQUESTED=2,GATE_NA_REQUESTED=9,VOTE_OPTIONS={NO_RESPONSE:[7,"No
response"],NA:[1,"N/a or Ack"],REVIEW_STARTED:[3,"Review started"],NEEDS_WORK:[4,"Needs
work"],INTERNAL_REVIEW:[8,"Internal review"],APPROVED:[5,"Approved"],DENIED:
[6,"Denied"]},VOTE_NA_SELF=10,VOTE_NA_VERIFIED=11,GATE_ACTIVE_REVIEW_STATES=
[GATE_REVIEW_REQUESTED,VOTE_OPTIONS.REVIEW_STARTED[0],VOTE_OPTIONS.NEEDS_WORK[0],VOTE_OPTIONS.INTERNAL_
REVIEW[0],GATE_NA_REQUESTED],GATE_FINISHED_REVIEW_STATES=
[VOTE_OPTIONS.NA[0],VOTE_OPTIONS.APPROVED[0],VOTE_OPTIONS.DENIED[0],VOTE_NA_SELF,VOTE_NA_VERIFIED],GATE
_APPROVED_REVIEW_STATES=
[VOTE_OPTIONS.APPROVED[0],VOTE_OPTIONS.NA[0],VOTE_NA_SELF,VOTE_NA_VERIFIED],GATE_TEAM_ORDER=
["Privacy","WP Security","Enterprise","Debuggability","Testing","API Owners"],OT_MILESTONE_END_FIELDS=
{ot_milestone_desktop_end:"desktop_last",ot_milestone_android_end:"android_last",ot_milestone_webview_e
nd:"webview_last"},OT_SETUP_STATUS_OPTIONS=
{OT_NOT_CREATED:1,OT_READY_FOR_CREATION:2,OT_CREATION_FAILED:3,OT_ACTIVATION_FAILED:4},IMPLEMENTATION_S
TATUS={NO_ACTIVE_DEV:[1,"No active development"],PROPOSED:[2,"Proposed"],IN_DEVELOPMENT:[3,"In
development"],BEHIND_A_FLAG:[4,"In developer trial (Behind a flag)"],ENABLED_BY_DEFAULT:[5,"Enabled by
default"],DEPRECATED:[6,"Deprecated"],REMOVED:[7,"Removed"],ORIGIN_TRIAL:[8,"Origin trial"],ON_HOLD:
[10,"On hold"],NO_LONGER_PURSUING:[1e3,"No longer pursuing"]},STANDARD_MATURITY_CHOICES={UNKNOWN_STD:
[1,"Unknown standards status - check spec link for status"],PROPOSAL_STD:[2,"Proposal in a personal
repository, no adoption from community"],INCUBATION_STD:[3,"Specification being incubated in a
Community Group"],WORKINGDRAFT_STD:[4,"Specification currently under development in a Working
Group"],STANDARD_STD:[5,"Final published standard: Recommendation, Living Standard, Candidate
Recommendation, or similar final form"]},REVIEW_STATUS_CHOICES={REVIEW_PENDING:
[1,"Pending"],REVIEW_ISSUES_OPEN:[2,"Issues open"],REVIEW_ISSUES_ADDRESSED:[3,"Issues
addressed"],REVIEW_NA:[4,"Not applicable"],VENDOR_VIEWS_COMMON={SHIPPED:[1,"Shipped/Shipping"],IN_DEV:
[2,"In development"],PUBLIC_SUPPORT:[3,"Positive"],NO_PUBLIC_SIGNALS:[5,"No signal"],OPPOSED:
[7,"Negative"],NEUTRAL:[8,"Neutral"],SIGNALS_NA:[9,"N/A"]},VENDOR_VIEWS_GECKO={NO_PUBLIC_SIGNALS:[5,"No
signal"],SIGNALS_NA:[9,"N/A"],GECKO_UNDER_CONSIDERATION:[10,"Under consideration"],GECKO_DEFER:
[14,"Defer"],PUBLIC_SUPPORT:[3,"Positive"],OPPOSED:[7,"Negative"],NEUTRAL:[8,"Neutral"],SHIPPED:
[1,"Shipped/Shipping"]},WEB_DEV_VIEWS={DEV_STRONG_POSITIVE:[1,"Strongly positive"],DEV_POSITIVE:
[2,"Positive"],DEV_MIXED_SIGNALS:[3,"Mixed signals"],DEV_NO_SIGNALS:[4,"No signals"],DEV_NEGATIVE:
[5,"Negative"],DEV_STRONG_NEGATIVE:[6,"Strongly negative"]},COMMA_SEPARATED_FIELDS=
["owner","editors","cc_recipients","spec_mentors","search_tags","devrel","i2e_lgtms","i2s_lgtms"],LINE_
SEPARATED_FIELDS=["explainer_links","doc_links","sample_links","screenshot_links"];function
formatFeatureForEdit(feature){const formattedFeature=
{...feature,category:feature.category_int,enterprise_feature_categories:Array.from(new
Set(feature.enterprise_feature_categories))
}).map(x=>parseInt(x).toString()),enterprise_product_category:feature.enterprise_product_category,fea
ture_type:feature.feature_type_int,intent_stage:feature.intent_stage_int,accurate_as_of:!0,spec_link:fe
ature.standards.spec,standard_maturity:feature.standards.maturity.val,tag_review_status:feature.tag_rev
iew_status_int,security_review_status:feature.security_review_status_int,privacy_review_status:feature.
privacy_review_status_int,sample_links:feature.resources.samples,doc_links:feature.resources.docs,searc
h_tags:feature.tags,blink_components:feature.browsers.chrome.blink_components?.
[0],bug_url:feature.browsers.chrome.bug,devrel:feature.browsers.chrome.devrel,owner:feature.browsers.ch
rome.owners,prefixed:feature.browsers.chrome.prefixed,impl_status_chrome:feature.browsers.chrome.status
.val,shipped_milestone:feature.browsers.chrome.desktop,shipped_android_milestone:feature.browsers.chrom
e.android,shipped_webview_milestone:feature.browsers.chrome.webview,shipped_ios_milestone:feature.brows
ers.chrome.ios,ff_views:feature.browsers.ff.view?.val,ff_views_link:feature.browsers.ff.view?.url,ff_vi
ews_notes:feature.browsers.ff.view?.notes,safari_views:feature.browsers.safari.view?.val,safari_views_l
ink:feature.browsers.safari.view?.url,safari_views_notes:feature.browsers.safari.view?.notes,web_dev_vi
ews:feature.browsers.webdev.view?.val,web_dev_views_link:feature.browsers.webdev.view?.url,web_dev_view
s_notes:feature.browsers.webdev.view?.notes,other_views_notes:feature.browsers.other.view?.notes};retur
n COMMA_SEPARATED_FIELDS.map(field=>{formattedFeature[field]&&
(formattedFeature[field]=formattedFeature[field].join(", "))),LINE_SEPARATED_FIELDS.map(field=>
{formattedFeature[field]&&
(formattedFeature[field]=formattedFeature[field].join("\r\n"))}),formattedFeature}const
NEW_FEATURE_FORM_FIELDS=
["name","summary","unlisted","enterprise_impact","enterprise_feature_categories","shipping_year","owner
","editors","cc_recipients","blink_components","category","web_feature"],ENTERPRISE_NEW_FEATURE_FORM_FI
ELDS=
["name","summary","owner","editors","enterprise_feature_categories","enterprise_product_category","firs
t_enterprise_notification_milestone","enterprise_impact","confidential"],FLAT_METADATA_FIELDS=
{name:"Feature metadata",sections:[{name:"Feature metadata",fields:
["name","summary","unlisted","enterprise_impact","enterprise_feature_categories","shipping_year","owner
","editors","cc_recipients","devrel","category","feature_type","active_stage_id","search_tags","web_fea
```

```
ture"]},{name:"Implementation in Chromium",fields:
["blink_components","bug_url","launch_bug_url","comments"]}],FLAT_ENTERPRISE_METADATA_FIELDS=
{sections:[{name:"Feature metadata",fields:
["name","summary","owner","editors","enterprise_feature_categories","enterprise_product_category","ente
rprise_impact","confidential","first_enterprise_notification_milestone","screenshot_links"]}],FLAT_INC
UBATE_FIELDS={name:"Identify the need",sections:[{name:"Identify the need",fields:
["motivation","initial_public_proposal_url","explainer_links"]},{name:"Implementation in
Chromium",fields:["requires_embedder_support"]}],FLAT_PROTOTYPE_FIELDS={name:"Prototype a
solution",sections:[{name:"Prototype a solution",fields:
["motivation","spec_link","standard_maturity","api_spec","automation_spec","spec_mentors","intent_to_im
plement_url"]}],FLAT_DEV_TRIAL_FIELDS={name:"Dev trials and iterate on design",sections:[{name:"Dev
trial",fields:
["devtrial_instructions","doc_links","interop_compat_risks","safari_views","safari_views_link","safari
views_notes","ff_views","ff_views_link","ff_views_notes","web_dev_views","web_dev_views_link","web_dev
views_notes","other_views_notes","security_review_status","privacy_review_status","ergonomics_risks","a
ctivation_risks","security_risks","debuggability","measurement","all_platforms","all_platforms_descr","
wpt","wpt_descr","sample_links"]},{name:"Implementation in Chromium",fields:
["flag_name","finch_name","non_finch_justification","dt_milestone_desktop_start","dt_milestone_android_
start","dt_milestone_ios_start","announcement_url"]}],FLAT_ORIGIN_TRIAL_FIELDS={name:"Origin
trial",sections:[{name:"Origin trial",fields:
["display_name","experiment_goals","experiment_risks","ongoing_constraints","i2e_lgtms","ot_documentati
on_url","intent_to_experiment_url","origin_trial_feedback_url"]},{name:"Implementation in
Chromium",fields:
["ot_milestone_desktop_start","ot_milestone_desktop_end","ot_milestone_android_start","ot_milestone_and
roid_end","ot_milestone_webview_start","ot_milestone_webview_end","experiment_timeline"]}],FLAT_TRIAL_
EXTENSION_FIELDS={name:"Trial extension",sections:[{name:"Trial extension",fields:
["experiment_extension_reason","intent_to_extend_experiment_url","extension_desktop_last"]}],FLAT_EVAL
_READINESS_TO_SHIP_FIELDS={name:"Evaluate readiness to ship",sections:[{name:"Evaluate readiness to
ship",fields:["prefixed","tag_review"]}],FLAT_PREPARE_TO_SHIP_FIELDS={name:"Prepare to ship",sections:
[{name:"Prepare to ship",fields:
["display_name","tag_review_status","webview_risks","anticipated_spec_changes","i2s_lgtms","availabilit
y_expectation","adoption_expectation","adoption_plan","non_oss_deps","finch_url","intent_to_ship_url"]}
},{name:"Implementation in Chromium",fields:
["rollout_plan","shipped_milestone","shipped_android_milestone","shipped_ios_milestone","shipped_webvie
w_milestone"]}],FLAT_ENTERPRISE_PREPARE_TO_SHIP_FIELDS={name:"Rollout step",sections:[{name:"Rollout
step",fields:
["rollout_milestone","rollout_platforms","rollout_details","rollout_stage_plan","enterprise_policies"]}
}],PSA_IMPLEMENT_FIELDS={name:"Start prototyping",sections:[{name:"Start prototyping",fields:
["motivation","spec_link","standard_maturity"]}],PSA_PREPARE_TO_SHIP_FIELDS={name:"Prepare to
ship",sections:[{name:"Prepare to ship",fields:["intent_to_ship_url"]},{name:"Implementation in
Chromium",fields:
["rollout_plan","shipped_milestone","shipped_android_milestone","shipped_ios_milestone","shipped_webvie
w_milestone"]}],DEPRECATION_PLAN_FIELDS={name:"Write up deprecation plan",sections:[{name:"Write up
deprecation plan",fields:["deprecation_motivation","spec_link"]}],DEPRECATION_DEV_TRIAL_FIELDS=
{name:"Dev trial of deprecation",sections:[{name:"Dev trial of deprecation",fields:
["devtrial_instructions","doc_links","interop_compat_risks","safari_views","safari_views_link","safari_
views_notes","ff_views","ff_views_link","ff_views_notes","web_dev_views","web_dev_views_link","web_dev_
views_notes","other_views_notes","security_review_status","privacy_review_status","ergonomics_risks","a
ctivation_risks","security_risks","webview_risks","debuggability","measurement","all_platforms","all_pl
atforms_descr","wpt","wpt_descr","sample_links"]},{name:"Implementation in Chromium",fields:
["flag_name","finch_name","non_finch_justification","dt_milestone_desktop_start","dt_milestone_android_
start","dt_milestone_ios_start","announcement_url"]}],ORIGIN_TRIAL_CREATION_FIELDS={sections:[{fields:
["ot_display_name","ot_description","ot_owner_email","ot_emails","ot_creation_milestone_desktop_first"
,"ot_creation_milestone_desktop_last","ot_creation_intent_to_experiment_url","ot_creation_ot_documen
tation_url","ot_feedback_submission_url","ot_chromium_trial_name","ot_is_deprecation_trial","ot_webfeat
ure_use_counter","ot_has_third_party_support","ot_is_critical_trial","ot_require_approvals"]}],ORIGIN_
TRIAL_EXTENSION_FIELDS={sections:[{fields:
["ot_extension_milestone_desktop_last","experiment_extension_reason"]}],DEPRECATION_ORIGIN_TRIAL_FIEL
DS={name:"Prepare for Deprecation Trial",sections:[{name:"Prepare for Deprecation Trial",fields:
["display_name","experiment_goals","experiment_risks","ongoing_constraints","r4dt_url","r4dt_lgtms","or
igin_trial_feedback_url"]},{name:"Implementation in Chromium",fields:
["ot_milestone_desktop_start","ot_milestone_desktop_end","ot_milestone_android_start","ot_milestone_and
roid_end","ot_milestone_webview_start","ot_milestone_webview_end","experiment_timeline"]}],DEPRECATION
_PREPARE_TO_SHIP_FIELDS={name:"Prepare to ship",sections:[{name:"Prepare to ship",fields:
["display_name","intent_to_ship_url","i2s_lgtms"]},{name:"Implementation in Chromium",fields:
["rollout_plan","shipped_milestone","shipped_android_milestone","shipped_ios_milestone","shipped_webvie
w_milestone"]}],VERIFY_ACCURACY_METADATA_FIELDS={name:"Important fields",sections:[{name:"Feature
Metadata",fields:
["summary","owner","finch_name","non_finch_justification","bug_url"]}],VERIFY_ACCURACY_PREPARE_TO_SHIP
_FIELDS={name:"Prepare to ship",sections:[{name:"Shipping milestones",fields:
["shipped_milestone","shipped_android_milestone","shipped_ios_milestone","shipped_webview_milestone"]}
}],VERIFY_ACCURACY_ENTERPRISE_PREPARE_TO_SHIP_FIELDS={name:"Rollout step",sections:[{name:"Rollout
milestones",fields:
["rollout_milestone","rollout_platforms","rollout_details","rollout_stage_plan","enterprise_policies"]}
}],VERIFY_ACCURACY_CONFIRMATION_FIELD={name:"Verify Accuracy",sections:[{name:"Verify Accuracy",fields:
["accurate_as_of"]}],FORMS_BY_STAGE_TYPE={[STAGE_BLINK_INCUBATE]:FLAT_INCUBATE_FIELDS,
[STAGE_BLINK_PROTOTYPE]:FLAT_PROTOTYPE_FIELDS,[STAGE_BLINK_DEV_TRIAL]:FLAT_DEV_TRIAL_FIELDS,
[STAGE_BLINK_EVAL_READINESS]:FLAT_EVAL_READINESS_TO_SHIP_FIELDS,
[STAGE_BLINK_ORIGIN_TRIAL]:FLAT_ORIGIN_TRIAL_FIELDS,
[STAGE_BLINK_EXTEND_ORIGIN_TRIAL]:FLAT_TRIAL_EXTENSION_FIELDS,
[STAGE_BLINK_SHIPPING]:FLAT_PREPARE_TO_SHIP_FIELDS,[STAGE_FAST_PROTOTYPE]:FLAT_PROTOTYPE_FIELDS,
[STAGE_FAST_DEV_TRIAL]:FLAT_DEV_TRIAL_FIELDS,[STAGE_FAST_ORIGIN_TRIAL]:FLAT_ORIGIN_TRIAL_FIELDS,
[STAGE_FAST_EXTEND_ORIGIN_TRIAL]:FLAT_TRIAL_EXTENSION_FIELDS,
[STAGE_FAST_SHIPPING]:FLAT_PREPARE_TO_SHIP_FIELDS,[STAGE_PSA_IMPLEMENT_FIELDS]:PSA_IMPLEMENT_FIELDS,
[STAGE_PSA_DEV_TRIAL]:FLAT_DEV_TRIAL_FIELDS,[STAGE_PSA_SHIPPING]:PSA_PREPARE_TO_SHIP_FIELDS,
[STAGE_DEP_PLAN]:DEPRECATION_PLAN_FIELDS,[STAGE_DEP_DEV_TRIAL]:DEPRECATION_DEV_TRIAL_FIELDS,
```

```
[STAGE_DEP_DEPRECATION_TRIAL]:DEPRECATION_ORIGIN_TRIAL_FIELDS,
[STAGE_DEP_EXTEND_DEPRECATION_TRIAL]:FLAT_TRIAL_EXTENSION_FIELDS,
[STAGE_DEP_SHIPPING]:DEPRECATION_PREPARE_TO_SHIP_FIELDS,
[STAGE_ENT_ROLLOUT]:FLAT_ENTERPRISE_PREPARE_TO_SHIP_FIELDS,
[STAGE_ENT_SHIPPED]:FLAT_PREPARE_TO_SHIP_FIELDS},CREATEABLE_STAGES=
{[FEATURE_TYPES.FEATURE_TYPE_INCUBATE_ID[0]]:
[STAGE_BLINK_ORIGIN_TRIAL,STAGE_BLINK_SHIPPING,STAGE_ENT_ROLLOUT],
[FEATURE_TYPES.FEATURE_TYPE_EXISTING_ID[0]]:
[STAGE_FAST_ORIGIN_TRIAL,STAGE_FAST_SHIPPING,STAGE_ENT_ROLLOUT],
[FEATURE_TYPES.FEATURE_TYPE_CODE_CHANGE_ID[0]]:[STAGE_PSA_SHIPPING,STAGE_ENT_ROLLOUT],
[FEATURE_TYPES.FEATURE_TYPE_DEPRECATION_ID[0]]:
[STAGE_DEP_DEPRECATION_TRIAL,STAGE_DEP_SHIPPING,STAGE_ENT_ROLLOUT],
[FEATURE_TYPES.FEATURE_TYPE_ENTERPRISE_ID[0]]:[STAGE_ENT_ROLLOUT]},VERIFY_ACCURACY_FORMS_BY_STAGE_TYPE=
{[STAGE_BLINK_SHIPPING]:VERIFY_ACCURACY_PREPARE_TO_SHIP_FIELDS,
[STAGE_FAST_SHIPPING]:VERIFY_ACCURACY_PREPARE_TO_SHIP_FIELDS,
[STAGE_PSA_SHIPPING]:VERIFY_ACCURACY_PREPARE_TO_SHIP_FIELDS,
[STAGE_DEP_SHIPPING]:VERIFY_ACCURACY_PREPARE_TO_SHIP_FIELDS,
[STAGE_ENT_ROLLOUT]:VERIFY_ACCURACY_ENTERPRISE_PREPARE_TO_SHIP_FIELDS,
[STAGE_ENT_SHIPPED]:VERIFY_ACCURACY_PREPARE_TO_SHIP_FIELDS};let toastEl;const
NARROW_WINDOW_MAX_WIDTH=700,ACCURACY_GRACE_PERIOD=2419200000,SHIPPED_FEATURE_OUTDATED_GRACE_PERIOD=5443
200000,IS_MOBILE=(()=>>{const
width=window.innerWidth||document.documentElement.clientWidth||document.body.clientWidth;return
width<=NARROW_WINDOW_MAX_WIDTH})();function autolink(s,featureLinks=[],isMarkdown=!1)
{if(s=s??"",isMarkdown){const
rendered=d.parse(s),sanitized=purify.sanitize(rendered),markup=x`1`$`$2(sanitized)`;return[markup]}el
se{const withLinks=markupAutolinks(s,featureLinks);return withLinks}}function showToastMessage(msg)
{toastEl||(toastEl=document.querySelector("chromedash-
toast")),toastEl?.showMessage&&toastEl.showMessage(msg)}function findProcessStage(feStage,process)
{for(const processStage of process.stages)if(feStage.stage_type==processStage.stage_type)return
processStage;return null}function shouldShowDisplayNameField(feStages,stageType){let
matchingStageCount=0;for(let i=0;i<feStages.length;i++)if(feStages[i].stage_type===stageType&&
(matchingStageCount++,1<matchingStageCount))return!0;return!1}function
findFirstFeatureStage(intentStage,currentStage,fe){if(intentStage==currentStage.intent_stage)return
currentStage;for(const feStage of fe.stages)if(intentStage==feStage.intent_stage)return feStage;return
null}function unambiguousStageName(stage,feature){const
processStageName=FORMS_BY_STAGE_TYPE[stage.stage_type]?.name;if(!processStageName)return void
console.error(`Unexpected stage type ${stage.stage_type} in stage
${stage.id}.`);if(stage.display_name)return`${processStageName}: ${stage.display_name}`;const
index=feature.stages.filter(s=>s.stage_type===stage.stage_type).findIndex(s=>s.id===stage.id);return
0<index?`${processStageName} ${index+1}`:processStageName}function getStageValue(stage,fieldName)
{return stage?fieldName in STAGE_FIELD_NAME_MAPPING?
stage[STAGE_FIELD_NAME_MAPPING[fieldName]]:stage[fieldName]:void 0}function
calcMaxMilestone(feStage,fieldName)
{if(!feStage)return;if(feStage[`max_${fieldName}`]||!feStage.extensions)return;let
maxMilestone=getStageValue(feStage,fieldName)||0;for(const extension of feStage.extensions)for(const
otMilestoneField of Object.values(OT_MILESTONE_END_FIELDS)){const
extensionValue=getStageValue(extension,otMilestoneField);extensionValue&&
(maxMilestone=Math.max(maxMilestone,extensionValue))}feStage[`max_${fieldName}`]=maxMilestone}function
_getMilestoneExtensionValue(feStage,fieldName){if(feStage){const
milestoneValue=getStageValue(feStage,fieldName);calcMaxMilestone(feStage,fieldName);const
maxMilestoneFieldName=`max_${fieldName}`;return feStage[maxMilestoneFieldName]&&!milestoneValue?
`Extended to
${feStage[maxMilestoneFieldName]}: feStage[maxMilestoneFieldName]&&feStage[maxMilestoneFieldName]>miles
toneValue?`${feStage[maxMilestoneFieldName]} (extended from
${milestoneValue})`:milestoneValue}}function isDefinedValue(value){return value!==void
0&&null!==value&&0!=value.length}function hasFieldValue(fieldName,feStage,feature){const
value=getFieldValueFromFeature(fieldName,feStage,feature);return isDefinedValue(value)}function
getFieldValueFromFeature(fieldName,feStage,feature){if(STAGE_SPECIFIC_FIELDS.has(fieldName)){const
value=getStageValue(feStage,fieldName);return"rollout_platforms"===fieldName&&value?
value.map(platformId=>PLATFORMS_DISPLAYNAME[platformId]):"rollout_stage_plan"===fieldName?
ROLLOUT_STAGE_PLAN_DISPLAYNAME[value]:fieldName in OT_MILESTONE_END_FIELDS?
_getMilestoneExtensionValue(feStage,fieldName):value}if(!feature)return null;const fieldNameMapping=
{owner:"browsers.chrome.owners",editors:"editors",search_tags:"tags",spec_link:"standards.spec",standar
d_maturity:"standards.maturity.text",sample_links:"resources.samples",docs_links:"resources.docs",bug_u
rl:"browsers.chrome.bug",blink_components:"browsers.chrome.blink_components",devrel:"browsers.chrome.de
vrel",prefixed:"browsers.chrome.prefixed",impl_status_chrome:"browsers.chrome.status.text",shipped_mile
stone:"browsers.chrome.desktop",shipped_android_milestone:"browsers.chrome.android",shipped_webview_mil
estone:"browsers.chrome.webview",shipped_ios_milestone:"browsers.chrome.ios",ff_views:"browsers.ff.view
.text",ff_views_link:"browsers.ff.view.url",ff_views_notes:"browsers.ff.view.notes",safari_views:"brows
ers.safari.view.text",safari_views_link:"browsers.safari.view.url",safari_views_notes:"browsers.safari.
view.notes",web_dev_views:"browsers.webdev.view.text",web_dev_views_link:"browsers.webdev.view.url",web
_dev_views_notes:"browsers.webdev.view.notes",other_views_notes:"browsers.other.view.notes"};let
value;if(fieldNameMapping[fieldName]){let propertyValue=feature;for(const step of
fieldNameMapping[fieldName].split("."))propertyValue&&
(propertyValue=propertyValue[step]);value=propertyValue}else
value=feature[fieldName];if("enterprise_product_category"===fieldName&&void 0!==value)return
ENTERPRISE_PRODUCT_CATEGORY_DISPLAYNAME[value];if("enterprise_feature_categories"===fieldName&&value)re
turn
value.map(categoryId=>ENTERPRISE_FEATURE_CATEGORIES_DISPLAYNAME[categoryId]);if("enterprise_impact"===f
ieldName&&value)return ENTERPRISE_IMPACT_DISPLAYNAME[value];if("rollout_plan"===fieldName&&void
0!==value)return ROLLOUT_PLAN_DISPLAYNAME[value];if("active_stage_id"===fieldName&&value){for(const
stage of feature.stages)if(stage.id===value)return unambiguousStageName(stage,feature);return}return
value}function flattenSections(stage){return stage.sections.reduce((combined,section)=>
[...combined,...section.fields],[])}function setupScrollToHash(pageElement){const
scrollToElement=hash=>{if(hash){const el=pageElement.shadowRoot.querySelector(hash);if(el){el.input?
el.focus():setTimeout(()=>{el.focus()},100);const fieldRowSelector=`chromedash-form-
```

```
field[name="${el.name}"] tr +
tr`,fieldRow=pageElement.shadowRoot.querySelector(fieldRowSelector);fieldRow?
fieldRow.scrollIntoView({block:"center",behavior:"smooth"}):el.scrollIntoView({behavior:"smooth"}))}};i
f(window.scrollToElement=hash=>{scrollToElement(hash)},location.hash){const
hash=decodeURIComponent(location.hash);scrollToElement(hash)}}function redirectToCurrentPage(){const
url=window.location.href.split("?")[0];window.location.href=url}function
renderHTMLIf(condition,originalHTML){return condition?originalHTML:E$1}function _parseDateStr(dateStr)
{dateStr=dateStr||"";dateStr=dateStr.replace(" ","T");const dateObj=new Date(`${dateStr}Z`);return
isNaN(+dateObj)?null:dateObj}function renderAbsoluteDate(dateStr,includeTime=!1){return dateStr?
includeTime?dateStr.split(".")[0]:dateStr.split(" ")[0]:""}function renderRelativeDate(dateStr){const
dateObj=_parseDateStr(dateStr);return dateObj?x$1`<span class="relative_date">
(<sl-relative-time date="${dateObj.toISOString()}"> </sl-relative-time>)
</span>`:E$1}function isoDateString(date){return date.toISOString().slice(0,10)}function
parseRawQuery(rawQuery){const params=new URLSearchParams(rawQuery),result={};for(const param of
params.keys()){const values=params.getAll(param);values.length&&(result[param]=values[0])}return
result}function getNewLocation(params,location){const url=new
URL(location);if(url.search="",params)for(const[k,v]of
Object.entries(params))v&&url.searchParams.append(k,v.toString());return url}function
getDisabledHelpText(field,feStage)
{return("ot_milestone_desktop_start"===field||"ot_milestone_desktop_end"===field)&&
(feStage?.ot_setup_status===OT_SETUP_STATUS_OPTIONS.OT_READY_FOR_CREATION||feStage?.ot_setup_status===O
T_SETUP_STATUS_OPTIONS.OT_CREATION_FAILED||feStage?.ot_setup_status===OT_SETUP_STATUS_OPTIONS.OT_ACTIVA
TION_FAILED)?"Origin trial milestone cannot be edited while a creation request is in
progress":""}function updateURLParams(key,val){const
newURL=formatURLParams(key,val);newURL.toString()===window.location.toString()||window.history.pushStat
e({path:newURL.toString(),"",newURL})}function formatURLParams(key,val){const
rawQuery=parseRawQuery(window.location.search);rawQuery[key]=encodeURIComponent(val);const
newURL=getNewLocation(rawQuery>window.location);return newURL.hash="",newURL}function
formatUrlForRelativeOffset(start,delta,pageSize,totalCount){const offset=start+delta;return void
0===totalCount||offset<=-pageSize||offset>=totalCount?void
0:formatUrlForOffset(Math.max(0,offset))}function formatUrlForOffset(offset){return
formatURLParams("start",offset).toString()}function clearURLParams(key){const
rawQuery=parseRawQuery(window.location.search);delete rawQuery[key];const
newURL=getNewLocation(rawQuery>window.location);newURL.hash="";newURL.toString()===window.location.toSt
ring()||window.history.pushState({path:newURL.toString(),"",newURL})}function
formatFeatureChanges(fieldValues,featureId,formStageId){let hasChanges=!1;const featureChanges=
{id:featureId},stages={};formStageId&&(stages[formStageId]=
{id:formStageId});for(const{name,touched,value,stageId,implicitValue,isMarkdown}of fieldValues)
{if(!touched)continue;let formattedValue=value;if(Array.isArray(formattedValue)&&
(formattedValue=formattedValue.join(",")),void 0!==implicitValue)
{if(!formattedValue)continue;featureChanges[name]=implicitValue}else stageId?(stageId in stages||
(stages[stageId]={id:stageId}),stages[stageId][STAGE_FIELD_NAME_MAPPING[name]||name]=
{form_field_name:name,value:formattedValue}):(featureChanges[name]=formattedValue,void 0!==isMarkdown&&
(featureChanges[name+"_is_markdown"]=isMarkdown));hasChanges=!0}return{feature_changes:featureChanges,s
tages:Object.values(stages),has_changes:hasChanges}}function handleSaveChangesResponse(response){const
app=document.querySelector("chromedash-app");app.setUnsavedChanges(""!==response)}function
extensionMilestoneIsValid(value,currentMilestone){if(isNaN(value))return!1;for(let
i=0;i<value.length;i++)if("0">value[i]||"9"<value[i])return!1;const intValue=parseInt(value);return!
(1e3<=intValue)&&parseInt(currentMilestone)<=intValue}function userCanEdit(user,featureId){return!!
(user&&(user.can_edit_all||user.editable_features.includes(featureId)))}function
isVerifiedWithinGracePeriod(accurateAsOf,currentDate,gracePeriod=ACCURACY_GRACE_PERIOD)
{if(!accurateAsOf)return!1;const accurateDate=Date.parse(accurateAsOf);return!
(accurateDate+gracePeriod<currentDate)}const METRICS_TYPE_AND_VIEW_TO_SUBTITLE={csspopularity:"CSS
usage metrics > all properties",cssanimated:"CSS usage metrics > animated
properties",featurepopularity:"HTML & JavaScript usage metrics > all
features",webfeaturepopularity:"Web features usage metrics > all features"};function
isShippedFeatureOutdated(feature,hasShipped,closestShippingDate){return!hasShipped&&!!
(feature.accurate_as_of&&closestShippingDate)&&Date.parse(feature.accurate_as_of)
<Date.parse(closestShippingDate)}function
isShippedFeatureOutdatedForAuthor(feature,userCanEdit,hasShipped,closestShippingDate){return
userCanEdit&&isShippedFeatureOutdated(feature,hasShipped,closestShippingDate)}function
isShippedFeatureOutdatedForAll(feature,hasShipped,currentDate,closestShippingDate)
{if(!isShippedFeatureOutdated(feature,hasShipped,closestShippingDate))return!1;const
isVerified=isVerifiedWithinGracePeriod(feature.accurate_as_of,currentDate,SHIPPED_FEATURE_OUTDATED_GRAC
E_PERIOD);return!isVerified}async function fetchClosestShippingDate(milestone)
{if(0===milestone)return"";try{const newMilestonesInfo=await
window.csClient.getSpecifiedChannels(milestone,milestone);return
newMilestonesInfo[milestone]?.final_beta}catch{return showToastMessage("Some errors occurred. Please
refresh the page or try again later."),""}}async function findClosestShippingDate(channels,stages){var
_Mathmax2=Math.max;const
latestStableVersion=channels?.stable?.version;if(!latestStableVersion||!stages)return{closestShippingDa
te:"",isUpcoming:!1,hasShipped:!1};let closestShippingDate="",isUpcoming=!1,hasShipped=!1;const
shippingTypeMilestones=new Set;for(const stage of stages)
(STAGE_TYPES_SHIPPING.has(stage.stage_type)||stage.stage_type===STAGE_ENT_ROLLOUT)&&
(shippingTypeMilestones.add(stage.desktop_first),shippingTypeMilestones.add(stage.android_first),shippi
ngTypeMilestones.add(stage.ios_first),shippingTypeMilestones.add(stage.webview_first));const
upcomingMilestonesTarget=new Set([...shippingTypeMilestones]);let
foundMilestone=0;if(upcomingMilestonesTarget.has(latestStableVersion+1)?
(foundMilestone=latestStableVersion+1,isUpcoming=!0):upcomingMilestonesTarget.has(latestStableVersion+2
)&&(foundMilestone=latestStableVersion+2,isUpcoming=!0),isUpcoming)Object.keys(channels).forEach(key=>
{channels[key].version===foundMilestone&&
(closestShippingDate=channels[key].final_beta||"")});else{const
shippedMilestonesTarget=shippingTypeMilestones;let latestMilestone=0;for(const ms of
shippedMilestonesTarget)ms&&ms<=latestStableVersion&&
(latestMilestone=_Mathmax2(latestMilestone,ms));latestMilestone===latestStableVersion?
(closestShippingDate=channels.stable?.final_beta||"",hasShipped=!0):(closestShippingDate=await
```

```
fetchClosestShippingDate(latestMilestone),hasShipped=!0)}return{closestShippingDate,isUpcoming,hasShipped}}function isUpcomingFeatureOutdated(feature,isUpcoming,currentDate){return isUpcoming&&!isVerifiedWithinGracePeriod(feature,accurate_as_of,currentDate)}function getFeatureOutdatedBanner(feature,shippingInfo,currentDate,userCanEdit){currentDate||(currentDate=Date.now());const{closestShippingDate,hasShipped,isUpcoming}=shippingInfo;if(isUpcomingFeatureOutdated(feature,isUpcoming,currentDate))return userCanEdit?x$1`<div class="warning layout horizontal center"><span class="tooltip" id="outdated-icon" title="Feature outdated "><sl-icon name="exclamation-circle-fill" data-tooltip></sl-icon></span><span>Your feature hasn't been verified as accurate since<br><sl-relative-time date=${feature.accurate_as_of??""}></sl-relative-time>>, but it is scheduled to ship<br><sl-relative-time date=${closestShippingDate}></sl-relative-time>. Please<br><a href="/guide/verify_accuracy/${feature.id}">verify that your feature is accurate</a></span></div>`:x$1`<div class="warning layout horizontal center"><span class="tooltip" id="outdated-icon" title="Feature outdated "><sl-icon name="exclamation-circle-fill" data-tooltip></sl-icon></span><span>This feature hasn't been verified as accurate since<br><sl-relative-time date=${feature.accurate_as_of??""}></sl-relative-time>>, but it is scheduled to ship<br><sl-relative-time date=${closestShippingDate}></sl-relative-time>.</span></div>`;if(isShippedFeatureOutdated(feature,hasShipped,closestShippingDate))<br>{if(isShippedFeatureOutdatedForAuthor(feature,userCanEdit,hasShipped,closestShippingDate))return x$1`<div class="warning layout horizontal center"><span class="tooltip" id="shipped-outdated-author" title="Feature outdated "><br><sl-icon name="exclamation-circle-fill" data-tooltip></sl-icon></span><span>Your feature hasn't been verified as accurate since<br><sl-relative-time date=${feature.accurate_as_of??""}></sl-relative-time>>, but it claims to have shipped<br><sl-relative-time date=${closestShippingDate}></sl-relative-time>. Please<br><a href="/guide/verify_accuracy/${feature.id}">verify that your feature is accurate</a></span></div>`;if(isShippedFeatureOutdatedForAll(feature,hasShipped,currentDate,closestShippingDate))return x$1`<div class="warning layout horizontal center"><span class="tooltip" id="shipped-outdated-all" title="Feature outdated "><br><sl-icon name="exclamation-circle-fill" data-tooltip></sl-icon></span><span>This feature hasn't been verified as accurate since<br><sl-relative-time date=${feature.accurate_as_of??""}></sl-relative-time>>, but it claims to have shipped<br><sl-relative-time date=${closestShippingDate}></sl-relative-time>.</span></div>`<br>}<br>return null}<br>var __decorate$18=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return 3<c&&r&&Object.defineProperty(target,key,r),r};let ChromedashAdminBlinkPage=class ChromedashAdminBlinkPage extends i$4{constructor()
```

```
{super(...arguments),this.loading=!0,this.user=null,this._editMode=!1,this._client=window.csOpenApiClient}static get styles(){return[SHARED_STYLES,VARS,LAYOUT_CSS,i$7`
  body {
    scroll-behavior: smooth;
  }

  #spinner {
    display: none !important;
  }

  #subheader .subheader_toggles {
    display: flex !important;
    justify-content: flex-end;
    flex: 1 0 auto;
  }

  #subheader ul {
    list-style-type: none;
    margin-left: var(--content-padding);
  }

  #subheader ul li {
    text-align: center;
    border-radius: var(--default-border-radius);
    box-shadow: 1px 1px 4px var(--bar-shadow-color);
    padding: 0.5em;
    background: var(--chromium-color-dark);
    color: #fff;
    font-weight: 500;
    text-transform: uppercase;
  }

  #subheader ul li a {
    color: inherit;
    text-decoration: none;
  }

  #subheader .view_owners_link {
    margin-left: var(--content-padding);
  }

  #components_list {
    list-style: none;
    margin-bottom: calc(var(--content-padding) * 4);
  }

  #components_list li {
    padding: var(--content-padding) 0;
  }
`]}connectedCallback(){super.connectedCallback(),this.fetchData()}fetchData()
{this.loading=!0,this._client.listComponentUsers().then(response=>{this.usersMap=new
Map(response.users.map(user=>
[user.id,user])),this.components=response.components,this.loading=!1}).catch(()=>
{showToastMessage("Some errors occurred. Please refresh the page or try again
later.")})}_onEditModeToggle(){this._editMode=!this._editMode}_addComponentUserListener(e){const
component=Object.assign({},this.components[e.detail.index]);return e.detail.isError?void
showToastMessage(`Unable to add ${this.usersMap.get(e.detail.userId).name} to
${component.name}`):void(!component.subscriber_ids?.includes(e.detail.userId)&&
(component.subscriber_ids=[...(component.subscriber_ids??[]),e.detail.userId]),e.detail.toggleAsOwner&&
(component.owner_ids=[...(component.owner_ids??
[]),e.detail.userId]),showToastMessage(`${this.usersMap.get(e.detail.userId).name} added to
${component.name}`),this.components[e.detail.index]=component,this.requestUpdate())}_removeComponentU
serListener(e){const component=Object.assign({},this.components[e.detail.index]);return
e.detail.isError?void showToastMessage(`Unable to remove ${this.usersMap.get(e.detail.userId).name}
from
${component.name}`):void(component.subscriber_ids=component.subscriber_ids.filter(currentUserId=>e.de
tail.userId!==currentUserId),e.detail.toggleAsOwner&&
(component.owner_ids=component.owner_ids.filter(currentUserId=>e.detail.userId!==currentUserId)),showTo
astMessage(`${this.usersMap.get(e.detail.userId).name} removed from
${component.name}`),this.components[e.detail.index]=component,this.requestUpdate())}renderSubheader()
{return x$1`
  <div id="subheader">
    <div class="layout horizontal center">
      <div>
        <h2>Blink components</h2>
        ${this.loading?x$1`<div>loading components</div>`:x$1`<div id="component-count">
          listing ${this.components.length} components
        </div>`}
      </div>
    </div>
    <div class="layout horizontal subheader_toggles">
      <label>
        ><input
          type="checkbox"
          ?checked="${this._editMode}"
          @change="${this._onEditModeToggle}"
        >
```



```
    />Edit mode</label>
  >
</div>
</div>
` }scrollToPosition(){if(location.hash){const hash=decodeURIComponent(location.hash);if(hash){const
el=this.shadowRoot.querySelector(hash);el.scrollIntoView({behavior:"smooth"})}}renderComponents()
{return x$1`
  <ul id="components_list">
    ${this.components.map((component,index)=>x$1`
      <li class="layout horizontal" id="${component.name}">
        <chromedash-admin-blink-component-listing
          .componentId=${component.id}
          .name=${component.name}
          .subscriberIds=${component.subscriber_ids??[]}
          .ownerIds=${component.owner_ids??[]}
          .index=${index}
          .usersMap=${this.usersMap}
          ?editing=${this._editMode}
          @adminRemoveComponentUser=${this._removeComponentUserListener}
          @adminAddComponentUser=${this._addComponentUserListener}
        ></chromedash-admin-blink-component-listing>
      </li>
    `)}
  </ul>
` }render(){return x$1`
  ${this.renderSubheader()}
  ${this.loading?x$1`:this.renderComponents()}
  `};__decorate$18([n$5({type:Boolean})],ChromedashAdminBlinkPage.prototype,"loading",void
0),__decorate$18([n$5({type:Object})],ChromedashAdminBlinkPage.prototype,"user",void
0),__decorate$18([n$5({type:Boolean})],ChromedashAdminBlinkPage.prototype,"_editMode",void
0),__decorate$18([r$6()],ChromedashAdminBlinkPage.prototype,"components",void
0),__decorate$18([r$6()],ChromedashAdminBlinkPage.prototype,"usersMap",void
0),ChromedashAdminBlinkPage=__decorate$18([t$3("chromedash-admin-blink-
page")],ChromedashAdminBlinkPage);var __decorate$17=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r);let ChromedashAdminFeatureLinksPage=class
ChromedashAdminFeatureLinksPage extends i$4{constructor()
{super(...arguments),this.sampleId="",this.samplesLoading=!1,this.loading=!0,this.featureLinksSamples=
[]}static get styles(){return[SHARED_STYLES,VARS,LAYOUT_CSS,i$7`
  .feature-links-summary .line {
    padding: var(--content-padding-half);
    display: flex;
    align-items: center;
    justify-content: space-between;
    font-size: 16px;
  }
  .feature-links-samples .line {
    background: rgb(232, 234, 237);
  }
  sl-icon-button::part(base) {
    padding: 0;
    margin-left: 8px;
  }
`
  ]}connectedCallback(){super.connectedCallback(),this.fetchData()}async fetchData()
{try{this.loading=!0,this.featureLinksSummary=await
window.csClient.getFeatureLinksSummary()}catch{showToastMessage("Some errors occurred. Please refresh
the page or try again later.")}finally{this.loading=!1}}calcSampleId(domain,type,isError)
{return`domain=${domain}&type=${type}&isError=${isError}`}async fetchLinkSamples(domain,type,isError)
{this.sampleId=this.calcSampleId(domain,type,isError),this.featureLinksSamples=
[],this.samplesLoading=!0;try{this.featureLinksSamples=await
window.csClient.getFeatureLinksSamples(domain,type,isError)}catch{showToastMessage("Some errors
occurred. Please refresh the page or try again later.")}finally{this.samplesLoading=!1}}renderSamples()
{return this.samplesLoading?x$1`<sl-spinner></sl-spinner>`:x$1`
  <div class="feature-links-samples">
    ${this.featureLinksSamples.map(sample=>x$1`
      <div class="line">
        <div>
          <a href=${sample.url}><i>${sample.url}</i></a>
          ${sample.http_error_code?x$1`<i>(${sample.http_error_code})</i>`:E$1}
        </div>
        <a
          href=${`/feature/${sample.feature_ids}`}
          target="_blank"
          rel="noopener"
        >
          <sl-icon
            library="material"
            name="link"
            slot="prefix"
            title="linked feature"
          ></sl-icon>
        </a>
      </div>
    `)}
  </div>
`}
```

```
`)}
</div>
`}renderComponents(){return x$1`
<div class="feature-links-summary">
  <sl-details summary="Link Summary" open>
    <div class="line">
      All Links <b>${this.featureLinksSummary.total_count}</b>
    </div>
    <div class="line">
      Covered Links <b>${this.featureLinksSummary.covered_count}</b>
    </div>
    <div class="line">
      Uncovered (aka "web") Links
      <b>${this.featureLinksSummary.uncovered_count}</b>
    </div>
    <div class="line">
      All Error Links<b>${this.featureLinksSummary.error_count}</b>
    </div>
    <div class="line">
      HTTP Error Links<b>${this.featureLinksSummary.http_error_count}</b>
    </div>
  </sl-details>
  <sl-details summary="Link Types" open>
    ${this.featureLinksSummary.link_types.map(linkType=>x$1`
      <div class="line">
        ${linkType.key.toUpperCase()} <b>${linkType.count}</b>
      </div>
    `)}
  </sl-details>
  <sl-details summary="Uncovered Link Domains" open>
    ${this.featureLinksSummary.uncovered_link_domains.map(domain=>x$1`
      <div class="line">
        <div>
          <a href=${domain.key}>${domain.key}</a>
          <sl-icon-button
            library="material"
            name="search"
            slot="prefix"
            title="Samples"
            @click=${()=>this.fetchLinkSamples(domain.key,"web",void 0)}
          >
          </sl-icon-button>
        </div>
        <b>${domain.count}</b>
      </div>
      ${this.sampleId===this.calcSampleId(domain.key,"web",void 0)?this.renderSamples():E$1}
    `)}
  </sl-details>
  <sl-details summary="Error Link Domains" open>
    ${this.featureLinksSummary.error_link_domains.map(domain=>x$1`
      <div class="line">
        <div>
          <a href=${domain.key}>${domain.key}</a>
          <sl-icon-button
            library="material"
            name="search"
            slot="prefix"
            title="Samples"
            @click=${()=>this.fetchLinkSamples(domain.key,void 0,!0)}
          >
          </sl-icon-button>
        </div>
        <b>${domain.count}</b>
      </div>
      ${this.sampleId===this.calcSampleId(domain.key,void 0,!0)?this.renderSamples():E$1}
    `)}
  </sl-details>
</div>
`}render(){return x$1` ${this.loading?x$1`:this.renderComponents()}
`}};__decorate$17([r$6()],ChromedashAdminFeatureLinksPage.prototype,"sampleId",void
0),__decorate$17([r$6()],ChromedashAdminFeatureLinksPage.prototype,"samplesLoading",void
0),__decorate$17([r$6()],ChromedashAdminFeatureLinksPage.prototype,"loading",void
0),__decorate$17([r$6()],ChromedashAdminFeatureLinksPage.prototype,"featureLinksSamples",void
0),__decorate$17([r$6()],ChromedashAdminFeatureLinksPage.prototype,"featureLinksSummary",void
0),ChromedashAdminFeatureLinksPage=__decorate$17([t$3("chromedash-admin-feature-links-
page")],ChromedashAdminFeatureLinksPage);const
TEXT_KIND="text",NUM_KIND="number",MILESTONE_KIND="milestone",DATE_KIND="YYYY-MM-
DD",EMAIL_KIND="user@example.com",ENUM_KIND="enum",QUERIBLE_FIELDS=
[{name:"created.when",kind:DATE_KIND,doc:"Date that the feature entry was created"},
{name:"updated.when",kind:DATE_KIND,doc:"Date that the feature was most recently edited"},
{name:"name",kind:"text",doc:"The name of the feature"},{name:"tag",kind:"text",doc:"Search tags for
finding feature entries"},{name:"web_feature_id",kind:"text",doc:"String ID of a related WebDX
feature"},{name:"owner",kind:EMAIL_KIND,doc:"One of the feature owners"},
{name:"shipping_year",kind:NUM_KIND,doc:"Estimated shipping year"}],
```

```
{name:"browsers.chrome.devrel",kind:EMAIL_KIND,doc:"Developer relations contact"},
{name:"browsers.chrome.desktop",kind:MILESTONE_KIND,doc:"Desktop shipping milestone"},
{name:"browsers.chrome.android",kind:MILESTONE_KIND,doc:"Android shipping milestone"},
{name:"browsers.chrome.ios",kind:MILESTONE_KIND,doc:"iOS shipping milestone"},
{name:"browsers.chrome.webview",kind:MILESTONE_KIND,doc:"Webview shipping milestone"},
{name:"browsers.chrome.flag_name",kind:"text",doc:"Flag name that allows developers to enable the feature"},
{name:"browsers.chrome.finch_name",kind:"text",doc:"Finch name"},
{name:"browsers.chrome.devtrial.desktop.start",kind:MILESTONE_KIND,doc:"Desktop DevTrial start"},
{name:"browsers.chrome.devtrial.android.start",kind:MILESTONE_KIND,doc:"Android DevTrial start"},
{name:"browsers.chrome.devtrial.ios.start",kind:MILESTONE_KIND,doc:"iOS DevTrial start"},
{name:"browsers.chrome.devtrial.webview.start",kind:MILESTONE_KIND,doc:"WebView DevTrial start"},
{name:"browsers.chrome.ot.desktop.start",kind:MILESTONE_KIND,doc:"Desktop Origin Trial start"},
{name:"browsers.chrome.ot.desktop.end",kind:MILESTONE_KIND,doc:"Desktop Origin Trial end"},
{name:"browsers.chrome.ot.android.start",kind:MILESTONE_KIND,doc:"Android Origin Trial start"},
{name:"browsers.chrome.ot.android.end",kind:MILESTONE_KIND,doc:"Android Origin Trial end"},
{name:"browsers.chrome.ot.webview.start",kind:MILESTONE_KIND,doc:"WebView Origin Trial start"},
{name:"browsers.chrome.ot.webview.end",kind:MILESTONE_KIND,doc:"WebView Origin Trial end"},
{name:"rollout_milestone",kind:MILESTONE_KIND,doc:"Stable rollout milestone"},
{name:"rollout_stage_plan",kind:ENUM_KIND,doc:"Stage rollout plan"},
{name:"any_start_milestone",kind:MILESTONE_KIND,doc:"A milestone in which the feature is scheduled to ship or start an origin trial or dev trial, on any platform"},
{name:"category",kind:ENUM_KIND,doc:"Feature category",choices:FEATURE_CATEGORIES},
{name:"enterprise_product_category",kind:ENUM_KIND,doc:"Enterprise product category",choices:ENTERPRISE_PRODUCT_CATEGORY},
{name:"feature_type",kind:ENUM_KIND,doc:"Feature type",choices:FEATURE_TYPES},
{name:"impl_status_chrome",kind:ENUM_KIND,doc:"Implementation status",choices:IMPLEMENTATION_STATUS},
{name:"intent_stage",kind:ENUM_KIND,doc:"Spec process stage",choices:INTENT_STAGES},
{name:"security_review_status",kind:ENUM_KIND,doc:"Security review status",choices:REVIEW_STATUS_CHOICES},
{name:"privacy_review_status",kind:ENUM_KIND,doc:"Privacy review status",choices:REVIEW_STATUS_CHOICES},
{name:"tag_review_status",kind:ENUM_KIND,doc:"TAG Specification Review Status",choices:REVIEW_STATUS_CHOICES},
{name:"browsers.webkit.view",kind:ENUM_KIND,doc:"WebKit views",choices:VENDOR_VIEWS_COMMON},
{name:"browsers.ff.view",kind:ENUM_KIND,doc:"Firefox views",choices:VENDOR_VIEWS_GECKO},
{name:"browsers.webdev.view",kind:ENUM_KIND,doc:"Web / Framework developer views",choices:WEB_DEV_VIEWS},
{name:"accurate_as_of",kind:DATE_KIND,doc:"When the feature's fields were last verified"}];var __decorate$16=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?desc=Object.getOwnPropertyDescriptor(target,key):desc;if("object"===typeof Reflect&&"function"===typeof Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return 3<c&&r&&Object.defineProperty(target,key,r);let searchHelpDialogEl;async function openSearchHelpDialog(){searchHelpDialogEl||(searchHelpDialogEl=document.createElement("chromedash-search-help-dialog"),document.body.appendChild(searchHelpDialogEl),await searchHelpDialogEl.updateComplete),searchHelpDialogEl.show()}let ChromedashSearchHelpDialog=class ChromedashSearchHelpDialog extends i$4{static get styles(){return[...SHARED_STYLES,i$7`
    h3 {
      margin: var(--content-padding-large) 0;
    }
    section {
      margin-left: var(--content-padding);
    }
    p {
      margin: var(--content-padding-half) 0;
    }
    #dialog-content {
      max-width: 60rem;
    }
    li {
      margin-left: var(--content-padding);
    }
  `}}show(){this.renderRoot.querySelector("sl-dialog")?.show()}hide(){this.renderRoot.querySelector("sl-dialog")?.hide()}renderExampleRow(terms,explanation){return x$1`
    <tr>
      <td>${terms.map(term=>x$1`<div><code>${term}</code></div>`)}</td>
      <td>${explanation}</td>
    </tr>
  `}renderCommonSearchExamples(){return x$1`
    <h3>Common search examples</h3>
    <section>
      <table class="data-table">
        ${this.renderExampleRow(["memory","memory pool","memory -pool"],"Features that include or exclude words in any field.")}

        ${this.renderExampleRow(["browsers.chrome.desktop:123","browsers.chrome.desktop:current_stable+1"],"Features shipping in the specified milestone.")}

        ${this.renderExampleRow(["browsers.chrome.desktop:120..122","browsers.chrome.desktop:current_stable-1..current_stable+1"],"Features shipping in a milestone range.")}
        ${this.renderExampleRow(["owner:user@example.com"],"Features with the specified owner.")}
        ${this.renderExampleRow(["created.when>2024-01-01","created.when<now-8w","updated.when:2023-01-01..2023-12-31"],"Features created or modified before or after a date.")}
        ${this.renderExampleRow(["feature_type:\"Feature deprecation\"","feature_type!=\"Feature deprecation\"","-feature_type:\"Feature deprecation\""],"Features of a specific type or excluding a type.")}
        ${this.renderExampleRow(["category:CSS,DOM"],"Features that have a value in a comma-separated list.")}
        ${this.renderExampleRow(["category:CSS OR category:DOM"],"Combine two query clauses with a logical-OR.")}
```

```

    </table>
  </section>
  `}renderSearchSyntax(){return x$1`
  <h3>Search syntax</h3>
  <section>
    <p>
      A search query consists of a series of terms that are separated by
      spaces. Terms can be single words or conditions.
    </p>

    <p>
      When searching for words, the results will include features that
      include those words in any field of the feature entry. We do not
      support searching for wildcards, partial words, punctuation, or quoted
      phrases.
    </p>

    <p>
      When searching using conditions, each condition consists of three
      parts: FIELD OPERATOR VALUE(S)
    </p>

    <ul>
      <li>FIELD: One of the fields listed below.</li>
      <li>
        OPERATOR: Usually a colon, but it can be an inequality for numeric,
        date, or enum fields. The colon operator does case-insensitive
        matching of words within a text field, while an equals-sign does
        exact matching of an entire string value.
      </li>
      <li>
        VALUE(S): A single word, number, date, or enum value listed below.
        If the value contains spaces, it must be inside double quotes.
        <ul>
          <li>
            Use the equals operator with a comma-separated list to match any
            value in that list.
          </li>
          <li>
            Use the equals operator with two number or date values separated
            by "<code>..</code>" to find any value between or including
            those endpoints. The left value must be less than the right
            value.
          </li>
          <li>
            For dates, you can compute a date a certain number of days or
            weeks before or after now. "<code>now-3d</code>" is 3 days ago,
            and "<code>now+2w</code>" is 2 weeks from now.
          </li>
          <li>
            For milestones, you can compute a milestone relative to the
            current stable version of Chrome.
            "<code>current_stable+1</code>" is 1 version after the current
            stable version.
          </li>
        </ul>
      </li>
    </ul>
  </li>
</ul>

  <p>
    You may negate any search term by prefixing it with a minus sign.
    Search terms are implicitly joined together by a logical-AND. However,
    you may type the keyword <code>OR</code> between terms as a logical-OR
    operator. We do not support parenthesis in queries.
  </p>
</section>
  `}renderFieldRow(queryField){if(queryField.choices){const
choiceItems=Object.values(queryField.choices).map(c=>x$1` <div>${queryField.name}: "${c[1]}"</div>
`);return x$1`
  <tr>
    <td>
      <code>${choiceItems}</code>
    </td>
    <td>${queryField.doc}</td>
  </tr>
  `}return x$1`
  <tr>
    <td>
      <code>${queryField.name}:<i>${queryField.kind}</i></code>
    </td>
    <td>${queryField.doc}</td>
  </tr>
  `}renderFieldList(){return x$1`
  <h3>Available search fields</h3>
  <section>
    <table class="data-table">
```

```

    ${QUERIBLE_FIELDS.map(qf=>this.renderFieldRow(qf))}
  </table>
</section>
` }renderDialogContent(){return x$1`
  <div id="dialog-content">
    ${this.renderCommonSearchExamples()} ${this.renderSearchSyntax()}
    ${this.renderFieldList()}
  </div>
` }render(){return x$1`
  <sl-dialog
    class="missing-prereqs"
    label="Feature Search Help"
    style="--width:fit-content"
  >
    ${this.renderDialogContent()}
  </sl-dialog>
` }};ChromedashSearchHelpDialog=__decorate$16([t$3("chromedash-search-help-dialog"),ChromedashSearchHelpDialog]);var __decorate$15=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return 3<c&&r&&Object.defineProperty(target,key,r),r};function convertQueryableFieldToVocabularyItems(qf){if(qf.choices===void 0)return[{group:qf.name,name:qf.name+":",doc:qf.doc}];const result=[];for(const ch in qf.choices){const label=qf.choices[ch][1];result.push({group:qf.name,name:qf.name+":\\""+label+"\\",doc:qf.doc})}return result}const VOCABULARY=QUERIBLE_FIELDS.map(convertQueryableFieldToVocabularyItems).flat();let ChromedashFeatureFilter=class ChromedashFeatureFilter extends i$4{constructor(...arguments){super(...arguments),this.typeaheadRef=e$1(),this.query="",this.handleDocumentKeyUp=e=>{const inInputContext=e.composedPath().some(el=>["INPUT","TEXTAREA","SL-POPUP","SL-DIALOG"].includes(el.tagName));"/"!==e.key||inInputContext||(e.preventDefault(),e.stopPropagation(),(this.typeaheadRef?.value).focus()))}_fireEvent(eventName,detail){const event=new CustomEvent(eventName,{bubbles:!0,composed:!0,detail});this.dispatchEvent(event)}connectedCallback(){super.connectedCallback(),document.addEventListener("keyup",this.handleDocumentKeyUp)}disconnectedCallback(){super.disconnectedCallback(),document.removeEventListener("keyup",this.handleDocumentKeyUp)}handleSearchClick(){const typeahead=this.typeaheadRef.value;if(typeahead){typeahead.hide();const newQuery=typeahead.value.trim();this._fireEvent("search",{query:newQuery})}}static get styles(){return[...SHARED_STYLES,i$7`
    sl-icon-button {
      font-size: 1.6rem;
      margin: 0 !important;
    }
  `]}showHelp(event){event.stopPropagation();const typeahead=this.typeaheadRef.value;typeahead&&(typeahead.hide(),openSearchHelpDialog())}render(){return x$1`
  <chromedash-typeahead
    ${n$2(this.typeaheadRef)}
    value=${this.query}
    placeholder="Search"
    .vocabulary=${VOCABULARY}
    @sl-change=${this.handleSearchClick}
  >
    <sl-icon-button
      library="material"
      name="search"
      slot="prefix"
      @click=${this.handleSearchClick}
    >
  </sl-icon-button>
  <sl-icon-button
    library="material"
    name="help_20px"
    slot="suffix"
    @click=${this.showHelp}
  >
  </sl-icon-button>
</chromedash-typeahead>
` }};__decorate$15([n$5({type:String})],ChromedashFeatureFilter.prototype,"query",void 0),ChromedashFeatureFilter=__decorate$15([t$3("chromedash-feature-filter"),ChromedashFeatureFilter]);function*o$1(o,t,e=1){const i=void 0===t?0:o;t??=o;for(let o=i;0<e?o<t:t<o;o+=e)yield o}function*o(o,f){if(void 0!==o){let i=0;for(const t of o)yield f(t,i++)}}var __decorate$14=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return 3<c&&r&&Object.defineProperty(target,key,r),r};let ChromedashFeaturePagination=class ChromedashFeaturePagination extends i$4{constructor(...arguments){super(...arguments),this.totalCount=0,this.start=0,this.pageSize=100}static get styles(){return[SHARED_STYLES,i$7`
    .active {
      background: var(--light-grey);
    }
    .stepper {
      width: 7em;
    }
    .pagination {

```

```

padding: var(--content-padding-half) 0;
min-height: 50px;
}
.pagination span {
  color: var(--unimportant-text-color);
  margin-right: var(--content-padding);
}
sl-button::part(base):hover {
  background: var(--sl-color-blue-100);
}
.pagination sl-icon-button {
  font-size: 1.6rem;
}
.pagination sl-icon-button::part(base) {
  padding: 0;
}
#items-per-page {
  align-self: center;
  color: var(--unimportant-text-color);
  font-size: var(--sl-input-font-size-small);
}
sl-select {
  align-self: center;
  display: inline-block;
  margin: 0 var(--content-padding-quarter) 0 var(--content-padding);
  width: 7em;
}
`}}renderPageButtons(){var _Mathceil=Math.ceil,_Mathfloor=Math.floor;if(void
0===this.totalCount||0===this.totalCount)return x$1`;const
currentPage=_Mathfloor(this.start/this.pageSize),numPages=_Mathceil(this.totalCount/this.pageSize);let
missingFront=!1,missingBack=!1,hasLastPage=1<numPages,displayPages=[];const displaySet=new
Set;for(const digit of o$1(numPages))if(0!==digit&&digit!==numPages-1){if(10>=numPages)
{displaySet.add(digit);continue}if(digit<currentPage-4)
{missingFront=!0;continue}if(digit>currentPage+4){missingBack=!0;continue}displaySet.add(digit)}return
displayPages=Array.from(displaySet),x$1`
<sl-button
  variant="text"
  id="jump_1"
  class="page-button ${0===currentPage?"active":""}"
  href=${formatUrlForOffset(0)}
>
  ${1}
</sl-button>
${missingFront?x$1`<div>...</div>`:E$1}
${o(displayPages,i=>x$1`
  <sl-button
    variant="text"
    id="jump_${i+1}"
    class="page-button ${i===currentPage?"active":""}"
    href=${formatUrlForOffset(i*this.pageSize)}
  >
    ${i+1}
  </sl-button>
`)}
${missingBack?x$1`<div>...</div>`:E$1}
${hasLastPage?x$1`<sl-button
  variant="text"
  id="jump_${numPages}"
  class="page-button ${numPages-1===currentPage?"active":""}"
  href=${formatUrlForOffset((numPages-1)*this.pageSize)}
>
  ${numPages}
</sl-button>`:E$1
`}}setItemPerPage(event){const
target=event.target,newSize=parseInt(target.value),newURL=formatURLParams("num",newSize).toString();win
dow.location.href=newURL}renderItemsPerPage(){const options=[25,50,100];return
options.includes(this.pageSize)|| (options.push(this.pageSize),options.sort((a,b)=>a-b)),x$1`
<sl-select
  value="${this.pageSize}"
  size="small"
  @sl-change=${this.setItemPerPage}
>
  ${options.map(opt=>x$1`
    <sl-option id="opt_${opt}" value=${opt}>${opt}</sl-option>
  `)}
</sl-select>
<span id="items-per-page"> items per page </span>
`}render(){if(this.totalCount===void 0||0===this.totalCount)return x$1`;const
prevUrl=formatUrlForRelativeOffset(this.start,-
this.pageSize,this.pageSize,this.totalCount),nextUrl=formatUrlForRelativeOffset(this.start,this.pageSiz
e,this.pageSize,this.totalCount);return x$1`
<div id="main" class="pagination hbox haligh-items-space-between">
  <div class="spacer"></div>
  <sl-button
    variant="text"
    id="previous"

```

```
class="stepper"
href=${o$6(prevUrl)}
?disabled=${prevUrl===void 0}
>Previous</sl-button
>

${this.renderPageButtons()}

<sl-button
variant="text"
id="next"
class="stepper"
href=${o$6(nextUrl)}
?disabled=${nextUrl===void 0}
>Next</sl-button
>

${this.renderItemsPerPage()}

<div class="spacer"></div>
</div>
`}};__decorate$14([n$5({type:Number})],ChromedashFeaturePagination.prototype,"totalCount",void
0),__decorate$14([n$5({type:Number})],ChromedashFeaturePagination.prototype,"start",void
0),__decorate$14([n$5({type:Number})],ChromedashFeaturePagination.prototype,"pageSize",void
0),ChromedashFeaturePagination=__decorate$14([t$3("chromedash-feature-
pagination")],ChromedashFeaturePagination);var __decorate$13=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};let ChromedashFeatureRow=class ChromedashFeatureRow
extends i$4{constructor(){super(...arguments),this.columns=void
0,this.canEdit=!1,this.signedIn=!1,this.starredFeatures=new Set,this.gates=
{}},this.selectedGateId=0}static get styles(){return[...SHARED_STYLES,i$7`
:host {
display: table-row;
background: var(--table-row-background);
}
td {
padding: var(--content-padding-half);
border-bottom: var(--table-divider);
}
td.name_col {
width: 100%;
}
td.icon_col {
white-space: nowrap;
vertical-align: top;
}
td.icon_col a {
padding: 2px 4px;
}
td.icon_col a:hover {
text-decoration: none;
}
.quick_actions {
white-space: nowrap;
float: right;
}
.highlights {
padding-left: var(--content-padding);
}
.highlights div {
color: var(--unimportant-text-color);
padding: var(--content-padding-quarter);
}
sl-icon-button {
font-size: 1.3rem;
}
sl-icon-button::part(base) {
color: var(--link-color);
}
`]]_fireEvent(eventName,detail){const event=new CustomEvent(eventName,
{bubbles:!0,composed:!0,detail});this.dispatchEvent(event)}toggleStar(e)
{e.preventDefault(),e.stopPropagation();const
iconEl=e.target,featureId=+iconEl.dataset.featureId,newStarred=!this.starredFeatures.has(featureId);thi
s._fireEvent("star-toggle-event",{featureId:featureId,doStar:newStarred})}renderStarIcon(feature)
{return x$1`
<sl-icon-button
@click=${this.toggleStar}
title="Receive an email notification when there are updates"
library="material"
name=${this.starredFeatures.has(+feature.id)?"star":"star_border"}"
data-feature-id=${feature.id}"
></sl-icon-button>
`}renderIcons(feature){return this.signedIn?x$1` ${this.renderStarIcon(feature)}
```

```
`:E$1}renderQuickActions(feature){if("approvals"==this.columns){const threadLinks=feature?[]:[];return
x$1` <span class="quick_actions"> ${threadLinks} </span> `}return E$1}isActiveGate(gate){return
GATE_ACTIVE_REVIEW_STATES.includes(gate.state)}getActiveStages(feature){const
featureGates=this.gates[feature.id]||
[],activeGates=featureGates.filter(g=>this.isActiveGate(g)),activeStageIds=new
Set(activeGates.map(g=>g.stage_id)),activeStagesAndTheirGates=[];for(const stage of feature.stages)
{activeStageIds.has(stage.id)&&activeStagesAndTheirGates.push({stage:stage,gates:featureGates.filter(g=
>g.stage_id==stage.id)});for(const extension of stage.extensions||
[])activeStageIds.has(extension.id)&&activeStagesAndTheirGates.push({stage:extension,gates:featureGates
.filter(g=>g.stage_id==extension.id)}}}return activeStagesAndTheirGates}getStageShortName(stage){return
STAGE_SHORT_NAMES[stage.stage_type]?`${STAGE_SHORT_NAMES[stage.stage_type]}:
`:E$1}renderActiveStageAndGates(stageAndGates){const sortedGates=stageAndGates.gates;return
sortedGates.sort((g1,g2)=>GATE_TEAM_ORDER.indexOf(g1.team_name)-
GATE_TEAM_ORDER.indexOf(g2.team_name)),x$1`
<div>
  ${this.getStageShortName(stageAndGates.stage)}
  ${sortedGates.map(gate=>x$1`
    <chromedash-gate-chip
      .feature=${this.feature}
      .stage=${stageAndGates.stage}
      .gate=${gate}
      selectedGateId=${this.selectedGateId}
    ></chromedash-gate-chip>
  `)}
</div>
`}renderHighlights(feature){if("approvals"==this.columns){const
activeStages=this.getActiveStages(feature);return x$1`
  <div class="highlights">
    ${0<activeStages.length?x$1`
      <div>
        ${activeStages.map(stageAndGates=>this.renderActiveStageAndGates(stageAndGates))}
      </div>
    `:E$1}
    ${this.renderQuickActions(feature)}
  </div>
  `}return E$1}render(){const feature=this.feature;return x$1`
<td class="name_col">
  <a href="/feature/${feature.id}">${feature.name}</a>
  ${this.renderHighlights(feature)}
</td>
<td class="icon_col">${this.renderIcons(feature)}</td>
`}};__decorate$13([n$5({attribute:!1})],ChromedashFeatureRow.prototype,"feature",void
0),__decorate$13([n$5({type:String})],ChromedashFeatureRow.prototype,"columns",void
0),__decorate$13([n$5({type:Boolean})],ChromedashFeatureRow.prototype,"canEdit",void
0),__decorate$13([n$5({type:Boolean})],ChromedashFeatureRow.prototype,"signedIn",void
0),__decorate$13([n$5({attribute:!1})],ChromedashFeatureRow.prototype,"starredFeatures",void
0),__decorate$13([n$5({attribute:!1})],ChromedashFeatureRow.prototype,"gates",void
0),__decorate$13([n$5({type:Number})],ChromedashFeatureRow.prototype,"selectedGateId",void
0),ChromedashFeatureRow=__decorate$13([t$3("chromedash-feature-row")],ChromedashFeatureRow);var
__decorate$12=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"==typeof Reflect&&"function"==typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r,r);let ChromedashFeatureTable=class ChromedashFeatureTable
extends i$4{constructor(){super(...arguments),this.loading=!0,this.reloading=!1,this.features=
[],this.totalCount=0,this.start=0,this.query="",this.showEnterprise=!1,this.sortSpec="",this.showQuery=
!1,this.starredFeatures=new Set,this.num=100,this.alwaysOfferPagination=!1,this.noResultsMessage="No
results",this.noPaginatedResultsMessage="No results on this pagination
page",this.canEdit=!1,this.gates={},this.selectedGateId=0,this.nameOnly=!1}connectedCallback()
{super.connectedCallback(),this.fetchFeatures(!0)}fetchFeatures(isInitialLoad=!1)
{this.loading=isInitialLoad,this.reloading=!isInitialLoad>window.csClient.searchFeatures(this.query,thi
s.showEnterprise,this.sortSpec,this.start,this.num,this.nameOnly).then(resp=>
{this.features=resp.features,this.totalCount=resp.total_count,this.loading=!1,this.reloading=!1}).catch
((()=>{showToastMessage("Some errors occurred. Please refresh the page or try again
later.")}),"approvals"==this.columns&&this.loadGateData())refetch(){this.fetchFeatures()}loadGateData()
{window.csClient.getPendingGates().then(res=>{const gatesByFID={};for(const g of
res.gates)gatesByFID.hasOwnProperty(g.feature_id)||(gatesByFID[g.feature_id]=
[],gatesByFID[g.feature_id].push(g);this.gates=gatesByFID)}.catch((()=>{showToastMessage("Some errors
occurred. Please refresh the page or try again later.")})).updated(changedProperties){"starred-
by:me"==this.query&&!this.loading&&changedProperties.has("starredFeatures")&&this.fetchFeatures()}handl
eSearch(event){this.loading=!0,this.query=event.detail.query,this.start=0,this.fetchFeatures()}static
get styles(){return[...SHARED_STYLES,i$7`
  .status-and-count {
    padding: var(--content-padding-half) 0;
    min-height: 50px;
  }
  .status-and-count span {
    color: var(--unimportant-text-color);
    margin-right: var(--content-padding);
  }
  .status-and-count sl-icon-button {
    font-size: 1.6rem;
  }
  .status-and-count sl-icon-button::part(base) {
    padding: 0;
  }
`]}
```



```

    table {
      width: 100%;
    }
    .skel td {
      background: white;
      padding: 14px;
      border-bottom: var(--table-divider);
    }
    sl-skeleton {
      height: 24px;
    }
    .message {
      padding: var(--content-padding);
    }
  }
}renderMessages(){return this.loading?x$1`
  <tr class="skel">
    <td>
      <sl-skeleton effect="sheen" style="width: 50%"></sl-skeleton>
    </td>
  </tr>
  <tr class="skel">
    <td>
      <sl-skeleton effect="sheen" style="width: 65%"></sl-skeleton>
    </td>
  </tr>
  <tr class="skel">
    <td>
      <sl-skeleton effect="sheen" style="width: 40%"></sl-skeleton>
    </td>
  </tr>
  <tr class="skel">
    <td>
      <sl-skeleton effect="sheen" style="width: 50%"></sl-skeleton>
    </td>
  </tr>
  `:0==this.totalCount?x$1`
  <tr>
    <td class="message">${this.noResultsMessage}</td>
  </tr>
  `:!!(0==this.features.length&&0<this.start)&&x$1`
  <tr>
    <td class="message">${this.noPaginatedResultsMessage}</td>
  </tr>
  `}renderSearch(){return this.showQuery?x$1`
  <chromedash-feature-filter
    .query=${this.query}
    @search=${this.handleSearch}"
  ></chromedash-feature-filter>
  `:E$1}renderLoadingStatusAndCount(){const
firstShown=this.start+1,lastShown=this.start+this.features.length,prevUrl=formatUrlForRelativeOffset(th
is.start,-
this.num,this.num,this.totalCount),nextUrl=formatUrlForRelativeOffset(this.start,this.num,this.num,this
.totalCount);if(this.alwaysOfferPagination){if(this.loading)return x$1` <div class="status-and-count">
  <sl-skeleton effect="sheen" style="float: right; width: 12em">
  </sl-skeleton>
  </div>`; }else if(this.loading||1==firstShown&&lastShown==this.totalCount)return E$1;return
0===this.features.length?E$1:x$1`
  <div class="status-and-count hbox">
    <span>${this.reloading?"Reloading...":E$1}</span>
    <div class="spacer"></div>
    <span>${firstShown} - ${lastShown} of ${this.totalCount}</span>
    <sl-icon-button
      library="material"
      name="navigate_before"
      title="Previous page"
      href=${o$6(prevUrl)}
      ?disabled=${void 0===prevUrl}
    ></sl-icon-button>
    <sl-icon-button
      library="material"
      name="navigate_next"
      title="Next page"
      href=${o$6(nextUrl)}
      ?disabled=${void 0===nextUrl}
    ></sl-icon-button>
  </div>
  `}renderPagination(features){const
firstShown=this.start+1,lastShown=this.start+features.length;if(this.alwaysOfferPagination)
{if(this.loading)return x$1` <div class="pagination">
  <sl-skeleton effect="sheen" style="float: right; width: 12em">
  </sl-skeleton>
  </div>`; }else if(this.loading||1==firstShown&&lastShown==this.totalCount)return E$1;return
0===features.length?E$1:x$1`
  <chromedash-feature-pagination
    pageSize=${this.num}
    start=${this.start}

```

```

    totalCount=${this.totalCount}
  >
</chromedash-feature-pagination>
`}renderFeature(feature){return x$1`
<chromedash-feature-row
  .feature=${feature}
  columns=${this.columns}
  ?signedIn=${this.signedIn}
  ?canEdit=${this.canEdit}
  .starredFeatures=${this.starredFeatures}
  .gates=${this.gates}
  selectedGateId=${this.selectedGateId}
></chromedash-feature-row>
`}render(){return x$1`
  ${this.renderSearch()} ${this.renderLoadingStatusAndCount()}
  <table>
    ${this.renderMessages()||this.features.map(feature=>this.renderFeature(feature))}
  </table>
  ${this.renderPagination(this.features)}
`}};__decorate$12([r$6()],ChromedashFeatureTable.prototype,"loading",void
0),__decorate$12([r$6()],ChromedashFeatureTable.prototype,"reloading",void
0),__decorate$12([r$6()],ChromedashFeatureTable.prototype,"features",void
0),__decorate$12([r$6()],ChromedashFeatureTable.prototype,"totalCount",void
0),__decorate$12([n$5({type:Number,attribute:!1})],ChromedashFeatureTable.prototype,"start",void
0),__decorate$12([n$5({type:String})],ChromedashFeatureTable.prototype,"query",void
0),__decorate$12([n$5({type:Boolean})],ChromedashFeatureTable.prototype,"showEnterprise",void
0),__decorate$12([n$5({type:String,attribute:!1})],ChromedashFeatureTable.prototype,"sortSpec",void
0),__decorate$12([n$5({type:Boolean})],ChromedashFeatureTable.prototype,"showQuery",void
0),__decorate$12([n$5({type:Object,attribute:!1})],ChromedashFeatureTable.prototype,"starredFeatures",v
oid 0),__decorate$12([n$5({type:Number,attribute:!1})],ChromedashFeatureTable.prototype,"num",void
0),__decorate$12([n$5({type:Boolean})],ChromedashFeatureTable.prototype,"alwaysOfferPagination",void
0),__decorate$12([n$5({type:String})],ChromedashFeatureTable.prototype,"noResultsMessage",void
0),__decorate$12([n$5({type:String})],ChromedashFeatureTable.prototype,"noPaginatedResultsMessage",void
0),__decorate$12([n$5({type:Boolean})],ChromedashFeatureTable.prototype,"canEdit",void
0),__decorate$12([n$5({type:Object})],ChromedashFeatureTable.prototype,"gates",void
0),__decorate$12([n$5({type:Number})],ChromedashFeatureTable.prototype,"selectedGateId",void
0),__decorate$12([n$5({type:String})],ChromedashFeatureTable.prototype,"columns",void
0),__decorate$12([n$5({type:Boolean})],ChromedashFeatureTable.prototype,"signedIn",void
0),__decorate$12([n$5({type:Boolean})],ChromedashFeatureTable.prototype,"nameOnly",void
0),ChromedashFeatureTable=__decorate$12([t$3("chromedash-feature-table")],ChromedashFeatureTable);var
__decorate$11=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r,r);let ChromedashAllFeaturesPage=class
ChromedashAllFeaturesPage extends i$4{constructor()
{super(...arguments),this.title="Features",this.showQuery=!0,this.selectedGateId=0,this.rawQuery=
{ },this.query="",this.columns="normal",this.showEnterprise=!1,this.sortSpec="",this.start=0,this.num=10
0,this.starredFeatures=new Set,this.isNewFeaturesPage=!1,this.nameOnly=!1}static get styles()
{return[SHARED_STYLES,i$7`
  #content-title {
    padding-top: var(--content-padding);
  }
`}}connectedCallback()
{super.connectedCallback(),this.initializeParams(),this.fetchData()}initializeParams(){var
_NumberisNaN=Number.isNaN;this.rawQuery&&(null!=this.rawQuery.q&&
(this.query=this.rawQuery.q),null!=this.rawQuery.columns&&
(this.columns=this.rawQuery.columns),null!=this.rawQuery.enterprise&&
(this.showEnterprise=!0),null!=this.rawQuery.sort&&
(this.sortSpec=this.rawQuery.sort),null!=this.rawQuery.start&&!_NumberisNaN(parseInt(this.rawQuery.star
t))&&
(this.start=parseInt(this.rawQuery.start)),null!=this.rawQuery.num&&!_NumberisNaN(parseInt(this.rawQuery
y.num))&&
(this.num=parseInt(this.rawQuery.num),this.num=Math.max(1,Math.min(this.num,1e3))),this.isNewFeaturesPa
ge&&(this.nameOnly=!0)}fetchData(){window.csClient.getStars().then(starredFeatures=>
{this.starredFeatures=new Set(starredFeatures)}).catch(()=>{showToastMessage("Some errors occurred.
Please refresh the page or try again later.")}})refetch(){const
tables=this.chromedashFeatureTables;for(const table of tables)table.refetch()}handleStarToggle(e){const
newStarredFeatures=new
Set(this.starredFeatures);window.csClient.setStar(e.detail.featureId,e.detail.doStar).then(()=>
{e.detail.doStar?
newStarredFeatures.add(e.detail.featureId):newStarredFeatures.delete(e.detail.featureId),this.starredFe
atures=newStarredFeatures}).catch(()=>{alert("Unable to star the Feature. Please Try
Again.")}})}renderFeatureList(){return x$1`
<chromedash-feature-table
  .query=${this.query}
  ?showEnterprise=${this.showEnterprise}
  .sortSpec=${this.sortSpec}
  .start=${this.start}
  .num=${this.num}
  .nameOnly=${this.nameOnly}
  ?showQuery=${this.showQuery}
  ?signedIn=${!!this.user}
  ?canEdit=${this.user&&this.user.can_edit_all}
  .starredFeatures=${this.starredFeatures}
  @star-toggle-event=${this.handleStarToggle}

```

```

    selectedGateId=${this.selectedGateId}
    alwaysOfferPagination
    columns=${this.columns}
  >
</chromedash-feature-table>
`}}render(){const adminNotice=this.user?.is_admin&&"approvals"===this.columns?x$1`<p>
  You see all pending approvals because you're a site admin.
</p>`:E$1;return x$1`
<div id="content-title">
  <h2>${this.title}</h2>
</div>
  ${adminNotice} ${this.renderFeatureList()}
  `}};__decorate$11([n$5({type:String})],ChromedashAllFeaturesPage.prototype,"title",void
0),__decorate$11([n$5({type:Boolean})],ChromedashAllFeaturesPage.prototype,"showQuery",void
0),__decorate$11([n$5({type:Object})],ChromedashAllFeaturesPage.prototype,"user",void
0),__decorate$11([n$5({type:Number})],ChromedashAllFeaturesPage.prototype,"selectedGateId",void
0),__decorate$11([n$5({type:Object})],ChromedashAllFeaturesPage.prototype,"rawQuery",void
0),__decorate$11([r$6()],ChromedashAllFeaturesPage.prototype,"query",void
0),__decorate$11([r$6()],ChromedashAllFeaturesPage.prototype,"columns",void
0),__decorate$11([r$6()],ChromedashAllFeaturesPage.prototype,"showEnterprise",void
0),__decorate$11([r$6()],ChromedashAllFeaturesPage.prototype,"sortSpec",void
0),__decorate$11([r$6()],ChromedashAllFeaturesPage.prototype,"start",void
0),__decorate$11([r$6()],ChromedashAllFeaturesPage.prototype,"num",void
0),__decorate$11([r$6()],ChromedashAllFeaturesPage.prototype,"starredFeatures",void
0),__decorate$11([r$6()],ChromedashAllFeaturesPage.prototype,"isNewFeaturesPage",void
0),__decorate$11([r$6()],ChromedashAllFeaturesPage.prototype,"nameOnly",void
0),__decorate$11([r$5("chromedash-feature-
table")],ChromedashAllFeaturesPage.prototype,"chromedashFeatureTables",void
0),ChromedashAllFeaturesPage=__decorate$11([t$3("chromedash-all-features-
page")],ChromedashAllFeaturesPage);var __decorate$10=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};class ChromedashAmendment extends i$4{constructor()
{super(...arguments),this.user=null,this.featureId=0,this.activity=null,this.narrow=!1}static get
styles(){return[...SHARED_STYLES,i$7`
  details {
    color: var(--unimportant-text-color);
  }
`}}render(){return x$1`
<details>
  <summary>
    <b>${this.amendment.field_name}</b>:
    <span id="preview">${this.amendment.new_value}</span>
  </summary>

  <div>
    <b>Old</b>:
    <div>${this.amendment.old_value}</div>
  </div>

  <div>
    <b>New</b>:
    <div>${this.amendment.new_value}</div>
  </div>
</details>
  `}}__decorate$10([n$5({type:Object})],ChromedashAmendment.prototype,"amendment",void
0),customElements.define("chromedash-amendment",ChromedashAmendment);class ChromedashActivity extends
i$4{constructor()
{super(...arguments),this.user=null,this.featureId=0,this.activity=null,this.narrow=!1}static get
styles(){return[...SHARED_STYLES,i$7`
  .comment_header {
    min-height: 24px;
  }

  .comment_header.narrow .author {
    font-weight: 500;
  }
  .comment_header.narrow .preposition {
    display: none;
  }
  .comment_header.narrow .date {
    display: block;
    padding-bottom: var(--content-padding);
  }

  .comment {
    background: var(--accordion-background);
    border-radius: var(--large-border-radius);
    padding: var(--content-padding-half);
    margin-bottom: var(--content-padding);
    margin-right: var(--content-padding);
  }

  .comment-menu-icon {
```

```

float: right;
margin-right: 8px;
cursor: pointer;
}

.comment_body {
padding: var(--content-padding-half);
white-space: pre-wrap;
}

p {
padding: 1em;
}

`}}isEditable(){return!!this.user&&(this.activity.deleted_by?
this.user.is_admin||this.activity.deleted_by===this.user.email:this.user.email===this.activity.author||
this.user.is_admin)}renderDeletedPreface(){return this.isEditable()&&this.activity.deleted_by?x$1`<div
style="color: darkred">
[Deleted] (comment hidden for other users)
</div>`:E$1}formatEditMenu(){if(!this.isEditable())return E$1;let menuItem=x$1` <sl-menu-item
@click="$${()=>this.handleDelete(!0)}"
>Delete Comment</sl-menu-item
>`;return this.activity.deleted_by&&(menuItem=x$1` <sl-menu-item
@click="$${()=>this.handleDelete(!0)}"
>Undelete Comment</sl-menu-item
>`),x$1` <sl-dropdown class="comment-menu-icon">
<sl-icon-button
library="material"
name="more_vert_24px"
label="Comment menu"
slot="trigger"
></sl-icon-button>
<sl-menu>${menuItem}</sl-menu>
</sl-dropdown>`}render(){if(!this.activity)return E$1;const
preface=this.renderDeletedPreface();return x$1`
<div class="comment">
<div class="comment_header ${this.narrow?"narrow":""}">
${this.formatEditMenu()}
<span class="author">${this.activity.author}</span>
<span class="preposition">on</span>
<span class="date">
${renderAbsoluteDate(this.activity.created,!0)}
${renderRelativeDate(this.activity.created)}
</span>
</div>
<div id="amendments">
${this.activity.amendments.map(a=>x$1`
<chromedash-amendment .amendment=${a}></chromedash-amendment>
`)}
</div>
<!-- prettier-ignore -->
<div class="comment_body">${preface}${autolink(this.activity.content)}</div>
</div>
`}async handleDelete(isUndelete){let resp;resp=isUndelete?await
window.csClient.undeleteComment(this.featureId,this.activity.comment_id):await
window.csClient.deleteComment(this.featureId,this.activity.comment_id),resp&&"Done"===resp.message&&
(this.activity.deleted_by=isUndelete?
null:this.user.email,this.requestUpdate())}}__decorate$10([n$5({type:Object})],ChromedashActivity.prototype,"user",void 0),__decorate$10([n$5({type:Number})],ChromedashActivity.prototype,"featureId",void 0),__decorate$10([n$5({type:Object})],ChromedashActivity.prototype,"activity",void 0),__decorate$10([n$5({type:Boolean})],ChromedashActivity.prototype,"narrow",void 0),customElements.define("chromedash-activity",ChromedashActivity);class ChromedashActivityLog extends i$4{constructor(){super(...arguments),this.user=null,this.featureId=0,this.comments=[],this.narrow=!1,this.reverse=!1,this.loading=!1}static get styles(){return[...SHARED_STYLES,i$7`
p {
padding: var(--content-padding);
}
`}}render(){if(this.loading)return x$1`<p>Loading...</p>`;if(void 0===this.comments||0===this.comments.length)return x$1`<p>No comments yet.</p>`;const
orderedComments=this.reverse?this.comments.slice(0).reverse():this.comments;return
orderedComments.map(activity=>x$1`
<chromedash-activity
.user=${this.user}
.featureId=${this.featureId}
.narrow=${this.narrow}
.activity=${activity}
>
</chromedash-activity>
`)}}__decorate$10([n$5({type:Object})],ChromedashActivityLog.prototype,"user",void 0),__decorate$10([n$5({type:Number})],ChromedashActivityLog.prototype,"featureId",void 0),__decorate$10([n$5({type:Array})],ChromedashActivityLog.prototype,"comments",void 0),__decorate$10([n$5({type:Boolean})],ChromedashActivityLog.prototype,"narrow",void 0),__decorate$10([r$6()],ChromedashActivityLog.prototype,"reverse",void 0),__decorate$10([r$6()],ChromedashActivityLog.prototype,"loading",void 0),customElements.define("chromedash-activity-log",ChromedashActivityLog);var
__decorate$$=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof

```

```
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r);let ChromedashActivityPage=class ChromedashActivityPage
extends i$4{constructor(){super(...arguments),this.commentAreaRef=e$1(),this.featureId=0,this.comments=
[],this.loading=!0,this.needsPost=!1,this.contextLink=""}}static get styles()
{return[...SHARED_STYLES,i$7`
  .instructions {
    padding: var(--content-padding-half);
    margin-bottom: var(--content-padding-large);
    margin-left: 10px;
  }

  #comment_area {
    margin: 0 var(--content-padding);
  }
  #header {
    margin-bottom: 10px;
    margin-left: 15px;
  }
  #controls {
    padding: var(--content-padding);
    text-align: right;
    display: flex;
    justify-content: space-between;
    align-items: center;
  }
  #controls * + * {
    padding-left: var(--content-padding);
  }
`]]connectedCallback(){super.connectedCallback(),this.fetchComments()}fetchComments()
{this.loading=!0,Promise.all([window.csClient.getComments(this.featureId,null)]).then(([commentRes])=>
{this.comments=commentRes.comments,this.needsPost=!1,this.loading=!1}).catch(()=>
{showToastMessage("Some errors occurred. Please refresh the page or try again
later.")})}reloadComments(){const
commentArea=this.commentAreaRef.value;commentArea.value="",this.needsPost=!1,Promise.all([window.csClie
nt.getComments(this.featureId,null)]).then(([commentRes])=>
{this.comments=commentRes.comments}).catch(()=>{showToastMessage("Some errors occurred. Please refresh
the page or try again later.")})}checkNeedsPost(){let newNeedsPost=!1;const
commentArea=this.commentAreaRef.value,newVal=commentArea.value.trim()||"";""!=newVal&&
(newNeedsPost=!0),this.needsPost=newNeedsPost}handlePost(){const
commentArea=this.commentAreaRef.value,commentText=commentArea.value.trim();""!=commentText&&window.csCl
ient.postComment(this.featureId,null,commentText,0).then(()=>{this.reloadComments()}).catch(()=>
{showToastMessage("Some errors occurred. Please refresh the page or try again
later.")})}renderCommentsSkeleton(){return x$1`
  <h2>Comments</h2>
  <sl-skeleton effect="sheen"></sl-skeleton>
`}renderControls(){if(!this.user||!this.user.can_comment)return E$1;const postButton=x$1`
  <sl-button
    variant="primary"
    @click=${this.handlePost}
    ?disabled=${!this.needsPost}
    size="small"
  >Post</sl-button
  >
`;return x$1`
  <sl-textarea
    id="comment_area"
    rows="2"
    cols="40"
    resize="auto"
    ${n$2(this.commentAreaRef)}
    @sl-change=${this.checkNeedsPost}
    @keypress=${this.checkNeedsPost}
    placeholder="Add a comment"
  ></sl-textarea>
  <div class="instructions">
    Comments will be visible publicly. Only reviewers will be notified when
    a comment is posted.
  </div>
  <div id="controls">${postButton}</div>
`}renderComments(){return x$1`
  <div id="header">
    <h2 id="breadcrumbs">
      <a href="/feature/${this.featureId}">
        <sl-icon name="arrow-left"></sl-icon>
        Comments & Activity
      </a>
    </h2>
  </div>
  ${this.renderControls()}
  <chromedash-activity-log
    .user=${this.user}
    .featureId=${this.featureId}
    .narrow=${!0}
    .reverse=${!0}
    .comments=${this.comments}
```

```
</chromedash-activity-log>
` }render(){return x$1`
    ${this.loading?this.renderCommentsSkeleton():this.renderComments()}
  `}};__decorate$$([n$5({type:Object})],ChromedashActivityPage.prototype,"user",void
0),__decorate$$([n$5({type:Number})],ChromedashActivityPage.prototype,"featureId",void
0),__decorate$$([n$5({type:Array})],ChromedashActivityPage.prototype,"comments",void
0),__decorate$$([r$6()],ChromedashActivityPage.prototype,"loading",void
0),__decorate$$([n$5({type:Boolean})],ChromedashActivityPage.prototype,"needsPost",void
0),__decorate$$([n$5({type:String})],ChromedashActivityPage.prototype,"contextLink",void
0),ChromedashActivityPage=__decorate$$([t$3("chromedash-activity-page")],ChromedashActivityPage);var
isArray=Array.isArray||function(arr){return"[object
Array]"==Object.prototype.toString.call(arr)},pathToRegexp_1=pathToRegexp,parse_1=parse$1,compile_1=com
pile,tokensToFunction_1=tokensToFunction,tokensToRegExp_1=tokensToRegExp,PATH_REGEXP=new RegExp("
(\\|\\.)([\\|\\.])?(?:\\:\\:\\(\\w+)?(?:\\:\\:\\((?:\\|\\.|[^( )]+)\\))?)?|\\:\\:\\((?:\\|\\.|[^( )]+)\\)))([+*]?)?|
(\\*)","g");function parse$1(str){for(var tokens=[],key=0,index=0,path="",res=null!=
(res=PATH_REGEXP.exec(str)));{var
m=res[0],escaped=res[1],offset=res.index;if(path+=str.slice(index,offset),index=offset+m.length,escaped
){path+=escaped[1];continue}path&&(tokens.push(path),path="");var
prefix=res[2],name=res[3],capture=res[4],group=res[5],suffix=res[6],asterisk=res[7],repeat="+""===suffix
||""===suffix,optional="?"===suffix||""===suffix,delimiter=prefix||"/",pattern=capture||group||
(asterisk?".*":
["^"+delimiter+""]+)}tokens.push({name:name||key++,prefix:prefix||"",delimiter:delimiter,optional:optio
nal,repeat:repeat,pattern:escapeGroup(pattern)})}return index<str.length&&
(path+=str.substr(index)),path&&tokens.push(path),tokens}function compile(str){return
tokensToFunction(parse$1(str))}function tokensToFunction(tokens){for(var
matches=Array(tokens.length),i=0;i<tokens.length;i++)"object"==typeof tokens[i]&&(matches[i]=new
RegExp("^"+tokens[i].pattern+"$"));return function(obj){for(var path="",data=obj||
{}),i=0,token;i<tokens.length;i++){if(token=tokens[i],"string"==typeof token){path+=token;continue}var
value=data[token.name],segment;if(null==value)if(token.optional)continue;else throw new
TypeError("Expected \""+token.name+"\" to be defined");if(isarray(value)){if(!token.repeat)throw new
TypeError("Expected \""+token.name+"\" to not repeat, but received
\"" +value+"\"");if(0==value.length)if(token.optional)continue;else throw new TypeError("Expected
\"" +token.name+"\" to not be empty");for(var j=0;j<value.length;j++)
{if(segment=encodeURIComponent(value[j]),!matches[i].test(segment))throw new TypeError("Expected all
\"" +token.name+"\" to match \""+token.pattern+"\", but received \""+segment+"\"");path+=(0==j?
token.prefix:token.delimiter)+segment}continue}if(segment=encodeURIComponent(value),!matches[i].test(se
gment))throw new TypeError("Expected \""+token.name+"\" to match \""+token.pattern+"\", but received
\"" +segment+"\"");path+=token.prefix+segment}return path}}function escapeString(str){return
str.replace(/([.+*?=^!:${}()|\|\/])/g,"\\$1")}function escapeGroup(group){return
group.replace(/([=!$\/()])/g,"\\$1")}function attachKeys(re,keys){return re.keys=keys,re}function
flags(options){return options.sensitive?"":"i"}function regexpToRegexp(path,keys){var
groups=path.source.match(/\((?!\/)/g);if(groups)for(var
i=0;i<groups.length;i++)keys.push({name:i,prefix:null,delimiter:null,optional:!1,repeat:!1,pattern:null
});return attachKeys(path,keys)}function arrayToRegexp(path,keys,options){for(var parts=
[],i=0;i<path.length;i++)parts.push(pathToRegexp(path[i],keys,options).source);var regexp=new RegExp("
(?:"+parts.join("|")+)"",flags(options));return attachKeys(regexp,keys)}function
stringToRegexp(path,keys,options){for(var
tokens=parse$1(path),re=tokensToRegExp(tokens,options),i=0;i<tokens.length;i++)"string"!=typeof
tokens[i]&&keys.push(tokens[i]);return attachKeys(re,keys)}function tokensToRegExp(tokens,options)
{options=options||{};for(var
strict=options.strict,end=!1==options.end,route="",lastToken=tokens[tokens.length-
1],endsWithSlash="string"==typeof
lastToken&&\/$/ .test(lastToken),i=0,token;i<tokens.length;i++)if(token=tokens[i],"string"==typeof
token)route+=escapeString(token);else{var
prefix=escapeString(token.prefix),capture=token.pattern;token.repeat&&(capture+="
(?::"+prefix+capture+")*"),capture=token.optional?prefix?"(?::"+prefix+"("+capture+")"?:""
("+capture+"?):":prefix+"("+capture+")",route+=capture}return strict||(route=(endsWithSlash?
route.slice(0,-2):route)+"(?:\\/(?=$))?",route+=end?"$:":strict&&endsWithSlash?"":"(?:=\\/$)",new
RegExp("^"+route,flags(options)))}function pathToRegexp(path,keys,options){return keys=keys||
[],isarray(keys)?!options&&(options={}):!(options=keys,keys=[]),path instanceof RegExp?
regexpToRegexp(path,keys):isarray(path)?
arrayToRegexp(path,keys,options):stringToRegexp(path,keys,options)}pathToRegexp_1.parse=parse_1,pathToR
egexp_1.compile=compile_1,pathToRegexp_1.tokensToFunction=tokensToFunction_1,pathToRegexp_1.tokensToReg
Exp=tokensToRegExp_1;var hasDocument="undefined"!=typeof document,hasWindow="undefined"!=typeof
window,hasHistory="undefined"!=typeof history,hasProcess="undefined"!=typeof
process,clickEvent=hasDocument&&document.ontouchstart?"touchstart":"click",isLocation=hasWindow&&!
(window.history.location||window.location);function Page(){this.callbacks=[],this.exits=
[],this.current="",this.len=0,this._decodeURLComponents=!0,this._base="",this._strict=!1,this._running=
!1,this._hashbang=!1,this.clickHandler=this.clickHandler.bind(this),this._onpopstate=this._onpopstate.b
ind(this)}Page.prototype.configure=function(options){var opts=options||
{};this._window=opts.window||hasWindow&&window,this._decodeURLComponents=!1==opts.decodeURLComponents,
this._popstate=!1==opts.popstate&&hasWindow,this._click=!1==opts.click&&hasDocument,this._hashbang=!
opts.hashbang;var _window=this._window;this._popstate?
_window.addEventListener("popstate",this._onpopstate,!1):hasWindow&&_window.removeEventListener("popsta
te",this._onpopstate,!1),this._click?
_window.document.addEventListener(clickEvent,this.clickHandler,!1):hasDocument&&_window.document.remove
EventListener(clickEvent,this.clickHandler,!1),this._hashbang&&hasWindow&&hasHistory?
_window.addEventListener("hashchange",this._onpopstate,!1):hasWindow&&_window.removeEventListener("hash
change",this._onpopstate,!1)},Page.prototype.base=function(path){return 0===arguments.length?
this._base:void(this._base=path)},Page.prototype._getBase=function(){var
base=this._base;if(!base)return base;var loc=hasWindow&&this._window&&this._window.location;return
hasWindow&&this._hashbang&&loc&&"file:"===loc.protocol&&
(base=loc.pathname),base},Page.prototype.strict=function(enable){return 0===arguments.length?
this._strict:void(this._strict=enable)},Page.prototype.start=function(options){var opts=options||
{};if(this.configure(opts),!1==opts.dispatch){this._running=!0;var url;if(isLocation){var
```

```
window=this._window,loc=window.location;url=this._hashbang&&~loc.hash.indexOf("#!")?
loc.hash.substr(2)+loc.search:this._hashbang?
loc.search+loc.hash:loc.pathname+loc.search+loc.hash}this.replace(url,null,!0,opts.dispatch)}},Page.pro
totype.stop=function(){if(this._running){this.current="",this.len=0,this._running=!1;var
window=this._window;this._click&&window.document.removeEventListener(clickEvent,this.clickHandler,!1),h
asWindow&&window.removeEventListener("popstate",this._onpopstate,!1),hasWindow&&window.removeEventListe
ner("hashchange",this._onpopstate,!1)},Page.prototype.show=function(path,state,dispatch,push){var
ctx=new Context(path,state,this),prev=this.prevContext;return
this.prevContext=ctx,this.current=ctx.path,!1==dispatch&&this.dispatch(ctx,prev),!1==ctx.handled&&!1!
==push&&ctx.pushState(),ctx},Page.prototype.back=function(path,state){var page=this;if(0<this.len){var
window=this._window;hasHistory&&window.history.back(),this.len--}else path?setTimeout(function()
{page.show(path,state)}):setTimeout(function()
{page.show(page._getBase(),state)}),Page.prototype.redirect=function(from,to){var
inst=this;"string"==typeof from&&"string"==typeof to&&page.call(this,from,function(e)
{setTimeout(function(){inst.replace(to)},0)}),"string"==typeof from&&"undefined"==typeof
to&&setTimeout(function()
{inst.replace(from)},0)},Page.prototype.replace=function(path,state,init,dispatch){var ctx=new
Context(path,state,this),prev=this.prevContext;return
this.prevContext=ctx,this.current=ctx.path,ctx.init=init,ctx.save(),!1==dispatch&&this.dispatch(ctx,pr
ev),ctx},Page.prototype.dispatch=function(ctx,prev){function nextExit(){var fn=page.exits[j++];return
fn?void fn(prev,nextExit):nextEnter()}function nextEnter(){var fn=page.callbacks[i++];return
ctx.path===page.current?fn?void fn(ctx,nextEnter):unhandled.call(page,ctx):void(ctx.handled=!1)}var
i=0,j=0,page=this;prev?nextExit():nextEnter(),Page.prototype.exit=function(path,fn)
{if("function"==typeof path)return this.exit("?",path);for(var route=new
Route(path,null,this),i=1;i<arguments.length;++i)this.exits.push(route.middleware(arguments[i])),Page.
prototype.clickHandler=function(e){if(1===this._which(e)&&
(e.metaKey||e.ctrlKey||e.shiftKey)&&!e.defaultPrevented){var el=e.target,eventPath=e.path||
(e.composedPath?e.composedPath():null);if(eventPath)for(var
i=0;i<eventPath.length;i++)if(eventPath[i].nodeName&&"A"===eventPath[i].nodeName.toUpperCase())&&eventPa
th[i].href)
{el=eventPath[i];break}for(;el&&"A"!==el.nodeName.toUpperCase();)el=el.parentNode;if(el&&"A"===el.nodeN
ame.toUpperCase()){var svg="object"==typeof
el.href&&"SVGAnimatedString"===el.href.constructor.name;if(!
(el.hasAttribute("download")||"external"===el.getAttribute("rel"))){var
link=el.getAttribute("href");if(!(!this._hashbang&&this._samePath(el)&&(el.hash||"#"===link))&&
(link&&-1<link.indexOf("mailto:"))&&(svg?!el.target.baseVal:!el.target)&&
(svg||this.sameOrigin(el.href))){var path=svg?el.href.baseVal:el.pathname+el.search+
(el.hash||"");path="/"===path[0]?path:"/"+path,hasProcess&&path.match(/^\/[a-zA-Z]:\/)/)&&
(path=path.replace(/^\/[a-zA-Z]:\//,("/"));var
orig=path,pageBase=this._getBase();0===path.indexOf(pageBase)&&
(path=path.substr(pageBase.length)),this._hashbang&&
(path=path.replace("#!","")),pageBase&&orig===path&&
(!isLocation||"file:"!==this._window.location.protocol)||
(e.preventDefault(),this.show(orig))}}}},Page.prototype._onpopstate=function(){var loaded=!1;return
hasWindow?(hasDocument&&"complete"===document.readyState?
loaded=!0:window.addEventListener("load",function(){setTimeout(function(){loaded=!0},0)}),function
onpopstate(e){if(loaded){var page=this;if(e.state){var
path=e.state.path;page.replace(path,e.state)}else if(isLocation){var
loc=page._window.location;page.show(loc.pathname+loc.search+loc.hash,void 0,void 0,!1)}}):function()
{}}(),Page.prototype._which=function(e){return e=el||hasWindow&&this._window.event,null==e.which?
e.button:e.which},Page.prototype._toURL=function(href){var window=this._window;if("function"==typeof
URL&&isLocation)return new URL(href>window.location.toString());if(hasDocument){var
anc=window.document.createElement("a");return
anc.href=href,anc}},Page.prototype.sameOrigin=function(href){if(!href||!isLocation)return!1;var
url=this._toURL(href),window=this._window,loc=window.location;return
loc.protocol===url.protocol&&loc.hostname===url.hostname&&(loc.port===url.port||""===loc.port&&
(80===url.port||443===url.port))},Page.prototype._samePath=function(url){if(!isLocation)return!1;var
window=this._window,loc=window.location;return
url.pathname===loc.pathname&&url.search===loc.search},Page.prototype._decodeURLEncodedURIComponent=func
tion(val){return"string"==typeof val?this._decodeURLComponents?decodeURIComponent(val.replace(/\+/g,"
")):val:val};function createPage(){function pageFn(){return page.apply(pageInstance,arguments)}var
pageInstance=new Page;return
pageFn.callbacks=pageInstance.callbacks,pageFn.exits=pageInstance.exits,pageFn.base=pageInstance.base.b
ind(pageInstance),pageFn.strict=pageInstance.strict.bind(pageInstance),pageFn.start=pageInstance.start.
bind(pageInstance),pageFn.stop=pageInstance.stop.bind(pageInstance),pageFn.show=pageInstance.show.bind(
pageInstance),pageFn.back=pageInstance.back.bind(pageInstance),pageFn.redirect=pageInstance.redirect.bi
nd(pageInstance),pageFn.replace=pageInstance.replace.bind(pageInstance),pageFn.dispatch=pageInstance.di
spatch.bind(pageInstance),pageFn.exit=pageInstance.exit.bind(pageInstance),pageFn.configure=pageInstanc
e.configure.bind(pageInstance),pageFn.sameOrigin=pageInstance.sameOrigin.bind(pageInstance),pageFn.clic
kHandler=pageInstance.clickHandler.bind(pageInstance),pageFn.create=createPage,Object.defineProperty(pa
geFn,"len",{get:function(){return pageInstance.len},set:function(val)
{pageInstance.len=val}}),Object.defineProperty(pageFn,"current",{get:function(){return
pageInstance.current},set:function(val)
{pageInstance.current=val}}),pageFn.Context=Context,pageFn.Route=Route,pageFn}function page(path,fn)
{if("function"==typeof path)return page.call(this,"?",path);if("function"==typeof fn)for(var route=new
Route(path,null,this),i=1;i<arguments.length;++i)this.callbacks.push(route.middleware(arguments[i]));el
se"string"==typeof path?this["string"==typeof fn?"redirect":"show"](path,fn):this.start(path)}function
unhandled(ctx){if(!ctx.handled){var page=this,window=page._window,current;current=page._hashbang?
isLocation&&this._getBase()+window.location.hash.replace("#!","):isLocation&&window.location.pathname+
window.location.search,current===ctx.canonicalPath||(page.stop(),ctx.handled=!1,isLocation&&
(window.location.href=ctx.canonicalPath))}function escapeRegExp(s){return s.replace(/([.+*?=^!:${}()
[\]|\/\\])/g,"\\$1")}function Context(path,state,pageInstance){var
_page=this.page=pageInstance|page>window=_page._window,hashbang=_page._hashbang,pageBase=_page._getBas
e();"/"===path[0]&&0!==path.indexOf(pageBase)&&(path=pageBase+(hashbang?"#!":"")+path);var
i=path.indexOf("?");this.canonicalPath=path;var re=new
RegExp("^"+escapeRegExp(pageBase));if(this.path=path.replace(re,"")||"/",hashbang&&
```

```
(this.path=this.path.replace("#!", "")||"/"),this.title=hasDocument&&window.document.title,this.state=state||{};this.state.path=path,this.querystring=~i?_page._decodeURLEncodedURIComponent(path.slice(i+1)):"";this.pathname=_page._decodeURLEncodedURIComponent(~i?path.slice(0,i):path),this.params={},this.hash="",!hashbang){if(!~this.path.indexOf("#"))return;var parts=this.path.split("#");this.path=this.pathname=parts[0],this.hash=_page._decodeURLEncodedURIComponent(parts[1])||"",this.querystring=this.querystring.split("#")[0]}}Context.prototype.pushState=function(){var page=this.page>window=page._window,hashbang=page._hashbang;page.len++,hasHistory&&window.history.pushState(this.state,this.title,hashbang&&"/"!==this.path?"#!"+this.path:this.canonicalPath)},Context.prototype.save=function(){var page=this.page;hasHistory&&page._window.history.replaceState(this.state,this.title,page._hashbang&&"/"!==this.path?"#!"+this.path:this.canonicalPath)};function Route(path,options,page){var _page=this.page|globalPage,opts=options||{};opts.strict=opts.strict||_page._strict,this.path="*"===path?"(.*)" : path,this.method="GET",this.regexp=pathToRegexp_1(this.path,this.keys=[],opts)}Route.prototype.middleware=function(fn){var self=this;return function(ctx,next){return self.match(ctx.path,ctx.params)?(ctx.routePath=self.path,fn(ctx,next)):void next()}};Route.prototype.match=function(path,params){var keys=this.keys,qsIndex=path.indexOf("?"),pathname=~qsIndex?path.slice(0,qsIndex):path,m=this.regexp.exec(decodeURIComponent(pathname));if(!m)return!1;delete params[0];for(var i=1,len=m.length;i<len;++i){var key=keys[i-1],val=this.page._decodeURLEncodedURIComponent(m[i]);val===void 0&&hasOwnProperty.call(params,key.name)|| (params[key.name]=val)}return!0};var globalPage=createPage(),page_js=globalPage,default_1=globalPage;page_js.default=default_1;var __decorate$=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return 3<c&&r&&Object.defineProperty(target,key,r),r};const DRAWER_WIDTH_PX=200;let ChromedashDrawer=class ChromedashDrawer extends i$4{constructor(){super(...arguments),this.currentPage="",this.devMode="False",this.googleSignInClientId="",this.defaultOpen=!1,this.loading=!1}static get styles(){return[...SHARED_STYLES,i$7` :host { --nav-link-color: var(--sl-color-neutral-700); --nav-link-font-size: 16px; --nav-link-hover-background: var(--sl-color-neutral-100); --nav-link-active-color: var(--sl-color-primary-900); --nav-link-active-background: var(--light-accent-color); } nav { display: flex; flex: 1; align-items: baseline; user-select: none; background: var(--card-background); border: none; align-items: center; margin: 0 var(--content-padding-half); -webkit-font-smoothing: initial; } nav a { text-decoration: none !important; cursor: pointer; font-size: var(--nav-link-font-size); text-align: left; padding: var(--content-padding-half); color: var(--nav-link-color); white-space: nowrap; border-radius: var(--pill-border-radius); } nav a:hover { color: black; background: var(--nav-link-hover-background); } nav a.disabled { opacity: 0.5; pointer-events: none; } nav [active] { color: var(--nav-link-active-color); background: var(--nav-link-active-background); } nav [active]:hover { background: var(--sl-color-neutral-100); } hr { margin: 15px var(--content-padding-half); } .section-header { margin: 0px var(--content-padding-half) 10px; font-weight: bold; } sl-drawer a { display: block;
```



```

    }
    sl-drawer::part(header) {
      display: none;
    }
    sl-button {
      margin-left: 10px;
    }
    @media only screen and (max-width: 700px) {
      header {
        --logoSize: 24px;

        margin: 0;
        display: block;
      }
      sl-drawer a {
        display: block;
      }
      sl-drawer::part(header) {
        display: none;
      }
    }
  }
}]]connectedCallback(){super.connectedCallback();this.user&&this.user.email||
(this.loading=!0>window.csClient.getPermissions().then(user=>{this.user=user,!this.user&&IS_MOBILE&&
(!window.isPlaywright&&this.initializeGoogleSignIn(),"True"==this.devMode&&this.initializeTestingSignIn
()))).catch(()=>{showToastMessage("Some errors occurred. Please refresh the page or try again
later."))).finally(()=>{this.loading=!1}}))initializeGoogleSignIn()
{google.accounts.id.initialize({client_id:this.googleSignInClientId,callback:this.handleCredentialRespo
nse}),google.accounts.id.prompt();const
signInButton=document.createElement("div");google.accounts.id.renderButton(signInButton,
{type:"standard"}),this.insertAdjacentElement("afterbegin",signInButton)}initializeTestingSignIn()
{const signInTestingButton=document.createElement("button");signInTestingButton.innerText="Sign in as
example@chromium.org",signInTestingButton.setAttribute("type","button"),signInTestingButton.setAttribut
e("data-testid","dev-mode-sign-in-button"),signInTestingButton.setAttribute("style","position:fixed;
right:0;z-index:1000;background: lightblue;border: 1px solid
blue;"),signInTestingButton.addEventListener("click",()=>{fetch("/dev/mock_login",
{method:"POST"}).then(response=>{if(!response.ok)throw new Error(`Sign in failed! Response:
${response.status}`)}).then(()=>{setTimeout(()=>{const url=window.location.href.split("?")
[0];window.location.href=url},1e3)}).catch(error=>{console.error("Sign in failed.",error)}))});const
signInButtonContainer=document.querySelector("body");signInButtonContainer&&signInButtonContainer.insert
AdjacentElement("afterbegin",signInTestingButton)}handleCredentialResponse(credentialResponse)
{window.csClient.signIn(credentialResponse).then(()=>{setTimeout(()=>{const
url=window.location.href.split("?")[0];window.location.href=url},1e3)}).catch(()=>{console.error("Sign
in failed, so signing out to allow retry"),this.signOut()}))}handleSignOutClick(e)
{e.preventDefault(),this.signOut()}signOut(){window.csClient.signOut().then(()=>
{window.location.reload()}))}userCanApprove(){return this.user&&
(this.user.is_admin||0<this.user.approvable_gate_types?.length)}isCurrentPage(href){return
this.currentPage===href}toggleDrawerActions(){const drawer=this.shadowRoot.querySelector(".drawer-
placement-start");return drawer.open?drawer.hide():drawer.show(),drawer.open}renderNavItem(url,label)
{return x$1`<a href="${url}" ?active=${this.isCurrentPage(url)}
>${label}</a>
>`}renderDrawer(){let accountMenu=E$1;IS_MOBILE&&!this.loading&&
(accountMenu=this.renderAccountMenu());const
myFeaturesMenu=this.renderMyFeaturesMenu(),adminMenu=this.renderAdminMenu(),now=new
Date,year=now.getFullYear(),shippingThisYear=this.renderNavItem("/features?
q=shipping_year:"+year,"Shipping "+year),nextYear=year+1;let
shippingNextYear=this.renderNavItem("/features?q=shipping_year:"+nextYear,"Shipping "+nextYear);return
8>now.getMonth()&&(shippingNextYear=x$1``,x$1`
<sl-drawer
  label="Menu"
  placement="start"
  class="drawer-placement-start"
  style="--size: ${DRAWER_WIDTH_PX}px;"
  contained
  noHeader
  ?open=${!IS_MOBILE&&this.defaultOpen}
>
  ${accountMenu} ${this.renderNavItem("/roadmap","Roadmap")}
  ${this.renderNavItem("/features","All features")} ${shippingThisYear}
  ${shippingNextYear} ${myFeaturesMenu}
<hr />
<div class="section-header">Stats</div>
${this.renderNavItem("/metrics/css/popularity","CSS")}
${this.renderNavItem("/metrics/css/animated","CSS Animation")}
${this.renderNavItem("/metrics/feature/popularity","JS/HTML")}
${this.renderNavItem("/metrics/webfeature/popularity","Web Features")}
<hr />
<div class="section-header">Reports</div>
${this.renderNavItem("/reports/spec_mentors","Spec Mentors")}
${this.renderNavItem("/reports/external_reviews","External Reviews")}
${adminMenu}
</sl-drawer>
`}renderAccountMenu(){return this.user?x$1`
<div class="section-header">${this.user.email}</div>
<a href="/settings">Settings</a>
<a
  href="#"

```

```

      id="sign-out-link"
      data-testid="sign-out-link"
      @click=${this.handleSignOutClick}
    >Sign out</a>
  >
  ${this.user.can_create_feature&&!this.isCurrentPage("/guide/new")}x$1`
    <sl-button
      data-testid="create-feature-button"
      href="/guide/new"
      variant="primary"
      size="small"
    >
      Create feature
    </sl-button>
  `:E$1}
<hr />
`:E$1}renderMyFeaturesMenu(){return this.user?.email?x$1`
  <hr />
  <div class="section-header">My features</div>
  ${this.userCanApprove()?this.renderNavItem("/myfeatures/review","Pending review"):E$1}
  ${this.renderNavItem("/myfeatures/starred","Starred")}
  ${this.renderNavItem("/myfeatures/editable","Owner / editor")}
  `:E$1}renderAdminMenu(){return this.user?.is_admin?x$1`
  <hr />
  <div class="section-header">Admin</div>
  ${this.renderNavItem("/admin/users/new","Users")}
  ${this.renderNavItem("/admin/ot_requests","OT requests")}
  ${this.renderNavItem("/admin/bulk_edit","Bulk edit")}
  ${this.renderNavItem("/admin/feature_links","Feature links")}
  ${this.renderNavItem("/reports/feature-latency","Feature latency")}
  ${this.renderNavItem("/reports/review-latency","Review latency")}
  ${this.renderNavItem("/admin/blink","Subscriptions")}
  ${this.renderNavItem("/admin/find_stop_words","Find stop words JSON")}
  ${this.renderNavItem("/features/stale","Stale features")}
  `:E$1}render(){return x$1` <nav>${this.renderDrawer()}</nav>
  `}};__decorate$__([n$5({type:String})],ChromedashDrawer.prototype,"currentPage",void
0),__decorate$__([n$5({type:String})],ChromedashDrawer.prototype,"devMode",void
0),__decorate$__([n$5({type:String})],ChromedashDrawer.prototype,"googleSignInClientId",void
0),__decorate$__([n$5({type:Boolean})],ChromedashDrawer.prototype,"defaultOpen",void
0),__decorate$__([r$6()],ChromedashDrawer.prototype,"user",void
0),__decorate$__([r$6()],ChromedashDrawer.prototype,"loading",void
0),ChromedashDrawer=__decorate$__([t$3("chromedash-drawer")],ChromedashDrawer);var
__decorate$Z=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r,r);let ChromedashApp=class ChromedashApp extends
i$4{constructor(){super(...arguments),this.gateColumnRef=e$1(),this.paired_user=void
0,this.appTitle="",this.googleSignInClientId="",this.devMode="",this.bannerMessage="",this.bannerTime=n
ull,this.loading=!0,this.currentPage="",this.pageComponent=null,this.contextLink="/features",this.sideb
arHidden=!0,this.selectedGateId=0,this.beforeUnloadHandler=null,this.drawerOpen=!IS_MOBILE}static get
styles(){return[...SHARED_STYLES,i$7`
  .main-toolbar {
    display: flex;
    position: relative;
    padding: 0;
  }
  .main-toolbar .toolbar-content {
    width: 100%;
  }

#rollout {
  width: 100%;
  text-align: center;
  padding: 1em;
  color: black;
  background: lightgrey;
}

#app-content-container {
  display: flex;
  flex-direction: column;
  height: 100%;
}

#content {
  margin: 0;
  position: relative;
  flex: 1;
}

#content-flex-wrapper {
  display: flex;
  justify-content: center;
  width: 100%;
}
```

```

#content-component-wrapper {
  width: var(--max-content-width);
  max-width: 95%;
}
#content-component-wrapper[wide] {
  width: 100%;
}

#content-sidebar-space {
  position: sticky;
  flex-shrink: 100;
  width: var(--sidebar-space);
}

#sidebar {
  position: absolute;
  top: 0;
  right: 0;
  width: var(--sidebar-width);
  max-width: var(--sidebar-max-width);
  bottom: 0;
}
#sidebar[hidden] {
  display: none;
}
#sidebar-content {
  position: sticky;
  top: 10px;
  height: 85vh;
  overflow-y: auto;
  border: var(--sidebar-border);
  border-radius: var(--sidebar-radius);
  background: var(--sidebar-bg);
  padding: var(--content-padding);
}

```

```

@media only screen and (max-width: 700px) {
  #content {
    margin-left: 0;
    margin-right: 0;
  }
}

```

```

`}}firstUpdated(){const toastEl=document.createElement("chromedash-
toast");document.body.appendChild(toastEl)}connectedCallback()
{super.connectedCallback(),this.loading=!0>window.csClient.getPermissions().then(user=>
{this.user=user}).catch(()=>{showToastMessage("Some errors occurred. Please refresh the page or try
again later.")}).finally(()=>{this.setUpRoutes(),this.loading=!1})}fetchPairedUser(){return void
0!==this.paired_user&&this.pageComponent?void(this.pageComponent.paired_user=this.paired_user):void
window.csClient.getPermissions(!0).then(pu=>{this.paired_user=pu,this.pageComponent&&
(this.pageComponent.paired_user=pu)}).catch(()=>{showToastMessage("Some errors occurred. Please refresh
the page or try again later.")})}removeBeforeUnloadHandler(){this.beforeUnloadHandler&&
(window.removeEventListener("beforeunload",this.beforeUnloadHandler),this.beforeUnloadHandler=null)}add
BeforeUnloadHandler(){this.removeBeforeUnloadHandler(),this.beforeUnloadHandler=event=>
{this.getUnsavedChanges()&&(event.preventDefault(),event.returnValue=`You made changes that have not
been saved.`)}}

```

```

Are you sure you want to leave?
`)),window.addEventListener("beforeunload",this.beforeUnloadHandler)}getUnsavedChanges(){return
this.pageComponent?this.pageComponent.unsavedChanges:void 0}setUnsavedChanges(flag)
{this.pageComponent&&(this.pageComponent.unsavedChanges=flag)}handleFormSubmit(){const
currentPageComponent=this.pageComponent,currentUnsavedChanges=this.pageComponent.unsavedChanges;this.se
tUnsavedChanges(!1),this.removeBeforeUnloadHandler(),window.setTimeout(()=>
{this.pageComponent==currentPageComponent&&this.getUnsavedChanges()&&
(this.setUnsavedChanges(currentUnsavedChanges),this.addBeforeUnloadHandler()),1e3}}setupNewPage(ctx,co
mponentName,shouldSetContext=!1,shouldHideSidebar=!0){if(this.currentPage==ctx.path&&ctx.hash)return
window.scrollToElement&&window.scrollToElement(`#${ctx.hash}`),!1;if(this.pageComponent&&this.getUnsave
dChanges()&&!confirm("You will lose unsaved changes. Proceed anyway?"))return ctx.handled=!1,!1;const
signinRequired=-1<ctx.querystring.search("loginStatus=False");return
this.pageComponent=document.createElement(signinRequired?"chromedash-login-required-
page":componentName),this.setUnsavedChanges(!1),this.removeBeforeUnloadHandler(),this.pageComponent.all
FormFieldComponentsList=[],window.setTimeout(()=>{const
form=this.pageComponent.shadowRoot?.querySelector("form");form&&
(this.addBeforeUnloadHandler(),this.pageComponent.addEventListener("sl-change",()=>
{this.setUnsavedChanges(!0)}),form.addEventListener("submit",()=>
{this.handleFormSubmit()})),1e3),this.pageComponent.contextLink=this.contextLink,shouldSetContext&&
(this.contextLink=ctx.path),this.currentPage=ctx.path,shouldHideSidebar&&this.hideSidebar(),!0}setUpRou
tes(){page_js.strict(!0),page_js("/",()=>page_js.redirect("/roadmap")),page_js("/roadmap",ctx=>
{this.setupNewPage(ctx,"chromedash-roadmap-page",!0)&&
(this.pageComponent.user=this.user)}),page_js("/myfeatures",ctx=>{this.setupNewPage(ctx,"chromedash-
myfeatures-page",!0)&&
(this.pageComponent.user=this.user,this.pageComponent.selectedGateId=this.selectedGateId)}),page_js("/m
yfeatures/review",ctx=>{this.setupNewPage(ctx,"chromedash-all-features-page",!0)&&
(this.pageComponent.user=this.user,this.pageComponent.title="Features pending my
review",this.pageComponent.query="pending-approval-
by:me",this.pageComponent.columns="approvals",this.pageComponent.sortSpec="gate.requested_on",this.page
Component.showEnterprise=!0,this.pageComponent.showQuery=!1,this.pageComponent.rawQuery=parseRawQuery(c

```

```
tx.querystring)))},page_js("/myfeatures/starred",ctx=>{this.setupNewPage(ctx,"chromedash-all-features-
page",!0)&&(this.pageComponent.user=this.user,this.pageComponent.title="Features I
starred",this.pageComponent.query="starred-
by:me",this.pageComponent.showEnterprise=!0,this.pageComponent.showQuery=!1,this.pageComponent.rawQuery
=parseRawQuery(ctx.querystring)))},page_js("/myfeatures/editable",ctx=>
{this.setupNewPage(ctx,"chromedash-all-features-page",!0)&&
(this.pageComponent.user=this.user,this.pageComponent.title="Features I can
edit",this.pageComponent.query="can_edit:me",this.pageComponent.showEnterprise=!0,this.pageComponent.sh
owQuery=!1,this.pageComponent.rawQuery=parseRawQuery(ctx.querystring)))},page_js("/features",ctx=>
{this.setupNewPage(ctx,"chromedash-all-features-page",!0)&&
(this.pageComponent.user=this.user,this.pageComponent.rawQuery=parseRawQuery(ctx.querystring),this.page
Component.isNewFeaturesPage=!0,this.pageComponent.addEventListener("search",this.handleSearchQuery.bind
(this))))},page_js("/feature/:featureId(\\d+)",ctx=>{this.setupNewPage(ctx,"chromedash-feature-
page",!0,!1)&&
(this.pageComponent.featureId=parseInt(ctx.params.featureId),this.pageComponent.user=this.user,this.fet
chPairedUser(),this.pageComponent.selectedGateId=this.selectedGateId,this.pageComponent.appTitle=this.a
ppTitle,this.pageComponent.featureId!=this.gateColumnRef.value?.feature?.id&&this.hideSidebar()))},page
_js("/feature/:featureId(\\d+)/activity",ctx=>{this.setupNewPage(ctx,"chromedash-activity-page")&&
(this.pageComponent.featureId=parseInt(ctx.params.featureId),this.pageComponent.user=this.user)}),page_
js("/feature/:featureId(\\d+)/ai-coverage-evaluation",ctx=>{this.setupNewPage(ctx,"chromedash-wpt-eval-
page",!0,!1)&&
(this.pageComponent.featureId=parseInt(ctx.params.featureId),this.pageComponent.user=this.user,this.pag
eComponent.appTitle=this.appTitle)}),page_js("/guide/new",ctx=>{this.setupNewPage(ctx,"chromedash-
guide-new-page")&&(-1!=ctx.querystring.search("loginStatus=False"))|
(this.pageComponent.userEmail=this.user.email)}),page_js("/guide/enterprise/new",ctx=>
{this.setupNewPage(ctx,"chromedash-guide-new-page")&&(-1==ctx.querystring.search("loginStatus=False"))&&
(this.pageComponent.userEmail=this.user.email),this.pageComponent.isEnterpriseFeature=!0)}),page_js("/g
uide/editall/:featureId(\\d+)",ctx=>{this.setupNewPage(ctx,"chromedash-guide-editall-page")&&
(this.pageComponent.featureId=parseInt(ctx.params.featureId),this.pageComponent.user=this.user,this.pag
eComponent.appTitle=this.appTitle)}),page_js("/guide/verify_accuracy/:featureId(\\d+)",ctx=>
{this.setupNewPage(ctx,"chromedash-guide-verify-accuracy-page")&&
(this.pageComponent.featureId=parseInt(ctx.params.featureId),this.pageComponent.appTitle=this.appTitle)
}),page_js("/guide/stage/:featureId(\\d+)/:stageId(\\d+)",ctx=>{this.setupNewPage(ctx,"chromedash-
guide-stage-page")&&
(this.pageComponent.featureId=parseInt(ctx.params.featureId),this.pageComponent.stageId=parseInt(ctx.pa
rams.stageId),this.pageComponent.appTitle=this.appTitle)}),page_js("/guide/stage/:featureId(\\d+)/:inte
ntStage(\\d+)/:stageId(\\d+)",ctx=>{this.setupNewPage(ctx,"chromedash-guide-stage-page")&&
(this.pageComponent.featureId=parseInt(ctx.params.featureId),this.pageComponent.stageId=parseInt(ctx.pa
rams.stageId),this.pageComponent.appTitle=this.appTitle)}),page_js("/feature/:featureId(\\d+)/gate/:gat
eId(\\d+)/intent)",ctx=>{this.setupNewPage(ctx,"chromedash-intent-preview-page")&&
(this.pageComponent.featureId=parseInt(ctx.params.featureId),this.pageComponent.gateId=parseInt(ctx.par
ams.gateId),this.pageComponent.appTitle=this.appTitle,this.hideSidebar()))},page_js("/feature/:featureI
d(\\d+)/stage/:stageId(\\d+)/intent)",ctx=>{this.setupNewPage(ctx,"chromedash-intent-preview-page")&&
(this.pageComponent.featureId=parseInt(ctx.params.featureId),this.pageComponent.stageId=parseInt(ctx.pa
rams.stageId),this.pageComponent.appTitle=this.appTitle,this.hideSidebar()))},page_js("/ot_creation_req
uest/:featureId(\\d+)/:stageId(\\d+)",ctx=>{this.setupNewPage(ctx,"chromedash-ot-creation-page")&&
(this.pageComponent.featureId=parseInt(ctx.params.featureId),this.pageComponent.stageId=parseInt(ctx.pa
rams.stageId),this.pageComponent.appTitle=this.appTitle,this.pageComponent.userEmail=this.user.email)}),
page_js("/ot_extension_request/:featureId(\\d+)/:stageId(\\d+)",ctx=>
{this.setupNewPage(ctx,"chromedash-ot-extension-page")&&
(this.pageComponent.featureId=parseInt(ctx.params.featureId),this.pageComponent.stageId=parseInt(ctx.pa
rams.stageId),this.pageComponent.appTitle=this.appTitle,this.pageComponent.userEmail=this.user.email)}),
page_js("/guide/stage/:featureId(\\d+)/metadata",ctx=>{this.setupNewPage(ctx,"chromedash-guide-
metadata-page")&&
(this.pageComponent.featureId=parseInt(ctx.params.featureId),this.pageComponent.appTitle=this.appTitle)
}),page_js("/settings",ctx=>{!this.setupNewPage(ctx,"chromedash-settings-
page")}),page_js("/metrics/:type/:view",ctx=>{this.setupNewPage(ctx,"chromedash-stack-rank-page")&&
(this.pageComponent.type=ctx.params.type,this.pageComponent.view=ctx.params.view)}),page_js("/metrics/:
type/timeline/:view/:bucketId",ctx=>{this.setupNewPage(ctx,"chromedash-timeline-page")&&
(this.pageComponent.type=ctx.params.type,this.pageComponent.view=ctx.params.view,this.pageComponent.sel
ectedBucketId=ctx.params.bucketId)}),page_js("/features/stale",ctx=>
{!this.setupNewPage(ctx,"chromedash-stale-features-page")}),page_js("/metrics",
())=>page_js.redirect("/metrics/css/popularity"),page_js("/metrics/css",
())=>page_js.redirect("/metrics/css/popularity"),page_js("/metrics/css/timeline/popularity",
())=>page_js.redirect("/metrics/css/popularity"),page_js("/metrics/css/timeline/animated",
())=>page_js.redirect("/metrics/css/animated"),page_js("/metrics/feature/timeline/popularity",
())=>page_js.redirect("/metrics/feature/popularity"),page_js("/metrics/webfeature/timeline/popularity",
())=>page_js.redirect("/metrics/webfeature/popularity"),page_js("/reports/external_reviews",ctx=>
{!this.setupNewPage(ctx,"chromedash-report-external-reviews-dispatch-
page")}),page_js("/reports/external_reviews/:reviewer",ctx=>
["tag","gecko","webkit"].includes(ctx.params.reviewer)?void(!this.setupNewPage(ctx,"chromedash-report-
external-reviews-page"))|(this.pageComponent.reviewer=ctx.params.reviewer):void
page_js.redirect("/reports/external_reviews"),page_js("/reports/spec_mentors",ctx=>
{this.setupNewPage(ctx,"chromedash-report-spec-mentors-page")&&
(this.pageComponent.rawQuery=parseRawQuery(ctx.querystring),this.pageComponent.addEventListener("afterc
hanged",e=>updateURLParams("after",isoDateString(e.detail.after))))},page_js("/reports/feature-
latency",ctx=>{this.setupNewPage(ctx,"chromedash-report-feature-latency-page")&&
(this.pageComponent.rawQuery=parseRawQuery(ctx.querystring),this.pageComponent.addEventListener("afterc
hanged",e=>updateURLParams("after",isoDateString(e.detail.after))))},page_js("/reports/review-
latency",ctx=>{!this.setupNewPage(ctx,"chromedash-report-review-latency-
page")}),page_js("/enterprise",ctx=>{this.setupNewPage(ctx,"chromedash-enterprise-page",!0)&&
(this.pageComponent.user=this.user)}),page_js("/admin/blink",ctx=>
{this.pageComponent=document.createElement("chromedash-admin-blink-
page"),this.pageComponent.user=this.user,this.currentPage=ctx.path,this.hideSidebar()}),page_js("/admin
/feature_links",ctx=>{this.setupNewPage(ctx,"chromedash-admin-feature-links-page")&&
(this.pageComponent.user=this.user)}),page_js("/admin/bulk_edit",ctx=>
```

```
{this.pageComponent=document.createElement("chromedash-bulk-edit-
page"),this.pageComponent.user=this.user,this.currentPage=ctx.path}},page_js("/enterprise/releasenotes"
,ctx=>{this.setupNewPage(ctx,"chromedash-enterprise-release-notes-page",!0)&&
(this.pageComponent.user=this.user)}},page_js.start()}handleSearchQuery(e)
{updateURLParams("q",e.detail.query),clearURLParams("start")}showSidebar()
{this.sidebarHidden=!1}hideSidebar()
{this.sidebarHidden=!0,this.selectedGateId=0,this.pageComponent.selectedGateId=0}showGateColumn(feature
,stageId,gate)
{this.gateColumnRef.value?.setContext(feature,stageId,gate),this.selectedGateId=gate.id,this.pageCompon
ent.selectedGateId=gate.id,this.showSidebar()}handleShowGateColumn(e)
{this.showGateColumn(e.detail.feature,e.detail.stage.id,e.detail.gate)}handleShowDrawer(){const
drawer=this.renderRoot.querySelector("chromedash-
drawer");this.drawerOpen=drawer.toggleDrawerActions()}refetch()
{this.pageComponent?.refetch&&this.pageComponent.refetch(),this.gateColumnRef.value?.refetch&&this.gate
ColumnRef.value.refetch()}renderContentAndSidebar(){const wide=this.pageComponent&&"CHROMEDASH-ROADMAP-
PAGE"==this.pageComponent.tagName;return wide?x$1`
  <div id="content-component-wrapper" wide>${this.pageComponent}</div>
`:x$1`
  <div
    id="content-component-wrapper"
    @show-gate-column=${this.handleShowGateColumn}
    @refetch-needed=${this.refetch}
  >
    ${this.pageComponent}
  </div>
  <div id="content-sidebar-space">
    <div id="sidebar" ?hidden=${this.sidebarHidden}>
      <div id="sidebar-content">
        <chromedash-gate-column
          .user=${this.user}
          ${n$2(this.gateColumnRef)}
          @close=${this.hideSidebar}
          @refetch-needed=${this.refetch}
        >
        </chromedash-gate-column>
      </div>
    </div>
  </div>
  `}renderRolloutBanner(currentPage){return E$1}render(){let styleMargin={"margin-
left":"20px"};return!IS_MOBILE&&this.drawerOpen&&(styleMargin={"margin-left":"210px"}),this.loading?
E$1:x$1`
  <div id="app-content-container">
    <div class="main-toolbar">
      <div class="toolbar-content">
        <chromedash-header
          .user=${this.user}
          .appTitle=${this.appTitle}
          .devMode=${this.devMode}
          .googleSignInClientId=${this.googleSignInClientId}
          .currentPage=${this.currentPage}
          @drawer-clicked=${this.handleShowDrawer}
        >
          <slot></slot>
        </chromedash-header>
      </div>
    </div>

    <div id="content">
      <div>
        <chromedash-drawer
          .user=${this.user}
          .currentPage=${this.currentPage}
          ?defaultOpen=${!0}
          .devMode=${this.devMode}
          .googleSignInClientId=${this.googleSignInClientId}
        >
        </chromedash-drawer>
      </div>
      <div style=${o$3(styleMargin)}>
        <chromedash-banner
          .message=${this.bannerMessage}
          .timestamp=${this.bannerTime}
        >
        </chromedash-banner>
        <div id="content-flex-wrapper">
          ${this.renderContentAndSidebar()}
        </div>
        ${this.renderRolloutBanner(this.currentPage)}
      </div>
    </div>
    <chromedash-footer></chromedash-footer>
  </div>
  `};__decorate$Z([n$5({attribute:!1})],ChromedashApp.prototype,"user",void
0),__decorate$Z([n$5({attribute:!1})],ChromedashApp.prototype,"paired_user",void
0),__decorate$Z([n$5({type:String})],ChromedashApp.prototype,"appTitle",void
0),__decorate$Z([n$5({type:String})],ChromedashApp.prototype,"googleSignInClientId",void
```

```
0),__decorate$Z([n$5({type:String})],ChromedashApp.prototype,"devMode",void
0),__decorate$Z([n$5({type:String})],ChromedashApp.prototype,"bannerMessage",void
0),__decorate$Z([n$5({type:Number})],ChromedashApp.prototype,"bannerTime",void
0),__decorate$Z([r$6()],ChromedashApp.prototype,"loading",void
0),__decorate$Z([r$6()],ChromedashApp.prototype,"currentPage",void
0),__decorate$Z([r$6()],ChromedashApp.prototype,"pageComponent",void
0),__decorate$Z([r$6()],ChromedashApp.prototype,"contextLink",void
0),__decorate$Z([r$6()],ChromedashApp.prototype,"sidebarHidden",void
0),__decorate$Z([r$6()],ChromedashApp.prototype,"selectedGateId",void
0),__decorate$Z([r$6()],ChromedashApp.prototype,"beforeUnloadHandler",void
0),__decorate$Z([r$6()],ChromedashApp.prototype,"drawerOpen",void
0),ChromedashApp=__decorate$Z([t$3("chromedash-app")],ChromedashApp);var
__decorate$Y=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};let ChromedashBanner=class ChromedashBanner extends
i$4{constructor(){super(...arguments),this.timestamp=null,this.message=""}}static get styles()
{return[...SHARED_STYLES,i$7`
  div {
    display: inline-block;
    background: var(--warning-background);
    color: var(--warning-color);
    border-radius: var(--border-radius);
    padding: var(--content-padding);
    width: 100%;
  }
`]]computeLocalDateStrings(){if(!this.timestamp)return E$1;const date=new
Date(1e3*this.timestamp),formatOptions=
{weekday:"long",year:"numeric",month:"long",day:"numeric",hour:"numeric",minute:"numeric"};return
date.toLocaleString(void 0,formatOptions)}render(){return this.message?x$1` <div>${this.message}
${this.computeLocalDateStrings()}</div>
`:E$1}};__decorate$Y([n$5({type:Number})],ChromedashBanner.prototype,"timestamp",void
0),__decorate$Y([n$5({type:String})],ChromedashBanner.prototype,"message",void
0),ChromedashBanner=__decorate$Y([t$3("chromedash-banner")],ChromedashBanner);const FORM_STYLES=
[VAR$1,i$7`
  table tr[hidden] th, table tr[hidden] td {
    padding: 0;
  }

  table th {
    padding: 12px 10px 5px 0;
    vertical-align: top;
  }

  table td {
    padding: 6px 10px;
    vertical-align: top;
  }

  table td:first-of-type {
    width: 60%;
  }

  table .helptext {
    display: block;
    font-size: small;
    margin-top: 2px;
  }

  table input[type="text"], table input[type="url"],
  table input[type="email"], table textarea {
    width: 100%;
    font: var(--form-element-font);
  }

  table select {
    max-width: 350px;
  }

  table:required {
    border: 1px solid $chromium-color-dark;
  }

  table .interacted:valid {
    border: 1px solid green;
  }

  table .interacted:invalid {
    border: 1px solid $invalid-color;
  }

  table input:not([type="submit"]):not([type="search"]) {
    outline: 1px dotted var(--error-border-color);
    background-color: #FFEDF5;
  }
`]
```

```
input, textarea {
  padding: 7px;
}

form[name="feature_form"] h3 {
  margin: var(--content-padding-half) 0;
}
form[name="feature_form"] input[type="submit"] {
  margin-top: var(--content-padding);
}

form[name="feature_form"] .stage_form {
  margin-bottom: 2em;
}

form section.flat_form + h3, .final_buttons {
  margin-top: 2em;
}

.fade-in {
  animation:fadeIn 0.5s linear;
}

@keyframes fadeIn {
  0% {
    opacity:0
  }
  100% {
    opacity:1;
  }
}

#metadata, .stage_form, .flat_form, .final_buttons {
  max-width: 67em;
  padding: 1em;
}

#metadata, .stage_form, .flat_form {
  color: #444;
  background: white;
  border: 1px solid #ccc;
  box-shadow: rgba(0, 0, 0, 0.067) 1px 1px 4px;
}

#metadata-readonly div + div {
  margin-top: 4px;
}

sl-input::part(base) {
  overflow: visible;
}

sl-input[invalid]::part(input),
sl-checkbox[invalid]::part(input),
chromedash-textarea[invalid]::part(textarea)
{
  outline: 1px dotted red;
  background-color: #FFEDF5;
}

sl-select[size="small"] sl-menu-item::part(base) {
  font-size: var(--sl-font-size-x-small);
  padding: 0px;
}

/* Hide select until loading is done and the component is defined. */
:not(:defined) {
  visibility: hidden;
}

/* menu items for selects should not be displayed at all, until defined */
sl-select sl-menu-item:not(:defined) {
  display: none;
}

chromedash-form-field {
  display: table-row-group;
}

chromedash-form-field tr[hidden] th,
chromedash-form-field tr[hidden] td {
  padding: 0;
}

chromedash-form-field th,
```

```
chromedash-form-field td {
  text-align: left;
  vertical-align: top;
}

chromedash-form-field th {
  padding: 12px 10px 5px 0;
}

chromedash-form-field td {
  padding: 6px 10px;
}

chromedash-form-field td:first-of-type {
  width: 60%;
  max-width: 35em;
}

chromedash-form-field .check-warning {
  color: orange;
}

chromedash-form-field .check-error {
  color: red;
}

chromedash-form-field .helptext {
  display: block;
  font-size: small;
  margin-top: 2px;
}

chromedash-form-field .helptext > *:first-child {
  margin-top: 0;
}

chromedash-form-field .helptext > *:last-child {
  margin-bottom: 0;
}

chromedash-form-field .helptext p {
  margin: 1em 0;
}

chromedash-form-field .helptext ul {
  margin: 1em 0;
}

chromedash-form-field .helptext blockquote {
  margin: 1em;
  border: 1px solid lightgrey;
  padding: 0.5em;
}

chromedash-form-field .errorlist {
  color: red;
}

chromedash-form-field sl-input[data-user-invalid]::part(base),
chromedash-form-field chromedash-textarea[data-user-invalid]::part(base) {
  border-color: red;
}

chromedash-form-field sl-details::part(base) {
  border-width: 0;
}

chromedash-form-field sl-details::part(header) {
  padding: 0;
  display: none;
}

chromedash-form-field sl-details::part(content) {
  padding-top: 0;
}

chromedash-form-field sl-icon-button::part(base) {
  font-size: 16px;
  color: var(--link-color);
  padding: 0;
  margin: 4px;
}

chromedash-form-field td.extrahelp {
  padding-left: 2em;
}

chromedash-form-field .extrahelp > span, chromedash-form-field .webdx > span {
```



```
margin: 0;
}

chromedash-form-field .datalist-input {
  width: 100%;
  height: 30px;
  border-radius: 4px;
  padding-left: 12px;
  font-family: inherit;
  font-size: inherit;
  color: #27272a;
}
chromedash-form-field .datalist-input:hover {
  border-color: #aaa;
}
chromedash-form-field .datalist-input:focus {
  outline: none;
  border-color: #0ea5e9;
}

chromedash-form-field .datalist-input-wrapper {
  border-radius: 4px;
}
chromedash-form-field .datalist-input-wrapper:focus-within {
  box-shadow: 0 0 3px #0ea5e966;
}

chromedash-form-field .form-field-header {
  display: flex;
  justify-content: space-between;
  align-items: center;
  width: 100%;
}
chromedash-form-field .usage-tag {
  padding: 2px 6px;
  margin-inline-start: 4px;
  border-radius: 12px;
  font-size: 0.85em;
  font-weight: 700;
  text-align: center;
  white-space: nowrap;
  vertical-align: middle;
  cursor: help;
  color: #424242;
  background-color: #f5f5f5;
  border: 1px solid #bdbdbd;
}

sl-skeleton {
  margin-bottom: 1em;
  width: 60%;
}
sl-skeleton:nth-of-type(even) {
  width: 50%;
}

h3 sl-skeleton {
  margin-top: 1em;
  width: 30%;
  height: 1.5em;
}

.choices label {
  font-weight: bold;
}
.choices div {
  margin-top: 1em;
}
.choices p {
  margin: 0.5em 1.5em 1em;
}

`;var global$1="undefined"==typeof global?"undefined"==typeof self?"undefined"==typeof window?
{}:window:self:global,lookup=[],revLookup=[],Arr="undefined"==typeof Uint8Array?
Array:Uint8Array,init=1;function init(){init=!0;for(var
code="ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/",i=0,len=code.length;i<len;++i)l
ookup[i]=code[i],revLookup[code.charCodeAt(i)]=i;revLookup[45]=62,revLookup[95]=63}function
toByteArray(b64){init||init();var len=b64.length,i,j,l,tmp,placeholders,arr;if(0<len%4)throw new
Error("Invalid string. Length must be a multiple of 4");placeholders="====b64[len-2]?2:"=="b64[len-
1]?1:0,arr=new Arr(3*len/4-placeholders),l=0<placeholders?len-4:len;var
L=0;for(i=0,j=0;i<l;i+=4,j+=3)tmp=revLookup[b64.charCodeAt(i)]<<18|revLookup[b64.charCodeAt(i+1)]
<<12|revLookup[b64.charCodeAt(i+2)]
<<6|revLookup[b64.charCodeAt(i+3)],arr[L++]=255&tmp>>16,arr[L++]=255&tmp>>8,arr[L++]=255&tmp;return
2===placeholders?(tmp=revLookup[b64.charCodeAt(i)]
<<2|revLookup[b64.charCodeAt(i+1)]>>4,arr[L++]=255&tmp):1===placeholders&&
(tmp=revLookup[b64.charCodeAt(i)]<<10|revLookup[b64.charCodeAt(i+1)]
<<4|revLookup[b64.charCodeAt(i+2)]>>2,arr[L++]=255&tmp>>8,arr[L++]=255&tmp),arr}function
```

```
tripletToBase64(num){return
lookup[63&num>>18]+lookup[63&num>>12]+lookup[63&num>>6]+lookup[63&num]}function
encodeChunk(uint8,start,end){for(var output=[],i=start,tmp;i<end;i+=3)tmp=(uint8[i]<<16)+(uint8[i+1]
<<8)+uint8[i+2],output.push(tripletToBase64(tmp));return output.join("")}function fromByteArray(uint8)
{init||init();for(var len=uint8.length,extraBytes=len%3,output="",parts=
[],maxChunkLength=16383,i=0,len2=len-
extraBytes,tmp;i<len2;i+=maxChunkLength)parts.push(encodeChunk(uint8,i,i+maxChunkLength>len2?
len2:i+maxChunkLength));return 1===extraBytes?(tmp=uint8[len-
1],output+=lookup[tmp>>2],output+=lookup[63&tmp<<4],output+="="):2===extraBytes&&(tmp=(uint8[len-2]
<<8)+uint8[len-
1],output+=lookup[tmp>>10],output+=lookup[63&tmp>>4],output+=lookup[63&tmp<<2],output+="="),parts.push(
output),parts.join("")}function read(buffer,offset,isLE,mLen,nBytes){var
_Mathpow=Math.pow,eLen=8*nBytes-mLen-1,eMax=(1<<eLen)-1,eBias=eMax>>1,nBits=-7,i=isLE?nBytes-
1:0,d=isLE?-1:1,s=buffer[offset+i],e,m;for(i+=d,e=s&(1<<-nBits)-1,s>>=-
nBits,nBits+=eLen;0<nBits;e=256*e+buffer[offset+i],i+=d,nBits-=8);for(m=e&(1<<-nBits)-1,e>>=-
nBits,nBits+=mLen;0<nBits;m=256*m+buffer[offset+i],i+=d,nBits-=8);if(0===e)e=1-
eBias;else{if(e===eMax)return m?NaN:(s?-1:1)*(1/0);m+=_Mathpow(2,mLen),e-=eBias}return(s?
-1:1)*m*_Mathpow(2,e-mLen)}function write(buffer,value,offset,isLE,mLen,nBytes){var
_MathLN=Math.LN2,_Mathlog=Math.log,_Mathpow2=Math.pow,_Mathfloor2=Math.floor,_Mathabs2=Math.abs,eLen=8*
nBytes-mLen-1,eMax=(1<<eLen)-1,eBias=eMax>>1,rt=23===mLen?_Mathpow2(2,-24)-_Mathpow2(2,-77):0,i=isLE?
0:nBytes-1,d=isLE?1:-1,s=0>value||0===value&&0>1/value?
1:0,e,m,c;for(value=_Mathabs2(value),isNaN(value)||value===1/0?(m=isNaN(value)?1:0,e=eMax):
(e=_Mathfloor2(_Mathlog(value)/_MathLN),1>value*(c=_Mathpow2(2,-e))&&(e--,c*=2),value+=1<=e+eBias?
rt/c:rt*_Mathpow2(2,1-eBias),2<=value*c&&(e++,c/=2),e+eBias==eMax?(m=0,e=eMax):1<=e+eBias?(m=(value*c-
1)*_Mathpow2(2,mLen),e+=eBias):(m=value*_Mathpow2(2,eBias-
1)*_Mathpow2(2,mLen),e=0));8<=mLen;buffer[offset+i]=255&m,i+=d,m/=256,mLen-=
8);for(e=e<<mLen|m,eLen+=mLen;0<eLen;buffer[offset+i]=255&e,i+=d,e/=256,eLen-=8);buffer[offset+i-
d]=128*s}var toString={}.toString,isArray=Array.isArray||function(arr){return"[object
Array]"==toString.call(arr)},INSPECT_MAX_BYTES=50;Buffer.TYPED_ARRAY_SUPPORT=!
(global$1.TYPED_ARRAY_SUPPORT!=void 0)||global$1.TYPED_ARRAY_SUPPORT,kMaxLength();function
kMaxLength(){return Buffer.TYPED_ARRAY_SUPPORT?2147483647:1073741823}function createBuffer(that,length)
{if(kMaxLength()<length)throw new RangeError("Invalid typed array length");return
Buffer.TYPED_ARRAY_SUPPORT?(that=new Uint8Array(length),that.__proto__=Buffer.prototype):(null===that&&
(that=new Buffer(length)),that.length=length),that}function Buffer(arg,encodingOrOffset,length)
{if(!Buffer.TYPED_ARRAY_SUPPORT&&!(this instanceof Buffer))return new
Buffer(arg,encodingOrOffset,length);if("number"==typeof arg){if("string"==typeof encodingOrOffset)throw
new Error("If encoding is specified then the first argument must be a string");return
allocUnsafe(this,arg)}return
from(this,arg,encodingOrOffset,length)}Buffer.poolSize=8192,Buffer._augment=function(arr){return
arr.__proto__=Buffer.prototype,arr};function from(that,value,encodingOrOffset,length)
{if("number"==typeof value)throw new TypeError("\'value\' argument must not be a
number");return"undefined"!=typeof ArrayBuffer&&value instanceof ArrayBuffer?
fromArrayBuffer(that,value,encodingOrOffset,length):"string"==typeof value?
fromString(that,value,encodingOrOffset):fromObject(that,value)}if(Buffer.from=function(value,encodingOr
Offset,length){return from(null,value,encodingOrOffset,length)},Buffer.TYPED_ARRAY_SUPPORT&&
(Buffer.prototype.__proto__=Uint8Array.prototype,Buffer.__proto__=Uint8Array,"undefined"!=typeof
Symbol&&Symbol.species&&Buffer[Symbol.species]===Buffer));function assertSize(size){if("number"!=typeof
size)throw new TypeError("\'size\' argument must be a number");else if(0>size)throw new
RangeError("\'size\' argument must not be negative")}function alloc(that,size,fill,encoding){return
assertSize(size),0>=size?createBuffer(that,size):void 0===fill?createBuffer(that,size):"string"==typeof
encoding?
createBuffer(that,size).fill(fill,encoding):createBuffer(that,size).fill(fill)}Buffer.alloc=function(si
ze,fill,encoding){return alloc(null,size,fill,encoding)};function allocUnsafe(that,size)
{if(assertSize(size),that=createBuffer(that,0>size?
0:0|checked(size)),!Buffer.TYPED_ARRAY_SUPPORT)for(var i=0;i<size;++i)that[i]=0;return
that}Buffer.allocUnsafe=function(size){return
allocUnsafe(null,size)},Buffer.allocUnsafeSlow=function(size){return allocUnsafe(null,size)};function
fromString(that,string,encoding){if(("string"!=typeof encoding||""===encoding)&&
(encoding="utf8"),!Buffer.isEncoding(encoding))throw new TypeError("\'encoding\' must be a valid string
encoding");var length=0|byteLength(string,encoding);that=createBuffer(that,length);var
actual=that.write(string,encoding);return actual!=length&&(that=that.slice(0,actual)),that}function
fromArrayLike(that,array){var length=0>array.length?
0:0|checked(array.length);that=createBuffer(that,length);for(var
i=0;i<length;i+=1)that[i]=255&array[i];return that}function
fromArrayBuffer(that,array,byteOffset,length)
{if(array.byteLength,0>byteOffset||array.byteLength<byteOffset)throw new RangeError("\'offset\' is out of
bounds");if(array.byteLength<byteOffset+(length||0))throw new RangeError("\'length\' is out of
bounds");return array=void 0===byteOffset&&void 0===length?new Uint8Array(array):void 0===length?new
Uint8Array(array,byteOffset):new Uint8Array(array,byteOffset,length),Buffer.TYPED_ARRAY_SUPPORT?
(that=array,that.__proto__=Buffer.prototype):that=fromArrayLike(that,array),that}function
fromObject(that,obj){if(internalIsBuffer(obj)){var
len=0|checked(obj.length);return(that=createBuffer(that,len),0===that.length)?that:
(obj.copy(that,0,0,len),that)}if(obj){if("undefined"!=typeof ArrayBuffer&&obj.buffer instanceof
ArrayBuffer||"length"in obj)return"number"!=typeof obj.length||!isNaN(obj.length)?
createBuffer(that,0):fromArrayLike(that,obj);if("Buffer"===obj.type&&isArray(obj.data))return
fromArrayLike(that,obj.data)}throw new TypeError("First argument must be a string, Buffer, ArrayBuffer,
Array, or array-like object.")}function checked(length){if(length>=kMaxLength())throw new
RangeError("Attempt to allocate Buffer larger than maximum size: 0x"+kMaxLength().toString(16)+"
bytes");return 0|length}Buffer.isBuffer=isBuffer;function internalIsBuffer(b){return!!
(null!=b&&b._isBuffer)}Buffer.compare=function compare(a,b)
{if(!internalIsBuffer(a)||!internalIsBuffer(b))throw new TypeError("Arguments must be
Buffers");if(a===b)return 0;for(var
x=a.length,y=b.length,i=0,len=Math.min(x,y);i<len;++i){if(a[i]!==b[i]){x=a[i],y=b[i];break}return x<y?
-1:y<x?1:0},Buffer.isEncoding=function isEncoding(encoding){switch((encoding+"").toLowerCase())
{case"hex":case"utf8":case"utf-
8":case"ascii":case"latin1":case"binary":case"base64":case"ucs2":case"ucs-2":case"utf16le":case"utf-
```

```
16le":return!0;default:return!1}},Buffer.concat=function concat(list,length){if(!isArray(list))throw
new TypeError("\list\ argument must be an Array of Buffers");if(0===list.length)return
Buffer.alloc(0);var i;if(length===void 0)for(length=0,i=0;i<list.length;++i)length+=list[i].length;var
buffer=Buffer.allocUnsafe(length),pos=0;for(i=0;i<list.length;++i){var
buf=list[i];if(!internalIsBuffer(buf))throw new TypeError("\list\ argument must be an Array of
Buffers");buf.copy(buffer,pos),pos+=buf.length}return buffer};function byteLength(string,encoding)
{if(internalIsBuffer(string))return string.length;if("undefined"!==typeof
ArrayBuffer&&"function"===typeof ArrayBuffer.isView&&(ArrayBuffer.isView(string)||string instanceof
ArrayBuffer))return string.byteLength;"string"!==typeof string&&(string=""+"string");var
len=string.length;if(0===len)return 0;for(var loweredCase=!1;;)switch(encoding)
{case"ascii":case"latin1":case"binary":return len;case"utf8":case"utf-8":case void 0:return
utf8ToBytes(string).length;case"ucs2":case"ucs-2":case"utf16le":case"utf-16le":return
2*len;case"hex":return len>>>1;case"base64":return
base64ToBytes(string).length;default:if(loweredCase)return utf8ToBytes(string).length;encoding=
(""+encoding).toLowerCase(),loweredCase=!0}}Buffer.byteLength=byteLength;function
slowToString(encoding,start,end){var loweredCase=!1;if((void 0===start||0>start)&&
(start=0),start>this.length)return"";if((void 0===end||end>this.length)&&
(end=this.length),0>end)return"";if(end>>>=0,start>>>=0,end<=start)return"";for(encoding||
(encoding="utf8");!0;)switch(encoding){case"hex":return hexSlice(this,start,end);case"utf8":case"utf-
8":return utf8Slice(this,start,end);case"ascii":return
asciiSlice(this,start,end);case"latin1":case"binary":return
latin1Slice(this,start,end);case"base64":return base64Slice(this,start,end);case"ucs2":case"ucs-
2":case"utf16le":case"utf-16le":return utf16leSlice(this,start,end);default:if(loweredCase)throw new
TypeError("Unknown encoding: "+encoding);encoding=
(encoding+"").toLowerCase(),loweredCase=!0}}Buffer.prototype._isBuffer=!0;function swap(b,n,m){var
i=b[n];b[n]=b[m],b[m]=i}Buffer.prototype.swap16=function swap16(){var len=this.length;if(0!=len%2)throw
new RangeError("Buffer size must be a multiple of 16-bits");for(var
i=0;i<len;i+=2)swap(this,i,i+1);return this},Buffer.prototype.swap32=function swap32(){var
len=this.length;if(0!=len%4)throw new RangeError("Buffer size must be a multiple of 32-bits");for(var
i=0;i<len;i+=4)swap(this,i,i+3),swap(this,i+1,i+2);return this},Buffer.prototype.swap64=function
swap64(){var len=this.length;if(0!=len%8)throw new RangeError("Buffer size must be a multiple of 64-
bits");for(var
i=0;i<len;i+=8)swap(this,i,i+7),swap(this,i+1,i+6),swap(this,i+2,i+5),swap(this,i+3,i+4);return
this},Buffer.prototype.toString=function toString(){var length=0|this.length;return
0==length?"":0===arguments.length?
utf8Slice(this,0,length):slowToString.apply(this,arguments)},Buffer.prototype.equals=function equals(b)
{if(!internalIsBuffer(b))throw new TypeError("Argument must be a Buffer");return
this===b||0===Buffer.compare(this,b)},Buffer.prototype.inspect=function inspect(){var
str="",max=INSPECT_MAX_BYTES;return 0<this.length&&(str=this.toString("hex",0,max).match(/.
{2}/g)).join(" "),this.length>max&&(str+=" ... "),"<Buffer "+str+">"},Buffer.prototype.compare=function
compare(target,start,end,thisStart,thisEnd){var _Mathmin2=Math.min;if(!internalIsBuffer(target))throw
new TypeError("Argument must be a Buffer");if(void 0===start&&(start=0),void 0===end&&(end=target?
target.length:0),void 0===thisStart&&(thisStart=0),void 0===thisEnd&&
(thisEnd=this.length),0>start||end>target.length||0>thisStart||thisEnd>this.length)throw new
RangeError("out of range index");if(thisStart>=thisEnd&&start>=end)return
0;if(thisStart>=thisEnd)return-1;if(start>=end)return
1;if(start>>>=0,end>>>=0,thisStart>>>=0,thisEnd>>>=0,this===target)return 0;for(var x=thisEnd-
thisStart,y=end-
start,len=_Mathmin2(x,y),thisCopy=this.slice(thisStart,thisEnd),targetCopy=target.slice(start,end),i=0;
i<len;++i)if(thisCopy[i]!==targetCopy[i]){x=thisCopy[i],y=targetCopy[i];break}return x<y?-1:y<x?
1:0};function bidirectionalIndexOf(buffer,val,byteOffset,encoding,dir){if(0===buffer.length)return-
1;if("string"===typeof byteOffset?(encoding=byteOffset,byteOffset=0):2147483647<byteOffset?
byteOffset=2147483647:-2147483648>byteOffset&&
(byteOffset=-2147483648),byteOffset+=byteOffset,isNaN(byteOffset)&&(byteOffset=dir?0:buffer.length-
1),0>byteOffset&&(byteOffset=buffer.length+byteOffset),byteOffset>=buffer.length){if(dir)return-
1;byteOffset=buffer.length-1}else if(0>byteOffset)if(dir)byteOffset=0;else return-1;if("string"===typeof
val&&(val=Buffer.from(val,encoding)),internalIsBuffer(val))return 0===val.length?
-1:arrayIndexOf(buffer,val,byteOffset,encoding,dir);if("number"===typeof val)return
val&=255,Buffer.TYPED_ARRAY_SUPPORT&&"function"===typeof Uint8Array.prototype.indexOf?dir?
Uint8Array.prototype.indexOf.call(buffer,val,byteOffset):Uint8Array.prototype.lastIndexOf.call(buffer,v
al,byteOffset):arrayIndexOf(buffer,[val],byteOffset,encoding,dir);throw new TypeError("val must be
string, number or Buffer")};function arrayIndexOf(arr,val,byteOffset,encoding,dir){function read(buf,i)
{return 1===indexSize?buf[i]:buf.readInt16BE(i*indexSize)}var
indexSize=1,arrLength=arr.length,valLength=val.length;if(void 0!==(encoding&&(encoding=
(encoding+"").toLowerCase(),"ucs2"===encoding||"ucs-2"===encoding||"utf16le"===encoding||"utf-
16le"===encoding)){if(2>arr.length||2>val.length)return-
1;indexSize=2,arrLength/=2,valLength/=2,byteOffset/=2}var i;if(dir){var
foundIndex=-1;for(i=byteOffset;i<arrLength;i++)if(read(arr,i)===read(val,-1===foundIndex?0:i-
foundIndex))-1===foundIndex&&(i=-i-foundIndex),foundIndex=-1}else if(-1===foundIndex&&(foundIndex=i),i-
foundIndex+1===valLength)return foundIndex*indexSize}else for(byteOffset+valLength>arrLength&&
(byteOffset=arrLength-valLength),i=byteOffset;0<=i;i--){for(var
found=!0,j=0;j<valLength;j++)if(read(arr,i+j)===read(val,j)){found=!1;break}if(found)return i}return-
1}Buffer.prototype.includes=function includes(val,byteOffset,encoding){return-
1!==this.indexOf(val,byteOffset,encoding)},Buffer.prototype.indexOf=function
indexOf(val,byteOffset,encoding){return
bidirectionalIndexOf(this,val,byteOffset,encoding,!0)},Buffer.prototype.lastIndexOf=function
lastIndexOf(val,byteOffset,encoding){return
bidirectionalIndexOf(this,val,byteOffset,encoding,!1)};function hexWrite(buf,string,offset,length)
{offset+=offset|0;var remaining=buf.length-offset;length?(length+=length,length>remaining&&
(length=remaining)):length=remaining;var strLen=string.length;if(0!=strLen%2)throw new
TypeError("Invalid hex string");length>strLen/2&&(length=strLen/2);for(var i=0,parsed;i<length;++i)
{if(parsed=parseInt(string.substr(2*i,2),16),isNaN(parsed))return i;buf[offset+i]=parsed}return
i}function utf8Write(buf,string,offset,length){return blitBuffer(utf8ToBytes(string,buf.length-
offset),buf,offset,length)}function asciiWrite(buf,string,offset,length){return
blitBuffer(asciiToBytes(string),buf,offset,length)}function latin1Write(buf,string,offset,length)
{return asciiWrite(buf,string,offset,length)}function base64Write(buf,string,offset,length){return
```

```

blitBuffer(base64ToBytes(string),buf,offset,length)}function ucs2Write(buf,string,offset,length){return
blitBuffer(utf16leToBytes(string,buf.length-offset),buf,offset,length)}Buffer.prototype.write=function
write(string,offset,length,encoding){if(void
0===offset)encoding="utf8",length=this.length,offset=0;else if(void 0===length&&"string"===typeof
offset)encoding=offset,length=this.length,offset=0;else if(isFinite(offset))offset|=0,isFinite(length)?
(length|=0,void 0===encoding&&(encoding="utf8")):(encoding=length,length=void 0);else throw new
Error("Buffer.write(string, encoding, offset[, length]) is no longer supported");var
remaining=this.length-offset;if((void 0===length||length>remaining)&&
(length=remaining),0<string.length&&(0>length||0>offset)||offset>this.length)throw new
RangeError("Attempt to write outside buffer bounds");encoding||(encoding="utf8");for(var
loweredCase=!1;;)switch(encoding){case"hex":return
hexWrite(this,string,offset,length);case"utf8":case"utf-8":return
utf8Write(this,string,offset,length);case"ascii":return
asciiWrite(this,string,offset,length);case"latin1":case"binary":return
latin1Write(this,string,offset,length);case"base64":return
base64Write(this,string,offset,length);case"ucs2":case"ucs-2":case"utf16le":case"utf-16le":return
ucs2Write(this,string,offset,length);default:if(loweredCase)throw new TypeError("Unknown encoding:
"+encoding);encoding=(""+encoding).toLowerCase(),loweredCase=!0}},Buffer.prototype.toJSON=function
toJSON(){return{type:"Buffer",data:Array.prototype.slice.call(this._arr||this,0)}};function
base64Slice(buf,start,end){return 0===start&&end===buf.length?
fromByteArray(buf):fromByteArray(buf.slice(start,end))}function utf8Slice(buf,start,end)
{end=Math.min(buf.length,end);for(var res=[],i=start;i<end;){var
firstByte=buf[i],codePoint=null,bytesPerSequence=239<firstByte?4:223<firstByte?3:191<firstByte?
2:1;if(i+bytesPerSequence<=end){var secondByte,thirdByte,fourthByte,tempCodePoint;1===bytesPerSequence?
128>firstByte&&(codePoint=firstByte):2===bytesPerSequence?(secondByte=buf[i+1],128==(192&secondByte)&&
(tempCodePoint=(31&firstByte)<<6|63&secondByte,127<tempCodePoint&&
(codePoint=tempCodePoint))):3===bytesPerSequence?(secondByte=buf[i+1],thirdByte=buf[i+2],128==
(192&secondByte)&&128==(192&thirdByte)&&(tempCodePoint=(15&firstByte)<<12|(63&secondByte)
<<6|63&thirdByte,2047<tempCodePoint&&(55296>tempCodePoint||57343<tempCodePoint)&&
(codePoint=tempCodePoint))):4===bytesPerSequence?
(secondByte=buf[i+1],thirdByte=buf[i+2],fourthByte=buf[i+3],128==(192&secondByte)&&128==
(192&thirdByte)&&128==(192&fourthByte)&&(tempCodePoint=(15&firstByte)<<18|(63&secondByte)<<12|
(63&thirdByte)<<6|63&fourthByte,65535<tempCodePoint&&1114112>tempCodePoint&&
(codePoint=tempCodePoint))):void 0}null===codePoint?
(codePoint=65533,bytesPerSequence=1):65535<codePoint&&(codePoint-
=65536,res.push(55296|1023&codePoint>>>10),codePoint=56320|1023&codePoint),res.push(codePoint),i+=bytes
PerSequence}return decodeCodePointsArray(res)}var MAX_ARGUMENTS_LENGTH=4096;function
decodeCodePointsArray(codePoints){var
_StringfromCharCode=String.fromCharCode,len=codePoints.length;if(len<=MAX_ARGUMENTS_LENGTH)return
_StringfromCharCode.apply(String,codePoints);for(var
res="",i=0;i<len;){res+=_StringfromCharCode.apply(String,codePoints.slice(i,i+MAX_ARGUMENTS_LENGTH));re
turn res}function asciiSlice(buf,start,end){var ret="";end=Math.min(buf.length,end);for(var
i=start;i<end;++i)ret+=String.fromCharCode(127&buf[i]);return ret}function latin1Slice(buf,start,end)
{var ret="";end=Math.min(buf.length,end);for(var
i=start;i<end;++i)ret+=String.fromCharCode(buf[i]);return ret}function hexSlice(buf,start,end){var
len=buf.length;(!start||0>start)&&(start=0),(!end||0>end||end>len)&&(end=len);for(var
out="",i=start;i<end;++i)out+=toHex(buf[i]);return out}function utf16leSlice(buf,start,end){for(var
bytes=buf.slice(start,end),res="",i=0;i<bytes.length;i+=2)res+=String.fromCharCode(bytes[i]+256*bytes[i
+1]);return res}Buffer.prototype.slice=function slice(start,end){var
len=this.length;start=~start,end=end===void 0?len:~end,0>start?(start+=len,0>start&&
(start=0)):start>len&&(start=len),0>end?(end+=len,0>end&&(end=0)):end>len&&(end=len),end<start&&
(end=start);var
newBuf;if(Buffer.TYPED_ARRAY_SUPPORT)newBuf=this.subarray(start,end),newBuf.__proto__=Buffer.prototype;
else{var sliceLen=end-start,newBuf=new Buffer(sliceLen,void 0);for(var
i=0;i<sliceLen;++i)newBuf[i]=this[i+start]}return newBuf};function checkOffset(offset,ext,length)
{if(0!=offset%1||0>offset)throw new RangeError("offset is not uint");if(offset+ext>length)throw new
RangeError("Trying to access beyond buffer length")}Buffer.prototype.readUIntLE=function
readUIntLE(offset,byteLength,noAssert)
{offset|=0,byteLength|=0,noAssert||checkOffset(offset,byteLength,this.length);for(var
val=this[offset],mul=1,i=0;++i<byteLength&&(mul*=256);)val+=this[offset+i]*mul;return
val},Buffer.prototype.readUIntBE=function readUIntBE(offset,byteLength,noAssert)
{offset|=0,byteLength|=0,noAssert||checkOffset(offset,byteLength,this.length);for(var val=this[offset+-
byteLength],mul=1;0<byteLength&&(mul*=256);)val+=this[offset+-byteLength]*mul;return
val},Buffer.prototype.readUInt8=function readUInt8(offset,noAssert){return
noAssert||checkOffset(offset,1,this.length),this[offset]},Buffer.prototype.readUInt16LE=function
readUInt16LE(offset,noAssert){return
noAssert||checkOffset(offset,2,this.length),this[offset]|this[offset+1]
<<8},Buffer.prototype.readUInt16BE=function readUInt16BE(offset,noAssert){return
noAssert||checkOffset(offset,2,this.length),this[offset]
<<8|this[offset+1]},Buffer.prototype.readUInt32LE=function readUInt32LE(offset,noAssert){return
noAssert||checkOffset(offset,4,this.length),(this[offset]|this[offset+1]<<8|this[offset+2]
<<16)+16777216*this[offset+3]},Buffer.prototype.readUInt32BE=function readUInt32BE(offset,noAssert)
{return noAssert||checkOffset(offset,4,this.length),16777216*this[offset]+(this[offset+1]
<<16|this[offset+2]<<8|this[offset+3])},Buffer.prototype.readIntLE=function
readIntLE(offset,byteLength,noAssert){var
_Mathpow3=Math.pow;offset|=0,byteLength|=0,noAssert||checkOffset(offset,byteLength,this.length);for(var
val=this[offset],mul=1,i=0;++i<byteLength&&(mul*=256);)val+=this[offset+i]*mul;return
mul*=128,val>=mul&&(val-=_Mathpow3(2,8*byteLength)),val},Buffer.prototype.readIntBE=function
readIntBE(offset,byteLength,noAssert){var
_Mathpow4=Math.pow;offset|=0,byteLength|=0,noAssert||checkOffset(offset,byteLength,this.length);for(var
i=byteLength,mul=1,val=this[offset+-i];0<i&&(mul*=256);)val+=this[offset+-i]*mul;return
mul*=128,val>=mul&&(val-=_Mathpow4(2,8*byteLength)),val},Buffer.prototype.readInt8=function
readInt8(offset,noAssert){return noAssert||checkOffset(offset,1,this.length),128&this[offset]?-1*(255-
this[offset]+1):this[offset]},Buffer.prototype.readInt16LE=function readInt16LE(offset,noAssert)
{noAssert||checkOffset(offset,2,this.length);var val=this[offset]|this[offset+1]<<8;return 32768&val?
4294901760|val:val},Buffer.prototype.readInt16BE=function readInt16BE(offset,noAssert)

```

```
{noAssert||checkOffset(offset,2,this.length);var val=this[offset+1]|this[offset]<<8;return 32768&val?
4294901760|val:val},Buffer.prototype.readInt32LE=function readInt32LE(offset,noAssert){return
noAssert||checkOffset(offset,4,this.length),this[offset]|this[offset+1]<<8|this[offset+2]
<<16|this[offset+3]<<24},Buffer.prototype.readInt32BE=function readInt32BE(offset,noAssert){return
noAssert||checkOffset(offset,4,this.length),this[offset]<<24|this[offset+1]<<16|this[offset+2]
<<8|this[offset+3]},Buffer.prototype.readFloatLE=function readFloatLE(offset,noAssert){return
noAssert||checkOffset(offset,4,this.length),read(this,offset,!0,23,4)},Buffer.prototype.readFloatBE=fun
ction readFloatBE(offset,noAssert){return
noAssert||checkOffset(offset,4,this.length),read(this,offset,!1,23,4)},Buffer.prototype.readDoubleLE=fun
ction readDoubleLE(offset,noAssert){return
noAssert||checkOffset(offset,8,this.length),read(this,offset,!0,52,8)},Buffer.prototype.readDoubleBE=fun
ction readDoubleBE(offset,noAssert){return
noAssert||checkOffset(offset,8,this.length),read(this,offset,!1,52,8)};function
checkInt(buf,value,offset,ext,max,min){if(!internalIsBuffer(buf))throw new TypeError("\buffer\"
argument must be a Buffer instance");if(value>max||value<min)throw new RangeError("\value\" argument
is out of bounds");if(offset+ext>buf.length)throw new RangeError("Index out of
range")}}Buffer.prototype.writeUIntLE=function writeUIntLE(value,offset,byteLength,noAssert){var
_Mathpow5=Math.pow;if(value+=value,offset|=0,byteLength|=0,!noAssert){var
maxBytes=_Mathpow5(2,8*byteLength)-1;checkInt(this,value,offset,byteLength,maxBytes,0)}var
mul=1,i=0;for(this[offset]=255&value;++i<byteLength&&(mul*=256);)this[offset+i]=255&value/mul;return
offset+byteLength},Buffer.prototype.writeUIntBE=function writeUIntBE(value,offset,byteLength,noAssert)
{var _Mathpow6=Math.pow;if(value+=value,offset|=0,byteLength|=0,!noAssert){var
maxBytes=_Mathpow6(2,8*byteLength)-1;checkInt(this,value,offset,byteLength,maxBytes,0)}var
i=byteLength-1,mul=1;for(this[offset+i]=255&value;0<--i&&
(mul*=256);)this[offset+i]=255&value/mul;return offset+byteLength},Buffer.prototype.writeUInt8=function
writeUInt8(value,offset,noAssert){var _Mathfloor3=Math.floor;return
value+=value,offset|=0,noAssert||checkInt(this,value,offset,1,255,0),Buffer.TYPED_ARRAY_SUPPORT||
(value=_Mathfloor3(value)),this[offset]=255&value,offset+1};function
objectWriteUInt16(buf,value,offset,littleEndian){0>value&&(value=65535+value+1);for(var
i=0,j=Math.min(buf.length-offset,2);i<j;++i)buf[offset+i]=(value&255<<8*(littleEndian?i:1-i))>>>8*
(littleEndian?i:1-i)}Buffer.prototype.writeUInt16LE=function writeUInt16LE(value,offset,noAssert)
{return
value+=value,offset|=0,noAssert||checkInt(this,value,offset,2,65535,0),Buffer.TYPED_ARRAY_SUPPORT?
(this[offset]=255&value,this[offset+1]=value>>>8):objectWriteUInt16(this,value,offset,!0),offset+2},Buf
fer.prototype.writeUInt16BE=function writeUInt16BE(value,offset,noAssert){return
value+=value,offset|=0,noAssert||checkInt(this,value,offset,2,65535,0),Buffer.TYPED_ARRAY_SUPPORT?
(this[offset]=value>>>8,this[offset+1]=255&value):objectWriteUInt16(this,value,offset,!1),offset+2};fun
ction objectWriteUInt32(buf,value,offset,littleEndian){0>value&&(value=4294967295+value+1);for(var
i=0,j=Math.min(buf.length-offset,4);i<j;++i)buf[offset+i]=255&value>>>8*(littleEndian?i:3-
i)}Buffer.prototype.writeUInt32LE=function writeUInt32LE(value,offset,noAssert){return
value+=value,offset|=0,noAssert||checkInt(this,value,offset,4,4294967295,0),Buffer.TYPED_ARRAY_SUPPORT?
(this[offset+3]=value>>>24,this[offset+2]=value>>>16,this[offset+1]=value>>>8,this[offset]=255&value):o
bjectWriteUInt32(this,value,offset,!0),offset+4},Buffer.prototype.writeUInt32BE=function
writeUInt32BE(value,offset,noAssert){return
value+=value,offset|=0,noAssert||checkInt(this,value,offset,4,4294967295,0),Buffer.TYPED_ARRAY_SUPPORT?
(this[offset]=value>>>24,this[offset+1]=value>>>16,this[offset+2]=value>>>8,this[offset+3]=255&value):o
bjectWriteUInt32(this,value,offset,!1),offset+4},Buffer.prototype.writeIntLE=function
writeIntLE(value,offset,byteLength,noAssert){var
_Mathpow7=Math.pow;if(value+=value,offset|=0,!noAssert){var limit=_Mathpow7(2,8*byteLength-
1);checkInt(this,value,offset,byteLength,limit-1,-limit)}var
i=0,mul=1,sub=0;for(this[offset]=255&value;++i<byteLength&&
(mul*=256);)0>value&&0===sub&&0!==this[offset+i-1]&&(sub=1),this[offset+i]=255&(value/mul>>0)-
sub;return offset+byteLength},Buffer.prototype.writeIntBE=function
writeIntBE(value,offset,byteLength,noAssert){var
_Mathpow8=Math.pow;if(value+=value,offset|=0,!noAssert){var limit=_Mathpow8(2,8*byteLength-
1);checkInt(this,value,offset,byteLength,limit-1,-limit)}var i=byteLength-
1,mul=1,sub=0;for(this[offset+i]=255&value;0<--i&&(mul*=256);)0>value&&0===sub&&0!==this[offset+i+1]&&
(sub=1),this[offset+i]=255&(value/mul>>0)-sub;return
offset+byteLength},Buffer.prototype.writeInt8=function writeInt8(value,offset,noAssert){var
_Mathfloor4=Math.floor;return
value+=value,offset|=0,noAssert||checkInt(this,value,offset,1,127,-128),Buffer.TYPED_ARRAY_SUPPORT||
(value=_Mathfloor4(value)),0>value&&
(value=255+value+1),this[offset]=255&value,offset+1},Buffer.prototype.writeInt16LE=function
writeInt16LE(value,offset,noAssert){return
value+=value,offset|=0,noAssert||checkInt(this,value,offset,2,32767,-32768),Buffer.TYPED_ARRAY_SUPPORT?
(this[offset]=255&value,this[offset+1]=value>>>8):objectWriteUInt16(this,value,offset,!0),offset+2},Buf
fer.prototype.writeInt16BE=function writeInt16BE(value,offset,noAssert){return
value+=value,offset|=0,noAssert||checkInt(this,value,offset,2,32767,-32768),Buffer.TYPED_ARRAY_SUPPORT?
(this[offset]=value>>>8,this[offset+1]=255&value):objectWriteUInt16(this,value,offset,!1),offset+2},Buf
fer.prototype.writeInt32LE=function writeInt32LE(value,offset,noAssert){return
value+=value,offset|=0,noAssert||checkInt(this,value,offset,4,2147483647,-2147483648),Buffer.TYPED_ARRA
Y_SUPPORT?
(this[offset]=255&value,this[offset+1]=value>>>8,this[offset+2]=value>>>16,this[offset+3]=value>>>24):o
bjectWriteUInt32(this,value,offset,!0),offset+4},Buffer.prototype.writeInt32BE=function
writeInt32BE(value,offset,noAssert){return
value+=value,offset|=0,noAssert||checkInt(this,value,offset,4,2147483647,-2147483648),0>value&&
(value=4294967295+value+1),Buffer.TYPED_ARRAY_SUPPORT?
(this[offset]=value>>>24,this[offset+1]=value>>>16,this[offset+2]=value>>>8,this[offset+3]=255&value):o
bjectWriteUInt32(this,value,offset,!1),offset+4};function checkIEEE754(buf,value,offset,ext,max,min)
{if(offset+ext>buf.length)throw new RangeError("Index out of range");if(0>offset)throw new
RangeError("Index out of range")}}function writeFloat(buf,value,offset,littleEndian,noAssert){return
noAssert||checkIEEE754(buf,value,offset,4),write(buf,value,offset,littleEndian,23,4),offset+4}Buffer.pr
ototype.writeFloatLE=function writeFloatLE(value,offset,noAssert){return
writeFloat(this,value,offset,!0,noAssert)},Buffer.prototype.writeFloatBE=function
writeFloatBE(value,offset,noAssert){return writeFloat(this,value,offset,!1,noAssb)};function
writeDouble(buf,value,offset,littleEndian,noAssert){return
```

```
noAssert||checkIEEE754(buf,value,offset,8),write(buf,value,offset,littleEndian,52,8),offset+8}Buffer.prototype.writeDoubleLE=function writeDoubleLE(value,offset,noAssert){return writeDouble(this,value,offset,!0,noAssert)},Buffer.prototype.writeDoubleBE=function writeDoubleBE(value,offset,noAssert){return writeDouble(this,value,offset,!1,noAssert)},Buffer.prototype.copy=function copy(target,targetStart,start,end){if(start||(start=0),end||0===end||(end=this.length),targetStart>=target.length&&(targetStart=target.length),targetStart||(targetStart=0),0<end&&end<start&&(end=start),end===start)return 0;if(0===target.length||0===this.length)return 0;if(0>targetStart)throw new RangeError("targetStart out of bounds");if(0>start||start>=this.length)throw new RangeError("sourceStart out of bounds");if(0>end)throw new RangeError("sourceEnd out of bounds");end>this.length&&(end=this.length),target.length-targetStart<end-start&&(end=target.length-targetStart+start);var len=end-start,i;if(this===target&&start<targetStart&&targetStart<end)for(i=len-1;0<=i;--i)target[i+targetStart]=this[i+start];else if(1e3>len||!Buffer.TYPED_ARRAY_SUPPORT)for(i=0;i<len;++i)target[i+targetStart]=this[i+start];else Uint8Array.prototype.set.call(target,this.subarray(start,start+len),targetStart);return len},Buffer.prototype.fill=function fill(val,start,end,encoding){if("string"===typeof val){if("string"===typeof start?(encoding=start,start=0,end=this.length):"string"===typeof end&&(encoding=end,end=this.length),1===val.length){var code=val.charCodeAt(0);256>code&&(val=code)}if(void 0!==encoding&&"string"!==typeof encoding)throw new TypeError("encoding must be a string");if("string"===typeof encoding&&!Buffer.isEncoding(encoding))throw new TypeError("Unknown encoding: "+encoding)}else"number"===typeof val&&(val&=255);if(0>start||this.length<start||this.length<end)throw new RangeError("Out of range index");if(end<=start)return this;start>>=0,end=end===void 0?this.length:end>>0,val||(val=0);var i;if("number"===typeof val)for(i=start;i<end;++i)this[i]=val;else{var bytes=internalIsBuffer(val)?val:utf8ToBytes(new Buffer(val,encoding).toString()),len=bytes.length;for(i=0;i<end-start;++i)this[i+start]=bytes[i%len]}return this};var INVALID_BASE64_RE=/[^\0-9A-Za-z-_]/g;function base64clean(str){if(str=stringtrim(str).replace(INVALID_BASE64_RE,""),2>str.length)return"";for(;0!=str.length%4;)str+="=";return str}function stringtrim(str){return str.trim()}function toHex(n){return 16>n?"0"+n.toString(16):n.toString(16)}function utf8ToBytes(string,units){units=units||1/0;for(var length=string.length,leadSurrogate=null,bytes=[],i=0,codePoint;i<length;++i){if(codePoint=string.charCodeAt(i),55295<codePoint&&57344>codePoint){if(!leadSurrogate){if(56319<codePoint){-1<(units-=3)&&bytes.push(239,191,189);continue}else if(i+1===length){-1<(units-=3)&&bytes.push(239,191,189);continue}leadSurrogate=codePoint;continue}if(56320>codePoint){-1<(units-=3)&&bytes.push(239,191,189),leadSurrogate=codePoint;continue}codePoint=(leadSurrogate-55296<<10|codePoint-56320)+65536}else leadSurrogate&&-1<(units-=3)&&bytes.push(239,191,189);if(leadSurrogate=null,128>codePoint){if(0>(units-=1))break;bytes.push(codePoint)}else if(2048>codePoint){if(0>(units-=2))break;bytes.push(192|codePoint>>6,128|63&codePoint)}else if(65536>codePoint){if(0>(units-=3))break;bytes.push(224|codePoint>>12,128|63&codePoint>>6,128|63&codePoint)}else if(1114112>codePoint){if(0>(units-=4))break;bytes.push(240|codePoint>>18,128|63&codePoint>>12,128|63&codePoint>>6,128|63&codePoint)}else throw new Error("Invalid code point")}return bytes}function asciiToBytes(str){for(var byteArray=[],i=0;i<str.length;++i)byteArray.push(255&str.charCodeAt(i));return byteArray}function utf16leToBytes(str,units){for(var byteArray=[],i=0,c,hi,lo;i<str.length&&!(0>(units-=2));++i)c=str.charCodeAt(i),hi=c>>8,lo=c%256,byteArray.push(lo),byteArray.push(hi);return byteArray}function base64ToBytes(str){return toByteArray(base64clean(str))}function blitBuffer(src,dst,offset,length){for(var i=0;i<length&&!(i+offset>dst.length||i>=src.length);++i)dst[i+offset]=src[i];return i}function isnan(val){return val!==val}function isBuffer(obj){return null!=obj&&(!obj._isBuffer||isFastBuffer(obj)||isSlowBuffer(obj))}function isFastBuffer(obj){return!obj.constructor&&"function"===typeof obj.constructor.isBuffer&&obj.constructor.isBuffer(obj)}function isSlowBuffer(obj){return"function"===typeof obj.readFloatLE&&"function"===typeof obj.slice&&isFastBuffer(obj.slice(0,0))}class CsvError extends Error{constructor(code,message,options,...contexts){Array.isArray(message)&&(message=message.join(" ").trim()),super(message),Error.captureStackTrace!==void 0&&Error.captureStackTrace(this,CsvError),this.code=code;for(const context of contexts)for(const key in context){const value=context[key];this[key]=isBuffer(value)?value.toString(options.encoding):null==value?value:JSON.parse(JSON.stringify(value))}}const is_object=function(obj){return"object"===typeof obj&&null!=obj&&!Array.isArray(obj)},normalize_columns_array=function(columns){const normalizedColumns=[];for(let i=0,l=columns.length;i<l;i++){const column=columns[i];if(column===void 0||null===column||1===column)normalizedColumns[i]={disabled:!0};else if("string"===typeof column)normalizedColumns[i]={name:column};else if(is_object(column)){if("string"!==typeof column.name)throw new CsvError("CSV_OPTION_COLUMNS_MISSING_NAME",["Option columns missing name:",`property "name" is required at position ${i}`,"when column is an object literal"]);normalizedColumns[i]=column}else throw new CsvError("CSV_INVALID_COLUMN_DEFINITION",["Invalid column definition:",`expect a string or a literal object`,`got ${JSON.stringify(column)} at position ${i}`])}return normalizedColumns};class ResizableBuffer{constructor(size=100){this.size=size,this.length=0,this.buf=Buffer.allocUnsafe(size)}prepend(val){if(isBuffer(val)){const length=this.length+val.length;if(length>=this.size&&(this.resize(),length>=this.size))throw Error("INVALID_BUFFER_STATE");const buf=this.buf;this.buf=Buffer.allocUnsafe(this.size),val.copy(this.buf,0),buf.copy(this.buf,val.length),this.length+=val.length}else{const length=this.length++;length===this.size&&this.resize();const buf=this.clone();this.buf[0]=val,buf.copy(this.buf,1,0,length)}append(val){const length=this.length++;length===this.size&&this.resize(),this.buf[length]=val}clone(){return Buffer.from(this.buf.slice(0,this.length))}resize(){const length=this.length;this.size*=2;const buf=Buffer.allocUnsafe(this.size);this.buf.copy(buf,0,0,length),this.buf=buf}toString(encoding){return encoding?this.buf.slice(0,this.length).toString(encoding):Uint8Array.prototype.slice.call(this.buf.slice(0,this.length)).toJSON(){return this.toString("utf8")}reset(){this.length=0}}const np=12,cr$1=13,nl$1=10,space=32,tab=9,init_state=function(options){var _Mathmax3=Math.max;return{bomSkipped:!1,bufBytesStart:0,castField:options.cast_function,commenting:!1,e
```

```

rror:void
0,enabled:1===options.from_line,escaping:!1,escapeIsQuote:isBuffer(options.escape)&&isBuffer(options.quote)&&0===Buffer.compare(options.escape,options.quote),expectedRecordLength:Array.isArray(options.columns)?options.columns.length:void 0,field:new
ResizableBuffer(20),firstLineToHeaders:options.cast_first_line_to_header,needMoreDataSize:_Mathmax3(nu
ll===options.comment?
0:options.comment.length,...options.delimiter.map(delimiter=>delimiter.length),null===options.quote?
0:options.quote.length),previousBuf:void 0,quoting:!1,stop:!1,rawBuffer:new
ResizableBuffer(100),record:
[],recordHasError:!1,record_length:0,recordDelimiterMaxLength:0===options.record_delimiter.length?
0:_Mathmax3(...options.record_delimiter.map(v=>v.length)),trimChars:[Buffer.from(" ",options.encoding)
[0],Buffer.from("\t",options.encoding)[0]],wasQuoting:!1,wasRowDelimiter:!1,timchars:
[Buffer.from(Buffer.from([cr$1],"utf8").toString(),options.encoding),Buffer.from(Buffer.from([nl$1],"ut
f8").toString(),options.encoding),Buffer.from(Buffer.from([np],"utf8").toString(),options.encoding),Buf
fer.from(Buffer.from([space],"utf8").toString(),options.encoding),Buffer.from(Buffer.from([tab],"utf8")
.toString(),options.encoding)]]},underscore=function(str){return str.replace(/([A-
Z])/g,function(_,match){return"_"+match.toLowerCase()}}},normalize_options=function(opts){var
_NumberisInteger=Number.isInteger,_Mathfloor5=Math.floor;const options={};for(const opt in
opts)options[underscore(opt)]=opts[opt];if(void
0===options.encoding||!0===options.encoding)options.encoding="utf8";else
if(null===options.encoding||!1===options.encoding)options.encoding=null;else if("string"!==typeof
options.encoding&&null!==options.encoding)throw new CsvError("CSV_INVALID_OPTION_ENCODING",["Invalid
option encoding:",options.encoding,"encoding must be a string or null to return a buffer,"],`got
${JSON.stringify(options.encoding)}\``,options);if(void
0===options.bom||null===options.bom||!1===options.bom)options.bom=!1;else if(!0===options.bom)throw new
CsvError("CSV_INVALID_OPTION_BOM",["Invalid option bom:",options.bom,"bom must be true,"],`got
${JSON.stringify(options.bom)}\``,options);if(options.cast_function=null,void
0===options.cast||null===options.cast||!1===options.cast||!""===options.cast)options.cast=void 0;else
if("function"===typeof options.cast)options.cast_function=options.cast,options.cast=!0;else
if(!0===options.cast)throw new CsvError("CSV_INVALID_OPTION_CAST",["Invalid option cast:",options.cast,"cast must be
true or a function,"],`got ${JSON.stringify(options.cast)}\``,options);if(void
0===options.cast_date||null===options.cast_date||!1===options.cast_date||!""===options.cast_date)options
.cast_date=!1;else if(!0===options.cast_date)options.cast_date=function(value){const
date=Date.parse(value);return isNaN(date)?value:new Date(date)};else if("function"!==typeof
options.cast_date)throw new CsvError("CSV_INVALID_OPTION_CAST_DATE",["Invalid option
cast_date:",options.cast_date,"cast_date must be true or a function,"],`got
${JSON.stringify(options.cast_date)}\``,options);if(options.cast_first_line_to_header=void
0,!0===options.columns)options.cast_first_line_to_header=void 0;else if("function"===typeof
options.columns)options.cast_first_line_to_header=options.columns,options.columns=!0;else
if(Array.isArray(options.columns))options.columns=normalize_columns_array(options.columns);else if(void
0===options.columns||null===options.columns||!1===options.columns)options.columns=!1;else throw new
CsvError("CSV_INVALID_OPTION_COLUMNS",["Invalid option columns:",options.columns,"expect an array, a function or
true,"],`got ${JSON.stringify(options.columns)}\``,options);if(void
0===options.group_columns_by_name||null===options.group_columns_by_name||!1===options.group_columns_by_
name)options.group_columns_by_name=!1;else if(!0===options.group_columns_by_name)throw new
CsvError("CSV_INVALID_OPTION_GROUP_COLUMNS_BY_NAME",["Invalid option group_columns_by_name:",options.group_columns_by_name,"expect an
boolean,"],`got ${JSON.stringify(options.group_columns_by_name)}\``,options);else
if(!1===options.columns)throw new CsvError("CSV_INVALID_OPTION_GROUP_COLUMNS_BY_NAME",["Invalid option
group_columns_by_name:",options.group_columns_by_name,"the `columns` mode must be activated."],options);if(void
0===options.comment||null===options.comment||!1===options.comment||!""===options.comment)options.comment
=null;else if("string"===typeof options.comment&&
(options.comment=Buffer.from(options.comment,options.encoding)),!isBuffer(options.comment))throw new
CsvError("CSV_INVALID_OPTION_COMMENT",["Invalid option comment:",options.comment,"comment must be a buffer or a
string,"],`got ${JSON.stringify(options.comment)}\``,options);if(void
0===options.comment_no_infix||null===options.comment_no_infix||!1===options.comment_no_infix)options.co
mment_no_infix=!1;else if(!0===options.comment_no_infix)throw new
CsvError("CSV_INVALID_OPTION_COMMENT",["Invalid option comment_no_infix:",options.comment_no_infix,"value must be a
boolean,"],`got ${JSON.stringify(options.comment_no_infix)}\``,options);const
delimiter_json=JSON.stringify(options.delimiter);if(Array.isArray(options.delimiter)||
(options.delimiter=[options.delimiter]),0===options.delimiter.length)throw new
CsvError("CSV_INVALID_OPTION_DELIMITER",["Invalid option delimiter:",options.delimiter,"delimiter must be a non empty
string or buffer or array of string|buffer,"],`got
${delimiter_json}\``,options);if(options.delimiter=options.delimiter.map(function(delimiter){if(void
0===delimiter||null===delimiter||!1===delimiter)return
Buffer.from("",options.encoding);if("string"===typeof delimiter&&
(delimiter=Buffer.from(delimiter,options.encoding)),!isBuffer(delimiter)||0===delimiter.length)throw
new CsvError("CSV_INVALID_OPTION_DELIMITER",["Invalid option delimiter:",options.delimiter,"delimiter must be a non empty
string or buffer or array of string|buffer,"],`got ${delimiter_json}\``,options);return delimiter})),void
0===options.escape||!0===options.escape?
options.escape=Buffer.from("\\"",options.encoding):"string"===typeof options.escape?
options.escape=Buffer.from(options.escape,options.encoding):
(null===options.escape||!1===options.escape)&&
(options.escape=null),null!==options.escape&&!isBuffer(options.escape))throw new Error(`Invalid Option:
escape must be a buffer, a string or a boolean, got ${JSON.stringify(options.escape)}\``);if(void
0===options.from||null===options.from)options.from=1;else if("string"===typeof
options.from&&/\d+/.test(options.from)&&
(options.from=parseInt(options.from)),!_NumberisInteger(options.from))throw new Error(`Invalid Option:
from must be an integer, got ${JSON.stringify(options.from)}\``);else if(0>options.from)throw new
Error(`Invalid Option: from must be a positive integer, got ${JSON.stringify(opts.from)}\``);if(void
0===options.from_line||null===options.from_line)options.from_line=1;else if("string"===typeof
options.from_line&&/\d+/.test(options.from_line)&&
(options.from_line=parseInt(options.from_line)),!_NumberisInteger(options.from_line))throw new
Error(`Invalid Option: from_line must be an integer, got ${JSON.stringify(opts.from_line)}\``);else
if(0>options.from_line)throw new Error(`Invalid Option: from_line must be a positive integer greater
than 0, got ${JSON.stringify(opts.from_line)}\``);if(void
0===options.ignore_last_delimiters||null===options.ignore_last_delimiters)options.ignore_last_delimiter

```



```
s=!1;else if("number"==typeof
options.ignore_last_delimiters)options.ignore_last_delimiters=_Mathfloor5(options.ignore_last_delimiter
s),0===options.ignore_last_delimiters&&(options.ignore_last_delimiters=!1);else if("boolean"!=typeof
options.ignore_last_delimiters)throw new CsvError("CSV_INVALID_OPTION_IGNORE_LAST_DELIMITERS",["Invalid
option `ignore_last_delimiters`:", "the value must be a boolean value or an integer,", `got
${JSON.stringify(options.ignore_last_delimiters)}` ],options);if(!0===options.ignore_last_delimiters&&!1
===options.columns)throw new CsvError("CSV_IGNORE_LAST_DELIMITERS_REQUIRES_COLUMNS",["The option
`ignore_last_delimiters`:", "requires the activation of the `columns` option"],options);if(void
0===options.info||null===options.info||!1===options.info)options.info=!1;else
if(!0!==options.info)throw new Error(`Invalid Option: info must be true, got
${JSON.stringify(options.info)}`);if(void
0===options.max_record_size||null===options.max_record_size||!1===options.max_record_size)options.max_r
ecord_size=0;else if(_NumberisInteger(options.max_record_size)&&0<=options.max_record_size);else
if("string"==typeof
options.max_record_size&&\/\d+\/.test(options.max_record_size))options.max_record_size=parseInt(options.m
ax_record_size);else throw new Error(`Invalid Option: max_record_size must be a positive integer, got
${JSON.stringify(options.max_record_size)}`);if(void
0===options.objname||null===options.objname||!1===options.objname)options.objname=void 0;else
if(isBuffer(options.objname)){if(0===options.objname.length)throw new Error(`Invalid Option: objname
must be a non empty buffer`);if(null===options.encoding);else
options.objname=options.objname.toString(options.encoding)}else if("string"==typeof options.objname)
{if(0===options.objname.length)throw new Error(`Invalid Option: objname must be a non empty
string`);else if("number"==typeof options.objname);else throw new Error(`Invalid Option: objname must
be a string or a buffer, got ${options.objname}`);if(void 0!==options.objname)if("number"==typeof
options.objname){if(!1===options.columns)throw Error("Invalid Option: objname index cannot be combined
with columns or be defined as a field");else if(!1===options.columns)throw Error("Invalid Option:
objname field must be combined with columns or be defined as an index");if(void
0===options.on_record||null===options.on_record)options.on_record=void 0;else if("function"!=typeof
options.on_record)throw new CsvError("CSV_INVALID_OPTION_ON_RECORD",["Invalid option
`on_record`:", "expect a function,", `got ${JSON.stringify(options.on_record)}` ],options);if(void
0!==options.on_skip&&null!==options.on_skip&&"function"!=typeof options.on_skip)throw new
Error(`Invalid Option: on_skip must be a function, got
${JSON.stringify(options.on_skip)}`);if(null===options.quote||!1===options.quote||""===options.quote)op
tions.quote=null;else if(void 0===options.quote||!0===options.quote?
options.quote=Buffer.from("\\"",options.encoding):"string"==typeof options.quote&&
(options.quote=Buffer.from(options.quote,options.encoding)),!isBuffer(options.quote))throw new
Error(`Invalid Option: quote must be a buffer or a string, got
${JSON.stringify(options.quote)}`);if(void
0===options.raw||null===options.raw||!1===options.raw)options.raw=!1;else if(!0!==options.raw)throw new
Error(`Invalid Option: raw must be true, got ${JSON.stringify(options.raw)}`);if(void
0===options.record_delimiter)options.record_delimiter=[];else if("string"==typeof
options.record_delimiter||isBuffer(options.record_delimiter))
{if(0===options.record_delimiter.length)throw new CsvError("CSV_INVALID_OPTION_RECORD_DELIMITER",
["Invalid option `record_delimiter`:", "value must be a non empty string or buffer,", `got
${JSON.stringify(options.record_delimiter)}` ],options);options.record_delimiter=
[options.record_delimiter]}else if(!Array.isArray(options.record_delimiter))throw new
CsvError("CSV_INVALID_OPTION_RECORD_DELIMITER",["Invalid option `record_delimiter`:", "value must be a
string, a buffer or array of string|buffer,", `got
${JSON.stringify(options.record_delimiter)}` ],options);if(options.record_delimiter=options.record_delim
iter.map(function(rd,i){if("string"!=typeof rd&&!isBuffer(rd))throw new
CsvError("CSV_INVALID_OPTION_RECORD_DELIMITER",["Invalid option `record_delimiter`:", "value must be a
string, a buffer or array of string|buffer", `at index ${i},`, `got ${JSON.stringify(rd)}` ],options);else
if(0===rd.length)throw new CsvError("CSV_INVALID_OPTION_RECORD_DELIMITER",["Invalid option
`record_delimiter`:", "value must be a non empty string or buffer", `at index ${i},`, `got
${JSON.stringify(rd)}` ],options);return"string"==typeof rd&&
(rd=Buffer.from(rd,options.encoding)),rd}),"boolean"==typeof options.relax_column_count);else if(void
0===options.relax_column_count||null===options.relax_column_count)options.relax_column_count=!1;else
throw new Error(`Invalid Option: relax_column_count must be a boolean, got
${JSON.stringify(options.relax_column_count)}`);if("boolean"==typeof
options.relax_column_count_less);else if(void
0===options.relax_column_count_less||null===options.relax_column_count_less)options.relax_column_count_
less=!1;else throw new Error(`Invalid Option: relax_column_count_less must be a boolean, got
${JSON.stringify(options.relax_column_count_less)}`);if("boolean"==typeof
options.relax_column_count_more);else if(void
0===options.relax_column_count_more||null===options.relax_column_count_more)options.relax_column_count_
more=!1;else throw new Error(`Invalid Option: relax_column_count_more must be a boolean, got
${JSON.stringify(options.relax_column_count_more)}`);if("boolean"==typeof options.relax_quotes);else
if(void 0===options.relax_quotes||null===options.relax_quotes)options.relax_quotes=!1;else throw new
Error(`Invalid Option: relax_quotes must be a boolean, got
${JSON.stringify(options.relax_quotes)}`);if("boolean"==typeof options.skip_empty_lines);else if(void
0===options.skip_empty_lines||null===options.skip_empty_lines)options.skip_empty_lines=!1;else throw
new Error(`Invalid Option: skip_empty_lines must be a boolean, got
${JSON.stringify(options.skip_empty_lines)}`);if("boolean"==typeof
options.skip_records_with_empty_values);else if(void
0===options.skip_records_with_empty_values||null===options.skip_records_with_empty_values)options.skip_
records_with_empty_values=!1;else throw new Error(`Invalid Option: skip_records_with_empty_values must
be a boolean, got ${JSON.stringify(options.skip_records_with_empty_values)}`);if("boolean"==typeof
options.skip_records_with_error);else if(void
0===options.skip_records_with_error||null===options.skip_records_with_error)options.skip_records_with_e
rror=!1;else throw new Error(`Invalid Option: skip_records_with_error must be a boolean, got
${JSON.stringify(options.skip_records_with_error)}`);if(void
0===options.rtrim||null===options.rtrim||!1===options.rtrim)options.rtrim=!1;else
if(!0!==options.rtrim)throw new Error(`Invalid Option: rtrim must be a boolean, got
${JSON.stringify(options.rtrim)}`);if(void
0===options.ltrim||null===options.ltrim||!1===options.ltrim)options.ltrim=!1;else
if(!0!==options.ltrim)throw new Error(`Invalid Option: ltrim must be a boolean, got
```



```
    ${JSON.stringify(options.ltrim)}}`);if(void
    0===options.trim||null===options.trim||!1===options.trim)options.trim=!1;else
    if(!0!==options.trim)throw new Error(`Invalid Option: trim must be a boolean, got
    ${JSON.stringify(options.trim)}}`);if(!0===options.trim&&!1===opts.ltrim?
    options.ltrim=!0:!0!==options.ltrim&&(options.ltrim=!1),!0===options.trim&&!1===opts.rtrim?
    options.rtrim=!0:!0!==options.rtrim&&(options.rtrim=!1),void
    0===options.to||null===options.to)options.to=-1;else if(-1!==options.to)if("string"===typeof
    options.to&&/\d+/.test(options.to)&&
    (options.to=parseInt(options.to)),!_NumberIsInteger(options.to))throw new Error(`Invalid Option: to
    must be an integer, got ${JSON.stringify(opts.to)}}`);else if(0>=options.to)throw new Error(`Invalid
    Option: to must be a positive integer greater than 0, got ${JSON.stringify(opts.to)}}`);if(void
    0===options.to_line||null===options.to_line)options.to_line=-1;else
    if(-1!==options.to_line)if("string"===typeof options.to_line&&/\d+/.test(options.to_line)&&
    (options.to_line=parseInt(options.to_line)),!_NumberIsInteger(options.to_line))throw new Error(`Invalid
    Option: to_line must be an integer, got ${JSON.stringify(opts.to_line)}}`);else
    if(0>=options.to_line)throw new Error(`Invalid Option: to_line must be a positive integer greater than
    0, got ${JSON.stringify(opts.to_line)}}`);return options},isRecordEmpty=function(record){return
    record.every(field=>null==field||field.toString&&" "==field.toString().trim())},cr=13,nl=10,boms=
    {utf8:Buffer.from([239,187,191]),utf16le:Buffer.from([255,254])},transform=function(original_options=
    {}){var _StringfromCharCode2=String.fromCharCode;const info=
    {bytes:0,comment_lines:0,empty_lines:0,invalid_field_length:0,lines:1,records:0},options=normalize_opti
    ons(original_options);return{info:info,original_options:original_options,options:options,state:init_sta
    te(options),__needMoreData:function(i,bufLen,end)
    {if(end)return!1;const{encoding,escape,quote}=this.options,
    {quoting,needMoreDataSize,recordDelimiterMaxLength}=this.state,numOfCharLeft=bufLen-i-
    1,requiredLength=Math.max(needMoreDataSize,0===recordDelimiterMaxLength?
    Buffer.from("\r\n",encoding).length:recordDelimiterMaxLength,quoting?(null===escape?
    0:escape.length)+quote.length:0,quoting?quote.length+recordDelimiterMaxLength:0);return
    numOfCharLeft<requiredLength},parse:function(nextBuf,end,push,close)
    {const{bom,comment_no_infix,encoding,from_line,ltrim,max_record_size,raw,relax_quotes,rtrim,skip_empty_
    lines,to,to_line}=this.options;let{comment,escape,quote,record_delimiter}=this.options;const{bomSkipped
    ,previousBuf,rawBuffer,escapeIsQuote}=this.state;let buf;if(previousBuf===void 0){if(void
    0===nextBuf)return void close();buf=nextBuf}else buf=void 0!===previousBuf&&void 0===nextBuf?
    previousBuf:Buffer.concat([previousBuf,nextBuf]);if(!1===bomSkipped)if(!1===bom)this.state.bomSkipped=!
    0;else if(!1>buf.length){for(const encoding in
    boms)if(0===boms[encoding].compare(buf,0,boms[encoding].length)){const
    bomLength=boms[encoding].length;this.state.bufBytesStart+=bomLength,buf=buf.slice(bomLength);const
    options=normalize_options({...this.original_options,encoding:encoding});for(const key in
    options)this.options[key]=options[key];
    ({comment,escape,quote}=this.options);break}this.state.bomSkipped=!0}else if(!1===end)return
    void(this.state.previousBuf=buf);const bufLen=buf.length;let
    pos;for(pos=0;pos<bufLen&&!this.__needMoreData(pos,bufLen,end);pos++)
    {if(!0===this.state.wasRowDelimiter&&
    (this.info.lines++,this.state.wasRowDelimiter=!1),-1!==to_line&&this.info.lines>to_line)return
    this.state.stop=!0,void close();if(!1===this.state.quoting&&0===record_delimiter.length){const
    record_delimiterCount=this.__autoDiscoverRecordDelimiter(buf,pos);record_delimiterCount&&
    (record_delimiter=this.options.record_delimiter)}const chr=buf[pos];if(!0===raw&&rawBuffer.append(chr),
    (chr===cr||chr===nl)&&!1===this.state.wasRowDelimiter&&
    (this.state.wasRowDelimiter=!0),!0===this.state.escaping)this.state.escaping=!1;else{if(null!==escape&&
    !0===this.state.quoting&&this.__isEscape(buf,pos,chr)&&pos+escape.length<bufLen)if(!escapeIsQuote)
    {this.state.escaping=!0,pos+=escape.length-1;continue}else if(this.__isQuote(buf,pos+escape.length))
    {this.state.escaping=!0,pos+=escape.length-
    1;continue}if(!1===this.state.commenting&&this.__isQuote(buf,pos))if(!0===this.state.quoting){const
    nextChr=buf[pos+quote.length],isNextChrTrimable=rtrim&&this.__isCharTrimable(buf,pos+quote.length),isNe
    xtChrComment=null!==comment&&this.__compareBytes(comment,buf,pos+quote.length,nextChr),isNextChrDelimit
    er=this.__isDelimiter(buf,pos+quote.length,nextChr),isNextChrRecordDelimiter=0===record_delimiter.lengt
    h?
    this.__autoDiscoverRecordDelimiter(buf,pos+quote.length):this.__isRecordDelimiter(nextChr,buf,pos+quote
    .length);if(null!==escape&&this.__isEscape(buf,pos,chr)&&this.__isQuote(buf,pos+escape.length))pos+=esc
    ape.length-1;else
    if(!nextChr||isNextChrDelimiter||isNextChrRecordDelimiter||isNextChrComment||isNextChrTrimable)
    {this.state.quoting=!1,this.state.wasQuoting=!0,pos+=quote.length-1;continue}else if(!1===relax_quotes)
    {const err=this.__error(new CsvError("CSV_INVALID_CLOSING_QUOTE","Invalid Closing Quote:"),`got
    "${_StringfromCharCode2(nextChr)}"`,`at line ${this.info.lines}`,["instead of delimiter, record
    delimiter, trimable character","(if activated) or comment"],this.options,this.__infoField());if(void
    0!==err)return err}else
    this.state.quoting=!1,this.state.wasQuoting=!0,this.state.field.prepend(quote),pos+=quote.length-1}else
    if(0===this.state.field.length){this.state.quoting=!0,pos+=quote.length-1;continue}else
    if(!1===relax_quotes){const
    info=this.__infoField(),bom=Object.keys(boms).map(b=>!!boms[b].equals(this.state.field.toString())&&b).
    filter(Boolean)[0],err=this.__error(new CsvError("INVALID_OPENING_QUOTE","Invalid Opening Quote:"),`a
    quote is found on field ${JSON.stringify(info.column)} at line ${info.lines}, value is
    ${JSON.stringify(this.state.field.toString(encoding))}`),bom?`(${bom} bom):void 0],this.options,info,
    {field:this.state.field});if(void 0!==err)return err;if(!1===this.state.quoting){const
    recordDelimiterLength=this.__isRecordDelimiter(chr,buf,pos);if(0!==recordDelimiterLength){const
    skipCommentLine=this.state.commenting&&!1===this.state.wasQuoting&&0===this.state.record.length&&0===th
    is.state.field.length;if(skipCommentLine)this.info.comment_lines++;else{if(!1===this.state.enabled&&thi
    s.info.lines+(!0===this.state.wasRowDelimiter?1:0)>=from_line)
    {this.state.enabled=!0,this.__resetField(),this.__resetRecord(),pos+=recordDelimiterLength-
    1;continue}if(!0===skip_empty_lines&&!1===this.state.wasQuoting&&0===this.state.record.length&&0===this
    .state.field.length){this.info.empty_lines++,pos+=recordDelimiterLength-
    1;continue}this.info.bytes=this.state.bufBytesStart+pos;const errField=this.__onField();if(void
    0!==errField)return errField;this.info.bytes=this.state.bufBytesStart+pos+recordDelimiterLength;const
    errRecord=this.__onRecord(push);if(void 0!==errRecord)return
    errRecord;if(-1!==to&&this.info.records>=to)return this.state.stop=!0,void
    close()}this.state.commenting=!1,pos+=recordDelimiterLength-
```

```
1;continue}if(this.state.commenting)continue;if(null!==comment&&
(1===comment_no_infix||0===this.state.record.length&&0===this.state.field.length)){const
commentCount=this.__compareBytes(comment,buf,pos,chr);if(0!==commentCount)
{this.state.commenting=!0;continue}}const
delimiterLength=this.__isDelimiter(buf,pos,chr);if(0!==delimiterLength)
{this.info.bytes=this.state.bufBytesStart+pos;const errField=this.__onField();if(void
0!==errField)return errField;pos+=delimiterLength-
1;continue}}if(1===this.state.commenting&&0!==max_record_size&&this.state.record.length+this.state.fi
eld.length>max_record_size)return this.__error(new CsvError("CSV_MAX_RECORD_SIZE",["Max Record
Size:", "record exceed the maximum number of tolerated bytes", `of ${max_record_size}`, `at line
${this.info.lines}`],this.options,this.__infoField()));const
lappend=!1===ltrim||!0===this.state.quoting||!0===this.state.field.length||!this.__isCharTrimable(buf,pos),rappend=!1===rtrim||!1===this.state.wasQuoting;if(!0===lappend&&!0===rappend)this.state.field.append(ch
r);else if(!0===rtrim&&!this.__isCharTrimable(buf,pos))return this.__error(new
CsvError("CSV_NON_TRIMABLE_CHAR_AFTER_CLOSING_QUOTE",["Invalid Closing Quote:", "found non trimable byte
after quote", `at line ${this.info.lines}`],this.options,this.__infoField()));!1===lappend&&
(pos+=this.__isCharTrimable(buf,pos)-1);continue}if(!
(!0===end))this.state.bufBytesStart+=pos,this.state.previousBuf=buf.slice(pos);else
if(!0===this.state.quoting){const err=this.__error(new CsvError("CSV_QUOTE_NOT_CLOSED",["Quote Not
Closed:", `the parsing is finished with an opening quote at line
${this.info.lines}`],this.options,this.__infoField()));if(void 0!==err)return err}else
if(!0===this.state.wasQuoting||!0===this.state.record.length||!0===this.state.field.length)
{this.info.bytes=this.state.bufBytesStart+pos;const errField=this.__onField();if(void
0!==errField)return errField;const errRecord=this.__onRecord(push);if(void 0!==errRecord)return
errRecord}else!0===this.state.wasRowDelimiter?
this.info.empty_lines++:!0===this.state.commenting&&this.info.comment_lines++;!0===this.state.wasRowDel
imiter&&(this.info.lines++,this.state.wasRowDelimiter=!1)},__onRecord:function(push)
{const{columns,group_columns_by_name,encoding,info,from,relax_column_count,relax_column_count_less,rela
x_column_count_more,raw,skip_records_with_empty_values}=this.options,
{enabled,record}=this.state;if(!1===enabled)return this.__resetRecord();const
recordLength=record.length;if(!0===columns)return!0===skip_records_with_empty_values&&isRecordEmpty(rec
ord)?void
this.__resetRecord():this.__firstLineToColumns(record);if(!1===columns&&0===this.info.records&&
(this.state.expectedRecordLength=recordLength),recordLength!==this.state.expectedRecordLength){const
err=!1===columns?new CsvError("CSV_RECORD_INCONSISTENT_FIELDS_LENGTH",["Invalid Record Length:", `expect
${this.state.expectedRecordLength}`, `got ${recordLength} on line
${this.info.lines}`],this.options,this.__infoField(),{record:record}):new
CsvError("CSV_RECORD_INCONSISTENT_COLUMNS",["Invalid Record Length:", `columns length is
${columns.length}`, `got ${recordLength} on line ${this.info.lines}`],this.options,this.__infoField(),
{record:record});if(!0===relax_column_count||!0===relax_column_count_less&&recordLength<this.state.expe
ctedRecordLength||!0===relax_column_count_more&&recordLength>this.state.expectedRecordLength)this.info.
invalid_field_length++,this.state.error=err}else{const finalErr=this.__error(err);if(finalErr)return
finalErr}}if(!0===skip_records_with_empty_values&&isRecordEmpty(record))return void
this.__resetRecord();if(!0===this.state.recordHasError)return
this.__resetRecord(),void(this.state.recordHasError=!1);if(this.info.records++,1===from||this.info.reco
rds>=from){const{objname}=this.options;if(!1===columns){const obj={};for(let
i=0,l=record.length;i<l;i++)void 0===columns[i]||columns[i].disabled||
(obj[columns[i].name]=!0===group_columns_by_name&&void 0!==obj[columns[i].name]?
Array.isArray(obj[columns[i].name])?obj[columns[i].name].concat(record[i]):
[obj[columns[i].name],record[i]]:record[i]);if(!0===raw||!0===info){const
extRecord=Object.assign({record:obj},!0===raw?{raw:this.state.rawBuffer.toString(encoding)}:
{}),!0===info?{info:this.__infoRecord():{}}),err=this.__push(void 0===objname?extRecord:
[obj[objname],extRecord],push);if(err)return err}else{const err=this.__push(void 0===objname?obj:
[obj[objname],obj],push);if(err)return err}}else if(!0===raw||!0===info){const
extRecord=Object.assign({record:record},!0===raw?{raw:this.state.rawBuffer.toString(encoding)}:
{}),!0===info?{info:this.__infoRecord():{}}),err=this.__push(void 0===objname?extRecord:
[record[objname],extRecord],push);if(err)return err}else{const err=this.__push(void 0===objname?record:
[record[objname],record],push);if(err)return
err}}this.__resetRecord(),__firstLineToColumns:function(record)
{const{firstLineToHeaders}=this.state;try{const headers=void 0===firstLineToHeaders?
record:record.firstLineToHeaders.call(null,record);if(!Array.isArray(headers))return this.__error(new
CsvError("CSV_INVALID_COLUMN_MAPPING",["Invalid Column Mapping:", "expect an array from column
function", `got ${JSON.stringify(headers)}`],this.options,this.__infoField(),{headers:headers});const
normalizedHeaders=normalize_columns_array(headers);return
this.state.expectedRecordLength=normalizedHeaders.length,this.options.columns=normalizedHeaders,void
this.__resetRecord()}catch(err){return err}},__resetRecord:function()
{!0===this.options.raw&&this.state.rawBuffer.reset(),this.state.error=void 0,this.state.record=
[],this.state.record_length=0},__onField:function()
{const{cast,encoding,rtrim,max_record_size}=this.options,
{enabled,wasQuoting}=this.state;if(!1===enabled)return this.__resetField();let
field=this.state.field.toString(encoding);if(!0===rtrim&&!1===wasQuoting&&
(field=field.trimRight()),!0===cast){const[err,f]=this.__cast(field);if(void 0!==err)return
err;field=f}this.state.record.push(field),!0===max_record_size&&"string"===typeof field&&
(this.state.record_length+=field.length),this.__resetField(),__resetField:function()
{this.state.field.reset(),this.state.wasQuoting=!1},__push:function(record,push)
{const{on_record}=this.options;if(on_record!==void 0){const
info=this.__infoRecord();try{record=on_record.call(null,record,info)}catch(err){return
err}if(record===void 0||null===record)return}push(record)},__cast:function(field)
{const{columns,relax_column_count}=this.options,isColumns=Array.isArray(columns);if(!0===isColumns&&rel
ax_column_count&&this.options.columns.length<=this.state.record.length)return[void 0,void
0];if(null!==this.state.castField)try{const info=this.__infoField();return[void
0,this.state.castField.call(null,field,info)]}catch(err)
{return[err]}if(this.__isFloat(field))return[void 0,parseFloat(field)];if(!1===this.options.cast_date)
{const info=this.__infoField();return[void 0,this.options.cast_date.call(null,field,info)]}return[void
0,field]},__isCharTrimable:function(buf,pos){const isTrim=(buf,pos)=>
{const{timchars}=this.state;loop1:for(let i=0;i<timchars.length;i++){const timchar=timchars[i];for(let
```

```
j=0;j<timchar.length;j++)if(timchar[j]!=buf[pos+j])continue loop1;return timchar.length}return
0};return isTrim(buf,pos)},__isFloat:function(value){return 0<=value-
parseFloat(value)+1},__compareBytes:function(sourceBuf,targetBuf,targetPos,firstByte)
{if(sourceBuf[0]!=firstByte)return 0;const sourceLength=sourceBuf.length;for(let
i=1;i<sourceLength;i++)if(sourceBuf[i]!=targetBuf[targetPos+i])return 0;return
sourceLength},__isDelimiter:function(buf,pos,chr)
{const{delimiter,ignore_last_delimiters}=this.options;if(!0===ignore_last_delimiters&&this.state.record
.length===this.options.columns.length-1)return 0;if(!1===ignore_last_delimiters&&"number"===typeof
ignore_last_delimiters&&this.state.record.length===ignore_last_delimiters-1)return 0;loop1:for(let
i=0;i<delimiter.length;i++){const del=delimiter[i];if(del[0]==chr){for(let
j=1;j<del.length;j++)if(del[j]!=buf[pos+j])continue loop1;return del.length}}return
0},__isRecordDelimiter:function(chr,buf,pos)
{const{record_delimiter}=this.options,recordDelimiterLength=record_delimiter.length;loop1:for(let
i=0;i<recordDelimiterLength;i++){const rd=record_delimiter[i],rdLength=rd.length;if(rd[0]===chr)
{for(let j=1;j<rdLength;j++)if(rd[j]!=buf[pos+j])continue loop1;return rd.length}}return
0},__isEscape:function(buf,pos,chr){const{escape}=this.options;if(null===escape)return!1;const
l=escape.length;if(escape[0]==chr){for(let
i=0;i<l;i++)if(escape[i]!=buf[pos+i])return!1;return!0}return!1},__isQuote:function(buf,pos)
{const{quote}=this.options;if(null===quote)return!1;const l=quote.length;for(let
i=0;i<l;i++)if(quote[i]!=buf[pos+i])return!1;return!0},__autoDiscoverRecordDelimiter:function(buf,pos)
{const{encoding}=this.options,rds=
[Buffer.from("\r\n",encoding),Buffer.from("\n",encoding),Buffer.from("\r",encoding)];loop:for(let
i=0;i<rds.length;i++){const l=rds[i].length;for(let j=0;j<l;j++)if(rds[i][j]!=buf[pos+j])continue
loop;return
this.options.record_delimiter.push(rds[i]),this.state.recordDelimiterMaxLength=rds[i].length,rds[i].len
gth}return 0},__error:function(msg)
{const{encoding,raw,skip_records_with_error}=this.options,err="string"===typeof msg?new
Error(msg):msg;if(skip_records_with_error){if(this.state.recordHasError=!0,void
0!==this.options.on_skip)try{this.options.on_skip(err,raw?this.state.rawBuffer.toString(encoding):void
0)}catch(err){return err}return}return err},__infoDataSet:function()
{return{...this.info,columns:this.options.columns}},__infoRecord:function()
{const{columns,raw,encoding}=this.options;return{...this.__infoDataSet(),error:this.state.error,header:
!0===columns,index:this.state.record.length,raw:raw?this.state.rawBuffer.toString(encoding):void
0}},__infoField:function()
{const{columns}=this.options,isColumns=Array.isArray(columns);return{...this.__infoRecord(),column:!0==
=isColumns?columns.length>this.state.record.length?
columns[this.state.record.length].name:null:this.state.record.length,quoting:this.state.wasQuoting}}},
parse=function(data,opts={}){"string"===typeof data&&(data=Buffer.from(data));const
records=opts&&opts.objname?{}:[],parser=transform(opts),push=record=>{parser.options.objname===void 0?
records.push(record):records[record[0]]=record[1]},close=()=>>
{}},error=parser.parse(data,!0,push,close);if(error!==void 0)throw error;return records};var
__decorate$X=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r,r);const WEB_FEATURE_ID_RE=/^[a-z0-9]+(-[a-z0-
9]+)*$/;CHROMESTATUS_URL_RE=/https:\/\/(www.)?chromestatus.com\/feature\/(?<id>[0-9]+)/;let
ChromedashBulkEditPage=class ChromedashBulkEditPage extends i$4{constructor()
{super(...arguments),this.parsing=!1,this.cells=
[],this.featureIdIndex=-1,this.chromestatusUrlIndex=-1,this.items=[],this.submitting=!1}static get
styles(){return[...SHARED_STYLES,...FORM_STYLES,i$7`
    section {
      margin: var(--content-padding);
    }
    .diff.old {
      background: #fdd;
    }
    .diff.new {
      background: #dfd;
    }
  `}}parseChromestatusIdFromURL(url){const
match=url.match(CHROMESTATUS_URL_RE);if(match)return+match.groups?.id;try{return+url}catch{}return
0}isFeatureIdHeader(header,index){const headerOk="feature id"===header||"web-
features"===header||header.includes("feature")&&!header.includes("chrome"),firstValueOk=1<this.cells.le
ngth&&this.cells[1][index].match(WEB_FEATURE_ID_RE);return
headerOk&&firstValueOk}isChromestatusURL(header,index){const
headerOk=header.includes("chromestatus")||header.includes("chrome")&&header.includes("status")||"id"===
header,firstValueOk=1<this.cells.length&&this.parseChromestatusIdFromURL(this.cells[1][index]);return
headerOk&&firstValueOk}detectColumns(){if(this.cells.length){const
headerCells=this.cells[0].map(header=>header.toLowerCase());this.featureIdIndex=headerCells.findIndex(t
his.isFeatureIdHeader.bind(this)),this.chromestatusUrlIndex=headerCells.findIndex(this.isChromestatusUR
L.bind(this))}}selectItems(){if(this.items=
[],-1!==this.featureIdIndex&&-1!==this.chromestatusUrlIndex)for(let i=1;i<this.cells.length;i++){const
row=this.cells[i],webFeatureId=row[this.featureIdIndex],csUrl=row[this.chromestatusUrlIndex],csFid=this
.parseChromestatusIdFromURL(csUrl);if(0<csFid){const item=
{row:i+1,csFid:csFid,existing:"Loading...",desired:webFeatureId};this.items.push(item)}}fetchFeature(i
tem){return window.csClient.getFeature(item.csFid).then(fe=>
{item.entryName=fe.name,item.existing=fe.web_feature,this.requestUpdate()})}parseFileContent(fileConten
t){try{this.cells=parse(fileContent)}catch(error){showToastMessage(`An error occurred in parsing CSV
file. ${JSON.stringify(error)}`)}try{this.detectColumns()}catch(error){showToastMessage(`An error
occurred while detecting columns. ${JSON.stringify(error)}`)}try{this.selectItems()}catch(error)
{showToastMessage(`An error occurred while converting cells. ${JSON.stringify(error)}`)}}async
getFileAndParse(){const
fileField=this.shadowRoot.querySelector("#id_file_form_field");if(!fileField?.files?.length)return
this.cells=[],this.featureIdIndex=-1,this.chromestatusUrlIndex=-1,this.items=
[],void(this.parsing=!1);try{const file=fileField.files[0],fileContent=await
```

```
file.text());this.parseFileContent(fileContent),await
Promise.all(this.items.map(item=>this.fetchFeature(item)))})catch(error){showToastMessage(`An error
occurred while processing the file.
${JSON.stringify(error)}`)}}finally{this.parsing=!1}}saveFeature(item){const submitBody=
{feature_changes:{id:item.csFid,web_feature:item.desired},stages:[],has_changes:!0};return
window.csClient.updateFeature(submitBody).then(resp=>{this.fetchFeature(item)}).catch(()=>
{showToastMessage("Some errors occurred. Please refresh the page or try again later.")}})}async
handleSubmit(e){e.preventDefault(),this.submitting=!0;for(const item of
this.items)item.existing!=item.desired&&(await this.saveFeature(item));this.submitting=!1}async
handleChange(){this.parsing=!0,await this.getFileAndParse()}renderForm(){return x$1`
  <form name="bulk_edit_form">
    <table cellpadding="6">
      <tbody>
        <tr>
          <th>
            <label for="id_file_form_field">CSV file:</label>
          </th>
          <td>
            <input
              id="id_file_form_field"
              name="file_form_field"
              type="file"
              accept="text/csv"
              @change=${this.handleChange}
            />
          </td>
        </tr>
      </tbody>
    </table>
  </form>
`}isDifferent(item)
{return"Loading..."!=item.existing&&item.existing!=item.desired}renderItemRow(item){const
different=this.isDifferent(item),differentClass=different?"diff":"";return x$1`
  <tr>
    <td style="text-align: right; width: 4em">${item.row}</td>
    <td>
      <a href="/feature/${item.csFid}" target="_blank"
        >${item.entryName||item.csFid}</a>
    >
    </td>
    <td class="${differentClass} old">${item.existing||"Not set"}</td>
    <td>${different?x$1`&larr;`,`:"=="}</td>
    <td class="${differentClass} new">${item.desired}</td>
  </tr>
`}renderPreview(){if(0==this.items.length)return x$1`
  <p id="instructions">
    Select a CSV file to see the preview. The CSV file should have one
    column labeled "Chrome Status Entry" and one column labled "Feature
    ID", although some variations may work. Once the file is parsed, the
    table below will preview changes that will be made.
  </p>
`;const
totalCount=this.items.length,matchCount=this.items.filter(item=>!this.isDifferent(item)).length,updateC
ount=this.items.filter(item=>this.isDifferent(item)).length;return x$1`
  <table class="data-table">
    <tr>
      <th>Row</th>
      <th>ChromeStatus feature</th>
      <th>Existing web feature ID</th>
      <th></th>
      <th>Desired web feature ID</th>
    </tr>
    ${this.items.map(item=>this.renderItemRow(item))}
  </table>
<p>
  ${totalCount} rows: ${matchCount} already matching and ${updateCount} to
  be updated.
</p>
`}renderControls(){return x$1`
  <sl-button
    ?disabled=${this.parsing||this.submitting||0==this.items.length}
    @click=${this.handleSubmit}
    size="small"
    variant="primary"
  >
    Update all
  </sl-button>
`}render(){return x$1`
  <div id="subheader">
    <h2>Bulk edit</h2>
  </div>
  <section>${this.renderForm()}</section>
  <section>
    <h3>Preview</h3>
    ${this.renderPreview()}
  </section>
```

```
<section>${this.renderControls()}</section>
${this.parsing||this.submitting?x$1` <div class="loading">
  <div id="spinner"></div>
</div>`E$1}
`}};__decorate$X([r$6()],ChromedashBulkEditPage.prototype,"parsing",void
0),__decorate$X([r$6()],ChromedashBulkEditPage.prototype,"cells",void
0),__decorate$X([r$6()],ChromedashBulkEditPage.prototype,"featureIdIndex",void
0),__decorate$X([r$6()],ChromedashBulkEditPage.prototype,"chromestatusUrlIndex",void
0),__decorate$X([r$6()],ChromedashBulkEditPage.prototype,"items",void
0),__decorate$X([r$6()],ChromedashBulkEditPage.prototype,"submitting",void
0),ChromedashBulkEditPage=__decorate$X([t$3("chromedash-bulk-edit-page")],ChromedashBulkEditPage);var
__decorate$W=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r,r);let ChromedashCallout=class ChromedashCallout extends
i$4{constructor()
{super(...arguments),this.targetId="",this.side="south",this.cue="",this.dismissedCues=
[],this.signedIn=!1,this.hidden=!0,this.top=0,this.left=0}connectedCallback()
{if(super.connectedCallback(),!this.dismissedCues.includes(this.cue))try{this.attachToTarget(this.paren
tNode.querySelector("#"+this.targetId))}catch(error){console.error("Failed to attach
target",error)}}static get styles(){return[...SHARED_STYLES,i$7`
#bubble {
  position: absolute;
  display: inline-block;
  background: var(--callout-bg-color);
  border-radius: var(--large-border-radius);
  padding: var(--content-padding-half);
  max-width: 24em;
  color: var(--callout-text-color);
  font-weight: bold;
}
#bubble[hidden] {
  display: none;
}
#bubble:after {
  content: '';
  position: absolute;
  border: 20px solid transparent;
}
/* Bubble will be located on the south side of target element. */
#bubble.south:after {
  top: -20px;
  left: 20px;
  width: 0;
  height: 0;
  border-bottom-color: var(--callout-bg-color);
  border-top: 0;
}
#closebox {
  float: right;
  margin-left: var(--content-padding-half);
  color: var(--light-icon-fill-color);
}
#cue-content-container {
  margin: var(--content-padding-quarter);
}
`}}contentOffsetTop(el){let
offset=0;for(;el.offsetParent&&el!=this.offsetParent;)offset+=el.offsetTop,el=el.offsetParent;return
offset}contentOffsetLeft(el){let
offset=0;for(;el.offsetParent&&el!=this.offsetParent;)offset+=el.offsetLeft,el=el.offsetParent;return
offset}attachToTarget(el){if("south"===this.side){const
targetBottom=this.contentOffsetTop(el)+el.offsetHeight;this.top=targetBottom+20,this.left=Math.max(this
.contentOffsetLeft(el)-20,0)}this.hidden=!1}dismiss()
{this.hidden=!0,this.signedIn&&window.csClient.dismissCue(this.cue)}render(){return x$1`
<div
  id="bubble"
  class="${this.side}"
  ?hidden=${this.hidden}
  style="top:${this.top}px; left:${this.left}px;"
>
  <sl-icon id="closebox" name="x" @click=${this.dismiss}></sl-icon>
  <div id="cue-content-container">
    <slot></slot>
  </div>
</div>
`}};__decorate$W([n$5({type:String})],ChromedashCallout.prototype,"targetId",void
0),__decorate$W([n$5({type:String})],ChromedashCallout.prototype,"side",void
0),__decorate$W([n$5({type:String})],ChromedashCallout.prototype,"cue",void
0),__decorate$W([n$5({attribute:!1,type:Array})],ChromedashCallout.prototype,"dismissedCues",void
0),__decorate$W([n$5({type:Boolean})],ChromedashCallout.prototype,"signedIn",void
0),__decorate$W([n$5({type:Boolean})],ChromedashCallout.prototype,"hidden",void
0),__decorate$W([r$6()],ChromedashCallout.prototype,"top",void
0),__decorate$W([r$6()],ChromedashCallout.prototype,"left",void
0),ChromedashCallout=__decorate$W([t$3("chromedash-callout")],ChromedashCallout);var
__decorate$V=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
```

```
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"==typeof Reflect&&"function"==typeof Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return 3<c&&r&&Object.defineProperty(target,key,r),r};let addStageDialogEl,currentFeatureId$1;async function openAddStageDialog(featureId,featureType,onSubmitCustomHandler){addStageDialogEl&&currentFeatureId$1===featureId&&onSubmitCustomHandler===addStageDialogEl.onSubmitCustomHandler||(addStageDialogEl=document.createElement("chromedash-add-stage-dialog"),addStageDialogEl.featureId=featureId,addStageDialogEl.featureType=featureType,addStageDialogEl.onSubmitCustomHandler=onSubmitCustomHandler,document.body.appendChild(addStageDialogEl),await addStageDialogEl.updateComplete),currentFeatureId$1=featureId,addStageDialogEl.show()}let ChromedashAddStageDialog=class ChromedashAddStageDialog extends i$4{constructor(){super(...arguments),this.featureId=0,this.featureType=0,this.canSubmit=!1,this.onSubmitCustomHandler=null}static get styles(){return[...SHARED_STYLES,i$7`#controls {padding: var(--content-padding);text-align: right;display: flex;justify-content: space-between;align-items: center;}#controls * + * {padding-left: var(--content-padding);}`]}show(){this.dialog.show()}renderSelectMenuItems(){const menuItems=[];for(const stageType of CREATEABLE_STAGES[this.featureType]){const stageInfo=FORMS_BY_STAGE_TYPE[stageType];menuItems.push(x$1`<sl-option value="${stageType}"> ${stageInfo.name} </sl-option>`)}return menuItems}getStageSelectValue(){return this.stageCreateSelect.value}handleStageCreate(){return this.onSubmitCustomHandler?(this.onSubmitCustomHandler({stage_type:+this.getStageSelectValue()}),this.onSubmitCustomHandler=null,void this.dialog.hide()):void window.csClient.createStage(this.featureId,{stage_type:{form_field_name:"stage_type",value:this.getStageSelectValue()}}).then(()=>{this.dialog.hide(),location.reload()}))}checkCanSubmit(){this.canSubmit=0!==this.getStageSelectValue()}renderStageSelect(){return x$1`<div id="controls"><sl-select placement="top" hoist value="0" id="stage_create_select" size="small"@sl-change=${this.checkCanSubmit} style="width:16rem"><sl-option value="0" disabled>Select a stage to create</sl-option> ${this.renderSelectMenuItems()}</sl-select><sl-button variant="primary"@click=${this.handleStageCreate}?disabled=${!this.canSubmit} size="small">Create stage</sl-button></div>`}render(){return x$1`<sl-dialog label="Create a new stage"><p>Here, you can add additional stages to your feature as needed.</p> ${this.renderStageSelect()}</sl-dialog>`}};__decorate$V([n$5({type:Number})],ChromedashAddStageDialog.prototype,"featureId",void 0),__decorate$V([n$5({type:Number})],ChromedashAddStageDialog.prototype,"featureType",void 0),__decorate$V([n$5({type:Boolean})],ChromedashAddStageDialog.prototype,"canSubmit",void 0),__decorate$V([n$5({attribute:l1})],ChromedashAddStageDialog.prototype,"onSubmitCustomHandler",void 0),__decorate$V([e$6("#stage_create_select")],ChromedashAddStageDialog.prototype,"stageCreateSelect",void 0),__decorate$V([e$6("sl-dialog")],ChromedashAddStageDialog.prototype,"dialog",void 0),ChromedashAddStageDialog=__decorate$V([t$3("chromedash-add-stage-dialog")],ChromedashAddStageDialog);var __decorate$U=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"==typeof Reflect&&"function"==typeof Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return 3<c&&r&&Object.defineProperty(target,key,r),r};let dialogEl$1,currentFeatureId,currentStageId;const dialogTypes={CREATION:1,EXTENSION:2,END_MILESTONE_EXPLANATION:3,FINALIZE_EXTENSION:4};async function openPrereqsDialog(featureId,stage,dialogType){dialogEl$1&&currentFeatureId===featureId&&currentStageId===stage.id||(dialogEl$1=document.createElement("chromedash-ot-prereqs-dialog"),dialogEl$1.featureId=featureId,dialogEl$1.stage=stage,dialogEl$1.dialogType=dialogType,document.body.appendChild(dialogEl$1),await dialogEl$1.updateComplete),currentFeatureId=featureId,currentStageId=stage.id,dialogEl$1.show()}async function openInfoDialog(dialogType){dialogEl$1||(dialogEl$1=document.createElement("chromedash-ot-prereqs-dialog"),dialogEl$1.dialogType=dialogType,document.body.appendChild(dialogEl$1),await dialogEl$1.updateComplete),dialogEl$1.show()}async function openFinalizeExtensionDialog(featureId,stage,milestone,dialogType){dialogEl$1&&currentFeatureId===featureId&&currentStageId===stage.id||(dialogEl$1=document.createElement("chromedash-ot-prereqs-dialog"),dialogEl$1.featureId=featureId,dialogEl$1.stage=stage,dialogEl$1.dialogType=dialogType,dialogE
```

```

1$1.milestone=milestone,document.body.appendChild(dialogEl$1),await
dialogEl$1.updateComplete),dialogEl$1.dialogType=dialogType,currentFeatureId=featureId,currentStageId=s
tage.id,dialogEl$1.show()})let ChromedashOTPrereqsDialog=class ChromedashOTPrereqsDialog extends
i$4{constructor(){super(...arguments),this.featureId=0,this.milestone=0,this.dialogType=0}static get
styles(){return[...SHARED_STYLES,i$7`
    #prereqs-list li {
      margin-left: 8px;
      margin-bottom: 8px;
    }
    #prereqs-header {
      margin-bottom: 8px;
    }
    #update-button {
      margin-right: 8px;
    }
    .float-right {
      float: right;
    }
  `]}show(){this.renderRoot.querySelector("sl-
dialog")?.show()}renderEndMilestoneExplanationDialog(){return x$1` <sl-dialog label="End milestone
date">
  <p>
    When a specific milestone is approved by API owners, the trial's end
    date is set based on the stable release date of (end milestone +2). Most
    of the time when a trial ends, the feature will be enabled by default
    within the next Chrome release. This additional trial time window
    ensures users don't see breakage before upgrading to the version with
    the feature enabled by default.
  </p>
</sl-dialog>`}submitTrialExtension()
{window.csClient.extendOriginTrial(this.featureId,this.stage.id).then(()=>{showToastMessage("Extension
processed!"),setTimeout(()=>{location.assign(`/feature/${this.featureId}`)},1e3)}).catch(()=>
{showToastMessage("Some errors occurred. Please refresh the page or try again
later.")}})renderThreadMissingDialog(){return x$1`<sl-dialog label="Intent thread not found">
  <p>
    LGTMs have been detected for this trial extension, but
    <strong>no intent thread link has been detected or provided</strong>.
    All extension proposals must be discussed publicly on blink-dev. Please
    add the value to the "Intent to Extend Experiment link" field by
    selecting "Edit fields" button on your feature's "Origin Trial" section.
  </p>
</sl-dialog>`}renderFinalizeExtensionDialog(){return this.stage.intent_thread_url?x$1` <sl-dialog
label="Finalize trial extension">
  <p>
    LGTMs have been detected for this trial extension. This origin trial
    will be extended <strong>through milestone ${this.milestone}</strong>.
    Is this correct?
  </p>
  <br />
  <sl-button
    class="float-right"
    variant="primary"
    size="small"
    @click=${()=>this.submitTrialExtension()}
  >Proceed</sl-button>
  >
  <sl-button
    class="float-right"
    id="update-button"
    variant="info"
    size="small"
    @click=${()=>location.assign(`/guide/stage/${this.featureId}/${this.stage.id}?
updateExtension`)
  >Change milestone</sl-button>
  >
</sl-dialog>`:this.renderThreadMissingDialog())renderExtensionPrereqs(){return x$1` <sl-dialog
label="Origin trial extension prerequisites">
  <div id="prereqs-header">
    <strong>Before submitting an extension request</strong>, please ensure
    that your Intent to Extend Experiment has been drafted, and the required
    LGTMs have been received.
  <br />
  <a
    target="_blank"
    href="https://www.chromium.org/blink/origin-trials/running-an-origin-trial/#what-is-the-
process-to-extend-an-origin-trial"
  >
    View documentation on the trial extension process
  </a>
</div>
  <br />
  <sl-button
    id="continue-button"
    variant="primary"
    @click=${()=>location.assign(`/ot_extension_request/${this.featureId}/${this.stage.id}`)}
    size="small"

```

```

    >Proceed</sl-button
  >
</sl-dialog>` }renderCreationPrereqs(){return x$1` <sl-dialog label="Origin trial creation
prerequisites">
  <div id="prereqs-header">
    <strong>Before submitting a creation request</strong>, please ensure the
    following prerequisite steps have been completed:
  </div>
  <br />
  <ul id="prereqs-list">
    <li>
      The trial's UseCounter has landed on
      <a
href="https://source.chromium.org/chromium/chromium/src/+main:third_party/blink/public/mojom/use_count
er/metrics/web_feature.mojom"
        target="_blank"
      >
        web_feature.mojom
      </a>
      and is being properly used.
    </li>
    <li>
      A Chromium trial name has landed on
      <a
href="https://chromium.googlesource.com/chromium/src/+main/third_party/blink/renderer/platform/runtime
_enabled_features.json5"
        target="_blank"
      >
        runtime_enabled_features.json5
      </a>
      <strong>that has not been used for any previous trials</strong>. No
      trial names can be reused, even if used for the same feature!
    </li>
    <li>
      For a third-party trial, the feature entry in
      <a
href="https://chromium.googlesource.com/chromium/src/+main/third_party/blink/renderer/platform/runtime
_enabled_features.json5"
        target="_blank"
      >
        runtime_enabled_features.json5
      </a>
      contains the key "origin_trial_allows_third_party: true".
    </li>
    <li>
      For a critical trial, the feature name has been added to the
      <a
href="https://source.chromium.org/chromium/chromium/src/+main:third_party/blink/common/origin_trials/m
anual_completion_origin_trial_features.cc;l=17"
        target="_blank"
      >
        kHasExpiryGracePeriod array </a>
      >.
    </li>
  </ul>
  <br />
  <p>
    If you haven't already, please review the docs for
    <a
      href="https://www.chromium.org/blink/origin-trials/running-an-origin-trial/"
    >
      running an origin trial </a>
    >. If you have any further questions, contact us at
    origin-trials-support@google.com.
  </p>
  <br />
  <sl-button
    class="float-right"
    variant="primary"
    @click=${()=>location.assign(`/ot_creation_request/${this.featureId}/${this.stage.id}`)}
    size="small"
  >Proceed</sl-button
  >
</sl-dialog>` }render(){return this.dialogType===dialogTypes.END_MILESTONE_EXPLANATION?
this.renderEndMilestoneExplanationDialog():this.dialogType===dialogTypes.FINALIZE_EXTENSION?
this.renderFinalizeExtensionDialog():this.dialogType===dialogTypes.EXTENSION?
this.renderExtensionPrereqs():this.renderCreationPrereqs()}};__decorate$U([n$5({type:Number})],Chromeda
shOTPrereqsDialog.prototype,"featureId",void
0),__decorate$U([n$5({attribute:l1})],ChromedashOTPrereqsDialog.prototype,"stage",void
0),__decorate$U([n$5({type:Number})],ChromedashOTPrereqsDialog.prototype,"milestone",void
0),__decorate$U([n$5({type:Number})],ChromedashOTPrereqsDialog.prototype,"dialogType",void
0),ChromedashOTPrereqsDialog=__decorate$U([t$3("chromedash-ot-prereqs-
```



```
dialog"))],ChromedashOTPrereqsDialog);var __decorate$T=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};let preflightDialogEl;async function
openPreflightDialog(feature,progress,process,action,stage,feStage,featureGates,url){preflightDialogEl||
(preflightDialogEl=document.createElement("chromedash-preflight-
dialog"),document.body.appendChild(preflightDialogEl),await
preflightDialogEl.updateComplete),preflightDialogEl.openWithContext(feature,progress,process,action,sta
ge,feStage,featureGates,url)}function somePendingPrereqs(action,progress){return
action.prerequisites.some(itemName=>!progress.hasOwnProperty(itemName))}function
somePendingGates(featureGates,feStage){return 0<findPendingGates(featureGates,feStage).length}function
findPendingGates(featureGates,feStage){const
gatesForStage=featureGates.filter(g=>g.stage_id==feStage.id),otherGates=gatesForStage.filter(g=>"API
Owners"!=g.team_name),pendingGates=otherGates.filter(g=>!GATE_FINISHED_REVIEW_STATES.includes(g.state))
;return pendingGates.sort((g1,g2)=>GATE_TEAM_ORDER.indexOf(g1.team_name)-
GATE_TEAM_ORDER.indexOf(g2.team_name)),pendingGates}let ChromedashPreflightDialog=class
ChromedashPreflightDialog extends i$4{static get styles(){return[...SHARED_STYLES,i$7`
  li {
    margin-top: 0.5em;
  }

  .missing-prereqs-list {
    padding-bottom: 1em;
  }

  .edit-progress-item {
    visibility: hidden;
    margin-left: var(--content-padding-half);
  }

  .active .edit-progress-item,
  .missing-prereqs .edit-progress-item,
  .pending:hover .edit-progress-item,
  .done:hover .edit-progress-item {
    visibility: visible;
  }

  sl-button {
    float: right;
    margin: var(--content-padding-half);
  }
`}}openWithContext(feature,progress,process,action,stage,feStage,featureGates,url)
{this._feature=feature,this._progress=progress,this._process=process,this._action=action,this._stage=st
age,this._feStage=feStage,this._featureGates=featureGates,this._url=url,this.renderRoot.querySelector("
sl-dialog")?.show()}hide(){this.renderRoot.querySelector("sl-dialog")?.hide()}handleCancel()
{this.hide()}handleProceed(){this.hide()}renderEditLink(stage,feStage,pi){if(!pi.field)return E$1;const
pathSegment=stage?`${stage.outgoing_stage}/${feStage.id}`:"metadata";return x$1`
  <a
    class="edit-progress-item"
    href="/guide/stage/${this._feature.id}/${pathSegment}#id_${pi.field}"
    @click=${this.hide}
  >
    Edit
  </a>
`}}makePrereqItem(itemName){if("Web
feature"===itemName)return{name:itemName,field:"web_feature",stage:null};if("Tracking bug
URL"===itemName)return{name:itemName,field:"bug_url",stage:null};for(const s of this._process.stages||
[])for(const pi of s.progress_items){if(itemName==pi.name)return{...pi,stage:s};throw new
Error("prerequisite is not a defined progress item: "+itemName)}renderDialogContent()
{if(null==this._feature)return E$1;const prereqItems=[];for(const itemName of
this._action.prerequisites||
[])this._progress.hasOwnProperty(itemName)||prereqItems.push(this.makePrereqItem(itemName));const
pendingGates=findPendingGates(this._featureGates,this._feStage);return x$1`
  Before you ${this._action.name}, it is strongly recommended that you do
  the following:
  <ul class="missing-prereqs-list">
    ${prereqItems.map(item=>x$1` <li class="pending">
      ${item.stage?.name||"Metadata"}: ${item.name}

    ${this.renderEditLink(item.stage,findFirstFeatureStage(item.stage?.outgoing_stage,this._stage,this._fea
ture),item)}
    </li>`)}
    ${pendingGates.map(g=>x$1`
      <li class="pending">
        Get approval or NA from the
        <a
          href="/feature/${this._feature.id}?gate=${g.id}"
          @click=${this.hide}
        >${g.team_name}</a>
        >
        team
      </li>
    `)}}
  </ul>
```

```
<sl-button
  href="{this._url}"
  target="_blank"
  size="small"
  @click=${this.handleProceed}
  >Proceed anyway
</sl-button>
<sl-button size="small" variant="warning" @click=${this.handleCancel}
  >Don't draft email yet</sl-button>
  >
`}render(){return x$1`
  <sl-dialog
    class="missing-prereqs"
    label="Missing Prerequisites"
    style="--width:fit-content"
  >
    ${this.renderDialogContent()}
  </sl-dialog>
`}};__decorate$T([r$6()],ChromedashPreflightDialog.prototype,"_feature",void
0),__decorate$T([r$6()],ChromedashPreflightDialog.prototype,"_featureGates",void
0),__decorate$T([r$6()],ChromedashPreflightDialog.prototype,"_progress",void
0),__decorate$T([r$6()],ChromedashPreflightDialog.prototype,"_process",void
0),__decorate$T([r$6()],ChromedashPreflightDialog.prototype,"_action",void
0),__decorate$T([r$6()],ChromedashPreflightDialog.prototype,"_stage",void
0),__decorate$T([r$6()],ChromedashPreflightDialog.prototype,"_feStage",void
0),__decorate$T([r$6()],ChromedashPreflightDialog.prototype,"_url",void
0),ChromedashPreflightDialog=__decorate$T([t$3("chromedash-preflight-
dialog")],ChromedashPreflightDialog);function resolveFieldForFeature(field,feature){const result=
{...field};return field.computedChoices&&(result.choices=field.computedChoices(feature)),result}const
USER_REGEX="[A-Za-z0-9_#&+\\/=/?\\{\\}\\~^\\.\\- ]+",DOMAIN_NAME_REGEX="([A-Za-z0-9\\- ]+\\.)+[A-Za-z]
{2,6})",LOCALHOST_REGEX="(localhost|127\\.0\\.0\\.1)",DOMAIN_REGEX="
("+DOMAIN_NAME_REGEX+"|"+LOCALHOST_REGEX+")",FINCH_NAMES_REGEX="[\\-_a-zA-Z0-
9,]*",EMAIL_ADDRESS_REGEX="[A-Za-z0-9_#&+\\/=/?\\{\\}\\~^\\.\\- ]+@"+DOMAIN_NAME_REGEX,GOOGLE_EMAIL_ADDRESS_REGEX=`${"[A-Za-z0-9_#&+\\/=/?\\{\\}\\~^\\.\\- ]+@google.com`,EMAIL_ADDRESSES_REGEX=EMAIL_ADDRESS_REGEX+"([ ])*,[ ]*"
+EMAIL_ADDRESS_REGEX+")*",PORTNUM_REGEX="(:[0-9]+)?",URL_REGEX="
(https?:\\/\\/"+DOMAIN_REGEX+PORTNUM_REGEX+"(\\/\\S*)?)",URL_PADDED_REGEX="\\s*"+URL_REGEX+"\\s*",URL_FIELD_ATTRS={title:"Enter a full URL
https://...",type:"url",placeholder:"https://...",pattern:URL_PADDED_REGEX},MULTI_STRING_FIELD_ATTRS=
{title:"Enter one or more comma-separated complete
words.",type:"text",multiple:!0,placeholder:"EnableFeature1, Feature1Policy"},MULTI_EMAIL_FIELD_ATTRS=
{title:"Enter one or more comma-separated complete email
addresses.",type:"text",multiple:!0,placeholder:"user1@domain.com,
user2@chromium.org",pattern:EMAIL_ADDRESSES_REGEX},TEXT_FIELD_ATTRS=
{type:"text"},MILESTONE_NUMBER_FIELD_ATTRS={type:"number",placeholder:"Milestone
number"},OT_MILESTONE_DESKTOP_RANGE=
{earlier:"ot_milestone_desktop_start",later:"ot_milestone_desktop_end"},OT_MILESTONE_ANDROID_RANGE=
{earlier:"ot_milestone_android_start",later:"ot_milestone_android_end"},OT_MILESTONE_WEBVIEW_RANGE=
{earlier:"ot_milestone_webview_start",later:"ot_milestone_webview_end"},OT_ALL_SHIPPED_MILESTONE_DESKTO
P_RANGE={earlier:"ot_milestone_desktop_start",allLater:"shipped_milestone",warning:"Origin trial
starting milestone should be before all feature shipping
milestones."},ALL_OT_SHIPPED_MILESTONE_DESKTOP_RANGE=
{allEarlier:"ot_milestone_desktop_start",later:"shipped_milestone",warning:"All origin trials starting
milestones should be before feature shipping milestone."},OT_ALL_SHIPPED_MILESTONE_WEBVIEW_RANGE=
{earlier:"ot_milestone_webview_start",allLater:"shipped_webview_milestone",warning:"Origin trial
starting milestone should be before all feature shipping
milestones."},ALL_OT_SHIPPED_MILESTONE_WEBVIEW_RANGE=
{allEarlier:"ot_milestone_webview_start",later:"shipped_webview_milestone",warning:"All origin trials
starting milestones should be before feature shipping
milestone."},OT_ALL_SHIPPED_MILESTONE_ANDROID_RANGE=
{earlier:"ot_milestone_android_start",allLater:"shipped_android_milestone",warning:"Origin trial
starting milestone should be before all feature shipping
milestones."},ALL_OT_SHIPPED_MILESTONE_ANDROID_RANGE=
{allEarlier:"ot_milestone_android_start",later:"shipped_android_milestone",warning:"All origin trials
starting milestones should be before feature shipping
milestone."},DT_ALL_SHIPPED_MILESTONE_DESKTOP_RANGE=
{earlier:"dt_milestone_desktop_start",allLater:"shipped_milestone",warning:"Shipped milestone should be
later than dev trial."},ALL_DT_SHIPPED_MILESTONE_DESKTOP_RANGE=
{allEarlier:"dt_milestone_desktop_start",later:"shipped_milestone",warning:"Shipped milestone should be
later than dev trial."},DT_ALL_SHIPPED_MILESTONE_ANDROID_RANGE=
{earlier:"dt_milestone_android_start",allLater:"shipped_android_milestone",warning:"Shipped milestone
should be later than dev trial start milestone."},ALL_DT_SHIPPED_MILESTONE_ANDROID_RANGE=
{allEarlier:"dt_milestone_android_start",later:"shipped_android_milestone",warning:"Shipped milestone
should be later than dev trial start milestone."},DT_ALL_SHIPPED_MILESTONE_IOS_RANGE=
{earlier:"dt_milestone_ios_start",allLater:"shipped_ios_milestone",warning:"Shipped milestone should be
later than dev trial start milestone."},ALL_DT_SHIPPED_MILESTONE_IOS_RANGE=
{allEarlier:"dt_milestone_ios_start",later:"shipped_ios_milestone",warning:"Shipped milestone should be
later than dev trial start milestone."},MULTI_URL_FIELD_ATTRS={title:"Enter one or more full URLs, one
per
line:\\nhttps://...\\nhttps://...",multiple:!0,placeholder:"https://...\\nhttps://...",rows:4,cols:50,maxl
ength:5e3,chromedash_single_pattern:URL_REGEX,chromedash_split_pattern:"\\s+"},SHIPPED_HELP_TXT=x$1`
First milestone to ship with this status. Applies
to: Enabled by default, Deprecated, and Removed.` ,SHIPPED_WEBVIEW_HELP_TXT=x$1` First milestone to ship
with this status.
Applies to Enabled by default, Deprecated, and Removed.` ,ALL_FIELDS={name:
```

```
{type:"input",attrs:TEXT_FIELD_ATTRS,required:!0,label:"Feature
name",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` <p>
  Capitalize only the first letter and the beginnings of proper nouns.
</p>`,extra_help:x$1` <p>
  Each feature should have a unique name that is written as a noun phrase.
</p>
<ul>
  <li>
    Capitalize only the first letter and the beginnings of proper nouns.
  </li>
  <li>
    Avoid using verbs such as "add", "enhance", "deprecate", or "delete".
    Instead, simply name the feature itself and use the feature type and
    stage fields to indicate the intent of change.
  </li>
  <li>
    Do not include markup or markdown because they will not be rendered..
  </li>
  <li>
    Write keywords and identifiers as they would appear to a web
    developer, not as they are in source code. In particular, do not use
    static method/property syntax for instance methods/properties. For
    example, for an instance method doStuff() on an interface
    NewInterface, write "NewInterface's doStuff() method" (not
    "NewInterface.doStuff() method"). Or for a method on a well-known
    global like Document, write "document.doStuff()" (not
    "Document.doStuff()").
  </li>
</ul>

<h4>Examples</h4>
<ul>
  <li>Conversion Measurement API</li>
  <li>CSS Flexbox: intrinsic size algorithm</li>
  <li>Permissions-Policy header</li>
</ul>`,check:(_value,getFieldValue)=>checkFeatureNameAndType(getFieldValue)},summary:
{type:"textarea",required:!0,label:"Summary",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,enterprise_offer_ma
rkdown:!0,enterprise_help_text:x$1` <p>
  This text will be used in the
  <a
    href="https://support.google.com/chrome/a/answer/7679408"
    target="_blank"
  >enterprise release notes</a>
  >, which are publicly visible and primarily written for IT admins. All
  Enterprise policies must be included in this summary section.
</p>
<p>
  Explain what's changing from the point of view of an end-user,
  developer, or administrator. Indicate what the motivation is for this
  change, especially if thereâ€™s security or privacy benefits to the
  change. If an admin should do something (like test or set a flag or an
  enterprise policy), please explain. Finally, if the change has a
  user-visible benefit (eg. better security or privacy), explain that
  motivation. If there are already publicly visible comms (e.g. blog
  posts), you should link to them here as well.
</p>
<p>
  See
  <a
    href="https://docs.google.com/document/d/1SdQ-DKeA507I8ju5Cb8zSM5S4NPwUACNJ9qbEhz-AYU"
    target="_blank"
  >go/releasenotes-examples</a>
  >
  for examples.
</p>`,help_text:x$1`
<p>
  Text in the beta release post, the enterprise release notes, and other
  external sources will be based on this text.
</p>
<p>
  Write from a web developer's point of view. Begin with one line
  explaining what the feature does. Add one or two lines explaining how
  this feature helps developers. Write in a matter-of-fact manner and in
  the present tense. (This summary will be visible long after your project
  is finished.) Avoid language such as "a new feature" and "we propose".
</p>
`,extra_help:x$1`
<p>
  Provide a one sentence description followed by one or two lines
  explaining how this feature works and how it helps web developers.
</p>

<p>
  Note: This text communicates with more than just the rest of Chromium
  development. It's the part most visible to external readers and is used
  in the beta release announcement, enterprise release notes, and other
```

```
communications.
</p>

<ul>
  <li>
    Write from a web developer's point of view, not a browser developer's
  </li>
  <li>
    Do not use markup or markdown because they will not be rendered.
  </li>
  <li>
    Do not use hard or soft returns because they will not be rendered.
  </li>
  <li>
    Avoid phrases such as "a new feature". Every feature on the site was
    new when it was created. You don't need to repeat that information.
  </li>

  <li>
    The first line should be a sentence fragment beginning with a verb.
    (See below.) This is the rare exception to the requirement to always
    use complete sentences.
  </li>

  <li>
    "Conformance with spec" is not adequate. Most if not all features are
    in conformance to spec.
  </li>
</ul>

<h4>Example</h4>
<blockquote>
  Splits the HTTP cache using the top frame origin (and possibly subframe
  origin) to prevent documents from one origin from knowing whether a
  resource from another origin was cached. The HTTP cache is currently one
  per profile, with a single namespace for all resources and subresources
  regardless of origin or renderer process. Splitting the cache on top
  frame origins helps the browser deflect side-channel attacks where one
  site can detect resources in another site's cache.
</blockquote>
`,enterprise_extra_help:"",check:value=>value&&"string"==typeof value&&0<value.length&&
(100>value.length||5e3<value.length)?{warning:"Feature summary should be between 100 and 5000
characters long."}:void 0},owner:
{type:"input",name:"owner_emails",attrs:MULTI_EMAIL_FIELD_ATTRS,required:!0,label:"Feature
owners",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` Comma separated list of full email
addresses.`},editors:
{type:"input",name:"editor_emails",attrs:MULTI_EMAIL_FIELD_ATTRS,required:!1,label:"Feature
editors",usage:{},help_text:x$1` Comma separated list of full email addresses. These users
will be allowed to edit this feature, but will not be listed as feature
owners. User groups are not supported.`},cc_recipients:
{type:"input",name:"cc_emails",attrs:MULTI_EMAIL_FIELD_ATTRS,required:!1,label:"CC",usage:
{},help_text:x$1` Comma separated list of full email addresses. These users
will be notified of any changes to the feature, but do not gain permission
to edit. User groups must allow posting from
admin@cr-status.appspotmail.com.`},unlisted:{type:"checkbox",label:"Unlisted",initial:!1,usage:
{}},help_text:x$1` Check this box to hide draft features in list views. Anyone
with a link will be able to view the feature's detail page.`},accurate_as_of:
{type:"checkbox",label:"Confirm accuracy",initial:!0,usage:{},help_text:x$1` Check this box to indicate
that feature information is
accurate as of today. (Selecting this avoids reminder emails for four
weeks.)`},blink_components:{type:"datalist",required:!0,choices:void 0,label:"Blink
component",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,attrs:{placeholder:"Please select a Blink
component"},help_text:x$1` Select the most specific component. If unsure, leave as
"Blink".`},web_feature:{type:"datalist",required:!1,choices:void 0,label:"Web Feature ID",attrs:
{placeholder:"Please select a Web feature ID"},usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1`
Select the web feature this belongs to in the
<a href="https://github.com/web-platform-dx/web-features" target="_blank"
>web-features project</a
>. If your feature is not listed,
<a
href="https://github.com/web-platform-dx/web-features/issues/new?template=new-feature.yml"
target="_blank"
>propose a new web feature ID</a
>, then return to this tab and choose "Missing feature".`},category:
{type:"select",choices:FEATURE_CATEGORIES,initial:FEATURE_CATEGORIES.MISC[0],label:"Category",usage:
{}},help_text:x$1` Select the most specific category. If unsure, leave as
"Miscellaneous".`},enterprise_product_category:
{type:"radios",name:"enterprise_product_category",choices:ENTERPRISE_PRODUCT_CATEGORY,label:"Enterprise
product category",usage:{},help_text:x$1` Select the appropriate category.`},feature_type:
{type:"select",disabled:!0,choices:FEATURE_TYPES,label:"Feature type",usage:{},help_text:x$1` Feature
type chosen at time of creation.
<br />
<p style="color: red">
<strong>Note:</strong> The feature type field cannot be changed. If this
field needs to be modified, a new feature would need to be created.
</p>`,check:
```

```
(_value,getFieldValue)=>checkFeatureNameAndType(getFieldValue)},feature_type_radio_group:
{name:"feature_type",type:"radios",choices:FEATURE_TYPES_WITHOUT_ENTERPRISE,label:"Feature type",usage:
{}},help_text:x$1 If all goes well, how will developers experience the change
you're planning to make to Chromium?
<br />
<p style="color: red">
  <strong>Note:</strong> The feature type field cannot be changed. If this
  field needs to be modified, a new feature would need to be created.
</p>`,check:(_value,getFieldValue)=>checkFeatureNameAndType(getFieldValue)},active_stage_id:
{type:"select",computedChoices(formattedFeature){const result={};for(const stage of
formattedFeature.stages){const name=unambiguousStageName(stage,formattedFeature);name&&
(result[stage.id]=[stage.id,name])}return result},label:"Active stage",usage:{},help_text:x$1`The
active stage opens by default in this feature's page.
And, it roughly indicates progress in the process.`},search_tags:
{type:"input",attrs:TEXT_FIELD_ATTRS,required:!1,label:"Search
tags",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` Comma separated keywords used only in
search.`},bug_url:{type:"input",attrs:URL_FIELD_ATTRS,required:!1,label:"Tracking bug
URL",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` Tracking bug url
(https://bugs.chromium.org/...). This bug
should have "Type=Feature" set and be world readable. Note: This field
only accepts one URL.
<br /><br />
<a
  target="_blank"
  href="https://bugs.chromium.org/p/chromium/issues/entry"
>
  Create tracking bug</a
>`,`launch_bug_url:{type:"input",attrs:URL_FIELD_ATTRS,required:!1,label:"Launch
URL",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` Launch URL
(https://launch.corp.google.com/...) to track
internal approvals, if any.
<br /><br />
<a target="_blank" href="https://launch.corp.google.com/">
  Create a launch</a
>`,`screenshot_links:
{type:"attachments",attrs:MULTI_URL_FIELD_ATTRS,required:!1,label:"Screenshot link(s)",usage:
[[FeatureType.Incubate]:new Set([UsageType.ReleaseNotes]),[FeatureType.Existing]:new
Set([UsageType.ReleaseNotes]),[FeatureType.CodeChange]:new Set([UsageType.ReleaseNotes]),
[FeatureType.Deprecation]:new Set([UsageType.ReleaseNotes]),[FeatureType.Enterprise]:new
Set([UsageType.ReleaseNotes])},help_text:x$1` Optional: Links to screenshots showcasing this feature
(one
URL per line). Be sure to link directly to the image with a URL ending in
.png, .gif, or .jpg, rather than linking to an HTML page that contains the
image. Or, use the upload button to upload an image to be served from
chromestatus.com. These will be shared publicly.`},check:async value=>{const warning={warning:`One
or more urls are not actual images or requires the consumer some kind
of authentication to access them. Use a valid link to an actual image free
of authentication or upload your
image.`},urls=value.split("\n").filter(x=>!!x).map(x=>x.trim());if(urls.length){if(urls.some(x=>
{try{return new URL(x),!1}catch{return!0}}))return warning;const urlTypes=await
Promise.all(urls.map(url=>fetch(url,
{method:"HEAD"})).then(response=>response.blob()).then(blob=>blob.type).catch(()=>"error")));return
urlTypes.some(type=>!type.startsWith("image"))?warning:void
0}}},first_enterprise_notification_milestone:
{type:"input",attrs:MILESTONE_NUMBER_FIELD_ATTRS,required:!1,label:"First notification
milestone",usage:{},help_text:x$1` Optional: Unless you're sure you need to use this, leave it
blank.
<br /><br />
If you leave this blank, we will automatically find the right milestone.
<br /><br />
If you're not ready to communicate this feature to enterprises yet, what
is the earliest milestone that you expect to be ready to communicate it?
You can change this later. In general, you should provide enterprises
notice at least 3 milestones before making an impactful change.`},check:
(value,_,initialValue)=>checkFirstEnterpriseNotice(value,initialValue)},motivation:
{type:"textarea",required:!1,label:"Motivation",usage:[[FeatureType.Incubate]:new
Set([UsageType.Prototype]),[FeatureType.Existing]:new Set([UsageType.Prototype]),
[FeatureType.Deprecation]:new Set([UsageType.DeprecateAndRemove])},help_text:x$1` Explain why the web
needs this change. It may be useful to
describe what web developers are forced to do without it. When possible,
add links to your explainer (under
<a href="#id_explainer_links">Explainer link(s)</a>) backing up your
claims. <br /><br />
This text is sometimes included with the summary in the beta post,
enterprise release notes and other external documents. Write in a
matter-of-fact manner and in the present tense.
<br /><br />
<a
  target="_blank"
  href="https://github.com/GoogleChrome/chromium-dashboard/wiki/EditingHelp#motivation-example"
>
  Example</a
>`,`deprecation_motivation:
{name:"motivation",type:"textarea",required:!1,label:"Motivation",usage:[[FeatureType.Deprecation]:new
Set([UsageType.DeprecateAndRemove])},help_text:x$1` Deprecations and removals must have strong reasons,
backed
```

up by measurements. There must be clear and actionable paths forward for developers.

This text is sometimes included with the summary in the beta post, enterprise release notes and other external documents. Write in a matter-of-fact manner and in the present tense.

Please see

<a

target="_blank"

href="https://docs.google.com/a/chromium.org/document/d/1LdqUfUUIlyzM5WEcOgeAWGupQILKrZHidEXrUxevyi_Y/edit?usp=sharing"

>

Removal guidelines.`},initial\_public\_proposal\_url:{type:"input",attrs:URL\_FIELD\_ATTRS,required:!1,label:"Initial public proposal URL",usage:ALL\_INTENT\_USAGE\_BY\_FEATURE\_TYPE,help\_text:x\$1` Link to the first public proposal to create this feature.`},extra\_help:x\$1` If there isn't another obvious place to propose your feature, create a

<a

target="_blank"

href="https://github.com/WICG/proposals#what-does-a-proposal-look-like"

>

WICG proposal. You can use your proposal document to help you socialize the problem with other vendors and developers.`},explainer_links:

{type:"textarea",attrs:MULTI_URL_FIELD_ATTRS,required:!1,label:"Explainer link(s)",usage:[{FeatureType.Incubate}:ALL_FEATURE_TYPE_INCUBATE_INTENTS,{FeatureType.Deprecation}:ALL_FEATURE_TYPE_DEPRECATION_INTENTS},help_text:x\$1`Link to explainer(s) (one URL per line). See the

<a

target="_blank"

href="https://www.chromium.org/blink/launching-features/#start-incubating"

>launch process

for detailed advice, or expand the extra help here for a summary.`},extra\_help:x\$1`<p> Host your explainer somewhere like Github (and <i>not</i> Google Docs) that makes it easy to file issues. Your organization may recommend a

<a

target="_blank"

href="https://www.chromium.org/blink/launching-features/#start-incubating"

>particular place.

</p>

<p>

See the TAG guide to writing

Explainers

for several examples of good explainers and tips for effective explainers.

</p>

<p>

If you've already made an initial public proposal (see above), post your explainer to that thread. Otherwise, make an initial proposal based on your explainer.

</p>

<p>

Once a second organization is interested in the WICG proposal, you can move the explainer into the WICG. The

<a href="https://wicg.github.io/admin/charter.html#chairs"

>WICG co-chairs

can help you.

</p>

<p>

If you want help, ask for a

<a

target="_blank"

href="https://sites.google.com/a/chromium.org/dev/blink/spec-mentors"

>specification mentor.

</p>`,`check:value=>checkNotGoogleDocs(value,"Explainers should not be hosted on Google Docs.")),spec_link:{type:"input",attrs:URL_FIELD_ATTRS,required:!1,label:"Spec link",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x\$1` Link to the spec, if and when available.

When implementing

a spec update, please link to a heading in a published spec rather than a pull request when possible.`},extra\_help:x\$1`<p> Specifications should be written in the format and hosted in the URL space expected by your target standards body. For example, the W3C expects

Respec or

Bikeshed

hosted on w3.org or in Github Pages. The IETF expects an

Internet-Draft

hosted in the

Datatracker.

</p>`,`check:value=>checkNotGoogleDocs(value,"Specifications should not be hosted on Google Docs.")),comments:{type:"textarea",name:"feature_notes",attrs:

```
{rows:4},required:!1,label:"Comments",usage:{},help_text:x$1` Additional comments, caveats,
info...`},standard_maturity:
{type:"select",choices:STANDARD_MATURITY_CHOICES,initial:STANDARD_MATURITY_CHOICES.PROPOSAL_STD[0],label:"Standard maturity",usage:{},help_text:x$1` How far along is the standard that this feature
implements?`},api_spec:{type:"checkbox",initial:!1,label:"API spec",usage:{},help_text:x$1` The spec
document has details in a specification language
such as Web IDL, or there is an existing MDN page.`},automation_spec:
{type:"checkbox",initial:!1,label:"Automation spec",usage:{},help_text:x$1` The platform has sufficient
automation features for website
authors to test use of this new feature. These automation features can
include new automation APIs, like WebDriver BiDi modules, that are defined
in this feature's specification.`},spec_mentors:
{type:"input",name:"spec_mentor_emails",attrs:MULTI_EMAIL_FIELD_ATTRS,required:!1,label:"Spec
mentors",usage:{},help_text:x$1` Experienced
<a target="_blank" href="https://www.chromium.org/blink/spec-mentors">
spec mentors</a>
>
are available to help you improve your feature spec.`},intent_to_implement_url:
{type:"input",attrs:URL_FIELD_ATTRS,required:!1,label:"Intent to Prototype
link",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` After you have started the "Intent to
Prototype" discussion
thread, link to it here.`},doc_links:
{type:"textarea",attrs:MULTI_URL_FIELD_ATTRS,required:!1,label:"Doc
link(s)",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` Links to design doc(s) (one URL per
line), if and when
available. [This is not required to send out an Intent to Prototype. Please
update the intent thread with the design doc when ready]. An explainer
and/or design doc is sufficient to start this process. [Note: Please include
links and data, where possible, to support any claims.`},measurement:{type:"textarea",attrs:
{rows:4},required:!1,label:"Measurement",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` It's
important to measure the adoption and success of
web-exposed features. Note here what measurements you have added to track
the success of this feature, such as a link to the UseCounter(s) you have
set up.`},availability_expectation:{type:"textarea",attrs:{rows:4},required:!1,label:"Availability
expectation",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` What is your availability
expectation for this feature?
Examples:`,extra_help:x$1`
<ul>
<li>
Feature is available on Web Platform Baseline within 12 months of
launch in Chrome.
</li>

<li>
Feature is available only in Chromium browsers for the foreseeable
future.
</li>
</ul>
`,`},adoption_expectation:{type:"textarea",attrs:{rows:4},required:!1,label:"Adoption
expectation",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` What is your adoption expectation
for this feature?
Examples:`,extra_help:x$1`
<ul>
<li>
Feature is considered a best practice for some use case within 12
months of reaching Web Platform baseline.
</li>

<li>
Feature is used by specific partner(s) to provide functionality within
12 months of launch in Chrome.
</li>

<li>
At least 3 major abstractions replace their use of an existing feature
with this feature within 24 months of reaching mainline.
</li>
</ul>
`,`},adoption_plan:{type:"textarea",attrs:{rows:4},required:!1,label:"Adoption
plan",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` What is the plan to achieve the stated
expectations? Please
provide a plan that covers availability and adoption for the feature.`},security_review_status:
{type:"select",choices:REVIEW_STATUS_CHOICES,initial:REVIEW_STATUS_CHOICES.REVIEW_PENDING[0],label:"Sec
urity review status",usage:{},help_text:x$1` Status of the security review.`},privacy_review_status:
{type:"select",choices:REVIEW_STATUS_CHOICES,initial:REVIEW_STATUS_CHOICES.REVIEW_PENDING[0],label:"Pri
vacy review status",usage:{},help_text:x$1` Status of the privacy review.`},tag_review:
{type:"textarea",attrs:{rows:2},required:!1,label:"TAG specification
review",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` Link(s) to TAG specification review(s),
or explanation why
this is not needed.`},extra_help:x$1` <p>
The
<a target="_blank" href="https://www.w3.org/2001/tag/"
>W3C Technical Architecture Group</a>
>
(TAG) is a special working group of the W3C that consists of a few
appointed and elected members, all of whom are experienced members of
```

```
the web standards community. The Blink launch process has a
<a
  target="_blank"
  href="https://www.chromium.org/blink/launching-features/wide-review/#tag"
  >formal requirement for requesting a TAG specification review</a>
</p>
for all features. The review happens publicly on a GitHub issue.
</p>
<p>
  You will likely have asked for an "<a
    target="_blank"
    href="https://github.com/w3ctag/design-reviews/issues/new?template=000-incubation-
review.yaml"
    >Early design/incubation review</a>
  >" earlier in the process to get the TAG familiar with your feature.
  This isn't that.
</p>
<p>
  It's recommended that you file a TAG specification review as soon as
  your specification is written, and at least a month ahead of sending an
  Intent to Ship. There may be some work involved in preparing your
  feature for review. See the
  <a
    target="_blank"
    href="https://www.chromium.org/blink/launching-features/wide-review/#tag"
    >launch process</a>
  >
  for help picking which kind of specification review to file, and then
  look through that template to find what data to collect.
</p>
<p>
  A large number of Intents to Ship are delayed because a TAG
  specification review was only recently filed and engagement from the TAG
  can take multiple weeks to multiple months. Note that the API owners can
  approve shipping even if the TAG hasn't replied to your review request,
  as long as you've made a reasonable effort to obtain their review with
  enough time for them to give feedback.
</p>`},tag_review_status:
{type:"select",choices:REVIEW_STATUS_CHOICES,initial:REVIEW_STATUS_CHOICES.REVIEW_PENDING[0],label:"TAG
specification review status",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1`Status of the TAG
specification review.`},intent_to_ship_url:
{type:"input",attrs:URL_FIELD_ATTRS,required:!1,label:"Intent to Ship
link",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1`After you have started the "Intent to Ship"
discussion
  thread, link to it here.`},announcement_url:
{type:"input",attrs:URL_FIELD_ATTRS,required:!1,label:"Ready for Developer Testing
link",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1`After you have started the "Ready for
Developer Testing"
  discussion thread, link to it here.`},intent_to_experiment_url:
{type:"input",attrs:URL_FIELD_ATTRS,required:!1,label:"Intent to Experiment
link",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1`After you have started the "Intent to
Experiment" discussion
  thread, link to it here.`},intent_to_extend_experiment_url:
{type:"input",attrs:URL_FIELD_ATTRS,required:!1,label:"Intent to Extend Experiment
link",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1`If this feature has an "Intent to Extend
Experiment"
  discussion thread, link to it here.`},ot_extension__intent_to_extend_experiment_url:
{type:"input",attrs:URL_FIELD_ATTRS,required:!0,label:"Intent to Extend Experiment
link",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1`Link to the approved Intent to Extend
Experiment, as per
  <a
    target="_blank"
    href="https://www.chromium.org/blink/origin-trials/running-an-origin-trial/#what-is-the-
process-to-extend-an-origin-trial"
    >
    the trial extension process </a>
  >.`},r4dt_url:
{name:"intent_to_experiment_url",type:"input",attrs:URL_FIELD_ATTRS,required:!1,label:"Request for
Deprecation Trial link",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1`After you have started the
"Request for Deprecation Trial"
  discussion thread, link to it here.`},interop_compat_risks:
{type:"textarea",required:!1,label:"Interoperability and compatibility risks",usage:
{[FeatureType.Incubate]:new Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),
[FeatureType.Existing]:new Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),
[FeatureType.CodeChange]:new Set([UsageType.DeveloperTesting,UsageType.PSA]),
[FeatureType.Deprecation]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship])},help_text:x$1`Describe the
degree of
  <a
    target="_blank"
    href="https://www.chromium.org/blink/guidelines/web-platform-changes-guidelines#finding-
balance"
    >
    interoperability risk</a>
  >.`}. For a new feature, the main risk is that it fails to become an
interoperable part of the web platform if other browsers do not implement
```



```
it. For a removal, please review our
<a
  target="_blank"
  href="https://docs.google.com/document/d/1RC-pBBvsazYfCNNUSkPqAVpSpNJ96U8trhNkfV0v9fk/edit"
>
  principles of web compatibility</a>
>.<br />
<br />
Please include citation links below where possible. Examples include
resolutions from relevant standards bodies (e.g. W3C working group),
tracking bugs, or links to online conversations.
<a
  target="_blank"
  href="https://github.com/GoogleChrome/chromium-dashboard/wiki/EditingHelp#interoperability-and-
compatibility-risks-example"
>
  Example</a>
>.`},safari_views:
{type:"select",choices:VENDOR_VIEWS_COMMON,initial:VENDOR_VIEWS_COMMON.NO_PUBLIC_SIGNALS[0],label:"WebK
it views",usage: {[FeatureType.Incubate]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),[FeatureType.Existing]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),[FeatureType.CodeChange]:new
Set([UsageType.DeveloperTesting,UsageType.PSA]),[FeatureType.Deprecation]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship])},help_text:$x$1` See
  <a
    target="_blank"
    href="https://www.chromium.org/blink/launching-features/wide-review/"
  >
    chromium.org/blink/launching-features/wide-review
  </a>`},safari_views_link:
{type:"input",attrs:URL_FIELD_ATTRS,required:!1,label:"",displayLabel:"WebKit views link",usage:
{[FeatureType.Incubate]:new Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),
[FeatureType.Existing]:new Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),
[FeatureType.CodeChange]:new Set([UsageType.DeveloperTesting,UsageType.PSA]),
[FeatureType.Deprecation]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship])},help_text:$x$1` Citation
link.`},safari_views_notes:{type:"textarea",attrs:
{rows:2,placeholder:"Notes"},required:!1,label:"",displayLabel:"WebKit views notes",usage:
{[FeatureType.Incubate]:new Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),
[FeatureType.Existing]:new Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),
[FeatureType.CodeChange]:new Set([UsageType.DeveloperTesting,UsageType.PSA]),
[FeatureType.Deprecation]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship])},help_text:""},ff_views:
{type:"select",choices:VENDOR_VIEWS_GECKO,initial:VENDOR_VIEWS_GECKO.NO_PUBLIC_SIGNALS[0],label:"Firefo
x views",usage: {[FeatureType.Incubate]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),[FeatureType.Existing]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),[FeatureType.CodeChange]:new
Set([UsageType.DeveloperTesting,UsageType.PSA]),[FeatureType.Deprecation]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship])},help_text:$x$1` See
  <a
    target="_blank"
    href="https://www.chromium.org/blink/launching-features/wide-review/"
  >
    chromium.org/blink/launching-features/wide-review
  </a>`},ff_views_link:
{type:"input",attrs:URL_FIELD_ATTRS,required:!1,label:"",displayLabel:"Firefox views link",usage:
{[FeatureType.Incubate]:new Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),
[FeatureType.Existing]:new Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),
[FeatureType.CodeChange]:new Set([UsageType.DeveloperTesting,UsageType.PSA]),
[FeatureType.Deprecation]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship])},help_text:$x$1` Citation
link.`},ff_views_notes:{type:"textarea",attrs:
{rows:2,placeholder:"Notes"},required:!1,label:"",displayLabel:"Firefox views notes",usage:
{[FeatureType.Incubate]:new Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),
[FeatureType.Existing]:new Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),
[FeatureType.CodeChange]:new Set([UsageType.DeveloperTesting,UsageType.PSA]),
[FeatureType.Deprecation]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship])},help_text:""},web_dev_views:
{type:"select",choices:WEB_DEV_VIEWS,initial:WEB_DEV_VIEWS.DEV_NO_SIGNALS[0],label:"Web / Framework
developer views",usage: {[FeatureType.Incubate]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),[FeatureType.Existing]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),[FeatureType.CodeChange]:new
Set([UsageType.DeveloperTesting,UsageType.PSA]),[FeatureType.Deprecation]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship])},help_text:$x$1` If unsure,
default to "No signals". See
  <a target="_blank" href="https://goo.gle/developer-signals">
    https://goo.gle/developer-signals</a>
  >`},web_dev_views_link:{type:"input",attrs:URL_FIELD_ATTRS,required:!1,label:"",displayLabel:"Web
/ Framework developer views link",usage: {[FeatureType.Incubate]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),[FeatureType.Existing]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),[FeatureType.CodeChange]:new
Set([UsageType.DeveloperTesting,UsageType.PSA]),[FeatureType.Deprecation]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship])},help_text:$x$1` Citation
link.`},web_dev_views_notes:{type:"textarea",attrs:
{rows:2,placeholder:"Notes"},required:!1,label:"",displayLabel:"Web / Framework developer views
notes",usage: {[FeatureType.Incubate]:new
```

```
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),[FeatureType.Existing]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),[FeatureType.CodeChange]:new
Set([UsageType.DeveloperTesting,UsageType.PSA]),[FeatureType.Deprecation]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),help_text:x$1` Reference known
representative examples of opinions, both
    positive and negative.`},other_views_notes:{type:"textarea",attrs:
{rows:4,placeholder:"Notes"},required:!1,label:"Other views",usage:{{FeatureType.Incubate]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),[FeatureType.Existing]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),[FeatureType.CodeChange]:new
Set([UsageType.DeveloperTesting,UsageType.PSA]),[FeatureType.Deprecation]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),help_text:x$1` For example,
other browsers.`},ergonomics_risks:{type:"textarea",required:!1,label:"Ergonomics risks",usage:
{{FeatureType.Incubate]:new Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),
[FeatureType.Existing]:new Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),
[FeatureType.CodeChange]:new Set([UsageType.DeveloperTesting,UsageType.PSA]),
[FeatureType.Deprecation]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),help_text:x$1` Are there any
other platform APIs this feature will
    frequently be used in tandem with? Could the default usage of this API make
    it hard for Chrome to maintain good performance (i.e. synchronous return,
    must run on a certain thread, guaranteed return timing)?`},activation_risks:
{type:"textarea",required:!1,label:"Activation risks",usage:{{FeatureType.Incubate]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),[FeatureType.Existing]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),[FeatureType.CodeChange]:new
Set([UsageType.DeveloperTesting,UsageType.PSA]),[FeatureType.Deprecation]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),help_text:x$1` Will it be
challenging for developers to take advantage of
    this feature immediately, as-is? Would this feature benefit from having
    polyfills, significant documentation and outreach, and/or libraries built on
    top of it to make it easier to use?`},security_risks:{type:"textarea",required:!1,label:"Security
Risks",usage:{{FeatureType.Incubate]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),[FeatureType.Existing]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),[FeatureType.CodeChange]:new
Set([UsageType.DeveloperTesting,UsageType.PSA]),[FeatureType.Deprecation]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),help_text:x$1` List any security
considerations that were taken into
    account when designing this feature.`},webview_risks:{type:"textarea",required:!1,label:"WebView
application risks",usage:{{FeatureType.Incubate]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),[FeatureType.Existing]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),[FeatureType.CodeChange]:new
Set([UsageType.DeveloperTesting,UsageType.PSA]),[FeatureType.Deprecation]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),help_text:x$1` Does this feature
deprecate or change behavior of existing
    APIs, such that it has potentially high risk for Android WebView-based
    applications? (See
    <a
        target="_blank"
        href="https://new.chromium.org/developers/webview-changes/"
    >
    here</a>
    >
    for a definition of "potentially high risk", information on why changes to
    this platform carry higher risk, and general rules of thumb for which
    changes have higher or lower risk) If so:
    <ul>
        <li>
            Please use a base::Feature killswitch (<a
                target="_blank"
                href="https://source.chromium.org/chromium/chromium/src/+main:third_party/blink/public/common/features
                .h"
            >
                examples here</a>
            >) that can be flipped off in case of compat issues
        </li>
        <li>Consider contacting android-webview-dev@chromium.org for advice</li>
        <li>
            If you are not sure, just put "not sure" as the answer and the API
            owners can help during the review of your Intent to Ship
        </li>
    </ul>`},experiment_goals:{type:"textarea",required:!1,label:"Experiment
goals",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` Which pieces of the API surface are you
looking to gain
    insight on? What metrics/measurement/feedback will you be using to
    validate designs? Double check that your experiment makes sense given that
    a large developer (e.g. a Google product or Facebook) likely can't use it
    in production due to the limits enforced by origin trials.
    <br /><br />
    If you send an Intent to Extend Origin Trial, highlight areas for
    experimentation. They should not be an exact copy of the goals from the
    first Intent to Experiment.`},experiment_timeline:{type:"textarea",attrs:
{rows:2,placeholder:"This field is deprecated",disabled:!0},required:!1,label:"Experiment
timeline",usage:{{FeatureType.Incubate]:new Set([UsageType.Experiment]),[FeatureType.Existing]:new
Set([UsageType.Experiment]),[FeatureType.Deprecation]:new Set([UsageType.Experiment])},help_text:x$1`
When does the experiment start and expire? Deprecated:
    Please use the numeric fields above instead.`},ot_milestone_desktop_start:
{type:"input",attrs:MILESTONE_NUMBER_FIELD_ATTRS,required:!1,label:"OT desktop
```

```

start",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` First desktop milestone that will support
an origin trial
  of this feature.`},check:
(_value,getFieldValue)=>checkMilestoneRanges([OT_MILESTONE_DESKTOP_RANGE,OT_ALL_SHIPPED_MILESTONE_DESKT
OP_RANGE],getFieldValue)},ot_milestone_desktop_end:
{type:"input",attrs:MILESTONE_NUMBER_FIELD_ATTRS,required:!1,label:"OT desktop
end",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` Last desktop milestone that will support an
origin trial of
  this feature.`},check:
(_value,getFieldValue)=>checkMilestoneRanges([OT_MILESTONE_DESKTOP_RANGE],getFieldValue)},ot_milestone_
android_start:{type:"input",attrs:MILESTONE_NUMBER_FIELD_ATTRS,required:!1,label:"OT Android
start",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` First android milestone that will support
an origin trial
  of this feature.`},check:
(_value,getFieldValue)=>checkMilestoneRanges([OT_MILESTONE_ANDROID_RANGE,OT_ALL_SHIPPED_MILESTONE_ANDRO
ID_RANGE],getFieldValue)},ot_milestone_android_end:
{type:"input",attrs:MILESTONE_NUMBER_FIELD_ATTRS,required:!1,label:"OT Android
end",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` Last android milestone that will support an
origin trial of
  this feature.`},check:
(_value,getFieldValue)=>checkMilestoneRanges([OT_MILESTONE_ANDROID_RANGE],getFieldValue)},ot_milestone_
webview_start:{type:"input",attrs:MILESTONE_NUMBER_FIELD_ATTRS,required:!1,label:"OT WebView
start",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` First WebView milestone that will support
an origin trial
  of this feature.`},check:
(_value,getFieldValue)=>checkMilestoneRanges([OT_MILESTONE_WEBVIEW_RANGE,OT_ALL_SHIPPED_MILESTONE_WEBVI
EW_RANGE],getFieldValue)},ot_milestone_webview_end:
{type:"input",attrs:MILESTONE_NUMBER_FIELD_ATTRS,required:!1,label:"OT WebView
end",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` Last WebView milestone that will support an
origin trial of
  this feature.`},check:
(_value,getFieldValue)=>checkMilestoneRanges([OT_MILESTONE_WEBVIEW_RANGE],getFieldValue)},experiment_ri
sks:{type:"textarea",required:!1,label:"Experiment risks",usage:{},help_text:x$1` When this experiment
comes to an end are there any risks to
  the sites that were using it, for example losing access to important storage
  due to an experimental storage API?`},experiment_extension_reason:
{type:"textarea",required:!1,label:"Experiment extension reason",usage:{[FeatureType.Incubate]:new
Set([UsageType.Experiment]),[FeatureType.Existing]:new Set([UsageType.Experiment]),
[FeatureType.Deprecation]:new Set([UsageType.Experiment])},help_text:x$1` If this is a repeated or
extended experiment, explain why
  it's being repeated or extended. Also, fill in discussion link fields
below.`},extension_desktop_last:
{type:"input",attrs:MILESTONE_NUMBER_FIELD_ATTRS,required:!0,label:"Trial extension end
milestone",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` The last desktop milestone in which
the trial will be
  available after extension.`},extension_android_last:
{type:"input",attrs:MILESTONE_NUMBER_FIELD_ATTRS,required:!1,label:"Trial extension Android
end",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` The last android milestone in which the
trial will be
  available after extension.`},extension_webview_last:
{type:"input",attrs:MILESTONE_NUMBER_FIELD_ATTRS,required:!1,label:"Trial extension WebView
end",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` The last WebView milestone in which the
trial will be
  available after extension.`},ot_extension_milestone_desktop_last:
{type:"input",attrs:MILESTONE_NUMBER_FIELD_ATTRS,required:!0,label:"Trial extension end
milestone",usage:{},help_text:x$1` The last milestone in which the trial will be available
  after extension.`},check:_value=>checkExtensionMilestoneIsValid(_value)},ongoing_constraints:
{type:"textarea",required:!1,label:"Ongoing Constraints",usage:{[FeatureType.Incubate]:new
Set([UsageType.Experiment]),[FeatureType.Existing]:new Set([UsageType.Experiment]),
[FeatureType.Deprecation]:new Set([UsageType.Experiment])},help_text:x$1` Do you anticipate adding any
ongoing technical constraints
  to the codebase while implementing this feature? We prefer to avoid features
  that require or assume a specific architecture. For most features, the
  answer is "None."`},rollout_plan:
{type:"select",choices:ROLLOUT_PLAN,initial:ROLLOUT_PLAN.ROLLOUT_100[0],label:"Rollout plan",usage:
{[FeatureType.Incubate]:new Set([UsageType.Experiment,UsageType.Ship]),[FeatureType.Existing]:new
Set([UsageType.Experiment,UsageType.Ship]),[FeatureType.CodeChange]:new Set([UsageType.PSA]),
[FeatureType.Deprecation]:new Set([UsageType.Experiment,UsageType.Ship])},help_text:x$1` Normally, WP
features that ship in a milestone go to all
  users of that milestone. If your feature needs to roll out in any other way,
  mark that here.`},origin_trial_feedback_url:
{type:"input",attrs:URL_FIELD_ATTRS,required:!1,label:"Origin trial feedback
summary",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` If your feature was available as an
origin trial, link to a
  summary of usage and developer feedback. If not, leave this empty. DO NOT
  USE FEEDBACK VERBATIM without prior consultation with the Origin Trials
  team.`},ot_chromium_trial_name:{type:"input",attrs:TEXT_FIELD_ATTRS,required:!0,label:"Chromium
trial name",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` Name for the trial, given as the
value of the property
  "origin_trial_feature_name" as specified in
  <a
    target="_blank"
    href="https://chromium.googlesource.com/chromium/src/+main/third_party/blink/renderer/platform/runtime
_enabled_features.json5"
    >runtime_enabled_features.json5</a>

```

```
>.  
<br />  
<p style="color: red">  
  <strong>Note:</strong> This name should be unique and should not be used  
  by any previous origin trials!  
</p>`},ot_documentation_url:{type:"input",attrs:URL_FIELD_ATTRS,label:"Documentation  
link",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` Link to more information to help developers  
use the trial's  
  feature (e.g. blog post, Github explainer, etc.).`},ot_creation__ot_documentation_url:  
{type:"input",attrs:URL_FIELD_ATTRS,required:!0,label:"Documentation link",usage:{},help_text:x$1` Link  
to more information to help developers use the trial's  
  feature (e.g. blog post, Github explainer, etc.).`},ot_emails:  
{type:"input",attrs:MULTI_EMAIL_FIELD_ATTRS,required:!1,label:"Origin trial contacts",usage:  
{},help_text:x$1` List any other individuals or groups to include on the  
  contact list (e.g. for reminders on trial milestones). Mailing list emails  
  can be used here, but only email addresses of individuals will receive  
  access to view registrant data on  
<a target="_blank" href="http://go/ot-registrants-dashboard"  
  >go/ot-registrants-dashboard</a  
>.  
<p>  
  <strong>  
    Please prefer using "@google.com" domain email addresses for any  
    contacts that have one.  
  </strong>  
</p>`},ot_has_third_party_support:{type:"checkbox",initial:!1,label:"Origin trial supports third  
party origins",usage:{},help_text:x$1` Whether this trial supports third party origins. See  
<a href="https://web.dev/third-party-origin-trials/">this article</a>  
for more information. The feature should have  
"origin_trial_allows_third_party" set to "true" in  
<a  
  target="_blank"  
  
href="https://chromium.googlesource.com/chromium/src/+main/third_party/blink/renderer/platform/runtime  
_enabled_features.json5"  
  >runtime_enabled_features.json5</a  
>`},ot_is_critical_trial:{type:"checkbox",initial:!1,label:"Critical origin trial",usage:  
{},help_text:x$1` See  
<a href="https://goto.google.com/running-an-origin-trial"  
  >go/running-an-origin-trial</a  
>  
for criteria and additional process requirements. The feature name must be  
added to the "kHasExpiryGracePeriod" array in  
<a  
  target="_blank"  
  
href="https://source.chromium.org/chromium/chromium/src/+main:third_party/blink/common/origin_trials/m  
anual_completion_origin_trial_features.cc"  
  >manual_completion_origin_trial_features.cc</a  
>`},ot_is_deprecation_trial:{type:"checkbox",initial:!1,label:"Deprecation trial",usage:  
{},help_text:x$1` Is this a deprecation trial? See the  
<a  
  href="https://www.chromium.org/blink/launching-features/#deprecation-trial"  
  >deprecation trial section</a  
>  
for more information.`},ot_request_note:{type:"textarea",required:!1,label:"Anything  
else?",usage:{},help_text:x$1`<p>  
  Let us know if you have any further questions or comments.  
</p>`},ot_webfeature_use_counter:{type:"input",attrs:{...TEXT_FIELD_ATTRS,placeholder:"e.g.  
\"kWebFeature\""},pattern:"k\\S*"},label:"UseCounter  
name",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` For measuring usage, this must be a single  
named value from  
  the WebFeature, WebDXFeature, or CSSSampleId enum, e.g. kWorkerStart. The  
  use counter must be landed in either  
<a  
  target="_blank"  
  
href="https://source.chromium.org/chromium/chromium/src/+main:third_party/blink/public/mojom/use_count  
er/metrics/web_feature.mojom"  
  >web_feature.mojom</a  
>,  
<a  
  target="_blank"  
  
href="https://source.chromium.org/chromium/chromium/src/+main:third_party/blink/public/mojom/use_count  
er/metrics/webdx_feature.mojom"  
  >webdx_feature.mojom</a  
>, or  
<a  
  target="_blank"  
  
href="https://source.chromium.org/chromium/chromium/src/+main:third_party/blink/public/mojom/use_count  
er/metrics/css_property_id.mojom"  
  >css_property_id.mojom</a  
>.  
> Not required for deprecation trials.`},ot_webfeature_use_counter__type:  
{type:"radios",label:"Use counter type",choices:WEBFEATURE_USE_COUNTER_TYPES,usage:
```

```
{},help_text:x$1`Which type of use counter the feature is using. This can be
determined by which file the use counter is defined in.`},ot_require_approvals:
{type:"checkbox",initial:!1,label:"Trial participation requires approval",usage:{},help_text:x$1` <p>
Will this trial require registrants to receive approval before
participating? Please reach out to origin-trials-support@google.com
beforehand to discuss options here.
</p>`},ot_approval_buganizer_component:{type:"input",attrs:
{type:"number"},required:!0,label:"Approvals Buganizer component ID",usage:{},help_text:x$1` Buganizer
component ID used for approvals requests.`},ot_approval_buganizer_custom_field_id:{type:"input",attrs:
{type:"number"},required:!0,label:"Approvals Buganizer custom field ID",usage:{},help_text:x$1` The
Buganizer custom field ID for trial registration
approval. This custom field in Buganizer provides approval/rejection
rationales for registration requests under
ot_approval_buganizer_component.`},ot_approval_group_email:{type:"input",required:!0,attrs:
{...TEXT_FIELD_ATTRS,pattern:GOOGLE_EMAIL_ADDRESS_REGEX,placeholder:"ex. \"approval-
requests@google.com\""},label:"Registration request notifications group",usage:{},help_text:x$1` <p>
Google group email to be used for new registration request notifications.
Please supply a '@google.com' domain email address only.
</p>`},ot_approval_criteria_url:{type:"input",attrs:URL_FIELD_ATTRS,required:!0,label:"Approval
criteria link",usage:{},help_text:x$1` <p>
Link to public documentation describing the requirements to be approved
for trial participation.
</p>`},ot_creation_intent_to_experiment_url:
{type:"input",attrs:URL_FIELD_ATTRS,required:!0,label:"Intent to Experiment link",usage:
{}},help_text:x$1`Your "Intent to Experiment" discussion thread. The necessary
LGTM's should already have been received.`},ot_creation_milestone_desktop_first:
{type:"input",attrs:MILESTONE_NUMBER_FIELD_ATTRS,required:!0,label:"Trial milestone start",usage:
{}},help_text:x$1` First milestone that will support an origin trial of this
feature.`},check:
(_value,getFieldValue)=>checkMilestoneRanges([OT_MILESTONE_DESKTOP_RANGE,OT_ALL_SHIPPED_MILESTONE_DESKT
OP_RANGE],getFieldValue)},ot_creation_milestone_desktop_last:
{type:"input",attrs:MILESTONE_NUMBER_FIELD_ATTRS,required:!0,label:"Trial milestone end",usage:
{}},help_text:x$1` Last milestone that will support an origin trial of this
feature.`},check:
(_value,getFieldValue)=>checkMilestoneRanges([OT_MILESTONE_DESKTOP_RANGE],getFieldValue)},ot_creation__
bypass_file_checks:{type:"checkbox",initial:!1,label:"Bypass Chromium file checks (staging
testing)",usage:{},help_text:x$1` This option should only be visible in ChromeStatus staging
environments. Allow this form to be submitted without verifying Chromium
code has landed.`},anticipated_spec_changes:{type:"textarea",attrs:
{rows:4},required:!1,label:"Anticipated spec changes",usage:
{[FeatureType.Incubate]:ALL_FEATURE_TYPE_INCUBATE_INTENTS,
[FeatureType.Existing]:ALL_FEATURE_TYPE_EXISTING_INTENTS,
[FeatureType.Deprecation]:ALL_FEATURE_TYPE_DEPRECATION_INTENTS}},help_text:x$1` Open questions about a
feature may be a source of future
web compat or interop issues. Please list open issues (e.g. links to known
github issues in the repo for the feature specification) whose resolution
may introduce web compat/interop risk (e.g., changing the naming or
structure of the API in a non-backward-compatible way).`},finch_url:
{type:"input",attrs:URL_FIELD_ATTRS,required:!1,label:"Finch experiment",usage:{},help_text:x$1` If
your feature will roll out gradually via a
<a target="_blank" href="http://go/finch">Finch experiment</a>, link to it
here.`},i2e_lgtms:{type:"input",attrs:{...MULTI_EMAIL_FIELD_ATTRS,placeholder:"This field is
deprecated",disabled:!0},required:!1,label:"Intent to Experiment LGTM by",usage:{},help_text:x$1` Full
email address of API owner who LGTM'd the Intent to
Experiment email thread.`},depreacted:!0},i2s_lgtms:{type:"input",attrs:
{...MULTI_EMAIL_FIELD_ATTRS,placeholder:"This field is
deprecated",disabled:!0},required:!1,label:"Intent to Ship LGTM's by",usage:{},help_text:x$1`
Comma separated list of email addresses of API owners who LGTM'd the
Intent to Ship email thread.
`,depreacted:!0},r4dt_lgtms:{name:"i2e_lgtms",type:"input",attrs:
{...MULTI_EMAIL_FIELD_ATTRS,placeholder:"This field is
deprecated",disabled:!0},required:!1,label:"Request for Deprecation Trial LGTM by",usage:
{}},help_text:x$1` Full email addresses of API owners who LGTM'd the Request
for Deprecation Trial email thread.`},depreacted:!0},debuggability:
{type:"textarea",required:!1,label:"Debuggability",usage:{[FeatureType.Incubate]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),[FeatureType.Existing]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),[FeatureType.CodeChange]:new
Set([UsageType.DeveloperTesting,UsageType.PSA]),[FeatureType.Deprecation]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship])}},help_text:x$1` Description of
the DevTools debugging support for your
feature. Please follow the
<a target="_blank" href="https://goo.gle/devtools-checklist">
DevTools support checklist</a>
>
for guidance.`},all_platforms:{type:"checkbox",initial:!1,label:"Supported on all
platforms?",usage:{[FeatureType.Incubate]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),[FeatureType.Existing]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),[FeatureType.CodeChange]:new
Set([UsageType.DeveloperTesting,UsageType.PSA]),[FeatureType.Deprecation]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship])}},help_text:x$1` Will this feature
be supported on all six Blink platforms
(Windows, Mac, Linux, ChromeOS, Android, and Android WebView)?`},all_platforms_descr:
{type:"textarea",attrs:{rows:2},required:!1,label:"Platform support explanation",usage:
{[FeatureType.Incubate]:new Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),
[FeatureType.Existing]:new Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),
[FeatureType.CodeChange]:new Set([UsageType.DeveloperTesting,UsageType.PSA]),
```

```
[FeatureType.Deprecation]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship])),help_text:x$1` Explain why this
feature is, or is not, supported on all
  platforms.`},wpt:{type:"checkbox",initial:!1,label:"Web Platform
Tests",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` Is this feature fully tested in Web
Platform Tests?`},wpt_descr:{type:"textarea",required:!1,label:"Web Platform Tests or other automated
test description",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` Please link to the
  <a target="_blank" href="https://wpt.fyi/results">results on wpt.fyi</a>.
  If any part of the feature is not tested by web-platform-tests, please
  include links to other automated tests or links to issues, e.g. a
  web-platform-tests issue with the "infra" label explaining why a certain
  thing cannot be tested (<a
    target="_blank"
    href="https://github.com/w3c/web-platform-tests/issues/3867"
    >example</a>
  >), a spec issue for some change that would make it possible to test. (<a
    target="_blank"
    href="https://github.com/whatwg/fullscreen/issues/70"
    >example</a>
  >), or a Chromium issue to upstream some existing tests (<a
    target="_blank"
    href="https://bugs.chromium.org/p/chromium/issues/detail?id=695486"
    >example</a>
  >).`},sample_links:{type:"textarea",attrs:MULTI_URL_FIELD_ATTRS,required:!1,label:"Demo and
sample links",usage:{[FeatureType.Incubate]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),[FeatureType.Existing]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),[FeatureType.CodeChange]:new
Set([UsageType.DeveloperTesting,UsageType.PSA]),[FeatureType.Deprecation]:new
Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship])),help_text:x$1` Links to demos
and samples (one URL per line).`},non_oss_deps:{type:"textarea",required:!1,label:"Non-OSS
dependencies",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` Does the feature depend on any code
or APIs outside the
  Chromium open source repository and its open-source dependencies to
  function? (e.g. server-side APIs, operating system APIs tailored to this
  feature or closed-source code bundles) Yes or no. If yes, explain why this
  is necessary.`},devrel:
{type:"input",name:"devrel_emails",attrs:MULTI_EMAIL_FIELD_ATTRS,required:!1,label:"Developer relations
emails",usage:{},help_text:x$1` Comma separated list of full email addresses.`},shipped_milestone:
{type:"input",attrs:MILESTONE_NUMBER_FIELD_ATTRS,required:!1,label:"Chrome for
desktop",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:SHIPPED_HELP_TXT,check:
(_value,getFieldValue)=>checkMilestoneRanges([ALL_OT_SHIPPED_MILESTONE_DESKTOP_RANGE,ALL_DT_SHIPPED_MIL
ESTONE_DESKTOP_RANGE],getFieldValue)},shipped_android_milestone:
{type:"input",attrs:MILESTONE_NUMBER_FIELD_ATTRS,required:!1,label:"Chrome for
Android",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:SHIPPED_HELP_TXT,check:
(_value,getFieldValue)=>checkMilestoneRanges([ALL_OT_SHIPPED_MILESTONE_ANDROID_RANGE,ALL_DT_SHIPPED_MIL
ESTONE_ANDROID_RANGE],getFieldValue)},shipped_ios_milestone:
{type:"input",attrs:MILESTONE_NUMBER_FIELD_ATTRS,required:!1,label:"Chrome for iOS
(RARE)",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:SHIPPED_HELP_TXT,check:
(_value,getFieldValue)=>checkMilestoneRanges([ALL_DT_SHIPPED_MILESTONE_IOS_RANGE],getFieldValue)},shipp
ed_webview_milestone:{type:"input",attrs:MILESTONE_NUMBER_FIELD_ATTRS,required:!1,label:"Android
Webview",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:SHIPPED_WEBVIEW_HELP_TXT,check:
(_value,getFieldValue)=>checkMilestoneRanges([ALL_OT_SHIPPED_MILESTONE_WEBVIEW_RANGE],getFieldValue)},r
equires_embedder_support:{type:"checkbox",initial:!1,label:"Requires embedder support",usage:
[[FeatureType.Incubate]:ALL_FEATURE_TYPE_INCUBATE_INTENTS,
[FeatureType.Existing]:ALL_FEATURE_TYPE_EXISTING_INTENTS,
[FeatureType.Deprecation]:ALL_FEATURE_TYPE_DEPRECATION_INTENTS},help_text:x$1` Will this feature
require support in //chrome? That
  includes any code in //chrome, even if that is for functionality on top of
  the spec. Other //content embedders will need to be aware of that
  functionality. Please add a row to this
  <a
    target="_blank"
    href="https://docs.google.com/spreadsheets/d/1QV4SW4JBG3IyLzaonohUhim7nznCwK4ioop2cgUYevw/edit#gid=0"
    >
    tracking spreadsheet</a>
  >.`},devtrial_instructions:{type:"input",attrs:URL_FIELD_ATTRS,required:!1,label:"DevTrial
instructions",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` Link to a HOWTO or FAQ describing
how developers can get
  started using this feature in a DevTrial.
  <br /><br />
  <a
    target="_blank"
    href="https://github.com/samuelgoto/WebID/blob/master/HOWTO.md"
    >
    Example 1</a>
  >.
  <a
    target="_blank"
    href="https://github.com/WICG/idle-detection/blob/main/HOWTO.md"
    >
    Example 2</a>
  >.`},dt_milestone_desktop_start:
{type:"input",attrs:MILESTONE_NUMBER_FIELD_ATTRS,required:!1,label:"DevTrial on
desktop",usage:ALL_INTENT_USAGE_BY_FEATURE_TYPE,help_text:x$1` First milestone that allows web
developers to try this
```

feature on desktop platforms by setting a flag. When flags are enabled by default in preparation for shipping or removal, please use the fields in the ship stage.`),check: (\_value,getFieldValue)=>checkMilestoneRanges([DT\_ALL\_SHIPPED\_MILESTONE\_DESKTOP\_RANGE],getFieldValue)},dt\_milestone\_android\_start:{type:"input",attrs:MILESTONE\_NUMBER\_FIELD\_ATTRS,required:!1,label:"DevTrial on Android",usage:ALL\_INTENT\_USAGE\_BY\_FEATURE\_TYPE,help\_text:x\$1` First milestone that allows web developers to try this feature on Android by setting a flag. When flags are enabled by default in preparation for shipping or removal, please use the fields in the ship stage.`),check: (\_value,getFieldValue)=>checkMilestoneRanges([DT\_ALL\_SHIPPED\_MILESTONE\_ANDROID\_RANGE],getFieldValue)},dt\_milestone\_ios\_start:{type:"input",attrs:MILESTONE\_NUMBER\_FIELD\_ATTRS,required:!1,label:"DevTrial on iOS (RARE)",usage:ALL\_INTENT\_USAGE\_BY\_FEATURE\_TYPE,help\_text:x\$1` First milestone that allows web developers to try this feature on iOS by setting a flag. When flags are enabled by default in preparation for shipping or removal, please use the fields in the ship stage.`),check: (_value,getFieldValue)=>checkMilestoneRanges([DT_ALL_SHIPPED_MILESTONE_IOS_RANGE],getFieldValue)},flag_name:{type:"input",attrs:TEXT_FIELD_ATTRS,required:!1,label:"Flag name on about://flags",usage:[{FeatureType.Incubate}:new Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),{FeatureType.Existing}:new Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),{FeatureType.CodeChange}:new Set([UsageType.DeveloperTesting,UsageType.PSA]),{FeatureType.Deprecation}:new Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship])},help_text:x\$1` Name of the flag on about://flags that allows a web developer to enable this feature in their own browser to try it out. E.g., "storage-buckets". These are defined in

```
<a
  target="_blank"
  href="https://source.chromium.org/chromium/chromium/src/+/main:chrome/browser/about_flags.cc"
  >about_flags.cc</a
>.`},finch_name:{type:"input",attrs:{...TEXT_FIELD_ATTRS,placeholder:"e.g.
\"StorageBuckets\""},pattern:FINCH_NAMES_REGEX,required:!1,label:"Finch feature name",usage:[{FeatureType.Incubate}:new Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),{FeatureType.Existing}:new Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),{FeatureType.CodeChange}:new Set([UsageType.DeveloperTesting,UsageType.PSA]),{FeatureType.Deprecation}:new Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship])},help_text:x$1` String name of the <code>base::Feature</code> defined via
the <code>BASE_FEATURE</code> macro in your feature implementation code.
E.g., "StorageBuckets". These names are used in
```

```
<a
  target="_blank"
  href="https://chromium.googlesource.com/chromium/src/+/main/third_party/blink/renderer/platform/runtime_enabled_features.json5"
  >runtime_enabled_features.json5</a
>
(or
<a
  target="_blank"
  href="https://chromium.googlesource.com/chromium/src/+/main/content/public/common/content_features.cc"
  >content_features.cc</a
>), and finch GCL files`},non_finch_justification:{type:"textarea",required:!1,label:"Non-finch justification",usage:[{FeatureType.Incubate}:new Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),{FeatureType.Existing}:new Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship]),{FeatureType.CodeChange}:new Set([UsageType.DeveloperTesting,UsageType.PSA]),{FeatureType.Deprecation}:new Set([UsageType.DeveloperTesting,UsageType.Experiment,UsageType.Ship])},help_text:x$1` The
```

```
<a
  target="_blank"
  href="https://chromium.googlesource.com/chromium/src/+/main/docs/flag_guarding_guidelines.md"
  >Flag Guarding Guidelines</a
>
require new features to have a finch flag. If your feature does not have a finch flag, explain why.`},prefixed:{type:"checkbox",label:"Prefixed?",initial:!1,usage:{},help_text:""},display_name:{type:"input",attrs:TEXT_FIELD_ATTRS,required:!1,label:"Stage display name",usage:{},help_text:x$1` <p>
Optional. Stage name to display on the feature detail page.
</p>`,`extra_help:x$1` <p>
This name is only used for displaying stages on this site. Use this to differentiate stages of the same type.
</p>
<h4>Examples</h4>
<ul>
  <li>Extended deprecation trial</li>
  <li>Second origin trial run</li>
  <li>Delayed ship for Android</li>
</ul>`,`ot_display_name:{type:"input",attrs:TEXT_FIELD_ATTRS,required:!0,label:"Origin trial display name",usage:{},help_text:x$1` <p>
Name shown in the
<a href="https://developer.chrome.com/origintrials/" target="_blank">
  Origin Trials Console
</a>
and included in reminder emails.
```

```

    </p>`},ot_description:{type:"textarea",required:!0,label:"Trial description",usage:
    {}},help_text:x$1` <p>
      A brief description of the feature to interest web developers in joining
      the trial (1-2 sentences). Shown as the trial description in the
      <a href="https://developer.chrome.com/origintrials/" target="_blank">
        Origin Trials Console </a>
    >.
    </p>`},ot_owner_email:{type:"input",required:!0,attrs:
    {...TEXT_FIELD_ATTRS,pattern:GOOGLE_EMAIL_ADDRESS_REGEX},usage:{},label:"Google point of
    contact",help_text:x$1` <p>
      A Googler contact for this origin trial. Please supply a '@google.com'
      domain email address only.
    </p>`},ot_feedback_submission_url:{type:"input",attrs:URL_FIELD_ATTRS,required:!0,label:"Feature
    feedback link",usage:{},help_text:x$1` Link for developers to file feedback on the feature (e.g.
    GitHub issues, or WICG page).`},shipping_year:{type:"input",attrs:
    {type:"number",min:2e3,max:2050},required:!0,label:"Estimated shipping year",usage:{},help_text:x$1`
    Estimate of the calendar year in which this will first ship
    on any platform. E.g., 2024.`},enterprise_policies:
    {type:"input",attrs:MULTI_STRING_FIELD_ATTRS,required:!1,label:"Enterprise policies",usage:
    {[FeatureType.Incubate]:new Set([UsageType.CrossFunctionReview]),[FeatureType.Existing]:new
    Set([UsageType.CrossFunctionReview]),[FeatureType.CodeChange]:new Set([UsageType.CrossFunctionReview]),
    [FeatureType.Deprecation]:new Set([UsageType.CrossFunctionReview]),[FeatureType.Enterprise]:new
    Set([UsageType.CrossFunctionReview])},help_text:x$1` List the policies that are being introduced,
    removed, or
    can be used to control the feature at this stage, if
    any.`},disabled:!0,deprecated:!0},enterprise_feature_categories:
    {type:"multiselect",choices:ENTERPRISE_FEATURE_CATEGORIES,required:!1,label:"Enterprise feature
    categories",usage:{},help_text:x$1` If your feature impacts enterprise users, select at least
    one.`},enterprise_help_text:x$1` Select at least one.`},enterprise_impact:
    {type:"select",choices:ENTERPRISE_IMPACT,initial:ENTERPRISE_IMPACT.IMPACT_NONE[0],enterprise_initial:EN
    TERPRISE_IMPACT.IMPACT_MEDIUM[0],label:"Enterprise impact / risk",usage:{},help_text:x$1`
    <b>Low Risk:</b> Important for Admin Awareness. Negligible disruption, but
    provides value (new APIs, optional features, strictly additive) or
    requires minor internal documentation updates. Select this to ensure the
    feature is published in the Release Notes.
    <br />
    <b>Med Risk:</b> Noticeable impact. Potential to alter some workflows or
    cause minor confusion/help desk calls. Admins may want to review and set a
    policy. An escape hatch is often recommended.
    <br />
    <b>High Risk:</b> Significant disruption. Intentional "breaking changes"
    or major new functionality that will require mandatory preparation,
    testing, and communication from IT admins. Requires an escape hatch or
    permanent policy.
    `},rollout_milestone:{type:"input",attrs:
    {...MILESTONE_NUMBER_FIELD_ATTRS,min:100},required:!0,label:"Chrome milestone",usage:{},help_text:x$1`
    The milestone in which this stage rolls out to the stable
    channel (even a 1% rollout). If you don't yet know which milestone it will
    be, put in your best estimate. You can always change this later.`},rollout_platforms:
    {type:"multiselect",choices:PLATFORM_CATEGORIES,required:!0,label:"Rollout platforms",usage:
    {}},help_text:x$1` The platform(s) affected by this stage`,rollout_details:
    {type:"textarea",always_markdown:!0,attrs:{rows:4},required:!1,label:"Rollout details
    (optional)",usage:{},help_text:x$1` Explain what specifically is changing in this milestone,
    for the given platforms. Many features are composed of multiple stages on
    different milestones. For example, you may have a stage that introduces a
    change and a temporary policy to control it, then another stage on a
    subsequent milestone that removes the policy. Alternatively, you may ship
    the feature to different platforms in different milestones.`},rollout_stage_plan:
    {type:"select",choices:ROLLOUT_STAGE_PLAN_CATEGORIES,initial:ROLLOUT_STAGE_PLAN_CATEGORIES.ROLLOUT_STAG
    E_PLAN_SLOW[0],required:!0,label:"Rollout plan",usage:{},help_text:x$1` Select the type of rollout that
    matches what will happen in
    the stage`},breaking_change:{type:"checkbox",label:"Breaking change",initial:!1,usage:
    {}},help_text:x$1` This is a breaking change: customers or developers must
    take action to continue using some existing functionality.`},confidential:
    {type:"checkbox",label:"Confidential",initial:!0,usage:{},help_text:x$1` Most enterprise feature entries
    should be marked
    confidential until they have been reviewed for publication. Confidential
    entrys are only visible to admins, chromium contributors and the feature's
    owners, contributors and creator.`},intent_cc_emails:
    {type:"input",attrs:MULTI_EMAIL_FIELD_ATTRS,required:!1,label:"Intent email CC list",usage:
    {}},help_text:x$1` Add emails to the CC list of the intent email.<br />
    Comma separated list of full email addresses.`}};function categorizeFieldType(field)
    {if(field.attrs===MULTI_URL_FIELD_ATTRS)return"multi-url";return
    field.attrs===URL_FIELD_ATTRS?"url":"checkbox"}function makeHumanReadable(fieldName){return fieldName.replace("_","")
    },fieldName.charAt(0).toUpperCase()+fieldName.slice(1)}function makeDisplaySpec(fieldName){const
    fieldProps=ALL_FIELDS[fieldName],displayName=fieldProps.label||fieldProps.displayName||makeHumanReadab
    le(fieldName),fieldType=categorizeFieldType(fieldProps),deprecated=fieldProps.deprecated,alwaysMarkdown
    =fieldProps.always_markdown;return[fieldName,displayName,fieldType,deprecated,alwaysMarkdown]}function
    makeDisplaySpecs(fieldNames){return fieldNames.map(fieldName=>makeDisplaySpec(fieldName))}function
    findMinMilestone(fieldName,stageTypes,getFieldValue){let minMilestone=1/0;const
    feature=getFieldValue.feature;for(const stage of feature.stages){if(stageTypes.has(stage.stage_type))
    {const milestone=getFieldValue(fieldName,stage);null!=milestone&&"!"==milestone&&
    (minMilestone=Math.min(minMilestone,milestone))}}return minMilestone===1/0?void 0:minMilestone}function
    findMaxMilestone(fieldName,stageTypes,getFieldValue){let maxMilestone=-Infinity;const
    feature=getFieldValue.feature;for(const stage of feature.stages){if(stageTypes.has(stage.stage_type))
```



```
{const milestone=getFieldValue(fieldName,stage);null!=milestone&&"!="milestone&&
(maxMilestone=Math.max(maxMilestone,milestone))}return maxMilestone===-Infinity?void
0:maxMilestone}function checkEarlierBeforeAllLaterMilestones(fieldPair,getFieldValue)
{const{earlier,allLater,warning}=fieldPair,stageTypes=allLater&&SHIPPED_MILESTONE_FIELDS.has(allLater)?
STAGE_TYPES_SHIPPING:null,earlierValue=getNumericValue(earlier,getFieldValue);if(stageTypes&&allLater)
{const
laterValue=findMinMilestone(allLater,stageTypes,getFieldValue);if(null!=earlierValue&&null!=laterValue&
&earlierValue>=laterValue)return warning?{warning}:{error:`Earlier milestone #${earlierValue} should
be before shipped milestone #${laterValue}.`}}function
checkAllEarlierBeforeLaterMilestone(fieldPair,getFieldValue)
{const{allEarlier,later,warning,error}=fieldPair,stageTypes=allEarlier&&MILESTONE_START_FIELDS.has(a
llEarlier)?STAGE_TYPES_ORIGIN_TRIAL:allEarlier&&DT_MILESTONE_FIELDS.has(allEarlier)?
STAGE_TYPES_DEV_TRIAL:null;if(stageTypes&&allEarlier){const
earlierValue=findMaxMilestone(allEarlier,stageTypes,getFieldValue),laterValue=getNumericValue(later,get
FieldValue);if(null!=earlierValue&&null!=laterValue&&earlierValue>=+laterValue)return warning?
{warning}:{error:error||`Earlier milestone #${earlierValue} should be before shipped milestone
#${laterValue}.`}}function getNumericValue(name,getFieldValue){const value=getFieldValue(name,"current
stage");return"string"==typeof value?"===value?void 0:+value:value}function
checkMilestoneRanges(ranges,getFieldValue){let result;for(const range of ranges)
{const{earlier,allEarlier,later,allLater,warning,error}=range;if(allLater)result=checkEarlierBeforeAllL
aterMilestones(range,getFieldValue);else
if(allEarlier)result=checkAllEarlierBeforeLaterMilestone(range,getFieldValue);else{const
earlierMilestone=getNumericValue(earlier,getFieldValue),laterMilestone=getNumericValue(later,getFieldVa
lue);null!=earlierMilestone&&null!=laterMilestone&&laterMilestone<=earlierMilestone&&(result=warning?
{warning}:{error:error||`Start milestone must be before end milestone`})}if(result)return
result}}function checkFeatureNameAndType(getFieldValue){const name=
((getFieldValue("name")||"")+").toLowerCase(),featureType=+
(getFieldValue("feature_type")||"0"),isdeprecationName=name.includes("deprecat")||name.includes("remov
"),isdeprecationType=featureType===FEATURE_TYPES.FEATURE_TYPE_DEPRECATION_ID[0];if(isdeprecationName!=i
sdeprecationType)return isdeprecationName?{warning:`If the feature name contains "deprecate" or
"remove",
the feature type should be "Feature deprecation"`}:{warning:`If the feature type is "Feature
deprecation",
the feature name should contain "deprecate" or "remove"}`}async function
checkFirstEnterpriseNotice(value,initialValue){if(!value)return;const newChannelStableDate=await
window.csClient.getSpecifiedChannels(value,value).then(channels=>channels[value]?.stable_date),previous
ChannelStableDate=initialValue?await
window.csClient.getSpecifiedChannels(initialValue,initialValue).then(channels=>channels[value]?.stable_
date):void 0;return newChannelStableDate?
previousChannelStableDate&&Date.parse(previousChannelStableDate)<Date.now()?{warning:`Feature was
already shown in milestone ${initialValue}, this cannot be changed`:Date.parse(newChannelStableDate)
<=Date.now()?{warning:`Milestone ${value} was already released, choose a future milestone`:void 0:
{error:`Unknown milestone ${value}`}}async function checkExtensionMilestoneIsValid(value)
{if("number"==typeof value&&isNaN(value))return{error:"Invalid milestone format."};for(let
i=0;i<value.length;i++)if("0">value[i]||"9"<value[i])return{error:"Invalid milestone format."};const
intValue=parseInt(value);if(1e3<=intValue)return{error:"Milestone is too distant."};const resp=await
fetch("https://chromiumdash.appspot.com/fetch_milestone_schedule"),json=await resp.json();return
parseInt(json.mstones[0].mstone)>intValue?{error:"End milestone cannot be in the past."}:void
0}function checkNotGoogleDocs(value,warning="Avoid using Google Docs"){return
/docs\google\com\document/.test(value)?{warning}:void 0}var
__decorate$S=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"==typeof Reflect&&"function"==typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r,r);const GATE_STATE_TO_NAME={0:"Preparing",1:"Not
applicable",2:"Pending",3:"Pending",4:"Needs work",5:"Approved",6:"Denied",8:"Internal review",9:"N/A
requested",10:"N/A (self-certified)",11:"N/A (self-certified then verified)"},GATE_STATE_TO_ICON=
{0:"arrow_circle_right_20px",2:"pending_20px",3:"pending_20px",4:"autorenew_20px",5:"check_circle_fille
d_20px",6:"block_20px"},GATE_STATE_TO_ABBREV={1:"N/A",8:"INT",9:"N/A?",10:"N/A (self)",11:"N/A
(ver)"};let ChromedashGateChip=class ChromedashGateChip extends i$4{constructor()
{super(...arguments),this.selectedGateId=0}static get styles(){return[...SHARED_STYLES,i$7`
sl-icon {
font-size: 1.2rem;
}

sl-button::part(label) {
padding: 0 4px;
}

sl-button::part(suffix) {
padding-right: 4px;
}

sl-button::part(base) {
border: var(--chip-border);
padding: 0 0 0 4px;
align-items: center;
}

sl-button.selected::part(base) {
box-shadow: 0 0 0 2px var(--dark-spot-color);
}

sl-button:hover .teamname {
text-decoration: underline;
}
`}
```

```
sl-button.not_applicable::part(base),
sl-button.na_self-certified::part(base) {
  background: var(--gate-not-applicable-background);
  color: var(--gate-not-applicable-color);
}
sl-button.na_self-certified_then_verified::part(base) {
  background: var(--gate-not-applicable-background);
  color: var(--gate-not-applicable-color);
}
sl-button.not_applicable::part(prefix),
sl-button.na_self-certified::part(prefix) {
  align-items: baseline;
}

sl-button.preparing::part(base) {
  background: var(--gate-preparing-background);
  color: var(--gate-preparing-color);
}
.preparing sl-icon {
  color: var(--gate-preparing-icon-color);
}

sl-button.pending::part(base) {
  background: var(--gate-pending-background);
  color: var(--gate-pending-color);
}
.pending sl-icon {
  color: var(--gate-pending-icon-color);
}

sl-button.needs_work::part(base) {
  background: var(--gate-needs-work-background);
  color: var(--gate-needs-work-color);
}
.needs_work sl-icon {
  color: var(--gate-needs-work-icon-color);
}

sl-button.approved::part(base) {
  background: var(--gate-approved-background);
  color: var(--gate-approved-color);
}
.approved sl-icon {
  color: var(--gate-approved-icon-color);
}

sl-button.denied::part(base) {
  background: var(--gate-denied-background);
  color: var(--gate-denied-color);
}
.denied sl-icon {
  color: var(--gate-denied-icon-color);
}

sl-button.internal_review::part(base) {
  background: var(--gate-pending-background);
  color: var(--gate-pending-color);
}
sl-button.internal_review::part(prefix) {
  align-items: baseline;
}

sl-button.na_requested::part(base) {
  background: var(--gate-pending-background);
  color: var(--gate-pending-color);
}
sl-button.na_requested::part(prefix) {
  align-items: baseline;
}

.abbrev {
  padding-left: var(--content-padding-quarter);
  font-weight: 900;
}

sl-button sl-icon.overdue {
  color: var(--slo-overdue-color);
}
`]]_fireEvent(eventName,detail){const event=new CustomEvent(eventName,
{bubbles:!0,composed:!0,detail});this.dispatchEvent(event)}handleClick()
{updateURLParams("gate",this.gate.id),this._fireEvent("show-gate-column",
{feature:this.feature,stage:this.stage,gate:this.gate})}render(){if(this.gate===void
0||null==this.gate)return E$1;const
teamName=this.gate.team_name,stateName=GATE_STATE_TO_NAME[this.gate.state],className=stateName.toLowerC
ase().replaceAll(" ","_").replaceAll("

```

```

("","").replaceAll(",","").replaceAll("/",""),selected=this.gate.id==this.selectedGateId?"selected":"","s
tatusIconName=GATE_STATE_TO_ICON[this.gate.state],abbrev=GATE_STATE_TO_ABBREV[this.gate.state]||stateNa
me;let statusIcon=x$1`<b class="abbrev" slot="prefix">${abbrev}</b>`;statusIconName&&(statusIcon=x$1`
  <sl-icon
    slot="prefix"
    library="material"
    name=${statusIconName}
  ></sl-icon>
`);const overdue=0>this.gate.slo_initial_response_remaining,overdueIcon=overdue?x$1`<sl-icon
  slot="suffix"
  library="material"
  class="overdue"
  name="clock_loader_60_20px"
  ></sl-icon>`:E$1,overdueTitle=overdue?". Overdue.":"";return x$1`
<sl-button
  pill
  size="small"
  class="${className} ${selected}"
  title="${teamName}: ${stateName}${overdueTitle}"
  @click=${this.handleClick}
>
  ${statusIcon}
  <span class="teamname">${teamName}</span>
  ${overdueIcon}
</sl-button>
`}};__decorate$S([n$5({type:Object})],ChromedashGateChip.prototype,"feature",void
0),__decorate$S([n$5({type:Object})],ChromedashGateChip.prototype,"stage",void
0),__decorate$S([n$5({type:Object})],ChromedashGateChip.prototype,"gate",void
0),__decorate$S([n$5({type:Number})],ChromedashGateChip.prototype,"selectedGateId",void
0),ChromedashGateChip=__decorate$S([t$3("chromedash-gate-chip")],ChromedashGateChip);var
__decorate$R=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"==typeof Reflect&&"function"==typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};let ChromedashWPTEvalButton=class
ChromedashWPTEvalButton extends i$4{constructor()
{super(...arguments),this.featureId=0}static{this.styles=i$7`
  :host {
    display: inline-block;
  }

  .gemini-icon {
    width: 1.5em;
    height: 1.5em;
    transform-origin: center center;
    transition: transform 0.7s ease-in-out;
  }

  sl-button:hover .gemini-icon {
    transform: rotate(360deg);
  }
`}render(){return x$1`
  <sl-button href="/feature/${this.featureId}/ai-coverage-evaluation">
    
    Evaluate test coverage
  </sl-button>
`}};__decorate$R([n$5({type:Number})],ChromedashWPTEvalButton.prototype,"featureId",void
0),ChromedashWPTEvalButton=__decorate$R([t$3("chromedash-wpt-eval-
button")],ChromedashWPTEvalButton);var __decorate$Q=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"==typeof Reflect&&"function"==typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};const DETAILS_STYLES=[i$7`
  sl-details {
    border: var(--card-border);
    box-shadow: var(--card-box-shadow);
    margin: var(--content-padding-half);
    border-radius: 4px;
    background: var(--card-background);
  }
  sl-details::part(base),
  sl-details::part(header) {
    background: transparent;
  }
  sl-details::part(header) {
    padding-bottom: 8px;
  }

  .card {
    background: var(--card-background);

```

```
max-width: var(--max-content-width);
padding: 16px;
}
`], LONG_TEXT=60; class ChromedashFeatureDetail extends i$4 { constructor()
{ super(...arguments), this.appTitle="", this.canEdit=!1, this.selectedGateId=0, this.anyCollapsed=!0, this.o
penStage=0, this.previousStageTypeRendered=0, this.sameTypeRendered=0 } static get styles() { const
ICON_WIDTH=18, GAP=10, CONTENT_PADDING=16; return [...SHARED_STYLES, ...DETAILS_STYLES, i$7`
:host {
  display: block;
  position: relative;
  box-sizing: border-box;
  contain: content;
  overflow: hidden;
  background: inherit;
}

h2 {
  margin-top: var(--content-padding);
  display: flex;
}
h2 span {
  flex: 1;
}

.description,
.gates {
  padding: 8px 16px;
}

sl-details sl-button,
sl-details sl-dropdown {
  float: right;
  margin-right: 4px;
}
sl-details sl-dropdown sl-icon-button {
  font-size: 1.4rem;
}

sl-details sl-button[variant='default']::part(base) {
  color: var(--sl-color-primary-600);
  border: 1px solid var(--sl-color-primary-600);
}

dl {
  padding: 0 var(--content-padding-half);
}

dt {
  font-weight: 500;
  display: flex;
  gap: ${GAP}px;
  align-items: center;
}
dt sl-icon {
  color: var(--gate-approved-color);
  font-size: 1.3em;
}

dd {
  padding: var(--content-padding-half);
  padding-left: ${18+GAP+CONTENT_PADDING}px;
  padding-bottom: var(--content-padding-large);
}

.inline-list {
  display: inline-block;
  padding: 0;
}

.longtext {
  display: block;
  white-space: pre-wrap;
}

.longurl {
  display: block;
  padding: var(--content-padding-half);
}

#new-stage {
  margin-left: 8px;
  margin-bottom: 4px;
}

#footnote {
  margin-left: 8px;
}
```

```
margin-bottom: 4px;
margin-top: 4px;
}
`}}_fireEvent(eventName,detail){const event=new CustomEvent(eventName,
{bubbles:!0,composed:!0,detail});this.dispatchEvent(event)}connectedCallback()
{super.connectedCallback(),this.initializeGateColumn()}initializeExtensionDialog(rawQuery){if(!
("initiateExtension"in rawQuery))return;const
gateId=parseInt(rawQuery.gate),extensionGate=this.gates.find(g=>g.id===gateId);if(!extensionGate||!GATE
_APPROVED_REVIEW_STATES.includes(extensionGate.state))return;let extensionStage;for(const stage of
this.feature.stages){const
foundStage=stage.extensions.find(s=>s.id===extensionGate.stage_id);if(foundStage)
{extensionStage=foundStage;break}}extensionStage&&extensionStage.ot_action_requested&&openFinalizeExten
sionDialog(this.feature.id,extensionStage,extensionStage.desktop_last,dialogTypes.FINALIZE_EXTENSION)}i
ntializeGateColumn(){const
rawQuery=parseRawQuery(window.location.search);if(!rawQuery.hasOwnProperty("gate"))return;const
gateVal=+rawQuery.gate,foundGates=this.gates.filter(g=>g.id==gateVal);if(!foundGates.length)return;cons
t
gate=foundGates[0],foundStages=this.feature.stages.filter(s=>s.id===gate.stage_id||s.extensions.some(e=
>e.id===gate.stage_id));if(!foundStages.length)return;let
stage=foundStages[0];this.openStage=stage.id,gate.gate_type===GATE_TYPES.API_EXTEND_ORIGIN_TRIAL&&
(stage=stage.extensions.find(e=>e.id===gate.stage_id)),this._fireEvent("show-gate-column",
{feature:this.feature,stage:stage,gate:gate}),this.initializeExtensionDialog(rawQuery)}isAnyCollapsed()
{const
sections=this.renderRoot.querySelectorAll(".stage"),open=this.renderRoot.querySelectorAll(".stage[open]
");return open.length<sections.length}updateCollapsed()
{this.anyCollapsed=this.isAnyCollapsed()}toggleAll(){const
shouldOpen=this.anyCollapsed;this.renderRoot.querySelectorAll(".stage").forEach(el=>
{el.open=shouldOpen})}handleAddXfnGates(feStage){const prompt="Would you like to add gates for Privacy,
Security, etc.? \n\nThis is needed if the API Owners ask you to add them, or if you send an \"Intent to
Ship\" rather than a PSA.";confirm("Would you like to add gates for Privacy, Security, etc.? \n\nThis
is needed if the API Owners ask you to add them, or if you send an \"Intent to Ship\" rather than a
PSA.")&&window.csClient.addXfnGates(feStage.feature_id,feStage.id).then(()=>{this._fireEvent("refetch-
needed",{}})})}renderControls(){const editAllButton=x$1`
<sl-button variant="text" href="/guide/editall/${this.feature.id}">
  Edit all fields
</sl-button>
`,toggleLabel=this.anyCollapsed?"Expand all":"Collapse all";return x$1`
<!-- Enterprise features don't provide spec URLs or Web Platform Tests info. -->
${this.canEdit&&this.feature.feature_type_int!==FEATURE_TYPES.FEATURE_TYPE_ENTERPRISE_ID[0]?
E$1:E$1}
${this.canEdit?editAllButton:E$1}
<sl-button
  variant="text"
  title="Expand or collapse all sections"
  @click=${this.toggleAll}
>
  ${toggleLabel}
</sl-button>
`}renderText(value,isMarkdown=!1){value=value+"";const
markup=autolink(value,this.featureLinks,isMarkdown);return isMarkdown?
x$1`${markup}`:value.length>LONG_TEXT||value.includes("\n")?x$1`<span class="longtext">${markup}
</span>`:x$1`<span class="text">${markup}</span>`}renderUrl(value){return value.startsWith("http")?
x$1`<chromedash-link
  href=${value}
  class="url ${value.length>LONG_TEXT?"longurl":""}"
  .featureLinks=${this.featureLinks}
></chromedash-link>`:this.renderText(value)}renderValue(fieldType,value,isMarkdown)
{if("checkbox"===fieldType)return this.renderText(value?"True":"False");return"url"===fieldType?
this.renderUrl(value):"multi-url"===fieldType?x$1`
<ul class="inline-list">
  ${value.map(url=>x$1`<li>${this.renderUrl(url)}</li>`)}
</ul>
`:this.renderText(value,isMarkdown)}renderField(fieldDef,feStage)
{const[fieldId,fieldDisplayName,fieldType,deprecated,alwaysMarkdown]=fieldDef,value=getFieldValueFromFe
ature(fieldId,feStage,this.feature),isDefined=isDefinedValue(value);if(!isDefined&&deprecated)return
E$1;const isMarkdown=(this.feature.markdown_fields||
[]).includes(fieldId)||alwaysMarkdown,icon=isDefined?x$1`<sl-icon library="material"
name="check_circle_20px"></sl-icon>`:x$1`<sl-icon library="material" name="blank_20px"></sl-
icon>`;return x$1`
<dt id=${fieldId}>${icon} ${fieldDisplayName}</dt>
<dd>
  ${isDefined?this.renderValue(fieldType,value,isMarkdown):x$1`<i>No information provided
yet</i>`}
</dd>
`}stageHasAnyFilledFields(fields,feStage){return
fields.some(fieldDef=>hasFieldValue(fieldDef[0],feStage,this.feature))}renderExtensionFields(extensionS
tages){const extensionFields=
[],fieldNames=flattenSections(FLAT_TRIAL_EXTENSION_FIELDS),fields=makeDisplaySpecs(fieldNames);return
extensionStages.forEach((extensionStage,i)=>
{this.stageHasAnyFilledFields(fields,extensionStage)&&extensionFields.push(x$1`
  <div>
    <h3>Trial extension ${0===i?E$1:i+1}</h3>
    <br />
    ${fields.map(fieldDef=>this.renderField(fieldDef,extensionStage))}
  </div>
  `)),extensionFields}renderSectionFields(fields,feStage)
```

```
{if(this.stageHasAnyFilledFields(fields,feStage)){const extensionFields=feStage.extensions?
this.renderExtensionFields(feStage.extensions):[];return x$1` <dl>
  ${fields.map(fieldDef=>this.renderField(fieldDef,feStage))}
  ${extensionFields}
</dl>`}return x$1`<p>No relevant fields have been filled in.
</p>`}renderSection(summary,content,isActive=!1,defaultOpen=!1,isStage=!0){return x$1`
  <sl-details
    summary=${summary}
    @sl-after-show=${this.updateCollapsed}
    @sl-after-hide=${this.updateCollapsed}
    ?open=${isActive||defaultOpen}
    class=${isStage?"stage":""}"
  >
    ${content}
  </sl-details>
  `}getStageForm(stageType){return FORMS_BY_STAGE_TYPE[stageType]||null}renderMetadataSection(){const
fieldNames=flattenSections(this.feature.is_enterprise_feature?
FLAT_ENTERPRISE_METADATA_FIELDS:FLAT_METADATA_FIELDS);if(fieldNames===void
0||0===fieldNames.length)return E$1;const fields=makeDisplaySpecs(fieldNames),editButton=x$1`
  <sl-button
    size="small"
    style="float:right"
    href="/guide/stage/${this.feature.id}/metadata"
  >Edit fields</sl-button
  >
  ` ,content=x$1`
  <p class="description">${this.canEdit?editButton:E$1}</p>
  <section class="card">${this.renderSectionFields(fields,{})}</section>
  `;return
this.renderSection("Metadata",content,!1,this.feature.is_enterprise_feature,!1)}renderGateChip(feStage,
gate){return x$1`
  <chromedash-gate-chip
    .feature=${this.feature}
    .stage=${feStage}
    .gate=${gate}
    selectedGateId=${this.selectedGateId}
  >
  </chromedash-gate-chip>
  `}hasActiveGates(feStage){const gatesForStage=this.gates.filter(g=>g.stage_id===feStage.id);return
gatesForStage.some(g=>GATE_ACTIVE_REVIEW_STATES.includes(g.state))}hasMixedGates(feStage){const
gatesForStage=this.gates.filter(g=>g.stage_id===feStage.id);return
gatesForStage.some(g=>GATE_FINISHED_REVIEW_STATES.includes(g.state))&&gatesForStage.some(g=>GATE_PREPAR
ING===g.state)}renderGateChips(feStage){const gatesForStage=this.gates.filter(g=>
(this.feature.feature_type_int!==FEATURE_TYPES.FEATURE_TYPE_CODE_CHANGE_ID[0]||g.gate_type!==GATE_TYPES
.API_SHIP)&&g.stage_id===feStage.id);return
gatesForStage.sort((g1,g2)=>GATE_TEAM_ORDER.indexOf(g1.team_name)-
GATE_TEAM_ORDER.indexOf(g2.team_name)),gatesForStage.map(g=>this.renderGateChip(feStage,g))}hasStageAct
ions(stage,feStage)
{if(0<stage?.actions?.length&&this.feature.feature_type_int===FEATURE_TYPES.FEATURE_TYPE_CODE_CHANGE_ID
[0])return!0;const hasOwnersGate=this.gates.some(g=>"API
Owners"===g.team_name&&g.stage_id===feStage.id);return(!
(0<stage?.actions?.length)||hasOwnersGate)}renderStageAction(action,stage,feStage){const
label=action.name,url=action.url.replace("{feature_id}",this.feature.id).replace("
{stage_id}",feStage.id).replace("
{gate_id}", "0"),gatesForStage=this.gates.filter(g=>g.stage_id===feStage.id),checkCompletion=()=>
{if(somePendingPrereqs(action,this.progress)||somePendingGates(gatesForStage,feStage))return void
openPreflightDialog(this.feature,this.progress,this.process,action,stage,feStage,gatesForStage,url);els
e{const draftWindow=window.open(url,"_blank");draftWindow?.focus()}};return x$1`
  <sl-button size="small" @click=${checkCompletion}>${label}</sl-button>
  `}renderStageActions(stage,feStage){return this.canEdit?x$1`
  ${stage.actions.map(act=>this.renderStageAction(act,stage,feStage))}
  `:E$1}renderProcessStage(feStage){const
stageForm=this.getStageForm(feStage.stage_type),fieldNames=null===stageForm?
[]:flattenSections(stageForm);if(fieldNames===void 0||0===fieldNames.length)return E$1;const
fields=makeDisplaySpecs(fieldNames),processStage=findProcessStage(feStage,this.process);if(!processStag
e)return E$1;let numberDifferentiation="";this.previousStageTypeRendered===feStage.stage_type?
(this.sameTypeRendered+=1,numberDifferentiation=` ${this.sameTypeRendered}`):
(this.previousStageTypeRendered=feStage.stage_type,this.sameTypeRendered=1);let
name=` ${processStage.name}${numberDifferentiation}`;feStage.display_name&&(name=` ${processStage.name}:
${feStage.display_name}`);const
isActive=this.feature.active_stage_id===feStage.id,stageMenu=this.renderStageMenu(feStage),addExtension
Button=this.renderExtensionButton(feStage),editButton=this.renderEditButton(feStage,processStage),trial
Button=this.renderOriginTrialButton(feStage),registrantsDashboardButton=this.renderRegistrantsDashboard
Button(feStage),extensionGateChips=feStage.extensions?.map(extension=>x$1` <div class="gates">
  ${STAGE_SHORT_NAMES[extension.stage_type]}:
  ${this.renderGateChips(extension)}
</div>`);let gatesPrefix="";0<extensionGateChips.length&&
(gatesPrefix=` ${STAGE_SHORT_NAMES[feStage.stage_type]}: `);const content=x$1`
  <p class="description">
    ${stageMenu} ${trialButton} ${registrantsDashboardButton}
    ${this.hasStageActions(processStage,feStage)?this.renderStageActions(processStage,feStage):E$1}
    ${editButton} ${addExtensionButton} ${processStage.description}
  </p>
  <div class="gates">${gatesPrefix}${this.renderGateChips(feStage)}</div>
  ${extensionGateChips}
  <section class="card">
```

```
    ${this.renderSectionFields(fields,feStage)}
  </section>

  ` ,defaultOpen=this.feature.is_enterprise_feature||feStage.id==this.openStage||this.hasActiveGates(feSta
ge)||this.hasMixedGates(feStage);return
  this.renderSection(name,content,isActive,defaultOpen)}renderEditButton(feStage,processStage){return
  this.canEdit?x$1` <sl-button
    size="small"
    href="/guide/stage/${this.feature.id}/${processStage.outgoing_stage}/${feStage.id}"
    >Edit fields</sl-button
  >:E$1}renderFinalizeExtensionButton(extensionStage){return x$1` <sl-button
    size="small"
    variant="primary"

@click=${`()=>openFinalizeExtensionDialog(this.feature.id,extensionStage,extensionStage.desktop_last,dia
logTypes.FINALIZE_EXTENSION)}
    >Finalize Extension</sl-button
  >` }renderDisabledExtensionButton(){const tooltipText="A pending extension request exists. Follow
the process for obtaining extension approval, or contact origin-trials-support@google.com for
help.";return x$1` <sl-tooltip content=${`"A pending extension request exists. Follow the process for
obtaining extension approval, or contact origin-trials-support@google.com for help."`}>
    <sl-button size="small" disabled>Trial Extension Pending</sl-button>
  </sl-tooltip>` }renderExtensionButton(feStage){const
userCannotViewOTControls=!this.user||!this.user.email.endsWith("@chromium.org")&&!this.user.email.endsW
ith("@google.com"),isNotOriginTrialStage=!STAGE_TYPES_ORIGIN_TRIAL.has(feStage.stage_type),originTrialNo
tCreatedYet=!feStage.origin_trial_id;if(userCannotViewOTControls||isNotOriginTrialStage||originTrialNo
tCreatedYet)return E$1;const extensionReadyForFinalize=feStage.extensions.find(e=>{const
extensionGate=this.gates.find(g=>g.stage_id===e.id);return
e.ot_action_requested&&extensionGate&&GATE_APPROVED_REVIEW_STATES.includes(extensionGate.state)});if(ex
tensionReadyForFinalize)return this.renderFinalizeExtensionButton(extensionReadyForFinalize);const
extensionInProgress=feStage.extensions&&feStage.extensions.some(e=>e.ot_action_requested);if(extensionI
nProgress)return this.renderDisabledExtensionButton();let extensionButtonText="Request a trial
extension";feStage.extensions&&0<feStage.extensions.length&&(extensionButtonText="Request another trial
extension");const stageId=feStage.id;return x$1` <sl-button
  size="small"
  @click=${`()=>location.assign(`/ot_extension_request/${this.feature.id}/${stageId}`)}
  >${extensionButtonText}</sl-button
  >` }renderOriginTrialButton(feStage){if(!STAGE_TYPES_ORIGIN_TRIAL.has(feStage.stage_type))return
E$1;if(feStage.origin_trial_id){let originTrialsURL=`https://origintrials-
staging.corp.google.com/origintrials/#/view_trial/${feStage.origin_trial_id}`;return"Chrome Platform
Status"===this.appTitle&&
(originTrialsURL=`https://developer.chrome.com/origintrials/#/view_trial/${feStage.origin_trial_id}`),x
$1` <sl-button
  size="small"
  variant="primary"
  href=${originTrialsURL}
  target="_blank"
  >View Origin Trial</sl-button
  >` }const canSeeOTControls=this.user&&
(this.user.email.endsWith("@chromium.org")||this.user.email.endsWith("@google.com"));if(!canSeeOTContro
ls)return E$1;const
trialIsApproved=this.gates.every(g=>g.stage_id!==feStage.id||GATE_APPROVED_REVIEW_STATES.includes(g.sta
te));if(feStage.ot_setup_status&&feStage.ot_setup_status!==OT_SETUP_STATUS_OPTIONS.OT_NOT_CREATED)retur
n x$1` <sl-tooltip
  content="Action already requested. For further inquiries, contact origin-trials-
support@google.com."
  >
    <sl-button size="small" variant="primary" disabled
    >Request Trial Creation</sl-button
  >
  </sl-tooltip>` ;return trialIsApproved?x$1` <sl-button
  size="small"
  variant="primary"
  @click=${`()=>openPrereqsDialog(this.feature.id,feStage,dialogTypes.CREATION)}"
  >Request Trial Creation</sl-button
  >:x$1` <sl-tooltip
  content="Approvals must be obtained before submission. For questions, contact origin-trials-
support@google.com."
  >
    <sl-button size="small" variant="primary" disabled
    >Request Trial Creation</sl-button
  >
  </sl-tooltip>` }renderRegistrantsDashboardButton(feStage){return
STAGE_TYPES_ORIGIN_TRIAL.has(feStage.stage_type)&&this.canEdit&&feStage.origin_trial_id?this.user&&
(this.user.email.endsWith("@chromium.org")||this.user.email.endsWith("@google.com"))?x$1` <sl-button
  size="small"
  style="float:right"
  href="http://go/ot-registrants-dashboard?f=trial_id:in:${feStage.origin_trial_id}"
  >Registrant data</sl-button
  >:E$1:E$1}offerAddXfnGates(feStage){const
stageGates=this.gates.filter(g=>g.stage_id==feStage.id);return
feStage.stage_type==STAGE_PSA_SHIPPING&&6>stageGates.length}renderFootnote(){return x$1`
  <section id="footnote">
    Please see the
    <a
      href="https://www.chromium.org/blink/launching-features"
```

```
target="_blank"
rel="noopener"
>
  Launching features
</a>
page for process instructions.
</section>
` }renderStageMenu(feStage){const items=[];return this.offerAddXfnGates(feStage)&&items.push(x$1`
  <sl-menu-item @click=${()=>this.handleAddXfnGates(feStage)}>
    Add cross-functional gates
  </sl-menu-item>
  `),0===items.length?E$1:x$1`
<sl-dropdown>
  <sl-icon-button
    library="material"
    name="more_vert_24px"
    label="Stage menu"
    slot="trigger"
  ></sl-icon-button>
  <sl-menu>${items}</sl-menu>
</sl-dropdown>
` }renderAddStageButton(){if(!this.canEdit)return E$1;const
text=this.feature.is_enterprise_feature?"Add Step":"Add Stage";return x$1` <sl-button
  id="new-stage"
  size="small"
  @click=${()=>openAddStageDialog(this.feature.id,this.feature.feature_type_int)}"
>
  ${text}
</sl-button>` }renderSectionHeader(){const text=this.feature.is_enterprise_feature?"Rollout
steps":"Development stages";return x$1` <span
  >${text}
  <sl-icon-button
    name="info-circle"
    href="https://www.chromium.org/blink/launching-features"
    style="font-size: 0.8rem;"
    target="_blank"
    label="Launching feature guide"
  >
  </sl-icon-button>
</span>` }render(){return x$1`
  ${this.renderMetadataSection()}
  <h2>${this.renderSectionHeader()} ${this.renderControls()}</h2>
  ${this.feature.stages.map(feStage=>this.renderProcessStage(feStage))}
  ${this.renderAddStageButton()} ${this.renderFootnote()}
  ` }__decorate$Q([n$5({type:String})],ChromedashFeatureDetail.prototype,"appTitle",void
0),__decorate$Q([n$5({attribute:!1})],ChromedashFeatureDetail.prototype,"featureLinks",void
0),__decorate$Q([n$5({attribute:!1})],ChromedashFeatureDetail.prototype,"user",void
0),__decorate$Q([n$5({type:Boolean})],ChromedashFeatureDetail.prototype,"canEdit",void
0),__decorate$Q([n$5({attribute:!1})],ChromedashFeatureDetail.prototype,"feature",void
0),__decorate$Q([n$5({attribute:!1})],ChromedashFeatureDetail.prototype,"gates",void
0),__decorate$Q([n$5({attribute:!1})],ChromedashFeatureDetail.prototype,"process",void
0),__decorate$Q([n$5({attribute:!1})],ChromedashFeatureDetail.prototype,"progress",void
0),__decorate$Q([n$5({type:Number})],ChromedashFeatureDetail.prototype,"selectedGateId",void
0),__decorate$Q([r$6()],ChromedashFeatureDetail.prototype,"anyCollapsed",void
0),__decorate$Q([r$6()],ChromedashFeatureDetail.prototype,"openStage",void
0),__decorate$Q([r$6()],ChromedashFeatureDetail.prototype,"previousStageTypeRendered",void
0),__decorate$Q([r$6()],ChromedashFeatureDetail.prototype,"sameTypeRendered",void
0),customElements.define("chromedash-feature-detail",ChromedashFeatureDetail);var
__decorate$P=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&Reflect.defineProperty(target,key,r),r};let ChromedashGantt=class ChromedashGantt extends
i$4{static get styles(){return[...SHARED_STYLES,i$7`
  :host {
    width: 600px;
  }
  ul {
    padding: 0;
  }

  label {
    display: block;
    font-weight: 500;
    margin-right: 5px;
    padding-top: var(--content-padding);
  }

  .platform-row {
    margin: var(--content-padding) 0;
    list-style: none;
  }

  .platform {
    display: inline-block;
    padding-top: 7px;
  }
  `}
```



```
vertical-align: top;
width: 100px;
}

/* On small displays, show milestones as a bullet list. */
.chart li {
  margin-left: var(--content-padding);
}

.empty {
  display: none;
}

/* On large displays, show milestones as a gantt chart. */
@media only screen and (min-width: 701px) {
  .chart {
    display: inline-grid;
    grid-auto-columns: 50px;
    grid-auto-rows: 30px;
    gap: 2px;
  }

  .chart li {
    list-style: none;
    margin-left: 0;
    height: 30px;
    overflow: visible;
    white-space: nowrap;
    padding: 4px;
    line-height: 22px;
  }

  .empty {
    display: block;
    background: #eee;
  }

  .chart .dev_trial {
    background: #cfe2f3ff;
  }

  .chart .origin_trial {
    background: #6fa8dcff;
  }

  .chart .shipping {
    background: #0b5394ff;
    color: white;
  }
}

`}}_isInactive(){const status=this.feature.browsers.chrome.status.text;return"No active
development"===status||"On hold"===status||"No longer
pursuing"===status}renderChartRow(gridRow,first,last,sortedMilestones,cssClass,label){var
_Mathmax4=Math.max;const cellsOnRow=[];for(let col=0;col<sortedMilestones.length;col++){const
m=sortedMilestones[col];(m<first||m>last)&&cellsOnRow.push(x$1`
<li
  style="grid-row: ${gridRow};
    grid-column: ${col+1}"
  class="empty"
></li>
`)}const
firstCol=sortedMilestones.indexOf(first),lastCol=sortedMilestones.indexOf(last),span=_Mathmax4(0,lastCo
l-firstCol)+1;return cellsOnRow.push(x$1`
<li
  style="grid-row: ${gridRow};
    grid-column: ${firstCol+1} / span ${span}"
  class="${cssClass}"
>
  ${label}
</li>
`),cellsOnRow}getByStageType(){const dtStages=[],otStages=[],shipStages=[];for(const stage of
this.feature.stages)STAGE_TYPES_DEV_TRIAL.has(stage.stage_type)?
dtStages.push(stage):STAGE_TYPES_ORIGIN_TRIAL.has(stage.stage_type)?
otStages.push(stage):STAGE_TYPES_SHIPPING.has(stage.stage_type)&&shipStages.push(stage);return[dtStages
,otStages,shipStages]}renderPlatform(platform,platformParam,dtStages,otStages,shipStages,sortedMileston
es){var _Mathmax5=Math.max;const
dtStartMilestones=dtStages.map(s=>s[`${platformParam}_first`]),otStartMilestones=otStages.map(s=>s[`${p
latformParam}_first`]),otEndMilestones=otStages.map(s=>{let maxEnd=s[`${platformParam}_last`];for(const
e of s.extensions)e.desktop_last&&!maxEnd?maxEnd=e.desktop_last:e.desktop_last&&maxEnd&&
(maxEnd=_Mathmax5(maxEnd,e.desktop_last));return
maxEnd}),shipStartMilestones=shipStages.map(s=>s[`${platformParam}_first`]);if(0===dtStartMilestones.le
ngth&&0===otStartMilestones.length&&0===shipStartMilestones.length)return E$1;const
maxMilestone=_Mathmax5(...sortedMilestones);let currentRow=1;const
validShipMilestones=shipStartMilestones.filter(x=>x),dtChartRows=[];for(const dtMilestone of
dtStartMilestones){if(!dtMilestone)continue;let
devTrialMilestoneLast=maxMilestone;if(0<validShipMilestones.length){const
```

```
shippingIndex=sortedMilestones.indexOf(Math.min(...validShipMilestones));devTrialMilestoneLast=sortedMilestones[shippingIndex-1]]dtChartRows.push(this.renderChartRow(currentRow,dtMilestone,devTrialMilestoneLast,sortedMilestones,"dev_trial","Dev Trial: "+dtMilestone)),currentRow++){const otChartRows=[];for(let i=0;i<otStartMilestones.length;i++){const otStartMilestone=otStartMilestones[i],otEndMilestone=otEndMilestones[i];otStartMilestone&&otEndMilestone&&(otChartRows.push(this.renderChartRow(currentRow,otStartMilestone,otEndMilestone,sortedMilestones,"origin_trial`,`Origin Trial: ${otStartMilestone} to ${otEndMilestone}`)),currentRow++){const shipChartRows=[];for(const shipMilestone of shipStartMilestones)shipMilestone&&(shipChartRows.push(this.renderChartRow(currentRow,shipMilestone,maxMilestone,sortedMilestones,"shipping`,`Shipping: ${shipMilestone}`)),currentRow++){return x`1`<li class="platform-row"><div class="platform">${platform}</div><ul class="chart" id="${platformParam}-chart">${dtChartRows} ${otChartRows} ${shipChartRows}</ul></li>`}<concatAllMilestones(allMilestones,stage){return stage?allMilestones.concat([stage.desktop_first,stage.desktop_last,stage.android_first,stage.android_last,stage.ios_first,stage.ios_last,stage.webview_first,stage.webview_last]):allMilestones}<render(){$var _Mathmin3=Math.min,_Mathmax6=Math.max;if(!this.feature||this._isInactive())return E`1;const[dtStages,otStages,shipStages]=this.getByStageType();let allMilestones=[];for(const stage of[...dtStages,...otStages,...shipStages]){if(stage.extensions)for(const extension of stage.extensions){allMilestones=this.concatAllMilestones(allMilestones,extension);allMilestones=this.concatAllMilestones(allMilestones,stage)}if(allMilestones=allMilestones.filter(x=>x),0==allMilestones.length)return x`1`<p>No milestones specified</p>`;const allValidMilestones=allMilestones.filter(x=>void 0!==x),minMilestone=_Mathmin3(...allValidMilestones),maxMilestone=_Mathmax6(...allValidMilestones),milestoneRange=maxMilestone-minMilestone+1+1;let sortedMilestones;if(12>=milestoneRange)sortedMilestones=Array(milestoneRange).fill(minMilestone).map((x,y)=>x+y);else{const augmentedMilestoneSet=new Set(allValidMilestones);for(const m of allValidMilestones)augmentedMilestoneSet.add(m+1);if(sortedMilestones=Array.from(augmentedMilestoneSet).sort((a,b)=>a-b),12<sortedMilestones.length){const milestoneSet=new Set(allValidMilestones);sortedMilestones=Array.from(milestoneSet).sort((a,b)=>a-b),sortedMilestones.push(maxMilestone+1)}}return x`1`<label>Estimated milestones:</label><ul>${this.renderPlatform("Desktop","desktop",dtStages,otStages,shipStages,sortedMilestones)}${this.renderPlatform("Android","android",dtStages,otStages,shipStages,sortedMilestones)}${this.renderPlatform("iOS","ios",dtStages,otStages,shipStages,sortedMilestones)}${this.renderPlatform("Webview","webview",dtStages,otStages,shipStages,sortedMilestones)}</ul>`}};__decorate$P([n$5({type:Object})],ChromedashGantt.prototype,"feature",void 0),ChromedashGantt=__decorate$P([t$3("chromedash-gantt"),ChromedashGantt];var __decorate$0=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"==typeof Reflect&&"function"==typeof Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return 3<c&&r&&Object.defineProperty(target,key,r,r);let ChromedashVendorViews extends i$4{constructor(){super(...arguments),this.featureLinks=[]}urlIsStandardsPosition(url){return /github.com\/(mozilla|WebKit)\/standards-positions\/issues\/.test(url)}render(){return this.href?x`1`<chromedash-link href=${this.href}?showContentAsLabel=${!this.urlIsStandardsPosition(this.href)}.featureLinks=${this.featureLinks}><slot></slot>></chromedash-link>:x`1`<slot></slot>`}};__decorate$0([n$5({type:String})],ChromedashVendorViews.prototype,"href",void 0),__decorate$0([n$5({attribute:1})],ChromedashVendorViews.prototype,"featureLinks",void 0),ChromedashVendorViews=__decorate$0([t$3("chromedash-vendor-views"),ChromedashVendorViews];var __decorate$N=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"==typeof Reflect&&"function"==typeof Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return 3<c&&r&&Object.defineProperty(target,key,r,r);let ChromedashFeatureHighlights=class ChromedashFeatureHighlights extends i$4{constructor(){super(...arguments),this.feature={},this.featureLinks=[],this.canDeleteFeature=!1,this.canEditFeature=!1}static get styles(){return[...SHARED_STYLES,...DETAILS_STYLES,i$7`section {margin-bottom: 1em;}section h3 {margin: 24px 0 12px;}section label {font-weight: 500;margin-right: 5px;}#consensus li {display: flex;}#consensus li label {width: 125px;}}`</pre>
```

```
#history p {
  margin-top: var(--content-padding-half);
}

sl-dropdown {
  float: right;
  margin-right: -16px;
  margin-top: -20px;
}
#archive-feature::part(base) {
  color: var(--error-color);
}
.suspended {
  background: var(--table-header-background);
}
`}}isSuspended(){return
this.feature?.browsers.chrome.status.val===IMPLEMENTATION_STATUS.ON_HOLD[0]}handleArchiveFeature()
{this.dispatchEvent(new Event("archive",{bubbles:!0,composed:!0}))}handleSuspend()
{this.dispatchEvent(new Event("suspend",{bubbles:!0,composed:!0}))}handleResume()
{this.dispatchEvent(new Event("resume",{bubbles:!0,composed:!0}))}renderSummary()
{if(this.feature.summary){const isMarkdown=(this.feature.markdown_fields||
[]).includes("summary"),markup=autolink(this.feature.summary,this.featureLinks,isMarkdown);return x$1`
  <section id="summary">
    ${isMarkdown?markup:x$1`<p class="preformatted">${markup}</p>`}
  </section>
`}return x$1``}renderEnterpriseFeatureContent(){return
this.renderSummary()}renderFeatureContent(){return x$1`
  ${this.renderSummary()}
  ${this.feature.motivation?x$1`
    <section id="motivation">
      <h3>Motivation</h3>
      <!-- prettier-ignore -->
      <p class="preformatted">${autolink(this.feature.motivation,this.featureLinks)}</p>
    </section>
  `:E$1}
  ${this.feature.resources?.samples?.length?x$1`
    <section id="demo">
      <h3>Demos and samples</h3>
      <ul>
        ${this.feature.resources.samples.map(sampleLink=>x$1`
          <li>${enhanceUrl(sampleLink,this.featureLinks)}</li>
        `)}
      </ul>
    </section>
  `:E$1}
  ${this.feature.resources?.docs?.length?x$1`
    <section id="documentation">
      <h3>Documentation</h3>
      <ul>
        ${this.feature.resources.docs.map(docLink=>x$1`
          <li>${enhanceUrl(docLink,this.featureLinks)}</li>
        `)}
      </ul>
    </section>
  `:E$1}
  ${this.feature.standards.spec?x$1`
    <section id="specification">
      <h3>Specification</h3>
      <p>
        ${enhanceUrl(this.feature.standards.spec,this.featureLinks)}
      </p>
      <p>Spec status: ${this.feature.standards.maturity.text}</p>
    </section>
  `:this.feature.explainer_links?.length?x$1`
    <section id="specification">
      <h3>Explainer(s)</h3>
      <ul>
        ${this.feature.explainer_links?.map(link=>x$1`<li>${enhanceUrl(link,this.featureLinks)}</li>`)}
      </ul>
    </section>
  `:E$1}
  `}renderEnterpriseFeatureStatus(){return x$1`
    ${this.feature.browsers.chrome.owners?x$1`
      <section id="owner">
        <h3>
          ${1==this.feature.browsers.chrome.owners.length?"Owner":"Owners"}
        </h3>
        <ul>
          ${this.feature.browsers.chrome.owners.map(owner=>x$1`
            <li><a href="mailto:${owner}">${owner}</a></li>
          `)}
        </ul>
      </section>
    `:E$1}
  `}
```

```
`}renderFeatureStatus(){return x$1`
  <section id="status">
    <h3>Status in Chromium</h3>
    <p>
      ${this.isSuspended()?x$1` <label>Implementation status:</label>
        <b>Development work is on hold</b>`:E$1}
      ${this.feature.browsers.chrome.bug?x$1`<chromedash-link
        href=${this.feature.browsers.chrome.bug}
        .featureLinks=${this.featureLinks}
        alwaysInTag
        >tracking bug</chromedash-link
      >`:E$1}
      <chromedash-gantt .feature=${this.feature}></chromedash-gantt>
    </p>
  </section>

  <section id="consensus">
    <h3>Consensus & Standardization</h3>
    <div style="font-size:smaller;">
      After a feature ships in Chrome, the values listed here are not
      guaranteed to be up to date.
    </div>
    <br />
    <ul>
      ${this.feature.browsers.ff.view.val?x$1`
        <li>
          <label>Firefox:</label>
          <chromedash-vendor-views
            href=${this.feature.browsers.ff.view.url||E$1}
            .featureLinks=${this.featureLinks}
            >${this.feature.browsers.ff.view.text}</chromedash-vendor-views
          >
        </li>
      `:E$1}
      ${this.feature.browsers.safari.view.val?x$1`
        <li>
          <label>WebKit:</label>
          <chromedash-vendor-views
            href=${this.feature.browsers.safari.view.url||E$1}
            .featureLinks=${this.featureLinks}
            >${this.feature.browsers.safari.view.text}</chromedash-vendor-views
          >
        </li>
      `:E$1}
      <li>
        <label>Web Developers:</label> ${this.feature.browsers.webdev.view.text}
      </li>
    </ul>
  </section>

  ${this.feature.browsers.chrome.owners?x$1`
    <section id="owner">
      <h3>
        ${1==this.feature.browsers.chrome.owners.length?"Owner":"Owners"}
      </h3>
      <ul>
        ${this.feature.browsers.chrome.owners.map(owner=>x$1`
          <li><a href="mailto:${owner}">${owner}</a></li>
        `)}
      </ul>
    </section>
  `:E$1}

  ${this.feature.intent_to_implement_url?x$1`
    <section id="intent_to_implement_url">
      <h3>Intent to Prototype url</h3>
      <a href=${this.feature.intent_to_implement_url}
        >Intent to Prototype thread</a>
    >
    </section>
  `:E$1}

  ${this.feature.comments?x$1`
    <section id="comments">
      <h3>Comments</h3>
      <!-- prettier-ignore -->
      <p class="preformatted">${autolink(this.feature.comments,this.featureLinks)}</p>
    </section>
  `:E$1}

  <section id="metadata">
    <h3>Metadata</h3>
    <p>
      <label>Feature type:</label>
      ${this.feature.feature_type}
    </p>
    <p>
      <label>Web feature ID:</label>
      ${this.feature.web_feature}
```

```
</p>
<p>
  <label>Blink components:</label>
  ${this.feature.browsers.chrome.blink_components.map(c=>x$1`
    <a
      href="https://issues.chromium.org/issues?q=customfield1222907:%22${c}%22"
      target="_blank"
      rel="noopener"
    >${c}</a>
  `)}
</p>
${this.feature.tags?.length?x$1` <p>
  <label>Search tags:</label>
  ${this.feature.tags.map(tag=>x$1`
    <a href="/features?q=tag:${tag}">${tag}</a>
    <span class="conditional-comma">, </span>
  `)}
</p>`:E$1}
</section>
`}renderHistory(){return x$1`
<section id="history">
<h3>History</h3>
<p>
  Entry created on
  ${renderAbsoluteDate(this.feature.created?.when,!0)}
  ${renderRelativeDate(this.feature.created?.when)}
</p>
<p>
  Last updated on
  ${renderAbsoluteDate(this.feature.updated?.when,!0)}
  ${renderRelativeDate(this.feature.updated?.when)}
</p>

<p>
  <a href="/feature/${this.feature.id}/activity">
    All comments & activity
  </a>
</p>
</section>
`}renderDotDotDotMenu(){if(!this.canDeleteFeature&&!this.canEditFeature)return E$1;let
archiveItem=x$1`,`,suspendItem=x$1`,`,resumeItem=x$1`,`;return this.canDeleteFeature&&(archiveItem=x$1`
  <sl-menu-item id="archive-feature" @click=${this.handleArchiveFeature}>
    Archive feature
  </sl-menu-item>
`,`),this.canEditFeature&&(this.isSuspended()?resumeItem=x$1`
  <sl-menu-item @click=${this.handleResume}>
    Resume active development
  </sl-menu-item>
`:`:suspendItem=x$1`
  <sl-menu-item @click=${this.handleSuspend}>
    Suspend development
  </sl-menu-item>
`,`),x$1`
<sl-dropdown placement="left-start">
  <sl-icon-button
    library="material"
    name="more_vert_24px"
    label="Feature menu"
    style="font-size: 1.3rem;"
    slot="trigger"
  ></sl-icon-button>
  <sl-menu> ${suspendItem} ${resumeItem} ${archiveItem} </sl-menu>
</sl-dropdown>
`}render(){return x$1`
  <sl-details summary="Overview" ?open=${!0}>
    <section class="card ${this.isSuspended()? "suspended":""}>
      ${this.renderDotDotDotMenu()}
      ${this.feature.is_enterprise_featqcure?
this.renderEnterpriseFeatureContent():this.renderFeatureContent()}
      ${this.feature.is_enterprise_feature?
this.renderEnterpriseFeatureStatus():this.renderFeatureStatus()}
      ${this.renderHistory()}
    </section>
  </sl-details>
`};;__decorate$N([n$5({attribute:!1})],ChromedashFeatureHighlights.prototype,"feature",void
0),__decorate$N([n$5({attribute:!1})],ChromedashFeatureHighlights.prototype,"featureLinks",void
0),__decorate$N([n$5({type:Boolean})],ChromedashFeatureHighlights.prototype,"canDeleteFeature",void
0),__decorate$N([n$5({type:Boolean})],ChromedashFeatureHighlights.prototype,"canEditFeature",void
0),ChromedashFeatureHighlights=__decorate$N([t$3("chromedash-feature-
highlights")],ChromedashFeatureHighlights);var __decorate$M=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"==typeof Reflect&&"function"==typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};const INACTIVE_STATES=["No longer
```

```

pursuing","Deprecated","Removed"];let ChromedashFeaturePage=class ChromedashFeaturePage extends
i$4{constructor(){super(...arguments),this.featureId=0,this.featureLinks=[],this.gates=
[],this.comments=
[],this.contextLink="",this.appTitle="",this.selectedGateId=0,this.starred=!1,this.loading=!0,this.curr
entDate=Date.now(),this.shippingInfo={closestShippingDate:"",hasShipped:!1,isUpcoming:!1}}static get
styles(){return[...SHARED_STYLES,...DETAILS_STYLES,i$7`
  #feature {
    background: var(--card-background);
    border-radius: var(--default-border-radius);
    border: var(--card-border);
    box-shadow: var(--card-box-shadow);

    box-sizing: border-box;
    word-wrap: break-word;
    margin-bottom: var(--content-padding);
    max-width: var(--max-content-width);
  }
  #feature ul {
    list-style-position: inside;
    list-style: none;
  }
  section {
    margin-bottom: 1em;
  }
  section h3 {
    margin: 24px 0 12px;
  }
  section label {
    font-weight: 500;
    margin-right: 5px;
  }

  sl-skeleton {
    margin-bottom: 1em;
    width: 60%;
  }

  sl-skeleton:nth-of-type(even) {
    width: 50%;
  }

  h3 sl-skeleton {
    width: 30%;
    height: 1.5em;
  }

  @media only screen and (max-width: 700px) {
    #feature {
      border-radius: 0 !important;
      margin: 7px initial !important;
    }
  }

  @media only screen and (min-width: 701px) {
    #feature {
      padding: 30px 40px;
    }
  }
`}}connectedCallback(){super.connectedCallback(),this.fetchData()}isFeatureLoaded(){return
this.feature&&!0===Object.keys(this.feature).length}fetchData()
{this.loading=!0,Promise.all([window.csClient.getFeature(this.featureId),window.csClient.getGates(this.
featureId),window.csClient.getComments(this.featureId,null),window.csClient.getFeatureProcess(this.featur
eId),window.csClient.getStars(),window.csClient.getFeatureProgress(this.featureId),window.csClient.ge
tChannels()]).then(async([feature,gatesRes,commentRes,process,starredFeatures,progress,channels])=>
{this.feature=feature,this.gates=gatesRes.gates,this.comments=commentRes.comments,this.process=process,
this.progress=progress,starredFeatures.includes(this.featureId)&&(this.starred=!0),this.feature.name&&
(document.title=`${this.feature.name} - ${this.appTitle}`),this.shippingInfo=await
findClosestShippingDate(channels,feature.stages),this.loading=!1}).catch(error=>{error instanceof
FeatureNotFoundError?this.loading=!1:showToastMessage("Some errors occurred. Please refresh the page or
try again later.")}),window.csClient.getFeatureLinks(this.featureId).then(featureLinks=>
{this.featureLinks=featureLinks?.data||
[],featureLinks?.has_stale_links&&setTimeout(this.refetchFeatureLinks.bind(this),1e4)}})async
refetchFeatureLinks(){const featureLinks=await
window.csClient.getFeatureLinks(this.featureId,!1);this.featureLinks=featureLinks?.data||[]}refetch()
{Promise.all([window.csClient.getFeature(this.featureId),window.csClient.getGates(this.featureId),windo
w.csClient.getComments(this.featureId,null)]).then(([feature,gatesRes,commentRes])=>
{this.feature=feature,this.gates=gatesRes.gates,this.comments=commentRes.comments}).catch(error=>{error
instanceof FeatureNotFoundError?this.loading=!1:showToastMessage("Some errors occurred. Please refresh
the page or try again later.")})}disconnectedCallback()
{super.disconnectedCallback(),document.title=this.appTitle}handleStarClick(e)
{e.preventDefault(),window.csClient.setStar(this.featureId,!this.starred).then(()=>
{this.starred=!this.starred})}handleShareClick(e){if(e.preventDefault(),navigator.share){const
url="/feature/"+this.featureId;navigator.share({title:this.feature.name,text:this.feature.summary,url:u
rl}).then(()=>{ga("send","social",
{socialNetwork:"web",socialAction:"share",socialTarget:url}})})}handleCopyLinkClick(e)
{e.preventDefault();const url=e.currentTarget.href;navigator.clipboard.writeText(url).then(()=>

```

```
{showToastMessage("Link copied"))}}canDeleteFeature(){return
this.user?.is_admin||userCanEdit(this.user,this.featureId)}handleArchiveFeature(){confirm("Archive
feature? It will only be visible to users who can edit
it")&&window.csClient.doDelete(`/features/${this.feature.id}`).then(resp=>{"Done"===resp.message&&
(location.href="/features")}})}handleSuspend(){if(confirm("Suspend development of this feature? It will
not appear on the roadmap.")){const submitBody={feature_changes:
{id:this.feature.id,impl_status_chrome:IMPLEMENTATION_STATUS.ON_HOLD[0]},stages:
[],has_changes:!0};window.csClient.updateFeature(submitBody).then(resp=>
{window.location.reload()}})}handleResume(){if(confirm("Resume active development of this feature? It
will appear on the roadmap if it has milestones set.")){const submitBody={feature_changes:
{id:this.feature.id,impl_status_chrome:IMPLEMENTATION_STATUS.PROPOSED[0]},stages:
[],has_changes:!0};window.csClient.updateFeature(submitBody).then(resp=>
{window.location.reload()}})}renderSkeletonSection(){return x$1`
  <section>
    <h3><sl-skeleton effect="sheen"></sl-skeleton></h3>
    <p>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
    </p>
  </section>
`}renderSkeletons(){return x$1`
  <div id="feature" style="margin-top: 65px;">
    ${this.renderSkeletonSection()} ${this.renderSkeletonSection()}
    ${this.renderSkeletonSection()} ${this.renderSkeletonSection()}
  </div>
`}featureIsInactive(){const
status=this.feature&&this.feature.browsers.chrome.status.text||"";return
INACTIVE_STATES.includes(status)}pairedUserCanEdit(){return
this.paired_user?.can_edit_all||this.paired_user?.editable_features.includes(this.featureId)}renderSubH
eader(){const canShare="function"===typeof navigator.share;return x$1`
  <div id="subheader" style="display:block">
    <div class="tooltips" style="float:right; font-size:1.1rem">
      ${this.user?x$1`
        <span
          class="tooltip"
          title="Receive an email notification when there are updates"
        >
          <a
            href="#"
            data-tooltip
            id="star-when-signed-in"
            @click=${this.handleStarClick}
          >
            <sl-icon
              name=${this.starred?"star-fill":"star"}
              class="pushicon"
            ></sl-icon>
          </a>
        </span>
      `:E$1}
    <span class="tooltip" title="File a bug against this feature">
      <a
        href=${o$6(this.feature.new_crbug_url)}
        class="newbug"
        data-tooltip
        target="_blank"
        rel="noopener"
      >
        <sl-icon name="bug"></sl-icon>
      </a>
    </span>
    <span
      class="tooltip ${canShare?"":"no-web-share"}"
      title="Share this feature"
    >
      <a
        href="#"
        data-tooltip
        id="share-feature"
        @click=${this.handleShareClick}
      >
        <sl-icon name="share"></sl-icon>
      </a>
    </span>
    <span
      class="tooltip copy-to-clipboard"
      title="Copy link to clipboard"
    >
      <a
        href="/feature/${this.featureId}"
        data-tooltip
        id="copy-link"
        @click=${this.handleCopyLinkClick}
      >
        <sl-icon library="material" name="link"></sl-icon>
      </a>
```

```

    </span>
  </div>
  <h2 id="breadcrumbs">
    <a href="{this.contextLink}">
      <sl-icon name="arrow-left"></sl-icon>
    </a>
    <a href="/feature/{this.featureId}">
      Feature: {this.feature.name}
    </a>
    {this.featureIsInactive()}x$1`({this.feature.browsers.chrome.status.text})`:E$1
  </h2>
</div>
` }renderWarnings(){const warnings=[];this.feature.deleted&&warnings.push(x$1`
  <div id="archived" class="warning">
    This feature is archived. It does not appear in feature lists and is
    only viewable by users who can edit it.
  </div>
  `),this.feature.unlisted&&warnings.push(x$1`
  <div id="access" class="warning">
    This feature is only shown in the feature list to users with access to
    edit this feature.
  </div>
  `);const
canEdit=userCanEdit(this.user,this.featureId);!canEdit&&this.pairedUserCanEdit()&&warnings.push(x$1`
  <div id="switch_to_edit" class="warning">
    User {this.user.email} cannot edit this feature or request reviews.
    But, {this.paired_user.email} can do that.
    <br />
    To switch users: sign out and then sign in again.
  </div>

  `),0==this.user?.approvable_gate_types.length&&0<this.paired_user?.approvable_gate_types.length&&warnin
gs.push(x$1`
  <div id="switch_to_review" class="warning">
    User {this.user.email} cannot review this feature. But,
    {this.paired_user.email} can do that.
    <br />
    To switch users: sign out and then sign in again.
  </div>
  `);const
featureOutdatedBanner=getFeatureOutdatedBanner(this.feature,this.shippingInfo,this.currentDate,canEdit)
;return featureOutdatedBanner&&warnings.push(featureOutdatedBanner),warnings}renderFeatureDetails()
{return x$1`
  <chromedash-feature-detail
    appTitle={this.appTitle}
    .user={this.user}
    ?canEdit={userCanEdit(this.user,this.featureId)}
    .feature={this.feature}
    .gates={this.gates}
    .comments={this.comments}
    .process={this.process}
    .progress={this.progress}
    .featureLinks={this.featureLinks}
    selectedGateId={this.selectedGateId}
  >
  </chromedash-feature-detail>
` }render(){return this.loading?this.renderSkeletons():this.isFeatureLoaded()?x$1`
  {this.renderSubHeader()} {this.renderWarnings()}
  <chromedash-feature-highlights
    .feature={this.feature}
    .featureLinks={this.featureLinks}
    ?canDeleteFeature={this.canDeleteFeature()}
    ?canEditFeature={userCanEdit(this.user,this.featureId)}
    @archive={this.handleArchiveFeature}
    @suspend={this.handleSuspend}
    @resume={this.handleResume}
  ></chromedash-feature-highlights>
  {this.renderFeatureDetails()}
  `:x$1` Feature not
found.` };;__decorate$M([n$5({attribute:!1})],ChromedashFeaturePage.prototype,"user",void
0),__decorate$M([n$5({attribute:!1})],ChromedashFeaturePage.prototype,"paired_user",void
0),__decorate$M([n$5({attribute:!1})],ChromedashFeaturePage.prototype,"featureId",void
0),__decorate$M([n$5({attribute:!1})],ChromedashFeaturePage.prototype,"feature",void
0),__decorate$M([n$5({attribute:!1})],ChromedashFeaturePage.prototype,"featureLinks",void
0),__decorate$M([n$5({attribute:!1})],ChromedashFeaturePage.prototype,"gates",void
0),__decorate$M([n$5({attribute:!1})],ChromedashFeaturePage.prototype,"comments",void
0),__decorate$M([n$5({attribute:!1})],ChromedashFeaturePage.prototype,"process",void
0),__decorate$M([n$5({attribute:!1})],ChromedashFeaturePage.prototype,"progress",void
0),__decorate$M([n$5({attribute:!1})],ChromedashFeaturePage.prototype,"contextLink",void
0),__decorate$M([n$5({type:String})],ChromedashFeaturePage.prototype,"appTitle",void
0),__decorate$M([n$5({type:Number})],ChromedashFeaturePage.prototype,"selectedGateId",void
0),__decorate$M([r$6()],ChromedashFeaturePage.prototype,"starred",void
0),__decorate$M([r$6()],ChromedashFeaturePage.prototype,"loading",void
0),__decorate$M([r$6()],ChromedashFeaturePage.prototype,"currentDate",void
0),__decorate$M([r$6()],ChromedashFeaturePage.prototype,"shippingInfo",void
0),ChromedashFeaturePage=__decorate$M([t$3("chromedash-feature-page")],ChromedashFeaturePage);var
```



```
__decorate$1=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};let ChromedashFooter=class ChromedashFooter extends
i$4{static get styles(){return[...SHARED_STYLES,i$7`
  footer {
    background: var(--page-background);
    box-shadow: 0 -2px 5px var(--shadow-color);
    display: flex;
    flex-direction: column;
    justify-content: center;
    text-align: center;
    align-items: center;
    padding: var(--content-padding-half);
    position: relative; /* Ensure the z-index has an effect so the box-shadow appears. */
    z-index: 800;
  }

  footer div > * + * {
    margin-left: var(--content-padding);
    padding-left: var(--content-padding);
  }

  #footer-spacer {
    display: none;
    height: calc(28px + var(--content-padding-half));
  }

  @media only screen and (min-width: 601px) and (min-height: 601px) {
    footer {
      position: fixed;
      bottom: 0;
      left: 0;
      width: 100%;
    }

    #footer-spacer {
      display: block;
    }
  }
`]]render(){return x$1`
<div id="footer-spacer"></div>
<footer>
  <div>
    <a
      href="https://github.com/GoogleChrome/chromium-dashboard/wiki/"
      target="_blank"
      rel="noopener"
    >Help</a>
    <a
      href="https://groups.google.com/a/chromium.org/forum/#!newtopic/blink-dev"
      target="_blank"
      rel="noopener"
    >Discuss</a>
    <a
      href="https://github.com/GoogleChrome/chromium-dashboard/issues"
      target="_blank"
      rel="noopener"
    >File an issue</a>
    <a
      href="https://policies.google.com/privacy"
      target="_blank"
      rel="noopener"
    >Privacy</a>
  </div>
</footer>
`}};ChromedashFooter=__decorate$1([t$3("chromedash-footer")],ChromedashFooter);var
__decorate$2=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};const
DEFAULT_PLACEHOLDER="https://...\\nhttps://...",DEFAULT_SPLIT_PATTERN="\\s+";let
ChromedashAttachments=class ChromedashAttachments extends i$4{constructor()
{super(...arguments),this.textareaRef=e$1(),this.fileInputRef=e$1(),this.chromedash_single_pattern=URL_
REGEX,this.chromedash_split_pattern=DEFAULT_SPLIT_PATTERN}createRenderRoot(){return this}validate()
{this.textareaRef?.value?.validate&&this.textareaRef.value.validate()}handleFieldUpdated(e){let
fieldValue=e.target.value;this.value=fieldValue,this.dispatchEvent(new CustomEvent("sl-
change"))}handleFileSelected(e){let inputEl=e.target;if(inputEl.files?.[0]){const file=inputEl.files?.
[0];window.csClient.addAttachment(this.featureId,inputEl.name,file).then(resp=>
{this.value+="\\n"+resp.attachment_url,this.dispatchEvent(new CustomEvent("sl-
```

```
change"))))}}renderOneThumbnail(url){if("==url)return E$1;const linkStyles={display:"inline-
block",padding:"var(--content-padding-quarter)",margin:"var(--content-padding-half)",border:`2px solid
var(--link-color)`,cursor:`zoom-in`,imgStyles={maxHeight:"150px",maxWidth:"200px"};var
imgSrc=url;return url.includes("/feature/"+this.featureId+"/attachment/")&&(imgSrc+="/thumbnail"),x$1`
  <a href=${url} target="_blank" style=${o$3(linkStyles)}>
    <img style=${o$3(imgStyles)} src=${imgSrc}></img>
  </a>
`}renderThumbnails(){if(!this.value?.length)return E$1;const items=this.value.split(new
RegExp(this.chromedash_split_pattern));return
items.map(url=>this.renderOneThumbnail(url))}renderUploadButton(){const buttonContainerStyles=
{display:"inline-block",margin:"var(--content-padding-half)"};return x$1`
  <input
    ${n$2(this.fileInputRef)}
    id="file-field"
    type="file"
    name="screenshots"
    @change=${e=>this.handleFileSelected(e)}
    accept="image/png, image/jpeg, image/png, image/webp, text/plain"
    style="display:none"
  />
  <div style=${o$3(buttonContainerStyles)}>
    <sl-button
      id="upload-button"
      @click=${e=>this.fileInputRef?.value?.click()}
    >
      <sl-icon slot="prefix" name="upload"></sl-icon>
      Upload image
    </sl-button>
    <div>Max size: 1MB</div>
  </div>
`}render(){return x$1`
  <chromedash-textarea
    ${n$2(this.textareaRef)}
    size="small"
    name=${this.name}
    value=${this.value}
    multiple
    placeholder=${DEFAULT_PLACEHOLDER}
    pattern=${this.pattern}
    chromedash_single_pattern=${this.chromedash_single_pattern}
    chromedash_split_pattern=${this.chromedash_split_pattern}
    @sl-change=${this.handleFieldUpdated}
    @keyup=${this.handleFieldUpdated}
  ></chromedash-textarea>
  <div>${this.renderThumbnails()} ${this.renderUploadButton()}</div>
`}firstUpdated(){this.validate()}updated()
{this.validate()};__decorate$K([n$5({type:String}],ChromedashAttachments.prototype,"name",void
0),__decorate$K([n$5({type:String}],ChromedashAttachments.prototype,"value",void
0),__decorate$K([n$5({type:String}],ChromedashAttachments.prototype,"pattern",void
0),__decorate$K([n$5({type:String}],ChromedashAttachments.prototype,"chromedash_single_pattern",void
0),__decorate$K([n$5({type:String}],ChromedashAttachments.prototype,"chromedash_split_pattern",void
0),__decorate$K([n$5({type:Number}],ChromedashAttachments.prototype,"featureId",void
0),ChromedashAttachments=__decorate$K([t$3("chromedash-attachments"),ChromedashAttachments]);var
__decorate$J=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&Object.defineProperty(target,key,r,r);let ChromedashTextarea=class ChromedashTextarea extends
textarea_default{constructor()
{super(...arguments),this.cols=50,this.rows=10,this.offerMarkdown=!1,this.isMarkdown=!1,this.alwaysMark
down=!1,this.index=-1,this.maxLength=1400,this.showPreview=!1}customCheckValidity(value)
{if(this.multiple&&this.chromedash_split_pattern&&this.chromedash_single_pattern){const
items=value.split(new RegExp(this.chromedash_split_pattern)),singleItemRegex=new
RegExp("^"+this.chromedash_single_pattern+"$",""),valid=items.every(item=>{if(!item)return!0;const
itemValid=singleItemRegex.test(item);return itemValid});if(!valid)return!1}if(this.pattern){const
valueRegex=new RegExp("^"+this.pattern+"$", "");return valueRegex.test(value)}return!0}validate()
{if(null!==this.input){const
invalidMsg=this.customCheckValidity(this.input.value)?":invalid";this.setCustomValidity&&this.setCust
omValidity(invalidMsg)}}firstUpdated(){this.validate()}updated()
{this.input&&this.validate()}handleMarkdownChecked(e)
{this.isMarkdown=!e.target?.checked,this.isMarkdown||(this.showPreview=!1)}handlePreviewChecked(e)
{this.showPreview=!e.target?.checked,e.stopPropagation()}render(){const
editor=super.render();if(!this.offerMarkdown&&!this.alwaysMarkdown)return editor;const preview=x$1`
  <div style="display:none">${editor}</div>
  <div
    id="preview"
    style="border:var(--card-border); padding:0 var(--content-padding); min-height:14em;
background:var(--table-alternate-background)"
  >
    ${autolink(this.value,[],!0)}
  </div>
`;return x$1`
  ${this.showPreview?preview:editor}
  <sl-checkbox
    id="use-markdown"
    name=${this.name}_is_markdown
```

```

    ?checked=${this.isMarkdown||this.alwaysMarkdown}
    ?disabled=${this.alwaysMarkdown}
    @sl-change=${this.handleMarkdownChecked}
  >
    Use markdown
  </sl-checkbox>
  <sl-icon-button
    name="info-circle"
    id="info-button"
    title="GitHub flavored markdown docs"
    href="https://docs.github.com/en/get-started/writing-on-github/getting-started-with-writing-and-formatting-on-github/basic-writing-and-formatting-syntax"
    target="_blank"
  ></sl-icon-button>
  ${this.isMarkdown||this.alwaysMarkdown?x$1` <sl-checkbox
    id="show-preview"
    ?checked=${this.showPreview}
    @sl-change=${this.handlePreviewChecked}
  >
    Preview
  </sl-checkbox>`:E$1}
  `}};__decorate$J([n$5({type:Boolean})],ChromedashTextarea.prototype,"multiple",void
0),__decorate$J([n$5({type:String})],ChromedashTextarea.prototype,"pattern",void
0),__decorate$J([n$5({type:String})],ChromedashTextarea.prototype,"chromedash_single_pattern",void
0),__decorate$J([n$5({type:String})],ChromedashTextarea.prototype,"chromedash_split_pattern",void
0),__decorate$J([n$5({type:Number})],ChromedashTextarea.prototype,"cols",void
0),__decorate$J([n$5({type:Number})],ChromedashTextarea.prototype,"rows",void
0),__decorate$J([n$5({type:Boolean})],ChromedashTextarea.prototype,"offerMarkdown",void
0),__decorate$J([n$5({type:Boolean})],ChromedashTextarea.prototype,"isMarkdown",void
0),__decorate$J([n$5({type:Boolean})],ChromedashTextarea.prototype,"alwaysMarkdown",void
0),__decorate$J([n$5({type:Number})],ChromedashTextarea.prototype,"index",void
0),__decorate$J([n$5({type:Number})],ChromedashTextarea.prototype,"maxlength",void
0),__decorate$J([r$6()],ChromedashTextarea.prototype,"showPreview",void
0),ChromedashTextarea=__decorate$J([t$3("chromedash-textarea")],ChromedashTextarea);var
__decorate$I=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r,r);const USAGE_TYPE_DETAILS=[{UsageType.Prototype]:
{abbreviation:"I2P",className:"usage-tag--prototype",title:"Intent to Prototype"},
[UsageType.DeveloperTesting]:{abbreviation:"R4DT",className:"usage-tag--dev-testing",title:"Ready for
Developer Testing"},[UsageType.Experiment]:{abbreviation:"I2E",className:"usage-tag--
experiment",title:"Intent to Experiment"},[UsageType.Ship]:{abbreviation:"I2S",className:"usage-tag--
ship",title:"Intent to Ship"},[UsageType.PSA]:{abbreviation:"PSA",className:"usage-tag--
psa",title:"Web-Facing Change PSA"},[UsageType.DeprecateAndRemove]:
{abbreviation:"I2D",className:"usage-tag--deprecate",title:"Intent to Deprecate and Remove"},
[UsageType.ReleaseNotes]:{abbreviation:"RN",className:"usage-tag--rn",title:"Release Notes"},
[UsageType.CrossFunctionReview]:{abbreviation:"XFN",className:"usage-tag-xfn",title:"Cross-Functional
Review"}};let ChromedashFormField=class ChromedashFormField extends i$4{constructor()
{super(...arguments),this.name="",this.index=-1,this.checkboxLabel="",this.disabled=!1,this.shouldFadeI
n=!1,this.forEnterprise=!1,this.disabledReason="",this.forceRequired=!1,this.value="",this.initialValue
="",this.loading=!1,this.fetchedChoices={},this.checkMessage=""}}getValue(){const
useEnterpriseDefault=this.forEnterprise&&this.fieldProps.enterprise_initial!==void
0,initialValue=useEnterpriseDefault?
this.fieldProps.enterprise_initial:this.fieldProps.initial;return!this.value&&initialValue?
initialValue:this.value}connectedCallback(){
{super.connectedCallback(),this.fieldProps=resolveFieldForFeature(ALL_FIELDS[this.name]||
{}),this.feature);const app=document.querySelector("chromedash-
app");app?.pageComponent&&app.pageComponent.allFormFieldComponentsList.push(this),"blink_components"===
this.name?this.fetchChoices(window.csClient.getBlinkComponents(),"Error fetching Blink Components.
Please refresh the page or try again
later."):{"web_feature"===this.name&&this.fetchChoices(window.csClient.getWebFeatureIDs().then(feature_i
ds=>{let choices={missing_feature:["Missing feature","Missing feature"]};for(let id of
feature_ids)choices[id]=[id,id];return choices}),"Error fetching Web feature IDs. Please refresh the
page or try again later.")}fetchChoices(fetchPromise,errorMessage)
{this.loading=!0,fetchPromise.then(choices=>{this.fetchedChoices=choices,this.loading=!1}).catch(()=>
{showToastMessage(errorMessage)})}firstUpdated()
{this.initialValue=JSON.parse(JSON.stringify(this.value)),"loading"===document.readyState?
document.addEventListener("DOMContentLoaded",()=>setTimeout(()=>
{this.doSemanticCheck()})):this.doSemanticCheck()}updateAttributes(el){if(!el)return;const
attrs=this.fieldProps.attrs||{};Object.keys(attrs).map(attr=>
{el.setAttribute(attr,attrs[attr])})}toggleExtraHelp(){const details=this.renderRoot.querySelector("sl-
details");details.open=!details.open;const button=this.renderRoot.querySelector("sl-icon-
button");button.name=details.open?"dash-square":"plus-
square"}shouldDisplayFeatureLink(field_name,feature_value){return!
("web_feature"!==field_name)&&!!feature_value&&"Missing
feature"!==feature_value&&"TBD"!==feature_value}createRenderRoot(){return this}handleFieldUpdated(e)
{const type=this.fieldProps.type;let fieldValue;fieldValue="checkbox"===type?
e.target.checked:"multiselect"===type?e.target.value.join(","):e.target.value,this.value=fieldValue;let
isMarkdown;e.target.offerMarkdown&&(isMarkdown=e.target.isMarkdown);const eventOptions={detail:
{value:fieldValue,index:this.index,isMarkdown}};this.dispatchEvent(new CustomEvent("form-field-
update",eventOptions));const app=document.querySelector("chromedash-app");app?.pageComponent?
app.pageComponent.allFormFieldComponentsList.forEach(formFieldComponent=>formFieldComponent.doSemanticC
heck()):this.doSemanticCheck()}async doSemanticCheck(){const getFieldValue=(fieldName,stageOrId)=>
("current stage"===stageOrId&&
(stageOrId=this.stageId),getFieldValueWithStage(fieldName,stageOrId,this.fieldValues||
```

```

    []));getFieldValue.feature=this.fieldValues?.feature;const checkFunctionWrapper=async checkFunction=>
    {const fieldValue=this.getValue(),initialValue=this.initialValue;if(null===fieldValue)return!1;const
    checkResult=await checkFunction(fieldValue,getFieldValue,initialValue);return null!=checkResult&&
    (this.checkMessage=x$1` <span

class="check-${checkResult.message?"message":checkResult.warning?"warning":checkResult.error?"error":"u
nknown"}"
    >
      ${checkResult.message?checkResult.message:checkResult.warning?x$1`<b>Warning</b>:
    ${checkResult.warning}`:checkResult.error?x$1`<b>Error</b>: ${checkResult.error}`:""}
    </span>`,!0)},checkFunctionOrArray=this.fieldProps.check||[],checkFunctions="function"===typeof
    checkFunctionOrArray?[checkFunctionOrArray]:checkFunctionOrArray;0<checkFunctions.length&&
    (this.checkMessage="");for(const checkFunction of checkFunctions)if(await
    checkFunctionWrapper(checkFunction))return}renderWidget(){const
    type=this.fieldProps.type,fieldDisabled=this.fieldProps.disabled,fieldValue=this.getValue(),isRequired=
    this.fieldProps.required||this.forceRequired,offerMarkdown=!
    (this.forEnterprise?!this.fieldProps.enterprise_offer_markdown:!this.fieldProps.offer_markdown),fieldNa
    me=this.fieldProps.name||this.name,isMarkdown=(this.feature?.markdown_fields||
    []).includes(fieldName),choices=this.fieldProps.choices||this.fetchedChoices;let
    fieldHTML=x$1`;if("checkbox"===type){const
    label=this.checkboxLabel||this.fieldProps.label;fieldHTML=x$1`
      <sl-checkbox
        name="${fieldName}"
        id="id_${this.name}"
        size="small"
        ?checked=${!0===fieldValue||"true"===fieldValue||"True"===fieldValue}
        ?disabled=${this.disabled||fieldDisabled}
        @sl-change="${this.handleFieldUpdated}"
      >
        ${label}
      </sl-checkbox>
    `}else if("select"===type)fieldHTML=x$1`
      <sl-select
        name="${fieldName}"
        id="id_${this.name}"
        value="${fieldValue}"
        size="small"
        hoist
        ?disabled=${fieldDisabled||this.disabled||this.loading}
        @sl-change="${this.handleFieldUpdated}"
      >
        ${Object.values(choices).map(([value,label])=>x$1`
          <sl-option value="${value}"> ${label} </sl-option>
        `)}
      </sl-select>
    `;else if("multiselect"===type){const
    valueArray=fieldValue.split(","),availableOptions=Object.values(choices).filter(([value,label,obsolete]
    )=>!obsolete||valueArray.includes(""+value));fieldHTML=x$1`
      <sl-select
        name="${fieldName}"
        id="id_${this.name}"
        .value=${valueArray}
        size="small"
        hoist
        multiple
        cleareable
        ?required=${isRequired}
        ?disabled=${fieldDisabled||this.disabled||this.loading}
        @sl-change="${this.handleFieldUpdated}"
      >
        ${availableOptions.map(([value,label])=>x$1`
          <sl-option value="${value}"> ${label} </sl-option>
        `)}
      </sl-select>
    `}else"input"===type?fieldHTML=x$1`
      <sl-input
        ${n$2(this.updateAttributes)}
        name="${fieldName}"
        id="id_${this.name}"
        stageId="${this.stageId}"
        size="small"
        autocomplete="off"
        .value=${fieldValue}
        help-text="${this.disabledReason}"
        ?disabled=${this.disabled||this.disabledReason||fieldDisabled}
        ?required=${isRequired}
        @sl-change="${this.handleFieldUpdated}"
      >
    </sl-input>
    `:"textarea"===type?fieldHTML=x$1`
      <chromedash-textarea
        ${n$2(this.updateAttributes)}
        name="${fieldName}"
        id="id_${this.name}"
        size="small"
        resize="auto"

```

```
value=${fieldValue}
index=${this.index}
?required=${isRequired}
?offerMarkdown=${offerMarkdown}
?isMarkdown=${isMarkdown}
?alwaysMarkdown=${this.fieldProps.always_markdown}
@sl-change="${this.handleFieldUpdated}"
>
</chromedash-textarea>
`: "attachments" === type ? fieldHTML = x$1`
<chromedash-attachments
  ${n$2(this.updateAttributes)}
  name="${fieldName}"
  featureId=${this.feature.id}
  id="id_${this.name}"
  size="small"
  value=${fieldValue}
  ?required=${isRequired}
  @sl-change="${this.handleFieldUpdated}"
>
</chromedash-attachments>
`: "radios" === type ? fieldHTML = x$1`
  ${Object.values(choices).map(([value, label, description]) => x$1`
    <input
      id="id_${this.name}_${value}"
      name="${fieldName}"
      value="${value}"
      .checked="${value === fieldValue}"
      type="radio"
      required
      @change=${this.handleFieldUpdated}
    />
    <label for="id_${this.name}_${value}">${label}</label>
    <p>${description}</p>
  `)}
  `)
  `: "datalist" === type ? fieldHTML = x$1`
    <div class="datalist-input-wrapper" data-testid="${this.name}_wrapper">
      <input
        ${n$2(this.updateAttributes)}
        name="${fieldName}"
        id="id_${this.name}"
        value="${fieldValue}"
        class="datalist-input"
        type="search"
        list="${this.name}_list"
        ?required=${isRequired}
        @change=${this.handleFieldUpdated}
      />
    </div>
    <datalist id="${this.name}_list">
      ${Object.values(choices).map(([value]) => x$1` <option value="${value}"></option> `)}
    </datalist>
  `: console.error(`unknown form field type: ${type}`); return
fieldHTML} renderUsageIcons(fieldUsageInfo, featureType) { if (featureType === void 0) return []; const
intentTypesUsed = fieldUsageInfo[featureType]; if (!intentTypesUsed) return []; if (ALL_INTENT_USAGE_BY_FEATURE
_TYPE[featureType]?.isSubsetOf(intentTypesUsed)) return [x$1` <span
  class="usage-tag usage-tag--all"
  title="This field is used to populate all intent templates when provided"
>
  All
</span>`]; const intentIcons = []; for (const intentType of intentTypesUsed) { const
details = USAGE_TYPE_DETAILS[intentType]; if (details) { const tooltipText = `This field is used to populate
the ${details.title} template`; intentIcons.push(x$1`
  <span class="usage-tag ${details.className}" title="${tooltipText}"
  >${details.abbreviation}</span>
  `)} } return intentIcons} render() { if (this.fieldProps.deprecated && !this.value) return E$1; const
helpText = this.forEnterprise && this.fieldProps.enterprise_help_text !== void 0 ?
this.fieldProps.enterprise_help_text : this.fieldProps.help_text, extraHelpText = this.forEnterprise && this.f
ieldProps.enterprise_extra_help !== void 0 ?
this.fieldProps.enterprise_extra_help : this.fieldProps.extra_help, fadeInClass = this.shouldFadeIn ? "fade-
in": ""; return x$1`
  ${this.fieldProps.label ? x$1`
    <tr class="${fadeInClass}">
      <th class="form-field-header">
        <div>
          <b>${this.fieldProps.label}</b>
        </div>
        <div>
          ${this.renderUsageIcons(this.fieldProps.usage, this.feature?.feature_type_int)}
        </div>
      </th>
    </tr>
  `: E$1}
  <tr class=${fadeInClass}>
    <td>${this.renderWidget()} ${this.checkMessage}</td>
```

```

    <td>
      ${helpText?x$1`<span class="helptext"> ${helpText} </span>`:E$1}
      ${extraHelpText?x$1`
        <sl-icon-button
          name="plus-square"
          label="Toggle extra help"
          style="position:absolute"
          @click="${this.toggleExtraHelp}"
        >
          +
        </sl-icon-button>
      `:E$1}
    </td>
  </tr>

  ${extraHelpText?x$1`
    <tr>
      <td colspan="2" class="extrahelp">
        <sl-details summary="">
          <span class="helptext"> ${extraHelpText} </span>
        </sl-details>
      </td>
    </tr>
  `:E$1}

  ${this.shouldDisplayFeatureLink(this.name,this.value)?x$1`
    <tr>
      <td colspan="2" class="webdx">
        See web feature
        <a
          href="https://webstatus.dev/features/${enumLabelToFeatureKey(this.value)}"
          target="_blank"
        >
          ${this.value}
        </a>
        in webstatus.dev
      </td>
    </tr>
  `:E$1}
  `}};__decorate$I([n$5({type:String})],ChromedashFormField.prototype,"name",void
0),__decorate$I([n$5({type:Number})],ChromedashFormField.prototype,"index",void
0),__decorate$I([n$5({type:Object})],ChromedashFormField.prototype,"fieldValues",void
0),__decorate$I([n$5({type:Object,attribute:!1})],ChromedashFormField.prototype,"feature",void
0),__decorate$I([n$5({type:String})],ChromedashFormField.prototype,"checkboxLabel",void
0),__decorate$I([n$5({type:Boolean})],ChromedashFormField.prototype,"disabled",void
0),__decorate$I([n$5({type:Boolean})],ChromedashFormField.prototype,"shouldFadeIn",void
0),__decorate$I([n$5({type:Boolean})],ChromedashFormField.prototype,"forEnterprise",void
0),__decorate$I([n$5({type:String})],ChromedashFormField.prototype,"disabledReason",void
0),__decorate$I([n$5({type:Boolean})],ChromedashFormField.prototype,"forceRequired",void
0),__decorate$I([n$5({type:Number})],ChromedashFormField.prototype,"stageId",void
0),__decorate$I([n$5({type:Number})],ChromedashFormField.prototype,"stageType",void
0),__decorate$I([n$5({type:String})],ChromedashFormField.prototype,"value",void
0),__decorate$I([r$6()],ChromedashFormField.prototype,"initialValue",void
0),__decorate$I([r$6()],ChromedashFormField.prototype,"loading",void
0),__decorate$I([r$6()],ChromedashFormField.prototype,"fetchedChoices",void
0),__decorate$I([r$6()],ChromedashFormField.prototype,"checkMessage",void
0),__decorate$I([r$6()],ChromedashFormField.prototype,"fieldProps",void
0),ChromedashFormField=__decorate$I([t$3("chromedash-form-field")],ChromedashFormField);function
enumLabelToFeatureKey(label){let result="";for(let i=0;i<label.length;i++){const char=label[i];if(0==i)
{result+=char.toLowerCase();continue}if(char===char.toUpperCase())&&/[a-zA-Z]/.test(char)){result+="-"
+char.toLowerCase();continue}0<i&&/[a-zA-Z]/.test(label[i-1])&&"0"<=char&&"9">=char&&(result+="-"
),result+=char}return result}function getFieldValueWithStage(fieldName,stageOrId,formFieldValues){let
stageId;"number"==typeof stageOrId?stageId=stageOrId:"object"==typeof stageOrId&&
(stageId=stageOrId.id);for(const obj of formFieldValues)if(obj.name===fieldName&&
(null==stageId||obj.stageId==stageId))return obj.value;const
feature=formFieldValues?.feature;if(null==feature)return null;const feStage="object"==typeof stageOrId?
stageOrId:null==stageId?feature.stages[0]:feature.stages.find(s=>s.id==stageId);if(!feStage)return
null;const value=getFieldValueFromFeature(fieldName,feStage,feature);return value}var
__decorate$H=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc:Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"==typeof Reflect&&"function"==typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};let ChromedashFormTable=class ChromedashFormTable
extends i$4{static get styles(){return[i$7`
  :host {
    display: table;
    max-width: 80em;
  }
`]]render(){return x$1` <slot>fallback content</slot>
`}};__decorate$H([n$5({type:String})],ChromedashFormTable.prototype,"class",void
0),ChromedashFormTable=__decorate$H([t$3("chromedash-form-table")],ChromedashFormTable);const
BLINK_GENERIC_QUESTIONNAIRE=x$1` <p>
  To request a review, use the "Draft intent..." button above to generate an
  intent message, and then post that message to blink-dev@chromium.org.
</p>
<p>
  Be sure to update your feature entry in response to any suggestions on that
```

```
email thread.
</p>`,PRIVACY_GENERIC_QUESTIONNAIRE=x$1` <p>
<b>
  >Please fill out the Security & Privacy self-review questionnaire:
  <a
    href="https://www.w3.org/TR/security-privacy-questionnaire/"
    target="_blank"
  >https://www.w3.org/TR/security-privacy-questionnaire/</a
  ></b>
  >
</p>
<p>
  Share it as a public document, as a file in your repository, or in any other
  public format of your choice.
</p>
<p>
  You can reuse the same filled-out questionnaire in the security review
  below, across all stages of this ChromeStatus entry, and across all entries
  related to the same API. If you updated an existing questionnaire to reflect
  new changes to the API, please highlight them for an easier review.
</p>
<p>
  <b>If you believe your feature has no privacy impact</b> and none of the
  questions in the questionnaire apply, you can provide a justification
  instead, e.g. "Removing a prefix from the API, no changes to functionality"
  or "New CSS property that doesn't depend on the user state, therefore
  doesn't reveal any user information". Note that if your reviewer disagrees
  with the justification, they may ask you to fill out the questionnaire
  nevertheless.
</p>`,SECURITY_GENERIC_QUESTIONNAIRE=x$1` <p>
<b>
  >Please fill out the Security & Privacy self-review questionnaire:
  <a
    href="https://www.w3.org/TR/security-privacy-questionnaire/"
    target="_blank"
  >https://www.w3.org/TR/security-privacy-questionnaire/</a
  ></b>
  >
</p>
<p>
  Share it as a public document, as a file in your repository, or in any other
  public format of your choice.
</p>
<p>
  You can reuse the same filled-out questionnaire in the privacy review above,
  across all stages of this ChromeStatus entry, and across all entries related
  to an API. If you updated an existing questionnaire to reflect new changes
  to the API, please highlight them for an easier review.
</p>
<p>
  <b>If you believe your feature has no security impact</b> and none of the
  questions in the questionnaire apply, you can provide a justification
  instead. Note that if your reviewer disagrees with the justification, they
  may ask you to fill out the questionnaire nevertheless.
</p>`,ENTERPRISE_SHIP_QUESTIONNAIRE=x$1` <p>
  <b>(1) Does this launch include a breaking change?</b> Does this launch
  remove or modify existing behavior or does it interrupt an existing user
  flow? (e.g. removing or restricting an API, or significant UI change).
  Answer with one of the following options, and/or describe anything you're
  unsure about:
</p>
<ul>
  <li>
    No. There's no change visible to users, developers, or IT admins (e.g.
    internal refactoring)
  </li>
  <li>No. This launch is strictly additive functionality</li>
  <li>
    Yes. Something that exists is changing or being removed (even if usage is
    very small)
  </li>
  <li>
    I don't know. Enterprise reviewers, please help me decide. The relevant
    information is: _____
  </li>
</ul>
<p>
  <b>
    >(2) Is there any other reason you expect that enterprises will care about
    this launch?</b>
    >
    (e.g. they may perceive a risk of data leaks if the browser is uploading new
    information, or it may be a surprise to employees resulting in them calling
    their help desk). Answer with one of the following options, and/or describe
    anything you're unsure about:
  </p>
```

```
<ul>
  <li>No. Enterprises won't care about this</li>
  <li>Yes. They'll probably care because _____</li>
  <li>
    I don't know. Enterprise reviewers, please help me decide. The relevant
    information is: _____
  </li>
</ul>
<p>
  <b>
    >(3) Does your launch have an enterprise policy to control it, and will it
    be available when this rolls out to stable (even to 1%)?</b>
  >
  Only required if you answered Yes to either of the first 2 questions. Answer
  with one of the following options, and/or describe anything you're unsure
  about:
</p>
<ul>
  <li>
    Yes. It's called _____. It will be a permanent policy, and it will be
    available when stable rollout starts
  </li>
  <li>
    Yes. It's called _____. This is a temporary transition period, so the
    policy will stop working on milestone _____. It will be available when
    stable rollout starts
  </li>
  <li>
    No. A policy is infeasible because _____ (e.g. this launch is a change in
    how we compile Chrome)
  </li>
  <li>
    No. A policy isn't necessary because _____ (e.g. there's a better method
    of control available to admins)
  </li>
</ul>
<p>
  <b>
    >(4) Provide a brief title and description of this launch, which can be
    shared with enterprises.</b>
  >
  Only required if you answered Yes to either of the first 2 questions. This
  may be added to browser release notes. Where applicable, explain the benefit
  to users, and describe the policy to control it.
</p>`,DEBUGGABILITY_ORIGIN_TRIAL_QUESTIONNAIRE=x$1`
<p>
  (1) Does the introduction of the new Web Platform feature break Chrome
  DevTools' existing developer experience?
</p>

<p>
  (2) Does Chrome DevTools' existing set of tooling features interact with the
  new Web Platform feature in an expected way?
</p>

<p>
  (3) Would the new Web Platform feature's acceptance and/or adoption benefit
  from adding a new developer workflow to Chrome DevTools?
</p>

<p>
  (4) Can the feature be tested with a WebDriver BiDi module or other
  appropriate automation?
</p>

<p>
  When in doubt, please check out
  <a href="https://goo.gle/devtools-checklist" target="_blank"
    >https://goo.gle/devtools-checklist</a>
  >
  for details!
</p>
`,DEBUGGABILITY_SHIP_QUESTIONNAIRE=DEBUGGABILITY_ORIGIN_TRIAL_QUESTIONNAIRE,TESTING_SHIP_QUESTIONNAIRE=
x$1` <p>
  <b>
    >(1) Does your feature have sufficient automated test coverage (Unit
    tests, WPT, browser tests and other integration tests)?</b>
  >
  Chrome requires at least 70% automation code coverage (<a
  href="https://analysis.chromium.org/coverage/p/chromium"
  target="_blank"
  >dashboard</a>
  >) running on the main/release branch and 70% Changelist
  <a
```



```
rrit.md"
  target="_blank"
  >code coverage in Gerrit</a
  >? Do the automated tests have more than 93% green (flakiness < 7%) on CQ
  and CI builders?
</p>
<ul>
  <li>
    Yes. My feature met the minimum automated test coverage and health
    requirements.
  </li>
  <li>No. My feature does not meet the requirements since _____.</li>
</ul>
<p>
  <b>(2) How are performance tests conducted on Chromium builders?</b> List
  links to tests if any.
</p>
<p>
  <b>
    >(3) Does this feature have non-automatable test cases that require manual
    testing? Do you have a plan to get them tested?</b>
  >
</p>
<ul>
  <li>No. All feature related test cases are automated.</li>
  <li>
    Yes. There are non-automatable test cases and I have completed test
    execution or allocated resources to ensure the coverage of these test
    cases.
  </li>
  <li>
    Yes. There are non-automatable test cases and my feature impacts Google
    products.
  </li>
</ul>
<p>
  <b>
    >(4) If your feature impacts Google products, please fill in
    <a href="http://go/chrome-wp-test-survey" target="_blank"
    >go/chrome-wp-test-survey</a>
    >.</b>
  >
  Make a copy, answer the survey questions, and provide a link to your
  document here.
</p>`,GATE_QUESTIONNAIRES={[GATE_TYPES.API_PROTOTYPE]:BLINK_GENERIC_QUESTIONNAIRE,
[GATE_TYPES.API_ORIGIN_TRIAL]:BLINK_GENERIC_QUESTIONNAIRE,
[GATE_TYPES.API_EXTEND_ORIGIN_TRIAL]:BLINK_GENERIC_QUESTIONNAIRE,
[GATE_TYPES.API_SHIP]:BLINK_GENERIC_QUESTIONNAIRE,[GATE_TYPES.API_PLAN]:BLINK_GENERIC_QUESTIONNAIRE,
[GATE_TYPES.PRIVACY_ORIGIN_TRIAL]:PRIVACY_GENERIC_QUESTIONNAIRE,
[GATE_TYPES.PRIVACY_SHIP]:PRIVACY_GENERIC_QUESTIONNAIRE,
[GATE_TYPES.SECURITY_ORIGIN_TRIAL]:SECURITY_GENERIC_QUESTIONNAIRE,
[GATE_TYPES.SECURITY_SHIP]:SECURITY_GENERIC_QUESTIONNAIRE,
[GATE_TYPES.ENTERPRISE_SHIP]:ENTERPRISE_SHIP_QUESTIONNAIRE,
[GATE_TYPES.ENTERPRISE_PLAN]:ENTERPRISE_SHIP_QUESTIONNAIRE,
[GATE_TYPES.DEBUGGABILITY_ORIGIN_TRIAL]:DEBUGGABILITY_ORIGIN_TRIAL_QUESTIONNAIRE,
[GATE_TYPES.DEBUGGABILITY_SHIP]:DEBUGGABILITY_SHIP_QUESTIONNAIRE,
[GATE_TYPES.DEBUGGABILITY_PLAN]:DEBUGGABILITY_SHIP_QUESTIONNAIRE,
[GATE_TYPES.TESTING_SHIP]:TESTING_SHIP_QUESTIONNAIRE,
[GATE_TYPES.TESTING_PLAN]:TESTING_SHIP_QUESTIONNAIRE},LAUNCHING_FEATURES_URL="https://www.chromium.org/
blink/launching-features/",BLINK_GENERIC_RATIONALE=x$1`
  The API Owners review provides a final check on all aspects of your feature
  and how you have followed the
  <a href=${LAUNCHING_FEATURES_URL} target="_blank">Blink launch process</a>.
`,PRIVACY_GENERIC_RATIONALE=x$1`
  The Web Platform privacy review puts you in touch with the privacy team so
  that they can consult further with you when needed.
`,SECURITY_GENERIC_RATIONALE=x$1`
  The Web Platform Security review helps ensure that new or changed web APIs
  uphold the security principles of the web - the same origin policy, no
  cross-site leaks, compliance with CSP, CORS, permission norms, etc. It aims to
  show that the API can be implemented safely. It doesnâ€™t necessarily try to
  prove that it has been implemented safely within Chromium - for Chrome team
  features, thatâ€™s done by the Chrome launch review process.
`,ENTERPRISE_GENERIC_RATIONALE=x$1`
  The enterprise review helps identify the impact of your feature on
  enterprises. Features need to be enterprise-friendly. That is:

<ul>
  <li>Breaking changes need to have sufficient notice</li>
  <li>
    Breaking changes need to have a soft deadline and transition period where
    feasible
  </li>
  <li>Admins need to have central controls where appropriate</li>
</ul>
`,DEBUGGABILITY_GENERIC_RATIONALE=x$1`
```

```
The debuggability review helps identify opportunities to make your feature
more successful by integrating with Chrome Dev Tools.
`, TESTING_GENERIC_RATIONALE=x$1`
The test review helps identify gaps in test coverage and ensures that all
crucial functionalities are thoroughly tested. This can lead to a more
polished final product and reduce the odds of missed defects and issues.
`, GATE_RATIONALE=[GATE_TYPES.API_PROTOTYPE]:BLINK_GENERIC_RATIONALE,
[GATE_TYPES.API_ORIGIN_TRIAL]:BLINK_GENERIC_RATIONALE,
[GATE_TYPES.API_EXTEND_ORIGIN_TRIAL]:BLINK_GENERIC_RATIONALE,
[GATE_TYPES.API_SHIP]:BLINK_GENERIC_RATIONALE, [GATE_TYPES.API_PLAN]:BLINK_GENERIC_RATIONALE,
[GATE_TYPES.PRIVACY_ORIGIN_TRIAL]:PRIVACY_GENERIC_RATIONALE,
[GATE_TYPES.PRIVACY_SHIP]:PRIVACY_GENERIC_RATIONALE,
[GATE_TYPES.SECURITY_ORIGIN_TRIAL]:SECURITY_GENERIC_RATIONALE,
[GATE_TYPES.SECURITY_SHIP]:SECURITY_GENERIC_RATIONALE,
[GATE_TYPES.ENTERPRISE_SHIP]:ENTERPRISE_GENERIC_RATIONALE,
[GATE_TYPES.ENTERPRISE_PLAN]:ENTERPRISE_GENERIC_RATIONALE,
[GATE_TYPES.DEBUGGABILITY_ORIGIN_TRIAL]:DEBUGGABILITY_GENERIC_RATIONALE,
[GATE_TYPES.DEBUGGABILITY_SHIP]:DEBUGGABILITY_GENERIC_RATIONALE,
[GATE_TYPES.DEBUGGABILITY_PLAN]:DEBUGGABILITY_GENERIC_RATIONALE,
[GATE_TYPES.TESTING_SHIP]:TESTING_GENERIC_RATIONALE,
[GATE_TYPES.TESTING_PLAN]:TESTING_GENERIC_RATIONALE];var
__decorate$G=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"==typeof Reflect&&"function"==typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};let ChromedashSurveyQuestions=class
ChromedashSurveyQuestions extends i$4{constructor(){super(...arguments),this.loading=!0}static get
styles(){return[...SHARED_STYLES,i$7`
  #questionnaire {
    padding: var(--content-padding-half);
    border-radius: var(--border-radius);
    background: var(--accordion-background);
  }
  #questionnaire * + * {
    padding-top: var(--content-padding);
  }
  #questionnaire ul {
    padding-left: var(--content-padding);
  }
  #questionnaire ol {
    padding-left: var(--content-padding);
  }
  #questionnaire ol li {
    list-style: auto;
  }
  .question {
    padding: var(--content-padding-half);
  }
  .instructions {
    padding: var(--content-padding-half);
    margin-bottom: var(--content-padding-large);
  }
`}}_fireEvent(eventName,detail){const event=new CustomEvent(eventName,
{bubbles:!0,composed:!0,detail});this.dispatchEvent(event)}canEditSurvey(){return this.user&&
(this.user.can_edit_all||this.user.editable_features.includes(this.feature.id))}renderQuestionnaireSkel
eton(){return x$1`
  <div id="questionnaire">Loading...</div>
  <p class="instructions">&nbsp;</p>
  `}handleFieldChange(name,value){window.csClient.updateGate(this.feature.id,this.gate.id,null,
{[name]:value}).then(())=>{this._fireEvent("refetch-needed",{}})}handleFieldKeyup(name,value){1>=
(value||"").trim().length&&window.csClient.updateGate(this.feature.id,this.gate.id,null,
{[name]:value})}renderBooleanField(name,desc){const value=this.gate.survey_answers?.[name];return x$1`
  <li class="question">
    <sl-checkbox
      name=${name}
      ?checked=${value}
      ?disabled=${!this.canEditSurvey()}
      @sl-change=${e=>this.handleFieldChange(name,e.target?.checked)}
    ></sl-checkbox>
    ${desc}
  </li>
  `}renderStringField(name,desc){const value=this.gate.survey_answers?.[name];return x$1`
  <li class="question">
    ${desc}
    <sl-input
      name=${name}
      size="small"
      value=${value}
      ?disabled=${!this.canEditSurvey()}
      @sl-change=${e=>this.handleFieldChange(name,e.target?.value)}
      @keyup=${e=>this.handleFieldKeyup(name,e.target?.value)}
    ></sl-input>
  </li>
  `}renderTextField(name,desc){const value=this.gate.survey_answers?.[name];return x$1`
  <li class="question">
    ${desc}
```

```
<sl-textarea
  name="${name}"
  size="small"
  rows="2"
  resize="auto"
  value=${value}
  ?disabled=${!this.canEditSurvey()}
  @sl-change=${e=>this.handleFieldChange(name,e.target?.value)}
  @keyup=${e=>this.handleFieldKeyUp(name,e.target?.value)}
></sl-textarea>
</li>
`}renderPrivacyForm(){return x$1`
<div id="questionnaire">
  <ol>
    ${this.renderBooleanField("is_language_polyfill",x$1`This is a <b>new JS language
construct</b> that has
    <b>already been polyfillable</b>.`)}
    ${this.renderBooleanField("is_api_polyfill",x$1`This is a <b>new API</b> that ergonomically
provides a function
    that was <b>already polyfillable under the same conditions</b>. By
    "same conditions" we mean, for example, that if a polyfill was
    only possible when the user has granted a certain permission, the
    API respects the same permission.`)}
    ${this.renderBooleanField("is_same_origin_css",x$1`This is a <b>CSS addition</b> or change
such that the style
    <b>only depends on same-origin information</b> and
    <b>NOT on user data</b>. CSS changes are usually benign, however:
    if the style relies on iframes or subresources, it could reveal
    cross-origin information. If the style depends on user data, such
    as browsing history (like :visited), cookies, or user input (like
    hidden=until-found), the style could be used by the website to
    read this data.`)}
    ${this.renderStringField("launch_or_contact",x$1`If there is a Google-internal launch entry
filed for this exact
    same issue, enter its URL here. Or, if this has previously been
    discussed with someone on the privacy team, enter their email
    address. Or, enter "None".`)}
    ${this.renderTextField("explanation",x$1`<b>Required</b>: If you checked any box above,
explain why you
    checked it, and provide any other relevant context.`)}
  </ol>
</div>
`}renderTestingForm(){return x$1`
<div id="questionnaire">
  Does your feature have WPT or other automated tests that cover the
  following?
  <ol>
    ${this.renderBooleanField("covers_existence",x$1`<b>Feature existence</b>. This is typically
done with
    surface-level tests like idlharness.js for APIs or
    parsing-testcommon.js for CSS. These tests don't verify actual
    behavior.
    <a
      href="https://wpt.fyi/results/idle-detection/idlharness.https.window.html"
      target="_blank"
    >API example</a>
    >.
    <a
      href="https://wpt.fyi/results/css/css-logical/parsing/inset-valid.html"
      target="_blank"
    >CSS example</a>
    >.`)}
    ${this.renderBooleanField("covers_common_cases",x$1`<b>Common use cases</b>. Use the feature
in a realistic and
    straightforward way and verify the expected behavior.
    <a
      href="https://github.com/web-platform-
tests/wpt/blob/master/requestidlecallback/basic.html"
      target="_blank"
    >API example</a>
    >.
    <a
      href="https://wpt.fyi/results/css/css-flexbox/gap-001-ltr.html"
      target="_blank"
    >CSS example</a>
    >.
    <a href="https://wpt.fyi/results/cors/basic.htm" target="_blank"
    >HTML example</a>
    >.`)}
    ${this.renderBooleanField("covers_errors",x$1`<b>Likely error scenarios</b>. Test realistic
error scenarios
    like out-of-bounds inputs, network errors, or the user rejecting a
    permission prompt.
    <a
      href="https://wpt.fyi/results/fetch/api/basic/error-after-response.any.html"
      target="_blank"
    >
```

```

    >API example</a>
  >.
  <a
    href="https://wpt.fyi/results/css/css-color/hsl-clamp-negative-saturation.html"
    target="_blank"
  >CSS example</a>
  >.
  <a
    href="https://wpt.fyi/results/client-hints/accept-ch-malformed-header.https.html"
    target="_blank"
  >HTML example</a>
  >. `)}}
  ${this.renderBooleanField("covers_invalidation",x$1`<b>Invalidation</b>. Rendering or other
output often needs to
  be invalidated when the inputs change. This kind of test is common
  for CSS features, but can make sense for other features too. Often
  called "dynamic" when an initial state is updated by script. Or,
  if your feature needs no invalidation tests, check this box.
  <a
    href="https://wpt.fyi/results/dom/nodes/Element-childElementCount-dynamic-add.html"
    target="_blank"
  >API example</a>
  >.
  <a
    href="https://wpt.fyi/results/css/css-content/quotes-lang-dynamic-001.html"
    target="_blank"
  >CSS example</a>
  >. `)}}
  ${this.renderBooleanField("covers_integration",x$1`<b>Integration with other features</b>. If
the feature
  integrates with other features in some meaningful way, test that
  the combination of the two features behaves as expected. Or, if
  your feature needs no integration tests, check this box.
  <a
    href="https://wpt.fyi/results/permissions-policy/reporting/fullscreen-reporting.html"
    target="_blank"
  >API example</a>
  >.
  <a
    href="https://wpt.fyi/results/css/css-anchor-position/anchor-scroll-to-sticky-001.html"
    target="_blank"
  >CSS example</a>
  >.
  <a
    href="https://wpt.fyi/results/clear-site-data/set-cookie-before-clear-
cookies.https.html"
    target="_blank"
  >HTML example</a>
  >. `)}}
</ol>
</div>
`}renderQuestionnaire()
if(this.gate.gate_type===GATE_TYPES.PRIVACY_ORIGIN_TRIAL||this.gate.gate_type===GATE_TYPES.PRIVACY_SHI
P)return
this.renderPrivacyForm();if(this.gate.gate_type===GATE_TYPES.TESTING_PLAN||this.gate.gate_type===GATE_T
YPES.TESTING_SHIP)return this.renderTestingForm();const
questionnaireText=GATE_QUESTIONNAIRES[this.gate.gate_type];if(!questionnaireText)return x$1`No
questions`;const markup="string"==typeof questionnaireText?
autolink(questionnaireText):questionnaireText;return x$1`
  <div id="questionnaire">${markup}</div>
  <p class="instructions">Please post responses in the comments below.</p>
`}render(){return x$1`
  <h2>Survey questions</h2>
  ${this.loading?this.renderQuestionnaireSkeleton():this.renderQuestionnaire()}
  `}};__decorate$G([n$5({type:Object})),ChromedashSurveyQuestions.prototype,"user",void
0),__decorate$G([r$6()),ChromedashSurveyQuestions.prototype,"feature",void
0),__decorate$G([r$6()),ChromedashSurveyQuestions.prototype,"gate",void
0),__decorate$G([r$6()),ChromedashSurveyQuestions.prototype,"loading",void
0),ChromedashSurveyQuestions=__decorate$G([t$3("chromedash-survey-
questions")],ChromedashSurveyQuestions);var __decorate$F=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"==typeof Reflect&&"function"==typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};let naRationalDialogEl;async function
openNaRationalDialog(gate){return naRationalDialogEl||
(naRationalDialogEl=document.createElement("chromedash-na-rationale-
dialog"),document.body.appendChild(naRationalDialogEl),await naRationalDialogEl.updateComplete),new
Promise(resolve=>{naRationalDialogEl.openOn(gate,resolve)})}let ChromedashNaRationaleDialog=class
ChromedashNaRationaleDialog extends i$4{constructor()
{super(...arguments),this.rationaleDialogRef=e$1(),this.rationaleRef=e$1(),this.gate=void
0,this.resolve=()=>{console.log("Missing resolve action")}}static get styles()
{return[...SHARED_STYLES,i$7``]}openOn(gate,resolve)
{this.gate=gate,this.resolve=resolve,this.rationaleDialogRef.value?.show()}handlePost()
{this.resolve(this.rationaleRef.value?.value),this.rationaleDialogRef.value?.hide()}renderDialogContent
(){return void 0===this.gate?E$1:x$1`
```

```
<p style="padding: var(--content-padding)">
  Please briefly explain why your feature does not require a review. Your
  response will be posted as a comment on this review gate and it will
  generate a notification to the reviewers. The ${this.gate.team_name}
  reviewers will still evaluate whether to give an "N/A" response or do a
  review.
</p>
<sl-textarea ${n$2(this.rationaleRef)}></sl-textarea>
<sl-button
  slot="footer"
  variant="primary"
  size="small"
  @click=${this.handlePost}
  >Post</sl-button
>
`}render(){return x$1`
  <sl-dialog ${n$2(this.rationaleDialogRef)} label="Request an N/A">
    ${this.renderDialogContent()}
  </sl-dialog>

`}};__decorate$F([n$5({type:Object,attribute:!1})],ChromedashNaRationaleDialog.prototype,"gate",void
0),__decorate$F([n$5({attribute:!1})],ChromedashNaRationaleDialog.prototype,"resolve",void
0),ChromedashNaRationaleDialog=__decorate$F([t$3("chromedash-na-rationale-
dialog")],ChromedashNaRationaleDialog);var __decorate$E=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};let certifyDialogEl;function
shouldShowCertifyDialog(gate){return gate.self_certify_possible&&gate.self_certify_eligible}async
function maybeOpenCertifyDialog(gate,voteValue){return shouldShowCertifyDialog(gate)?new
Promise(resolve=>{openCertifyDialog(gate,voteValue,resolve)}):Promise.resolve()}async function
openCertifyDialog(gate,voteValue,resolve){certifyDialogEl||
(certifyDialogEl=document.createElement("chromedash-self-certify-
dialog"),document.body.appendChild(certifyDialogEl)),certifyDialogEl.gate=gate,certifyDialogEl.voteValu
e=voteValue,certifyDialogEl.resolve=resolve,await
certifyDialogEl.updateComplete,certifyDialogEl.show()}let ChromedashSelfCertifyDialog=class
ChromedashSelfCertifyDialog extends i$4{constructor(){super(...arguments),this.resolve=()=>
{console.log("Missing resolve action")}}static get styles(){return[...SHARED_STYLES,i$7`
  #prereqs-list li {
    margin-left: 8px;
    margin-bottom: 8px;
  }
  #prereqs-header {
    margin-bottom: 8px;
  }
  sl-button {
    float: right;
    margin: var(--content-padding-half);
  }
`]}show(){this.renderRoot.querySelector("sl-dialog)?.show()}hide()
{this.renderRoot.querySelector("sl-dialog)?.hide()}handleSelfCertify()
{this.resolve(!0),this.hide()}handleFullReview()
{this.resolve(!1),this.hide()}renderContentWhenEligible(){const
voteWord=this.voteValue===VOTE_OPTIONS.APPROVED[0]?"approval":"N/A";return x$1`
  <div id="prereqs-header">
    Based on your answers to the survey questions, you may self-certify an
    ${voteWord} for this gate. Alternatively, if you want to start a
    consultation with the review team, you may request a full review.
  </div>
<br />
<sl-button size="small" @click=${this.handleFullReview}
  >Request full review</sl-button
>
<sl-button size="small" variant="primary" @click=${this.handleSelfCertify}
  >Self-certify ${voteWord}</sl-button
>
`}render(){return void 0===this.gate?x$1`Loading gates...`:x$1` <sl-dialog label="Self-
certification">
  ${this.renderContentWhenEligible()}
</sl-dialog>`}};__decorate$E([n$5({type:Object})],ChromedashSelfCertifyDialog.prototype,"gate",void
0),__decorate$E([n$5({type:Number})],ChromedashSelfCertifyDialog.prototype,"voteValue",void
0),__decorate$E([n$5({attribute:!1})],ChromedashSelfCertifyDialog.prototype,"resolve",void
0),ChromedashSelfCertifyDialog=__decorate$E([t$3("chromedash-self-certify-
dialog")],ChromedashSelfCertifyDialog);var __decorate$D=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};let secondarySurveyDialogEl;function isTestingGate(gate)
{return gate.gate_type===GATE_TYPES.TESTING_PLAN||gate.gate_type===GATE_TYPES.TESTING_SHIP}function
shouldShowSecondarySurveyDialog(gate){return isTestingGate(gate)}async function
maybeOpenSecondarySurveyDialog(gate){return shouldShowSecondarySurveyDialog(gate)?new Promise(resolve=>
{openSecondarySurveyDialog(gate,resolve)}):Promise.resolve()}async function
openSecondarySurveyDialog(gate,resolve){secondarySurveyDialogEl||
(secondarySurveyDialogEl=document.createElement("chromedash-secondary-survey-
```

```
dialog"),document.body.appendChild(secondarySurveyDialogEl)),secondarySurveyDialogEl.gate=gate,secondar
ySurveyDialogEl.resolve=resolve,await
secondarySurveyDialogEl.updateComplete,secondarySurveyDialogEl.show())}let
ChromedashSecondarySurveyDialog=class ChromedashSecondarySurveyDialog extends i$4{constructor()
{super(...arguments),this.resolve=()=>{console.log("Missing resolve action")}}static get styles()
{return[...SHARED_STYLES,i$7`
  ol {
    padding-left: var(--content-padding-half);
  }

  ol li {
    margin-bottom: var(--content-padding);
  }
  sl-button {
    float: right;
    margin: var(--content-padding-half);
  }
`]}show(){this.renderRoot.querySelector("sl-dialog")?.show()}hide()
{this.renderRoot.querySelector("sl-dialog")?.hide()}generateTestingComment(){const
answer1=this.renderRoot.querySelector("#coverage").value,answer2=this.renderRoot.querySelector("#perfor
mance_tests").value,answer3=this.renderRoot.querySelector("#automation").value,answer4=this.renderRoot.
querySelector("#impact").value,commentText=`Survey answers:
> 1. Does your feature have sufficient automated
> test coverage (Unit tests, WPT, browser tests
> and other integration tests)?

${answer1}

> 2. How are performance tests conducted on
> Chromium builders?

${answer2}

> 3. Does this feature have non-automatable test
> cases that require manual testing? Do you have
> a plan to get them tested?

${answer3}

> 4. If your feature impacts Google products,
> please fill in go/chrome-wp-test-survey.

${answer4}
`;this.resolve(commentText)}handleGenerateComment()
{isTestingGate(this.gate)&&this.generateTestingComment(),this.hide()}renderTestingContent(){const
option1a="Yes. My feature met the minimum automated test coverage and health
requirements.",option1b="No. My feature does not meet the requirements.",option3a="No. All feature
related test cases are automated.",option3b="Yes. There are non-automatable test cases and I have
completed test execution or allocated resources to ensure the coverage of these test
cases.",option3c="Yes. There are non-automatable test cases and my feature impacts Google
products.";return x$1`
<ol>
  <li>
    <b>
      >Does your feature have sufficient automated test coverage (Unit
      tests, WPT, browser tests and other integration tests)?</b>
    >
    Chrome requires at least 70% automation code coverage (<a
      href="https://analysis.chromium.org/coverage/p/chromium"
      target="_blank"
      >dashboard</a>
    >) running on the main/release branch and 70% Changelist
    <a
href="https://chromium.googlesource.com/chromium/src/+/refs/heads/main/docs/testing/code_coverage_in_ge
rrit.md"
      target="_blank"
      >code coverage in Gerrit</a>
    >? Do the automated tests have more than 93% green (flakiness < 7%) on
    CQ and CI builders?

    <sl-radio-group id="coverage">
      <sl-radio value="${`Yes. My feature met the minimum automated test coverage and health
requirements.`}" size="small"> ${`Yes. My feature met the minimum automated test coverage and health
requirements.`} </sl-radio>
      <sl-radio value="${`option1b`}" size="small"> ${option1b} </sl-radio>
    </sl-radio-group>
  </li>

  <li>
    <b>How are performance tests conducted on Chromium builders?</b> List
    links to tests if any.

    <sl-textarea id="performance_tests" size="small" rows="2">
    </sl-textarea>
  </li>
```

```
<li>
  <b>
    >Does this feature have non-automatable test cases that require
    manual testing? Do you have a plan to get them tested?</b>
  >

  <sl-radio-group id="automation">
    <sl-radio value="{option3a}" size="small"> {option3a} </sl-radio>
    <sl-radio value="{option3b}" size="small"> {option3b} </sl-radio>
    <sl-radio value="{option3c}" size="small"> {option3c} </sl-radio>
  </sl-radio-group>
</li>

<li>
  <b>
    >If your feature impacts Google products, please fill in
    <a href="http://go/chrome-wp-test-survey" target="_blank">
      >go/chrome-wp-test-survey</a>
    >.</b>
  >
  Make a copy, answer the survey questions, and provide a link to your
  document here.
  <sl-textarea id="impact" size="small" rows="2"> </sl-textarea>
</li>
</ol>
`}>render(){return void 0===this.gate?x$1`Loading gates...`:x$1` <sl-dialog label="Additional
questions">
  ${isTestingGate(this.gate)?this.renderTestingContent():E$1}
  <div>
    <sl-button
      id="generate_button"
      size="small"
      variant="primary"
      @click=${this.handleGenerateComment}
      >Generate comment and request review</sl-button
    >
  </div>
</sl-
dialog>`}};__decorate$D([n$5({type:Object})],ChromedashSecondarySurveyDialog.prototype,"gate",void
0),__decorate$D([n$5({attribute:!1})],ChromedashSecondarySurveyDialog.prototype,"resolve",void
0),ChromedashSecondarySurveyDialog=__decorate$D([t$3("chromedash-secondary-survey-
dialog")],ChromedashSecondarySurveyDialog);var __decorate$C=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};let prevoteDialogEl;function findMissingFields(feature)
{const missingFields=[];return feature.web_feature&&"Missing
feature"!==feature.web_feature||missingFields.push({name:"Web
feature",field:"web_feature"}),missingFields}function
shouldShowPrevoteDialog(feature,pendingGates,gate,vote)
{return(0<pendingGates.length||0<findMissingFields(feature).length)&&gate.gate_type===GATE_TYPES.API_SHI
P&&vote===VOTE_OPTIONS.APPROVED[0]}async function
maybeOpenPrevoteDialog(feature,featureGates,stage,gate,vote){const
pendingGates=findPendingGates(featureGates,stage);return
shouldShowPrevoteDialog(feature,pendingGates,gate,vote)?new Promise(resolve=>
{openPrevoteDialog(feature,pendingGates,resolve)}):Promise.resolve()}async function
openPrevoteDialog(feature,pendingGates,resolve){prevoteDialogEl||
(prevoteDialogEl=document.createElement("chromedash-prevote-
dialog"),document.body.appendChild(prevoteDialogEl)),prevoteDialogEl.feature=feature,prevoteDialogEl.pe
ndingGates=pendingGates,prevoteDialogEl.resolve=resolve,await
prevoteDialogEl.updateComplete,prevoteDialogEl.show()}let ChromedashPrevoteDialog=class
ChromedashPrevoteDialog extends i$4{constructor(){super(...arguments),this.resolve=()=>>
{console.log("Missing resolve action")}}static get styles(){return[...SHARED_STYLES,i$7`
  #prereqs-list li {
    margin-left: 8px;
    margin-bottom: 8px;
  }
  #prereqs-header {
    margin-bottom: 8px;
  }
  sl-button {
    float: right;
    margin: var(--content-padding-half);
  }
`]}show(){this.renderRoot.querySelector("sl-dialog")?.show()}hide()
{this.renderRoot.querySelector("sl-dialog")?.hide()}handleCancel(){this.hide()}handleProceed()
{this.resolve(),this.hide()}renderGateItem(gate){return x$1`
  <li>
    <a
      href="/feature/${gate.feature_id}?gate=${gate.id}"
      @click=${this.hide}
      >${gate.team_name}</a>
    >
  </li>
```

```
`}renderGatesSection(){return void 0===this.pendingGates?x$1` Loading
gates...` :0===this.pendingGates.length?E$1:x$1`
  <div id="gates-header">The following gates are missing approvals:</div>
  <ul id="gates-list">
    ${this.pendingGates.map(gate=>this.renderGateItem(gate))}
  </ul>
  <br />
`}renderEditLink(item){return x$1`
  <a
    class="edit-progress-item"
    href="/guide/stage/${this.feature.id}/metadata#id_${item.field}"
    @click=${this.hide}
  >
    Edit
  </a>
`}renderFieldItem(item){return x$1` <li class="pending">
  Metadata: ${item.name} ${this.renderEditLink(item)}
</li>`}renderFieldsSection(){const missingFields=findMissingFields(this.feature);return
0===missingFields.length?E$1:x$1`
  <div id="fields-header">
    The following prerequisite fields are missing:
  </div>
  <ul id="fields-list">
    ${missingFields.map(mf=>this.renderFieldItem(mf))}
  </ul>
  <br />
`}render(){return x$1` <sl-dialog label="Prerequisites for API Owner approval">
  ${this.renderFieldsSection()} ${this.renderGatesSection()}
  <sl-button size="small" @click=${this.handleProceed}
    >Approve anyway</sl-button>
  >
  <sl-button size="small" variant="warning" @click=${this.handleCancel}
    >Don't approve yet</sl-button>
  >
</sl-dialog>`;};__decorate$C([n$5({type:Object})],ChromedashPrevoteDialog.prototype,"feature",void
0),__decorate$C([n$5({type:Array})],ChromedashPrevoteDialog.prototype,"pendingGates",void
0),__decorate$C([n$5({attribute:!1})],ChromedashPrevoteDialog.prototype,"resolve",void
0),ChromedashPrevoteDialog=__decorate$C([t$3("chromedash-prevote-dialog")],ChromedashPrevoteDialog);var
__decorate$B=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r,r);let ChromedashGateColumn=class ChromedashGateColumn
extends i$4{constructor()
{super(...arguments),this.voteSelectRef=e$1(),this.commentAreaRef=e$1(),this.postToThreadRef=e$1(),this
.assigneeSelectRef=e$1(),this.votes=[],this.comments=
[],this.needsSave=!1,this.showSaved=!1,this.submittingComment=!1,this.submittingVote=!1,this.needsPost=
!1,this.loading=!0}static get styles(){return[...SHARED_STYLES,i$7`
  #close-button {
    font-size: 2em;
    position: absolute;
    top: var(--content-padding-quarter);
    right: var(--content-padding-quarter);
  }

  #review-status-area {
    margin: var(--content-padding-half) 0;
  }

  .status {
    display: flex;
    gap: var(--content-padding-half);
    align-items: center;
    font-weight: 500;
  }

  sl-icon {
    font-size: 1.3rem;
  }

  .approved {
    color: var(--gate-approved-color);
  }

  .approved sl-icon {
    color: var(--gate-approved-icon-color);
  }

  .denied {
    color: var(--gate-denied-color);
  }

  .denied sl-icon {
    color: var(--gate-denied-icon-color);
  }

  #slo-area sl-icon {
    font-size: 16px;
    vertical-align: text-bottom;
    color: var(--unimportant-text-color);
  }

  .overdue,
  #slo-area .overdue sl-icon {
```



```

    color: var(--slo-overdue-color);
  }

  .process-notice {
    margin: var(--content-padding-half) 0;
    padding: var(--content-padding-half);
    background: var(--light-accent-color);
    border-radius: 8px;
  }

  #votes-area {
    margin: var(--content-padding) 0;
  }
  #votes-area table {
    border-spacing: var(--content-padding-half) var(--content-padding);
  }
  #votes-area th {
    font-weight: 500;
  }
  table .your-vote {
    font-style: italic;
    white-space: nowrap;
  }

  .instructions {
    padding: var(--content-padding-half);
    margin-bottom: var(--content-padding-large);
  }

  #controls {
    padding: var(--content-padding);
    text-align: right;
    display: flex;
    justify-content: space-between;
    align-items: center;
  }
  #controls * + * {
    padding-left: var(--content-padding);
  }
`}}setContext(feature,stageId,gate){this.loading=!0,this.feature=feature,this.gate=gate;const
featureId=this.feature.id;Promise.all([window.csClient.getFeatureProgress(featureId),window.csClient.ge
tFeatureProcess(featureId),window.csClient.getStage(featureId,stageId),window.csClient.getVotes(feature
Id,null),window.csClient.getComments(featureId,gate.id)]).then(([progress,process,stage,votesRes,commen
tRes])=>
{this.progress=progress,this.process=process,this.stage=stage,this.votes=votesRes.votes.filter(v=>v.gat
e_id==this.gate.id),this.comments=commentRes.comments,this.needsSave=!1,this.showSaved=!1,this.submitti
ngComment=!1,this.submittingVote=!1,this.needsPost=!1,this.loading=!1}).catch(()=>
{showToastMessage("Some errors occurred. Please refresh the page or try again
later."),this.handleCancel()})}reloadComments(){const
commentArea=this.commentAreaRef.value;commentArea&&
(commentArea.value=""),this.needsPost=!1,Promise.all([window.csClient.getComments(this.feature.id,this.
gate.id)]).then(([commentRes])=>{this.comments=commentRes.comments}).catch(()=>{showToastMessage("Some
errors occurred. Please refresh the page or try again later."),this.handleCancel()})}refetch(){const
featureId=this.feature.id;Promise.all([window.csClient.getGates(featureId),window.csClient.getVotes(fea
tureId,null),window.csClient.getComments(featureId,this.gate.id)]).then(([gatesRes,votesRes,commentRes]
)=>{for(const g of gatesRes.gates)g.id==this.gate.id&&
(this.gate=g);this.votes=votesRes.votes.filter(v=>v.gate_id==this.gate.id),this.comments=commentRes.com
ments,this.needsSave=!1}).catch(()=>{showToastMessage("Some errors occurred. Please refresh the page or
try again later."),this.handleCancel()})}_fireEvent(eventName,detail){const event=new
CustomEvent(eventName,{bubbles:!0,composed:!0,detail});this.dispatchEvent(event)}checkNeedsPost(){let
newNeedsPost=!1;const
commentArea=this.commentAreaRef.value,newVal=commentArea&&commentArea.value.trim()||"";""!=newVal&&
(newNeedsPost=!0),this.needsPost=newNeedsPost}handlePost(){const
commentArea=this.commentAreaRef.value,commentText=commentArea?.value.trim(),postToThreadType=this.postT
oThreadRef.value?.checked?this.gate.gate_type:0;this.postComment(commentText,postToThreadType)}async
postComment(commentText,postToThreadType=0){this.submittingVote=!0,""!=commentText&&(await
window.csClient.postComment(this.feature.id,this.gate.id,commentText,+postToThreadType).then(()=>
{this.reloadComments(),this.submittingVote=!1}).catch(()=>{showToastMessage("Some errors occurred.
Please refresh the page or try again later."),this.submittingVote=!1}))}handleSelectChanged()
{this.needsSave=!0,this.showSaved=!1}saveVote(){this.submittingComment=!0;const
vote=+this.voteSelectRef.value.value;window.csClient.setVote(this.feature.id,this.gate.id,vote).then(()
=>{this.needsSave=!1,this.showSaved=!0,this.submittingComment=!1,this._fireEvent("refetch-needed",
{}})).catch(()=>{showToastMessage("Some errors occurred. Please refresh the page or try again
later."),this.submittingComment=!1})}handleSave()
{Promise.all([window.csClient.getGates(this.feature.id)]).then(([gatesRes])=>
{this.featureGates=gatesRes.gates;const
vote=+this.voteSelectRef.value.value;maybeOpenPrevoteDialog(this.feature,this.featureGates,this.stage,t
his.gate,vote).then(()=>{this.saveVote()})}).catch(()=>{showToastMessage("Some errors occurred. Please
refresh the page or try again later.")})}handleCancel(){this._fireEvent("close",
{}})renderHeadingsSkeleton(){return x$1`
  <h3 class="sl-skeleton-header-container" style="width: 60%">
    <sl-skeleton effect="sheen"></sl-skeleton>
  </h3>
  <h2
    class="sl-skeleton-header-container"
    style="margin-top: 4px; width: 75%"
```

```

    <sl-skeleton effect="sheen"></sl-skeleton>
  </h2>
  `}renderHeadings(){const
processStage=findProcessStage(this.stage,this.process),processStageName=processStage?
processStage.name:E$1;return x$1`
    <h3>${processStageName}</h3>
    <h2>${this.gate.team_name}</h2>
  `}renderReviewStatusSkeleton(){return x$1`
    <h3 class="sl-skeleton-header-container">
      Status: <sl-skeleton effect="sheen"></sl-skeleton>
    </h3>
  `}async handleReviewRequested(){const
featureId=this.feature.id;window.csClient.getGates(featureId).then(gatesRes=>{for(const g of
gatesRes.gates)g.id==this.gate.id&&
(this.gate=g);maybeOpenCertifyDialog(this.gate,VOTE_NA_SELF).then(selfCertifying=>{selfCertifying?
this.handleSelfCertify(VOTE_NA_SELF):maybeOpenSecondarySurveyDialog(this.gate).then(commentText=>
{commentText&&this.postComment(commentText),this.handleFullReviewRequest()})})})}async
handleNAResponseRequested(){const featureId=this.feature.id;window.csClient.getGates(featureId).then(gatesRes=>
{for(const g of gatesRes.gates)g.id==this.gate.id&&
(this.gate=g);maybeOpenCertifyDialog(this.gate,VOTE_NA_SELF).then(selfCertifying=>{selfCertifying?
this.handleSelfCertify(VOTE_NA_SELF):this.handleFullNAResponseRequested()})})}handleFullNAResponseRequested()
{openNaRationaleDialog(this.gate).then(rationale=>{this.handleNAResponseSubmitted(rationale)})}async
handleFullReviewRequest(){await
window.csClient.setVote(this.feature.id,this.gate.id,GATE_REVIEW_REQUESTED),this._fireEvent("refetch-
needed",{}})async handleSelfCertify(voteValue){await
window.csClient.setVote(this.feature.id,this.gate.id,voteValue);const commentText="This \"N/A\" was
self-certified.";await this.postComment("This \"N/A\" was self-certified."),this._fireEvent("refetch-
needed",{}})async handleNAResponseSubmitted(rationale){await
window.csClient.setVote(this.feature.id,this.gate.id,GATE_NA_REQUESTED);const commentText="An \"N/A\"
response is requested because: "+rationale;await
this.postComment(commentText),this._fireEvent("refetch-needed",{}})userCanRequestReview(){return
this.user&&
(this.user.can_edit_all||this.user.editable_features.includes(this.feature.id))}userCanVote(){return
this.user&&this.user.approvable_gate_types.includes(this.gate.gate_type)}renderAction(processStage,acti
on){const label=action.name,url=action.url.replace("{feature_id}",this.feature.id).replace("
{gate_id}",this.gate.id||0),checkCompletion=
(=>somePendingPrereqs(action,this.progress)||somePendingGates(this.featureGates,this.stage)?void
openPreflightDialog(this.feature,this.progress,this.process,action,processStage,this.stage,this.feature
Gates,url):void setTimeout(=>{const
draftWindow=window.open(url,"_blank");draftWindow.focus()}),loadThenCheckCompletion=(=>
{Promise.all([window.csClient.getGates(this.feature.id)]).then([gatesRes])=>
{this.featureGates=gatesRes.gates,checkCompletion()}).catch(=>{showToastMessage("Some errors
occurred. Please refresh the page or try again later.")})});return x$1`
    <sl-button
      @click=${loadThenCheckCompletion}
      size="small"
      variant="primary"
    >${label}</sl-button>
  >
  `}renderReviewStatusPreparing(){if(!this.userCanRequestReview())return x$1` Review has not been
requested yet. `;const processStage=findProcessStage(this.stage,this.process);return
0<processStage?.actions?.length&&"API Owners"==this.gate.team_name?
processStage.actions.map(act=>this.renderAction(processStage,act)):x$1`
    <sl-button
      size="small"
      variant="primary"
      @click=${this.handleReviewRequested}
    >Request review</sl-button>
  >
  <sl-button size="small" @click=${this.handleNAResponseRequested}
  >Request N/A</sl-button>
  >
  `}renderReviewStatusNeedsWork(){const rereviewButton=this.userCanRequestReview()?x$1`
    <div>
      <sl-button
        size="small"
        variant="primary"
        @click=${this.handleReviewRequested}
      >Re-request review</sl-button>
    </div>
  `:E$1;return x$1`
  <div>Reviewer has indicated a need for rework.</div>
  ${rereviewButton}
  `}renderReviewRequest(){for(const v of
this.votes)if(v.state===GATE_REVIEW_REQUESTED||v.state===GATE_NA_REQUESTED){const
shortVoter=v.set_by.split("@")[0]+"@";return x$1`
    ${shortVoter} requested on
    ${renderAbsoluteDate(this.gate.requested_on)}
    ${renderRelativeDate(this.gate.requested_on)}
  `}return E$1}renderReviewStatusApproved(){return x$1`
  <div class="status approved">
    <sl-icon library="material" name="check_circle_filled_20px"></sl-icon>
    Approved
  </div>

```

```
`}renderReviewStatusNa(){return x$1`
  <div class="status approved">
    <sl-icon library="material" name="check_circle_filled_20px"></sl-icon>
    N/a
  </div>
`}renderReviewStatusNaSelf(){return x$1`
  <div class="status approved">
    <sl-icon library="material" name="check_circle_filled_20px"></sl-icon>
    N/a (self-certified)
  </div>
`}renderReviewStatusNaVerified(){return x$1`
  <div class="status approved">
    <sl-icon library="material" name="check_circle_filled_20px"></sl-icon>
    N/a (self-certified then verified)
  </div>
`}renderReviewStatusDenied(){return x$1`
  <div class="status denied">
    <sl-icon library="material" name="block_20px"></sl-icon>
    Denied
  </div>
`}renderReviewStatus(){return this.gate.state==GATE_PREPARING?
this.renderReviewStatusPreparing():this.gate.state==VOTE_OPTIONS.NEEDS_WORK[0]?
this.renderReviewStatusNeedsWork():this.gate.state==VOTE_OPTIONS.NA[0]?
this.renderReviewStatusNa():this.gate.state==VOTE_NA_SELF?
this.renderReviewStatusNaSelf():this.gate.state==VOTE_NA_VERIFIED?
this.renderReviewStatusNaVerified():this.gate.state==VOTE_OPTIONS.APPROVED[0]?
this.renderReviewStatusApproved():this.gate.state==VOTE_OPTIONS.DENIED[0]?
this.renderReviewStatusDenied():E$1}renderSLOStatusSkeleton(){return x$1`
  <details>
    <summary>SLO initial response:</summary>
    Loading...
  </details>
  <details>
    <summary>SLO resolution:</summary>
    Loading...
  </details>
  `}dayPhrase(count){return count+" "+(1==count?" day":" days")}renderSLOSummary(limit,remaining,took)
{if("number"==typeof took)return x$1`took ${this.dayPhrase(took)}`;if("number"==typeof remaining){let
msg=x$1`due today`,className="";return 0<remaining?msg=x$1`${this.dayPhrase(remaining)}
remaining`:0>remaining&&(className="overdue",msg=x$1`${this.dayPhrase(-remaining)} overdue`),x$1`
  <span class="${className}">
    <sl-icon library="material" name="clock_loader_60_20px"></sl-icon>
    ${msg}
  </span>
  `}return"number"==typeof limit?x$1`${this.dayPhrase(limit)} allowed`:E$1}renderSLOStatus(){const
initialLimit=this.gate?.slo_initial_response,initialRemaining=this.gate?.slo_initial_response_remaining
,initialTook=this.gate?.slo_initial_response_took,resolveLimit=this.gate?.slo_resolve,resolveRemaining=
this.gate?.slo_resolve_remaining,resolveTook=this.gate?.slo_resolve_took,needsWorkStartedOn=this.gate?.
needs_work_started_on,initialLine=x$1`
  <details>
    <summary>
      SLO initial response:
      ${this.renderSLOSummary(initialLimit,initialRemaining,initialTook)}
    </summary>
    Reviewers are encouraged to provide an initial review status update or a
    comment within this number of weekdays.
  </details>
  `;let resolveLine=x$1`
  <details>
    <summary>
      SLO resolution:
      ${this.renderSLOSummary(resolveLimit,resolveRemaining,resolveTook)}
    </summary>
    Reviewers are encouraged to resolve the review within this number of
    weekdays. If a reviewer responds with "Needs work", this clock pauses
    until a feature owner clicks "Re-request review".
  </details>
  `,needsWorkLine=E$1;return"string"==typeof needsWorkStartedOn&&(resolveLine=E$1,needsWorkLine=x$1`
  <details>
    <summary>
      SLO resolution: Needs work since ${needsWorkStartedOn.split(" ")[0]}
    </summary>
    A reviewer has asked the feature owner to do needed work. Check the
    comments for a description of the needed work. The SLO clock is paused
    until a feature owner clicks "Re-request review".
  </details>
  `),x$1`${initialLine} ${resolveLine} ${needsWorkLine}`}renderGateRationale(){const
rationale=GATE_RATIONALE[this.gate?.gate_type];return rationale?x$1`
  <details>
    <summary>Why this gate?</summary>
    ${rationale}
  </details>
  `:E$1}renderWarnings(){return this.gate&&["Privacy","WP Security"].includes(this.gate.team_name)?
x$1`
  <div class="process-notice">
    Googlers: Please follow the instructions at
```

```

    <a
      href="https://goto.corp.google.com/wp-launch-guidelines"
      target="_blank"
      rel="noopener"
    >go/wp-launch-guidelines</a>
  >
  (internal document) to determine whether you also require an internal
  review.
</div>
` :E$1}renderVotesSkeleton(){return x$1`
<table>
  <tr>
    <th>Reviewer</th>
    <th>Review status</th>
  </tr>
  <tr>
    <td><sl-skeleton effect="sheen"></sl-skeleton></td>
    <td><sl-skeleton effect="sheen"></sl-skeleton></td>
  </tr>
</table>
` }findStateName(state){if(state==GATE_REVIEW_REQUESTED)return"Review
requested";if(state==VOTE_NA_SELF)return"N/a (self-certified)";if(state==VOTE_NA_VERIFIED)return"N/a
(verified)";for(const item of Object.values(VOTE_OPTIONS))if(item[0]==state)return item[1];return`State
${state}`}renderVoteReadOnly(vote){return this.findStateName(vote.state)}renderVoteMenu(state){return
x$1`
  <sl-select
    name="${this.gate.id}"
    value="${state}"
    ${n$2(this.voteSelectRef)}
    @sl-change=${this.handleSelectChanged}
    hoist
    size="small"
  >
    ${this.votes.some(v=>v.state===VOTE_NA_SELF||v.state===VOTE_NA_VERIFIED)?x$1` <sl-option
value="${VOTE_NA_VERIFIED}"
  >N/a verified</sl-option
  >` :E$1}
    ${Object.values(VOTE_OPTIONS).map(valName=>x$1` <sl-option value="${valName[0]}">${valName[1]}
</sl-option>`)}
  </sl-select>
` }renderSaveButton(){return x$1`
  <sl-button
    size="small"
    variant="primary"
    @click=${this.handleSave}
    ?disabled=${this.submittingComment}
  >Save</sl-button>
  >
  ` }renderVoteRow(vote,canVote){const shortVoter=vote.set_by.split("@")[0]+"@";let
saveButton=E$1,voteCell=this.renderVoteReadOnly(vote);return canVote&&vote.set_by==this.user?.email&&
(voteCell=this.renderVoteMenu(vote.state),this.needsSave?
saveButton=this.renderSaveButton():this.showSaved&&(saveButton=x$1` <b>Saved</b>` )),x$1`
  <tr>
    <td title=${vote.set_by}>${shortVoter}</td>
    <td>${voteCell}</td>
    <td>${saveButton}</td>
  </tr>
  ` }renderAddVoteRow(){const
assignedToMe=this.gate.assigned_emails.includes(this.user.email),shortVoter=this.user.email.split("@")
[0]+"@",yourLabel=assignedToMe?x$1` <td title=${this.user.email}>${shortVoter}</td>` :x$1` <td
class="your-vote">Awaiting
review</td>`,voteCell=this.renderVoteMenu(VOTE_OPTIONS.NO_RESPONSE[0]),saveButton=this.needsSave?
this.renderSaveButton():E$1;return x$1`
  <tr>
    ${yourLabel}
    <td>${voteCell}</td>
    <td>${saveButton}</td>
  </tr>
  ` }renderPendingVote(assigneeEmail){const shortVoter=assigneeEmail.split("@")[0]+"@";return x$1`
  <tr>
    <td title=${assigneeEmail}>${shortVoter}</td>
    <td>No response yet</td>
    <td></td>
  </tr>
  ` }saveAssignedReviewer(){const
assignee=this.assigneeSelectRef.value?.value,assigneeList=""===assignee?[]:
[assignee];window.csClient.updateGate(this.feature.id,this.gate.id,assigneeList).then(()=>this._fireEve
nt("refetch-needed",{}))}renderAssignReviewerControls()
{if(!this.userCanRequestReview())&&!this.userCanVote())return
E$1;if(this.gate.state===VOTE_OPTIONS.APPROVED[0])return E$1;const
currentAssignee=0<this.gate.assigned_emails?.length?this.gate.assigned_emails[0]:"";return x$1`
  <details>
    <summary>Assign a reviewer</summary>
    <sl-select
      hoist
      size="small"

```

```

    ${n$2(this.assigneeSelectRef)}
    value=${currentAssignee}
  >
    <sl-option value="">None</sl-option>
    ${this.gate.possible_assignee_emails.map(email=>x$1` <sl-option value="${email}">${email}
</sl-option>`)}
  </sl-select>
  <sl-button
    size="small"
    variant="primary"
    @click=${()=>this.saveAssignedReviewer()}
  >Assign</sl-button>
  >
</details>
`}isReviewRequest(vote){return
vote.state===GATE_REVIEW_REQUESTED||vote.state===GATE_NA_REQUESTED}renderVotes(){const
canVote=this.userCanVote(),responses=this.votes.filter(v=>!this.isReviewRequest(v)),responseEmails=resp
onses.map(v=>v.set_by),othersPending=this.gate.assignee_emails.filter(ae=>!responseEmails.includes(ae)&
&ae!=this.user?.email),myResponseExists=responses.some(v=>v.set_by==this.user?.email),addVoteRow=canVot
e&&!myResponseExists?
this.renderAddVoteRow():E$1,assignControls=this.renderAssignReviewerControls();return
canVote||0!==responses.length||0!==othersPending.length?x$1`
  <table>
    <tr>
      <th>Reviewer</th>
      <th>Review status</th>
    </tr>
    ${responses.map(v=>this.renderVoteRow(v,canVote))}
    ${othersPending.map(ae=>this.renderPendingVote(ae))} ${addVoteRow}
  </table>
  ${assignControls}
  `:x$1`
  <p>No review activity yet.</p>
  ${assignControls}
  `}renderCommentsSkeleton(){return x$1`
  <h2>Comments</h2>
  <sl-skeleton effect="sheen"></sl-skeleton>
  `}gateHasIntentThread(){return"API Owners"===this.gate.team_name}canPostTo(threadArchiveUrl){return
threadArchiveUrl&&(threadArchiveUrl.startsWith("https://groups.google.com/a/chromium.org/d/msgid/blink-
dev/"))||threadArchiveUrl.startsWith("https://groups.google.com/d/msgid/jrobbins-
test"))}renderControls(){const
canComment=this.user?.can_comment||this.userCanRequestReview();if(!canComment)return E$1;const
postButton=x$1`
  <sl-button
    variant="primary"
    @click=${this.handlePost}
    ?disabled=${!this.needsPost||this.submittingVote}
    size="small"
  >Post</sl-button>
  >
  `,checkboxLabel=this.stage.intent_thread_url?x$1`
  Also post to
  <a href=${this.stage.intent_thread_url} target="_blank"
  >intent thread</a>
  >
  `:"Also post to intent thread",postToThreadCheckbox=this.gateHasIntentThread()?x$1`
  <sl-checkbox
    ${n$2(this.postToThreadRef)}
    ?disabled=${!this.canPostTo(this.stage.intent_thread_url)}
    size="small"
  >${checkboxLabel}</sl-checkbox>
  >
  `:E$1,escalation=this.gate.escalation_email?x$1`If needed, you can
  <a href="mailto:${this.gate.escalation_email}" target="_blank"
  >email the team directly</a>
  >.`:E$1;return x$1`
<sl-textarea
  id="comment_area"
  rows="2"
  cols="40"
  resize="auto"
  ${n$2(this.commentAreaRef)}
  @sl-change=${this.checkNeedsPost}
  @keypress=${this.checkNeedsPost}
  placeholder="Add a comment"
></sl-textarea>
<div id="controls">${postButton} ${postToThreadCheckbox}</div>
<div class="instructions">
  Comments will be visible publicly. Only reviewers will be notified when
  a comment is posted. ${escalation}
</div>
`}renderComments(){return x$1`
  <h2>Comments</h2>
  ${this.renderControls()}
  <chromedash-activity-log
    .user=${this.user}
  >
```

```

    .featureId=${this.feature.id}
    .narrow=${!0}
    .reverse=${!0}
    .comments=${this.comments}
  >
</chromedash-activity-log>
` }render(){return x$1`
  <sl-icon-button
    title="Close"
    name="x"
    id="close-button"
    @click=${()=>this.handleCancel()}
  ></sl-icon-button>

  ${this.loading?this.renderHeadingsSkeleton():this.renderHeadings()}

  <div id="review-status-area">
    ${this.loading?this.renderReviewStatusSkeleton():this.renderReviewStatus()}
    ${this.renderReviewRequest()}
  </div>
  <div id="slo-area">
    ${this.loading?this.renderSLOStatusSkeleton():this.renderSLOStatus()}
    ${this.renderGateRationale()}
  </div>

  ${this.renderWarnings()}

  <div id="votes-area">
    ${this.loading?this.renderVotesSkeleton():this.renderVotes()}
  </div>

  <chromedash-survey-questions
    .loading=${this.loading}
    .user=${this.user}
    .feature=${this.feature}
    .gate=${this.gate}
  ></chromedash-survey-questions>
  ${this.loading?this.renderCommentsSkeleton():this.renderComments()}
`}};__decorate$B([n$5({type:Object}),ChromedashGateColumn.prototype,"user",void
0),__decorate$B([r$6(),ChromedashGateColumn.prototype,"feature",void
0),__decorate$B([r$6(),ChromedashGateColumn.prototype,"featureGates",void
0),__decorate$B([r$6(),ChromedashGateColumn.prototype,"stage",void
0),__decorate$B([r$6(),ChromedashGateColumn.prototype,"gate",void
0),__decorate$B([r$6(),ChromedashGateColumn.prototype,"progress",void
0),__decorate$B([r$6(),ChromedashGateColumn.prototype,"process",void
0),__decorate$B([r$6(),ChromedashGateColumn.prototype,"votes",void
0),__decorate$B([r$6(),ChromedashGateColumn.prototype,"comments",void
0),__decorate$B([r$6(),ChromedashGateColumn.prototype,"needsSave",void
0),__decorate$B([r$6(),ChromedashGateColumn.prototype,"showSaved",void
0),__decorate$B([r$6(),ChromedashGateColumn.prototype,"submittingComment",void
0),__decorate$B([r$6(),ChromedashGateColumn.prototype,"submittingVote",void
0),__decorate$B([r$6(),ChromedashGateColumn.prototype,"needsPost",void
0),__decorate$B([r$6(),ChromedashGateColumn.prototype,"loading",void
0),ChromedashGateColumn=__decorate$B([t$3("chromedash-gate-column"),ChromedashGateColumn]);const u=
(e,s,t)=>{const r=new Map;for(let l=s;l<=t;l++)r.set(e[l],l);return r},c=e$3(class extends
i$3{constructor(e){if(super(e),e.type!==t.CHILD)throw Error("repeat() can only be used in text
expressions")}}dt(e,s,t){let r;void 0===t?t=s:void 0!==(s&&(r=s));const l=[],o=[];let i=0;for(const s of
e)l[i]=r?r(s,i):i,o[i]=t(s,i),i++;return{values:o,keys:l}}render(e,s,t){return
this.dt(e,s,t).values}update(s,[t,r,c]){const d=p(s),
{values:p$1,keys:a}=this.dt(t,r,c);if(!Array.isArray(d))return this.ut=a,p$1;const h=this.ut?=[],v=
[];let x=0,j=d.length-1,k=0,w=p$1.length-1,m,y;for(;x<=j&&k<=w;)if(null===d[x])x++;else
if(null===d[j])j--;else if(h[x]===a[k])v[k]=v$1(d[x],p$1[k]),x++,k++;else
if(h[j]===a[w])v[w]=v$1(d[j],p$1[w]),j--,w--;else
if(h[x]===a[w])v[w]=v$1(d[x],p$1[w]),s$1(s,v[w+1],d[x]),x++,w--;else
if(h[j]===a[k])v[k]=v$1(d[j],p$1[k]),s$1(s,d[x],d[j]),j--,k++;else if(!(void 0===m&&
(m=u(a,k,w),y=u(h,x,j)),m.has(h[x])))M$1(d[x]),x++;else if(m.has(h[j])){const e=y.get(a[k]),t=void
0===e?null:d[e];if(null===t){const e=s$1(s,d[x]);v$1(e,p$1[k]),v[k]=e}else
v[k]=v$1(t,p$1[k]),s$1(s,d[x],t),d[e]=null;k++}else M$1(d[j]),j--;for(;k<=w;){const
e=s$1(s,v[w+1]);v$1(e,p$1[k]),v[k++]=e}for(;x<=j;){const e=d[x++];null!==(e&&M$1(e))return
this.ut=a,m$1(s,v),T$1}};var __decorate$A=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3<c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r;let ChromedashGuideEditallPage=class
ChromedashGuideEditallPage extends i$4{constructor()
{super(...arguments),this.featureId=0,this.appTitle="",this.nextStageToCreateId=0,this.loading=!0,this.
submitting=!1,this.previousStageTypeRendered=0,this.sameTypeRendered=0,this.fieldValues=
[],this.shippingInfo={closestShippingDate:"",hasShipped:!1,isUpcoming:!1}}static get styles()
{return[...SHARED_STYLES,...FORM_STYLES,i$7`
  .enterprise-help-text > *,
  .enterprise-help-text li {
    margin: revert;
    padding: revert;
  }
`}}connectedCallback(){super.connectedCallback(),this.fetchData()}fetchData()
```

```
{this.loading=!0,Promise.all([window.csClient.getFeature(this.featureId),window.csClient.getChannels()])
).then(async([feature,channels])=>{this.feature=feature,this.feature.name&&
(document.title=`${this.feature.name} - ${this.appTitle}`),this.shippingInfo=await
findClosestShippingDate(channels,feature.stages),this.loading=!1}).catch(()=>{showToastMessage("Some
errors occurred. Please refresh the page or try again later.")})}disconnectedCallback()
{super.disconnectedCallback(),document.title=this.appTitle}async registerHandlers(el)
{if(!el)return;await el.updateComplete;const
hiddenTokenField=this.renderRoot.querySelector("input[name=token]");hiddenTokenField.form?.addEventListener("submit",event=>
{this.handleFormSubmit(event,hiddenTokenField)}),setupScrollToHash(this)}handleFormSubmit(e,hiddenToken
Field){e.preventDefault(),this.submitting=!0;const
submitBody=formatFeatureChanges(this.fieldValues,this.featureId);window.csClient.ensureTokenIsValid().t
hen(()=>
(hiddenTokenField.value=window.csClient.token,window.csClient.updateFeature(submitBody))).then(()=>
{window.location.href=this.getNextPage()}).catch(()=>{this.submitting=!1,showToastMessage("Some errors
occurred. Please refresh the page or try again later.")})}handleFormFieldUpdate(event){const
value=event.detail.value,index=event.detail.index;if(index>=this.fieldValues.length)throw new
Error("Out of bounds index when updating field
values.");this.fieldValues[index].touched=!0,this.fieldValues[index].value=value}handleCancelClick()
{window.location.href=`/feature/${this.featureId}`}renderSkeletons(){return x$1`
  <h3><sl-skeleton effect="sheen"></sl-skeleton></h3>
  <section class="flat_form">
    <h3><sl-skeleton effect="sheen"></sl-skeleton></h3>
    <p>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
    </p>
  </section>
  <h3><sl-skeleton effect="sheen"></sl-skeleton></h3>
  <section class="flat_form">
    <h3><sl-skeleton effect="sheen"></sl-skeleton></h3>
    <p>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
    </p>
  </section>
` }getNextPage(){return`/feature/${this.featureId}`}renderSubheader(){return x$1`
  <div id="subheader">
    <h2 id="breadcrumbs">
      <a href=${this.getNextPage()}>
        <sl-icon name="arrow-left"></sl-icon>
        Edit feature: ${this.loading?"loading...":this.feature.name}
      </a>
    </h2>
  </div>
` }getStageForm(stageType){return
FORMS_BY_STAGE_TYPE[stageType]||null}getHelpTextForStage(stageType){return
stageType===STAGE_ENT_ROLLOUT?x$1`
  <section class="enterprise-help-text">
    <h3>Rollout steps</h3>
    <p>
      The enterprise release notes focus on changes to the stable
      channel. Please add a stage for each milestone where something is
      changing on the stable channel. For finch rollouts, use the
      milestone where the rollout starts.
    </p>
    <p>
      For example, you may only have a single stage where you roll out
      to 100% of users on milestone N.
    </p>
    <p>A more complex example might look like this:</p>
    <ul>
      <li>
        On milestone N-1, you introduce a flag for early testing of an
        upcoming change, or start a deprecation origin trial
      </li>
      <li>
        On milestone N, you start a finch rollout of a feature at 1% and
        introduce an enterprise policy for it
      </li>
      <li>On milestone N+3, you remove the enterprise policy</li>
    </ul>
  </section>
` :E$1}renderStageSection(formattedFeature,sectionBaseName,feStage,stageFields,featureFieldsDisplayed)
{if(!stageFields)return E$1;let
numberDifferentiation="";this.previousStageTypeRendered&&this.previousStageTypeRendered===feStage.stage
_type?(this.sameTypeRendered+=1,numberDifferentiation=` ${this.sameTypeRendered}`):
(this.previousStageTypeRendered=feStage.stage_type,this.sameTypeRendered=1);let
sectionName=`${sectionBaseName}${numberDifferentiation}`;feStage.display_name&&
(sectionName=`${sectionBaseName}: ${feStage.display_name}`);const formFieldEls=stageFields.map(field=>
{const
```

```
featureJSONKey=ALL_FIELDS[field].name||field;if("display_name"===featureJSONKey&&!shouldShowDisplayName
Field(this.feature.stages,feStage.stage_type))return E$1;let
value=formattedFeature[field],stageId=null;if(STAGE_SPECIFIC_FIELDS.has(featureJSONKey))value=getStageV
alue(feStage,featureJSONKey),stageId=feStage.id;else
if(featureFieldsDisplayed.has(featureJSONKey))return E$1;const index=this.fieldValues.length;return
this.fieldValues.push({name:featureJSONKey,touched:!1,value,stageId}),featureFieldsDisplayed.add(featur
eJSONKey),x$1`
  <chromedash-form-field
    name=${field}
    index=${index}
    stageId=${stageId??0}
    value=${value}
    disabledReason="${getDisabledHelpText(field,feStage)}"
    .fieldValues=${this.fieldValues}
    .feature=${formattedFeature}
    ?forEnterprise=${formattedFeature.is_enterprise_feature}
    @form-field-update="${this.handleFormFieldUpdate}"
    class="${"enterprise_product_category"===field?"choices":""}"
  >
</chromedash-form-field>

`)),id=`${STAGE_SHORT_NAMES[feStage.stage_type]}|"metadata"${this.sameTypeRendered}`.toLowerCase(),isE
nterpriseFeatureRollout=formattedFeature.is_enterprise_feature&&feStage.stage_type===STAGE_ENT_ROLLOUT;
return{id:feStage.id,item:x$1`
  ${renderHTMLIf(!isEnterpriseFeatureRollout,x$1`<h3 id="${id}">${sectionName}</h3>`)}
  <section class="flat_form" stage="${feStage.stage_type}">
    ${renderHTMLIf(feStage.stage_type===STAGE_ENT_ROLLOUT,x$1` <sl-button
      stage="${feStage.stage_type}"
      size="small"
      @click="${`()=>this.deleteStage(feStage)}"
    >
      Delete
    </sl-button>`)}
    ${formFieldEls}
  </section>
`}}getForms(formattedFeature,feStages){let
fieldsOnly=flattenSections(formattedFeature.is_enterprise_feature?
FLAT_ENTERPRISE_METADATA_FIELDS:FLAT_METADATA_FIELDS);const featureFieldsDisplayed=new
Set,formsToRender=[this.renderStageSection(formattedFeature,FLAT_METADATA_FIELDS.name,
{id:-1},fieldsOnly,featureFieldsDisplayed)];let previousStageType=null;for(const feStage of feStages)
{const
stageForm=this.getStageForm(feStage.stage_type);if(!stageForm)continue;formattedFeature.is_enterprise_f
eature&&feStage.stage_type!==previousStageType&&
(formsToRender.push({id:-2,item:this.getHelpTextForStage(feStage.stage_type)}),previousStageType=feStag
e.stage_type),fieldsOnly=flattenSections(stageForm),formsToRender.push(this.renderStageSection(formatte
dFeature,stageForm.name,feStage,fieldsOnly,featureFieldsDisplayed));const
extensions=feStage.extensions||[];extensions.forEach(extensionStage=>
{fieldsOnly=flattenSections(FLAT_TRIAL_EXTENSION_FIELDS);let
sectionName=FLAT_TRIAL_EXTENSION_FIELDS.name;feStage.display_name&&(sectionName=`
${FLAT_TRIAL_EXTENSION_FIELDS.name}: ${feStage.display_name}
`),formsToRender.push(this.renderStageSection(formattedFeature,sectionName,extensionStage,fieldsOnly,fe
atureFieldsDisplayed))}})return formsToRender}renderAddStageButton(){const clickHandler=()=>
{openAddStageDialog(this.feature.id,this.feature.feature_type_int,this.createNewStage.bind(this));retu
rn renderHTMLIf(this.feature.is_enterprise_feature,x$1` <sl-button size="small"
@click="${clickHandler}">
  Add Step
</sl-button>`)}createNewStage(newStage){window.csClient.createStage(this.featureId,{stage_type:
{form_field_name:"stage_type",value:newStage.stage_type}}).then(())=>window.csClient.getFeature(this.fea
tureId)).then(feature=>{this.feature=feature}).catch(())=>{showToastMessage("Some errors occurred.
Please refresh the page or try again later.")}}deleteStage(stage){confirm("Delete
feature?")&&window.csClient.deleteStage(this.featureId,stage.id).then(())=>window.csClient.getFeature(th
is.featureId)).then(feature=>{this.feature=feature}).catch(())=>{showToastMessage("Some errors occurred.
Please refresh the page or try again later.")}}renderForm(){const
formattedFeature=formatFeatureForEdit(this.feature);this.fieldValues.feature=this.feature;const
submitButtonTitle=this.submitting?"Submitting...":"Submit",formsToRender=this.getForms(formattedFeature
,this.feature.stages);return x$1`
  <form name="feature_form">
    <input type="hidden" name="token" />
    <chromedash-form-table ${n$2(this.registerHandlers)}>
      ${c(formsToRender,form=>form.id,(_,i)=>formsToRender[i].item)}
    </chromedash-form-table>
    ${this.renderAddStageButton()}

    <section class="final_buttons">
      <input
        class="button"
        type="submit"
        value=${submitButtonTitle}
        ?disabled=${this.submitting}
      />
      <button
        id="cancel-button"
        type="reset"
        @click=${this.handleCancelClick}
      >
        Cancel
      </button>
    </section>
  </form>
`}
```



```

    </button>
  </section>
</form>
` }render(){return x$1`
  ${this.renderSubheader()}
  ${this.loading?
E$1:getFeatureOutdatedBanner(this.feature,this.shippingInfo,Date.now(),userCanEdit(this.user,this.featu
re.id))}
  ${this.loading?this.renderSkeletons():this.renderForm()}
  `}};__decorate$A([n$5({attribute:!1})],ChromedashGuideEditallPage.prototype,"featureId",void
0),__decorate$A([n$5({attribute:!1})],ChromedashGuideEditallPage.prototype,"user",void
0),__decorate$A([n$5({type:String})],ChromedashGuideEditallPage.prototype,"appTitle",void
0),__decorate$A([n$5({type:Number})],ChromedashGuideEditallPage.prototype,"nextStageToCreateId",void
0),__decorate$A([r$6()],ChromedashGuideEditallPage.prototype,"feature",void
0),__decorate$A([r$6()],ChromedashGuideEditallPage.prototype,"loading",void
0),__decorate$A([r$6()],ChromedashGuideEditallPage.prototype,"submitting",void
0),__decorate$A([r$6()],ChromedashGuideEditallPage.prototype,"previousStageTypeRendered",void
0),__decorate$A([r$6()],ChromedashGuideEditallPage.prototype,"sameTypeRendered",void
0),__decorate$A([r$6()],ChromedashGuideEditallPage.prototype,"fieldValues",void
0),__decorate$A([r$6()],ChromedashGuideEditallPage.prototype,"shippingInfo",void
0),ChromedashGuideEditallPage=__decorate$A([t$3("chromedash-guide-editall-
page")],ChromedashGuideEditallPage);var __decorate$z=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"==typeof Reflect&&"function"==typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r,r);let ChromedashGuideNewPage=class ChromedashGuideNewPage
extends i$4{constructor()
{super(...arguments),this.userEmail="",this.isEnterpriseFeature=!1,this.fieldValues=
[],this.submitting=!1}static get styles(){return[...SHARED_STYLES,...FORM_STYLES,i$7`
  table td label input[type='radio']:focus {
    box-shadow: 0 0 0 var(--sl-focus-ring-width)
    var(--sl-input-focus-ring-color);
  }
  .process-notice {
    margin: var(--content-padding-half) 0;
    padding: var(--content-padding-half);
    background: var(--light-accent-color);
    border-radius: 8px;
  }
  .process-notice p + p {
    margin-top: var(--content-padding-half);
  }
`]]async registerHandlers(el){if(!el)return;await el.updateComplete;const
hiddenTokenField=this.renderRoot.querySelector("input[name=token]");hiddenTokenField.form?.addEventList
ener("submit",event=>
{this.handleFormSubmit(event,hiddenTokenField)}),setupScrollToHash(this)}handleFormSubmit(event,hiddenT
okenField){event.preventDefault();const
changesBody=formatFeatureChanges(this.fieldValues,this.featureId),createBody=changesBody.feature_change
s;if(this.isEnterpriseFeature)createBody.feature_type=FEATURE_TYPES.FEATURE_TYPE_ENTERPRISE_ID[0];else{
const
selectedRadio=this.shadowRoot?.querySelector("input[name=\"feature_type\"]:checked");createBody.feature
_type=selectedRadio?
selectedRadio.value:FEATURE_TYPES.FEATURE_TYPE_INCUBATE_ID[0]}this.submitting=!0>window.csClient.create
Feature(createBody).then(resp=>{window.location.href=`/feature/${resp.feature_id}`}).catch(()=>
{showToastMessage("Some errors occurred. Please refresh the page or try again
later.")})}maybeMakeWebFeatureRequired(){const
webFeatureField=this.shadowRoot?.querySelector("chromedash-form-
field[name=\"web_feature\"]");if(!webFeatureField)return;let
featureType=FEATURE_TYPES.FEATURE_TYPE_INCUBATE_ID[0];for(const fv of
this.fieldValues)if("feature_type"==fv.name&&fv.value!==void 0)
{featureType=fv.value;break}webFeatureField.forceRequired=featureType==FEATURE_TYPES.FEATURE_TYPE_INCUB
ATE_ID[0]||featureType==FEATURE_TYPES.FEATURE_TYPE_EXISTING_ID[0]}maybeMakeEnterpriseFeatureCategoriesR
equired(){const enterpriseFeatureCategoriesField=this.shadowRoot?.querySelector("chromedash-form-
field[name=\"enterprise_feature_categories\"]");if(!enterpriseFeatureCategoriesField)return;let
enterpriseImpact=ENTERPRISE_IMPACT.IMPACT_NONE[0];for(const fv of
this.fieldValues)if("enterprise_impact"===fv.name&&fv.value!==void 0)
{enterpriseImpact=fv.value;break}enterpriseFeatureCategoriesField.forceRequired=enterpriseImpact>ENTERP
RISE_IMPACT.IMPACT_NONE[0]||this.isEnterpriseFeature}handleFormFieldUpdate(event){const
value=event.detail.value,index=event.detail.index;if(index>=this.fieldValues.length)throw new
Error("Out of bounds index when updating field
values.");this.fieldValues[index].touched=!0,this.fieldValues[index].value=value,this.fieldValues[index
].isMarkdown=event.detail.isMarkdown,this.maybeMakeWebFeatureRequired(),this.maybeMakeEnterpriseFeature
CategoriesRequired()}renderSubHeader(){return x$1`
  <div id="subheader" style="display:block">
    <span style="float:right; margin-right: 2em">
      <a
        href="https://github.com/GoogleChrome/chromium-dashboard/issues/new?
labels=Feedback&template=process-and-guide-ux-feedback.md"
        target="_blank"
        rel="noopener"
      >Process and UI feedback</a>
    </span>
  >
  <h2 data-testid="add-a-feature">Add a feature</h2>
</div>
```

```
`}renderWarnings(){return this.isEnterpriseFeature?x$1`
  <div class="process-notice">
    <p>
      Use this form if your feature should be mentioned in the Enterprise
      Release Notes.
    </p>
  </div>
` :x$1`
  <div class="process-notice">
    <p>
      Please see the
      <a
        href="https://www.chromium.org/blink/launching-features"
        target="_blank"
        rel="noopener"
      >Launching features</a>
    >
      page for process instructions.
    </p>

    <p>
      Googlers: Please follow the instructions at
      <a
        href="https://goto.corp.google.com/wp-launch-guidelines"
        target="_blank"
        rel="noopener"
      >go/wp-launch-guidelines</a>
    >
      (internal document) to determine whether you also require an
      internal review.
    </p>
  </div>
`}renderForm(){const newFeatureInitialValues={owner:this.userEmail,shipping_year:new
Date().getFullYear();this.fieldValues.feature=this.feature;const formFields=this.isEnterpriseFeature?
ENTERPRISE_NEW_FEATURE_FORM_FIELDS:NEW_FEATURE_FORM_FIELDS,renderFormField=(field,className)=>{const
fieldProps=ALL_FIELDS[field],featureJSONKey=fieldProps.name||field,initialValue=this.isEnterpriseFeatur
e?fieldProps.enterprise_initial?:
fieldProps.initial:fieldProps.initial,value=newFeatureInitialValues[field]??
initialValue,index=this.fieldValues.length;return
this.fieldValues.push({name:featureJSONKey,touched:!0,value}),x$1`
  <chromedash-form-field
    name=${field}
    index=${index}
    value=${value}
    disabledReason=${getDisabledHelpText(field)}"
    .fieldValues=${this.fieldValues}
    ?forEnterprise=${this.isEnterpriseFeature}
    @form-field-update=${this.handleFormFieldUpdate}"
    class=${className||""}></chromedash-form-field>
  </chromedash-form-field>

`,submitLabel=this.submitting?"Submitting...":this.isEnterpriseFeature?"Continue":"Submit";return x$1`
  <section id="stage_form">
    <form>
      <input type="hidden" name="token" />
      <chromedash-form-table ${n$2(this.registerHandlers)}>
        ${this.renderWarnings()}
        ${this.isEnterpriseFeature?E$1:renderFormField("feature_type_radio_group","choices")}

      ${formFields.map(field=>renderFormField(field,"enterprise_product_category"===field?"choices":null))}
      </chromedash-form-table>
      <input
        type="submit"
        class="primary"
        value=${submitLabel}
        ?disabled=${this.submitting}
      />
    </form>
  </section>
`}render(){return x$1` ${this.renderSubHeader()} ${this.renderForm()}
`}};__decorate$z([n$5({attribute:1})],ChromedashGuideNewPage.prototype,"userEmail",void
0),__decorate$z([n$5({type:Boolean})],ChromedashGuideNewPage.prototype,"isEnterpriseFeature",void
0),__decorate$z([n$5({type:Number})],ChromedashGuideNewPage.prototype,"featureId",void
0),__decorate$z([n$5({type:Object})],ChromedashGuideNewPage.prototype,"feature",void
0),__decorate$z([r$6()],ChromedashGuideNewPage.prototype,"fieldValues",void
0),__decorate$z([n$5({type:Boolean})],ChromedashGuideNewPage.prototype,"submitting",void
0),ChromedashGuideNewPage=__decorate$z([t$3("chromedash-guide-new-page")],ChromedashGuideNewPage);var
__decorate$y=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};let ChromedashGuideStagePage=class
ChromedashGuideStagePage extends i$4{constructor()
{super(...arguments),this.stageId=0,this.featureId=0,this.intentStage=0,this.appTitle="",this.stageName
="",this.feature={},this.isActiveStage=!1,this.loading=!0,this.submitting=!1,this.fieldValues=[]}static
get styles(){return[...SHARED_STYLES,...FORM_STYLES,i$7``]}connectedCallback()
```

```
{super.connectedCallback(),this.fetchData()}handleFormFieldUpdate(event){const
value=event.detail.value,index=event.detail.index;if(index>=this.fieldValues.length)throw new
Error("Out of bounds index when updating field
values.");this.fieldValues[index].touched=!0,this.fieldValues[index].value=value,this.fieldValues[index
].isMarkdown=event.detail.isMarkdown}fetchData(){this.loading=!0;const
rawQuery=parseRawQuery(window.location.search);let gatePromise=Promise.resolve();"updateExtension"in
rawQuery&&
(gatePromise=window.csClient.getGates(this.featureId)),Promise.all([window.csClient.getFeature(this.fea
tureId),window.csClient.getStage(this.featureId,this.stageId),gatePromise]).then(([feature,stage,gates]
)=>{this.feature=feature,this.stage=stage,gates&&
(this.gateId=gates.gates.find(g=>g.stage_id===this.stageId).id),this.feature.name&&
(document.title=` ${this.feature.name} -
${this.appTitle}`),this.feature.active_stage_id===this.stage.id&&
(this.isActiveStage=!0),this.featureFormFields=FORMS_BY_STAGE_TYPE[stage.stage_type]||
{name:"",sections:[]},this.stageName=this.featureFormFields.name,this.loading=!1}).catch(()=>
{showToastMessage("Some errors occurred. Please refresh the page or try again
later.")})}disconnectedCallback(){super.disconnectedCallback(),document.title=this.appTitle}async
registerHandlers(el){if(!el)return;await el.updateComplete;const
hiddenTokenField=this.renderRoot.querySelector("input[name=token]");hiddenTokenField.form?.addEventListener("submit",event=>
{this.handleFormSubmit(event,hiddenTokenField)}),this.miscSetup(),setupScrollToHash(this)}handleFormSub
mit(e,hiddenTokenField){e.preventDefault();const
submitBody=formatFeatureChanges(this.fieldValues,this.featureId,this.stageId);this.submitting=!0>window
.csClient.ensureTokenIsValid().then(()=>
(hiddenTokenField.value=window.csClient.token,window.csClient.updateFeature(submitBody))).then(()=>
{window.location.href=this.gateId?` /feature/${this.featureId}?
gate=${this.gateId}&initiateExtension`:` /feature/${this.featureId}`).catch(()=>
{this.submitting=!1,showToastMessage("Some errors occurred. Please refresh the page or try again
later.")})}miscSetup(){const
timelineField=this.renderRoot.querySelector("#id_experiment_timeline");timelineField&&timelineField.val
ue&&(timelineField.disabled=!1)}handleCancelClick()
{window.location.href=` /feature/${this.featureId}` }getFormFields(){const
fields=this.featureFormFields.sections.reduce((combined,section)=>[...combined,...section.fields],
[]);return fields.join()}renderSkeletons(){return x$1`
<h3><sl-skeleton effect="sheen"></sl-skeleton></h3>
<section id="metadata">
<h3><sl-skeleton effect="sheen"></sl-skeleton></h3>
<p>
<sl-skeleton effect="sheen"></sl-skeleton>
<sl-skeleton effect="sheen"></sl-skeleton>
<sl-skeleton effect="sheen"></sl-skeleton>
<sl-skeleton effect="sheen"></sl-skeleton>
<sl-skeleton effect="sheen"></sl-skeleton>
<sl-skeleton effect="sheen"></sl-skeleton>
<sl-skeleton effect="sheen"></sl-skeleton>
<sl-skeleton effect="sheen"></sl-skeleton>
</p>
</section>
` }getNextPage(){return` /feature/${this.featureId}` }renderSubheader(){return x$1`
<div id="subheader">
<h2 id="breadcrumbs">
<a href=${this.getNextPage()}>
<sl-icon name="arrow-left"></sl-icon>
Edit feature: ${this.feature.name}
</a>
</h2>
</div>
` }renderFields(formattedFeature,section,feStage){return feStage||
(feStage=this.stage),section.fields.map(field=>
{if("display_name"===field&&!shouldShowDisplayNameField(this.feature.stages,feStage.stage_type))return
E$1;const featureJSONKey=ALL_FIELDS[field].name||field;let
value=formattedFeature[featureJSONKey],stageId;STAGE_SPECIFIC_FIELDS.has(featureJSONKey)&&
(value=getStageValue(feStage,featureJSONKey),stageId=feStage.id);const
index=this.fieldValues.length;return
this.fieldValues.push({name:featureJSONKey,touched:!1,value,value,value,stageId}),x$1`
<chromedash-form-field
name=${field}
index=${index}
value=${value}
disabledReason=${getDisabledHelpText(field,feStage)}"
.fieldValues=${this.fieldValues}
.feature=${formattedFeature}
stageId=${feStage.id}
?forEnterprise=${formattedFeature.is_enterprise_feature}
@form-field-update=${this.handleFormFieldUpdate}"
>
</chromedash-form-field>
` })}renderSections(formattedFeature,stageSections){const formSections=
[];if(stageSections.forEach(section=>{formSections.push(x$1`
<h3>${section.name}</h3>
<section class="stage_form">
${this.renderFields(formattedFeature,section)}
</section>
` })),this.stage.extensions){let i=1;for(const extensionStage of this.stage.extensions){for(const
section of FLAT_TRIAL_EXTENSION_FIELDS.sections)formSections.push(x$1`
<h3>${section.name} ${i}</h3>
```

```

    <section class="stage_form">
      ${this.renderFields(formattedFeature,section,extensionStage)}
    </section>
  `);i++}}return formSections}renderForm(){const
formattedFeature=formatFeatureForEdit(this.feature);this.fieldValues.feature=this.feature;const
submitButtonTitle=this.submitting?"Submitting...":"Submit";return x$1`
  <form name="feature_form">
    <input type="hidden" name="token" />
    <chromedash-form-table ${n$2(this.registerHandlers)}>
      ${this.renderSections(formattedFeature,this.featureFormFields.sections)}
    </chromedash-form-table>
    <div class="final_buttons">
      <input
        id="submit-button"
        class="button"
        type="submit"
        value=${submitButtonTitle}
        ?disabled=${this.submitting}
      />
      <button
        id="cancel-button"
        type="reset"
        @click=${this.handleCancelClick}
      >
        Cancel
      </button>
    </div>
  </form>
`}render(){return x$1`
  ${this.renderSubheader()}
  ${this.loading?this.renderSkeletons():this.renderForm()}
`}};__decorate$y([n$5({attribute:!1})],ChromedashGuideStagePage.prototype,"stageId",void
0),__decorate$y([n$5({attribute:!1})],ChromedashGuideStagePage.prototype,"featureId",void
0),__decorate$y([n$5({attribute:!1})],ChromedashGuideStagePage.prototype,"intentStage",void
0),__decorate$y([n$5({type:String})],ChromedashGuideStagePage.prototype,"appTitle",void
0),__decorate$y([r$6()],ChromedashGuideStagePage.prototype,"stageName",void
0),__decorate$y([r$6()],ChromedashGuideStagePage.prototype,"feature",void
0),__decorate$y([r$6()],ChromedashGuideStagePage.prototype,"stage",void
0),__decorate$y([r$6()],ChromedashGuideStagePage.prototype,"isActiveStage",void
0),__decorate$y([r$6()],ChromedashGuideStagePage.prototype,"featureFormFields",void
0),__decorate$y([r$6()],ChromedashGuideStagePage.prototype,"loading",void
0),__decorate$y([r$6()],ChromedashGuideStagePage.prototype,"submitting",void
0),__decorate$y([r$6()],ChromedashGuideStagePage.prototype,"fieldValues",void
0),__decorate$y([r$6()],ChromedashGuideStagePage.prototype,"gateId",void
0),ChromedashGuideStagePage=__decorate$y([t$3("chromedash-guide-stage-
page")],ChromedashGuideStagePage);var __decorate$x=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"==typeof Reflect&&"function"==typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r,r);let ChromedashGuideMetadataPage=class
ChromedashGuideMetadataPage extends i$4{constructor()
{super(...arguments),this.featureId=0,this.appTitle="",this.loading=!0,this.fieldValues=[]}static get
styles(){return[...SHARED_STYLES,...FORM_STYLES,i$7``]}connectedCallback()
{super.connectedCallback(),this.fetchData()}fetchData()
{this.loading=!0,Promise.resolve(window.csClient.getFeature(this.featureId)).then(feature=>
{this.feature=feature,this.feature.name&&(document.title=`${this.feature.name} -
${this.appTitle}`),this.loading=!1}).catch(()=>{showToastMessage("Some errors occurred. Please refresh
the page or try again later.")})}disconnectedCallback()
{super.disconnectedCallback(),document.title=this.appTitle}async registerHandlers(el)
{if(!el)return;await el.updateComplete;const
hiddenTokenField=this.renderRoot.querySelector("input[name=token]");hiddenTokenField.form?.addEventListener("submit",event=>
{this.handleFormSubmit(event,hiddenTokenField)}),setupScrollToHash(this)}handleFormSubmit(e,hiddenToken
Field){e.preventDefault();const
submitBody=formatFeatureChanges(this.fieldValues,this.featureId);window.csClient.ensureTokenIsValid().t
hen(()=>
(hiddenTokenField.value=window.csClient.token,window.csClient.updateFeature(submitBody))).then(()=>
{window.location.href=`/feature/${this.featureId}`}).catch(()=>{showToastMessage("Some errors occurred.
Please refresh the page or try again later.")})}handleFormFieldUpdate(event){const
value=event.detail.value,index=event.detail.index;if(index>=this.fieldValues.length)throw new
Error("Out of bounds index when updating field
values.");this.fieldValues[index].touched=!0,this.fieldValues[index].value=value,this.fieldValues[index
].isMarkdown=event.detail.isMarkdown}handleCancelClick()
{window.location.href=`/feature/${this.featureId}`}getFormFields(){const
sections=this.feature.is_enterprise_feature?
FLAT_ENTERPRISE_METADATA_FIELDS.sections:FLAT_METADATA_FIELDS.sections,fields=sections.reduce((combined
,section)=>[...combined,...section.fields],[]);return fields.join()}renderSkeletons(){return x$1`
  <h3><sl-skeleton effect="sheen"></sl-skeleton></h3>
  <section id="metadata">
    <h3><sl-skeleton effect="sheen"></sl-skeleton></h3>
  <p>
    <sl-skeleton effect="sheen"></sl-skeleton>
    <sl-skeleton effect="sheen"></sl-skeleton>
    <sl-skeleton effect="sheen"></sl-skeleton>
    <sl-skeleton effect="sheen"></sl-skeleton>
  </p>
`}
```

```

    <sl-skeleton effect="sheen"></sl-skeleton>
    <sl-skeleton effect="sheen"></sl-skeleton>
    <sl-skeleton effect="sheen"></sl-skeleton>
    <sl-skeleton effect="sheen"></sl-skeleton>
  </p>
</section>
`}getNextPage(){return`/feature/${this.featureId}`}renderSubheader(){const link=this.loading?
E$1:x$1`
    <a href=${this.getNextPage()}>
      <sl-icon name="arrow-left"></sl-icon>
      Edit feature: ${this.feature.name}
    </a>
  `;return x$1`
<div id="subheader">
  <h2 id="breadcrumbs">${link}</h2>
</div>
`}renderFields(formattedFeature,section){return section.fields.map(field=>{const
featureJSONKey=ALL_FIELDS[field].name||field,value=formattedFeature[featureJSONKey],index=this.fieldVal
ues.length;return this.fieldValues.push({name:featureJSONKey,touched:!1,value}),x$1`
  <chromedash-form-field
    name=${field}
    index=${index}
    value=${value}
    disabledReason="${getDisabledHelpText(field)}"
    .fieldValues=${this.fieldValues}
    .feature=${formattedFeature}
    ?forEnterprise=${formattedFeature.is_enterprise_feature}
    @form-field-update="${this.handleFormFieldUpdate}"
    class="${"enterprise_product_category"===field?"choices":""}"
  >
  </chromedash-form-field>
`})}renderSections(formattedFeature,sections){return sections.map(section=>x$1`
  <h3>${section.name}</h3>
  <section class="stage_form">
    ${this.renderFields(formattedFeature,section)}
  </section>
`)}renderForm(){const
formattedFeature=formatFeatureForEdit(this.feature);this.fieldValues.feature=this.feature;let
sections=FLAT_METADATA_FIELDS.sections;return formattedFeature.is_enterprise_feature&&
(sections=FLAT_ENTERPRISE_METADATA_FIELDS.sections),x$1`
  <form name="feature_form">
    <input type="hidden" name="token" />
    <chromedash-form-table ${n$2(this.registerHandlers)}>
      ${this.renderSections(formattedFeature,sections)}
    </chromedash-form-table>

    <div class="final_buttons">
      <input class="button" type="submit" value="Submit" />
      <button
        id="cancel-button"
        type="reset"
        @click=${this.handleCancelClick}
      >
        Cancel
      </button>
    </div>
  </form>
`}render(){return x$1`
  ${this.renderSubheader()}
  ${this.loading?this.renderSkeletons():this.renderForm()}
`}};__decorate$х([n$5({type:Number})],ChromedashGuideMetadataPage.prototype,"featureId",void
0),__decorate$х([n$5({type:String})],ChromedashGuideMetadataPage.prototype,"appTitle",void
0),__decorate$х([r$6()],ChromedashGuideMetadataPage.prototype,"feature",void
0),__decorate$х([r$6()],ChromedashGuideMetadataPage.prototype,"loading",void
0),__decorate$х([r$6()],ChromedashGuideMetadataPage.prototype,"fieldValues",void
0),ChromedashGuideMetadataPage=__decorate$х([t$3("chromedash-guide-metadata-
page")],ChromedashGuideMetadataPage);var __decorate$w=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r,r);class ChromedashGuideVerifyAccuracyPage extends
i$4{constructor(){super(...arguments),this.featureId=0,this.appTitle="",this.feature=
{}},this.fieldValues=
[],this.loading=!0,this.previousStageTypeRendered=0,this.sameTypeRendered=0,this.submitting=!1}static
get styles(){return[...SHARED_STYLES,...FORM_STYLES,i$7`
  .verify-banner {
    margin-bottom: 12px;
  }
  #alertUnderline {
    text-decoration: underline;
    display: inline;
  }
`}}connectedCallback(){super.connectedCallback(),this.fetchData()}fetchData()
{this.loading=!0>window.csClient.getFeature(this.featureId).then(feature=>
{this.feature=feature,this.feature.name&&(document.title=`${this.feature.name}` -
```

```

    ${this.appTitle}`),this.loading=!1}).catch(()=>{showToastMessage("Some errors occurred. Please refresh
the page or try again later.")}})}disconnectedCallback()
{super.disconnectedCallback(),document.title=this.appTitle}async registerFormSubmitHandler(e1)
{if(!e1)return;await e1.updateComplete;const
hiddenTokenField=this.renderRoot.querySelector("input[name=token]");hiddenTokenField.form?.addEventListener
ener("submit",event=>{this.handleFormSubmit(event,hiddenTokenField)})}navigateToFeaturePage()
{window.location.href=`/feature/${this.featureId}`}handleFormSubmit(e,hiddenTokenField)
{e.preventDefault();const
submitBody=formatFeatureChanges(this.fieldValues,this.featureId);window.csClient.ensureTokenIsValid().t
hen(()=>
(hiddenTokenField.value=window.csClient.token,this.submitting=!0,window.csClient.updateFeature(submitBo
dy))).then(()=>{this.navigateToFeaturePage()}).catch(()=>{this.submitting=!1,showToastMessage("Some
errors occurred. Please refresh the page or try again later.")}})}handleFormFieldUpdate(event){const
value=event.detail.value,index=event.detail.index;if(index>=this.fieldValues.length)throw new
Error("Out of bounds index when updating field
values.");this.fieldValues[index].touched=!0,this.fieldValues[index].value=value}renderSkeletons()
{return x$1`
  <h3><sl-skeleton effect="sheen"></sl-skeleton></h3>
  <section id="metadata">
    <h3><sl-skeleton effect="sheen"></sl-skeleton></h3>
    <p>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
    </p>
  </section>
`}renderSubheader(){return x$1`
  <div id="subheader">
    <h2 id="breadcrumbs">
      <a href="/feature/${this.featureId}">
        <sl-icon name="arrow-left"></sl-icon>
        Verify feature data for ${this.feature.name}
      </a>
    </h2>
  </div>
`}getStageForm(stageType){return
VERIFY_ACCURACY_FORMS_BY_STAGE_TYPE[stageType]||null}renderStageSection(formattedFeature,name,feStage,s
tageFields){if(!stageFields)return E$1;let
numberDifferentiation="";this.previousStageTypeRendered&&this.previousStageTypeRendered===feStage.stage
_type?(this.sameTypeRendered+=1,numberDifferentiation=` ${this.sameTypeRendered}`):
(this.previousStageTypeRendered=feStage.stage_type,this.sameTypeRendered=1);let
sectionName=`${name}${numberDifferentiation}`;feStage.display_name&&(sectionName=`${name}:
${feStage.display_name}`);const formFieldEls=stageFields.map(field=>{let
value=formatFeature[field];const
featureJSONKey=ALL_FIELDS[field].name|field;if(STAGE_SPECIFIC_FIELDS.has(field))value=getStageValue(fe
Stage,featureJSONKey);else if(1<this.sameTypeRendered)return E$1;const
index=this.fieldValues.length;let touched=!1;return"accurate_as_of"===featureJSONKey&&
(touched=!0),this.fieldValues.push({name:featureJSONKey,touched,value,stageId:feStage.id}),x$1`
  <chromedash-form-field
    name=${field}
    index=${index}
    value=${value}
    disabledReason="${getDisabledHelpText(field,feStage)}"
    .fieldValues=${this.fieldValues}
    .feature=${formattedFeature}
    ?forEnterprise=${formattedFeature.is_enterprise_feature}
    @form-field-update="${this.handleFormFieldUpdate}"
  >
  </chromedash-form-field>

`}),id=`${STAGE_SHORT_NAMES[feStage.stage_type]||"metadata"}${this.sameTypeRendered}`.toLowerCase();ret
urn x$1`
  <h3 id="${id}">${sectionName}</h3>
  <section class="flat_form">${formFieldEls}</section>
`}getForms(formattedFeature,feStages){let
fieldsOnly=flattenSections(VERIFY_ACCURACY_METADATA_FIELDS);const formsToRender=
[this.renderStageSection(formattedFeature,VERIFY_ACCURACY_METADATA_FIELDS.name,{},fieldsOnly)];let
allFormFields=[...fieldsOnly];for(const feStage of feStages){const
stageForm=this.getStageForm(feStage.stage_type);stageForm&&
(fieldsOnly=flattenSections(stageForm),formsToRender.push(this.renderStageSection(formattedFeature,stag
eForm.name,feStage,fieldsOnly)),allFormFields=[...allFormFields,...fieldsOnly])}return
fieldsOnly=flattenSections(VERIFY_ACCURACY_CONFIRMATION_FIELD),formsToRender.push(this.renderStageSecti
on(formattedFeature,`${VERIFY_ACCURACY_CONFIRMATION_FIELD.name}`,{},fieldsOnly)),allFormFields=
[...allFormFields,...fieldsOnly],[allFormFields,formsToRender]}getAllStageIds(){return
this.feature.stages.map(feStage=>feStage.id)}renderForm(){const
formattedFeature=formatFeatureForEdit(this.feature);this.fieldValues.feature=this.feature;const
stageIds=this.getAllStageIds(),
[allFormFields,formsToRender]=this.getForms(formattedFeature,this.feature.stages),title=this.feature.ac
curate_as_of?`Accuracy last verified ${this.feature.accurate_as_of.split(" ")[0]}`:"Accuracy last
verified at time of creation.",submitButtonTitle=this.submitting?"Submitting...":"Submit";return x$1`
  <form name="feature_form" method="post">
```

```
<input type="hidden" name="stages" .value="{stageIds}" />
<input type="hidden" name="token" />
<input
  type="hidden"
  name="form_fields"
  value=${allFormFields.join(",")}
/>
<h3>${title}</h3>
<sl-alert variant="warning" open class="verify-banner">
  <sl-icon slot="icon" name="info-circle"></sl-icon>
  <strong>
    >Please review your information below and click 'Submit' to confirm
    it is accurate,
    <p id="alertUnderline">even if no changes are made</p>
    !</strong>
  >
</sl-alert>
<chromedash-form-table ${n$2(this.registerFormSubmitHandler)}>
  ${formsToRender}
</chromedash-form-table>

<section class="final_buttons">
  <input
    class="button"
    type="submit"
    value="${submitButtonTitle}"
    ?disabled=${this.submitting}
  />
  <button
    id="cancel-button"
    type="reset"
    @click=${this.navigateToFeaturePage}
  >
    Cancel
  </button>
</section>
</form>
`>render(){return x$1`
  ${this.renderSubheader()}
  ${this.loading?this.renderSkeletons():this.renderForm()}
  `}}__decorate$w([n$5({attribute:!1})],ChromedashGuideVerifyAccuracyPage.prototype,"featureId",void
0),__decorate$w([n$5({type:String})],ChromedashGuideVerifyAccuracyPage.prototype,"appTitle",void
0),__decorate$w([r$6()],ChromedashGuideVerifyAccuracyPage.prototype,"feature",void
0),__decorate$w([r$6()],ChromedashGuideVerifyAccuracyPage.prototype,"fieldValues",void
0),__decorate$w([r$6()],ChromedashGuideVerifyAccuracyPage.prototype,"loading",void
0),__decorate$w([r$6()],ChromedashGuideVerifyAccuracyPage.prototype,"previousStageTypeRendered",void
0),__decorate$w([r$6()],ChromedashGuideVerifyAccuracyPage.prototype,"sameTypeRendered",void
0),__decorate$w([r$6()],ChromedashGuideVerifyAccuracyPage.prototype,"submitting",void
0),customElements.define("chromedash-guide-verify-accuracy-page",ChromedashGuideVerifyAccuracyPage);var
__decorate$w=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"==typeof Reflect&&"function"==typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r,r);let ChromedashHeader=class ChromedashHeader extends
i$4{constructor()
{super(...arguments),this.appTitle="",this.googleSignInClientId="",this.devMode="",this.currentPage="",
this.user={},this.loading=!1}static get styles(){return[...SHARED_STYLES,i$7`
:host {
  --nav-link-color: var(--sl-color-neutral-700);
  --nav-link-font-size: 16px;
  --nav-link-hover-background: var(--sl-color-neutral-100);
  --nav-link-border: 2px solid transparent;
  --nav-link-active-color: var(--cl-color-primary-900);
  --nav-link-active-border: 2px solid var(--nav-link-active-color);
}

header {
  display: flex;
  align-items: center;
  user-select: none;
  background: var(--card-background);
  border-bottom: var(--card-border);
  box-shadow: var(--card-box-shadow);
}
header a {
  text-decoration: none !important;
}
header nav {
  display: flex;
  flex: 1;
  align-items: center;
  margin: 0 var(--content-padding);
  -webkit-font-smoothing: initial;
}

sl-button[slot='trigger']::part(base) {
```

```
    color: var(--unimportant-text-color);
  }
  header aside a {
    color: var(--logo-color);
  }
  header aside h1 {
    line-height: 1;
  }
  header aside img {
    height: 24px;
    width: 24px;
  }

  .flex-container {
    display: flex;
    justify-content: flex-end;
    flex-wrap: wrap;
    align-items: center;
    width: 100%;
  }

  .nav-dropdown-trigger {
    display: flex;
    align-items: flex-end;
  }
  .nav-dropdown-trigger sl-icon {
    padding-left: var(--content-padding-half);
  }

  .menu {
    margin-left: 15px;
    margin-right: 7px;
    align-items: center;
  }
  .menu:hover {
    color: black;
    background: var(--nav-link-hover-background);
  }
  .menu [active] {
    color: var(--nav-link-active-color);
    border-bottom: var(--nav-link-active-border);
  }

  @media only screen and (max-width: 700px) {
    header {
      --logoSize: 24px;

      margin: 0;
      display: flex;
    }
    header aside {
      display: flex;
      padding: var(--content-padding-half);
      border-radius: 0;
      background: inherit;
    }
  }
}
`]]connectedCallback(){return super.connectedCallback(),IS_MOBILE||this.user&&this.user.email?
void 0:this.user?void(this.loading=!0,window.csClient.getPermissions().then(user=>
{this.user=user,this.user||
(!window.isPlaywright&&this.initializeGoogleSignIn(),"True"==this.devMode&&this.initializeTestingSignIn
()))).catch(()=>{showToastMessage("Some errors occurred. Please refresh the page or try again
later."))}.finally(()=>{this.loading=!1})):
(window.isPlaywright||this.initializeGoogleSignIn(),void("True"==this.devMode&&this.initializeTestingSi
gnIn()))}initializeGoogleSignIn()
{google.accounts.id.initialize({client_id:this.googleSignInClientId,callback:this.handleCredentialRespo
nse,use_fedcm_for_prompt:!0}),google.accounts.id.prompt();const
signInButton=document.createElement("div");google.accounts.id.renderButton(signInButton,
{type:"standard"});const appComponent=document.querySelector("chromedash-app");appComponent?
appComponent.insertAdjacentElement("afterbegin",signInButton):this.insertAdjacentElement("afterbegin",s
ignInButton)}initializeTestingSignIn(){const
signInTestingButton=document.createElement("button");signInTestingButton.innerText="Sign in as
example@chromium.org",signInTestingButton.setAttribute("type","button"),signInTestingButton.setAttribut
e("data-testid","dev-mode-sign-in-button"),signInTestingButton.setAttribute("style","margin-right:
300px;z-index:1000;background: lightblue;border: 1px solid
blue;"),signInTestingButton.addEventListener("click",()=>{fetch("/dev/mock_login",
{method:"POST"}).then(response=>{if(!response.ok)throw new Error(`Sign in failed! Response:
${response}`)}).then(()=>{setTimeout(()=>{redirectToCurrentPage()},1e3)}).catch(error=>
{console.error("Sign in failed.",error)}))});const
signInButtonContainer=document.querySelector("chromedash-app");signInButtonContainer?
signInButtonContainer.insertAdjacentElement("afterbegin",signInTestingButton):this.insertAdjacentElemen
t("afterbegin",signInTestingButton)}handleCredentialResponse(credentialResponse)
{window.csClient.signIn(credentialResponse).then(()=>{setTimeout(()=>
{redirectToCurrentPage()},1e3)}).catch(()=>{console.error("Sign in failed, so signing out to allow
retry"),this.signOut()})}gotoSettings(){window.location.href="/settings"}signOut()
{window.csClient.signOut().then(()=>{window.location.reload()})}isCurrentPage(href){return
```



```
this.currentPage.startsWith(href))_fireEvent(eventName,detail){const event=new CustomEvent(eventName,{bubbles:!0,composed:!0,detail});this.dispatchEvent(event)}handleDrawer(){this._fireEvent("drawer-clicked",{})}renderAccountMenu(){const alreadyOnNew=this.isCurrentPage("/guide/new")||this.isCurrentPage("/guide/enterprise/new");return x$1`
  ${this.user?x$1`
    ${this.user.can_create_feature&&!alreadyOnNew?x$1`
      <sl-button
        data-testid="create-feature-button"
        href="/guide/new"
        variant="primary"
        size="small"
      >
        Create feature
      </sl-button>
    `:E$1}
  <sl-dropdown>
    <sl-button
      slot="trigger"
      variant="text"
      size="medium"
      data-testid="account-indicator"
      caret
    >
      ${this.user.email}
    </sl-button>
    <sl-menu>
      <sl-menu-item @click=${this.gotoSettings}>
        Settings
      </sl-menu-item>
      <sl-menu-item
        id="sign-out-link"
        data-testid="sign-out-link"
        @click=${this.signOut}
      >Sign out</sl-menu-item>
    </sl-menu>
  </sl-dropdown>
  `:x$1` <slot></slot> `}
`}render(){let accountMenu=x$1``;return IS_MOBILE||this.loading||(accountMenu=x$1` <div
class="flex-container">
  ${this.renderAccountMenu()}
</div>`),x$1`
<header data-testid="header">
  <sl-icon-button
    data-testid="menu"
    variant="text"
    library="material"
    class="menu"
    style="font-size: 2.4rem;"
    name="menu_20px"
    @click=${this.handleDrawer}"
  >
</sl-icon-button>
<aside>
  <a href="/roadmap" target="_top">
    <h1>
      
      ${this.appTitle}
    </h1>
  </a>
</aside>
  <nav>${accountMenu}</nav>
</header>
`}};__decorate$([n$5({type:String})],ChromedashHeader.prototype,"appTitle",void
0),__decorate$([n$5({type:String})],ChromedashHeader.prototype,"googleSignInClientId",void
0),__decorate$([n$5({type:String})],ChromedashHeader.prototype,"devMode",void
0),__decorate$([n$5({type:String})],ChromedashHeader.prototype,"currentPage",void
0),__decorate$([n$5({type:Object})],ChromedashHeader.prototype,"user",void
0),__decorate$([r$6()],ChromedashHeader.prototype,"loading",void
0),ChromedashHeader=__decorate$([t$3("chromedash-header")],ChromedashHeader);var
__decorate$u=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};let ChromedashIntentContent=class
ChromedashIntentContent extends i$4{constructor()
{super(...arguments),this.appTitle="",this.subject="",this.intentBody=""}static get styles()
{return[...SHARED_STYLES,i$7`
  #copy-email-body {
    cursor: pointer;
    color: var(--link-color);
  }
`]}
```

```
.email-content-border {
  border: 1px solid #ddd;
  box-shadow: rgba(0, 0, 0, 0.067) 1px 1px 4px;
  margin: 8px 0 24px 0;
}
.email-content-div {
  background: white;
  padding: 12px;
}
p {
  color: #444;
}
h3 {
  margin-bottom: 10px;
  &:before {
    counter-increment: h3;
    content: counter(h3) '.';
    margin-right: 5px;
  }
}
#content section > div {
  background: white;
  border: 1px solid #ddd;
  box-shadow: rgba(0, 0, 0, 0.067) 1px 1px 4px;
  padding: 12px;
  margin: 8px 0 16px 0;
}
#content section > p {
  color: #444;
}

.email .help {
  font-style: italic;
  color: #aaa;
}
.email h4 {
  font-weight: 600;
}
.alertbox {
  margin: 2em;
  padding: 1em;
  background: var(--warning-background);
  color: var(--warning-color);
}
.subject {
  font-size: 16px;
}
table {
  tr[hidden] {
    th,
    td {
      padding: 0;
    }
  }

  th {
    padding: 12px 10px 5px 0;
    vertical-align: top;
  }

  td {
    padding: 6px 10px;
    vertical-align: top;
  }

  td:first-of-type {
    width: 60%;
  }

  .helptext {
    display: block;
    font-size: small;
    max-width: 40em;
    margin-top: 2px;
  }

  input[type='text'],
  input[type='url'],
  input[type='email'],
  textarea {
    width: 100%;
    font: var(--form-element-font);
  }

  select {
    max-width: 350px;
  }
}
```

```

    }

    :required {
      border: 1px solid $chromium-color-dark;
    }

    .interacted:valid {
      border: 1px solid green;
    }

    .interacted:invalid {
      border: 1px solid $invalid-color;
    }

    input:not([type='submit']):not([type='search']) {
      outline: 1px dotted var(--error-border-color);
      background-color: #ffedf5;
    }
  }
}

`]]renderEmailBody(){return this.intentBody?o$2(this.intentBody):E$1}copyIntentBodyHandler()
{const copyEmailBodyEl=this.renderRoot.querySelector("#copy-email-
body"),emailBodyEl=this.renderRoot.querySelector(".email");if(copyEmailBodyEl&&emailBodyEl)
{window.getSelection()?.removeAllRanges();const
range=document.createRange();range.selectNode(emailBodyEl),window.getSelection()?.addRange(range),docum
ent.execCommand("copy"),showToastMessage("Email body copied")}}render(){return x$1`
  <p>Email to</p>
  <div class="email-content-border">
    <div class="subject email-content-div">blink-dev@chromium.org</div>
  </div>

  <p>Subject</p>
  <div class="email-content-border">
    <div class="subject email-content-div" id="email-subject-content">
      ${this.subject}
    </div>
  </div>
  <p>
    Body
    <span
      class="tooltip copy-text"
      style="float:right"
      title="Copy text to clipboard"
    >
      <sl-icon
        name="copy"
        id="copy-email-body"
        @click="${()=>this.copyIntentBodyHandler()}"
      ></sl-icon>
    </span>
  </p>

  <div class="email-content-border">
    <div class="email email-content-div" id="email-body-content">
      ${this.renderEmailBody()}
    </div>
  </div>
  `}};__decorate$u([n$5({type:String})],ChromedashIntentContent.prototype,"appTitle",void
0),__decorate$u([n$5({type:String})],ChromedashIntentContent.prototype,"subject",void
0),__decorate$u([n$5({type:String})],ChromedashIntentContent.prototype,"intentBody",void
0),ChromedashIntentContent=__decorate$u([t$3("chromedash-intent-content")],ChromedashIntentContent);var
__decorate$t=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"==typeof Reflect&&"function"==typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};let dialogEl;async function
openPostIntentDialog(featureId,stageId,ownerEmails,gateId=0){dialogEl||
(dialogEl=document.createElement("chromedash-post-intent-
dialog"),document.body.appendChild(dialogEl),dialogEl.featureId=featureId,dialogEl.stageId=stageId,dial
ogEl.gateId=gateId,dialogEl.ownerEmails=ownerEmails,await dialogEl.updateComplete),dialogEl.show()}let
ChromedashPostIntentDialog=class ChromedashPostIntentDialog extends i$4{constructor()
{super(...arguments),this.featureId=0,this.stageId=0,this.gateId=0,this.ownerEmails=[]}static get
styles(){return[...SHARED_STYLES,...FORM_STYLES,i$7`
  #prereqs-list li {
    margin-left: 8px;
    margin-bottom: 8px;
  }
  #prereqs-header {
    margin-bottom: 8px;
  }
  #update-button {
    margin-right: 8px;
  }
  .float-right {
    float: right;
  }
  sl-input::part(base) {
```

```
margin-top: 8px;
}
sl-input[data-user-invalid]::part(base) {
  border-color: red;
}
`]]show(){this.shadowRoot.querySelector("sl-dialog").show()}updateAttributes(el)
{if(!el)return;const attrs=ALL_FIELDS.intent_cc_emails.attrs||{};Object.keys(attrs).map(attr=>
{el.setAttribute(attr,attrs[attr])})}renderIntentCCEmailOption(){const
fieldInfo=ALL_FIELDS.intent_cc_emails,defaultCCEmails=this.ownerEmails.join(",");return
x$1`${fieldInfo.help_text}<br />
<sl-input
  ${n$2(this.updateAttributes)}
  id="id_${fieldInfo.name}"
  size="small"
  autocomplete="off"
  .value=${defaultCCEmails}
  ?required=${fieldInfo.required}
>
</sl-input>`}submitIntent(){const ccEmailsInput=this.shadowRoot.querySelector("sl-
input");if(!ccEmailsInput||ccEmailsInput.hasAttribute("data-user-invalid"))return;const
submitButton=this.shadowRoot.querySelector("#submit-intent-
button");submitButton&&submitButton.setAttribute("disabled",""),window.csClient.postIntentToBlinkDev(th
is.featureId,this.stageId,
{gate_id:this.gateId,intent_cc_emails:ccEmailsInput?.value?.split(",")}).then(()=>
{showToastMessage("Intent submitted! Check for your thread on blink-dev shortly."),setTimeout(()=>
{window.location.href=`/feature/${this.featureId}`},3e3)}).catch(()=>{showToastMessage("Some errors
occurred. Please refresh the page or try again
later."),submitButton&&submitButton.removeAttribute("disabled")})}renderDialog(){return x$1`<sl-dialog
label="Post intent to blink-dev">
<p>
  This intent will be sent directly to
  <a
    href="https://groups.google.com/a/chromium.org/g/blink-dev"
    target="_blank"
    rel="noopener noreferrer"
  >blink-dev</a>
  >.
</p>
<br /><br />
${this.renderIntentCCEmailOption()}
<br /><br />
<sl-button
  class="float-right"
  id="submit-intent-button"
  variant="primary"
  size="small"
  @click=${()=>this.submitIntent()}
>Submit intent</sl-button
>
</sl-dialog>`}render(){return
this.renderDialog()}};__decorate$t([n$5({type:Number})],ChromedashPostIntentDialog.prototype,"featureId
",void 0),__decorate$t([n$5({type:Number})],ChromedashPostIntentDialog.prototype,"stageId",void
0),__decorate$t([n$5({type:Number})],ChromedashPostIntentDialog.prototype,"gateId",void
0),__decorate$t([n$5({attribute:!1})],ChromedashPostIntentDialog.prototype,"ownerEmails",void
0),ChromedashPostIntentDialog=__decorate$t([t$3("chromedash-post-intent-
dialog")],ChromedashPostIntentDialog);var __decorate$s=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};let ChromedashIntentPreviewPage=class
ChromedashIntentPreviewPage extends i$4{constructor()
{super(...arguments),this.appTitle="",this.featureId=0,this.stageId=0,this.gateId=0,this.loading=!1,thi
s.subject="",this.intentBody="",this.displayFeatureUnlistedWarning=!1}static get styles()
{return[...SHARED_STYLES,i$7`
  #content {
    flex-direction: column;
    counter-reset: h3;
    height: auto;
  }
  #content section {
    max-width: 800px;
    flex: 1 0 auto;
    margin-bottom: 15px;
  }
  h3 {
    margin-bottom: 10px;
  }
  #content h3:before {
    counter-increment: h3;
    content: counter(h3) ' ';
    margin-right: 5px;
  }
  #post-intent-button {
    float: right;
  }
`]}
```

```
.inline {
  display: inline;
}
`}}connectedCallback(){super.connectedCallback(),this.fetchData()}fetchData()
{Promise.all([window.csClient.getFeature(this.featureId),window.csClient.getGates(this.featureId)]).the
n([[feature,gates]]=>{if(this.feature=feature,document.title=`${this.feature.name} -
${this.appTitle}`,this.gateId)
{if(this.gate=gates.gates.find(gate=>gate.id===this.gateId),!this.gate)throw new Error("Invalid gate
ID");for(const stage of this.feature.stages){if(this.stage)break;if(stage.id===this.gate.stage_id&&
(this.stage=stage),!this.stage){const
extensionStage=stage.extensions.find(e=>e.id===this.gate.stage_id);extensionStage&&
(this.stage=extensionStage)}}}else if(this.stageId){const
matchingStage=this.feature.stages.find(s=>s.id===this.stageId);if(!matchingStage)throw new Error(`No
matching stage found for ID ${this.stageId}`);this.stage=matchingStage}else throw new Error("Invalid
gate ID");return this.feature.unlisted&&
(this.displayFeatureUnlistedWarning=!0),window.csClient.getIntentBody(this.featureId,this.stage.id,this
.gateId)}}.then(intentResp=>
{this.subject=intentResp.subject,this.intentBody=intentResp.email_body,this.loading=!1}).catch(()=>
{showToastMessage("Some errors occurred. Please refresh the page or try again
later.")}})}renderThreeLGTMSection(){return STAGE_TYPES_SHIPPING.has(this.stage?.stage_type)?x$1`
<section>
  <h3>Obtain LGTMs from 3 API Owners</h3>
  <span class="help">
    You will need three LGTMs from API owners. According to the
    <a href="http://www.chromium.org/blink#launch-process">
      >Blink Launch process</a>
    </span>
    after that, you're free to ship your feature.
  </span>
</section>`:$E$1}renderFeatureUnlistedAlert(){return this.displayFeatureUnlistedWarning?x$1`<div
class="alertbox">
  Important: This feature is currently unlisted. Please only share feature
  details with people who are collaborating with you on the feature.
</div>`:$E$1}renderSkeletonSection(){return x$1`
<section>
  <h3><sl-skeleton effect="sheen"></sl-skeleton></h3>
  <p>
    <sl-skeleton effect="sheen"></sl-skeleton>
    <sl-skeleton effect="sheen"></sl-skeleton>
  </p>
</section>
`}renderSkeletons(){return x$1`
<div id="feature" style="margin-top: 65px;">
  ${this.renderSkeletonSection()} ${this.renderSkeletonSection()}
  ${this.renderSkeletonSection()} ${this.renderSkeletonSection()}
</div>
`}render(){return this.loading?this.renderSkeletons():x$1`
<div id="content">
  <div id="subheader">
    <div>
      <h2>Next steps for the Blink launch process</h2>
    </div>
  </div>
  ${this.renderFeatureUnlistedAlert()}
  <section>
    <h3>Reach out to a spec mentor</h3>
    <p style="margin-left: 1em">
      Consider showing your draft intent email to your spec mentor or
      sending it to spec-mentors@chromium.org. They can help make sure
      that your intent email is ready for review.
    </p>
  </section>
  <section>
    <h3 class="inline">Send this text for your "Intent to ..." email</h3>
    <input
      ref()
      id="post-intent-button"
      class="button inline"
      type="submit"
      value="Post directly to blink-dev"
    </input>
  </section>
  <div>
    <chromedash-intent-content
      appTitle="${this.appTitle}"
      .feature=${this.feature}
      .stage=${this.stage}
      subject="${this.subject}"
      intentBody="${this.intentBody}"
    </chromedash-intent-content>
  </div>
  ${this.renderThreeLGTMSection()}
</div>
`}};__decorate$$([n$5({type:String})],ChromedashIntentPreviewPage.prototype,"appTitle",void
```

```
0),__decorate$$([n$5({type:Number})],ChromedashIntentPreviewPage.prototype,"featureId",void
0),__decorate$$([n$5({type:Number})],ChromedashIntentPreviewPage.prototype,"stageId",void
0),__decorate$$([n$5({type:Number})],ChromedashIntentPreviewPage.prototype,"gateId",void
0),__decorate$$(r$6()),ChromedashIntentPreviewPage.prototype,"feature",void
0),__decorate$$(r$6()),ChromedashIntentPreviewPage.prototype,"stage",void
0),__decorate$$(r$6()),ChromedashIntentPreviewPage.prototype,"gate",void
0),__decorate$$(r$6()),ChromedashIntentPreviewPage.prototype,"loading",void
0),__decorate$$(r$6()),ChromedashIntentPreviewPage.prototype,"subject",void
0),__decorate$$(r$6()),ChromedashIntentPreviewPage.prototype,"intentBody",void
0),__decorate$$(r$6()),ChromedashIntentPreviewPage.prototype,"displayFeatureUnlistedWarning",void
0),ChromedashIntentPreviewPage=__decorate$$([t$3("chromedash-intent-preview-
page")],ChromedashIntentPreviewPage);var __decorate$r=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"==typeof Reflect&&"function"==typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};let ChromedashLoginRequiredPage=class
ChromedashLoginRequiredPage extends i$4{render(){return x$1` <div>Please login to see the content of
this page.</div> `}};ChromedashLoginRequiredPage=__decorate$r([t$3("chromedash-login-required-
page")],ChromedashLoginRequiredPage);var __decorate$q=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"==typeof Reflect&&"function"==typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};let ChromedashMyFeaturesPage=class
ChromedashMyFeaturesPage extends i$4{constructor()
{super(...arguments),this.selectedGateId=0,this.starredFeatures=new Set}static get styles()
{return[...SHARED_STYLES,i$7`
  sl-details {
    padding: 0 var(--content-padding);
  }
`]]connectedCallback(){super.connectedCallback(),this.fetchData()}fetchData()
{window.csClient.getStars().then(starredFeatures=>{this.starredFeatures=new
Set(starredFeatures)}).catch(()=>{showToastMessage("Some errors occurred. Please refresh the page or
try again later.")})}refetch(){const tables=Array.from(this.renderRoot.querySelectorAll("chromedash-
feature-table"));for(const table of tables)table.refetch()}handleStarToggle(e){const
newStarredFeatures=new
Set(this.starredFeatures);window.csClient.setStar(e.detail.featureId,e.detail.doStar).then(()=>
{e.detail.doStar?
newStarredFeatures.add(e.detail.featureId):newStarredFeatures.delete(e.detail.featureId),this.starredFe
atures=newStarredFeatures}).catch(()=>{showToastMessage("Unable to star the Feature. Please Try
Again.")})}userCanApprove(){return this.user&&
(this.user.is_admin||0<this.user.approvable_gate_types?.length)}renderBox(title,query,columns,sortSpec=
"",opened=!0){return x$1`
  <sl-details summary="${title}" ?open=${opened}>
    <chromedash-feature-table
      query="${query}"
      showEnterprise
      sortSpec="${sortSpec}"
      ?signedIn=${!!this.user}
      ?canEdit=${this.user&&this.user.can_edit_all}
      .starredFeatures=${this.starredFeatures}
      @star-toggle-event=${this.handleStarToggle}
      selectedGateId=${this.selectedGateId}
      num="25"
      columns=${columns}
    >
    </chromedash-feature-table>
  </sl-details>
`}renderPendingAndRecentApprovals(){const adminNotice=this.user?.is_admin?x$1`<p>You see all
pending approvals because you're a site admin.</p>`:E$1,pendingBox=this.renderBox("Features pending my
approval","pending-approval-by:me","approvals","gate.requested_on"),recentBox=this.renderBox("Recently
reviewed features","is:recently-reviewed","normal","-
gate.reviewed_on",!1);return[adminNotice,pendingBox,recentBox]}renderIStarred(){return
this.renderBox("Features I starred","starred-by:me","normal")}renderICanEdit(){return
this.renderBox("Features I can edit","can_edit:me","normal")}render(){return x$1`
  <div id="subheader">
    <h2>My features</h2>
  </div>
  <div id="deprecated" class="warning">
    This page will soon be removed from our site.<br />
    Please use one of the "My features" options in the main menu.
  </div>

  ${this.userCanApprove()?this.renderPendingAndRecentApprovals():E$1}
  ${this.renderICanEdit()} ${this.renderIStarred()}
`}};__decorate$q([n$5({attribute:!1})],ChromedashMyFeaturesPage.prototype,"user",void
0),__decorate$q([n$5({type:Number})],ChromedashMyFeaturesPage.prototype,"selectedGateId",void
0),__decorate$q([r$6()],ChromedashMyFeaturesPage.prototype,"starredFeatures",void
0),ChromedashMyFeaturesPage=__decorate$q([t$3("chromedash-myfeatures-
page")],ChromedashMyFeaturesPage);var __decorate$p=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"==typeof Reflect&&"function"==typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};let ChromedashOTCreationPage=class
```

```
ChromedashOTCreationPage extends i$4{constructor()
{super(...arguments),this.stageId=0,this.featureId=0,this.appTitle="",this.userEmail="",this.loading=!0
,this.submitting=!1,this.fieldValues=
[],this.showApprovalsFields=!1,this.isDeprecationTrial=!1,this.webfeatureUseCounterType=USE_COUNTER_TYP
E_WEBFEATURE}static get styles(){return[...SHARED_STYLES,...FORM_STYLES,i$7`
  #overlay {
    position: fixed;
    width: 100%;
    height: 100%;
    top: 0;
    left: 0;
    right: 0;
    bottom: 0;
    background-color: rgba(0, 0, 0, 0.3);
    z-index: 2;
    cursor: pointer;
  }
  .submission-spinner {
    position: fixed;
    top: 50%;
    left: 50%;
    transform: translate(-50%, -50%);
    height: 300px;
  }

  .warning {
    border: 2px solid #555555;
    border-radius: 10px;
    padding: 4px;
    margin-bottom: 32px;
  }
  .warning h3 {
    text-align: center;
    color: #555555;
    font-weight: 300;
  }
`}}connectedCallback(){super.connectedCallback(),this.fetchData()}handleFormFieldUpdate(event)
{const value=event.detail.value,index=event.detail.index;if(index>=this.fieldValues.length)throw new
Error("Out of bounds index when updating field
values.");this.fieldValues[index].touched=!0,this.fieldValues[index].value=value,"ot_require_approvals"
===this.fieldValues[index].name?
(this.showApprovalsFields=!this.showApprovalsFields,this.requestUpdate()):"ot_is_deprecation_trial"===t
his.fieldValues[index].name&&
(this.isDeprecationTrial=value,this.requestUpdate())}handleUseCounterTypeUpdate(event)
{this.webfeatureUseCounterType=parseInt(event.detail.value)}fetchData()
{this.loading=!0,Promise.all([window.csClient.getFeature(this.featureId),window.csClient.getStage(this.
featureId,this.stageId),window.csClient.getGates(this.featureId)]).then(([feature,stage,gatesRes])=>
{this.feature=feature,this.stage=stage,this.stage.ot_setup_status&&this.stage.ot_setup_status!==OT_SETU
P_STATUS_OPTIONS.OT_NOT_CREATED&&(window.location.href=`/feature/${this.featureId}`);const
relevantGates=gatesRes.gates.filter(g=>g.stage_id===this.stage.id);relevantGates.forEach(g=>
{GATE_APPROVED_REVIEW_STATES.includes(g.state)||
(window.location.href=`/feature/${this.featureId}`)}),this.feature.name&&
(document.title=`${this.feature.name} -
${this.appTitle}`),this.setFieldValues(),this.loading=!1)}addOptionalApprovalsFields(){const
insertIndex=this.fieldValues.findIndex(fieldInfo=>"ot_require_approvals"===fieldInfo.name)+1;this.field
Values.splice(insertIndex,0,
{name:"ot_approval_buganizer_component",touched:!0,value:"",stageId:this.stage.id,isApprovalsField:!0},
{name:"ot_approval_buganizer_custom_field_id",touched:!0,value:"",stageId:this.stage.id,isApprovalsFiel
d:!0},{name:"ot_approval_group_email",touched:!0,value:"",stageId:this.stage.id,isApprovalsField:!0},
{name:"ot_approval_criteria_url",touched:!0,value:"",stageId:this.stage.id,isApprovalsField:!0}})addAdd
itionalFields()
{this.fieldValues.push({name:"ot_action_requested",touched:!0,value:!0,stageId:this.stage.id,alwaysHidd
en:!0}),"Chrome Platform
Status"!==this.appTitle&&this.fieldValues.push({name:"ot_creation__bypass_file_checks",touched:!0,value
:!1,stageId:this.stage.id,alwaysHidden:!1})}setFieldValues(){const
section=ORIGIN_TRIAL_CREATION_FIELDS.sections[0];this.fieldValues=section.fields.map(field=>{const
featureJSONKey=ALL_FIELDS[field].name||field;let
value=getStageValue(this.stage,featureJSONKey);return"ot_owner_email"!==featureJSONKey||value?"ot_requi
re_approvals"===featureJSONKey&&(this.showApprovalsFields!==value):value=[this.userEmail],
{name:featureJSONKey,touched:!0,value,stageId:this.stage.id}}),this.addOptionalApprovalsFields(),this.a
ddAdditionalFields()}disconnectedCallback()
{super.disconnectedCallback(),document.title=this.appTitle}async registerHandlers(el){if(el){await
el.updateComplete;const submitButton=this.renderRoot.querySelector("input[id=submit-
button]");submitButton?.form?.addEventListener("submit",event=>
{this.handleFormSubmit(event)}),setupScrollToHash(this)}checkWebfeatureUseCounter(field,errors)
{field.checkMessage=errors.ot_webfeature_use_counter?x$1` <span class="check-error">
  <b>Error</b>: ${errors.ot_webfeature_use_counter}
</span>`:E$1}checkChromiumTrialName(field,errors)
{field.checkMessage=errors.ot_chromium_trial_name?x$1` <span class="check-error">
  <b>Error</b>: ${errors.ot_chromium_trial_name}
</span>`:E$1}checkThirdPartySupport(field,errors)
{field.checkMessage=errors.ot_has_third_party_support?x$1` <br />
  <span class="check-error">
    <b>Error</b>: ${errors.ot_has_third_party_support}
  </span>`:E$1}checkCriticalTrial(field,errors){field.checkMessage=errors.ot_is_critical_trial?
x$1` <br />
```

```

    <span class="check-error">
      <b>Error</b>: ${errors.ot_is_critical_trial}
    </span>` :E$1}handleChromiumChecks(errors){for(const field of
this.fieldValues)"ot_webfeature_use_counter"===field.name?
this.checkWebfeatureUseCounter(field,errors):"ot_chromium_trial_name"===field.name?
this.checkChromiumTrialName(field,errors):"ot_has_third_party_support"===field.name?
this.checkThirdPartySupport(field,errors):"ot_is_critical_trial"===field.name&&this.checkCriticalTrial(
field,errors)}async handleSubmit(e)
{e.preventDefault(),this.showApprovalsFields||this.fieldValues.forEach(fieldInfo=>
{fieldInfo.isApprovalsField&&(fieldInfo.touched=!1)});const
useCounterField=this.fieldValues.find(fv=>"ot_webfeature_use_counter"===fv.name);this.isDeprecationTria
l&&(useCounterField.touched=!1);const
featureSubmitBody=formatFeatureChanges(this.fieldValues,this.featureId),stageSubmitBody=featureSubmitBo
dy.stages[0];if("ot_webfeature_use_counter" in stageSubmitBody){let
useCounterPrefix="";this.webfeatureUseCounterType===USE_COUNTER_TYPE_WEBDXFEATURE?
useCounterPrefix="WebDXFeature::":this.webfeatureUseCounterType===USE_COUNTER_TYPE_CSS_PROPERTY_ID&&
(useCounterPrefix="CSSSampleId::"),stageSubmitBody.ot_webfeature_use_counter.value=`${useCounterPrefix}
${stageSubmitBody.ot_webfeature_use_counter.value}`}this.submitting=!0>window.csClient.createOriginTria
l(this.featureId,this.stageId,stageSubmitBody).then(resp=>{resp.errors?
(this.handleChromiumChecks(resp.errors),showToastMessage("Some issues were found with the given inputs.
Check input errors and try again."),this.submitting=!1,this.requestUpdate()):
(showToastMessage("Creation request submitted!"),setTimeout(()=>
{window.location.href=`/feature/${this.featureId}`},1e3))}})handleCancelClick()
{window.location.href=`/feature/${this.featureId}`}renderSkeletons(){return x$1`
  <h3><sl-skeleton effect="sheen"></sl-skeleton></h3>
  <section id="metadata">
    <h3><sl-skeleton effect="sheen"></sl-skeleton></h3>
    <p>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
    </p>
  </section>
`}getNextPage(){return`/feature/${this.featureId}`}renderSubheader(){const link=this.loading?
E$1:x$1`
  <a href=${this.getNextPage()}>
    <sl-icon name="arrow-left"></sl-icon>
    Request origin trial creation: ${this.feature.name}
  </a>
`;return x$1`
<div id="subheader">
  <h2 id="breadcrumbs">${link}</h2>
</div>
`}renderFields(){const fields=this.fieldValues.map((fieldInfo,i)=>
{if(fieldInfo.alwaysHidden||fieldInfo.isApprovalsField&&!this.showApprovalsFields||"ot_webfeature_use_c
ounter"===fieldInfo.name&&this.isDeprecationTrial)return E$1;const
shouldFadeIn=fieldInfo.isApprovalsField||"ot_webfeature_use_counter"===fieldInfo.name;let
additionalInfo=E$1;return"ot_webfeature_use_counter"===fieldInfo.name&&(additionalInfo=x$1`
  <chromedash-form-field
    name="ot_webfeature_use_counter__type"
    index=${i}
    .value=${this.webfeatureUseCounterType}
    .fieldValues=${this.fieldValues}
    ?shouldFadeIn=${shouldFadeIn}
    @form-field-update=${this.handleUseCounterTypeUpdate}"
    class="choices"
  >
  </chromedash-form-field>
`),x$1`
${additionalInfo}
<chromedash-form-field
  name=${fieldInfo.name}
  index=${i}
  value=${fieldInfo.value}
  disabledReason=${getDisabledHelpText(fieldInfo.name,this.stage)}"
  .checkMessage=${fieldInfo.checkMessage}
  .fieldValues=${this.fieldValues}
  ?shouldFadeIn=${shouldFadeIn}
  @form-field-update=${this.handleFormFieldUpdate}"
>
</chromedash-form-field>
`});return fields}renderForm(){this.fieldValues.feature=this.feature;const
submitButtonTitle=this.submitting?"Submitting...":"Submit";return x$1`
<form name="feature_form">
  ${this.submitting?x$1`<div id="overlay">
    <div class="loading">
      <div id="spinner">
        
      </div>
    </div>
  </div>` :E$1}
</div>` :E$1}
```



```

<chromedash-form-table ${n$2(this.registerHandlers)}>
  <section class="stage_form">
    <div class="warning warning-div">
      <h3>
        Please make sure this data is correct before submission! If you
        are not sure about any information on this form, contact
        <strong>origin-trials-support@google.com</strong>
      </h3>
    </div>
    ${this.renderFields()}
  </section>
</chromedash-form-table>
<div class="final_buttons">
  <input
    id="submit-button"
    class="button"
    type="submit"
    value=${submitButtonText}
    ?disabled=${this.submitting}
  />
  <button
    id="cancel-button"
    type="reset"
    @click=${this.handleCancelClick}
  >
    Cancel
  </button>
</div>
</form>
` }render(){return x$1`
  ${this.renderSubheader()}
  ${this.loading?this.renderSkeletons():this.renderForm()}
  `}};__decorate$P([n$5({type:Number}),ChromedashOTCreationPage.prototype,"stageId",void
0),__decorate$P([n$5({type:Number}),ChromedashOTCreationPage.prototype,"featureId",void
0),__decorate$P([n$5({attribute:1}),ChromedashOTCreationPage.prototype,"feature",void
0),__decorate$P([n$5({type:String}),ChromedashOTCreationPage.prototype,"appTitle",void
0),__decorate$P([n$5({type:String}),ChromedashOTCreationPage.prototype,"userEmail",void
0),__decorate$P([r$6()],ChromedashOTCreationPage.prototype,"loading",void
0),__decorate$P([r$6()],ChromedashOTCreationPage.prototype,"submitting",void
0),__decorate$P([r$6()],ChromedashOTCreationPage.prototype,"fieldValues",void
0),__decorate$P([r$6()],ChromedashOTCreationPage.prototype,"showApprovalsFields",void
0),__decorate$P([r$6()],ChromedashOTCreationPage.prototype,"isDeprecationTrial",void
0),__decorate$P([r$6()],ChromedashOTCreationPage.prototype,"webfeatureUseCounterType",void
0),__decorate$P([r$6()],ChromedashOTCreationPage.prototype,"stage",void
0),ChromedashOTCreationPage=__decorate$P([t$3("chromedash-ot-creation-
page"),ChromedashOTCreationPage];var __decorate$o=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"==typeof Reflect&&"function"==typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r);class ChromedashOTExtensionPage extends
i$4{constructor()
{super(...arguments),this.stageId=0,this.featureId=0,this.appTitle="",this.loading=!0,this.fieldValues=
[],this.currentMilestone=123,this.endMilestoneDateValues={}}static get styles()
{return[...SHARED_STYLES,...FORM_STYLES,i$7``]}static get properties(){return{stageId:
{type:Number},featureId:{type:Number},userEmail:{type:String},feature:{type:Object},loading:
{type:Boolean},appTitle:{type:String},fieldValues:{type:Array},currentMilestone:
{type:Number},endMilestoneDateValues:{type:Object}}connectedCallback()
{super.connectedCallback(),this.fetchData()}handleFormFieldUpdate(event){const
value=event.detail.value,index=event.detail.index;if(index>=this.fieldValues.length)throw new
Error("Out of bounds index when updating field
values.");this.fieldValues[index].touched=!0,this.fieldValues[index].value=value,"ot_extension__milesto
ne_desktop_last"==this.fieldValues[index].name&&this.getChromeScheduleDate(event.detail.value)}openMile
stoneExplanationDialog()
{openInfoDialog(dialogTypes.END_MILESTONE_EXPLANATION)}updateMilestoneDate(milestone){const
milestoneDiv=this.renderRoot.querySelector("#milestone-
date"),milestoneTextEl=this.renderRoot.querySelector("#milestone-date-text"),date=new
Date(this.endMilestoneDateValues[milestone]);milestoneDiv&&milestoneTextEl&&
(milestoneDiv.style.display="block",milestoneTextEl.innerHTML=`For milestone ${milestone}, this trial
will end on ${date.toLocaleDateString()}.`)async getChromeScheduleDate(milestone){const
milestoneDiv=this.renderRoot.querySelector("#milestone-date");if(milestoneDiv&&
(milestoneDiv.style.display="none",!!extensionMilestoneIsValid(milestone,this.currentMilestone)))if(!
(milestone in this.endMilestoneDateValues)){const milestonePlusTwo=parseInt(milestone)+2,resp=await
fetch(`https://chromiumdash.appspot.com/fetch_milestone_schedule?
mstone=${milestonePlusTwo}`),respJson=await
resp.json();this.endMilestoneDateValues[milestone]=respJson.mstones[0].late_stable_date}this.updateMile
stoneDate(milestone)}}fetchData()
{this.loading=!0,Promise.all([window.csClient.getFeature(this.featureId),window.csClient.getStage(this.
featureId,this.stageId)]).then(([feature,stage])=>
{this.feature=feature,this.stage=stage,this.feature.name&&(document.title=`${this.feature.name} -
${this.appTitle}`),this.loading=!1}).catch(()=>{showToastMessage("Some errors occurred. Please refresh
the page or try again
later.")}),fetch("https://chromiumdash.appspot.com/fetch_milestone_schedule").then(resp=>resp.json()).t
hen(scheduleInfo=>
{this.currentMilestone=parseInt(scheduleInfo.mstones[0].mstone)}}disconnectedCallback()
{super.disconnectedCallback(),document.title=this.appTitle}async registerHandlers(el){if(el){await

```

```
el.updateComplete;const submitButton=this.renderRoot.querySelector("input[id=submit-
button]");submitButton?.form?.addEventListener("submit",event=>
{this.handleFormSubmit(event)}),setupScrollToHash(this)}}handleFormSubmit(e){e.preventDefault();const
featureSubmitBody=formatFeatureChanges(this.fieldValues,this.featureId),stageSubmitBody=featureSubmitBo
dy.stages[0];let
newStageId=null;window.csClient.createStage(this.featureId,stageSubmitBody).then(resp=>
(newStageId=resp.stage_id>window.csClient.getGates(this.featureId)).then(resp=>{const
gate=resp.gates.find(gate=>gate.stage_id===newStageId);showToastMessage("Extension request
started!"),newStageId&&gate?setTimeout(()=>{window.location.href=`/feature/${this.featureId}?
gate=${gate.id}`,1e3):setTimeout(()=>
{window.location.href=`/feature/${this.featureId}`,1e3})).catch(()=>{showToastMessage("Some errors
occurred. Please refresh the page or try again later."))}}handleCancelClick(e)
{e.preventDefault(),window.location.href=`/feature/${this.featureId}`}renderSkeletons(){return x$1`
  <h3><sl-skeleton effect="sheen"></sl-skeleton></h3>
  <section id="metadata">
    <h3><sl-skeleton effect="sheen"></sl-skeleton></h3>
    <p>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
    </p>
  </section>
  `}getNextPage(){return`/feature/${this.featureId}`}renderSubheader(){const link=this.loading?
E$1:x$1`
  <a href=${this.getNextPage()}>
    <sl-icon name="arrow-left"></sl-icon>
    Request origin trial extension: ${this.feature.name}
  </a>
  `;return x$1`
  <div id="subheader">
    <h2 id="breadcrumbs">${link}</h2>
  </div>
  `}addDefaultRequestFields()
{this.fieldValues.push({name:"ot_owner_email",touched:!0,value:this.userEmail,stageId:this.stage.id}),t
his.fieldValues.push({name:"ot_action_requested",touched:!0,value:!0,stageId:this.stage.id});const
extensionStageType=OT_EXTENSION_STAGE_MAPPING[this.stage.stage_type];this.fieldValues.push({name:"stage
_type",touched:!0,value:extensionStageType,stageId:this.stage.id}),this.fieldValues.push({name:"ot_stag
e_id",touched:!0,value:this.stage.id,stageId:this.stage.id})}renderFields(section){const
fields=section.fields.map(field=>{const
featureJSONKey=ALL_FIELDS[field].name||field,index=this.fieldValues.length;this.fieldValues.push({name:
featureJSONKey,touched:!0,value:null,stageId:this.stage.id});let
milestoneInfoText=x$1`;return"ot_extension__milestone_desktop_last"===featureJSONKey&&
(milestoneInfoText=x$1` <div
  id="milestone-date"
  style="display:none;"
>
  <span id="milestone-date-text" class="helptext fade-in"></span>
  <a class="helptext" @click=${this.openMilestoneExplanationDialog}>
    Learn how this date is chosen
  </a>
</div>`),x$1`
<chromedash-form-field
  name=${featureJSONKey}
  index=${index}
  disabledReason=${getDisabledHelpText(field,this.stage)}"
  .fieldValues=${this.fieldValues}
  @form-field-update=${this.handleFormFieldUpdate}"
>
</chromedash-form-field>
${milestoneInfoText}
`});return this.addDefaultRequestFields(),fields}renderForm()
{this.fieldValues.feature=this.feature;const section=ORIGIN_TRIAL_EXTENSION_FIELDS.sections[0];return
x$1`
  <form name="feature_form">
    <chromedash-form-table ${n$2(this.registerHandlers)}>
      <section class="stage_form">${this.renderFields(section)}</section>
    </chromedash-form-table>
    <div class="final_buttons">
      <input
        id="submit-button"
        class="button"
        type="submit"
        value="Submit"
      />
      <button
        id="cancel-button"
        type="reset"
        @click=${this.handleCancelClick}
      >
        Cancel
      </button>
```

```

    </div>
  </form>
  `}render(){return x$1`
    ${this.renderSubheader()}
    ${this.loading?this.renderSkeletons():this.renderForm()}
  `}}__decorate$0([n$5({type:Number})],ChromedashOTExtensionPage.prototype,"stageId",void
0),__decorate$0([n$5({type:Number})],ChromedashOTExtensionPage.prototype,"featureId",void
0),__decorate$0([n$5({type:String})],ChromedashOTExtensionPage.prototype,"userEmail",void
0),__decorate$0([n$5({type:String})],ChromedashOTExtensionPage.prototype,"appTitle",void
0),__decorate$0([r$6()],ChromedashOTExtensionPage.prototype,"feature",void
0),__decorate$0([r$6()],ChromedashOTExtensionPage.prototype,"loading",void
0),__decorate$0([r$6()],ChromedashOTExtensionPage.prototype,"fieldValues",void
0),__decorate$0([r$6()],ChromedashOTExtensionPage.prototype,"currentMilestone",void
0),__decorate$0([r$6()],ChromedashOTExtensionPage.prototype,"endMilestoneDateValues",void
0),__decorate$0([r$6()],ChromedashOTExtensionPage.prototype,"stage",void
0),customElements.define("chromedash-ot-extension-page",ChromedashOTExtensionPage);var
__decorate$n=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};let ChromedashSettingsPage=class ChromedashSettingsPage
extends i$4{constructor(){super(...arguments),this.notify_as_starrer=!1,this.submitting=!1}static get
styles(){return[...SHARED_STYLES,...FORM_STYLES,i$7`
  th,
  td {
    padding: 4px;
  }

  input[type='submit'] {
    margin: 20px;
  }

  input[disabled] {
    opacity: 0.5;
    pointer-events: none;
  }

  #spinner {
    display: flex;
    align-items: center;
    justify-content: center;
    position: fixed;
    height: 60%;
    width: 100%;
  }

  table .helptext {
    display: block;
    font-style: italic;
    font-size: smaller;
    max-width: 40em;
    margin-top: 2px;
  }
  `}}connectedCallback(){super.connectedCallback(),window.csClient.getSettings().then(res=>
{this.notify_as_starrer=res.notify_as_starrer}).catch(()=>{showToastMessage("Some errors occurred.
Please refresh the page or try again later.")}})handleSubmit(e)
{e.preventDefault(),this.submitting=!0,window.csClient.setSettings(this.notify_as_starrer).then(()=>
{showToastMessage("Settings saved."),handleSaveChangesResponse("")}).catch(()=>
{showToastMessage("Unable to save the settings. Please try again."),handleSaveChangesResponse("Unable
to save the settings. Please try again.")}).finally(()=>{this.submitting=!1})}handleChange()
{this.notify_as_starrer=!this.notify_as_starrer}render(){const
submitButtonTitle=this.submitting?"Submitting...":"Submit";return x$1`
  <div id="subheader">
    <h2>User preferences</h2>
  </div>
  <section>
    <form name="user_pref_form" @submit=${this.handleSubmit}>
      <table cellpadding="6">
        <tbody>
          <tr>
            <th>
              <label for="id_notify_as_starrer">Notify as starrer:</label>
            </th>
            <td>
              <sl-checkbox
                id="id_notify_as_starrer"
                name="notify_as_starrer"
                ?checked=${this.notify_as_starrer}
                @input=${this.handleChange}
              >
            </sl-checkbox>
            <span class="helptext">
              Send you notification emails for features that you
              starred?</span>
            >
          </td>
        </tr>
      </tbody>
    </table>
  </form>
  </section>
  `}
```

```

    </tr>
  </tbody>
</table>
<input
  type="submit"
  value=${submitButtonTitle}
  ?disabled=${this.submitting}
/>
</form>
</section>
${this.submitting?x$1` <div class="loading">
  <div id="spinner"></div>
  </div>`:E$1}
`}};__decorate$N([r$6()],ChromedashSettingsPage.prototype,"notify_as_starrer",void
0),__decorate$N([r$6()],ChromedashSettingsPage.prototype,"submitting",void
0),ChromedashSettingsPage=__decorate$N([t$3("chromedash-settings-page")],ChromedashSettingsPage);var
__decorate$m=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};let ChromedashXMeter=class ChromedashXMeter extends
i$4{constructor(){super(...arguments),this.value=0,this.max=100,this.href="#"}static get styles()
{return[...SHARED_STYLES,i$7`
  :host {
    display: grid;
    grid-template-columns: 65px 1fr;
    grid-column-gap: 15px;
    height: 1.6em;
    font-size: 14px;
  }

  #percentage-number {
    place-self: center;
  }

  #track {
    background: var(--barchart-background);
    border-radius: var(--border-radius);
    overflow: hidden;
    height: 100%;
  }

  #indicator {
    background: var(--barchart-foreground);
    height: 100%;
    white-space: nowrap;
    padding: 3px 0;
  }
`}}render(){return x$1`
<p id="percentage-number">
  ${1e-4>this.value?"<0.0001%":this.value.toFixed(4)+"%"}
</p>
<a href="${this.href}">
  <div id="track">
    <div
      id="indicator"
      style="width: ${100*(this.value/this.max)}%"
    ></div>
  </div>
</a>
`}};__decorate$m([n$5({type:Number})],ChromedashXMeter.prototype,"value",void
0),__decorate$m([n$5({type:Number})],ChromedashXMeter.prototype,"max",void
0),__decorate$m([n$5({type:String})],ChromedashXMeter.prototype,"href",void
0),ChromedashXMeter=__decorate$m([t$3("chromedash-x-meter")],ChromedashXMeter);var
__decorate$l=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};let ChromedashStackRank=class ChromedashStackRank
extends i$4{constructor(){super(...arguments),this.type="",this.view="",this.viewList=[],this.tempList=
[],this.maxPercentage=100,this.sortType="percentage",this.sortReverse=!1,this.shouldHideObsolete=!0,thi
s.obsoleteCount=0}static get styles(){return[...SHARED_STYLES,i$7`
  :host {
    display: block;
    flex: 1;
    padding: 1px;
  }

  .title-text {
    flex: 1;
    font-weight: 500;
  }

  li {
    padding: 5px 0;
    display: flex;

```

```
    align-items: center;
  }

  #subheader {
    font-size: 15px;
    display: flex;
    justify-content: space-between;
    align-items: center;
  }

  #dropdown-selection:hover {
    background: var(--sl-color-neutral-100);
  }

  sl-button::part(base) {
    color: #000;
  }

  li > :first-child {
    flex: 1;
    word-break: break-all;
  }

  li > :nth-child(2) {
    flex: 2;
  }

  .stack-rank-header {
    margin-bottom: 5px;
    text-align: center;
  }

  .stack-rank-item {
    border-top: var(--table-divider);
  }

  .stack-rank-item-hidden {
    display: none;
  }

  .stack-rank-item-name {
    display: grid;
    grid-template-columns: var(--icon-size) 1fr;
    grid-column-gap: 15px;
    position: relative;
    left: -20px;
  }
  .stack-rank-item-name .hash-link {
    place-self: center;
    visibility: hidden;
  }
  .stack-rank-item-name:hover .hash-link {
    visibility: visible;
  }

  .stack-rank-item-result {
    display: flex;
    align-items: center;
    gap: 15px;
    margin-right: 15px;
  }

  chromedash-x-meter {
    flex: 1;
  }

  a.icon-wrapper {
    display: flex;
    gap: 3px;
    align-items: center;
  }
  a.icon-wrapper:hover {
    text-decoration: none;
  }

  .spacer {
    visibility: hidden;
  }

  sl-skeleton {
    margin: 0;
    padding: 5px 20px;
  }

  /* On small displays, only show timeline icons (no text). */
  @media only screen and (max-width: 600px) {
```

```
.icon-text {
  display: none;
}

.stack-rank-item-name {
  grid-column-gap: 5px;
}

.stack-rank-item-result {
  margin-right: 5px;
}
}
`}}willUpdate(changedProperties){var
_Mathmax7=Math.max;changedProperties.has("viewList")&&this.viewList.length&&
(this.maxPercentage=this.viewList.reduce((accum,currVal)=>_Mathmax7(accum,currVal.percentage),0),setTim
eout(()=>
{this.scrollToPosition(),300),this.obsoleteCount=this.viewList.filter(item=>item.obsolete).length)}scr
ollToPosition(e){let hash;if(e?hash=e.currentTarget.getAttribute("href"):location.hash&&
(hash=decodeURIComponent(location.hash)),hash){const el=this.renderRoot.querySelector(".stack-rank-list
"+hash);el?.scrollIntoView({behavior:"smooth"})}}sort(e){e.preventDefault();const
parts=e.target.dataset.order.split("-");this.sortType=parts[0],this.sortReverse=!!parts[1];const
newViewList=
[...this.viewList];this.viewList=sortBy_(this.sortType,this.sortReverse,newViewList)}handleChangeHideOb
solete(e){this.shouldHideObsolete=e.target.checked}renderSubHeader(){return x$1`
<div id="subheader">
  <p class="title-text">
    Showing
    <span
      >${this.viewList.length-(this.shouldHideObsolete?this.obsoleteCount:0)}</span>
    >
    properties
  </p>
  <sl-checkbox
    ?checked=${this.shouldHideObsolete}
    @input=${this.handleChangeHideObsolete}
  >
    Hide obsolete
  </sl-checkbox>
  <div id="dropdown-selection">
    <sl-dropdown>
      <sl-button
        slot="trigger"
        variant="text"
        ?disabled=${!this.viewList.length}
      >
        <sl-icon name="filter-left"></sl-icon>
        SORT BY
      </sl-button>
      <sl-menu @click="${this.sort}">
        <sl-menu-item
          type="checkbox"
          ?checked=${("percentage"==this.sortType&&!this.sortReverse)}
          data-order="percentage"
        >
          Most used
        </sl-menu-item>
        <sl-menu-item
          type="checkbox"
          ?checked=${("percentage"==this.sortType&&this.sortReverse)}
          data-order="percentage-reverse"
        >
          Least used
        </sl-menu-item>
        <sl-menu-item
          type="checkbox"
          ?checked=${("property_name"==this.sortType&&this.sortReverse)}
          data-order="property_name-reverse"
        >
          Name (A-Z)
        </sl-menu-item>
        <sl-menu-item
          type="checkbox"
          ?checked=${("property_name"==this.sortType&&!this.sortReverse)}
          data-order="property_name"
        >
          Name (Z-A)
        </sl-menu-item>
      </sl-menu>
    </sl-dropdown>
  </div>
</div>
`}renderStackRank(displayedList){return x$1`
  ${displayedList.map(item=>x$1`
    <li
      class="stack-rank-item ${this.shouldHideObsolete&&item.obsolete?"stack-rank-item-
hidden":""}"
```

```

      id="${item.property_name}"
    >
      <div
        title="${item.property_name}. Click to deep link to this property."
      >
        <a
          class="stack-rank-item-name"
          href="#${item.property_name}"
          @click=${this.scrollToPosition}
        >
          <sl-icon
            class="hash-link"
            library="material"
            name="link"
          ></sl-icon>
          <p>${item.property_name}</p>
        </a>
      </div>
      <div class="stack-rank-item-result">
        <chromedash-x-meter
          value="${item.percentage}"
          max="${this.maxPercentage}"
          href="/metrics/${this.type}/timeline/${this.view}/${item.bucket_id}"
          title="Click to see a timeline view of this property"
        >
        </chromedash-x-meter>
        <a
          class="icon-wrapper"
          href="/metrics/${this.type}/timeline/${this.view}/${item.bucket_id}"
          title="Click to see a timeline view of this property"
        >
          <sl-icon name="graph-up"></sl-icon>
          <p class="icon-text">Timeline</p>
        </a>
      </div>
    </li>
  `)}
`}renderSkeletons(){return x$1` ${Array.from(Array(20)).map(()=>x$1`
  <li class="stack-rank-item">
    <sl-skeleton effect="sheen"></sl-skeleton>
    <sl-skeleton effect="sheen"></sl-skeleton>
  </li>
  `)} `}renderTemporaryRank(){return x$1`
  ${this.tempList.length?this.renderStackRank(this.tempList):E$1}
  ${this.renderSkeletons()}
`}renderStackRankList(){return x$1`
  <ol class="stack-rank-list">
    <li class="stack-rank-header">
      <p class="title-text">Property name</p>
      <div class="stack-rank-item-result">
        <p class="title-text">Percentage</p>
        <a class="icon-wrapper spacer">
          <sl-icon name="graph-up"></sl-icon>
          <p class="icon-text">Timeline</p>
        </a>
      </div>
    </li>
    ${this.viewList.length?this.renderStackRank(this.viewList):this.renderTemporaryRank()}
  </ol>
  `}render(){return x$1` ${this.renderSubHeader()} ${this.renderStackRankList()}
  `}};__decorate$1([n$5({type:String,attribute:!1})],ChromedashStackRank.prototype,"type",void
0),__decorate$1([n$5({type:String,attribute:!1})],ChromedashStackRank.prototype,"view",void
0),__decorate$1([n$5({type:Array,attribute:!1})],ChromedashStackRank.prototype,"viewList",void
0),__decorate$1([n$5({type:Array,attribute:!1})],ChromedashStackRank.prototype,"tempList",void
0),__decorate$1([r$6()],ChromedashStackRank.prototype,"maxPercentage",void
0),__decorate$1([r$6()],ChromedashStackRank.prototype,"sortType",void
0),__decorate$1([r$6()],ChromedashStackRank.prototype,"sortReverse",void
0),__decorate$1([r$6()],ChromedashStackRank.prototype,"shouldHideObsolete",void
0),__decorate$1([r$6()],ChromedashStackRank.prototype,"obsoleteCount",void
0),ChromedashStackRank=__decorate$1([t$3("chromedash-stack-rank")],ChromedashStackRank);const sortBy_=
(propName,reverse,arr)=>{const compareAsNumbers="percentage"===propName;return arr.sort((a,b)=>{const
propA=compareAsNumbers?a[propName]:a[propName],propB=compareAsNumbers?b[propName]:b[propName];return
propA>propB?reverse?1:-1:propA<propB?reverse?-1:1:0}),arr};var
__decorate$k=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};class ChromedashStackRankPage extends i$4{constructor()
{super(...arguments),this.viewList=[],this.tempList=[]}static get styles(){return[...SHARED_STYLES,i$7`
  h3 {
    margin: var(--content-padding) 0;
    font-weight: 500;
    color: #000;
  }

  .description {
```

```
margin-bottom: 1em;
}
.description #highlighted-text {
  font-weight: 500;
}

#datalist-input {
  width: 30em;
  max-width: 100%;
  border-radius: 10px;
  height: 25px;
  margin-bottom: var(--content-padding);
  padding-left: 10px;
  font-size: 15px;
}
`}}connectedCallback(){super.connectedCallback(),this.loadAll()}loadAll(){let
endpoint=`/data/${this.type}${this.view}`;const options=
{credentials:"omit"};fetch(endpoint,options).then(res=>res.json()).then(props=>{for(let
i=0,item;item=props[i];++i)item.percentage=
(100*item.day_percentage).toFixed(6),item.obsolete=item.property_name&&
(item.property_name.startsWith("OBSOLETE_")||item.property_name.endsWith("(obsolete)"));const
viewList=props.filter(item=>!
["ERROR","PageVisits","PageDestruction"].includes(item.property_name));this.templist=viewList.slice(0,3
0),setTimeout(()=>{this.viewList=viewList,300}).catch(()=>{showToastMessage("Some errors occurred.
Please refresh the page or try again later.")}})}handleSearchBarChange(e){const
inputValue=e.currentTarget.value,property=this.viewList.find(item=>item.property_name===inputValue);win
dow.location.href=`/metrics/${this.type}/timeline/${this.view}/${property.bucket_id}`}renderSubheader()
{const subTitleText=METRICS_TYPE_AND_VIEW_TO_SUBTITLE[this.type+this.view];return
x$1`<h2>${subTitleText} > stack rank</h2>`}renderSearchBar(){return x$1`
  <input
    id="datalist-input"
    type="search"
    list="features"
    autocomplete="off"
    placeholder=${this.viewList.length?"Select or search a property for detailed
stats":"loading..."}
    @change=${this.handleSearchBarChange}"
  />
  <datalist id="features">
    ${this.viewList.map(item=>x$1`
      <option
        value=${item.property_name}
        dataset-debug-bucket-id=${item.bucket_id}"
      ></option>
    `)}
  </datalist>
`}renderDataPanel(){return x$1`
  <h3>Data from last 24 hours</h3>
  <p class="description">
    The percentage numbers indicate the
    <span id="highlighted-text"
      >percentage of Chrome page loads (across all channels and platforms)
      that use the ${"css"==this.type?"property":"feature"} at least
      once</span>
    >. Data is collected via Chrome's
    <a
      href="https://cs.chromium.org/chromium/src/tools/metrics/histograms/enums.xml"
      target="_blank"
      rel="noopener"
      >anonymous usage statistics</a>
    >.
  </p>
  <chromedash-stack-rank
    .type=${this.type}
    .view=${this.view}
    .tempList=${this.tempList}
    .viewList=${this.viewList}
  >
  </chromedash-stack-rank>
`}render(){return x$1`
  <div id="subheader">${this.renderSubheader()}</div>
  ${this.renderSearchBar()} ${this.renderDataPanel()}
  `}}__decorate$k([n$5({attribute:!1})],ChromedashStackRankPage.prototype,"type",void
0),__decorate$k([n$5({attribute:!1})],ChromedashStackRankPage.prototype,"view",void
0),__decorate$k([n$5({attribute:!1})],ChromedashStackRankPage.prototype,"viewList",void
0),__decorate$k([n$5({attribute:!1})],ChromedashStackRankPage.prototype,"tempList",void
0),customElements.define("chromedash-stack-rank-page",ChromedashStackRankPage);var
__decorate$j=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"==typeof Reflect&&"function"==typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r,r);let ChromedashStaleFeaturesPage=class
ChromedashStaleFeaturesPage extends i$4{constructor(){super(...arguments),this.staleFeatures=
[],this.loading=!0,this._sortColumn="name",this._sortDirection="asc"}static get styles()
{return[...SHARED_STYLES,...FORM_STYLES,i$7`
  :host {
```



```

    display: block;
    padding: 1em 2em;
    max-width: 1400px;
    margin: auto;
  }

  #subheader {
    padding: 0.5em 0;
    margin-bottom: 1.5em;
    border-bottom: 1px solid #e0e0e0;
  }

  #breadcrumbs {
    color: #333;
    font-size: 1.75em;
    font-weight: 600;
    margin: 0;
  }

  table {
    width: 100%;
    border-collapse: collapse;
  }

  th,
  td {
    padding: 14px 18px;
    text-align: left;
    border-bottom: 1px solid #ddd;
  }

  thead tr {
    background-color: #f9f9f9;
  }

  th {
    font-weight: 600;
    color: #555;
    text-transform: uppercase;
    font-size: 0.85em;
    letter-spacing: 0.05em;
  }

  th.sortable {
    cursor: pointer;
    user-select: none;
    position: relative;
    padding-right: 36px;
  }

  th.sortable:hover {
    background-color: #f0f0f0;
  }

  .sort-indicator {
    position: absolute;
    top: 50%;
    right: 18px;
    transform: translateY(-50%);
    opacity: 0.6;
    transition: opacity 0.2s ease-in-out;
  }

  tbody tr:nth-child(even) {
    background-color: #fdfdfd;
  }

  tbody tr:hover {
    background-color: #f1f1f1;
    transition: background-color 0.2s ease-in-out;
  }

  td a {
    color: var(--link-color);
    text-decoration: none;
    font-weight: 500;
  }

  td a:hover {
    text-decoration: underline;
  }

  .no-features {
    padding: 2em;
    text-align: center;
    font-style: italic;
  }
```

```

    color: #777;
    background-color: #fafafa;
    border: 1px solid #ddd;
    border-radius: 8px;
  }
  `]]connectedCallback(){super.connectedCallback(),this.fetchData()}async fetchData()
{this.loading=!0;try{const staleFeaturesResp=await
window.csClient.getStaleFeatures();this.staleFeatures=staleFeaturesResp.stale_features}catch(error)
{console.error(error),showToastMessage("Some errors occurred. Please refresh the page or try again
later.")}finally{this.loading=!1}}_handleSort(column){this._sortColumn===column?
this._sortDirection="asc"===this._sortDirection?"desc":"asc":
(this._sortColumn=column,this._sortDirection="asc")}_renderSortIndicator(column){return
this._sortColumn===column?"asc"===this._sortDirection?"\u25B2":"\u25BC":""}renderSkeletons(){return
x$1`
  <h3><sl-skeleton effect="sheen"></sl-skeleton></h3>
  <section id="metadata">
    <h3><sl-skeleton effect="sheen"></sl-skeleton></h3>
    <p>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
      <sl-skeleton effect="sheen"></sl-skeleton>
    </p>
  </section>
  `}renderSubheader(){return x$1`
    <div id="subheader">
      <h2 id="breadcrumbs">Stale features</h2>
    </div>
  `}renderStaleFeatures(){if(0===this.staleFeatures.length)return x$1`
    <div class="no-features">
      <p>No stale features found. Great job!</p>
    </div>
    `;const sortedFeatures=[...this.staleFeatures].sort((a,b)=>{const
valA=a[this._sortColumn],valB=b[this._sortColumn];let comparison=0;return"string"===typeof
valA&&"string"===typeof valB?comparison=valA.localeCompare(valB):"number"===typeof valA&&"number"===typeof
valB?comparison=valA-valB:"accurate_as_of"===this._sortColumn&&(comparison=new Date(valA).getTime()-new
Date(valB).getTime()),"asc"===this._sortDirection?comparison:-comparison});return x$1`
    <div class="stale-features-table-container">
      <table>
        <thead>
          <tr>
            <th class="sortable" @click=${()=>this._handleSort("name")}>
              Name
              <span class="sort-indicator"
                >${this._renderSortIndicator("name")}</span>
            >
          </th>
          <th>Owner Emails</th>
          <th
            class="sortable"
            @click=${()=>this._handleSort("milestone_field")}
          >
            Milestone Field
            <span class="sort-indicator"
              >${this._renderSortIndicator("milestone_field")}</span>
          >
          </th>
          <th
            class="sortable"
            @click=${()=>this._handleSort("milestone")}
          >
            Milestone
            <span class="sort-indicator"
              >${this._renderSortIndicator("milestone")}</span>
          >
          </th>
          <th
            class="sortable"
            @click=${()=>this._handleSort("outstanding_notifications")}
          >
            Notifications
            <span class="sort-indicator"
              >${this._renderSortIndicator("outstanding_notifications")}</span>
          >
          </th>
          <th
            class="sortable"
            @click=${()=>this._handleSort("accurate_as_of")}
          >
            Last Updated
            <span class="sort-indicator"
              >${this._renderSortIndicator("accurate_as_of")}</span>
          >
        </thead>
      </table>
    </div>
  `}
```

```

      >
    </th>
  </tr>
</thead>
<tbody>
  ${sortedFeatures.map(feature=>x$1`
    <tr>
      <td><a href="/feature/${feature.id}">${feature.name}</a></td>
      <td>${feature.owner_emails.join(", ")}</td>
      <td>${feature.milestone_field}</td>
      <td>${feature.milestone}</td>
      <td>${feature.outstanding_notifications}</td>
      <td>
        ${new Date(feature.accurate_as_of).toLocaleDateString()}
      </td>
    </tr>
  `)}
</tbody>
</table>
</div>
`}render(){return x$1`
  ${this.renderSubheader()}
  ${this.loading?this.renderSkeletons():this.renderStaleFeatures()}
  `}};__decorate$j([r$6()],ChromedashStaleFeaturesPage.prototype,"staleFeatures",void
0),__decorate$j([r$6()],ChromedashStaleFeaturesPage.prototype,"loading",void
0),__decorate$j([r$6()],ChromedashStaleFeaturesPage.prototype,"_sortColumn",void
0),__decorate$j([r$6()],ChromedashStaleFeaturesPage.prototype,"_sortDirection",void
0),ChromedashStaleFeaturesPage=__decorate$j([t$3("chromedash-stale-features-
page")],ChromedashStaleFeaturesPage);var __decorate$i=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r,r);class ChromedashTimeline extends i$4{constructor()
{super(...arguments),this.type="",this.view="",this.props=
[],this.selectedBucketId="1",this.showAllHistoricalData=!1}static get styles()
{return[...SHARED_STYLES,i$7`
  :host {
    display: block;
    flex: 1;
    width: var(--max-content-width);
  }

  :host label {
    margin-left: 8px;
    cursor: pointer;
  }

  #chart {
    margin-top: 15px;
    width: 100%;
    height: 450px;
    background: var(--table-alternate-background);
    border-radius: var(--border-radius);
  }

  #http-archive-data {
    border: 0;
    width: 100%;
    height: 870px;
  }

  .header_title {
    margin: 32px 0 15px 0;
    font-weight: 500;
    color: #000;
  }

  .description {
    margin: 15px 0;
  }

  .callout {
    padding: var(--content-padding);
    margin-top: var(--content-padding);
    background-color: var(--sl-color-warning-100);
    border-color: rgba(27, 31, 35, 0.15);
    line-height: 1.4;
  }

  #bigquery:empty {
    display: none;
  }

  #bigquery {
    font-family: 'Courier New', Courier, monospace;
  }
`}
```

```
font-weight: 600;
padding: 15px;
margin-bottom: 100px;
background: var(--table-alternate-background);
display: inline-block;
}

#datalist-input {
  width: 20em;
  border-radius: 10px;
  height: 25px;
  padding-left: 10px;
  font-size: 15px;
}

sl-progress-bar {
  --height: 4px;
  --track-color: var(--barchart-foreground);
  --indicator-color: var(--barchart-background);
}
`}}updated()
{window.google.charts.setOnLoadCallback(this._updateTimeline.bind(this))updateSelectedBucketId(e)
{const inputValue=e.currentTarget.value,feature=this.props.find(el=>el[1]===inputValue);feature?
this.selectedBucketId=feature[0].toString():inputValue&&showToastMessage("No matching features. Please
try again!")}toggleShowAllHistoricalData()
{this.showAllHistoricalData=!this.showAllHistoricalData}firstUpdated()
{window.google.charts.load("current",{packages:
["corechart"]})}drawVisualization(data,bucketId,showAllHistoricalData){function aggregateByMonth(date)
{const month=date.getMonth(),year=date.getFullYear();return new Date(year,month)}const datatable=new
google.visualization.DataTable;datatable.addColumn("date","Date"),datatable.addColumn("number","Percent
age"),datatable.addColumn({type:"string",role:"annotation"}),datatable.addColumn({type:"string",role:"a
nnotationText"});const rowArray=[];for(let i=0,item;item=data[i];++i){const dateStr=item.date.split("-
"),date=new
Date;date.setFullYear(parseInt(dateStr[0]),parseInt(dateStr[1])-1,parseInt(dateStr[2]));const row=
[date,parseFloat((100*item.day_percentage).toFixed(6))];"2017-10-27"===item.date?
row.push("A","Modernized
metrics"):row.push(null,null),rowArray.push(row)}datatable.addRow(rowArray);const
groupedTable=window.google.visualization.data.group(datatable,
[{column:0,modifier:aggregateByMonth,type:"date"}],
[{column:1,aggregation:window.google.visualization.data.avg,type:"number",label:"Monthly Average"}],
[{column:2,type:"string"}]),formatter=new
window.google.visualization.NumberFormat({fractionDigits:6});formatter.format(groupedTable,1);let
view=groupedTable;if(!showAllHistoricalData){const startYear=new Date().getFullYear()-2;view=new
window.google.visualization.DataView(groupedTable),view.setRows(view.getFilteredRows([column:0,minValu
e:new Date(startYear,0,1)]))}const chartEl=this.shadowRoot.querySelector("#chart"),chart=new
window.google.visualization.LineChart(chartEl);chart.draw(view,{backgroundColor:"white",legend:
{position:"none"},curveType:"function",vAxis:{title:"% page loads",minValue:0},hAxis:
{title:"Date",format:"MMM d, YYYY",width:"100%",height:"100%",pointSize:4,series:{0:
{color:"#4580c0"}},trendlines:{0:
{type:"linear",opacity:.5,color:"#bdd6ed",pointsVisible:!1}}}})}_updateTimeline()
{if("1"!==this.selectedBucketId&&this.props.length){let url="/data/timeline/"+this.type+this.view+"?
bucket_id="+this.selectedBucketId;this._renderHTTPArchiveData();const
chartEl=this.shadowRoot.querySelector("#chart");chartEl.innerHTML.includes("sl-progress-
bar")||chartEl.insertAdjacentHTML("afterbegin","<sl-progress-bar indeterminate></sl-progress-
bar>");const options={credentials:"omit"};fetch(url,options).then(res=>res.json()).then(response=>
{this.drawVisualization(response,this.selectedBucketId,this.showAllHistoricalData)});const
currentUrl="/metrics/"+this.type+"/timeline/"+this.view+"/"+this.selectedBucketId;history.pushState&&lo
cation.pathname!=currentUrl&&history.pushState({id:this.selectedBucketId,"",currentUrl})}_renderHTTPAr
chiveData(){const feature=this.props.find(el=>el[0]===parseInt(this.selectedBucketId));if(feature){let
featureName=feature[1];const inputEl=this.shadowRoot.querySelector("#datalist-
input");inputEl.value=featureName,"css"==this.type&&
(featureName=convertToCamelCaseFeatureName(featureName));const
REPORT_ID="1M8kXOqPkWYNKjJhtag_nvDNJCpvmw_ri",dsEmbedUrl="https://datastudio.google.com/embed/reporting
/${"1M8kXOqPkWYNKjJhtag_nvDNJCpvmw_ri"}/page/tc5b?
params=%7B`df3`:"include%25EE%2580%25800%25EE%2580%2580IN%25EE%2580%2580${featureName}`%7D`,hadEl=this.
shadowRoot.querySelector("#http-archive-data");hadEl.src=dsEmbedUrl;const
bigqueryEl=this.shadowRoot.querySelector("#bigquery");bigqueryEl.textContent=`#standardSQL
SELECT date, client, pct_urls, sample_urls
FROM `httparchive.blink_features.usage`
WHERE feature = '${featureName}'
AND date = (SELECT MAX(date) FROM `httparchive.blink_features.usage`)
ORDER BY date DESC, client`}}render(){const note2017=x$1`
<p class="callout">
  <b>Note</b>: on 2017-10-26 the underlying metrics were switched over to
  a newer collection system which is
  <a
    href="https://groups.google.com/a/chromium.org/forum/#!msg/blink-api-owners-
    discuss/IpIkbz0qtrM/HUCfSMv2AQAJ"
    target="_blank"
    >more accurate</a>
  >. This is also the reason for the abrupt spike around 2017-10-26.
</p>
`;return x$1`
<input
  id="datalist-input"
  type="search"
```

```
list="features"
autocomplete="off"
placeholder="Select or search a property"
@change="${this.updateSelectedBucketId}"
/>
<datalist id="features">
  ${this.props.map(prop=>x$1`
    <option
      value="${prop[1]}"
      dataset-debug-bucket-id="${prop[0]}"
    ></option>
  `)}
</datalist>
<label>
  Show all historical data:
  <input
    type="checkbox"
    ?checked="${this.showAllHistoricalData}"
    @change="${this.toggleShowAllHistoricalData}"
  />
</label>
<h3 id="usage" class="header_title">
  Percentage of page loads over time
</h3>
<p class="description">
  The chart below shows the percentage of page loads (in Chrome) that use
  this feature at least once. Data is across all channels and platforms.
  Newly added use counters that are not on Chrome stable yet only have
  data from the Chrome channels they're on.
</p>
<div id="chart"></div>
${this.showAllHistoricalData?note2017:E$1}
<h3 id="httparchive" class="header_title">
  Adoption of the feature on top sites
</h3>
<p class="description">
  The chart below shows the adoption of the feature by the top URLs on the
  internet. Data from
  <a href="https://httparchive.org/" target="_blank">HTTP Archive</a>.
</p>
<iframe id="http-archive-data"></iframe>
<p class="callout">
  <b>Note</b>: The jump around July and December 2018 are because the
  corpus of URLs crawled by HTTP Archive increased. These jumps have no
  correlation with the jump in the top graph. See the
  <a
    href="https://discuss.httparchive.org/t/changes-to-the-http-archive-corpus/1539"
    target="_blank"
  >announcement</a>
  >
  for more details.
</p>
<p class="description">
  Copy and run this command in
  <a href="https://bigquery.cloud.google.com" target="_blank">BigQuery</a>
  to produce similar results:
</p>
<pre id="bigquery"></pre>
`}}__decorate$1([n$5({type:String})],ChromedashTimeline.prototype,"type",void
0),__decorate$1([n$5({type:String})],ChromedashTimeline.prototype,"view",void
0),__decorate$1([n$5({attribute:l1})],ChromedashTimeline.prototype,"props",void
0),__decorate$1([n$5({attribute:l1})],ChromedashTimeline.prototype,"selectedBucketId",void
0),__decorate$1([n$5({attribute:l1})],ChromedashTimeline.prototype,"showAllHistoricalData",void
0);function capitalize(word){const letters=word.split("");return
letters[0]=letters[0].toUpperCase(),letters.join("")}function convertToCamelCaseFeatureName(property)
{return"CSSProperty"+property.split("-").map(capitalize).join("")}customElements.define("chromedash-
timeline",ChromedashTimeline);var __decorate$h=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};class ChromedashTimelinePage extends i$4{constructor()
{super(...arguments),this.type="",this.view="",this.props=[],this.selectedBucketId="1"}static get
styles(){return[...SHARED_STYLES,i$7``]}connectedCallback(){super.connectedCallback();let
endpoint=`data/blink/${this.type}props`;const options=
{credentials:"omit"};fetch(endpoint,options).then(res=>res.json()).then(props=>
{this.props=props}).catch(()=>{showToastMessage("Some errors occurred. Please refresh the page or try
again later.")})}renderSubheader(){const
subTitleText=METRICS_TYPE_AND_VIEW_TO_SUBTITLE[this.type+this.view];return x$1`
  <div id="subheader">
    <h2 id="breadcrumbs">
      <a href="/metrics/${this.type}/${this.view}">
        <sl-icon name="arrow-left"></sl-icon> </a>
      >${subTitleText} > timeline
    </h2>
  </div>
```

```
`}renderDataPanel(){return x$1`
  <chromedash-timeline
    .type=${this.type}
    .view=${this.view}
    .props=${this.props}
    .selectedBucketId=${this.selectedBucketId}
  >
</chromedash-timeline>
`}render(){return x$1` ${this.renderSubheader()} ${this.renderDataPanel()}
`}}__decorate$h([n$5({type:String})],ChromedashTimelinePage.prototype,"type",void
0),__decorate$h([n$5({type:String})],ChromedashTimelinePage.prototype,"view",void
0),__decorate$h([n$5({attribute:!1})],ChromedashTimelinePage.prototype,"props",void
0),__decorate$h([n$5({attribute:!1})],ChromedashTimelinePage.prototype,"selectedBucketId",void
0),customElements.define("chromedash-timeline-page",ChromedashTimelinePage);var
__decorate$g=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};const DEFAULT_DURATION=7e3;let ChromedashToast=class
ChromedashToast extends i$4{constructor()
{super(...arguments),this.msg="",this.open=!1,this.actionLabel="",this.currentTimeout=null,this.waiting
ForTransition=!1}static get styles(){return[...SHARED_STYLES,i$7`
  :host {
    display: flex;
    justify-content: space-between;
    position: fixed;
    background: var(--toast-background);
    color: var(--toast-color);
    min-height: 48px;
    min-width: 288px;
    padding: var(--content-padding);
    box-sizing: border-box;
    box-shadow: var(--card-box-shadow);
    border-radius: var(--border-radius);
    margin: var(--content-padding);
    cursor: default;
    transition:
      transform 0.3s,
      opacity 0.3s;
    opacity: 0;
    will-change: opacity, transform;
    -webkit-transform: translateY(100px);
    transform: translateY(100px);
    z-index: 3;
    bottom: 0;
  }

  :host([open]) {
    opacity: 1;
    transform: translateY(-32px);
  }

  #action {
    text-transform: uppercase;
    text-decoration: none;
    color: var(--toast-action-color);
    font-weight: bold;
  }

  #msg {
    margin-right: var(--content-padding);
  }
`}}showMessage(msg,optAction,optTapHandler,optDuration){if(!this.waitingForTransition)
if(this.msg=msg,this.actionLabel=optAction,optTapHandler){const
action=this.shadowRoot.querySelector("#action");action&&action.addEventListener("click",e=>
{e.preventDefault(),optTapHandler(),{once:!0}})this.open?
(this.open=!1,this.waitingForTransition=!0,null!==(this.currentTimeout&&clearTimeout(this.currentTimeout
),this.addEventListener("transitionend",()=>{this.show(optDuration),this.waitingForTransition=!1},
{once:!0})):this.show(optDuration)}}show(optDuration){const
duration=optDuration||DEFAULT_DURATION;0<duration&&(this.currentTimeout=window.setTimeout(()=>
{this.open=!1,duration}),this.open=!0}render(){return x$1`
  <span id="msg">${this.msg}</span>
  <a href="#" id="action">${this.actionLabel}</a>
`}};__decorate$g([n$5({type:String})],ChromedashToast.prototype,"msg",void
0),__decorate$g([n$5({type:Boolean,reflect:!0})],ChromedashToast.prototype,"open",void
0),__decorate$g([n$5({attribute:!1})],ChromedashToast.prototype,"actionLabel",void
0),__decorate$g([r$6()],ChromedashToast.prototype,"currentTimeout",void
0),__decorate$g([n$5({type:Boolean})],ChromedashToast.prototype,"waitingForTransition",void
0),ChromedashToast=__decorate$g([t$3("chromedash-toast")],ChromedashToast);var
tree_item_styles_default=i$7`
  :host {
    display: block;
    outline: 0;
    z-index: 0;
  }
`}
```

```
:host(:focus) {
  outline: none;
}

slot:not([name])::slotted(sl-icon) {
  margin-inline-end: var(--sl-spacing-x-small);
}

.tree-item {
  position: relative;
  display: flex;
  align-items: stretch;
  flex-direction: column;
  color: var(--sl-color-neutral-700);
  cursor: pointer;
  user-select: none;
  -webkit-user-select: none;
}

.tree-item__checkbox {
  pointer-events: none;
}

.tree-item__expand-button,
.tree-item__checkbox,
.tree-item__label {
  font-family: var(--sl-font-sans);
  font-size: var(--sl-font-size-medium);
  font-weight: var(--sl-font-weight-normal);
  line-height: var(--sl-line-height-dense);
  letter-spacing: var(--sl-letter-spacing-normal);
}

.tree-item__checkbox::part(base) {
  display: flex;
  align-items: center;
}

.tree-item__indentation {
  display: block;
  width: 1em;
  flex-shrink: 0;
}

.tree-item__expand-button {
  display: flex;
  align-items: center;
  justify-content: center;
  box-sizing: content-box;
  color: var(--sl-color-neutral-500);
  padding: var(--sl-spacing-x-small);
  width: 1rem;
  height: 1rem;
  flex-shrink: 0;
  cursor: pointer;
}

.tree-item__expand-button {
  transition: var(--sl-transition-medium) rotate ease;
}

.tree-item--expanded .tree-item__expand-button {
  rotate: 90deg;
}

.tree-item--expanded.tree-item--rtl .tree-item__expand-button {
  rotate: -90deg;
}

.tree-item--expanded slot[name='expand-icon'],
.tree-item:not(.tree-item--expanded) slot[name='collapse-icon'] {
  display: none;
}

.tree-item:not(.tree-item--has-expand-button) .tree-item__expand-icon-slot {
  display: none;
}

.tree-item__expand-button--visible {
  cursor: pointer;
}

.tree-item__item {
  display: flex;
  align-items: center;
  border-inline-start: solid 3px transparent;
```

```

}

.tree-item--disabled .tree-item__item {
  opacity: 0.5;
  outline: none;
  cursor: not-allowed;
}

:host(:focus-visible) .tree-item__item {
  outline: var(--sl-focus-ring);
  outline-offset: var(--sl-focus-ring-offset);
  z-index: 2;
}

:host(:not([aria-disabled='true'])) .tree-item--selected .tree-item__item {
  background-color: var(--sl-color-neutral-100);
  border-inline-start-color: var(--sl-color-primary-600);
}

:host(:not([aria-disabled='true'])) .tree-item__expand-button {
  color: var(--sl-color-neutral-600);
}

.tree-item__label {
  display: flex;
  align-items: center;
  transition: var(--sl-transition-fast) color;
}

.tree-item__children {
  display: block;
  font-size: calc(1em + var(--indent-size, var(--sl-spacing-medium)));
}

/* Indentation lines */
.tree-item__children {
  position: relative;
}

.tree-item__children::before {
  content: '';
  position: absolute;
  top: var(--indent-guide-offset);
  bottom: var(--indent-guide-offset);
  left: calc(1em - (var(--indent-guide-width) / 2) - 1px);
  border-inline-end: var(--indent-guide-width) var(--indent-guide-style) var(--indent-guide-color);
  z-index: 1;
}

.tree-item--rtl .tree-item__children::before {
  left: auto;
  right: 1em;
}

@media (forced-colors: active) {
  :host(:not([aria-disabled='true'])) .tree-item--selected .tree-item__item {
    outline: dashed 1px SelectedItem;
  }
}

`;function n(n,r,t){return n?r(n):t?.(n)}var _SlTreeItem=class _SlTreeItem extends
ShoelaceElement{constructor(){super(...arguments),this.localize=new
LocalizeController(this),this.indeterminate=!1,this.isLeaf=!1,this.loading=!1,this.selectable=!1,this.e
xpanded=!1,this.selected=!1,this.disabled=!1,this.lazy=!1}static isTreeItem(node){return node
instanceof Element&&"treeitem"===node.getAttribute("role")}connectedCallback(){
super.connectedCallback(),this.setAttribute("role","treeitem"),this.setAttribute("tabindex",-1),this
.isNestedItem()&&(this.slot="children")}firstUpdated(){
this.childrenContainer.hidden=!this.expanded,this.childrenContainer.style.height=this.expanded?"auto":
"0",this.isLeaf=!this.lazy&&0===this.getChildrenItems().length,this.handleExpandedChange()}async
animateCollapse(){this.emit("sl-collapse"),await
stopAnimations(this.childrenContainer);const{keyframes,options}=getAnimation(this,"tree-item.collapse",
{dir:this.localize.dir()});await
animateTo(this.childrenContainer,shimKeyframesHeightAuto(keyframes,this.childrenContainer.scrollHeight)
,options),this.childrenContainer.hidden=!0,this.emit("sl-after-collapse")}isNestedItem(){const
parent=this.parentElement;return!!parent&&_SlTreeItem.isTreeItem(parent)}handleChildrenSlotChange(){
this.loading=!1,this.isLeaf=!this.lazy&&0===this.getChildrenItems().length,this.willUpdate(changedPropertie
s){changedProperties.has("selected")&&!changedProperties.has("indeterminate")&&
(this.indeterminate=!1)}async animateExpand(){this.emit("sl-expand"),await
stopAnimations(this.childrenContainer),this.childrenContainer.hidden=!1;const{keyframes,options}=getAni
mation(this,"tree-item.expand",{dir:this.localize.dir()});await
animateTo(this.childrenContainer,shimKeyframesHeightAuto(keyframes,this.childrenContainer.scrollHeight)
,options),this.childrenContainer.style.height="auto",this.emit("sl-after-expand")}handleLoadingChange(){
this.setAttribute("aria-
busy",this.loading?"true":"false"),this.loading||this.animateExpand()}handleDisabledChange(){
this.setAttribute("aria-disabled",this.disabled?"true":"false")}handleSelectedChange(){
this.setAttribute("aria-selected",this.selected?"true":"false")}handleExpandedChange(){this.isLeaf?
this.removeAttribute("aria-expanded"):this.setAttribute("aria-
```



```
expanded",this.expanded?"true":"false"))handleExpandAnimation(){this.expanded?this.lazy?
(this.loading=!0,this.emit("sl-lazy-
load")):this.animateExpand():this.animateCollapse()}handleLazyChange(){this.emit("sl-lazy-
change")}getChildrenItems({includeDisabled=!0}={}){return this.childrenSlot?
[...this.childrenSlot.assignedElements({flatten:!0})].filter(item=>_SlTreeItem.isTreeItem(item)&&
(includeDisabled||!item.disabled)):[]}render(){const
isRtl="rtl"===this.localize.dir(),showExpandButton=!this.loading&&(!this.isLeaf||this.lazy);return x$1`
  <div
    part="base"
    class={`e$2({"tree-item":!0,"tree-item--expanded":this.expanded,"tree-item--
selected":this.selected,"tree-item--disabled":this.disabled,"tree-item--leaf":this.isLeaf,"tree-item--
has-expand-button":showExpandButton,"tree-item--rtl":"rtl"===this.localize.dir())}`}
  >
    <div
      class="tree-item__item"
      part="
        item
        ${this.disabled?"item--disabled":""}
        ${this.expanded?"item--expanded":""}
        ${this.indeterminate?"item--indeterminate":""}
        ${this.selected?"item--selected":""}
      "
    >
      <div class="tree-item__indentation" part="indentation"></div>

      <div
        part="expand-button"
        class={`e$2({"tree-item__expand-button":!0,"tree-item__expand-button--
visible":showExpandButton})`}
        aria-hidden="true"
      >
        ${n(this.loading,()=>x$1` <sl-spinner part="spinner" exportparts="base:spinner__base"></sl-
spinner> `)}
        <slot class="tree-item__expand-icon-slot" name="expand-icon">
          <sl-icon library="system" name=${isRtl?"chevron-left":"chevron-right"}></sl-icon>
        </slot>
        <slot class="tree-item__expand-icon-slot" name="collapse-icon">
          <sl-icon library="system" name=${isRtl?"chevron-left":"chevron-right"}></sl-icon>
        </slot>
      </div>

      ${n(this.selectable,()=>x$1`
        <sl-checkbox
          part="checkbox"
          exportparts="
            base:checkbox__base,
            control:checkbox__control,
            control--checked:checkbox__control--checked,
            control--indeterminate:checkbox__control--indeterminate,
            checked-icon:checkbox__checked-icon,
            indeterminate-icon:checkbox__indeterminate-icon,
            label:checkbox__label
          "
          class="tree-item__checkbox"
          ?disabled="${this.disabled}"
          ?checked="${l(this.selected)}"
          ?indeterminate="${this.indeterminate}"
          tabindex="-1"
        ></sl-checkbox>
      `)}

      <slot class="tree-item__label" part="label"></slot>
    </div>

    <div class="tree-item__children" part="children" role="group">
      <slot name="children" @slotchange="${this.handleChildrenSlotChange}"></slot>
    </div>
  </div>
`}};_SlTreeItem.styles=
[component_styles_default,tree_item_styles_default],_SlTreeItem.dependencies={"sl-
checkbox":SlCheckbox,"sl-icon":SlIcon,"sl-
spinner":SlSpinner},__decorateClass([r$6()],_SlTreeItem.prototype,"indeterminate",2),__decorateClass([r
$6()],_SlTreeItem.prototype,"isLeaf",2),__decorateClass([r$6()],_SlTreeItem.prototype,"loading",2),__de
corateClass([r$6()],_SlTreeItem.prototype,"selectable",2),__decorateClass([n$5({type:Boolean,reflect:!0
})],_SlTreeItem.prototype,"expanded",2),__decorateClass([n$5({type:Boolean,reflect:!0})],_SlTreeItem.pr
ototype,"selected",2),__decorateClass([n$5({type:Boolean,reflect:!0})],_SlTreeItem.prototype,"disabled"
,2),__decorateClass([n$5({type:Boolean,reflect:!0})],_SlTreeItem.prototype,"lazy",2),__decorateClass([e
$6("slot:not([name])"),_SlTreeItem.prototype,"defaultSlot",2),__decorateClass([e$6("slot[name=children
]"),_SlTreeItem.prototype,"childrenSlot",2),__decorateClass([e$6(".tree-
item__item"),_SlTreeItem.prototype,"itemElement",2),__decorateClass([e$6(".tree-
item__children"),_SlTreeItem.prototype,"childrenContainer",2),__decorateClass([e$6(".tree-
item__expand-button
slot"),_SlTreeItem.prototype,"expandButtonSlot",2),__decorateClass([watch("loading",
{waitUntilFirstUpdate:!0})],_SlTreeItem.prototype,"handleLoadingChange",1),__decorateClass([watch("disa
bled"),_SlTreeItem.prototype,"handleDisabledChange",1),__decorateClass([watch("selected"),_SlTreeItem
.prototype,"handleSelectedChange",1),__decorateClass([watch("expanded",
```

```

{waitUntilFirstUpdate:!0}}],_SlTreeItem.prototype,"handleExpandedChange",1),__decorateClass([watch("expanded",
{waitUntilFirstUpdate:!0}}],_SlTreeItem.prototype,"handleExpandAnimation",1),__decorateClass([watch("lazy",{waitUntilFirstUpdate:!0}}],_SlTreeItem.prototype,"handleLazyChange",1);var
SlTreeItem=_SlTreeItem;setDefaultAnimation("tree-item.expand",{keyframes:
[{height:"0",opacity:"0",overflow:"hidden"},{height:"auto",opacity:"1",overflow:"hidden"}],options:
{duration:250,easing:"cubic-bezier(0.4, 0.0, 0.2, 1)"}},setDefaultAnimation("tree-item.collapse",
{keyframes:[{height:"auto",opacity:"1",overflow:"hidden"},
{height:"0",opacity:"0",overflow:"hidden"}],options:{duration:200,easing:"cubic-bezier(0.4, 0.0, 0.2,
1)"})),SlTreeItem.define("sl-tree-item");var tree_styles_default=i$7`
:host {
  /*
   * These are actually used by tree item, but we define them here so they can more easily be set and
all tree items
   * stay consistent.
   */
  --indent-guide-color: var(--sl-color-neutral-200);
  --indent-guide-offset: 0;
  --indent-guide-style: solid;
  --indent-guide-width: 0;
  --indent-size: var(--sl-spacing-large);

  display: block;

  /*
   * Tree item indentation uses the "em" unit to increment its width on each level, so setting the
font size to zero
   * here removes the indentation for all the nodes on the first level.
   */
  font-size: 0;
}
`;function clamp(value,min,max){const noNegativeZero=n=>Object.is(n,-0)?0:n;return value<min?
noNegativeZero(min):value>max?noNegativeZero(max):noNegativeZero(value)}function
syncCheckboxes(changedTreeItem,initialSync=!1){function syncParentItem(treeItem){const
children=treeItem.getChildrenItems({includeDisabled:!1});if(children.length){const
allChecked=children.every(item=>item.selected),allUnchecked=children.every(item=>!item.selected)&&!item.
indeterminate);treeItem.selected=allChecked,treeItem.indeterminate=!allChecked&&!allUnchecked}}function
syncAncestors(treeItem){const parentItem=treeItem.parentElement;SlTreeItem.isTreeItem(parentItem)&&
(syncParentItem(parentItem),syncAncestors(parentItem))}function syncDescendants(treeItem){for(const
childItem of treeItem.getChildrenItems())childItem.selected=initialSync?
treeItem.selected||childItem.selected:!childItem.disabled&&treeItem.selected,syncDescendants(childItem)
};initialSync&&syncParentItem(treeItem)}syncDescendants(changedTreeItem),syncAncestors(changedTreeItem)}
var SlTree=class extends ShoelaceElement{constructor()
{super(),this.selection="single",this.clickTarget=null,this.localize=new
LocalizeController(this),this.initTreeItem=item=>{item.selectable="multiple"===this.selection,
["expand","collapse"].filter(status=>!!this.querySelector(`[slot="${status}-icon"]`)).forEach(status=>
{const existingIcon=item.querySelector(`[slot="${status}-
icon"]`),expandButtonIcon=this.getExpandButtonIcon(status);if(expandButtonIcon){if(null===existingIcon)i
tem.append(expandButtonIcon);else if(existingIcon.hasAttribute("data-
default"))existingIcon.replaceWith(expandButtonIcon);else{}}},this.handleTreeChanged=mutations=>
{for(const mutation of mutations){const addedNodes=
[...mutation.addedNodes].filter(SlTreeItem.isTreeItem),removedNodes=
[...mutation.removedNodes].filter(SlTreeItem.isTreeItem);addedNodes.forEach(this.initTreeItem),this.las
tFocusedItem&&removedNodes.includes(this.lastFocusedItem)&&
(this.lastFocusedItem=null)}},this.handleFocusOut=event=>{const
relatedTarget=event.relatedTarget;relatedTarget&&this.contains(relatedTarget)||
(this.tabIndex=0)},this.handleFocusIn=event=>{const
target=event.target;event.target===this&&this.focusItem(this.lastFocusedItem||this.getAllTreeItems()
[0]),SlTreeItem.isTreeItem(target)&&!target.disabled&&(this.lastFocusedItem&&
(this.lastFocusedItem.tabIndex=-1),this.lastFocusedItem=target,this.tabIndex=-1,target.tabIndex=0)},thi
s.addEventListener("focusin",this.handleFocusIn),this.addEventListener("focusout",this.handleFocusOut),
this.addEventListener("sl-lazy-change",this.handleSlotChange)}async connectedCallback()
{super.connectedCallback(),this.setAttribute("role","tree"),this.setAttribute("tabindex","0"),await
this.updateComplete,this.mutationObserver=new
MutationObserver(this.handleTreeChanged),this.mutationObserver.observe(this,
{childList:!0,subtree:!0})}disconnectedCallback(){var _a;super.disconnectedCallback(),null==
(_a=this.mutationObserver)?void 0:_a.disconnect()}getExpandButtonIcon(status){const
slot="expand"===status?
this.expandedIconSlot:this.collapsedIconSlot,icon=slot.assignedElements({flatten:!0})[0];if(icon){const
clone=icon.cloneNode(!0);return[clone,...clone.querySelectorAll("
[id]").forEach(el=>el.removeAttribute("id")),clone.setAttribute("data-
default",""),clone.slot=`${status}-icon`,clone}return null}selectItem(selectedItem){const
previousSelection=
[...this.selectedItems];if("multiple"===this.selection){selectedItem.selected=!selectedItem.selected,sel
ectedItem.lazy&&(selectedItem.expanded=!0),syncCheckboxes(selectedItem)}else
if("single"===this.selection||selectedItem.isLeaf){const items=this.getAllTreeItems();for(const item of
items){item.selected=item===selectedItem}else"leaf"===this.selection&&
(selectedItem.expanded=!selectedItem.expanded);const nextSelection=this.selectedItems;
(previousSelection.length!==nextSelection.length||nextSelection.some(item=>!previousSelection.includes(
item)))&&Promise.all(nextSelection.map(el=>el.updateComplete)).then(()=>{this.emit("sl-selection-
change",{detail:{selection:nextSelection}})})}getAllTreeItems(){return[...this.querySelectorAll("sl-
tree-item")]}}focusItem(item){null==item?void 0:item.focus()}handleKeyDown(event){if(!
["ArrowDown","ArrowUp","ArrowRight","ArrowLeft","Home","End","Enter","
"].includes(event.key))return;if(event.composedPath().some(el=>{var
_a;return["input","textarea"].includes(null==(a=null==el?void 0:el.tagName)?void
0:_a.toLowerCase()})))return;const

```

```
items=this.getFocusableItems(),isLtr="ltr"===this.localize.dir(),isRtl="rtl"===this.localize.dir();if(0<items.length){event.preventDefault();const activeItemIndex=items.findIndex(item=>item.matches(":focus")),activeItem=items[activeItemIndex],focusItemEmAt=index=>{const item=items[clamp(index,0,items.length-1)];this.focusItem(item)},toggleExpand=expanded=>{activeItem.expanded=expanded};"ArrowDown"===event.key?focusItemAt(activeItemIndex+1):"ArrowUp"===event.key?focusItemAt(activeItemIndex-1):isLtr&&"ArrowRight"===event.key||isRtl&&"ArrowLeft"===event.key?!activeItem||activeItem.disabled||activeItem.expanded||activeItem.isLeaf&&!activeItem.lazy?focusItemAt(activeItemIndex+1):toggleExpand(!0):isLtr&&"ArrowLeft"===event.key||isRtl&&"ArrowRight"===event.key?!activeItem||activeItem.disabled||activeItem.isLeaf||!activeItem.expanded?focusItemAt(activeItemIndex-1):toggleExpand(!1):"Home"===event.key?focusItemAt(0):"End"===event.key?focusItemAt(items.length-1):("Enter"===event.key||"===event.key)&&!activeItem.disabled&&this.selectItem(activeItem)}}handleClick(event){const target=event.target,treeItem=target.closest("sl-tree-item"),isExpandButton=event.composedPath().some(el=>{var _a;return null==( _a=null==el?void 0:el.classList)?void 0:_a.contains("tree-item__expand-button")});!treeItem||treeItem.disabled||target!==this.clickTarget||(isExpandButton?treeItem.expanded=!treeItem.expanded:this.selectItem(treeItem))}handleMouseDown(event){this.clickTarget=event.target}handleSlotChange(){const items=this.getAllTreeItems();items.forEach(this.initTreeItem)}async handleSelectionChange(){const isSelectionMultiple="multiple"===this.selection,items=this.getAllTreeItems();this.setAttribute("aria-multiselectable",isSelectionMultiple?"true":"false");for(const item of items)item.selectable=isSelectionMultiple;isSelectionMultiple&&(await this.updateComplete,[...this.querySelectorAll(":scope > sl-tree-item")].forEach(treeItem=>syncCheckboxes(treeItem,!0)))}getSelectedItems(){const items=this.getAllTreeItems(),isSelected=item=>item.selected;return items.filter(isSelected)}getFocusableItems(){const items=this.getAllTreeItems(),collapsedItems=new Set;return items.filter(item=>{var _a;if(item.disabled)return!1;const parent=null==( _a=item.parentElement)?void 0:_a.closest("[role=treeitem]");return parent&&(!parent.expanded||parent.loading||collapsedItems.has(parent))&&collapsedItems.add(item),!collapsedItems.has(item)}}}render(){return x$1`<div part="base" class="tree" @click=${this.handleClick} @keydown=${this.handleKeyDown} @mousedown=${this.handleMouseDown}>><slot @slotchange=${this.handleSlotChange}></slot><span hidden aria-hidden="true"><slot name="expand-icon"></slot></span><span hidden aria-hidden="true"><slot name="collapse-icon"></slot></span></div>`}};SlTree.styles=[component_styles_default,tree_styles_default],__decorateClass([e$6("slot:not([name])")],SlTree.prototype,"defaultSlot",2),__decorateClass([e$6("slot[name=expand-icon]"),SlTree.prototype,"expandedIconSlot",2),__decorateClass([e$6("slot[name=collapse-icon]"),SlTree.prototype,"collapsedIconSlot",2),__decorateClass([n$5()],SlTree.prototype,"selection",2),__decorateClass([watch("selection")],SlTree.prototype,"handleSelectionChange",1),SlTree.define("sl-tree")];var visually_hidden_styles_default=i$7` :host(:not(:focus-within)) { position: absolute !important; width: 1px !important; height: 1px !important; clip: rect(0 0 0 0) !important; clip-path: inset(50%) !important; border: none !important; overflow: hidden !important; white-space: nowrap !important; padding: 0 !important; }`,SlVisuallyHidden=class extends ShoelaceElement{render(){return x$1` <slot></slot>`}};SlVisuallyHidden.styles=[component_styles_default,visually_hidden_styles_default],SlVisuallyHidden.define("sl-visually-hidden");var tab_panel_styles_default=i$7` :host { --padding: 0; display: none; } :host([active]) { display: block; } .tab-panel { display: block; padding: var(--padding); }`,id$1=0,SlTabPanel=class extends ShoelaceElement{constructor(...arguments){super(...arguments),this.attrId=++id$1,this.componentId=`sl-tab-panel-${this.attrId}`,this.name="",this.active=!1}connectedCallback(){super.connectedCallback(),this.id=0<this.id.length?this.id:this.componentId,this.setAttribute("role","tabpanel")}handleActiveChange(){this.setAttribute("aria-hidden",this.active?"false":"true")}render(){return x$1`<slot part="base"
```

```

      class=${e$2({"tab-panel":!0,"tab-panel--active":this.active})}
    ></slot>
  `}};SlTabPanel.styles=
[component_styles_default,tab_panel_styles_default],__decorateClass([n$5({reflect:!0})],SlTabPanel.prototype,"name",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlTabPanel.prototype,"active",2),__decorateClass([watch("active")],SlTabPanel.prototype,"handleActiveChange",1),SlTabPanel.define("sl-tab-panel");var tab_styles_default=i$7`
:host {
  display: inline-block;

.tab {
  display: inline-flex;
  align-items: center;
  font-family: var(--sl-font-sans);
  font-size: var(--sl-font-size-small);
  font-weight: var(--sl-font-weight-semibold);
  border-radius: var(--sl-border-radius-medium);
  color: var(--sl-color-neutral-600);
  padding: var(--sl-spacing-medium) var(--sl-spacing-large);
  white-space: nowrap;
  user-select: none;
  -webkit-user-select: none;
  cursor: pointer;
  transition:
    var(--transition-speed) box-shadow,
    var(--transition-speed) color;
}

.tab:hover:not(.tab--disabled) {
  color: var(--sl-color-primary-600);
}

:host(:focus) {
  outline: transparent;
}

:host(:focus-visible) {
  color: var(--sl-color-primary-600);
  outline: var(--sl-focus-ring);
  outline-offset: calc(-1 * var(--sl-focus-ring-width) - var(--sl-focus-ring-offset));
}

.tab.tab--active:not(.tab--disabled) {
  color: var(--sl-color-primary-600);
}

.tab.tab--closable {
  padding-inline-end: var(--sl-spacing-small);
}

.tab.tab--disabled {
  opacity: 0.5;
  cursor: not-allowed;
}

.tab__close-button {
  font-size: var(--sl-font-size-small);
  margin-inline-start: var(--sl-spacing-small);
}

.tab__close-button::part(base) {
  padding: var(--sl-spacing-3x-small);
}

@media (forced-colors: active) {
  .tab.tab--active:not(.tab--disabled) {
    outline: solid 1px transparent;
    outline-offset: -3px;
  }
}
`,id=0,SlTab=class extends ShoelaceElement{constructor(){super(...arguments),this.localize=new LocalizeController(this),this.attrId=++id,this.componentId=`sl-tab-${this.attrId}`,this.panel="",this.active=!1,this.closable=!1,this.disabled=!1,this.tabIndex=0}connectedCallback(){super.connectedCallback(),this.setAttribute("role","tab")}handleCloseClick(event){event.stopPropagation(),this.emit("sl-close")}handleActiveChange(){this.setAttribute("aria-selected",this.active?"true":"false")}handleDisabledChange(){this.setAttribute("aria-disabled",this.disabled?"true":"false"),this.tabIndex=this.disabled&&!this.active?-1:0}render(){return this.id=0<this.id.length?this.id:this.componentId,x$1`
  <div
    part="base"
    class=${e$2({"tab":!0,"tab--active":this.active,"tab--closable":this.closable,"tab--disabled":this.disabled})}
  >
    <slot></slot>
    ${this.closable?x$1`

```

```

      <sl-icon-button
        part="close-button"
        exportparts="base:close-button__base"
        name="x-lg"
        library="system"
        label=${this.localize.term("close")}
        class="tab__close-button"
        @click=${this.handleCloseClick}
        tabindex="-1"
      ></sl-icon-button>
    `:""}
  </div>
`}};SlTab.styles=[component_styles_default,tab_styles_default],SlTab.dependencies={"sl-icon-
button":SlIconButton},__decorateClass([e$6(".tab")],SlTab.prototype,"tab",2),__decorateClass([n$5({refl
ect:!0})],SlTab.prototype,"panel",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlTab.prototype,"
active",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlTab.prototype,"closable",2),__decorateCla
ss([n$5({type:Boolean,reflect:!0})],SlTab.prototype,"disabled",2),__decorateClass([n$5({type:Number,refl
ect:!0})],SlTab.prototype,"tabIndex",2),__decorateClass([watch("active")],SlTab.prototype,"handleActiv
eChange",1),__decorateClass([watch("disabled")],SlTab.prototype,"handleDisabledChange",1),SlTab.define(
"sl-tab");var tab_group_styles_default=i$7`
:host {
  --indicator-color: var(--sl-color-primary-600);
  --track-color: var(--sl-color-neutral-200);
  --track-width: 2px;

  display: block;
}

.tab-group {
  display: flex;
  border-radius: 0;
}

.tab-group__tabs {
  display: flex;
  position: relative;
}

.tab-group__indicator {
  position: absolute;
  transition:
    var(--sl-transition-fast) translate ease,
    var(--sl-transition-fast) width ease;
}

.tab-group--has-scroll-controls .tab-group__nav-container {
  position: relative;
  padding: 0 var(--sl-spacing-x-large);
}

.tab-group--has-scroll-controls .tab-group__scroll-button--start--hidden,
.tab-group--has-scroll-controls .tab-group__scroll-button--end--hidden {
  visibility: hidden;
}

.tab-group__body {
  display: block;
  overflow: auto;
}

.tab-group__scroll-button {
  display: flex;
  align-items: center;
  justify-content: center;
  position: absolute;
  top: 0;
  bottom: 0;
  width: var(--sl-spacing-x-large);
}

.tab-group__scroll-button--start {
  left: 0;
}

.tab-group__scroll-button--end {
  right: 0;
}

.tab-group--rtl .tab-group__scroll-button--start {
  left: auto;
  right: 0;
}

.tab-group--rtl .tab-group__scroll-button--end {
  left: 0;
  right: auto;
}
```

```
}

/*
 * Top
 */

.tab-group--top {
  flex-direction: column;
}

.tab-group--top .tab-group__nav-container {
  order: 1;
}

.tab-group--top .tab-group__nav {
  display: flex;
  overflow-x: auto;

  /* Hide scrollbar in Firefox */
  scrollbar-width: none;
}

/* Hide scrollbar in Chrome/Safari */
.tab-group--top .tab-group__nav::-webkit-scrollbar {
  width: 0;
  height: 0;
}

.tab-group--top .tab-group__tabs {
  flex: 1 1 auto;
  position: relative;
  flex-direction: row;
  border-bottom: solid var(--track-width) var(--track-color);
}

.tab-group--top .tab-group__indicator {
  bottom: calc(-1 * var(--track-width));
  border-bottom: solid var(--track-width) var(--indicator-color);
}

.tab-group--top .tab-group__body {
  order: 2;
}

.tab-group--top ::slotted(sl-tab-panel) {
  --padding: var(--sl-spacing-medium) 0;
}

/*
 * Bottom
 */

.tab-group--bottom {
  flex-direction: column;
}

.tab-group--bottom .tab-group__nav-container {
  order: 2;
}

.tab-group--bottom .tab-group__nav {
  display: flex;
  overflow-x: auto;

  /* Hide scrollbar in Firefox */
  scrollbar-width: none;
}

/* Hide scrollbar in Chrome/Safari */
.tab-group--bottom .tab-group__nav::-webkit-scrollbar {
  width: 0;
  height: 0;
}

.tab-group--bottom .tab-group__tabs {
  flex: 1 1 auto;
  position: relative;
  flex-direction: row;
  border-top: solid var(--track-width) var(--track-color);
}

.tab-group--bottom .tab-group__indicator {
  top: calc(-1 * var(--track-width));
  border-top: solid var(--track-width) var(--indicator-color);
}
```

```
.tab-group--bottom .tab-group__body {
  order: 1;
}

.tab-group--bottom ::slotted(sl-tab-panel) {
  --padding: var(--sl-spacing-medium) 0;
}

/*
 * Start
 */

.tab-group--start {
  flex-direction: row;
}

.tab-group--start .tab-group__nav-container {
  order: 1;
}

.tab-group--start .tab-group__tabs {
  flex: 0 0 auto;
  flex-direction: column;
  border-inline-end: solid var(--track-width) var(--track-color);
}

.tab-group--start .tab-group__indicator {
  right: calc(-1 * var(--track-width));
  border-right: solid var(--track-width) var(--indicator-color);
}

.tab-group--start.tab-group--rtl .tab-group__indicator {
  right: auto;
  left: calc(-1 * var(--track-width));
}

.tab-group--start .tab-group__body {
  flex: 1 1 auto;
  order: 2;
}

.tab-group--start ::slotted(sl-tab-panel) {
  --padding: 0 var(--sl-spacing-medium);
}

/*
 * End
 */

.tab-group--end {
  flex-direction: row;
}

.tab-group--end .tab-group__nav-container {
  order: 2;
}

.tab-group--end .tab-group__tabs {
  flex: 0 0 auto;
  flex-direction: column;
  border-left: solid var(--track-width) var(--track-color);
}

.tab-group--end .tab-group__indicator {
  left: calc(-1 * var(--track-width));
  border-inline-start: solid var(--track-width) var(--indicator-color);
}

.tab-group--end.tab-group--rtl .tab-group__indicator {
  right: calc(-1 * var(--track-width));
  left: auto;
}

.tab-group--end .tab-group__body {
  flex: 1 1 auto;
  order: 1;
}

.tab-group--end ::slotted(sl-tab-panel) {
  --padding: 0 var(--sl-spacing-medium);
}
`,resize_observer_styles_default=i$7`
:host {
  display: contents;
}
`,SlResizeObserver=class extends ShoelaceElement{constructor()
```

```
{super(...arguments),this.observedElements=[],this.disabled=!1}connectedCallback()  
{super.connectedCallback(),this.resizeObserver=new ResizeObserver(entries=>{this.emit("sl-resize",  
{detail:{entries}})}),this.disabled||this.startObserver()}disconnectedCallback()  
{super.disconnectedCallback(),this.stopObserver()}handleSlotChange()  
{this.disabled||this.startObserver()}startObserver(){const  
slot=this.shadowRoot.querySelector("slot");if(null!==slot){const  
elements=slot.assignedElements({flatten:!0});this.observedElements.forEach(el=>this.resizeObserver.unob  
serve(el)),this.observedElements=[],elements.forEach(el=>  
{this.resizeObserver.observe(el),this.observedElements.push(el)}}}stopObserver()  
{this.resizeObserver.disconnect()}handleDisabledChange(){this.disabled?  
this.stopObserver():this.startObserver()}render(){return x$1` <slot  
@slotchange=${this.handleSlotChange}></slot> `}};SlResizeObserver.styles=  
[component_styles_default,resize_observer_styles_default],__decorateClass([n$5({type:Boolean,reflect:!0  
})],SlResizeObserver.prototype,"disabled",2),__decorateClass([watch("disabled",  
{waitUntilFirstUpdate:!0})],SlResizeObserver.prototype,"handleDisabledChange",1);var SlTabGroup=class  
extends ShoelaceElement{constructor(){super(...arguments),this.tabs=[],this.focusableTabs=  
[],this.panels=[],this.localize=new  
LocalizeController(this),this.hasScrollControls=!1,this.shouldHideScrollStartButton=!1,this.shouldHideS  
crollEndButton=!1,this.placement="top",this.activation="auto",this.noScrollControls=!1,this.fixedScroll  
Controls=!1,this.scrollOffset=1}connectedCallback(){const  
whenAllDefined=Promise.all([customElements.whenDefined("sl-tab"),customElements.whenDefined("sl-tab-  
panel")]);super.connectedCallback(),this.resizeObserver=new ResizeObserver(()=>  
{this.repositionIndicator(),this.updateScrollControls()}),this.mutationObserver=new  
MutationObserver(mutations=>{const instanceMutations=mutations.filter(({target})=>  
{if(target===this)return!0;if(target.closest("sl-tab-group")!==this)return!1;const  
tagName=target.tagName.toLowerCase();return"sl-tab"===tagName||"sl-tab-  
panel"===tagName});if(0!==instanceMutations.length)if(instanceMutations.some(m=>![ "aria-  
labelledby", "aria-  
controls"].includes(m.attributeName))&&setTimeout(()=>this.setAriaLabels()),instanceMutations.some(m=>"  
disabled"===m.attributeName))this.syncTabsAndPanels();else  
if(instanceMutations.some(m=>"active"===m.attributeName)){const  
tabs=instanceMutations.filter(m=>"active"===m.attributeName&&"sl-  
tab"===m.target.tagName.toLowerCase()).map(m=>m.target),newActiveTab=tabs.find(tab=>tab.active);newActi  
veTab&&this.setActiveTab(newActiveTab)}},this.updateComplete.then(()=>  
{this.syncTabsAndPanels(),this.mutationObserver.observe(this,{attributes:!0,attributeFilter:  
["active","disabled","name","panel"],childList:!0,subtree:!0}),this.resizeObserver.observe(this.nav),wh  
enAllDefined.then(()=>{const intersectionObserver=new IntersectionObserver((entries,observer)=>{var  
_a;0<entries[0].intersectionRatio&&(this.setAriaLabels(),this.setActiveTab(null==  
_a=this.getActiveTab())?this.tabs[0]:_a,  
{emitEvents:!1}),observer.unobserve(entries[0].target)});intersectionObserver.observe(this.tabGroup)}  
)}disconnectedCallback(){var _a,_b;super.disconnectedCallback(),null==(_a=this.mutationObserver)?void  
0:_a.disconnect(),this.nav&&(null==(_b=this.resizeObserver)?void 0:_b.unobserve(this.nav))}getAllTabs()  
{const slot=this.shadowRoot.querySelector("slot[name=\"nav\"]");return  
slot.assignedElements()}getAllPanels(){return[...this.body.assignedElements()].filter(el=>"sl-tab-  
panel"===el.tagName.toLowerCase())}getActiveTab(){return  
this.tabs.find(el=>el.active)}handleClick(event){const target=event.target,tab=target.closest("sl-  
tab"),tabGroup=null==tab?void 0:tab.closest("sl-tab-  
group");tabGroup!==this||null!==tab&&this.setActiveTab(tab,  
{scrollBehavior:"smooth"})}handleKeyDown(event){const target=event.target,tab=target.closest("sl-  
tab"),tabGroup=null==tab?void 0:tab.closest("sl-tab-group");if(tabGroup===this&&(["Enter","  
"].includes(event.key)&&null!==tab&&(this.setActiveTab(tab,  
{scrollBehavior:"smooth"}),event.preventDefault()),  
["ArrowLeft","ArrowRight","ArrowUp","ArrowDown","Home","End"].includes(event.key)){const  
activeEl=this.tabs.find(t=>t.matches(":focus")),isRtl="rtl"===this.localize.dir();let  
nextTab=null;if("sl-tab"===(null==activeEl?void 0:activeEl.tagName.toLowerCase()))  
{if("Home"===event.key)nextTab=this.focusableTabs[0];else  
if("End"===event.key)nextTab=this.focusableTabs[this.focusableTabs.length-1];else  
if(["top","bottom"].includes(this.placement)&&event.key===(isRtl?"ArrowRight":"ArrowLeft"))||  
["start","end"].includes(this.placement)&&"ArrowUp"===event.key){const  
currentIndex=this.tabs.findIndex(el=>el===activeEl);nextTab=this.findNextFocusableTab(currentIndex,"bac  
kward")}else if(["top","bottom"].includes(this.placement)&&event.key===  
(isRtl?"ArrowLeft":"ArrowRight"))||["start","end"].includes(this.placement)&&"ArrowDown"===event.key)  
{const  
currentIndex=this.tabs.findIndex(el=>el===activeEl);nextTab=this.findNextFocusableTab(currentIndex,"for  
ward")}if(!nextTab)return;nextTab.tabIndex=0,nextTab.focus({preventScroll:!0}),"auto"===this.activation  
?this.setActiveTab(nextTab,{scrollBehavior:"smooth"}):this.tabs.forEach(tabEl=>  
{tabEl.tabIndex=tabEl===nextTab?0:-1}),  
["top","bottom"].includes(this.placement)&&scrollIntoView(nextTab,this.nav,"horizontal"),event.preventD  
efault()}}handleScrollToStart(){this.nav.scroll({left:"rtl"===this.localize.dir()?  
this.nav.scrollLeft+this.nav.clientWidth:this.nav.scrollLeft-  
this.nav.clientWidth,behavior:"smooth"})}handleScrollToEnd()  
{this.nav.scroll({left:"rtl"===this.localize.dir()?this.nav.scrollLeft-  
this.nav.clientWidth:this.nav.scrollLeft+this.nav.clientWidth,behavior:"smooth"})}setActiveTab(tab,opti  
ons)  
{if(options==__spreadValues({emitEvents:!0,scrollBehavior:"auto"},options),tab!==this.activeTab&&!tab.di  
sabled){const previousTab=this.activeTab;this.activeTab=tab,this.tabs.forEach(el=>  
{el.active=el===this.activeTab,el.tabIndex=el===this.activeTab?0:-1}),this.panels.forEach(el=>{var  
_a;return el.active=el.name===(null==(_a=this.activeTab)?void 0:_a.panel)}),this.syncIndicator(),  
["top","bottom"].includes(this.placement)&&scrollIntoView(this.activeTab,this.nav,"horizontal",options.  
scrollBehavior),options.emitEvents&&(previousTab&&this.emit("sl-tab-hide",{detail:  
{name:previousTab.panel}}),this.emit("sl-tab-show",{detail:  
{name:this.activeTab.panel}}))}setAriaLabels(){this.tabs.forEach(tab=>{const  
panel=this.panels.find(el=>el.name===tab.panel);panel&&(tab.setAttribute("aria-  
controls",panel.getAttribute("id")),panel.setAttribute("aria-  
labelledby",tab.getAttribute("id")))}))}repositionIndicator(){const  
currentTab=this.getActiveTab();if(!currentTab)return;const
```



```
width=currentTab.clientWidth,height=currentTab.clientHeight,isRtl="rtl"===this.localize.dir(),allTabs=t
his.getAllTabs(),precedingTabs=allTabs.slice(0,allTabs.indexOf(currentTab)),offset=precedingTabs.reduce
((previous,current)=>({left:previous.left+current.clientWidth,top:previous.top+current.clientHeight}),
{left:0,top:0});switch(this.placement)
{case"top":case"bottom":this.indicator.style.width=`${width}px`,this.indicator.style.height="auto",this
.indicator.style.translate=isRtl?
`${-1*offset.left}px`:`${offset.left}px`;break;case"start":case"end":this.indicator.style.width="auto",
this.indicator.style.height=`${height}px`,this.indicator.style.translate=0
`${offset.top}px`}}syncTabsAndPanels()
{this.tabs=this.getAllTabs(),this.focusableTabs=this.tabs.filter(el=>!el.disabled),this.panels=this.get
AllPanels(),this.syncIndicator(),this.updateComplete.then(()=>this.updateScrollControls())}findNextFocu
sableTab(currentIndex,direction){let nextTab=null;const iterator="forward"===direction?1:-1;for(let
nextIndex=currentIndex+iterator;currentIndex<this.tabs.length;)
{if(nextTab=this.tabs[nextIndex]||null,null===nextTab){nextTab="forward"===direction?
this.focusableTabs[0]:this.focusableTabs[this.focusableTabs.length-
1];break}if(!nextTab.disabled)break;nextIndex+=iterator}return nextTab}updateScrollButtons()
{this.hasScrollControls&&!this.fixedScrollControls&&
(this.shouldHideScrollStartButton=this.scrollFromStart()
<=this.scrollOffset,this.shouldHideScrollEndButton=this.isScrolledToEnd())isScrolledToEnd(){return
this.scrollFromStart()+this.nav.clientWidth>this.nav.scrollWidth-this.scrollOffset}scrollFromStart()
{return"rtl"===this.localize.dir()?this.nav.scrollLeft:this.nav.scrollTop}updateScrollControls()
{this.hasScrollControls=!this.noScrollControls&&
["top","bottom"].includes(this.placement)&&this.nav.scrollWidth>this.nav.clientWidth+1,this.updateScrol
lButtons()}syncIndicator(){const tab=this.getActiveTab();tab?
(this.indicator.style.display="block",this.repositionIndicator()):this.indicator.style.display="none"}s
how(panel){const tab=this.tabs.find(el=>el.panel===panel);tab&&this.setActiveTab(tab,
{scrollBehavior:"smooth"})}render(){const isRtl="rtl"===this.localize.dir();return x$1`
  <div
    part="base"
    class=${e$2({"tab-group":!0,"tab-group--top":"top"===this.placement,"tab-group--
bottom":"bottom"===this.placement,"tab-group--start":"start"===this.placement,"tab-group--
end":"end"===this.placement,"tab-group--rtl":"rtl"===this.localize.dir(),"tab-group--has-scroll-
controls":this.hasScrollControls})}
    @click=${this.handleClick}
    @keydown=${this.handleKeyDown}
  >
    <div class="tab-group__nav-container" part="nav">
      ${this.hasScrollControls?x$1`
        <sl-icon-button
          part="scroll-button scroll-button--start"
          exportparts="base:scroll-button__base"
          class=${e$2({"tab-group__scroll-button":!0,"tab-group__scroll-button--start":!0,"tab-
group__scroll-button--start--hidden":this.shouldHideScrollStartButton})}
          name=${isRtl?"chevron-right":"chevron-left"}
          library="system"
          tabindex="-1"
          aria-hidden="true"
          label=${this.localize.term("scrollToStart")}
          @click=${this.handleScrollToStart}
        ></sl-icon-button>
        `:""}
      <div class="tab-group__nav" @scrollend=${this.updateScrollButtons}>
        <div part="tabs" class="tab-group__tabs" role="tablist">
          <div part="active-tab-indicator" class="tab-group__indicator"></div>
          <sl-resize-observer @sl-resize=${this.syncIndicator}>
            <slot name="nav" @slotchange=${this.syncTabsAndPanels}></slot>
          </sl-resize-observer>
        </div>
      </div>

      ${this.hasScrollControls?x$1`
        <sl-icon-button
          part="scroll-button scroll-button--end"
          exportparts="base:scroll-button__base"
          class=${e$2({"tab-group__scroll-button":!0,"tab-group__scroll-button--end":!0,"tab-
group__scroll-button--end--hidden":this.shouldHideScrollEndButton})}
          name=${isRtl?"chevron-left":"chevron-right"}
          library="system"
          tabindex="-1"
          aria-hidden="true"
          label=${this.localize.term("scrollToEnd")}
          @click=${this.handleScrollToEnd}
        ></sl-icon-button>
        `:""}
      </div>

      <slot part="body" class="tab-group__body" @slotchange=${this.syncTabsAndPanels}></slot>
    </div>
  `}};SlTabGroup.styles=[component_styles_default,tab_group_styles_default],SlTabGroup.dependencies=
{"sl-icon-button":SlIconButton,"sl-resize-observer":SlResizeObserver},__decorateClass([e$6(".tab-
group"),SlTabGroup.prototype,"tabGroup",2),__decorateClass([e$6(".tab-
group__body"),SlTabGroup.prototype,"body",2),__decorateClass([e$6(".tab-
group__nav"),SlTabGroup.prototype,"nav",2),__decorateClass([e$6(".tab-
group__indicator"),SlTabGroup.prototype,"indicator",2),__decorateClass([r$6()],SlTabGroup.prototype,"h
asScrollControls",2),__decorateClass([r$6()],SlTabGroup.prototype,"shouldHideScrollStartButton",2),__de
```

```

cororateClass([r$6()],SlTabGroup.prototype,"shouldHideScrollEndButton",2),__decorateClass([n$5()],SlTabGroup.prototype,"placement",2),__decorateClass([n$5()],SlTabGroup.prototype,"activation",2),__decorateClass([n$5({attribute:"no-scroll-controls",type:Boolean})],SlTabGroup.prototype,"noScrollControls",2),__decorateClass([n$5({attribute:"fixed-scroll-controls",type:Boolean})],SlTabGroup.prototype,"fixedScrollControls",2),__decorateClass([t$2({passive:!0})],SlTabGroup.prototype,"updateScrollButtons",1),__decorateClass([watch("noScrollControls",{waitUntilFirstUpdate:!0})],SlTabGroup.prototype,"updateScrollControls",1),__decorateClass([watch("placement",{waitUntilFirstUpdate:!0})],SlTabGroup.prototype,"syncIndicator",1),SlTabGroup.define("sl-tab-group");var split_panel_styles_default=i$7`
:host {
  --divider-width: 4px;
  --divider-hit-area: 12px;
  --min: 0%;
  --max: 100%;

  display: grid;
}

.start,
.end {
  overflow: hidden;
}

.divider {
  flex: 0 0 var(--divider-width);
  display: flex;
  position: relative;
  align-items: center;
  justify-content: center;
  background-color: var(--sl-color-neutral-200);
  color: var(--sl-color-neutral-900);
  z-index: 1;
}

.divider:focus {
  outline: none;
}

:host(:not([disabled])) .divider:focus-visible {
  background-color: var(--sl-color-primary-600);
  color: var(--sl-color-neutral-0);
}

:host([disabled]) .divider {
  cursor: not-allowed;
}

/* Horizontal */
:host(:not([vertical], [disabled])) .divider {
  cursor: col-resize;
}

:host(:not([vertical])) .divider::after {
  display: flex;
  content: '';
  position: absolute;
  height: 100%;
  left: calc(var(--divider-hit-area) / -2 + var(--divider-width) / 2);
  width: var(--divider-hit-area);
}

/* Vertical */
:host([vertical]) {
  flex-direction: column;
}

:host([vertical]:not([disabled])) .divider {
  cursor: row-resize;
}

:host([vertical]) .divider::after {
  content: '';
  position: absolute;
  width: 100%;
  top: calc(var(--divider-hit-area) / -2 + var(--divider-width) / 2);
  height: var(--divider-hit-area);
}

@media (forced-colors: active) {
  .divider {
    outline: solid 1px transparent;
  }
}
`;function drag(container,options){function move(pointerEvent){const
dims=container.getBoundingClientRect(),defaultView=container.ownerDocument.defaultView,offsetX=dims.left

```

```
t=defaultView.scrollX,offsetY=dims.top+defaultView.scrolly,x=pointerEvent.pageX-
offsetX,y=pointerEvent.pageY-offsetY;(null==options?void
0:options.onMove)&&options.onMove(x,y)}function stop()
{document.removeEventListener("pointermove",move),document.removeEventListener("pointerup",stop),
(null==options?void 0:options.onStop)&&options.onStop()}document.addEventListener("pointermove",move,
{passive:!0}),document.addEventListener("pointerup",stop),(null==options?void
0:options.initialEvent)instanceof PointerEvent&&move(options.initialEvent)}var SNAP_NONE=
()=>null,SlSplitPanel=class extends ShoelaceElement{constructor()
{super(...arguments),this.isCollapsed=!1,this.localize=new
LocalizeController(this),this.positionBeforeCollapsing=0,this.position=50,this.vertical=!1,this.disable
d=!1,this.snapValue="",this.snapFunction=SNAP_NONE,this.snapThreshold=12}toSnapFunction(snap){var
_Mathabs3=Math.abs,_Mathround3=Math.round;const snapPoints=snap.split("
");return({pos,size,snapThreshold,isRtl,vertical})=>{var
_NumberPOSITIVE_INFINITY=Number.POSITIVE_INFINITY;let
newPos=pos,minDistance=_NumberPOSITIVE_INFINITY;return snapPoints.forEach(value=>{var
_NumberparseFloat=Number.parseFloat;let snapPoint;if(value.startsWith("repeat(")){const
repeatVal=snap.substring(7,snap.length-
1),isPercent=repeatVal.endsWith("%"),repeatNum=_NumberparseFloat(repeatVal),snapIntervalPx=isPercent?
size*(repeatNum/100):repeatNum;snapPoint=_Mathround3((isRtl&&!vertical?size-
pos:pos)/snapIntervalPx)*snapIntervalPx}else snapPoint=value.endsWith("%"?size*
(_NumberparseFloat(value)/100):_NumberparseFloat(value);isRtl&&!vertical&&(snapPoint=size-
snapPoint);const distance=_Mathabs3(pos-snapPoint);distance<=snapThreshold&&distance<minDistance&&
(newPos=snapPoint,minDistance=distance)}},newPos)}set snap(snap)
{this.snapValue=null==snap?"":snap,this.snapFunction=snap?"string"==typeof snap?
this.toSnapFunction(snap):snap:SNAP_NONE}get snap(){return this.snapValue}connectedCallback()
{super.connectedCallback(),this.resizeObserver=new
ResizeObserver(entries=>this.handleResize(entries)),this.updateComplete.then(()=>this.resizeObserver.ob
serve(this)),this.detectSize(),this.cachedPositionInPixels=this.percentageToPixels(this.position)}disco
nnectedCallback(){var _a;super.disconnectedCallback(),null==(_a=this.resizeObserver)?void
0:_a.unobserve(this)}detectSize()
{const{width,height}=this.getBoundingClientRect();this.size=this.vertical?
height:width}percentageToPixels(value){return this.size*(value/100)}pixelsToPercentage(value){return
100*(value/this.size)}handleDrag(event){const isRtl="rtl"===this.localize.dir();this.disabled||
(event.cancelable&&event.preventDefault(),drag(this,{onMove:(x,y)=>{var _a;let
newPositionInPixels=this.vertical?y:x;"end"===this.primary&&(newPositionInPixels=this.size-
newPositionInPixels),newPositionInPixels=null==
(_a=this.snapFunction({pos:newPositionInPixels,size:this.size,snapThreshold:this.snapThreshold,isRtl,ve
rtical:this.vertical}))?
newPositionInPixels:_a,this.position=clamp(this.pixelsToPercentage(newPositionInPixels),0,100)},initial
Event:event}})}handleKeyDown(event){if(!this.disabled&&
["ArrowLeft","ArrowRight","ArrowUp","ArrowDown","Home","End","Enter"].includes(event.key)){let
newPosition=this.position;const incr=(event.shiftKey?10:1)*("end"===this.primary?
-1:1);if(event.preventDefault(),
("ArrowLeft"===event.key&&!this.vertical||"ArrowUp"===event.key&&this.vertical)&&(newPosition-=incr),
("ArrowRight"===event.key&&!this.vertical||"ArrowDown"===event.key&&this.vertical)&&
(newPosition+=incr),"Home"===event.key&&(newPosition="end"===this.primary?100:0),"End"===event.key&&
(newPosition="end"===this.primary?
0:100),"Enter"===event.key)if(this.isCollapsed)newPosition=this.positionBeforeCollapsing,this.isCollaps
ed=!1;else{const positionBeforeCollapsing=this.position;newPosition=0,requestAnimationFrame(()=>
{this.isCollapsed=!0,this.positionBeforeCollapsing=positionBeforeCollapsing})}this.position=clamp(newPo
sition,0,100)}handleResize(entries)
{const{width,height}=entries[0].contentRect;this.size=this.vertical?height:width,
(isNaN(this.cachedPositionInPixels)||this.position===1/0)&&
(this.cachedPositionInPixels+=this.getAttribute("position-in-
pixels"),this.positionInPixels+=this.getAttribute("position-in-
pixels"),this.position=this.pixelsToPercentage(this.positionInPixels)),this.primary&&
(this.position=this.pixelsToPercentage(this.cachedPositionInPixels))}handlePositionChange()
{this.cachedPositionInPixels=this.percentageToPixels(this.position),this.isCollapsed=!1,this.positionBe
foreCollapsing=0,this.positionInPixels=this.percentageToPixels(this.position),this.emit("sl-
reposition")}handlePositionInPixelsChange()
{this.position=this.pixelsToPercentage(this.positionInPixels)}handleVerticalChange()
{this.detectSize()}render(){const
gridTemplate=this.vertical?"gridTemplateColumns":"gridTemplateAlt=this.vertical?"grid
TemplateColumns":"gridTemplateRows",isRtl="rtl"===this.localize.dir(),primary=`
clamp(
  0%,
  clamp(
    var(--min),
    ${this.position}% - var(--divider-width) / 2,
    var(--max)
  ),
  calc(100% - var(--divider-width))
)`
,secondary="auto";return this.style[gridTemplate]="end"===this.primary?isRtl&&!this.vertical?
`${primary} var(--divider-width) ${secondary}`:`${secondary} var(--divider-width)
${primary}`:isRtl&&!this.vertical?`${secondary} var(--divider-width) ${primary}`:`${primary} var(--
divider-width) ${secondary}`,this.style[gridTemplateAlt]="",x$1`
<slot name="start" part="panel start" class="start"></slot>

<div
  part="divider"
  class="divider"
  tabindex=${o$6(this.disabled?void 0:"0")}
  role="separator"
  aria-valuenow=${this.position}
  aria-valuemin="0"
```

```

    aria-valuemax="100"
    aria-label=${this.localize.term("resize")}
    @keydown=${this.handleKeyDown}
    @mousedown=${this.handleDrag}
    @touchstart=${this.handleDrag}
  >
    <slot name="divider"></slot>
  </div>

  <slot name="end" part="panel end" class="end"></slot>
`}};SlSplitPanel.styles=
[component_styles_default,split_panel_styles_default,__decorateClass([e$6(".divider")],SlSplitPanel.pr
ototype,"divider",2),__decorateClass([n$5({type:Number,reflect:!0})],SlSplitPanel.prototype,"position",
2),__decorateClass([n$5({attribute:"position-in-
pixels",type:Number})],SlSplitPanel.prototype,"positionInPixels",2),__decorateClass([n$5({type:Boolean,
reflect:!0})],SlSplitPanel.prototype,"vertical",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlS
plitPanel.prototype,"disabled",2),__decorateClass([n$5()],SlSplitPanel.prototype,"primary",2),__decorat
eClass([n$5({reflect:!0})],SlSplitPanel.prototype,"snap",1),__decorateClass([n$5({type:Number,attribute
:"snap-
threshold"})],SlSplitPanel.prototype,"snapThreshold",2),__decorateClass([watch("position")],SlSplitPane
l.prototype,"handlePositionChange",1),__decorateClass([watch("positionInPixels")],SlSplitPanel.prototyp
e,"handlePositionInPixelsChange",1),__decorateClass([watch("vertical")],SlSplitPanel.prototype,"handleV
erticalChange",1),SlSplitPanel.define("sl-split-panel");var switch_styles_default=i$7`
:host {
  display: inline-block;
}

:host([size='small']) {
  --height: var(--sl-toggle-size-small);
  --thumb-size: calc(var(--sl-toggle-size-small) + 4px);
  --width: calc(var(--height) * 2);

  font-size: var(--sl-input-font-size-small);
}

:host([size='medium']) {
  --height: var(--sl-toggle-size-medium);
  --thumb-size: calc(var(--sl-toggle-size-medium) + 4px);
  --width: calc(var(--height) * 2);

  font-size: var(--sl-input-font-size-medium);
}

:host([size='large']) {
  --height: var(--sl-toggle-size-large);
  --thumb-size: calc(var(--sl-toggle-size-large) + 4px);
  --width: calc(var(--height) * 2);

  font-size: var(--sl-input-font-size-large);
}

.switch {
  position: relative;
  display: inline-flex;
  align-items: center;
  font-family: var(--sl-input-font-family);
  font-size: inherit;
  font-weight: var(--sl-input-font-weight);
  color: var(--sl-input-label-color);
  vertical-align: middle;
  cursor: pointer;
}

.switch__control {
  flex: 0 0 auto;
  position: relative;
  display: inline-flex;
  align-items: center;
  justify-content: center;
  width: var(--width);
  height: var(--height);
  background-color: var(--sl-color-neutral-400);
  border: solid var(--sl-input-border-width) var(--sl-color-neutral-400);
  border-radius: var(--height);
  transition:
    var(--sl-transition-fast) border-color,
    var(--sl-transition-fast) background-color;
}

.switch__control .switch__thumb {
  width: var(--thumb-size);
  height: var(--thumb-size);
  background-color: var(--sl-color-neutral-0);
  border-radius: 50%;
  border: solid var(--sl-input-border-width) var(--sl-color-neutral-400);
  translate: calc((var(--width) - var(--height)) / -2);

```

```
    transition:
      var(--sl-transition-fast) translate ease,
      var(--sl-transition-fast) background-color,
      var(--sl-transition-fast) border-color,
      var(--sl-transition-fast) box-shadow;
  }

  .switch__input {
    position: absolute;
    opacity: 0;
    padding: 0;
    margin: 0;
    pointer-events: none;
  }

  /* Hover */
  .switch:not(.switch--checked):not(.switch--disabled) .switch__control:hover {
    background-color: var(--sl-color-neutral-400);
    border-color: var(--sl-color-neutral-400);
  }

  .switch:not(.switch--checked):not(.switch--disabled) .switch__control:hover .switch__thumb {
    background-color: var(--sl-color-neutral-0);
    border-color: var(--sl-color-neutral-400);
  }

  /* Focus */
  .switch:not(.switch--checked):not(.switch--disabled) .switch__input:focus-visible ~ .switch__control
{
  background-color: var(--sl-color-neutral-400);
  border-color: var(--sl-color-neutral-400);
}

  .switch:not(.switch--checked):not(.switch--disabled) .switch__input:focus-visible ~ .switch__control
.switch__thumb {
    background-color: var(--sl-color-neutral-0);
    border-color: var(--sl-color-primary-600);
    outline: var(--sl-focus-ring);
    outline-offset: var(--sl-focus-ring-offset);
  }

  /* Checked */
  .switch--checked .switch__control {
    background-color: var(--sl-color-primary-600);
    border-color: var(--sl-color-primary-600);
  }

  .switch--checked .switch__control .switch__thumb {
    background-color: var(--sl-color-neutral-0);
    border-color: var(--sl-color-primary-600);
    translate: calc((var(--width) - var(--height)) / 2);
  }

  /* Checked + hover */
  .switch.switch--checked:not(.switch--disabled) .switch__control:hover {
    background-color: var(--sl-color-primary-600);
    border-color: var(--sl-color-primary-600);
  }

  .switch.switch--checked:not(.switch--disabled) .switch__control:hover .switch__thumb {
    background-color: var(--sl-color-neutral-0);
    border-color: var(--sl-color-primary-600);
  }

  /* Checked + focus */
  .switch.switch--checked:not(.switch--disabled) .switch__input:focus-visible ~ .switch__control {
    background-color: var(--sl-color-primary-600);
    border-color: var(--sl-color-primary-600);
  }

  .switch.switch--checked:not(.switch--disabled) .switch__input:focus-visible ~ .switch__control
.switch__thumb {
    background-color: var(--sl-color-neutral-0);
    border-color: var(--sl-color-primary-600);
    outline: var(--sl-focus-ring);
    outline-offset: var(--sl-focus-ring-offset);
  }

  /* Disabled */
  .switch--disabled {
    opacity: 0.5;
    cursor: not-allowed;
  }

  .switch__label {
    display: inline-block;
```

```

    line-height: var(--height);
    margin-inline-start: 0.5em;
    user-select: none;
    -webkit-user-select: none;
  }

:host([required]) .switch__label::after {
  content: var(--sl-input-required-content);
  color: var(--sl-input-required-content-color);
  margin-inline-start: var(--sl-input-required-content-offset);
}

@media (forced-colors: active) {
  .switch.switch--checked:not(.switch--disabled) .switch__control:hover .switch__thumb,
  .switch--checked .switch__control .switch__thumb {
    background-color: ButtonText;
  }
}

` ,SlSwitch=class extends ShoelaceElement{constructor()
{super(...arguments),this.formControlController=new FormControlController(this,
{value:control=>control.checked?control.value||"on":void
0,defaultValue:control=>control.defaultChecked,setValue:
(control,checked)=>control.checked=checked}),this.hasSlotController=new HasSlotController(this,"help-
text"),this.hasFocus=!1,this.title="",this.name="",this.size="medium",this.disabled=!1,this.checked=!1,
this.defaultChecked=!1,this.form="",this.required=!1,this.helpText=""}}get validity(){return
this.input.validity}get validationMessage(){return this.input.validationMessage}firstUpdated()
{this.formControlController.updateValidity()}handleBlur(){this.hasFocus=!1,this.emit("sl-
blur")}handleInput(){this.emit("sl-input")}handleInvalid(event)
{this.formControlController.setValidity(!1),this.formControlController.emitInvalidEvent(event)}handleCl
ick(){this.checked=!this.checked,this.emit("sl-change")}handleFocus(){this.hasFocus=!0,this.emit("sl-
focus")}handleKeyDown(event){"ArrowLeft"===event.key&&
(event.preventDefault(),this.checked=!1,this.emit("sl-change"),this.emit("sl-
input")),"ArrowRight"===event.key&&(event.preventDefault(),this.checked=!0,this.emit("sl-
change"),this.emit("sl-input"))}handleCheckedChange()
{this.input.checked=this.checked,this.formControlController.updateValidity()}handleDisabledChange()
{this.formControlController.setValidity(!0)}click(){this.input.click()}focus(options)
{this.input.focus(options)}blur(){this.input.blur()}checkValidity(){return
this.input.checkValidity()}getForm(){return this.formControlController.getForm()}reportValidity()
{return this.input.reportValidity()}setCustomValidity(message)
{this.input.setCustomValidity(message),this.formControlController.updateValidity()}render(){const
hasHelpTextSlot=this.hasSlotController.test("help-
text"),hasHelpText=!!this.helpText||!!hasHelpTextSlot;return x$1`
  <div
    class=${e$2({"form-control":!0,"form-control--small":"small"===this.size,"form-control--
medium":"medium"===this.size,"form-control--large":"large"===this.size,"form-control--has-help-
text":hasHelpText})}
  >
    <label
      part="base"
      class=${e$2({switch:!0,"switch--checked":this.checked,"switch--
disabled":this.disabled,"switch--focused":this.hasFocus,"switch--small":"small"===this.size,"switch--
medium":"medium"===this.size,"switch--large":"large"===this.size})}
    >
      <input
        class="switch__input"
        type="checkbox"
        title=${this.title}
        name=${this.name}
        value=${o$6(this.value)}
        .checked=${l$1(this.checked)}
        .disabled=${this.disabled}
        .required=${this.required}
        role="switch"
        aria-checked=${this.checked?"true":"false"}
        aria-describedby="help-text"
        @click=${this.handleClick}
        @input=${this.handleInput}
        @invalid=${this.handleInvalid}
        @blur=${this.handleBlur}
        @focus=${this.handleFocus}
        @keydown=${this.handleKeyDown}
      />

      <span part="control" class="switch__control">
        <span part="thumb" class="switch__thumb"></span>
      </span>

      <div part="label" class="switch__label">
        <slot></slot>
      </div>
    </label>

    <div
      aria-hidden=${hasHelpText?"false":"true"}
      class="form-control__help-text"
      id="help-text"
```

```
      part="form-control-help-text"
    >
      <slot name="help-text">${this.helpText}</slot>
    </div>
  </div>
`}};SlSwitch.styles=
[component_styles_default,form_control_styles_default,switch_styles_default],__decorateClass([e$6("input[type=\"checkbox\"]")],SlSwitch.prototype,"input",2),__decorateClass([r$6()],SlSwitch.prototype,"hasFocus",2),__decorateClass([n$5()],SlSwitch.prototype,"title",2),__decorateClass([n$5()],SlSwitch.prototype,"name",2),__decorateClass([n$5()],SlSwitch.prototype,"value",2),__decorateClass([n$5({reflect:!0})],SlSwitch.prototype,"size",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlSwitch.prototype,"disabled",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlSwitch.prototype,"checked",2),__decorateClass([defaultValue("checked")],SlSwitch.prototype,"defaultChecked",2),__decorateClass([n$5({reflect:!0})],SlSwitch.prototype,"form",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlSwitch.prototype,"required",2),__decorateClass([n$5({attribute:"help-text"})],SlSwitch.prototype,"helpText",2),__decorateClass([watch("checked",{waitUntilFirstUpdate:!0})],SlSwitch.prototype,"handleCheckedChange",1),__decorateClass([watch("disabled",{waitUntilFirstUpdate:!0})],SlSwitch.prototype,"handleDisabledChange",1),SlSwitch.define("sl-switch"),SlResizeObserver.define("sl-resize-observer"),SlSpinner.define("sl-spinner");var range_styles_default=i$7`
:host {
  --thumb-size: 20px;
  --tooltip-offset: 10px;
  --track-color-active: var(--sl-color-neutral-200);
  --track-color-inactive: var(--sl-color-neutral-200);
  --track-active-offset: 0%;
  --track-height: 6px;

  display: block;
}

.range {
  position: relative;
}

.range__control {
  --percent: 0%;
  -webkit-appearance: none;
  border-radius: 3px;
  width: 100%;
  height: var(--track-height);
  background: transparent;
  line-height: var(--sl-input-height-medium);
  vertical-align: middle;
  margin: 0;

  background-image: linear-gradient(
    to right,
    var(--track-color-inactive) 0%,
    var(--track-color-inactive) min(var(--percent), var(--track-active-offset)),
    var(--track-color-active) min(var(--percent), var(--track-active-offset)),
    var(--track-color-active) max(var(--percent), var(--track-active-offset)),
    var(--track-color-inactive) max(var(--percent), var(--track-active-offset)),
    var(--track-color-inactive) 100%
  );
}

.range--rtl .range__control {
  background-image: linear-gradient(
    to left,
    var(--track-color-inactive) 0%,
    var(--track-color-inactive) min(var(--percent), var(--track-active-offset)),
    var(--track-color-active) min(var(--percent), var(--track-active-offset)),
    var(--track-color-active) max(var(--percent), var(--track-active-offset)),
    var(--track-color-inactive) max(var(--percent), var(--track-active-offset)),
    var(--track-color-inactive) 100%
  );
}

/* Webkit */
.range__control::-webkit-slider-runnable-track {
  width: 100%;
  height: var(--track-height);
  border-radius: 3px;
  border: none;
}

.range__control::-webkit-slider-thumb {
  border: none;
  width: var(--thumb-size);
  height: var(--thumb-size);
  border-radius: 50%;
  background-color: var(--sl-color-primary-600);
  border: solid var(--sl-input-border-width) var(--sl-color-primary-600);
  -webkit-appearance: none;
  margin-top: calc(var(--thumb-size) / -2 + var(--track-height) / 2);
}
```

```
    cursor: pointer;
  }

.range__control:enabled::-webkit-slider-thumb:hover {
  background-color: var(--sl-color-primary-500);
  border-color: var(--sl-color-primary-500);
}

.range__control:enabled:focus-visible::-webkit-slider-thumb {
  outline: var(--sl-focus-ring);
  outline-offset: var(--sl-focus-ring-offset);
}

.range__control:enabled::-webkit-slider-thumb:active {
  background-color: var(--sl-color-primary-500);
  border-color: var(--sl-color-primary-500);
  cursor: grabbing;
}

/* Firefox */
.range__control::-moz-focus-outer {
  border: 0;
}

.range__control::-moz-range-progress {
  background-color: var(--track-color-active);
  border-radius: 3px;
  height: var(--track-height);
}

.range__control::-moz-range-track {
  width: 100%;
  height: var(--track-height);
  background-color: var(--track-color-inactive);
  border-radius: 3px;
  border: none;
}

.range__control::-moz-range-thumb {
  border: none;
  height: var(--thumb-size);
  width: var(--thumb-size);
  border-radius: 50%;
  background-color: var(--sl-color-primary-600);
  border-color: var(--sl-color-primary-600);
  transition:
    var(--sl-transition-fast) border-color,
    var(--sl-transition-fast) background-color,
    var(--sl-transition-fast) color,
    var(--sl-transition-fast) box-shadow;
  cursor: pointer;
}

.range__control:enabled::-moz-range-thumb:hover {
  background-color: var(--sl-color-primary-500);
  border-color: var(--sl-color-primary-500);
}

.range__control:enabled:focus-visible::-moz-range-thumb {
  outline: var(--sl-focus-ring);
  outline-offset: var(--sl-focus-ring-offset);
}

.range__control:enabled::-moz-range-thumb:active {
  background-color: var(--sl-color-primary-500);
  border-color: var(--sl-color-primary-500);
  cursor: grabbing;
}

/* States */
.range__control:focus-visible {
  outline: none;
}

.range__control:disabled {
  opacity: 0.5;
}

.range__control:disabled::-webkit-slider-thumb {
  cursor: not-allowed;
}

.range__control:disabled::-moz-range-thumb {
  cursor: not-allowed;
}
```



```

/* Tooltip output */
.range__tooltip {
  position: absolute;
  z-index: var(--sl-z-index-tooltip);
  left: 0;
  border-radius: var(--sl-tooltip-border-radius);
  background-color: var(--sl-tooltip-background-color);
  font-family: var(--sl-tooltip-font-family);
  font-size: var(--sl-tooltip-font-size);
  font-weight: var(--sl-tooltip-font-weight);
  line-height: var(--sl-tooltip-line-height);
  color: var(--sl-tooltip-color);
  opacity: 0;
  padding: var(--sl-tooltip-padding);
  transition: var(--sl-transition-fast) opacity;
  pointer-events: none;
}

.range__tooltip:after {
  content: '';
  position: absolute;
  width: 0;
  height: 0;
  left: 50%;
  translate: calc(-1 * var(--sl-tooltip-arrow-size));
}

.range--tooltip-visible .range__tooltip {
  opacity: 1;
}

/* Tooltip on top */
.range--tooltip-top .range__tooltip {
  top: calc(-1 * var(--thumb-size) - var(--tooltip-offset));
}

.range--tooltip-top .range__tooltip:after {
  border-top: var(--sl-tooltip-arrow-size) solid var(--sl-tooltip-background-color);
  border-left: var(--sl-tooltip-arrow-size) solid transparent;
  border-right: var(--sl-tooltip-arrow-size) solid transparent;
  top: 100%;
}

/* Tooltip on bottom */
.range--tooltip-bottom .range__tooltip {
  bottom: calc(-1 * var(--thumb-size) - var(--tooltip-offset));
}

.range--tooltip-bottom .range__tooltip:after {
  border-bottom: var(--sl-tooltip-arrow-size) solid var(--sl-tooltip-background-color);
  border-left: var(--sl-tooltip-arrow-size) solid transparent;
  border-right: var(--sl-tooltip-arrow-size) solid transparent;
  bottom: 100%;
}

@media (forced-colors: active) {
  .range__control,
  .range__tooltip {
    border: solid 1px transparent;
  }

  .range__control::-webkit-slider-thumb {
    border: solid 1px transparent;
  }

  .range__control::-moz-range-thumb {
    border: solid 1px transparent;
  }

  .range__tooltip:after {
    display: none;
  }
}

` ,SlRange=class extends ShoelaceElement{constructor()
{super(...arguments),this.formControlController=new
FormControlController(this),this.hasSlotController=new HasSlotController(this,"help-
text","label"),this.localize=new
LocalizeController(this),this.hasFocus=!1,this.hasTooltip=!1,this.title="",this.name="",this.value=0,th
is.is.label="",this.helpText="",this.disabled=!1,this.min=0,this.max=100,this.step=1,this.tooltip="top",th
is.is.tooltipFormatter=value=>value.toString(),this.form="",this.defaultValue=0}get validity(){return
this.input.validity}get validationMessage(){return this.input.validationMessage}connectedCallback()
{super.connectedCallback(),this.resizeObserver=new
ResizeObserver(()=>this.syncRange()),this.value<this.min&&(this.value=this.min),this.value>this.max&&
(this.value=this.max),this.updateComplete.then(()=>
{this.syncRange(),this.resizeObserver.observe(this.input)})}disconnectedCallback(){var
_a;super.disconnectedCallback(),null==(a=this.resizeObserver)?void

```

```
0: _a.unobserve(this.input)}handleChange(){this.emit("sl-change")}handleInput()
{this.value=parseFloat(this.input.value),this.emit("sl-input"),this.syncRange()}handleBlur()
{this.hasFocus=!1,this.hasTooltip=!1,this.emit("sl-blur")}handleFocus()
{this.hasFocus=!0,this.hasTooltip=!0,this.emit("sl-focus")}handleThumbDragStart()
{this.hasTooltip=!0}handleThumbDragEnd(){this.hasTooltip=!1}syncProgress(percent)
{this.input.style.setProperty("--percent",`${100*percent}%`)}syncTooltip(percent)
{if(null!==this.output){const
inputWidth=this.input.offsetWidth,tooltipWidth=this.output.offsetWidth,thumbSize=getComputedStyle(this.
input).getPropertyValue("--thumb-
size"),isRtl="rtl"===this.localize.dir(),percentAsWidth=inputWidth*percent;if(isRtl){const
x=`${inputWidth-percentAsWidth}px + ${percent} * ${thumbSize}`;this.output.style.translate=`calc((${x}
- ${tooltipWidth/2}px - ${thumbSize} / 2))`}else{const x=`${percentAsWidth}px - ${percent} *
${thumbSize}`;this.output.style.translate=`calc(${x} - ${tooltipWidth/2}px + ${thumbSize} /
2)`}}}}handleValueChange()
{this.formControlController.updateValidity(),this.input.value=this.value.toString(),this.value=parseFlo
at(this.input.value),this.syncRange()}handleDisabledChange()
{this.formControlController.setValidity(this.disabled)}syncRange(){const percent=Math.max(0,
(this.value-this.min)/(this.max-
this.min));this.syncProgress(percent),"none"!==this.tooltip&&this.hasTooltip&&this.updateComplete.then(
()=>this.syncTooltip(percent))}handleInvalid(event)
{this.formControlController.setValidity(!1),this.formControlController.emitInvalidEvent(event)}focus(op
tions){this.input.focus(options)}blur(){this.input.blur()}stepUp()
{this.input.stepUp(),this.value!==+this.input.value&&(this.value+=this.input.value)}stepDown()
{this.input.stepDown(),this.value!==+this.input.value&&(this.value-=this.input.value)}checkValidity()
{return this.input.checkValidity()}getForm(){return
this.formControlController.getForm()}reportValidity(){return
this.input.reportValidity()}setCustomValidity(message)
{this.input.setCustomValidity(message),this.formControlController.updateValidity()}render(){const
hasLabelSlot=this.hasSlotController.test("label"),hasHelpTextSlot=this.hasSlotController.test("help-
text"),hasLabel=!!this.label||!!hasLabelSlot,hasHelpText=!!this.helpText||!!hasHelpTextSlot;return x$1`
<div
  part="form-control"
  class=${e$2({"form-control":!0,"form-control--medium":!0,"form-control--has-
label":hasLabel,"form-control--has-help-text":hasHelpText})}
>
  <label
    part="form-control-label"
    class="form-control__label"
    for="input"
    aria-hidden=${hasLabel?"false":"true"}
  >
    <slot name="label">${this.label}</slot>
  </label>

  <div part="form-control-input" class="form-control-input">
    <div
      part="base"
      class=${e$2({range:!0,"range--disabled":this.disabled,"range--
focused":this.hasFocus,"range--rtl":"rtl"===this.localize.dir(),"range--tooltip-
visible":this.hasTooltip,"range--tooltip-top":"top"===this.tooltip,"range--tooltip-
bottom":"bottom"===this.tooltip})}
      @mousedown=${this.handleThumbDragStart}
      @mouseup=${this.handleThumbDragEnd}
      @touchstart=${this.handleThumbDragStart}
      @touchend=${this.handleThumbDragEnd}
    >
      <input
        part="input"
        id="input"
        class="range__control"
        title=${this.title}
        type="range"
        name=${o$6(this.name)}
        ?disabled=${this.disabled}
        min=${o$6(this.min)}
        max=${o$6(this.max)}
        step=${o$6(this.step)}
        .value=${l(this.value.toString())}
        aria-describedby="help-text"
        @change=${this.handleChange}
        @focus=${this.handleFocus}
        @input=${this.handleInput}
        @invalid=${this.handleInvalid}
        @blur=${this.handleBlur}
      />
      ${"none"===this.tooltip||this.disabled?"":x$1`
        <output part="tooltip" class="range__tooltip">
          ${"function"===typeof this.tooltipFormatter?
this.tooltipFormatter(this.value):this.value}
        </output>
      `}
    </div>
  </div>

  <div
    part="form-control-help-text"
```

```

    id="help-text"
    class="form-control__help-text"
    aria-hidden=${hasHelpText?"false":"true"}
  >
    <slot name="help-text">${this.helpText}</slot>
  </div>
</div>
`}};SlRange.styles=
[component_styles_default,form_control_styles_default,range_styles_default],__decorateClass([e$6(".range__control"),SlRange.prototype,"input",2),__decorateClass([e$6(".range__tooltip"),SlRange.prototype,"output",2),__decorateClass([r$6()],SlRange.prototype,"hasFocus",2),__decorateClass([r$6()],SlRange.prototype,"hasTooltip",2),__decorateClass([n$5()],SlRange.prototype,"title",2),__decorateClass([n$5()],SlRange.prototype,"name",2),__decorateClass([n$5({type:Number})],SlRange.prototype,"value",2),__decorateClass([n$5()],SlRange.prototype,"label",2),__decorateClass([n$5({attribute:"help-text"})],SlRange.prototype,"helpText",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlRange.prototype,"disabled",2),__decorateClass([n$5({type:Number})],SlRange.prototype,"min",2),__decorateClass([n$5({type:Number})],SlRange.prototype,"max",2),__decorateClass([n$5({type:Number})],SlRange.prototype,"step",2),__decorateClass([n$5()],SlRange.prototype,"tooltip",2),__decorateClass([n$5({attribute:!1})],SlRange.prototype,"tooltipFormatter",2),__decorateClass([n$5({reflect:!0})],SlRange.prototype,"form",2),__decorateClass([defaultValue()],SlRange.prototype,"defaultValue",2),__decorateClass([t$2({passive:!0})],SlRange.prototype,"handleThumbDragStart",1),__decorateClass([watch("value",{waitUntilFirstUpdate:!0})],SlRange.prototype,"handleValueChange",1),__decorateClass([watch("disabled",{waitUntilFirstUpdate:!0})],SlRange.prototype,"handleDisabledChange",1),__decorateClass([watch("hasTooltip",{waitUntilFirstUpdate:!0})],SlRange.prototype,"syncRange",1),SlRange.define("sl-range");var rating_styles_default=i$7`
:host {
  --symbol-color: var(--sl-color-neutral-300);
  --symbol-color-active: var(--sl-color-amber-500);
  --symbol-size: 1.2rem;
  --symbol-spacing: var(--sl-spacing-3x-small);

  display: inline-flex;
}

.rating {
  position: relative;
  display: inline-flex;
  border-radius: var(--sl-border-radius-medium);
  vertical-align: middle;
}

.rating:focus {
  outline: none;
}

.rating:focus-visible {
  outline: var(--sl-focus-ring);
  outline-offset: var(--sl-focus-ring-offset);
}

.rating__symbols {
  display: inline-flex;
  position: relative;
  font-size: var(--symbol-size);
  line-height: 0;
  color: var(--symbol-color);
  white-space: nowrap;
  cursor: pointer;
}

.rating__symbols > * {
  padding: var(--symbol-spacing);
}

.rating__symbol--active,
.rating__partial--filled {
  color: var(--symbol-color-active);
}

.rating__partial-symbol-container {
  position: relative;
}

.rating__partial--filled {
  position: absolute;
  top: var(--symbol-spacing);
  left: var(--symbol-spacing);
}

.rating__symbol {
  transition: var(--sl-transition-fast) scale;
  pointer-events: none;
}

.rating__symbol--hover {
  scale: 1.2;
}
```

```

    }

    .rating--disabled .rating__symbols,
    .rating--readonly .rating__symbols {
      cursor: default;
    }

    .rating--disabled .rating__symbol--hover,
    .rating--readonly .rating__symbol--hover {
      scale: none;
    }

    .rating--disabled {
      opacity: 0.5;
    }

    .rating--disabled .rating__symbols {
      cursor: not-allowed;
    }

    /* Forced colors mode */
    @media (forced-colors: active) {
      .rating__symbol--active {
        color: SelectedItem;
      }
    }
  }, SlRating=class extends ShoelaceElement{constructor(){super(...arguments),this.localize=new
  LocalizeController(this),this.hoverValue=0,this.isHovering=!1,this.label="",this.value=0,this.max=5,thi
  s.precision=1,this.readonly=!1,this.disabled=!1,this.getSymbol={()=>"<sl-icon name=\"star-fill\"
  library=\"system\"></sl-icon>"}getValueFromMousePosition(event){return
  this.getValueFromXCoordinate(event.clientX)}getValueFromTouchPosition(event){return
  this.getValueFromXCoordinate(event.touches[0].clientX)}getValueFromXCoordinate(coordinate){const
  isRtl="rtl"===this.localize.dir(),{left,right,width}=this.rating.getBoundingClientRect(),value=isRtl?
  this.roundToPrecision((right-
  coordinate)/width*this.max,this.precision):this.roundToPrecision((coordinate-
  left)/width*this.max,this.precision);return clamp(value,0,this.max)}handleClick(event){this.disabled||
  (this.setValue(this.getValueFromMousePosition(event)),this.emit("sl-change"))}setValue(newValue)
  {this.disabled||this.readonly||this.value=newValue===this.value?
  0:newValue,this.isHovering=!1)}handleKeyDown(event){var _Mathmin4=Math.min,_Mathmax8=Math.max;const
  isLtr="ltr"===this.localize.dir(),isRtl="rtl"===this.localize.dir(),oldValue=this.value;if(!
  (this.disabled||this.readonly))
  {if("ArrowDown"===event.key||isLtr&&"ArrowLeft"===event.key||isRtl&&"ArrowRight"===event.key){const
  decrement=event.shiftKey?1:this.precision;this.value=_Mathmax8(0,this.value-
  decrement),event.preventDefault()}if("ArrowUp"===event.key||isLtr&&"ArrowRight"===event.key||isRtl&&"Ar
  rowLeft"===event.key){const increment=event.shiftKey?
  1:this.precision;this.value=_Mathmin4(this.max,this.value+increment),event.preventDefault()}"Home"===ev
  ent.key&&(this.value=0,event.preventDefault()),"End"===event.key&&
  (this.value=this.max,event.preventDefault()),this.value!==oldValue&&this.emit("sl-
  change")}}handleMouseEnter(event)
  {this.isHovering=!0,this.hoverValue=this.getValueFromMousePosition(event)}handleMouseMove(event)
  {this.hoverValue=this.getValueFromMousePosition(event)}handleMouseLeave()
  {this.isHovering=!1}handleTouchStart(event)
  {this.isHovering=!0,this.hoverValue=this.getValueFromTouchPosition(event),event.preventDefault()}handle
  TouchMove(event){this.hoverValue=this.getValueFromTouchPosition(event)}handleTouchEnd(event)
  {this.isHovering=!1,this.setValue(this.hoverValue),this.emit("sl-
  change"),event.preventDefault()}roundToPrecision(numberToRound,precision=.5){const
  multiplier=1/precision;return Math.ceil(numberToRound*multiplier)/multiplier}handleHoverValueChange()
  {this.emit("sl-hover",{detail:{phase:"move",value:this.hoverValue}})}handleIsHoveringChange()
  {this.emit("sl-hover",{detail:
  {phase:this.isHovering?"start":"end",value:this.hoverValue}})}focus(options)
  {this.rating.focus(options)}blur(){this.rating.blur()}render(){var _Mathceil2=Math.ceil;const
  isRtl="rtl"===this.localize.dir(),counter=Array.from(Array(this.max).keys());let displayValue=0;return
  displayValue=this.disabled||this.readonly?this.value:this.isHovering?this.hoverValue:this.value,x$1`
    <div
      part="base"
      class=${e$2({rating:!0,"rating--readonly":this.readonly,"rating--
disabled":this.disabled,"rating--rtl":isRtl})}
      role="slider"
      aria-label=${this.label}
      aria-disabled=${this.disabled?"true":"false"}
      aria-readonly=${this.readonly?"true":"false"}
      aria-valuenow=${this.value}
      aria-valuemin=${0}
      aria-valuemax=${this.max}
      tabindex=${this.disabled||this.readonly?"-1":"0"}
      @click=${this.handleClick}
      @keydown=${this.handleKeyDown}
      @mouseenter=${this.handleMouseEnter}
      @touchstart=${this.handleTouchStart}
      @mouseleave=${this.handleMouseLeave}
      @touchend=${this.handleTouchEnd}
      @mousemove=${this.handleMouseMove}
      @touchmove=${this.handleTouchMove}
    >
      <span class="rating__symbols">
        ${counter.map(index=>displayValue>index&&displayValue<index+1?x$1`
```

```

    <span
      class=${e$2({rating__symbol:!0,"rating__partial-symbol-container":!0,"rating__symbol-
-hover":this.isHovering&&_Mathceil2(displayValue)===index+1})}
      role="presentation"
    >
      <div
        style=${o$3({clipPath:isRtl?`inset(0 ${100*(displayValue-index)}% 0 0)`:`inset(0 0
0 ${100*(displayValue-index)}%)`})}
      >
        ${o$2(this.getSymbol(index+1))}
      </div>
      <div
        class="rating__partial--filled"
        style=${o$3({clipPath:isRtl?`inset(0 0 0 ${100-100*(displayValue-
index)}%)`:`inset(0 ${100-100*(displayValue-index)}% 0 0)`})}
      >
        ${o$2(this.getSymbol(index+1))}
      </div>
    </span>
  `:x$1`
  <span
    class=${e$2({rating__symbol:!0,"rating__symbol--
hover":this.isHovering&&_Mathceil2(displayValue)===index+1,"rating__symbol--
active":displayValue>=index+1})}
    role="presentation"
  >
    ${o$2(this.getSymbol(index+1))}
  </span>
`)}
</span>
</div>
`});SlRating.styles=[component_styles_default,rating_styles_default],SlRating.dependencies={"sl-
icon":SlIcon},__decorateClass([e$6(".rating")],SlRating.prototype,"rating",2),__decorateClass([r$6()],S
lRating.prototype,"hoverValue",2),__decorateClass([r$6()],SlRating.prototype,"isHovering",2),__decorate
Class([n$5()],SlRating.prototype,"label",2),__decorateClass([n$5({type:Number})],SlRating.prototype,"va
lue",2),__decorateClass([n$5({type:Number})],SlRating.prototype,"max",2),__decorateClass([n$5({type:Num
ber})],SlRating.prototype,"precision",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlRating.prot
otype,"readonly",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlRating.prototype,"disabled",2),_
__decorateClass([n$5()],SlRating.prototype,"getSymbol",2),__decorateClass([t$2({passive:!0})],SlRating.p
rototype,"handleTouchMove",1),__decorateClass([watch("hoverValue")],SlRating.prototype,"handleHoverValu
eChange",1),__decorateClass([watch("isHovering")],SlRating.prototype,"handleIsHoveringChange",1),SlRati
ng.define("sl-rating");var radio_button_styles_default=i$7`
  ${button_styles_default}

.button__prefix,
.button__suffix,
.button__label {
  display: inline-flex;
  position: relative;
  align-items: center;
}

/* We use a hidden input so constraint validation errors work, since they don't appear to show when
used with buttons.
We can't actually hide it, though, otherwise the messages will be suppressed by the browser. */
.hidden-input {
  all: unset;
  position: absolute;
  top: 0;
  left: 0;
  bottom: 0;
  right: 0;
  outline: dotted 1px red;
  opacity: 0;
  z-index: -1;
}
`,SlRadioButton=class extends ShoelaceElement{constructor()
{super(...arguments),this.hasSlotController=new HasSlotController(this,"
[default]","prefix","suffix"),this.hasFocus=!1,this.checked=!1,this.disabled=!1,this.size="medium",this
.pill=!1}connectedCallback(){super.connectedCallback(),this.setAttribute("role","presentation")}handleBlur()
{this.hasFocus=!1,this.emit("sl-blur")}handleClick(e){return this.disabled?(e.preventDefault(),void
e.stopPropagation()):void(this.checked=!0)}handleFocus(){this.hasFocus=!0,this.emit("sl-
focus")}handleDisabledChange(){this.setAttribute("aria-
disabled",this.disabled?"true":"false")}focus(options){this.input.focus(options)}blur()
{this.input.blur()}render(){return u$1`
  <div part="base" role="presentation">
    <button
      part=${`button${this.checked?" button--checked":""}`}`"
      role="radio"
      aria-checked=${this.checked}
      class=${e$2({button:!0,"button--default":!0,"button--small":"small"===this.size,"button--
medium":"medium"===this.size,"button--large":"large"===this.size,"button--
checked":this.checked,"button--disabled":this.disabled,"button--focused":this.hasFocus,"button--
outline":!0,"button--pill":this.pill,"button--has-label":this.hasSlotController.test("
[default]"),"button--has-prefix":this.hasSlotController.test("prefix"),"button--has-
```

```
suffix":this.hasSlotController.test("suffix"))}}
    aria-disabled=${this.disabled}
    type="button"
    value=${o$6(this.value)}
    @blur=${this.handleBlur}
    @focus=${this.handleFocus}
    @click=${this.handleClick}
  >
    <slot name="prefix" part="prefix" class="button__prefix"></slot>
    <slot part="label" class="button__label"></slot>
    <slot name="suffix" part="suffix" class="button__suffix"></slot>
  </button>
</div>
`}};SlRadioButton.styles=
[component_styles_default,radio_button_styles_default],__decorateClass([e$6(".button")],SlRadioButton.p
rototype,"input",2),__decorateClass([e$6(".hidden-
input")],SlRadioButton.prototype,"hiddenInput",2),__decorateClass([r$6()],SlRadioButton.prototype,"hasF
ocus",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlRadioButton.prototype,"checked",2),__decora
teClass([n$5()],SlRadioButton.prototype,"value",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlR
adioButton.prototype,"disabled",2),__decorateClass([n$5({reflect:!0})],SlRadioButton.prototype,"size",2
),__decorateClass([n$5({type:Boolean,reflect:!0})],SlRadioButton.prototype,"pill",2),__decorateClass([w
atch("disabled",
{waitUntilFirstUpdate:!0})],SlRadioButton.prototype,"handleDisabledChange",1),SlRadioButton.define("sl-
radio-button");var progress_ring_styles_default=i$7`
:host {
  --size: 128px;
  --track-width: 4px;
  --track-color: var(--sl-color-neutral-200);
  --indicator-width: var(--track-width);
  --indicator-color: var(--sl-color-primary-600);
  --indicator-transition-duration: 0.35s;

  display: inline-flex;
}

.progress-ring {
  display: inline-flex;
  align-items: center;
  justify-content: center;
  position: relative;
}

.progress-ring__image {
  width: var(--size);
  height: var(--size);
  rotate: -90deg;
  transform-origin: 50% 50%;
}

.progress-ring__track,
.progress-ring__indicator {
  --radius: calc(var(--size) / 2 - max(var(--track-width), var(--indicator-width)) * 0.5);
  --circumference: calc(var(--radius) * 2 * 3.141592654);

  fill: none;
  r: var(--radius);
  cx: calc(var(--size) / 2);
  cy: calc(var(--size) / 2);
}

.progress-ring__track {
  stroke: var(--track-color);
  stroke-width: var(--track-width);
}

.progress-ring__indicator {
  stroke: var(--indicator-color);
  stroke-width: var(--indicator-width);
  stroke-linecap: round;
  transition-property: stroke-dashoffset;
  transition-duration: var(--indicator-transition-duration);
  stroke-dasharray: var(--circumference) var(--circumference);
  stroke-dashoffset: calc(var(--circumference) - var(--percentage) * var(--circumference));
}

.progress-ring__label {
  display: flex;
  align-items: center;
  justify-content: center;
  position: absolute;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
  text-align: center;
  user-select: none;
}
```

```
-webkit-user-select: none;
}
`,SlProgressRing=class extends ShoeLaceElement{constructor(){super(...arguments),this.localize=new
LocalizeController(this),this.value=0,this.label=""}}updated(changedProps){var
_MathPI=Math.PI;if(super.updated(changedProps),changedProps.has("value")){const
radius=parseFloat(getComputedStyle(this.indicator).getPropertyValue("r")),circumference=2*_MathPI*radius,offset=circumference-this.value/100*circumference;this.indicatorOffset=`${offset}px`}render(){return
x$1`
<div
  part="base"
  class="progress-ring"
  role="progressbar"
  aria-label=${0<this.label.length?this.label:this.localize.term("progress")}
  aria-describedby="label"
  aria-valuemin="0"
  aria-valuemax="100"
  aria-valuenow=${this.value}"
  style="--percentage: ${this.value/100}"
>
  <svg class="progress-ring__image">
    <circle class="progress-ring__track"></circle>
    <circle class="progress-ring__indicator" style="stroke-dashoffset: ${this.indicatorOffset}">
  </circle>
  </svg>

  <slot id="label" part="label" class="progress-ring__label"></slot>
</div>
`}};SlProgressRing.styles=
[component_styles_default,progress_ring_styles_default],__decorateClass([e$6(".progress-
ring__indicator")],SlProgressRing.prototype,"indicator",2),__decorateClass([r$6()],SlProgressRing.proto
type,"indicatorOffset",2),__decorateClass([n$5({type:Number,reflect:!0})],SlProgressRing.prototype,"val
ue",2),__decorateClass([n$5()],SlProgressRing.prototype,"label",2),SlProgressRing.define("sl-progress-
ring");var qr_code_styles_default=i$7`
:host {
  display: inline-block;
}
`;let G=null;class H{H.render=function(w,B){G(w,B)},self.QrCreator=H,function(w){var
_Mathfloor6=Math.floor,_Mathmin5=Math.min,_Mathmax9=Math.max,_Mathround4=Math.round;function B(t,c,a,e)
{var b={},h=w(a,c);h.u(t),h.J(),e=e||0;var r=h.h(),d=h.h()+2*e;return
b.text=t,b.level=c,b.version=a,b.0=d,b.a=function(b,a){return b-=e,a-=e,!
(0>b||b>=r||0>a||a>=r)&&h.a(b,a)},b}function C(t,c,a,e,b,h,r,d,g,x){function u(b,a,f,c,d,r,g){b?
(t.lineTo(a+r,f+g),t.arcTo(a,f,c,d,h)):t.lineTo(a,f)}r?t.moveTo(c+h,a):t.moveTo(c,a),u(d,e,a,e,b,-
h,0),u(g,e,b,c,b,0,-h),u(x,c,b,c,a,h,0),u(r,c,a,e,a,0,h)}function z(t,c,a,e,b,h,r,d,g,x){function
u(b,a,c,d){t.moveTo(b+c,a),t.lineTo(b,a),t.lineTo(b,a+d),t.arcTo(b,a,b+c,a,h)}r&&u(c,a,h,h),d&&u(e,a,-
h,h),g&&u(e,b,-h,-h),x&&u(c,b,h,-h)}function A(t,c){var a=c.fill;if("string"==typeof
a)t.fillStyle=a;else{var e=a.type,b=a.colorStops;if(a=a.position.map(b=>_Mathround4(b*c.size)),"linear-
gradient"===e)var h=t.createLinearGradient.apply(t,a);else if("radial-
gradient"===e)h=t.createRadialGradient.apply(t,a);else throw Error("Unsupported
fill");b.forEach(([b,a])=>{h.addColorStop(b,a)}),t.fillStyle=h}}function y(t,c){a:{var
a=c.text,e=c.v,b=c.N,h=c.K,r=c.P;for(b=_Mathmax9(1,b)||1),h=_Mathmin5(40,h)||40;b<=h;b+=1)try{var
d=B(a,e,b,r);break a}catch(J){}d=void 0;if(!d)return null;for(a=t.getContext("2d"),c.background&&
(a.fillStyle=c.background,a.fillRect(c.left,c.top,c.size,c.size)),e=d.0,h=c.size/e,a.beginPath(),r=0;r<
e;r+=1)for(b=0;b<e;b+=1){var g=a,x=c.left+b*h,u=c.top+r*h,p=r,q=b,f=d.a,k=x+h,m=u+h,D=p-1,E=p+1,n=q-
1,l=q+1,y=_Mathfloor6(_Mathmin5(.5,_Mathmax9(0,c.R))*h),v=f(p,q),I=f(D,n),w=f(D,q);D=f(D,l);var
F=f(p,l);l=f(E,l),q=f(E,q),E=f(E,n),p=f(p,n),x=_Mathround4(x),u=_Mathround4(u),k=_Mathround4(k),m=_Math
round4(m),v?
C(g,x,u,k,m,y,!w&&!p,!w&&!F,!q&&!F,!q&&!p):z(g,x,u,k,m,y,w&&p&&I,w&&F&&D,q&&F&&l,q&&p&&E)}return
A(a,c),a.fill(),t}var v=
{minVersion:1,maxVersion:40,ecLevel:"L",left:0,top:0,size:200,fill:"#000",background:null,text:"no
text",radius:.5,quiet:0};G=function(t,c){var a=
{};Object.assign(a,v,t),a.N=a.minVersion,a.K=a.maxVersion,a.v=a.ecLevel,a.left=a.left,a.top=a.top,a.siz
e=a.size,a.fill=a.fill,a.background=a.background,a.text=a.text,a.R=a.radius,a.P=a.quiet,c instanceof
HTMLCanvasElement?((c.width!==a.size||c.height!==a.size)&&
(c.width=a.size,c.height=a.size),c.getContext("2d").clearRect(0,0,c.width,c.height),y(c,a)):
(t=document.createElement("canvas"),t.width=a.size,t.height=a.size,a=y(t,a),c.appendChild(a))}}
(function(){var _Mathfloor7=Math.floor,_Mathmax0=Math.max;function w(c){var
a=C.s(c);return{S:function(){return 4},b:function(){return a.length},write:function(c){for(var
b=0;b<a.length;b+=1)c.put(a[b],8)}}function B(){var c=[],a=0,e={B:function(){return c},c:function(b)
{return 1==(1&c[_Mathfloor7(b/8)]>>>7-b%8)},put:function(b,h){for(var a=0;a<h;a+=1)e.m(1==(1&b>>>h-a-
1))},f:function(){return a},m:function(b){var h=_Mathfloor7(a/8);c.length<=h&&c.push(0),b&&
(c[h]|=128>>>a%8),a+=1}};return e}function C(c,a){function e(b,h){for(var a=-1;7>=a;a+=1)if(!
(-1>=b+a||d<=b+a))for(var c=-1;7>=c;c+=1)-1>=h+c||d<=h+c||(!0<=a&&6>=a&&
(0==c||6==c)||0<=c&&6>=c&&(0==a||6==a)||2<=a&&4>=a&&2<=c&&4>=c))}function b(b,a){for(var
f=d*4*c+17,k=Array(f),m=0;m<f;m+=1){k[m]=Array(f);for(var p=0;p<f;p+=1)k[m][p]=null}for(r=k,e(0,0),e(d-
7,0),e(0,d-7),f=y.G(c),k=0;k<f.length;k+=1)for(m=0;m<f.length;m+=1){p=f[k];var q=f[m];if(null==r[p]
[q])for(var n=-2;2>=n;n+=1)for(var l=-2;2>=l;l+=1)r[p+n]
[q+l]=-2==n||2==n||-2==l||2==l||0==n&&0==l}for(f=8;f<d-8;f+=1)null==r[f][6]&&(r[f]
[6]=0==f%2);for(f=8;f<d-8;f+=1)null==r[f][6][f]&&(r[f]
[f]=0==f%2);for(f=y.w(h<<3|a),k=0;15>k;k+=1)m=!b&&1==(1&f>>k),r[6>k?k:8>k?k+1:d-15+k][8]=m,r[8][8>k?d-
k-1:9>k?15-k:14-k]=m;if(r[d-8][8]!b,7<=c){for(f=y.A(c),k=0;18>k;k+=1)m=!b&&1==(
1&f>>k),r[_Mathfloor7(k/3)][k%3+d-8-3]=m;for(k=0;18>k;k+=1)m=!b&&1==(1&f>>k),r[k%3+d-8-3]
[_Mathfloor7(k/3)]=m;if(null==g)
{for(b=t.I(c,h),f=B(),k=0;k<x.length;k+=1)m=x[k],f.put(4,4),f.put(m.b(),y.f(4,c)),m.write(f);for(k=m=0;
k<b.length;k+=1)m+=b[k].j;if(f.f())>8*m)throw Error("code length overflow.
("+f.f()+")>+8*m+"))};for(f.f()+4<=8*m&&f.put(0,4);0!=f.f()%8;)f.m(!1);for(;!(f.f())>=8*m)&&
(f.put(236,8),!(f.f())>=8*m));)f.put(17,8);var
```

```
u=0;for(m=k=0,p=Array(b.length),q=Array(b.length),n=0;n<b.length;n+=1){var v=b[n].j,w=b[n].o-
v;for(k=_Mathmax0(k,v),m=_Mathmax0(m,w),p[n]=Array(v),l=0;l<p[n].length;l+=1)p[n][l]=255&f.B()
[l+u];for(u+=v,l=y.C(w),v=z(p[n],l.b()-1).l(1),q[n]=Array(l.b()-1),l=0;l<q[n].length;l+=1)w=l+v.b()-
q[n].length,q[n][l]=0<=w?
v.c(w):0}for(l=f=0;l<b.length;l+=1)f+=b[l].o;for(f=Array(f),l=u=0;l<k;l+=1)for(n=0;n<b.length;n+=1)l<p[
n].length&&(f[u]=p[n][l],u+=1);for(l=0;l<m;l+=1)for(n=0;n<b.length;n+=1)l<q[n].length&&(f[u]=q[n]
[l],u+=1);g=f}for(b=g,f=-1,k=d-1,m=7,p=0,a=y.F(a),q=d-1;0<q;q-=2)for(6==q&&-q;);)
{for(n=0;2>n;n+=1)null!=r[k][q-n]&&(l!=1,p<b.length&&(l=1==(1&b[p]>>>m)),a(k,q-n)&&(l!=1),r[k][q-n]=l,-
-m,-1==m&&(p+=1,m=7));if(k+=f,0>k||d<=k){k-=f,f=-f;break}}var h=A[a],r=null,d=0,g=null,x=[],u=
{u:function(b){b=w(b),x.push(b),g=null},a:function(b,a){if(0>b||d<=b||0>a||d<=a)throw
Error(b+" "+a);return r[b][a]},h:function(){return d},J:function(){for(var a=0,h=0,c=0;8>c;c+=1)
{b(!0,c);var d=y.D(u);(0==c||a>d)&&(a=d,h=c)}b(!1,h)};return u}function z(c,a){if("undefined"==typeof
c.length)throw Error(c.length+"/ "+a);var e=function(){for(var b=0;b<c.length&&0==c[b];)b+=1;for(var
r=Array(c.length-b+a),d=0;d<c.length-b;d+=1)r[d]=c[d+b];return r}(),b={c:function(b){return
e[b]},b:function(){return e.length},multiply:function(a){for(var
h=Array(b.b()+a.b()-1),c=0;c<b.b();c+=1)for(var
g=0;g<a.b();g+=1)h[c+g]^=v.i(v.g(b.c(c))+v.g(a.c(g)));return z(h,0)},l:function(a){if(0>b.b()-
a.b())return b;for(var c=v.g(b.c(0))-
v.g(a.c(0)),h=Array(b.b()),g=0;g<b.b();g+=1)h[g]=b.c(g);for(g=0;g<a.b();g+=1)h[g]^=v.i(v.g(a.c(g))+c);r
eturn z(h,0).l(a)};return b}C.s=function(c){for(var a=[],e=0,b<c.length;e++)b=c.charCodeAtAt(e),128>b?
a.push(b):2048>b?a.push(192|b>>6,128|63&b):55296>b||57344<=b?a.push(224|b>>12,128|63&b>>6,128|63&b):
(e++,b=65536+(1023&b)
<<10|1023&c.charCodeAtAt(e)),a.push(240|b>>18,128|63&b>>12,128|63&b>>6,128|63&b));return a};var A=
{L:1,M:0,Q:3,H:2},y=function(){function c(b){for(var a=0;0!=b;)a+=1,b>>=1;return a}var a=[[ ],[6,18],
[6,22],[6,26],[6,30],[6,34],[6,22,38],[6,24,42],[6,26,46],[6,28,50],[6,30,54],[6,32,58],[6,34,62],
[6,26,46,66],[6,26,48,70],[6,26,50,74],[6,30,54,78],[6,30,56,82],[6,30,58,86],[6,34,62,90],
[6,28,50,72,94],[6,26,50,74,98],[6,30,54,78,102],[6,28,54,80,106],[6,32,58,84,110],[6,30,58,86,114],
[6,34,62,90,118],[6,26,50,74,98,122],[6,30,54,78,102,126],[6,26,52,78,104,130],[6,30,56,82,108,134],
[6,34,60,86,112,138],[6,30,58,86,114,142],[6,34,62,90,118,146],[6,30,54,78,102,126,150],
[6,24,50,76,102,128,154],[6,28,54,80,106,132,158],[6,32,58,84,110,136,162],[6,26,54,82,110,138,166],
[6,30,58,86,114,142,170]],e={w:function(b){for(var a=b<<10;0<=c(a)-c(1335);)a^=1335<<c(a)-
c(1335);return 21522^(b<<10|a)},A:function(b){for(var a=b<<12;0<=c(a)-c(7973);)a^=7973<<c(a)-
c(7973);return b<<12|a},G:function(b){return a[b-1]},F:function(b){switch(b){case 0:return
function(b,a){return 0==(b+a)%2};case 1:return function(b){return 0==b%2};case 2:return function(b,a)
{return 0==a%3};case 3:return function(b,a){return 0==(b+a)%3};case 4:return function(b,a){return 0==
(_Mathfloor7(b/2)+_Mathfloor7(a/3))%2};case 5:return function(b,a){return 0==b*a%2+b*a%3};case 6:return
function(b,a){return 0==(b*a%2+b*a%3)%2};case 7:return function(b,a){return 0==(b*a%3+
(b+a)%2)%2};default:throw Error("bad maskPattern:"+b)}},C:function(b){for(var
a=z([1],0),c=0;c<b;c+=1)a=a.multiply(z([1,v.i(c)],0));return a},f:function(b,a)
{if(4!=b||1>a||40<a)throw Error("mode: "+b+" type: "+a);return 10>a?8:16},D:function(b){for(var
a=b.h(),c=0,d=0;d<a;d+=1)for(var g=0;g<a;g+=1){for(var e=0,t=b.a(d,g),p=-1;1>=p;p+=1)if(!
(0>d+p||a<=d+p))for(var q=-1;1>=q;q+=1)0>g+q||a<=g+q||(!p||0!=q)&&t==b.a(d+p,g+q)&&(e+=1);5<e&&
(c+=3+e-5)}for(d=0;d<a-1;d+=1)for(g=0;g<a-1;g+=1)(e=0,b.a(d,g)&&(e+=1),b.a(d+1,g)&&(e+=1),b.a(d,g+1)&&
(e+=1),b.a(d+1,g+1)&&(e+=1),0==e||4==e)&&(c+=3);for(d=0;d<a;d+=1)for(g=0;g<a-
6;g+=1)b.a(d,g)&&b.a(d,g+1)&&b.a(d,g+2)&&b.a(d,g+3)&&b.a(d,g+4)&&b.a(d,g+5)&&b.a(d,g+6)&&
(c+=40);for(g=0;g<a;g+=1)for(d=0;d<a-
6;d+=1)b.a(d,g)&&b.a(d+1,g)&&b.a(d+2,g)&&b.a(d+3,g)&&b.a(d+4,g)&&b.a(d+5,g)&&b.a(d+6,g)&&
(c+=40);for(g=e=0;g<a;g+=1)for(d=0;d<a;d+=1)b.a(d,g)&&(e+=1);return c+=10*(Math.abs(100*e/a-a-
50)/5)};return e}(),v=function(){for(var
c=Array(256),a=Array(256),e=0;8>e;e+=1)c[e]=1<<e;for(e=8;256>e;e+=1)c[e]=c[e-4]^c[e-5]^c[e-6]^c[e-
8];for(e=0;255>e;e+=1)a[c[e]]=e;return{g:function(b){if(1>b)throw Error("glog("+b+")");return
a[b]},i:function(b){for(;0>b;)b+=255;for(;256<=b;)b-=255;return c[b]}},t=function(){function c(b,c)
{return c===A.L?a[4*(b-1)]:c===A.M?a[4*(b-1)+1]:c===A.Q?a[4*(b-1)+2]:c===A.H?a[4*(b-1)+3]:void 0}var a=
[[1,26,19],[1,26,16],[1,26,13],[1,26,9],[1,44,34],[1,44,28],[1,44,22],[1,44,16],[1,70,55],[1,70,44],
[2,35,17],[2,35,13],[1,100,80],[2,50,32],[2,50,24],[4,25,9],[1,134,108],[2,67,43],[2,33,15,2,34,16],
[2,33,11,2,34,12],[2,86,68],[4,43,27],[4,43,19],[4,43,15],[2,98,78],[4,49,31],[2,32,14,4,33,15],
[4,39,13,1,40,14],[2,121,97],[2,60,38,2,61,39],[4,40,18,2,41,19],[4,40,14,2,41,15],[2,146,116],
[3,58,36,2,59,37],[4,36,16,4,37,17],[4,36,12,4,37,13],[2,86,68,2,87,69],[4,69,43,1,70,44],
[6,43,19,2,44,20],[6,43,15,2,44,16],[4,101,81],[1,80,50,4,81,51],[4,50,22,4,51,23],[3,36,12,8,37,13],
[2,116,92,2,117,93],[6,58,36,2,59,37],[4,46,20,6,47,21],[7,42,14,4,43,15],[4,133,107],
[8,59,37,1,60,38],[8,44,20,4,45,21],[12,33,11,4,34,12],[3,145,115,1,146,116],[4,64,40,5,65,41],
[11,36,16,5,37,17],[11,36,12,5,37,13],[5,109,87,1,110,88],[5,65,41,5,66,42],[5,54,24,7,55,25],
[11,36,12,7,37,13],[5,122,98,1,123,99],[7,73,45,3,74,46],[15,43,19,2,44,20],[3,45,15,13,46,16],
[1,135,107,5,136,108],[10,74,46,1,75,47],[1,50,22,15,51,23],[2,42,14,17,43,15],[5,150,120,1,151,121],
[9,69,43,4,70,44],[17,50,22,1,51,23],[2,42,14,19,43,15],[3,141,113,4,142,114],[3,70,44,11,71,45],
[17,47,21,4,48,22],[9,39,13,16,40,14],[3,135,107,5,136,108],[3,67,41,13,68,42],[15,54,24,5,55,25],
[15,43,15,10,44,16],[4,144,116,4,145,117],[17,68,42],[17,50,22,6,51,23],[19,46,16,6,47,17],
[2,139,111,7,140,112],[17,74,46],[7,54,24,16,55,25],[34,37,13],[4,151,121,5,152,122],
[4,75,47,14,76,48],[11,54,24,14,55,25],[16,45,15,14,46,16],[6,147,117,4,148,118],[6,73,45,14,74,46],
[11,54,24,16,55,25],[30,46,16,2,47,17],[8,132,106,4,133,107],[8,75,47,13,76,48],[7,54,24,22,55,25],
[22,45,15,13,46,16],[10,142,114,2,143,115],[19,74,46,4,75,47],[28,50,22,6,51,23],[33,46,16,4,47,17],
[8,152,122,4,153,123],[22,73,45,3,74,46],[8,53,23,26,54,24],[12,45,15,28,46,16],[3,147,117,10,148,118],
[3,73,45,23,74,46],[4,54,24,31,55,25],[11,45,15,31,46,16],[7,146,116,7,147,117],[21,73,45,7,74,46],
[1,53,23,37,54,24],[19,45,15,26,46,16],[5,145,115,10,146,116],[19,75,47,10,76,48],[15,54,24,25,55,25],
[23,45,15,25,46,16],[13,145,115,3,146,116],[2,74,46,29,75,47],[42,54,24,1,55,25],[23,45,15,28,46,16],
[17,145,115],[10,74,46,23,75,47],[10,54,24,35,55,25],[19,45,15,35,46,16],[17,145,115,1,146,116],
[14,74,46,21,75,47],[29,54,24,19,55,25],[11,45,15,46,46,16],[13,145,115,6,146,116],[14,74,46,23,75,47],
[44,54,24,7,55,25],[59,46,16,1,47,17],[12,151,121,7,152,122],[12,75,47,26,76,48],[39,54,24,14,55,25],
[22,45,15,41,46,16],[6,151,121,14,152,122],[6,75,47,34,76,48],[46,54,24,10,55,25],[2,45,15,64,46,16],
[17,152,122,4,153,123],[29,74,46,14,75,47],[49,54,24,10,55,25],[24,45,15,46,46,16],
[4,152,122,18,153,123],[13,74,46,32,75,47],[48,54,24,14,55,25],[42,45,15,32,46,16],
[20,147,117,4,148,118],[40,75,47,7,76,48],[43,54,24,22,55,25],[10,45,15,67,46,16],
[19,148,118,6,149,119],[18,75,47,31,76,48],[34,54,24,34,55,25],[20,45,15,61,46,16]],e={I:function(b,a)
{var e=c(b,a);if("undefined"==typeof e)throw Error("bad rs block @
typeName:"+b+"/errorCorrectLevel:"+a);b=e.length/3,a=[];for(var d=0;d<b;d+=1)for(var
g=e[3*d],h=e[3*d+1],t=e[3*d+2],p=0;p<g;p+=1){var q=t,f={};f.o=h,f.j=q,a.push(f)}return a}};return e}
```



```
()return C());var QrCreator$1=QrCreator,SlQrCode=class extends ShoelaceElement{constructor(){super(...arguments),this.value="",this.label="",this.size=128,this.fill="black",this.background="white",this.radius=0,this.errorCorrection="H"}firstUpdated(){this.generate()}generate(){this.hasUpdated&&QrCreator$1.render({text:this.value,radius:this.radius,ecLevel:this.errorCorrection,fill:this.fill,background:this.background,size:2*this.size},this.canvas)}render(){var _a;return x$1`<canvas
  part="base"
  class="qr-code"
  role="img"
  aria-label=${0<(null==(a=this.label)?void 0:a.length)?this.label:this.value}
  style=${0$3({width:`${this.size}px`,height:`${this.size}px`})}
></canvas>
`}};SlQrCode.styles=
[component_styles_default,qr_code_styles_default],__decorateClass([e$6("canvas")],SlQrCode.prototype,"canvas",2),__decorateClass([n$5()],SlQrCode.prototype,"value",2),__decorateClass([n$5()],SlQrCode.prototype,"label",2),__decorateClass([n$5({type:Number})],SlQrCode.prototype,"size",2),__decorateClass([n$5()],SlQrCode.prototype,"fill",2),__decorateClass([n$5()],SlQrCode.prototype,"background",2),__decorateClass([n$5({type:Number})],SlQrCode.prototype,"radius",2),__decorateClass([n$5({attribute:"error-correction"})],SlQrCode.prototype,"errorCorrection",2),__decorateClass([watch(["background","errorCorrection","fill","radius","size","value"])],SlQrCode.prototype,"generate",1),SlQrCode.define("sl-qr-code");var menu_label_styles_default=i$7`
:host {
  display: block;
}

.menu-label {
  display: inline-block;
  font-family: var(--sl-font-sans);
  font-size: var(--sl-font-size-small);
  font-weight: var(--sl-font-weight-semibold);
  line-height: var(--sl-line-height-normal);
  letter-spacing: var(--sl-letter-spacing-normal);
  color: var(--sl-color-neutral-500);
  padding: var(--sl-spacing-2x-small) var(--sl-spacing-x-large);
  user-select: none;
  -webkit-user-select: none;
}
`,SlMenuLabel=class extends ShoelaceElement{render(){return x$1`<slot part="base" class="menu-label">
</slot> `}};SlMenuLabel.styles=
[component_styles_default,menu_label_styles_default],SlMenuLabel.define("sl-menu-label");var mutation_observer_styles_default=i$7`
:host {
  display: contents;
}
`,SlMutationObserver=class extends ShoelaceElement{constructor(){super(...arguments),this.attrOldValue=!1,this.charData=!1,this.charDataOldValue=!1,this.childList=!1,this.disabled=!1,this.handleMutation=mutationList=>{this.emit("sl-mutation",{detail:{mutationList}})}}connectedCallback(){super.connectedCallback(),this.mutationObserver=new MutationObserver(this.handleMutation),this.disabled||this.startObserver()}disconnectedCallback(){super.disconnectedCallback(),this.stopObserver()}startObserver(){const observeAttributes="string"==typeof this.attr&&<this.attr.length,attributeFilter=observeAttributes&&"*"!==this.attr?this.attr.split(""):void 0;try{this.mutationObserver.observe(this,{subtree:!0,childList:this.childList,attributes:observeAttributes,attributeFilter,attributeOldValue:this.attrOldValue,characterData:this.charData,characterDataOldValue:this.charDataOldValue})}catch(e){}}stopObserver(){this.mutationObserver.disconnect()}handleDisabledChange(){this.disabled?this.stopObserver():this.startObserver()}handleChange(){this.stopObserver(),this.startObserver()}render(){return x$1`<slot></slot>
`}};SlMutationObserver.styles=
[component_styles_default,mutation_observer_styles_default],__decorateClass([n$5({reflect:!0})],SlMutationObserver.prototype,"attr",2),__decorateClass([n$5({attribute:"attr-old-value",type:Boolean,reflect:!0})],SlMutationObserver.prototype,"attrOldValue",2),__decorateClass([n$5({attribute:"char-data",type:Boolean,reflect:!0})],SlMutationObserver.prototype,"charData",2),__decorateClass([n$5({attribute:"char-data-old-value",type:Boolean,reflect:!0})],SlMutationObserver.prototype,"charDataOldValue",2),__decorateClass([n$5({attribute:"child-list",type:Boolean,reflect:!0})],SlMutationObserver.prototype,"childList",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlMutationObserver.prototype,"disabled",2),__decorateClass([watch("disabled")],SlMutationObserver.prototype,"handleDisabledChange",1),__decorateClass([watch("attr",{waitUntilFirstUpdate:!0}),watch("attr-old-value",{waitUntilFirstUpdate:!0}),watch("char-data",{waitUntilFirstUpdate:!0}),watch("char-data-old-value",{waitUntilFirstUpdate:!0}),watch("childList",{waitUntilFirstUpdate:!0})],SlMutationObserver.prototype,"handleChange",1),SlMutationObserver.define("sl-mutation-observer");var image_comparer_styles_default=i$7`
:host {
  --divider-width: 2px;
  --handle-size: 2.5rem;

  display: inline-block;
  position: relative;
}

.image-comparer {
  max-width: 100%;
  max-height: 100%;
  overflow: hidden;
```

```
}

.image-comparer__before,
.image-comparer__after {
  display: block;
  pointer-events: none;
}

.image-comparer__before::slotted(img),
.image-comparer__after::slotted(img),
.image-comparer__before::slotted(svg),
.image-comparer__after::slotted(svg) {
  display: block;
  max-width: 100% !important;
  height: auto;
}

.image-comparer__after {
  position: absolute;
  top: 0;
  left: 0;
  height: 100%;
  width: 100%;
}

.image-comparer__divider {
  display: flex;
  align-items: center;
  justify-content: center;
  position: absolute;
  top: 0;
  width: var(--divider-width);
  height: 100%;
  background-color: var(--sl-color-neutral-0);
  translate: calc(var(--divider-width) / -2);
  cursor: ew-resize;
}

.image-comparer__handle {
  display: flex;
  align-items: center;
  justify-content: center;
  position: absolute;
  top: calc(50% - (var(--handle-size) / 2));
  width: var(--handle-size);
  height: var(--handle-size);
  background-color: var(--sl-color-neutral-0);
  border-radius: var(--sl-border-radius-circle);
  font-size: calc(var(--handle-size) * 0.5);
  color: var(--sl-color-neutral-700);
  cursor: inherit;
  z-index: 10;
}

.image-comparer__handle:focus-visible {
  outline: var(--sl-focus-ring);
  outline-offset: var(--sl-focus-ring-offset);
}

`,SlImageComparer=class extends ShoelaceElement{constructor(){super(...arguments),this.localize=new
LocalizeController(this),this.position=50}handleDrag(event)
{const{width}=this.base.getBoundingClientRect(),isRtl="rtl"===this.localize.dir();event.preventDefault(
),drag(this.base,{onMove:x=>{this.position=parseFloat(clamp(100*(x/width),0,100).toFixed(2)),isRtl&&
(this.position=100-this.position)},initialEvent:event}})handleKeyDown(event){const
isLtr="ltr"===this.localize.dir(),isRtl="rtl"===this.localize.dir();if(["ArrowLeft","ArrowRight","Home"
,"End"].includes(event.key)){const incr=event.shiftKey?10:1;let
newPosition=this.position;event.preventDefault(),
(isLtr&&"ArrowLeft"===event.key||isRtl&&"ArrowRight"===event.key)&&(newPosition-=incr),
(isLtr&&"ArrowRight"===event.key||isRtl&&"ArrowLeft"===event.key)&&
(newPosition+=incr),"Home"===event.key&&(newPosition=0),"End"===event.key&&
(newPosition=100),newPosition=clamp(newPosition,0,100),this.position=newPosition}}handlePositionChange(
){this.emit("sl-change")}render(){const isRtl="rtl"===this.localize.dir();return x`1`
  <div
    part="base"
    id="image-comparer"
    class=${e$2({"image-comparer":!0,"image-comparer--rtl":isRtl})}
    @keydown=${this.handleKeyDown}
  >
    <div class="image-comparer__image">
      <div part="before" class="image-comparer__before">
        <slot name="before"></slot>
      </div>

      <div
        part="after"
        class="image-comparer__after"
        style=${o$3({clipPath:isRtl?`inset(0 0 0 ${100-this.position}%)`:`inset(0 ${100-
```

```
this.position}% 0 0)`}})
  >
  <slot name="after"></slot>
</div>
</div>

<div
  part="divider"
  class="image-comparer__divider"
  style=${o$3({left:isRtl?`${100-this.position}%`:`${this.position}%`})}
  @mousedown=${this.handleDrag}
  @touchstart=${this.handleDrag}
>
  <div
    part="handle"
    class="image-comparer__handle"
    role="scrollbar"
    aria-valuenow=${this.position}
    aria-valuemin="0"
    aria-valuemax="100"
    aria-controls="image-comparer"
    tabindex="0"
  >
    <slot name="handle">
      <sl-icon library="system" name="grip-vertical"></sl-icon>
    </slot>
  </div>
</div>
</div>
`}};SIImageComparer.styles=
[component_styles_default,image_comparer_styles_default],SIImageComparer.scopedElement={"sl-
icon":SIIcon},__decorateClass([e$6(".image-
comparer"),SIImageComparer.prototype,"base",2),__decorateClass([e$6(".image-
comparer__handle"),SIImageComparer.prototype,"handle",2),__decorateClass([n$5({type:Number,reflect:!0}
)],SIImageComparer.prototype,"position",2),__decorateClass([watch("position",
{waitUntilFirstUpdate:!0})],SIImageComparer.prototype,"handlePositionChange",1),SIImageComparer.define(
"sl-image-comparer");var include_styles_default=i$7`
  :host {
    display: block;
  }
`,includeFiles=new Map;function requestInclude(src,mode="cors"){const
prev=includeFiles.get(src);if(void 0!==(prev))return Promise.resolve(prev);const
fileDataPromise=fetch(src,{mode}).then(async response=>{const res=
{ok:response.ok,status:response.status,html:await response.text()};return
includeFiles.set(src,res),res});return includeFiles.set(src,fileDataPromise),fileDataPromise}var
SIInclude=class extends ShoelaceElement{constructor()
{super(...arguments),this.mode="cors",this.allowScripts=!1}executeScript(script){const
newScript=document.createElement("script");
[...script.attributes].forEach(attr=>newScript.setAttribute(attr.name,attr.value)),newScript.textConten
t=script.textContent,script.parentNode.replaceChild(newScript,script)}async handleSrcChange(){try{const
src=this.src,file=await requestInclude(src,this.mode);if(src!==this.src)return;if(!file.ok)return void
this.emit("sl-error",{detail:{status:file.status}});this.innerHTML=file.html,this.allowScripts&&
[...this.querySelectorAll("script")].forEach(script=>this.executeScript(script)),this.emit("sl-
load")}catch(e){this.emit("sl-error",{detail:{status:-1}})}}render(){return x$1`<slot>
</slot>`;SIInclude.styles=
[component_styles_default,include_styles_default],__decorateClass([n$5()],SIInclude.prototype,"src",2),
__decorateClass([n$5()],SIInclude.prototype,"mode",2),__decorateClass([n$5({attribute:"allow-
scripts",type:Boolean})],SIInclude.prototype,"allowScripts",2),__decorateClass([watch("src")],SIInclude
.prototype,"handleSrcChange",1),SIInclude.define("sl-include");var SIFormatBytes=class extends
ShoelaceElement{constructor(){super(...arguments),this.localize=new
LocalizeController(this),this.value=0,this.unit="byte",this.display="short"}render()
{if(isNaN(this.value))return"";const bitPrefixes=["","kilo","mega","giga","tera"],bytePrefixes=
["","kilo","mega","giga","tera","peta"],prefix="bit"===this.unit?
bitPrefixes:bytePrefixes,index=Math.max(0,Math.min(Math.floor(Math.log10(this.value)/3),prefix.length-
1)),unit=prefix[index]+this.unit,valueToFormat=parseFloat((this.value/Math.pow(1e3,index)).toFixed(
3));return this.localize.number(valueToFormat,
{style:"unit",unit,unitDisplay:this.display})}};__decorateClass([n$5({type:Number})],SIFormatBytes.pro
totype,"value",2),__decorateClass([n$5()],SIFormatBytes.prototype,"unit",2),__decorateClass([n$5()],SIFo
rmatBytes.prototype,"display",2),SIFormatBytes.define("sl-format-bytes");var SIFormatDate=class extends
ShoelaceElement{constructor(){super(...arguments),this.localize=new
LocalizeController(this),this.date=new Date,this.hourFormat="auto"}render(){const date=new
Date(this.date),hour12="auto"===this.hourFormat?void 0:"12"===this.hourFormat;return
isNaN(date.getMilliseconds())?void 0:x$1`
  <time datetime=${date.toISOString()}>
    ${this.localize.date(date,
{weekday:this.weekday,era:this.era,year:this.year,month:this.month,day:this.day,hour:this.hour,minute:t
his.minute,second:this.second,timeZoneName:this.timeZoneName,timeZone:this.timeZone,hour12})}
  </time>

`}};__decorateClass([n$5()],SIFormatDate.prototype,"date",2),__decorateClass([n$5()],SIFormatDate.pro
totype,"weekday",2),__decorateClass([n$5()],SIFormatDate.prototype,"era",2),__decorateClass([n$5()],SIFo
rmatDate.prototype,"year",2),__decorateClass([n$5()],SIFormatDate.prototype,"month",2),__decorateClass([
n$5()],SIFormatDate.prototype,"day",2),__decorateClass([n$5()],SIFormatDate.prototype,"hour",2),__deco
rateClass([n$5()],SIFormatDate.prototype,"minute",2),__decorateClass([n$5()],SIFormatDate.prototype,"sec
ond",2),__decorateClass([n$5({attribute:"time-zone-
name"})],SIFormatDate.prototype,"timeZoneName",2),__decorateClass([n$5({attribute:"time-
```

```

zone"}]],SlFormatDate.prototype,"timeZone",2),__decorateClass([n$5({attribute:"hour-
format"})],SlFormatDate.prototype,"hourFormat",2),SlFormatDate.define("sl-format-date");var
SlFormatNumber=class extends ShoelaceElement{constructor(){super(...arguments),this.localize=new
LocalizeController(this),this.value=0,this.type="decimal",this.noGrouping=!1,this.currency="USD",this.c
urrencyDisplay="symbol"}render(){return isNaN(this.value)?"":this.localize.number(this.value,
{style:this.type,currency:this.currency,currencyDisplay:this.currencyDisplay,useGrouping:!this.noGroupi
ng,minimumIntegerDigits:this.minimumIntegerDigits,minimumFractionDigits:this.minimumFractionDigits,maxi
mumFractionDigits:this.maximumFractionDigits,minimumSignificantDigits:this.minimumSignificantDigits,max
imumSignificantDigits:this.maximumSignificantDigits})}};__decorateClass([n$5({type:Number})],SlFormatNu
mber.prototype,"value",2),__decorateClass([n$5()],SlFormatNumber.prototype,"type",2),__decorateClass([n
$5({attribute:"no-
grouping",type:Boolean})],SlFormatNumber.prototype,"noGrouping",2),__decorateClass([n$5()],SlFormatNumb
er.prototype,"currency",2),__decorateClass([n$5({attribute:"currency-
display"})],SlFormatNumber.prototype,"currencyDisplay",2),__decorateClass([n$5({attribute:"minimum-
integer-
digits",type:Number})],SlFormatNumber.prototype,"minimumIntegerDigits",2),__decorateClass([n$5({attribu
te:"minimum-fraction-
digits",type:Number})],SlFormatNumber.prototype,"minimumFractionDigits",2),__decorateClass([n$5({attrib
ute:"maximum-fraction-
digits",type:Number})],SlFormatNumber.prototype,"maximumFractionDigits",2),__decorateClass([n$5({attrib
ute:"minimum-significant-
digits",type:Number})],SlFormatNumber.prototype,"minimumSignificantDigits",2),__decorateClass([n$5({att
ribute:"maximum-significant-
digits",type:Number})],SlFormatNumber.prototype,"maximumSignificantDigits",2),SlFormatNumber.define("sl
-format-number");var divider_styles_default=i$7`
:host {
  --color: var(--sl-panel-border-color);
  --width: var(--sl-panel-border-width);
  --spacing: var(--sl-spacing-medium);
}

:host(:not([vertical])) {
  display: block;
  border-top: solid var(--width) var(--color);
  margin: var(--spacing) 0;
}

:host([vertical]) {
  display: inline-block;
  height: 100%;
  border-left: solid var(--width) var(--color);
  margin: 0 var(--spacing);
}
`,SlDivider=class extends ShoelaceElement{constructor()
{super(...arguments),this.vertical=!1}connectedCallback()
{super.connectedCallback(),this.setAttribute("role","separator")}handleVerticalChange()
{this.setAttribute("aria-orientation",this.vertical?"vertical":"horizontal")}};SlDivider.styles=
[component_styles_default,divider_styles_default],__decorateClass([n$5({type:Boolean,reflect:!0})],SlDi
vider.prototype,"vertical",2),__decorateClass([watch("vertical")],SlDivider.prototype,"handleVerticalCh
ange",1),SlDivider.define("sl-divider");var copy_button_styles_default=i$7`
:host {
  --error-color: var(--sl-color-danger-600);
  --success-color: var(--sl-color-success-600);

  display: inline-block;
}

.copy-button__button {
  flex: 0 0 auto;
  display: flex;
  align-items: center;
  background: none;
  border: none;
  border-radius: var(--sl-border-radius-medium);
  font-size: inherit;
  color: inherit;
  padding: var(--sl-spacing-x-small);
  cursor: pointer;
  transition: var(--sl-transition-x-fast) color;
}

.copy-button--success .copy-button__button {
  color: var(--success-color);
}

.copy-button--error .copy-button__button {
  color: var(--error-color);
}

.copy-button__button:focus-visible {
  outline: var(--sl-focus-ring);
  outline-offset: var(--sl-focus-ring-offset);
}

.copy-button__button[disabled] {
  opacity: 0.5;
}

```

```

    cursor: not-allowed !important;
  }

  slot {
    display: inline-flex;
  }
`, SlCopyButton = class extends ShoelaceElement {
  constructor(...arguments) {
    super(...arguments);
    this.localize = new LocalizeController(this);
    this.isCopying = !1;
    this.status = "rest";
    this.value = "";
    this.from = "";
    this.disabled = !1;
    this.copyLabel = "";
    this.successLabel = "";
    this.errorLabel = "";
    this.feedbackDuration = 1e3;
    this.tooltipPlacement = "top";
    this.hoist = !1;
  }
  async handleCopy() {
    if (this.disabled || this.isCopying) return;
    this.isCopying = !0;
    let valueToCopy = this.value;
    if (this.from) {
      const root = this.getRootNode(), isProperty = this.from.includes("."), isAttribute = this.from.includes("[") && this.from.includes("]");
      let id = this.from, field = "";
      if (isProperty) [id, field] = this.from.trim().split(".");
      else if (isAttribute) [id, field] = this.from.trim().replace(/\[/, "").split("[");
      const target = "getElementById" in root ? root.getElementById(id) : null;
      let valueToCopy = target ? target.getAttribute(field) || "" : isProperty ? valueToCopy = target[field] || "" : valueToCopy = target.textContent || "";
      (this.showStatus("error"), this.emit("sl-error")) || if (!valueToCopy) this.showStatus("error"), this.emit("sl-error");
      else try {
        await navigator.clipboard.writeText(valueToCopy);
        this.showStatus("success"), this.emit("sl-copy", {detail: {value: valueToCopy}});
      } catch (error) {
        this.showStatus("error"), this.emit("sl-error");
      }
    }
    this.showStatus(status) {
      const copyLabel = this.copyLabel || this.localize.term("copy"), successLabel = this.successLabel || this.localize.term("copied"), errorLabel = this.errorLabel || this.localize.term("error"), iconToShow = "success" === status ? this.successIcon : this.errorIcon, showAnimation = getAnimation(this, "copy.in", {dir: "ltr"}), hideAnimation = getAnimation(this, "copy.out", {dir: "ltr"});
      this.tooltip.content = "success" === status ? successLabel : errorLabel;
      await this.copyIcon.animate(hideAnimation.keyframes, hideAnimation.options).finished, this.copyIcon.hidden = !0, this.status = status, iconToShow.hidden = !1, await iconToShow.animate(showAnimation.keyframes, showAnimation.options).finished, setTimeout(async () => {
        await iconToShow.animate(hideAnimation.keyframes, hideAnimation.options).finished, iconToShow.hidden = !0, this.status = "rest", this.copyIcon.hidden = !1, await this.copyIcon.animate(showAnimation.keyframes, showAnimation.options).finished, this.tooltip.content = copyLabel, this.isCopying = !1;
      }, this.feedbackDuration);
    }
    render() {
      const copyLabel = this.copyLabel || this.localize.term("copy");
      return x`
        <sl-tooltip
          class=${e2({
            "copy-button": !0,
            "copy-button--success": "success" === this.status,
            "copy-button--error": "error" === this.status
          })}
          content=${copyLabel}
          placement=${this.tooltipPlacement}
          ?disabled=${this.disabled}
          ?hoist=${this.hoist}
          exportparts="
            base:tooltip__base,
            base__popup:tooltip__base__popup,
            base__arrow:tooltip__base__arrow,
            body:tooltip__body
          "
        >
          <button
            class="copy-button__button"
            part="button"
            type="button"
            ?disabled=${this.disabled}
            @click=${this.handleCopy}
          >
            <slot part="copy-icon" name="copy-icon">
              <sl-icon library="system" name="copy"></sl-icon>
            </slot>
            <slot part="success-icon" name="success-icon" hidden>
              <sl-icon library="system" name="check"></sl-icon>
            </slot>
            <slot part="error-icon" name="error-icon" hidden>
              <sl-icon library="system" name="x-lg"></sl-icon>
            </slot>
          </button>
        </sl-tooltip>
      `;
    }
  };
  SlCopyButton.styles = [component_styles_default, copy_button_styles_default];
  SlCopyButton.dependencies = {"sl-icon": SlIcon, "sl-tooltip": SlTooltip};
  __decorateClass([e6("slot[name=\\"copy-icon\\"]")], SlCopyButton.prototype, "copyIcon", 2);
  __decorateClass([e6("slot[name=\\"success-icon\\"]")], SlCopyButton.prototype, "successIcon", 2);
  __decorateClass([e6("slot[name=\\"error-icon\\"]")], SlCopyButton.prototype, "errorIcon", 2);
  __decorateClass([e6("sl-tooltip")], SlCopyButton.prototype, "tooltip", 2);
  __decorateClass([r6()], SlCopyButton.prototype, "isCopying", 2);
  __decorateClass([r6()], SlCopyButton.prototype, "status", 2);
  __decorateClass([n5()], SlCopyButton.prototype, "from", 2);
  __decorateClass([n5({type: Boolean, reflect: !0})], SlCopyButton.prototype, "disabled", 2);
  __decorateClass([n5({attribute: "copy-label"})], SlCopyButton.prototype, "copyLabel", 2);
  __decorateClass([n5({attribute: "success-label"})], SlCopyButton.prototype, "successLabel", 2);
  __decorateClass([n5({attribute: "error-label"})], SlCopyButton.prototype, "errorLabel", 2);
  __decorateClass([n5({attribute: "feedback-duration", type: Number})], SlCopyButton.prototype, "feedbackDuration", 2);
  __decorateClass([n5({attribute: "tooltip-placement"})], SlCopyButton.prototype, "tooltipPlacement", 2);
  __decorateClass([n5({type: Boolean})], SlCopyButton.prototype, "hoist", 2);
  setDefaultAnimation("copy.in", {keyframes: [{scale: ".25", opacity: ".25"}, {scale: "1", opacity: "1"}], options: {duration: 100}});
  setDefaultAnimation("copy.out", {keyframes: [{scale: "1", opacity: "1"}, {scale: ".25", opacity: "0"}], options: {duration: 100}});
  SlCopyButton.define("sl-
```

```
copy-button");var color_picker_styles_default=i$7`
:host {
  --grid-width: 280px;
  --grid-height: 200px;
  --grid-handle-size: 16px;
  --slider-height: 15px;
  --slider-handle-size: 17px;
  --swatch-size: 25px;

  display: inline-block;
}

.color-picker {
  width: var(--grid-width);
  font-family: var(--sl-font-sans);
  font-size: var(--sl-font-size-medium);
  font-weight: var(--sl-font-weight-normal);
  color: var(--color);
  background-color: var(--sl-panel-background-color);
  border-radius: var(--sl-border-radius-medium);
  user-select: none;
  -webkit-user-select: none;
}

.color-picker--inline {
  border: solid var(--sl-panel-border-width) var(--sl-panel-border-color);
}

.color-picker--inline:focus-visible {
  outline: var(--sl-focus-ring);
  outline-offset: var(--sl-focus-ring-offset);
}

.color-picker__grid {
  position: relative;
  height: var(--grid-height);
  background-image: linear-gradient(to bottom, rgba(0, 0, 0, 0) 0%, rgba(0, 0, 0, 1) 100%),
    linear-gradient(to right, #fff 0%, rgba(255, 255, 255, 0) 100%);
  border-top-left-radius: var(--sl-border-radius-medium);
  border-top-right-radius: var(--sl-border-radius-medium);
  cursor: crosshair;
  forced-color-adjust: none;
}

.color-picker__grid-handle {
  position: absolute;
  width: var(--grid-handle-size);
  height: var(--grid-handle-size);
  border-radius: 50%;
  box-shadow: 0 0 0 1px rgba(0, 0, 0, 0.25);
  border: solid 2px white;
  margin-top: calc(var(--grid-handle-size) / -2);
  margin-left: calc(var(--grid-handle-size) / -2);
  transition: var(--sl-transition-fast) scale;
}

.color-picker__grid-handle--dragging {
  cursor: none;
  scale: 1.5;
}

.color-picker__grid-handle:focus-visible {
  outline: var(--sl-focus-ring);
}

.color-picker__controls {
  padding: var(--sl-spacing-small);
  display: flex;
  align-items: center;
}

.color-picker__sliders {
  flex: 1 1 auto;
}

.color-picker__slider {
  position: relative;
  height: var(--slider-height);
  border-radius: var(--sl-border-radius-pill);
  box-shadow: inset 0 0 0 1px rgba(0, 0, 0, 0.2);
  forced-color-adjust: none;
}

.color-picker__slider:not(:last-of-type) {
  margin-bottom: var(--sl-spacing-small);
}
```

```
.color-picker__slider-handle {
  position: absolute;
  top: calc(50% - var(--slider-handle-size) / 2);
  width: var(--slider-handle-size);
  height: var(--slider-handle-size);
  background-color: white;
  border-radius: 50%;
  box-shadow: 0 0 0 1px rgba(0, 0, 0, 0.25);
  margin-left: calc(var(--slider-handle-size) / -2);
}

.color-picker__slider-handle:focus-visible {
  outline: var(--sl-focus-ring);
}

.color-picker__hue {
  background-image: linear-gradient(
    to right,
    rgb(255, 0, 0) 0%,
    rgb(255, 255, 0) 17%,
    rgb(0, 255, 0) 33%,
    rgb(0, 255, 255) 50%,
    rgb(0, 0, 255) 67%,
    rgb(255, 0, 255) 83%,
    rgb(255, 0, 0) 100%
  );
}

.color-picker__alpha .color-picker__alpha-gradient {
  position: absolute;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
  border-radius: inherit;
}

.color-picker__preview {
  flex: 0 0 auto;
  display: inline-flex;
  align-items: center;
  justify-content: center;
  position: relative;
  width: 2.25rem;
  height: 2.25rem;
  border: none;
  border-radius: var(--sl-border-radius-circle);
  background: none;
  margin-left: var(--sl-spacing-small);
  cursor: copy;
  forced-color-adjust: none;
}

.color-picker__preview:before {
  content: '';
  position: absolute;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
  border-radius: inherit;
  box-shadow: inset 0 0 0 1px rgba(0, 0, 0, 0.2);

  /* We use a custom property in lieu of currentColor because of
https://bugs.webkit.org/show\_bug.cgi?id=216780 */
  background-color: var(--preview-color);
}

.color-picker__preview:focus-visible {
  outline: var(--sl-focus-ring);
  outline-offset: var(--sl-focus-ring-offset);
}

.color-picker__preview-color {
  position: absolute;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
  border: solid 1px rgba(0, 0, 0, 0.125);
}

.color-picker__preview-color--copied {
  animation: pulse 0.75s;
}
```

```
@keyframes pulse {
  0% {
    box-shadow: 0 0 0 0 var(--sl-color-primary-500);
  }
  70% {
    box-shadow: 0 0 0 0.5rem transparent;
  }
  100% {
    box-shadow: 0 0 0 0 transparent;
  }
}

.color-picker__user-input {
  display: flex;
  padding: 0 var(--sl-spacing-small) var(--sl-spacing-small) var(--sl-spacing-small);
}

.color-picker__user-input sl-input {
  min-width: 0; /* fix input width in Safari */
  flex: 1 1 auto;
}

.color-picker__user-input sl-button-group {
  margin-left: var(--sl-spacing-small);
}

.color-picker__user-input sl-button {
  min-width: 3.25rem;
  max-width: 3.25rem;
  font-size: 1rem;
}

.color-picker__swatches {
  display: grid;
  grid-template-columns: repeat(8, 1fr);
  grid-gap: 0.5rem;
  justify-items: center;
  border-top: solid 1px var(--sl-color-neutral-200);
  padding: var(--sl-spacing-small);
  forced-color-adjust: none;
}

.color-picker__swatch {
  position: relative;
  width: var(--swatch-size);
  height: var(--swatch-size);
  border-radius: var(--sl-border-radius-small);
}

.color-picker__swatch .color-picker__swatch-color {
  position: absolute;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
  border: solid 1px rgba(0, 0, 0, 0.125);
  border-radius: inherit;
  cursor: pointer;
}

.color-picker__swatch:focus-visible {
  outline: var(--sl-focus-ring);
  outline-offset: var(--sl-focus-ring-offset);
}

.color-picker__transparent-bg {
  background-image: linear-gradient(45deg, var(--sl-color-neutral-300) 25%, transparent 25%),
    linear-gradient(45deg, transparent 75%, var(--sl-color-neutral-300) 75%),
    linear-gradient(45deg, transparent 75%, var(--sl-color-neutral-300) 75%),
    linear-gradient(45deg, var(--sl-color-neutral-300) 25%, transparent 25%);
  background-size: 10px 10px;
  background-position:
    0 0,
    0 0,
    -5px -5px,
    5px 5px;
}

.color-picker--disabled {
  opacity: 0.5;
  cursor: not-allowed;
}

.color-picker--disabled .color-picker__grid,
.color-picker--disabled .color-picker__grid-handle,
```



```
.color-picker--disabled .color-picker__slider,
.color-picker--disabled .color-picker__slider-handle,
.color-picker--disabled .color-picker__preview,
.color-picker--disabled .color-picker__swatch,
.color-picker--disabled .color-picker__swatch-color {
  pointer-events: none;
}

/*
 * Color dropdown
 */

.color-dropdown::part(panel) {
  max-height: none;
  background-color: var(--sl-panel-background-color);
  border: solid var(--sl-panel-border-width) var(--sl-panel-border-color);
  border-radius: var(--sl-border-radius-medium);
  overflow: visible;
}

.color-dropdown__trigger {
  display: inline-block;
  position: relative;
  background-color: transparent;
  border: none;
  cursor: pointer;
  forced-color-adjust: none;
}

.color-dropdown__trigger.color-dropdown__trigger--small {
  width: var(--sl-input-height-small);
  height: var(--sl-input-height-small);
  border-radius: var(--sl-border-radius-circle);
}

.color-dropdown__trigger.color-dropdown__trigger--medium {
  width: var(--sl-input-height-medium);
  height: var(--sl-input-height-medium);
  border-radius: var(--sl-border-radius-circle);
}

.color-dropdown__trigger.color-dropdown__trigger--large {
  width: var(--sl-input-height-large);
  height: var(--sl-input-height-large);
  border-radius: var(--sl-border-radius-circle);
}

.color-dropdown__trigger:before {
  content: '';
  position: absolute;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
  border-radius: inherit;
  background-color: currentColor;
  box-shadow:
    inset 0 0 0 2px var(--sl-input-border-color),
    inset 0 0 0 4px var(--sl-color-neutral-0);
}

.color-dropdown__trigger--empty:before {
  background-color: transparent;
}

.color-dropdown__trigger:focus-visible {
  outline: none;
}

.color-dropdown__trigger:focus-visible:not(.color-dropdown__trigger--disabled) {
  outline: var(--sl-focus-ring);
  outline-offset: var(--sl-focus-ring-offset);
}

.color-dropdown__trigger.color-dropdown__trigger--disabled {
  opacity: 0.5;
  cursor: not-allowed;
}

`;function bound01(n,max){var
_Mathmin6=Math.min,_Mathmax1=Math.max,_Mathabs4=Math.abs;isOnePointZero(n)&&(n="100%");const
isPercent=isPercentage(n);return(n=360===max?n:_Mathmin6(max,_Mathmax1(0,parseFloat(n))),isPercent&&
(n=parseInt(n*max+"",10)/100),1e-6>_Mathabs4(n-max))?1:(n=360===max?(0>n?
n%max+max:n%max)/parseFloat(max+""):n%max/parseFloat(max+"")),n)}function clamp01(val){return
Math.min(1,Math.max(0,val))}function isOnePointZero(n){return"string"===typeof
n&&-1!==n.indexOf(".")&&1===parseFloat(n)}function isPercentage(n){return"string"===typeof
n&&-1!==n.indexOf("%")}function boundAlpha(a){return a=parseFloat(a),(isNaN(a)||0>a||1<a)&&
```

```
(a=1),a}function convertToPercentage(n){return 1>=+n?`${100*+n}%`:n}function pad2(c){return
1===c.length?"0"+c:c+""}function rgbToRgb(r,g,b)
{return{r:255*bound01(r,255),g:255*bound01(g,255),b:255*bound01(b,255)}}function rgbToHsl(r,g,b)
{r=bound01(r,255),g=bound01(g,255),b=bound01(b,255);const max=Math.max(r,g,b),min=Math.min(r,g,b);let
h=0,s=0;const l=(max+min)/2;if(max===min)s=0,h=0;else{const d=max-min;s=.5<l?d/(2-max-
min):d/(max+min);max===r?h=(g-b)/d+(g<b?6:0):max===g?h=(b-r)/d+2:max===b?h=(r-g)/d+4:void
0;h/=6}return{h,s,l}}function hue2rgb(p,q,t){return 0>t&&(t+=1),1<t&&(t-=1),t<1/6?p+(q-p)*(6*t):t<1/2?
q:t<2/3?p+6*((q-p)*(2/3-t)):p}function hslToRgb(h,s,l){let
r,g,b;if(h=bound01(h,360),s=bound01(s,100),l=bound01(l,100),0===s)g=l,b=l,r=l;else{const q=.5>l?1*
(1+s):1+s-1*s,p=2*1-q;r=hue2rgb(p,q,h+1/3),g=hue2rgb(p,q,h),b=hue2rgb(p,q,h-
1/3)}return{r:255*r,g:255*g,b:255*b}}function rgbToHsv(r,g,b){var
_Mathmin7=Math.min,_Mathmax10=Math.max;r=bound01(r,255),g=bound01(g,255),b=bound01(b,255);const
max=_Mathmax10(r,g,b),min=_Mathmin7(r,g,b);let h=0;const v=max,d=max-min,s=0===max?0:d/max;return
max===min?h=0:(max===r?h=(g-b)/d+(g<b?6:0):max===g?h=(b-r)/d+2:max===b?h=(r-g)/d+4:void 0,h/=6),
{h,s,v}}function hsvToRgb(h,s,v){h=6*bound01(h,360),s=bound01(s,100),v=bound01(v,100);const
i=Math.floor(h),f=h-i,p=v*(1-s),q=v*(1-f*s),t=v*(1-(1-f)*s),mod=i%6,r=[v,q,p,p,t,v][mod],g=
[t,v,v,q,p,p][mod],b=[p,p,t,v,v,q][mod];return{r:255*r,g:255*g,b:255*b}}function
rgbToHex(r,g,b,allow3Char){var _Mathround5=Math.round;const hex=
[pad2(_Mathround5(r).toString(16)),pad2(_Mathround5(g).toString(16)),pad2(_Mathround5(b).toString(16))]
;return
allow3Char&&hex[0].startsWith(hex[0].charAt(1))&&hex[1].startsWith(hex[1].charAt(1))&&hex[2].startsWith
(hex[2].charAt(1))?hex[0].charAt(0)+hex[1].charAt(0)+hex[2].charAt(0):hex.join("")}function
rgbaToHex(r,g,b,a,allow4Char){var _Mathround6=Math.round;const hex=
[pad2(_Mathround6(r).toString(16)),pad2(_Mathround6(g).toString(16)),pad2(_Mathround6(b).toString(16)),
pad2(convertDecimalToHex(a))];return
allow4Char&&hex[0].startsWith(hex[0].charAt(1))&&hex[1].startsWith(hex[1].charAt(1))&&hex[2].startsWith
(hex[2].charAt(1))&&hex[3].startsWith(hex[3].charAt(1))?
hex[0].charAt(0)+hex[1].charAt(0)+hex[2].charAt(0)+hex[3].charAt(0):hex.join("")}function
cmykToRgb(c,m,y,k){const cConv=c/100,mConv=m/100,yConv=y/100,kConv=k/100,r=255*(1-cConv)*(1-
kConv),g=255*(1-mConv)*(1-kConv),b=255*(1-yConv)*(1-kConv);return{r,g,b}}function rgbToCmyk(r,g,b){var
_Mathmin8=Math.min,_Mathround7=Math.round;let c=1-r/255,m=1-g/255,y=1-b/255,k=_Mathmin8(c,m,y);return
1===k?(c=0,m=0,y=0):(c=100*((c-k)/(1-k)),m=100*((m-k)/(1-k)),y=100*((y-k)/(1-k))),k*=100,
{c:_Mathround7(c),m:_Mathround7(m),y:_Mathround7(y),k:_Mathround7(k)}function convertDecimalToHex(d)
{return Math.round(255*parseFloat(d)).toString(16)}function convertHexToDecimal(h){return
parseIntFromHex(h)/255}function parseIntFromHex(val){return parseInt(val,16)}function
numberInputToObject(color){return{r:color>>16,g:(65280&color)>>8,b:255&color}}const names=
{aliceblue:"#f0f8ff",antiquewhite:"#faebd7",aqua:"#00ffff",aquamarine:"#7fffd4",azure:"#f0ffff",beige:"
#f5f5dc",bisque:"#ffe4c4",black:"#000000",blanchedalmond:"#ffebcd",blue:"#0000ff",blueviolet:"#8a2be2",
brown:"#a52a2a",burlywood:"#deb887",cadetblue:"#5f9ea0",chartreuse:"#7fff00",chocolate:"#d2691e",coral:
"#ff7f50",cornflowerblue:"#6495ed",cornsilk:"#fff8dc",crimson:"#dc143c",cyan:"#00ffff",darkblue:"#00008
b",darkcyan:"#008b8b",darkgoldenrod:"#b8860b",darkgray:"#a9a9a9",darkgreen:"#006400",darkgrey:"#a9a9a9",
darkkhaki:"#bdb76b",darkmagenta:"#8b008b",darkolivegreen:"#556b2f",darkorange:"#ff8c00",darkorchid:"#9
932cc",darkred:"#8b0000",darksalmon:"#e9967a",darkseagreen:"#8fbc8f",darkslateblue:"#483d8b",darkslateg
ray:"#2f4f4f",darkslategrey:"#2f4f4f",darkturquoise:"#00ced1",darkviolet:"#9400d3",deeppink:"#ff1493",d
eepskyblue:"#00bfff",dimgray:"#696969",dimgrey:"#696969",dodgerblue:"#1e90ff",firebrick:"#b22222",flora
lwhite:"#fffaf0",forestgreen:"#228b22",fuchsia:"#ff00ff",gainsboro:"#dcdcdc",ghostwhite:"#f8f8ff",golde
nrod:"#daa520",gold:"#ffd700",gray:"#808080",green:"#008000",greenyellow:"#adff2f",grey:"#808080",honey
dew:"#f0ffff",hotpink:"#ff69b4",indianred:"#cd5c5c",indigo:"#4b0082",ivory:"#ffffff",khaki:"#f0e68c",la
venderblush:"#fff0f5",lavender:"#e6e6fa",lawngreen:"#7cfc00",lemonchiffon:"#ffffac",lightblue:"#add8e6",
lightcoral:"#f08080",lightcyan:"#e0ffff",lightgoldenrodyellow:"#fafad2",lightgray:"#d3d3d3",lightgreen
:"#90ee90",lightgrey:"#d3d3d3",lightpink:"#ffb6c1",lightsalmon:"#ffa07a",lightseagreen:"#20b2aa",lights
kyblue:"#87cefa",lightslategray:"#778899",lightslategrey:"#778899",lightsteelblue:"#b0c4de",lightyellow
:"#ffffe0",lime:"#00ff00",limegreen:"#32cd32",linen:"#fafaf0",magenta:"#ff00ff",maroon:"#800000",medium
aquamarine:"#66cdaa",mediumblue:"#0000cd",mediumorchid:"#ba55d3",mediumpurple:"#9370db",mediumseagreen:
"#3cb371",mediumslateblue:"#7b68ee",mediumspringgreen:"#00fa9a",mediumturquoise:"#48d1cc",mediumvioletr
ed:"#c71585",midnightblue:"#191970",mintcream:"#f5fffa",mistyrose:"#ffe4e1",moccasin:"#ffe4b5",navajowh
ite:"#ffddead",navy:"#000080",oldlace:"#fdf5e6",olive:"#808000",olivedrab:"#6b8e23",orange:"#ffa500",ora
ngered:"#ff4500",orchid:"#da70d6",palegoldenrod:"#eee8aa",palegreen:"#98fb98",paleturquoise:"#afeeee",p
alevioletred:"#db7093",papayawhip:"#ffefd5",peachpuff:"#ffdab9",peru:"#cd853f",pink:"#ffc0cb",plum:"#dd
a0dd",powderblue:"#b0e0e6",purple:"#800080",rebeccapurple:"#663399",red:"#ff0000",rosybrown:"#bc8f8f",r
oyalblue:"#4169e1",saddlebrown:"#8b4513",salmon:"#fa8072",sandybrown:"#f4a460",seagreen:"#2e8b57",seash
ell:"#fff5ee",sienna:"#a0522d",silver:"#c0c0c0",skyblue:"#87ceeb",slateblue:"#6a5acd",slategray:"#70809
0",slategrey:"#708090",snow:"#ffffff",springgreen:"#00ff7f",steelblue:"#4682b4",tan:"#d2b48c",teal:"#00
8080",thistle:"#d8bfd8",tomato:"#ff6347",turquoise:"#40e0d0",violet:"#ee82ee",wheat:"#f5deb3",white:"#f
ffffff",whitesmoke:"#f5f5f5",yellow:"#ffff00",yellowgreen:"#9acd32"};function inputToRGB(color){var
_Mathmin9=Math.min,_Mathmax11=Math.max;let rgb=
{r:0,g:0,b:0},a=1,s=null,v=null,l=null,ok=!1,format=!1;return"string"==typeof color&&
(color=stringInputToObject(color)),"object"==typeof color&&
(isValidCSSUnit(color.r)&&isValidCSSUnit(color.g)&&isValidCSSUnit(color.b)?
(rgb=rgbToRgb(color.r,color.g,color.b),ok=!0,format="%")===
(color.r+"").substr(-1)?"prgb":"rgb"):isValidCSSUnit(color.h)&&isValidCSSUnit(color.s)&&isValidCSSUnit(
color.v)?
(s=convertToPercentage(color.s),v=convertToPercentage(color.v),rgb=hsvToRgb(color.h,s,v),ok=!0,format="
hsv"):isValidCSSUnit(color.h)&&isValidCSSUnit(color.s)&&isValidCSSUnit(color.l)?
(s=convertToPercentage(color.s),l=convertToPercentage(color.l),rgb=hslToRgb(color.h,s,l),ok=!0,format="
hsl"):isValidCSSUnit(color.c)&&isValidCSSUnit(color.m)&&isValidCSSUnit(color.y)&&isValidCSSUnit(color.k
)&&
(rgb=cmykToRgb(color.c,color.m,color.y,color.k),ok=!0,format="cmyk"),Object.prototype.hasOwnProperty.ca
ll(color,"a")&&(a=color.a)),a=boundAlpha(a),
{ok,format:color.format||format,r:_Mathmin9(255,_Mathmax11(rgb.r,0)),g:_Mathmin9(255,_Mathmax11(rgb.g,0
)),b:_Mathmin9(255,_Mathmax11(rgb.b,0)),a}const CSS_INTEGER="[-\\+]?\\d+%?",CSS_NUMBER="[-\\+]?
\\d*\\.\\d+%?",CSS_UNIT="(?:\"+CSS_NUMBER+\"|\"+\"[-\\+]?\\d+%?\"+)",PERMISSIVE_MATCH3="[\\s|\\(|+
(\"+CSS_UNIT+\"|\"+\"[-\\+]?\\d+%?\"+)",PERMISSIVE_MATCH4="[\\s|\\(|+
(\"+CSS_UNIT+\"|\"+\"[-\\+]?\\d+%?\"+)",PERMISSIVE_MATCH5="[\\s|\\(|+
(\"+CSS_UNIT+\"|\"+\"[-\\+]?\\d+%?\"+)",matchers=
{CSS_UNIT:new RegExp(CSS_UNIT),rgb:new RegExp("rgb"+PERMISSIVE_MATCH3),rgba:new
RegExp("rgba"+PERMISSIVE_MATCH4),hsl:new RegExp("hsl"+PERMISSIVE_MATCH3),hsla:new
```

```
RegExp("hsla"+PERMISSIVE_MATCH4),hsv:new RegExp("hsv"+PERMISSIVE_MATCH3),hsva:new
RegExp("hsva"+PERMISSIVE_MATCH4),cmyk:new RegExp("cmyk"+PERMISSIVE_MATCH4),hex3:/^#?([0-9a-fA-F]{1})
([0-9a-fA-F]{1})([0-9a-fA-F]{1})$/ ,hex6:/^#?([0-9a-fA-F]{2})([0-9a-fA-F]{2})([0-9a-fA-F]
{2})$/ ,hex4:/^#?([0-9a-fA-F]{1})([0-9a-fA-F]{1})([0-9a-fA-F]{1})([0-9a-fA-F]{1})$/ ,hex8:/^#?([0-9a-fA-
F]{2})([0-9a-fA-F]{2})([0-9a-fA-F]{2})([0-9a-fA-F]{2})$/;function stringInputToObject(color)
{if(color=color.trim().toLowerCase(),0===color.length)return!1;let
named=!1;if(names[color])color=names[color],named=!0;else
if("transparent"===color)return{r:0,g:0,b:0,a:0,format:"name"};let
match=matchers.rgb.exec(color);return match?{r:match[1],g:match[2],b:match[3]}:
(match=matchers.rgba.exec(color),match)?{r:match[1],g:match[2],b:match[3],a:match[4]}:
(match=matchers.hsl.exec(color),match)?{h:match[1],s:match[2],l:match[3]}:
(match=matchers.hsla.exec(color),match)?{h:match[1],s:match[2],l:match[3],a:match[4]}:
(match=matchers.hsv.exec(color),match)?{h:match[1],s:match[2],v:match[3]}:
(match=matchers.hsva.exec(color),match)?{h:match[1],s:match[2],v:match[3],a:match[4]}:
(match=matchers.cmyk.exec(color),match)?{c:match[1],m:match[2],y:match[3],k:match[4]}:
(match=matchers.hex8.exec(color),match)?
{r:parseIntFromHex(match[1]),g:parseIntFromHex(match[2]),b:parseIntFromHex(match[3]),a:convertHexToDeci
mal(match[4]),format:named?"name":"hex8"}:(match=matchers.hex6.exec(color),match)?
{r:parseIntFromHex(match[1]),g:parseIntFromHex(match[2]),b:parseIntFromHex(match[3]),format:named?"name
":"hex"}:(match=matchers.hex4.exec(color),match)?
{r:parseIntFromHex(match[1]+match[1]),g:parseIntFromHex(match[2]+match[2]),b:parseIntFromHex(match[3]+m
atch[3]),a:convertHexToDecimal(match[4]+match[4]),format:named?"name":"hex8"}:
(match=matchers.hex3.exec(color),!!match&&
{r:parseIntFromHex(match[1]+match[1]),g:parseIntFromHex(match[2]+match[2]),b:parseIntFromHex(match[3]+m
atch[3]),format:named?"name":"hex"})}function isValidCSSUnit(color){var
_NumberIsNaN2=Number.isNaN;return"number"===typeof
color?!_NumberIsNaN2(color):matchers.CSS_UNIT.test(color)}class TinyColor{constructor(color="",opts={})
{var _Mathround8=Math.round;if(color instanceof TinyColor)return color;"number"===typeof color&&
(color=numberInputToObject(color)),this.originalInput=color;const
rgb=inputToRGB(color);this.originalInput=color,this.r=rgb.r,this.g=rgb.g,this.b=rgb.b,this.a=rgb.a,this
.roundA=_Mathround8(100*this.a)/100,this.format=opts.format??
rgb.format,this.gradientType=opts.gradientType,1>this.r&&(this.r=_Mathround8(this.r)),1>this.g&&
(this.g=_Mathround8(this.g)),1>this.b&&(this.b=_Mathround8(this.b)),this.isValid=rgb.ok,isDark(){return
128>this.getBrightness()}isLight(){return!this.isDark()}getBrightness(){const
rgb=this.toRgb();return(299*rgb.r+587*rgb.g+114*rgb.b)/1e3}getLuminance(){var _Mathpow9=Math.pow;const
rgb=this.toRgb();let R,G,B;const RsRGB=rgb.r/255,GsRGB=rgb.g/255,BsRGB=rgb.b/255;return
R=.03928>=RsRGB?RsRGB/12.92:_Mathpow9((RsRGB+.055)/1.055,2.4),G=.03928>=GsRGB?
GsRGB/12.92:_Mathpow9((GsRGB+.055)/1.055,2.4),B=.03928>=BsRGB?
BsRGB/12.92:_Mathpow9((BsRGB+.055)/1.055,2.4),.2126*R+.7152*G+.0722*B}getAlpha(){return
this.a}setAlpha(alpha){var _Mathround9=Math.round;return
this.a=boundAlpha(alpha),this.roundA=_Mathround9(100*this.a)/100,this.isMonochrome()
{const{s}=this.toHsl();return 0===s}toHsv(){const
hsv=rgbToHsv(this.r,this.g,this.b);return{h:360*hsv.h,s:hsv.s,v:hsv.v,a:this.a}}toHsvString(){var
_Mathround0=Math.round;const
hsv=rgbToHsv(this.r,this.g,this.b),h=_Mathround0(360*hsv.h),s=_Mathround0(100*hsv.s),v=_Mathround0(100*
hsv.v);return 1===this.a?`hsv(${h}, ${s}%, ${v}%)`:`hsva(${h}, ${s}%, ${v}%, ${this.roundA})`toHsl()
{const hsl=rgbToHsl(this.r,this.g,this.b);return{h:360*hsl.h,s:hsl.s,l:hsl.l,a:this.a}}toHslString()
{var _Mathround1=Math.round;const
hsl=rgbToHsl(this.r,this.g,this.b),h=_Mathround1(360*hsl.h),s=_Mathround1(100*hsl.s),l=_Mathround1(100*
hsl.l);return 1===this.a?`hsl(${h}, ${s}%, ${l}%)`:`hsla(${h}, ${s}%, ${l}%,
${this.roundA})`toHex(allow3Char=!1){return
rgbToHex(this.r,this.g,this.b,allow3Char)}toHexString(allow3Char=!1)
{return"#"+this.toHex(allow3Char)}toHex8(allow4Char=!1){return
rgbaToHex(this.r,this.g,this.b,this.a,allow4Char)}toHex8String(allow4Char=!1)
{return"#"+this.toHex8(allow4Char)}toHexShortString(allowShortChar=!1){return 1===this.a?
this.toHexString(allowShortChar):this.toHex8String(allowShortChar)}toRgb(){var
_Mathround10=Math.round;return{r:_Mathround10(this.r),g:_Mathround10(this.g),b:_Mathround10(this.b),a:t
his.a}}toRgbString(){var _Mathround11=Math.round;const
r=_Mathround11(this.r),g=_Mathround11(this.g),b=_Mathround11(this.b);return 1===this.a?`rgb(${r}, ${g},
${b})`:`rgba(${r}, ${g}, ${b}, ${this.roundA})`toPercentageRgb(){const
fmt=x=>`${Math.round(100*bound01(x,255))}%`;return{r:fmt(this.r),g:fmt(this.g),b:fmt(this.b),a:this.a}}
toPercentageRgbString(){const rnd=x=>Math.round(100*bound01(x,255));return 1===this.a?
`rgb(${rnd(this.r)}%, ${rnd(this.g)}%, ${rnd(this.b)}%)`:`rgba(${rnd(this.r)}%, ${rnd(this.g)}%,
${rnd(this.b)}%, ${this.roundA})`toCmyk(){return{...rgbToCmyk(this.r,this.g,this.b)}}toCmykString()
{const{c,m,y,k}=rgbToCmyk(this.r,this.g,this.b);return`cmyk(${c}, ${m}, ${y}, ${k})`toName()
{if(0===this.a)return"transparent";if(1>this.a)return!1;const
hex="#" + rgbToHex(this.r,this.g,this.b,!1);for(const[key,value]of
Object.entries(names))if(hex===value)return key;return!1}toString(format){const
formatSet=!!format;format=format??this.format;let formattedString=!1;const
hasAlpha=1>this.a&&0<=this.a,needsAlphaFormat=!formatSet&&hasAlpha&&
(format.startsWith("hex")||"name"===format);return needsAlphaFormat?"name"===format&&0===this.a?
this.toName():this.toRgbString():("rgb"===format&&
(formattedString=this.toRgbString()),"prgb"===format&&(formattedString=this.toPercentageRgbString()),
("hex"===format||"hex6"===format)&&(formattedString=this.toHexString()),"hex3"===format&&
(formattedString=this.toHexString(!0)),"hex4"===format&&
(formattedString=this.toHexString(!0)),"hex8"===format&&
(formattedString=this.toHexString(!0)),"name"===format&&(formattedString=this.toName()),"hsl"===format&&
(formattedString=this.toHslString()),"hsv"===format&&
(formattedString=this.toHsvString()),"cmyk"===format&&
(formattedString=this.toCmykString()),formattedString||this.toHexString())}toNumber(){var
_Mathround12=Math.round;return(_Mathround12(this.r)<<16)+(_Mathround12(this.g)
<<8)+_Mathround12(this.b)}clone(){return new TinyColor(this.toString())}lighten(amount=10){const
hsl=this.toHsl();return hsl.l+=amount/100,hsl.l=clamp01(hsl.l),new TinyColor(hsl)}brighten(amount=10)
{var _Mathmin0=Math.min,_Mathmax12=Math.max,_Mathround13=Math.round;const rgb=this.toRgb();return
rgb.r=_Mathmax12(0,_Mathmin0(255,rgb.r-_Mathround13(255*-
(amount/100)))),rgb.g=_Mathmax12(0,_Mathmin0(255,rgb.g-_Mathround13(255*-
```

```
(amount/100))),rgb.b=_Mathmax12(0,_Mathmin0(255,rgb.b-_Mathround13(255*-(amount/100))),new
TinyColor(rgb)}darken(amount=10){const hsl=this.toHsl();return hsl.l-
=amount/100,hsl.l=clamp01(hsl.l),new TinyColor(hsl)}tint(amount=10){return
this.mix("white",amount)}shade(amount=10){return this.mix("black",amount)}desaturate(amount=10){const
hsl=this.toHsl();return hsl.s-=amount/100,hsl.s=clamp01(hsl.s),new TinyColor(hsl)}saturate(amount=10)
{const hsl=this.toHsl();return hsl.s+=amount/100,hsl.s=clamp01(hsl.s),new TinyColor(hsl)}greyscale()
{return this.desaturate(100)}spin(amount){const hsl=this.toHsl(),hue=(hsl.h+amount)%360;return
hsl.h=0>hue?360+hue:hue,new TinyColor(hsl)}mix(color,amount=50){const rgb1=this.toRgb(),rgb2=new
TinyColor(color).toRgb(),p=amount/100,rgba={r:(rgb2.r-rgb1.r)*p+rgb1.r,g:(rgb2.g-rgb1.g)*p+rgb1.g,b:
(rgb2.b-rgb1.b)*p+rgb1.b,a:(rgb2.a-rgb1.a)*p+rgb1.a};return new
TinyColor(rgba)}analogous(results=6,slices=30){const hsl=this.toHsl(),part=360/slices,ret=
[this];for(hsl.h=(hsl.h-(part*results>>1)+720)%360;--results;)hsl.h=(hsl.h+part)%360,ret.push(new
TinyColor(hsl));return ret}complement(){const hsl=this.toHsl();return hsl.h=(hsl.h+180)%360,new
TinyColor(hsl)}monochromatic(results=6){const hsv=this.toHsv(),{h}=hsv,{s}=hsv;let{v}=hsv;const res=
[],modification=1/results;for(;results--;)res.push(new TinyColor({h,s,v})),v=(v+modification)%1;return
res}splitcomplement(){const hsl=this.toHsl(),{h}=hsl;return[this,new TinyColor({h:
(h+72)%360,s:hsl.s,l:hsl.l}),new TinyColor({h:(h+216)%360,s:hsl.s,l:hsl.l})]}onBackground(background)
{const fg=this.toRgb(),bg=new TinyColor(background).toRgb(),alpha=fg.a+bg.a*(1-fg.a);return new
TinyColor({r:(fg.r*fg.a+bg.r*bg.a*(1-fg.a))/alpha,g:(fg.g*fg.a+bg.g*bg.a*(1-fg.a))/alpha,b:
(fg.b*fg.a+bg.b*bg.a*(1-fg.a))/alpha,a:alpha})}triad(){return this.polyad(3)}tetrad(){return
this.polyad(4)}polyad(n){const hsl=this.toHsl(),{h}=hsl,result=[this],increment=360/n;for(let
i=1;i<n;i++)result.push(new TinyColor({h:(h+i*increment)%360,s:hsl.s,l:hsl.l}));return
result}equals(color){const comparedColor=new
TinyColor(color);return"cmky"===this.format||"cmky"===comparedColor.format?
this.toCmykString()===comparedColor.toCmykString():this.toRgbString()===comparedColor.toRgbString()}}va
r hasEyeDropper="EyeDropper"in window,SlColorPicker=class extends ShoelaceElement{constructor()
{super(),this.formControlController=new
FormControlController(this),this.isSafeValue=!1,this.localize=new
LocalizeController(this),this.hasFocus=!1,this.isDraggingGridHandle=!1,this.isEmpty=!1,this.inputValue=
"",this.hue=0,this.saturation=100,this.brightness=100,this.alpha=100,this.value="",this.defaultValue="",
this.label="",this.format="hex",this.inline=!1,this.size="medium",this.noFormatToggle=!1,this.name="",
this.disabled=!1,this.hoist=!1,this.opacity=!1,this.uppercase=!1,this.swatches="",this.form="",this.req
uired=!1,this.handleFocusIn()=>{this.hasFocus=!0,this.emit("sl-focus")},this.handleFocusOut()=>
{this.hasFocus=!1,this.emit("sl-
blur")},this.addEventListener("focusin",this.handleFocusIn),this.addEventListener("focusout",this.handl
eFocusOut)}get validity(){return this.input.validity}get validationMessage(){return
this.input.validationMessage}firstUpdated(){this.input.updateComplete.then(()=>
{this.formControlController.updateValidity()})}handleCopy()
{this.input.select(),document.execCommand("copy"),this.previewButton.focus(),this.previewButton.classLi
st.add("color-picker__preview-color--copied"),this.previewButton.addEventListener("animationend",()=>
{this.previewButton.classList.remove("color-picker__preview-color--copied")})}handleFormatToggle()
{const formats=["hex","rgb","hsl","hsv"],nextIndex=
(formats.indexOf(this.format)+1)%formats.length;this.format=formats[nextIndex],this.setColor(this.value
),this.emit("sl-change"),this.emit("sl-input")}handleAlphaDrag(event){const
container=this.shadowRoot.querySelector(".color-picker__slider.color-
picker__alpha"),handle=container.querySelector(".color-picker__slider-handle"),
{width}=container.getBoundingClientRect();let
initialValue=this.value,currentValue=this.value;handle.focus(),event.preventDefault(),drag(container,
{onMove:x=>{this.alpha=clamp(100*(x/width),0,100),this.syncValues(),this.value!==currentValue&&
(currentValue=this.value,this.emit("sl-input"))},onStop:()=>{this.value!==initialValue&&
(initialValue=this.value,this.emit("sl-change"))},initialEvent:event)})}handleHueDrag(event){const
container=this.shadowRoot.querySelector(".color-picker__slider.color-
picker__hue"),handle=container.querySelector(".color-picker__slider-handle"),
{width}=container.getBoundingClientRect();let
initialValue=this.value,currentValue=this.value;handle.focus(),event.preventDefault(),drag(container,
{onMove:x=>{this.hue=clamp(360*(x/width),0,360),this.syncValues(),this.value!==currentValue&&
(currentValue=this.value,this.emit("sl-input"))},onStop:()=>{this.value!==initialValue&&
(initialValue=this.value,this.emit("sl-change"))},initialEvent:event)})}handleGridDrag(event){const
grid=this.shadowRoot.querySelector(".color-picker__grid"),handle=grid.querySelector(".color-
picker__grid-handle"),{width,height}=grid.getBoundingClientRect();let
initialValue=this.value,currentValue=this.value;handle.focus(),event.preventDefault(),this.isDraggingGr
idHandle=!0,drag(grid,{onMove:(x,y)>=>{this.saturation=clamp(100*
(x/width),0,100),this.brightness=clamp(100-100*
(y/height),0,100),this.syncValues(),this.value!==currentValue&&(currentValue=this.value,this.emit("sl-
input"))},onStop:()=>{this.isDraggingGridHandle=!1,this.value!==initialValue&&
(initialValue=this.value,this.emit("sl-change"))},initialEvent:event)})}handleAlphaKeyDown(event){const
increment=event.shiftKey?10:1,oldValue=this.value;"ArrowLeft"===event.key&&
(event.preventDefault(),this.alpha=clamp(this.alpha-
increment,0,100),this.syncValues()),"ArrowRight"===event.key&&
(event.preventDefault(),this.alpha=clamp(this.alpha+increment,0,100),this.syncValues()),"Home"===event.
key&&(event.preventDefault(),this.alpha=0,this.syncValues()),"End"===event.key&&
(event.preventDefault(),this.alpha=100,this.syncValues()),this.value!==oldValue&&(this.emit("sl-
change"),this.emit("sl-input"))}handleHueKeyDown(event){const increment=event.shiftKey?
10:1,oldValue=this.value;"ArrowLeft"===event.key&&(event.preventDefault(),this.hue=clamp(this.hue-
increment,0,360),this.syncValues()),"ArrowRight"===event.key&&
(event.preventDefault(),this.hue=clamp(this.hue+increment,0,360),this.syncValues()),"Home"===event.key&
&(event.preventDefault(),this.hue=0,this.syncValues()),"End"===event.key&&
(event.preventDefault(),this.hue=360,this.syncValues()),this.value!==oldValue&&(this.emit("sl-
change"),this.emit("sl-input"))}handleGridKeyDown(event){const increment=event.shiftKey?
10:1,oldValue=this.value;"ArrowLeft"===event.key&&
(event.preventDefault(),this.saturation=clamp(this.saturation-
increment,0,100),this.syncValues()),"ArrowRight"===event.key&&
(event.preventDefault(),this.saturation=clamp(this.saturation+increment,0,100),this.syncValues()),"Arro
wUp"===event.key&&
(event.preventDefault(),this.brightness=clamp(this.brightness+increment,0,100),this.syncValues()),"Arro
wDown"===event.key&&(event.preventDefault(),this.brightness=clamp(this.brightness-
```

```
increment,0,100),this.syncValues()),this.value!==oldValue&&(this.emit("sl-change"),this.emit("sl-
input"))}}handleInputChange(event){const
target=event.target,oldValue=this.value;event.stopPropagation(),this.input.value?
(this.setColor(target.value),target.value=this.value):this.value="",this.value!==oldValue&&
(this.emit("sl-change"),this.emit("sl-input"))}}handleInputInput(event)
{this.formControlController.updateValidity(),event.stopPropagation()}handleInputKeyDown(event)
{if("Enter"===event.key){const oldValue=this.value;this.input.value?
(this.setColor(this.input.value),this.input.value=this.value,this.value!==oldValue&&(this.emit("sl-
change"),this.emit("sl-
input")),setTimeout(=>this.input.select()):this.hue=0}}handleInputInvalid(event)
{this.formControlController.setValidity(!1),this.formControlController.emitInvalidEvent(event)}handleTo
uchMove(event){event.preventDefault()}parseColor(colorString){var _Mathround14=Math.round;const
color=new TinyColor(colorString);if(!color.isValid)return null;const hslColor=color.toHsl(),hsl=
{h:hslColor.h,s:100*hslColor.s,l:100*hslColor.l,a:hslColor.a},rgb=color.toRgb(),hex=color.toHexString()
,hexa=color.toHex8String(),hsvColor=color.toHsv(),hsv=
{h:hsvColor.h,s:100*hsvColor.s,v:100*hsvColor.v,a:hsvColor.a};return{hsl:
{h:hsl.h,s:hsl.s,l:hsl.l,string:this.setLetterCase(`hsl(${_Mathround14(hsl.h)},
${_Mathround14(hsl.s)}%, ${_Mathround14(hsl.l)}%)`)},hsla:
{h:hsl.h,s:hsl.s,l:hsl.l,a:hsl.a,string:this.setLetterCase(`hsla(${_Mathround14(hsl.h)},
${_Mathround14(hsl.s)}%, ${_Mathround14(hsl.l)}%, ${hsl.a.toFixed(2).toString()}`)},hsv:
{h:hsv.h,s:hsv.s,v:hsv.v,string:this.setLetterCase(`hsv(${_Mathround14(hsv.h)},
${_Mathround14(hsv.s)}%, ${_Mathround14(hsv.v)}%)`)},hsva:
{h:hsv.h,s:hsv.s,v:hsv.v,a:hsv.a,string:this.setLetterCase(`hsva(${_Mathround14(hsv.h)},
${_Mathround14(hsv.s)}%, ${_Mathround14(hsv.v)}%, ${hsv.a.toFixed(2).toString()}`)},rgb:
{r:rgb.r,g:rgb.g,b:rgb.b,string:this.setLetterCase(`rgb(${_Mathround14(rgb.r)}, ${_Mathround14(rgb.g)},
${_Mathround14(rgb.b)})`)},rgba:
{r:rgb.r,g:rgb.g,b:rgb.b,a:rgb.a,string:this.setLetterCase(`rgba(${_Mathround14(rgb.r)},
${_Mathround14(rgb.g)}, ${_Mathround14(rgb.b)},
${rgb.a.toFixed(2).toString()}`)},hex:this.setLetterCase(hex),hexa:this.setLetterCase(hexa)}}setColor(
colorString){const newColor=this.parseColor(colorString);return null!==newColor&&
(this.hue=newColor.hsva.h,this.saturation=newColor.hsva.s,this.brightness=newColor.hsva.v,this.alpha=th
is.opacity?100*newColor.hsva.a:100,this.syncValues(),!0)}setLetterCase(string){return"string"===typeof
string?this.uppercase?string.toUpperCase():string.toLowerCase():""}async syncValues(){const
currentColor=this.parseColor(`hsva(${this.hue}, ${this.saturation}%, ${this.brightness}%,
${this.alpha/100})`);null===currentColor||(this.inputValue="hsl"===this.format?this.opacity?
currentColor.hsla.string:currentColor.hsl.string:"rgb"===this.format?this.opacity?
currentColor.rgba.string:currentColor.rgb.string:"hsv"===this.format?this.opacity?
currentColor.hsva.string:currentColor.hsv.string:this.opacity?
currentColor.hexa:currentColor.hex,this.isSafeValue=!0,this.value=this.inputValue,await
this.updateComplete,this.isSafeValue=!1)}handleAfterHide(){this.previewButton.classList.remove("color-
picker__preview-color--copied")}handleEyeDropper(){if(hasEyeDropper){const eyeDropper=new
EyeDropper;eyeDropper.open().then(colorSelectionResult=>{const
oldValue=this.value;this.setColor(colorSelectionResult.sRGBHex),this.value!==oldValue&&(this.emit("sl-
change"),this.emit("sl-input"))}).catch(=>{}})}selectSwatch(color){const
oldValue=this.value;this.disabled||(this.setColor(color),this.value!==oldValue&&(this.emit("sl-
change"),this.emit("sl-input")))}getHexString(hue,saturation,brightness,alpha=100){const color=new
TinyColor(`hsva(${hue}, ${saturation}%, ${brightness}%, ${alpha/100})`);return color.isValid?
color.toHex8String():""}stopNestedEventPropagation(event)
{event.stopImmediatePropagation()}handleFormatChange(){this.syncValues()}handleOpacityChange()
{this.alpha=100}handleValueChange(oldValue,newValue){if(this.isEmpty=!newValue,newValue||
(this.hue=0,this.saturation=0,this.brightness=100,this.alpha=100),!this.isSafeValue){const
newColor=this.parseColor(newValue);null===newColor?this.inputValue=null===oldValue?"":oldValue:
(this.inputValue=this.value,this.hue=newColor.hsva.h,this.saturation=newColor.hsva.s,this.brightness=ne
wColor.hsva.v,this.alpha=100*newColor.hsva.a,this.syncValues())}}focus(options){this.inline?
this.base.focus(options):this.trigger.focus(options)}blur(){var _a;const elementToBlur=this.inline?
this.base:this.trigger;this.hasFocus&&(elementToBlur.focus({preventScroll:!0}),elementToBlur.blur()),
(null==( _a=this.dropdown)?void 0:_a.open)&&this.dropdown.hide()}getFormattedValue(format="hex"){const
currentColor=this.parseColor(`hsva(${this.hue}, ${this.saturation}%, ${this.brightness}%,
${this.alpha/100})`);if(null===currentColor)return"";return"hex"===format?
currentColor.hex:"hexa"===format?currentColor.hexa:"rgb"===format?
currentColor.rgb.string:"rgba"===format?currentColor.rgba.string:"hsl"===format?
currentColor.hsl.string:"hsla"===format?currentColor.hsla.string:"hsv"===format?
currentColor.hsv.string:"hsva"===format?currentColor.hsva.string:""}checkValidity(){return
this.input.checkValidity()}getForm(){return this.formControlController.getForm()}reportValidity()
{return this.inline||this.validity.valid?this.input.reportValidity():
(this.dropdown.show(),this.addEventListener("sl-after-show",()=>this.input.reportValidity(),
{once:!0}),this.disabled||this.formControlController.emitInvalidEvent(),!1)}setCustomValidity(message)
{this.input.setCustomValidity(message),this.formControlController.updateValidity()}render(){var
_Mathround15=Math.round;const gridHandleX=this.saturation,gridHandleY=100-
this.brightness,swatches=Array.isArray(this.swatches)?
this.swatches:this.swatches.split(";").filter(color=>""!==color.trim()),colorPicker=x$1`
<div
  part="base"
  class=${e$2({"color-picker":!0,"color-picker--inline":this.inline,"color-picker--
disabled":this.disabled,"color-picker--focused":this.hasFocus})}
  aria-disabled=${this.disabled?"true":"false"}
  aria-labelledby="label"
  tabindex=${this.inline?"0":-1`}
>
  ${this.inline?x$1`
    <sl-visually-hidden id="label">
      <slot name="label">${this.label}</slot>
    </sl-visually-hidden>
  `:null}

</div>
```

```
part="grid"
class="color-picker__grid"
style=${o$3({backgroundColor:this.getHexString(this.hue,100,100)}})
@pointerdown=${this.handleGridDrag}
@touchmove=${this.handleTouchMove}
>
  <span
    part="grid-handle"
    class=${e$2({"color-picker__grid-handle":!0,"color-picker__grid-handle--
dragging":this.isDraggingGridHandle)}}
    style=${o$3({top:`${gridHandleY}%`,left:`${gridHandleX}%`,backgroundColor:this.getHexString(this.hue,th
is.saturation,this.brightness,this.alpha)}})
    role="application"
    aria-label="HSV"
    tabindex=${o$6(this.disabled?void 0:"0")}
    @keydown=${this.handleGridKeyDown}
  ></span>
</div>

<div class="color-picker__controls">
  <div class="color-picker__sliders">
    <div
      part="slider hue-slider"
      class="color-picker__hue color-picker__slider"
      @pointerdown=${this.handleHueDrag}
      @touchmove=${this.handleTouchMove}
    >
      <span
        part="slider-handle hue-slider-handle"
        class="color-picker__slider-handle"
        style=${o$3({left:`${0===this.hue?0:100/(360/this.hue)}%`} )})
        role="slider"
        aria-label="hue"
        aria-orientation="horizontal"
        aria-valuemin="0"
        aria-valuemax="360"
        aria-valuenow=${` ${_Mathround15(this.hue)} `}
        tabindex=${o$6(this.disabled?void 0:"0")}
        @keydown=${this.handleHueKeyDown}
      ></span>
    </div>

    ${this.opacity?x$1`
      <div
        part="slider opacity-slider"
        class="color-picker__alpha color-picker__slider color-picker__transparent-bg"
        @pointerdown=${this.handleAlphaDrag}
        @touchmove=${this.handleTouchMove}
      >
        <div
          class="color-picker__alpha-gradient"
          style=${o$3({backgroundImage:`linear-gradient(
            to right,
            ${this.getHexString(this.hue,this.saturation,this.brightness,0)} 0%,
            ${this.getHexString(this.hue,this.saturation,this.brightness,100)} 100%
          )`})})
        ></div>
        <span
          part="slider-handle opacity-slider-handle"
          class="color-picker__slider-handle"
          style=${o$3({left:`${this.alpha}%`} )})
          role="slider"
          aria-label="alpha"
          aria-orientation="horizontal"
          aria-valuemin="0"
          aria-valuemax="100"
          aria-valuenow=${_Mathround15(this.alpha)}
          tabindex=${o$6(this.disabled?void 0:"0")}
          @keydown=${this.handleAlphaKeyDown}
        ></span>
      </div>
      `:"")
    </div>

    <button
      type="button"
      part="preview"
      class="color-picker__preview color-picker__transparent-bg"
      aria-label=${this.localize.term("copy")}
      style=${o$3({"--preview-
color":this.getHexString(this.hue,this.saturation,this.brightness,this.alpha)}})
      @click=${this.handleCopy}
    ></button>
  </div>
```

```
<div class="color-picker__user-input" aria-live="polite">
  <sl-input
    part="input"
    type="text"
    name=${this.name}
    autocomplete="off"
    autocorrect="off"
    autocapitalize="off"
    spellcheck="false"
    value=${this.isEmpty?"":this.inputValue}
    ?required=${this.required}
    ?disabled=${this.disabled}
    aria-label=${this.localize.term("currentValue")}
    @keydown=${this.handleInputKeyDown}
    @sl-change=${this.handleInputChange}
    @sl-input=${this.handleInputInput}
    @sl-invalid=${this.handleInputInvalid}
    @sl-blur=${this.stopNestedEventPropagation}
    @sl-focus=${this.stopNestedEventPropagation}
  ></sl-input>

  <sl-button-group>
    ${this.noFormatToggle?"":x$1`
      <sl-button
        part="format-button"
        aria-label=${this.localize.term("toggleColorFormat")}
        exportparts="
          base:format-button__base,
          prefix:format-button__prefix,
          label:format-button__label,
          suffix:format-button__suffix,
          caret:format-button__caret
        "
        @click=${this.handleFormatToggle}
        @sl-blur=${this.stopNestedEventPropagation}
        @sl-focus=${this.stopNestedEventPropagation}
      >
        ${this.setLetterCase(this.format)}
      </sl-button>
    `}
    ${hasEyeDropper?x$1`
      <sl-button
        part="eye-dropper-button"
        exportparts="
          base:eye-dropper-button__base,
          prefix:eye-dropper-button__prefix,
          label:eye-dropper-button__label,
          suffix:eye-dropper-button__suffix,
          caret:eye-dropper-button__caret
        "
        @click=${this.handleEyeDropper}
        @sl-blur=${this.stopNestedEventPropagation}
        @sl-focus=${this.stopNestedEventPropagation}
      >
        <sl-icon
          library="system"
          name="eyedropper"
          label=${this.localize.term("selectAColorFromTheScreen")}
        ></sl-icon>
      </sl-button>
    `:""}
  </sl-button-group>
</div>

${0<swatches.length?x$1`
  <div part="swatches" class="color-picker__swatches">
    ${swatches.map(swatch=>{const parsedColor=this.parseColor(swatch);return parsedColor?
x$1`
      <div
        part="swatch"
        class="color-picker__swatch color-picker__transparent-bg"
        tabindex=${o$6(this.disabled?void 0:"0")}
        role="button"
        aria-label=${swatch}
        @click=${{()=>this.selectSwatch(swatch)}}

        @keydown=${{event=>!this.disabled&&"Enter"===event.key&&this.setColor(parsedColor.hexa)}}
      >
        <div
          class="color-picker__swatch-color"
          style=${o$3({backgroundColor:parsedColor.hexa})}
        ></div>
        </div>
      `:(console.error(`Unable to parse swatch color: "${swatch}"`,this),""))}}
    </div>
  `:""}
`:""}
```

```

    </div>
    `;return this.inline?colorPicker:x$1`
    <sl-dropdown
      class="color-dropdown"
      aria-disabled=${this.disabled?"true":"false"}
      .containingElement=${this}
      ?disabled=${this.disabled}
      ?hoist=${this.hoist}
      @sl-after-hide=${this.handleAfterHide}
    >
      <button
        part="trigger"
        slot="trigger"
        class=${e$2({"color-dropdown__trigger":!0,"color-dropdown__trigger--disabled":this.disabled,"color-dropdown__trigger--small":"small"===this.size,"color-dropdown__trigger--medium":"medium"===this.size,"color-dropdown__trigger--large":"large"===this.size,"color-dropdown__trigger--empty":this.isEmpty,"color-dropdown__trigger--focused":this.hasFocus,"color-picker__transparent-bg":!0})}
        style=${o$3({color:this.getHexString(this.hue,this.saturation,this.brightness,this.alpha)})}
        type="button"
      >
        <sl-visually-hidden>
          <slot name="label">${this.label}</slot>
        </sl-visually-hidden>
      </button>
      ${colorPicker}
    </sl-dropdown>
  `}};SlColorPicker.styles=
[component_styles_default,color_picker_styles_default],SlColorPicker.dependencies={"sl-button-group":SlButtonGroup,"sl-button":SlButton,"sl-dropdown":SlDropdown,"sl-icon":SlIcon,"sl-input":SlInput,"sl-visually-hidden":SlVisuallyHidden},__decorateClass([e$6(["part~=\"base\""]),SlColorPicker.prototype,"base",2),__decorateClass([e$6(["part~=\"input\""]),SlColorPicker.prototype,"input",2),__decorateClass([e$6(".color-dropdown"),SlColorPicker.prototype,"dropdown",2),__decorateClass([e$6(["part~=\"preview\""]),SlColorPicker.prototype,"previewButton",2),__decorateClass([e$6(["part~=\"trigger\""]),SlColorPicker.prototype,"trigger",2),__decorateClass([r$6()],SlColorPicker.prototype,"hasFocus",2),__decorateClass([r$6()],SlColorPicker.prototype,"isDraggingGridHandle",2),__decorateClass([r$6()],SlColorPicker.prototype,"isEmpty",2),__decorateClass([r$6()],SlColorPicker.prototype,"inputValue",2),__decorateClass([r$6()],SlColorPicker.prototype,"hue",2),__decorateClass([r$6()],SlColorPicker.prototype,"saturation",2),__decorateClass([r$6()],SlColorPicker.prototype,"brightness",2),__decorateClass([r$6()],SlColorPicker.prototype,"alpha",2),__decorateClass([n$5()],SlColorPicker.prototype,"value",2),__decorateClass([defaultValue()],SlColorPicker.prototype,"defaultValue",2),__decorateClass([n$5()],SlColorPicker.prototype,"label",2),__decorateClass([n$5()],SlColorPicker.prototype,"format",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlColorPicker.prototype,"inline",2),__decorateClass([n$5({reflect:!0})],SlColorPicker.prototype,"size",2),__decorateClass([n$5({attribute:"no-format-toggle",type:Boolean})],SlColorPicker.prototype,"noFormatToggle",2),__decorateClass([n$5()],SlColorPicker.prototype,"name",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlColorPicker.prototype,"disabled",2),__decorateClass([n$5({type:Boolean})],SlColorPicker.prototype,"hoist",2),__decorateClass([n$5({type:Boolean})],SlColorPicker.prototype,"opacity",2),__decorateClass([n$5({type:Boolean})],SlColorPicker.prototype,"uppercase",2),__decorateClass([n$5()],SlColorPicker.prototype,"swatches",2),__decorateClass([n$5({reflect:!0})],SlColorPicker.prototype,"form",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlColorPicker.prototype,"required",2),__decorateClass([t$2({passive:!1})],SlColorPicker.prototype,"handleTouchMove",1),__decorateClass([watch("format",{waitUntilFirstUpdate:!0})],SlColorPicker.prototype,"handleFormatChange",1),__decorateClass([watch("opacity",{waitUntilFirstUpdate:!0})],SlColorPicker.prototype,"handleOpacityChange",1),__decorateClass([watch("value"),SlColorPicker.prototype,"handleValueChange",1],SlColorPicker.define("sl-color-picker"));var card_styles_default=i$7`
:host {
  --border-color: var(--sl-color-neutral-200);
  --border-radius: var(--sl-border-radius-medium);
  --border-width: 1px;
  --padding: var(--sl-spacing-large);

  display: inline-block;
}

.card {
  display: flex;
  flex-direction: column;
  background-color: var(--sl-panel-background-color);
  box-shadow: var(--sl-shadow-x-small);
  border: solid var(--border-width) var(--border-color);
  border-radius: var(--border-radius);
}

.card_image {
  display: flex;
  border-top-left-radius: var(--border-radius);
  border-top-right-radius: var(--border-radius);
  margin: calc(-1 * var(--border-width));
  overflow: hidden;
}

.card_image::slotted(img) {
  display: block;
}
```



```

    width: 100%;
  }

  .card:not(.card--has-image) .card__image {
    display: none;
  }

  .card__header {
    display: block;
    border-bottom: solid var(--border-width) var(--border-color);
    padding: calc(var(--padding) / 2) var(--padding);
  }

  .card:not(.card--has-header) .card__header {
    display: none;
  }

  .card:not(.card--has-image) .card__header {
    border-top-left-radius: var(--border-radius);
    border-top-right-radius: var(--border-radius);
  }

  .card__body {
    display: block;
    padding: var(--padding);
  }

  .card--has-footer .card__footer {
    display: block;
    border-top: solid var(--border-width) var(--border-color);
    padding: var(--padding);
  }

  .card:not(.card--has-footer) .card__footer {
    display: none;
  }
`,SlCard=class extends ShoelaceElement{constructor(){super(...arguments),this.hasSlotController=new HasSlotController(this,"footer","header","image")}render(){return x$1`
  <div
    part="base"
    class=${e$2({card:!0,"card--has-footer":this.hasSlotController.test("footer"),"card--has-image":this.hasSlotController.test("image"),"card--has-header":this.hasSlotController.test("header")})}
  >
    <slot name="image" part="image" class="card__image"></slot>
    <slot name="header" part="header" class="card__header"></slot>
    <slot part="body" class="card__body"></slot>
    <slot name="footer" part="footer" class="card__footer"></slot>
  </div>
`}};SlCard.styles=[component_styles_default,card_styles_default],SlCard.define("sl-card");var AutoplayController=class{constructor(host,tickCallback){this.timerId=0,this.activeInteractions=0,this.paused=!1,this.stopped=!0,this.pause=(()=>{this.activeInteractions++||this.paused=!0,this.host.requestUpdate()}),this.resume=(()=>{this.activeInteractions||this.paused=!1,this.host.requestUpdate()}),host.addController(this),this.host=host,this.tickCallback=tickCallback}hostConnected(){this.host.addEventListener("mouseenter",this.pause),this.host.addEventListener("mouseleave",this.resume),this.host.addEventListener("focusin",this.pause),this.host.addEventListener("focusout",this.resume),this.host.addEventListener("touchstart",this.pause,{passive:!0}),this.host.addEventListener("touchend",this.resume)}hostDisconnected(){this.stop(),this.host.removeEventListener("mouseenter",this.pause),this.host.removeEventListener("mouseleave",this.resume),this.host.removeEventListener("focusin",this.pause),this.host.removeEventListener("focusout",this.resume),this.host.removeEventListener("touchstart",this.pause),this.host.removeEventListener("touchend",this.resume)}start(interval){this.stop(),this.stopped=!1,this.timerId=window.setInterval((()=>{this.paused||this.tickCallback()}),interval)}stop(){clearInterval(this.timerId),this.stopped=!0,this.host.requestUpdate()}}},carousel_styles_default=i$7`
:host {
  --slide-gap: var(--sl-spacing-medium, 1rem);
  --aspect-ratio: 16 / 9;
  --scroll-hint: 0px;

  display: flex;
}

.carousel {
  display: grid;
  grid-template-columns: min-content 1fr min-content;
  grid-template-rows: 1fr min-content;
  grid-template-areas:
    '. slides .'
    '. pagination .';
  gap: var(--sl-spacing-medium);
  align-items: center;
  min-height: 100%;
  min-width: 100%;
  position: relative;

```

```
}

.carousel__pagination {
  grid-area: pagination;
  display: flex;
  flex-wrap: wrap;
  justify-content: center;
  gap: var(--sl-spacing-small);
}

.carousel__slides {
  grid-area: slides;

  display: grid;
  height: 100%;
  width: 100%;
  align-items: center;
  justify-items: center;
  overflow: auto;
  overscroll-behavior-x: contain;
  scrollbar-width: none;
  aspect-ratio: calc(var(--aspect-ratio) * var(--slides-per-page));
  border-radius: var(--sl-border-radius-small);

  --slide-size: calc((100% - (var(--slides-per-page) - 1) * var(--slide-gap)) / var(--slides-per-page));
}

@media (prefers-reduced-motion) {
  :where(.carousel__slides) {
    scroll-behavior: auto;
  }
}

.carousel__slides--horizontal {
  grid-auto-flow: column;
  grid-auto-columns: var(--slide-size);
  grid-auto-rows: 100%;
  column-gap: var(--slide-gap);
  scroll-snap-type: x mandatory;
  scroll-padding-inline: var(--scroll-hint);
  padding-inline: var(--scroll-hint);
  overflow-y: hidden;
}

.carousel__slides--vertical {
  grid-auto-flow: row;
  grid-auto-columns: 100%;
  grid-auto-rows: var(--slide-size);
  row-gap: var(--slide-gap);
  scroll-snap-type: y mandatory;
  scroll-padding-block: var(--scroll-hint);
  padding-block: var(--scroll-hint);
  overflow-x: hidden;
}

.carousel__slides--dragging {
}

:host([vertical]) ::slotted(sl-carousel-item) {
  height: 100%;
}

.carousel__slides::-webkit-scrollbar {
  display: none;
}

.carousel__navigation {
  grid-area: navigation;
  display: contents;
  font-size: var(--sl-font-size-x-large);
}

.carousel__navigation-button {
  flex: 0 0 auto;
  display: flex;
  align-items: center;
  background: none;
  border: none;
  border-radius: var(--sl-border-radius-small);
  font-size: inherit;
  color: var(--sl-color-neutral-600);
  padding: var(--sl-spacing-x-small);
  cursor: pointer;
  transition: var(--sl-transition-medium) color;
  appearance: none;
}
```

```

    }

    .carousel__navigation-button--disabled {
      opacity: 0.5;
      cursor: not-allowed;
    }

    .carousel__navigation-button--disabled::part(base) {
      pointer-events: none;
    }

    .carousel__navigation-button--previous {
      grid-column: 1;
      grid-row: 1;
    }

    .carousel__navigation-button--next {
      grid-column: 3;
      grid-row: 1;
    }

    .carousel__pagination-item {
      display: block;
      cursor: pointer;
      background: none;
      border: 0;
      border-radius: var(--sl-border-radius-circle);
      width: var(--sl-spacing-small);
      height: var(--sl-spacing-small);
      background-color: var(--sl-color-neutral-300);
      padding: 0;
      margin: 0;
    }

    .carousel__pagination-item--active {
      background-color: var(--sl-color-neutral-700);
      transform: scale(1.2);
    }

    /* Focus styles */
    .carousel__slides:focus-visible,
    .carousel__navigation-button:focus-visible,
    .carousel__pagination-item:focus-visible {
      outline: var(--sl-focus-ring);
      outline-offset: var(--sl-focus-ring-offset);
    }
  `,
  SlCarousel = class extends ShoelaceElement {
    constructor() {
      super(...arguments);
      this.loop = !1;
      this.navigation = !1;
      this.pagination = !1;
      this.autoplay = !1;
      this.autoplayInterval = 3e3;
      this.slidesPerPage = 1;
      this.slidesPerMove = 1;
      this.orientation = "horizontal";
      this.mouseDragging = !1;
      this.activeSlide = 0;
      this.scrolling = !1;
      this.dragging = !1;
      this.autoplayController = new AutoplayController(this, () => this.next());
      this.dragStartPosition = [-1, -1];
      this.localize = new LocalizeController(this);
      this.pendingSlideChange = !1;
      this.handleMouseDown = event => {
        this.dragging || (this.scrollContainer.style.setProperty("scroll-snap-type", "none"), this.dragging = !0, this.dragStartPosition = [event.clientX, event.clientY], this.scrollContainer.scrollBy({left: -event.movementX, top: -event.movementY, behavior: "instant"}), this.handleMouseDragEnd = () => {
          const scrollContainer = this.scrollContainer;
          document.removeEventListener("pointermove", this.handleMouseDrag, {capture: !0});
          const startLeft = scrollContainer.scrollLeft, startTop = scrollContainer.scrollTop;
          scrollContainer.style.removeProperty("scroll-snap-type");
          scrollContainer.style.setProperty("overflow", "hidden");
          const finalLeft = scrollContainer.scrollLeft, finalTop = scrollContainer.scrollTop;
          scrollContainer.style.removeProperty("overflow");
          scrollContainer.style.setProperty("scroll-snap-type", "none");
          scrollContainer.scrollTo({left: startLeft, top: startTop, behavior: "instant"});
          requestAnimationFrame(async () => {
            (startLeft !== finalLeft || startTop !== finalTop) && (scrollContainer.scrollTo({left: finalLeft, top: finalTop, behavior: prefersReducedMotion() ? "auto": "smooth"}), await waitEvent(scrollContainer, "scrollend"));
            scrollContainer.style.removeProperty("scroll-snap-type");
            this.dragging = !1;
            this.dragStartPosition = [-1, -1];
            this.handleScrollEnd();
          });
          this.handleSlotChange = mutations => {
            const needsInitialization = mutations.some(mutation => [...mutation.addedNodes, ...mutation.removedNodes].some(el => this.isCarouselItem(el) && !el.hasAttribute("data-clone")));
            needsInitialization && this.initializeSlides(), this.requestUpdate();
          };
          connectedCallback() {
            super.connectedCallback(), this.setAttribute("role", "region"), this.setAttribute("aria-label", this.localize.term("carousel"));
          };
          disconnectedCallback() {
            var _a;
            super.disconnectedCallback(), null == (_a = this.mutationObserver) ? void 0 : _a.disconnect();
          };
          firstUpdated() {
            this.initializeSlides(), this.mutationObserver = new MutationObserver(this.handleSlotChange), this.mutationObserver.observe(this, {childList: !0, subtree: !0});
          };
          willUpdate(changedProperties) {
            ((changedProperties.has("slidesPerMove") || changedProperties.has("slidesPerPage")) && (this.slidesPerMove = Math.min(this.slidesPerMove, this.slidesPerPage))) && getPageCount();
            const slidesCount = this.getSlides().length, {slidesPerPage, slidesPerMove, loop} = this, pages = loop ? slidesCount / slidesPerMove : (slidesCount - slidesPerPage) / slidesPerMove + 1;
            return Math.ceil(pages);
          };
          getCurrentPage() {
            return Math.ceil(this.activeSlide / this.slidesPerMove);
          };
          canScrollNext() {
            return this.loop || this.getCurrentPage() < this.getPageCount() - 1;
          };
          canScrollPrev() {
            return this.loop || 0 < this.getCurrentPage();
          };
          getSlides({excludeClones: !0} = {}) {
            return [...this.children].filter(el => this.isCarouselItem(el) && (!excludeClones || !el.hasAttribute("data-clone")));
          };
          handleClick(event) {
            var

```

```
_Mathabs5=Math.abs;if(this.dragging&&<this.dragStartPosition[0]&&<this.dragStartPosition[1]){const
deltaX=_Mathabs5(this.dragStartPosition[0]-event.clientX),deltaY=_Mathabs5(this.dragStartPosition[1]-
event.clientY),delta=Math.sqrt(deltaX*deltaX+deltaY*deltaY);10<=delta&&event.preventDefault()}handleKe
yDown(event){if(["ArrowLeft","ArrowRight","ArrowUp","ArrowDown","Home","End"].includes(event.key))
{const
target=event.target,isRtl="rtl"===this.localize.dir(),isFocusInPagination=null!==target.closest("
[part~=\"pagination-
item\"]"),isNext="ArrowDown"===event.key||!isRtl&&"ArrowRight"===event.key||isRtl&&"ArrowLeft"===event.
key,isPrevious="ArrowUp"===event.key||!isRtl&&"ArrowLeft"===event.key||isRtl&&"ArrowRight"===event.key;
event.preventDefault(),isPrevious&&this.previous(),isNext&&this.next(),"Home"===event.key&&this.goToSli
de(0),"End"===event.key&&this.goToSlide(this.getSlides().length-
1),isFocusInPagination&&this.updateComplete.then(=>{var _a;const activePaginationItem=null==
(_a=this.shadowRoot)?void 0:_a.querySelector("[part~=\"pagination-item--
active\"]");activePaginationItem&&activePaginationItem.focus()}})handleMouseDown(event){const
canDrag=this.mouseDragging&&&===event.button;canDrag&&
(event.preventDefault(),document.addEventListener("pointermove",this.handleMouseDown,
{capture:!0,passive:!0}),document.addEventListener("pointerup",this.handleMouseDown,
{capture:!0,once:!0}))}handleScroll()
{this.scrolling=!0,this.pendingSlideChange||this.synchronizeSlides()}synchronizeSlides(){var
_Mathceil3=Math.ceil;const io=new IntersectionObserver(entries=>{io.disconnect();for(const entry of
entries){const
slide=entry.target;slide.toggleAttribute("inert",!entry.isIntersecting),slide.classList.toggle("--in-
view",entry.isIntersecting),slide.setAttribute("aria-hidden",entry.isIntersecting?"false":"true")}const
firstIntersecting=entries.find(entry=>entry.isIntersecting);if(!firstIntersecting)return;const
slidesWithClones=this.getSlides({excludeClones:!1}),slidesCount=this.getSlides().length,slideIndex=slid
esWithClones.indexOf(firstIntersecting.target),normalizedIndex=this.loop?slideIndex-
this.slidesPerPage:slideIndex;if(this.activeSlide=
(_Mathceil3(normalizedIndex/this.slidesPerMove)*this.slidesPerMove+slidesCount)%slidesCount,!this.scol
ling&&this.loop&&firstIntersecting.target.hasAttribute("data-clone")){const
clonePosition+=firstIntersecting.target.getAttribute("data-
clone");this.goToSlide(clonePosition,"instant")}},
{root:this.scrollContainer,threshold:.6});this.getSlides({excludeClones:!1}).forEach(slide=>
{io.observe(slide)})}handleScrollEnd(){!this.scrolling||this.dragging||
(this.scrolling=!1,this.pendingSlideChange=!1,this.synchronizeSlides())}isCarouselItem(node){return
node instanceof Element&&"sl-carousel-item"===node.tagName.toLowerCase()}initializeSlides()
{this.getSlides({excludeClones:!1}).forEach((slide,index)=>{slide.classList.remove("--in-
view"),slide.classList.remove("--is-
active"),slide.setAttribute("role","group"),slide.setAttribute("aria-
label",this.localize.term("slideNum",index+1)),this.pagination&&
(slide.setAttribute("id`,`slide-${index+1}`"),slide.setAttribute("role","tabpanel"),slide.removeAttribut
e("aria-label"),slide.setAttribute("aria-labelledby`,`tab-${index+1}`"),slide.hasAttribute("data-
clone")&&slide.remove()),this.updateSlidesSnap(),this.loop&&this.createClones(),this.goToSlide(this.ac
tiveSlide,"auto"),this.synchronizeSlides()}createClones(){const
slides=this.getSlides(),slidesPerPage=this.slidesPerPage,lastSlides=slides.slice(-
slidesPerPage),firstSlides=slides.slice(0,slidesPerPage);lastSlides.reverse().forEach((slide,i)=>{const
clone=slide.cloneNode(!0);clone.setAttribute("data-clone",slides.length-i-
1+""),this.prepend(clone)},firstSlides.forEach((slide,i)=>{const
clone=slide.cloneNode(!0);clone.setAttribute("data-
clone",i+""),this.append(clone)})}handleSlideChange(){const
slides=this.getSlides();slides.forEach((slide,i)=>{slide.classList.toggle("--is-
active",i===this.activeSlide)}),this.hasUpdated&&this.emit("sl-slide-change",{detail:
{index:this.activeSlide,slide:slides[this.activeSlide]}})}updateSlidesSnap(){const
slides=this.getSlides(),slidesPerMove=this.slidesPerMove;slides.forEach((slide,i)=>{const
shouldSnap=0==(i+slidesPerMove)%slidesPerMove;shouldSnap?slide.style.removeProperty("scroll-snap-
align"):slide.style.setProperty("scroll-snap-align","none")})}handleAutoplayChange()
{this.autoplayController.stop(),this.autoplay&&this.autoplayController.start(this.autoplayInterval)}pre
vious(behavior="smooth"){this.goToSlide(this.activeSlide-
this.slidesPerMove,behavior)}next(behavior="smooth")
{this.goToSlide(this.activeSlide+this.slidesPerMove,behavior)}goToSlide(index,behavior="smooth")
{const{slidesPerPage,loop}=this,slides=this.getSlides(),slidesWithClones=this.getSlides({excludeClones:
!1});if(!slides.length)return;const newActiveSlide=loop?
(index+slides.length)%slides.length:clamp(index,0,slides.length-
slidesPerPage);this.activeSlide=newActiveSlide;const
isRtl="rtl"===this.localize.dir(),nextSlideIndex=clamp(index+(loop?slidesPerPage:0)+(isRtl?
slidesPerPage-1:0),0,slidesWithClones.length-
1),nextSlide=slidesWithClones[nextSlideIndex];this.scrollToSlide(nextSlide,prefersReducedMotion()?"auto
":behavior)}scrollToSlide(slide,behavior="smooth")
{this.pendingSlideChange=!0>window.requestAnimationFrame(=>{if(!this.scrollContainer)return;const
scrollContainer=this.scrollContainer,scrollContainerRect=scrollContainer.getBoundingClientRect(),nextSl
ideRect=slide.getBoundingClientRect(),nextLeft=nextSlideRect.left-
scrollContainerRect.left,nextTop=nextSlideRect.top-scrollContainerRect.top;nextLeft||nextTop?
(this.pendingSlideChange=!0,scrollContainer.scrollTo({left:nextLeft+scrollContainer.scrollLeft,top:next
Top+scrollContainer.scrollTop,behavior})):this.pendingSlideChange=!1}})render()
{const{slidesPerMove,scrolling}=this,pagesCount=this.getPageCount(),currentPage=this.getCurrentPage(),p
revEnabled=this.canScrollPrev(),nextEnabled=this.canScrollNext(),isLtr="ltr"===this.localize.dir();retu
rn x$1`
<div part="base" class="carousel">
  <div
    id="scroll-container"
    part="scroll-container"
    class="${e$2({carousel__slides:!0,"carousel__slides--
horizontal":"horizontal"===this.orientation,"carousel__slides--
vertical":"vertical"===this.orientation,"carousel__slides--dragging":this.dragging}})"
    style="--slides-per-page: ${this.slidesPerPage};"
    aria-busy="${scrolling?"true":"false"}"
    aria-atomic="true"
```

```

    tabindex="0"
    @keydown=${this.handleKeyDown}
    @mousedown=${this.handleMouseDown}
    @scroll=${this.handleScroll}
    @scrollend=${this.handleScrollEnd}
    @click=${this.handleClick}
  >
    <slot></slot>
  </div>

  ${this.navigation?x$1`
    <div part="navigation" class="carousel__navigation">
      <button
        part="navigation-button navigation-button--previous"
        class=${e$2({"carousel__navigation-button":!0,"carousel__navigation-button--previous":!0,"carousel__navigation-button--disabled":!prevEnabled})}
        aria-label=${this.localize.term("previousSlide")}
        aria-controls="scroll-container"
        aria-disabled=${prevEnabled?"false":"true"}
        @click=${prevEnabled?()=>this.previous():null}
      >
        <slot name="previous-icon">
          <sl-icon library="system" name=${isLtr?"chevron-left":"chevron-right"}></sl-icon>
        </slot>
      </button>

      <button
        part="navigation-button navigation-button--next"
        class=${e$2({"carousel__navigation-button":!0,"carousel__navigation-button--next":!0,"carousel__navigation-button--disabled":!nextEnabled})}
        aria-label=${this.localize.term("nextSlide")}
        aria-controls="scroll-container"
        aria-disabled=${nextEnabled?"false":"true"}
        @click=${nextEnabled?()=>this.next():null}
      >
        <slot name="next-icon">
          <sl-icon library="system" name=${isLtr?"chevron-right":"chevron-left"}></sl-icon>
        </slot>
      </button>
    </div>
  `:""}
  ${this.pagination?x$1`
    <div part="pagination" role="tablist" class="carousel__pagination">
      ${o(o$1(pagesCount),index=>{const isActive=index===currentPage;return x$1`
        <button
          part="pagination-item ${isActive?"pagination-item--active":""}"
          class=${e$2({"carousel__pagination-item":!0,"carousel__pagination-item--active":isActive})}
          role="tab"
          id="tab-${index+1}"
          aria-controls="slide-${index+1}"
          aria-selected=${isActive?"true":"false"}
          aria-label=${isActive?
this.localize.term("slideNum",index+1):this.localize.term("goToSlide",index+1,pagesCount)}
          tabindex=${isActive?"0":"-1"}
          @click=${()=>this.goToSlide(index*slidesPerMove)}
          @keydown=${this.handleKeyDown}
        ></button>
      `)}}
    </div>
  `:""}
</div>
`}};SlCarousel.styles=[component_styles_default,carousel_styles_default],SlCarousel.dependencies={
  "sl-icon":SlIcon,__decorateClass([n$5({type:Boolean,reflect:!0})],SlCarousel.prototype,"loop",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlCarousel.prototype,"navigation",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlCarousel.prototype,"pagination",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlCarousel.prototype,"autoplay",2),__decorateClass([n$5({type:Number,attribute:"autoplay-interval"})],SlCarousel.prototype,"autoplayInterval",2),__decorateClass([n$5({type:Number,attribute:"slides-per-page"})],SlCarousel.prototype,"slidesPerPage",2),__decorateClass([n$5({type:Number,attribute:"slides-per-move"})],SlCarousel.prototype,"slidesPerMove",2),__decorateClass([n$5()],SlCarousel.prototype,"orientation",2),__decorateClass([n$5({type:Boolean,reflect:!0,attribute:"mouse-dragging"})],SlCarousel.prototype,"mouseDragging",2),__decorateClass([e$6(".carousel__slides")],SlCarousel.prototype,"scrollContainer",2),__decorateClass([e$6(".carousel__pagination")],SlCarousel.prototype,"paginationContainer",2),__decorateClass([r$6()],SlCarousel.prototype,"activeSlide",2),__decorateClass([r$6()],SlCarousel.prototype,"scrolling",2),__decorateClass([r$6()],SlCarousel.prototype,"dragging",2),__decorateClass([t$2({passive:!0})],SlCarousel.prototype,"handleScroll",1),__decorateClass([watch("loop",{waitUntilFirstUpdate:!0}),watch("slidesPerPage",{waitUntilFirstUpdate:!0})],SlCarousel.prototype,"initializeSlides",1),__decorateClass([watch("activeSlide")],SlCarousel.prototype,"handleSlideChange",1),__decorateClass([watch("slidesPerMove")],SlCarousel.prototype,"updateSlidesSnap",1),__decorateClass([watch("autoplay")],SlCarousel.prototype,"handleAutoplayChange",1),SlCarousel.define("sl-carousel");var debounce=(fn,delay)=>{let timerId=0;return function(...args){window.clearTimeout(timerId),timerId=window.setTimeout(()=>{fn.call(this,...args)},delay)}},decorate=(proto,method,decorateFn)=>{const
```

```
superFn=proto[method];proto[method]=function(...args)
{superFn.call(this,...args),decorateFn.call(this,superFn,...args)}};(()=>{if("undefined"!==typeof
window){const isSupported="onscrollend"in window;if(!isSupported){const pointers=new
Set,scrollHandlers=new WeakMap,handlePointerDown=event=>{for(const touch of
event.changedTouches)pointers.add(touch.identifier)},handlePointerUp=event=>{for(const touch of
event.changedTouches)pointers.delete(touch.identifier)};document.addEventListener("touchstart",handlePo
interDown,!0),document.addEventListener("touchend",handlePointerUp,!0),document.addEventListener("touch
cancel",handlePointerUp,!0),decorate(EventTarget.prototype,"addEventListener",function(addEventListener
,type){if("scrollend"!==type)return;const handleScrollEnd=debounce(()=>{pointers.size?
handleScrollEnd():this.dispatchEvent(new
Event("scrollend"))},100);addEventListener.call(this,"scroll",handleScrollEnd,
{passive:!0}),scrollHandlers.set(this,handleScrollEnd)},decorate(EventTarget.prototype,"removeEventLis
tener",function(removeEventListener,type){if("scrollend"===type){const
scrollHandler=scrollHandlers.get(this);scrollHandler&&removeEventListener.call(this,"scroll",scrollHand
ler,{passive:!0})}})}))();var carousel_item_styles_default=i$7`
:host {
  --aspect-ratio: inherit;

  display: flex;
  align-items: center;
  justify-content: center;
  flex-direction: column;
  width: 100%;
  max-height: 100%;
  aspect-ratio: var(--aspect-ratio);
  scroll-snap-align: start;
  scroll-snap-stop: always;
}

::slotted(img) {
  width: 100% !important;
  height: 100% !important;
  object-fit: cover;
}
`,SlCarouselItem=class extends ShoelaceElement{connectedCallback(){super.connectedCallback()}render()
{return x$1` <slot></slot> `}};SlCarouselItem.styles=
[component_styles_default,carousel_item_styles_default],SlCarouselItem.define("sl-carousel-item");var
breadcrumb_item_styles_default=i$7`
:host {
  display: inline-flex;
}

.breadcrumb-item {
  display: inline-flex;
  align-items: center;
  font-family: var(--sl-font-sans);
  font-size: var(--sl-font-size-small);
  font-weight: var(--sl-font-weight-semibold);
  color: var(--sl-color-neutral-600);
  line-height: var(--sl-line-height-normal);
  white-space: nowrap;
}

.breadcrumb-item__label {
  display: inline-block;
  font-family: inherit;
  font-size: inherit;
  font-weight: inherit;
  line-height: inherit;
  text-decoration: none;
  color: inherit;
  background: none;
  border: none;
  border-radius: var(--sl-border-radius-medium);
  padding: 0;
  margin: 0;
  cursor: pointer;
  transition: var(--sl-transition-fast) --color;
}

:host(:not(:last-of-type)) .breadcrumb-item__label {
  color: var(--sl-color-primary-600);
}

:host(:not(:last-of-type)) .breadcrumb-item__label:hover {
  color: var(--sl-color-primary-500);
}

:host(:not(:last-of-type)) .breadcrumb-item__label:active {
  color: var(--sl-color-primary-600);
}

.breadcrumb-item__label:focus {
  outline: none;
}
```

```
.breadcrumb-item__label:focus-visible {
  outline: var(--sl-focus-ring);
  outline-offset: var(--sl-focus-ring-offset);
}

.breadcrumb-item__prefix,
.breadcrumb-item__suffix {
  display: none;
  flex: 0 0 auto;
  display: flex;
  align-items: center;
}

.breadcrumb-item--has-prefix .breadcrumb-item__prefix {
  display: inline-flex;
  margin-inline-end: var(--sl-spacing-x-small);
}

.breadcrumb-item--has-suffix .breadcrumb-item__suffix {
  display: inline-flex;
  margin-inline-start: var(--sl-spacing-x-small);
}

:host(:last-of-type) .breadcrumb-item__separator {
  display: none;
}

.breadcrumb-item__separator {
  display: inline-flex;
  align-items: center;
  margin: 0 var(--sl-spacing-x-small);
  user-select: none;
  -webkit-user-select: none;
}

` ,SlBreadcrumbItem=class extends ShoelaceElement{constructor()
{super(...arguments),this.hasSlotController=new
HasSlotController(this,"prefix","suffix"),this.renderType="button",this.rel="noreferrer
noopener"}setRenderType(){const
hasDropdown=0<this.defaultSlot.assignedElements({flatten:!0}).filter(i=>"sl-
dropdown"===i.tagName.toLowerCase()).length;return this.href?void(this.renderType="link"):hasDropdown?
void(this.renderType="dropdown"):void(this.renderType="button")}hrefChanged()
{this.setRenderType()}handleSlotChange(){this.setRenderType()}render(){return x$1`
  <div
    part="base"
    class=${e$2({"breadcrumb-item":!0,"breadcrumb-item--has-
prefix":this.hasSlotController.test("prefix"),"breadcrumb-item--has-
suffix":this.hasSlotController.test("suffix")})}
  >
    <span part="prefix" class="breadcrumb-item__prefix">
      <slot name="prefix"></slot>
    </span>

    ${"link"===this.renderType?x$1`
      <a
        part="label"
        class="breadcrumb-item__label breadcrumb-item__label--link"
        href=${this.href}
        target=${o$6(this.target?this.target:void 0)}
        rel=${o$6(this.target?this.rel:void 0)}
      >
        <slot @slotchange=${this.handleSlotChange}></slot>
      </a>
    `:""}
    ${"button"===this.renderType?x$1`
      <button part="label" type="button" class="breadcrumb-item__label breadcrumb-item__label--
button">
        <slot @slotchange=${this.handleSlotChange}></slot>
      </button>
    `:""}
    ${"dropdown"===this.renderType?x$1`
      <div part="label" class="breadcrumb-item__label breadcrumb-item__label--drop-down">
        <slot @slotchange=${this.handleSlotChange}></slot>
      </div>
    `:""}

    <span part="suffix" class="breadcrumb-item__suffix">
      <slot name="suffix"></slot>
    </span>

    <span part="separator" class="breadcrumb-item__separator" aria-hidden="true">
      <slot name="separator"></slot>
    </span>
  </div>
`}};SlBreadcrumbItem.styles=
[component_styles_default,breadcrumb_item_styles_default],__decorateClass([e$6("slot:not([name])")],SlB
readcrumbItem.prototype,"defaultSlot",2),__decorateClass([r$6()],SlBreadcrumbItem.prototype,"renderType
```

```

    },2),__decorateClass([n$5()],SlBreadcrumbItem.prototype,"href",2),__decorateClass([n$5()],SlBreadcrumbI
tem.prototype,"target",2),__decorateClass([n$5()],SlBreadcrumbItem.prototype,"rel",2),__decorateClass([
watch("href",
{waitUntilFirstUpdate:!0})],SlBreadcrumbItem.prototype,"hrefChanged",1),SlBreadcrumbItem.define("sl-
breadcrumb-item"),SlButtonGroup.define("sl-button-group");var avatar_styles_default=i$7`
:host {
  display: inline-block;

  --size: 3rem;
}

.avatar {
  display: inline-flex;
  align-items: center;
  justify-content: center;
  position: relative;
  width: var(--size);
  height: var(--size);
  background-color: var(--sl-color-neutral-400);
  font-family: var(--sl-font-sans);
  font-size: calc(var(--size) * 0.5);
  font-weight: var(--sl-font-weight-normal);
  color: var(--sl-color-neutral-0);
  user-select: none;
  -webkit-user-select: none;
  vertical-align: middle;
}

.avatar--circle,
.avatar--circle .avatar__image {
  border-radius: var(--sl-border-radius-circle);
}

.avatar--rounded,
.avatar--rounded .avatar__image {
  border-radius: var(--sl-border-radius-medium);
}

.avatar--square {
  border-radius: 0;
}

.avatar__icon {
  display: flex;
  align-items: center;
  justify-content: center;
  position: absolute;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
}

.avatar__initials {
  line-height: 1;
  text-transform: uppercase;
}

.avatar__image {
  position: absolute;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
  object-fit: cover;
  overflow: hidden;
}
`,SlAvatar=class extends ShoelaceElement{constructor()
{super(...arguments),this.hasError=!1,this.image="",this.label="",this.initials="",this.loading="eager"
,this.shape="circle"}handleImageChange(){this.hasError=!1}handleImageLoadError()
{this.hasError=!0,this.emit("sl-error")}render(){const avatarWithImage=x$1`
  
  `;let avatarWithoutImage=x$1``;return avatarWithoutImage=this.initials?x$1`<div part="initials"
class="avatar__initials">${this.initials}</div>`:x$1`
  <div part="icon" class="avatar__icon" aria-hidden="true">
    <slot name="icon">
      <sl-icon name="person-fill" library="system"></sl-icon>
    </slot>
  </div>

```



```

    ` ,x$1`
    <div
      part="base"
      class=${e$2({avatar:!0,"avatar--circle":"circle"===this.shape,"avatar--
rounded":"rounded"===this.shape,"avatar--square":"square"===this.shape})}
      role="img"
      aria-label=${this.label}
    >
      ${this.image&&!this.hasError?avatarWithImage:avatarWithoutImage}
    </div>
  `}};SlAvatar.styles=[component_styles_default,avatar_styles_default],SlAvatar.dependencies={"sl-
icon":SlIcon},__decorateClass([r$6()],SlAvatar.prototype,"hasError",2),__decorateClass([n$5()],SlAvatar
.prototype,"image",2),__decorateClass([n$5()],SlAvatar.prototype,"label",2),__decorateClass([n$5()],SlA
vatar.prototype,"initials",2),__decorateClass([n$5()],SlAvatar.prototype,"loading",2),__decorateClass([
n$5({reflect:!0})],SlAvatar.prototype,"shape",2),__decorateClass([watch("image")],SlAvatar.prototype,"h
andleImageChange",1),SlAvatar.define("sl-avatar");var breadcrumb_styles_default=i$7`
.breadcrumb {
  display: flex;
  align-items: center;
  flex-wrap: wrap;
}
`,SlBreadcrumb=class extends ShoelaceElement{constructor(){super(...arguments),this.localize=new
LocalizeController(this),this.separatorDir=this.localize.dir(),this.label=""}}getSeparator(){const
separator=this.separatorSlot.assignedElements({flatten:!0})
[0],clone=separator.cloneNode(!0);return[clone,...clone.querySelectorAll("
[id]").forEach(el=>el.removeAttribute("id")),clone.setAttribute("data-
default",""),clone.slot="separator",clone}handleSlotChange(){const items=
[...this.defaultSlot.assignedElements({flatten:!0})].filter(item=>"sl-breadcrumb-
item"===item.tagName.toLowerCase());items.forEach((item,index)=>{const separator=item.querySelector("
[slot=\\"separator\\"]");if(null===separator)item.append(this.getSeparator());else
if(separator.hasAttribute("data-
default"))separator.replaceWith(this.getSeparator());else;index===items.length-1?
item.setAttribute("aria-current","page"):item.removeAttribute("aria-current")}})render(){return
this.separatorDir!==this.localize.dir()&&
(this.separatorDir=this.localize.dir(),this.updateComplete.then(()=>this.handleSlotChange()))},x$1`
  <nav part="base" class="breadcrumb" aria-label=${this.label}>
    <slot @slotchange=${this.handleSlotChange}></slot>
  </nav>

  <span hidden aria-hidden="true">
    <slot name="separator">
      <sl-icon name=${{"rtl"===this.localize.dir()? "chevron-left": "chevron-right"}} library="system">
</sl-icon>
    </slot>
  </span>
  `}};SlBreadcrumb.styles=
[component_styles_default,breadcrumb_styles_default],SlBreadcrumb.dependencies={"sl-
icon":SlIcon},__decorateClass([e$6("slot")],SlBreadcrumb.prototype,"defaultSlot",2),__decorateClass([e$
6("slot[name=\\"separator\\"]")],SlBreadcrumb.prototype,"separatorSlot",2),__decorateClass([n$5()],SlBrea
dcrumb.prototype,"label",2),SlBreadcrumb.define("sl-breadcrumb");var animated_image_styles_default=i$7`
:host {
  --control-box-size: 3rem;
  --icon-size: calc(var(--control-box-size) * 0.625);

  display: inline-flex;
  position: relative;
  cursor: pointer;
}

img {
  display: block;
  width: 100%;
  height: 100%;
}

img[aria-hidden='true'] {
  display: none;
}

.animated-image__control-box {
  display: flex;
  position: absolute;
  align-items: center;
  justify-content: center;
  top: calc(50% - var(--control-box-size) / 2);
  right: calc(50% - var(--control-box-size) / 2);
  width: var(--control-box-size);
  height: var(--control-box-size);
  font-size: var(--icon-size);
  background: none;
  border: solid 2px currentColor;
  background-color: rgb(0 0 0 /50%);
  border-radius: var(--sl-border-radius-circle);
  color: white;
  pointer-events: none;
  transition: var(--sl-transition-fast) opacity;

```

```

    }

:host([play]:hover) .animated-image__control-box {
  opacity: 1;
}

:host([play]:not(:hover)) .animated-image__control-box {
  opacity: 0;
}

:host([play]) slot[name='play-icon'],
:host(:not([play])) slot[name='pause-icon'] {
  display: none;
}
`},SlAnimatedImage=class extends ShoelaceElement{constructor(){super(...arguments),this.isLoaded=!1}handleClick(){this.play=!this.play}handleLoad(){const canvas=document.createElement("canvas"),{width,height}=this.animatedImage;canvas.width=width,canvas.height=height,canvas.getContext("2d").drawImage(this.animatedImage,0,0,width,height),this.frozenFrame=canvas.toDataURL("image/gif"),this.isLoaded||(this.emit("sl-load"),this.isLoaded=!0)}handleError(){this.emit("sl-error")}handlePlayChange(){this.play&&(this.animatedImage.src="",this.animatedImage.src=this.src)}handleSrcChange(){this.isLoaded=!1}render(){return x$1`
  <div class="animated-image">
    <img
      class="animated-image__animated"
      src=${this.src}
      alt=${this.alt}
      crossorigin="anonymous"
      aria-hidden=${this.play?"false":"true"}
      @click=${this.handleClick}
      @load=${this.handleLoad}
      @error=${this.handleError}
    />

    ${this.isLoaded?x$1`
      <img
        class="animated-image__frozen"
        src=${this.frozenFrame}
        alt=${this.alt}
        aria-hidden=${this.play?"true":"false"}
        @click=${this.handleClick}
      />

      <div part="control-box" class="animated-image__control-box">
        <slot name="play-icon"><sl-icon name="play-fill" library="system"></sl-icon></slot>
        <slot name="pause-icon"><sl-icon name="pause-fill" library="system"></sl-icon></slot>
      </div>
    `:""}
  </div>
`}};SlAnimatedImage.styles=
[component_styles_default,animated_image_styles_default],SlAnimatedImage.dependencies={"sl-icon":SlIcon},__decorateClass([e$6(".animated-image__animated")],SlAnimatedImage.prototype,"animatedImage",2),__decorateClass([r$6()],SlAnimatedImage.prototype,"frozenFrame",2),__decorateClass([r$6()],SlAnimatedImage.prototype,"isLoaded",2),__decorateClass([n$5()],SlAnimatedImage.prototype,"src",2),__decorateClass([n$5()],SlAnimatedImage.prototype,"alt",2),__decorateClass([n$5({type:Boolean,reflect:!0})],SlAnimatedImage.prototype,"play",2),__decorateClass([watch("play",{waitUntilFirstUpdate:!0})],SlAnimatedImage.prototype,"handlePlayChange",1),__decorateClass([watch("src")],SlAnimatedImage.prototype,"handleSrcChange",1),SlAnimatedImage.define("sl-animated-image");var alert_styles_default=i$7`
:host {
  display: contents;

  /* For better DX, we'll reset the margin here so the base part can inherit it */
  margin: 0;
}

.alert {
  position: relative;
  display: flex;
  align-items: stretch;
  background-color: var(--sl-panel-background-color);
  border: solid var(--sl-panel-border-width) var(--sl-panel-border-color);
  border-top-width: calc(var(--sl-panel-border-width) * 3);
  border-radius: var(--sl-border-radius-medium);
  font-family: var(--sl-font-sans);
  font-size: var(--sl-font-size-small);
  font-weight: var(--sl-font-weight-normal);
  line-height: 1.6;
  color: var(--sl-color-neutral-700);
  margin: inherit;
  overflow: hidden;
}

.alert:not(.alert--has-icon).alert__icon,
.alert:not(.alert--closable).alert__close-button {

```

```
    display: none;
  }

.alert__icon {
  flex: 0 0 auto;
  display: flex;
  align-items: center;
  font-size: var(--sl-font-size-large);
  padding-inline-start: var(--sl-spacing-large);
}

.alert--has-countdown {
  border-bottom: none;
}

.alert--primary {
  border-top-color: var(--sl-color-primary-600);
}

.alert--primary .alert__icon {
  color: var(--sl-color-primary-600);
}

.alert--success {
  border-top-color: var(--sl-color-success-600);
}

.alert--success .alert__icon {
  color: var(--sl-color-success-600);
}

.alert--neutral {
  border-top-color: var(--sl-color-neutral-600);
}

.alert--neutral .alert__icon {
  color: var(--sl-color-neutral-600);
}

.alert--warning {
  border-top-color: var(--sl-color-warning-600);
}

.alert--warning .alert__icon {
  color: var(--sl-color-warning-600);
}

.alert--danger {
  border-top-color: var(--sl-color-danger-600);
}

.alert--danger .alert__icon {
  color: var(--sl-color-danger-600);
}

.alert__message {
  flex: 1 1 auto;
  display: block;
  padding: var(--sl-spacing-large);
  overflow: hidden;
}

.alert__close-button {
  flex: 0 0 auto;
  display: flex;
  align-items: center;
  font-size: var(--sl-font-size-medium);
  margin-inline-end: var(--sl-spacing-medium);
  align-self: center;
}

.alert__countdown {
  position: absolute;
  bottom: 0;
  left: 0;
  width: 100%;
  height: calc(var(--sl-panel-border-width) * 3);
  background-color: var(--sl-panel-border-color);
  display: flex;
}

.alert__countdown--ltr {
  justify-content: flex-end;
}

.alert__countdown .alert__countdown-elapsed {
```

```
height: 100%;
width: 0;
}

.alert--primary .alert__countdown-elapsed {
  background-color: var(--sl-color-primary-600);
}

.alert--success .alert__countdown-elapsed {
  background-color: var(--sl-color-success-600);
}

.alert--neutral .alert__countdown-elapsed {
  background-color: var(--sl-color-neutral-600);
}

.alert--warning .alert__countdown-elapsed {
  background-color: var(--sl-color-warning-600);
}

.alert--danger .alert__countdown-elapsed {
  background-color: var(--sl-color-danger-600);
}

.alert__timer {
  display: none;
}

`,_SlAlert=class _SlAlert extends ShoelaceElement{constructor()
{super(...arguments),this.hasSlotController=new
HasSlotController(this,"icon","suffix"),this.localize=new
LocalizeController(this),this.open=!1,this.closable=!1,this.variant="primary",this.duration=1/0,this.re
mainingTime=this.duration}static get toastStack(){return this.currentToastStack||
(this.currentToastStack=Object.assign(document.createElement("div",{className:"sl-toast-
stack"})),this.currentToastStack}firstUpdated(){this.base.hidden=!this.open}restartAutoHide()
{this.handleCountdownChange(),clearTimeout(this.autoHideTimeout),clearInterval(this.remainingTimeInterv
al),this.open&&this.duration<1/0&&
(this.autoHideTimeout=window.setTimeout(=>this.hide(),this.duration),this.remainingTime=this.duration
,this.remainingTimeInterval=window.setInterval(=>{this.remainingTime-=100},100))}pauseAutoHide(){var
_a;null==(a=this.countdownAnimation)?void
0:a.pause(),clearTimeout(this.autoHideTimeout),clearInterval(this.remainingTimeInterval)}resumeAutoHid
e(){var _a;this.duration<1/0&&
(this.autoHideTimeout=window.setTimeout(=>this.hide(),this.remainingTime),this.remainingTimeInterv
al=window.setInterval(=>{this.remainingTime-=100},100),null==(a=this.countdownAnimation)?void
0:a.play())}handleCountdownChange(){if(this.open&&this.duration<1/0&&this.countdown)
{const{countdownElement}=this,start="100%",end="0";this.countdownAnimation=countdownElement.animate([w
idth:start},{width:end}],{duration:this.duration,easing:"linear"})}}handleCloseClick()
{this.hide()}async handleOpenChange(){if(this.open){this.emit("sl-
show"),this.duration<1/0&&this.restartAutoHide(),await
stopAnimations(this.base),this.base.hidden=!1;const{keyframes,options}=getAnimation(this,"alert.show",
{dir:this.localize.dir()});await animateTo(this.base,keyframes,options),this.emit("sl-after-
show")}else{blurActiveElement(this),this.emit("sl-
hide"),clearTimeout(this.autoHideTimeout),clearInterval(this.remainingTimeInterval),await
stopAnimations(this.base);const{keyframes,options}=getAnimation(this,"alert.hide",
{dir:this.localize.dir()});await
animateTo(this.base,keyframes,options),this.base.hidden=!0,this.emit("sl-after-
hide")}}handleDurationChange(){this.restartAutoHide()}async show(){if(!this.open)return
this.open=!0,waitForEvent(this,"sl-after-show")}async hide(){if(this.open)return
this.open=!1,waitForEvent(this,"sl-after-hide")}async toast(){return new Promise(resolve=>
{this.handleCountdownChange(),null===_SlAlert.toastStack.parentElement&&document.body.append(_SlAlert.t
oastStack),_SlAlert.toastStack.appendChild(this),requestAnimationFrame(=>
{this.clientWidth,this.show()}),this.addEventListener("sl-after-hide",()=>
{_SlAlert.toastStack.removeChild(this),resolve(),null===_SlAlert.toastStack.querySelector("sl-
alert")&&_SlAlert.toastStack.remove()}},{once:!0})}})render(){return x$1`
  <div
    part="base"
    class=${e$2({alert:!0,"alert--open":this.open,"alert--closable":this.closable,"alert--has-
countdown":!!this.countdown,"alert--has-icon":this.hasSlotController.test("icon"),"alert--
primary":"primary"===this.variant,"alert--success":"success"===this.variant,"alert--
neutral":"neutral"===this.variant,"alert--warning":"warning"===this.variant,"alert--
danger":"danger"===this.variant})}
    role="alert"
    aria-hidden=${this.open?"false":"true"}
    @mouseenter=${this.pauseAutoHide}
    @mouseleave=${this.resumeAutoHide}
  >
    <div part="icon" class="alert__icon">
      <slot name="icon"></slot>
    </div>

    <div part="message" class="alert__message" aria-live="polite">
      <slot></slot>
    </div>

    ${this.closable?x$1`
      <sl-icon-button
        part="close-button"
```

```
exportparts="base:close-button__base"
class="alert__close-button"
name="x-lg"
library="system"
label=${this.localize.term("close")}
@click=${this.handleCloseClick}
</sl-icon-button>
`:""}

<div role="timer" class="alert__timer">${this.remainingTime}</div>

${this.countdown?x$1`
  <div
    class=${e$2({alert__countdown:!0,"alert__countdown--ltr":"ltr"===this.countdown})}
  >
    <div class="alert__countdown-elapsed"></div>
  </div>
  `:""}
</div>
`}}; _$1Alert.styles=[component_styles_default,alert_styles_default],_$1Alert.dependencies={"sl-
icon-button":SlIconButton},__decorateClass([e$6("
[part~=\"base\"]")],_$1Alert.prototype,"base",2),__decorateClass([e$6(".alert__countdown-
elapsed")],_$1Alert.prototype,"countdownElement",2),__decorateClass([n$5({type:Boolean,reflect:!0})],_S
lAlert.prototype,"open",2),__decorateClass([n$5({type:Boolean,reflect:!0})],_$1Alert.prototype,"closabl
e",2),__decorateClass([n$5({reflect:!0})],_$1Alert.prototype,"variant",2),__decorateClass([n$5({type:Nu
mber})],_$1Alert.prototype,"duration",2),__decorateClass([n$5({type:String,reflect:!0})],_$1Alert.proto
type,"countdown",2),__decorateClass([r$6()],_$1Alert.prototype,"remainingTime",2),__decorateClass([watc
h("open",
{waitUntilFirstUpdate:!0})],_$1Alert.prototype,"handleOpenChange",1),__decorateClass([watch("duration"
)],_$1Alert.prototype,"handleDurationChange",1);var _$1Alert=_$1Alert;setDefaultAnimation("alert.show",
{keyframes:[{opacity:0,scale:.8},{opacity:1,scale:1}],options:
{duration:250,easing:"ease"}}),setDefaultAnimation("alert.hide",{keyframes:[{opacity:1,scale:1},
{opacity:0,scale:.8}],options:{duration:250,easing:"ease"}}),_$1Alert.define("sl-alert");const bounce=
[{offset:0,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)",transform:"translate3d(0, 0, 0)"}],
{offset:.2,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)",transform:"translate3d(0, 0, 0)"}],
{offset:.4,easing:"cubic-bezier(0.755, 0.05, 0.855, 0.06)",transform:"translate3d(0, -30px, 0)
scaleY(1.1)"}],{offset:.43,easing:"cubic-bezier(0.755, 0.05, 0.855, 0.06)",transform:"translate3d(0,
-30px, 0) scaleY(1.1)"}],{offset:.53,easing:"cubic-bezier(0.215, 0.61, 0.355,
1)",transform:"translate3d(0, 0, 0)"}],{offset:.7,easing:"cubic-bezier(0.755, 0.05, 0.855,
0.06)",transform:"translate3d(0, -15px, 0) scaleY(1.05)"}],{offset:.8,"transition-timing-
function":"cubic-bezier(0.215, 0.61, 0.355, 1)",transform:"translate3d(0, 0, 0) scaleY(0.95)"}],
{offset:.9,transform:"translate3d(0, -4px, 0) scaleY(1.02)"}],{offset:1,easing:"cubic-bezier(0.215,
0.61, 0.355, 1)",transform:"translate3d(0, 0, 0)"}],flash=[{offset:0,opacity:"1"},
{offset:.25,opacity:"0"}],{offset:.5,opacity:"1"},{offset:.75,opacity:"0"},
{offset:1,opacity:"1"}],headShake=[{offset:0,transform:"translateX(0)"}],
{offset:.065,transform:"translateX(-6px) rotateY(-9deg)"}],{offset:.185,transform:"translateX(5px)
rotateY(7deg)"}],{offset:.315,transform:"translateX(-3px) rotateY(-5deg)"}],
{offset:.435,transform:"translateX(2px) rotateY(3deg)"}],
{offset:.5,transform:"translateX(0)"}],heartBeat=[{offset:0,transform:"scale(1)"}],
{offset:.14,transform:"scale(1.3)"}],{offset:.28,transform:"scale(1)"}],
{offset:.42,transform:"scale(1.3)"}],{offset:.7,transform:"scale(1)"}],jello=
[{offset:0,transform:"translate3d(0, 0, 0)"}],{offset:.111,transform:"translate3d(0, 0, 0)"}],
{offset:.222,transform:"skewX(-12.5deg) skewY(-12.5deg)"}],
{offset:.33299999999999996,transform:"skewX(6.25deg) skewY(6.25deg)"}],
{offset:.444,transform:"skewX(-3.125deg) skewY(-3.125deg)"}],{offset:.555,transform:"skewX(1.5625deg)
skewY(1.5625deg)"}],{offset:.6659999999999999,transform:"skewX(-0.78125deg) skewY(-0.78125deg)"}],
{offset:.777,transform:"skewX(0.390625deg) skewY(0.390625deg)"}],
{offset:.888,transform:"skewX(-0.1953125deg) skewY(-0.1953125deg)"}],{offset:1,transform:"translate3d(0,
0, 0)"}],pulse=[{offset:0,transform:"scale3d(1, 1, 1)"}],{offset:.5,transform:"scale3d(1.05, 1.05,
1.05)"}],{offset:1,transform:"scale3d(1, 1, 1)"}],rubberBand=[{offset:0,transform:"scale3d(1, 1, 1)"}],
{offset:.3,transform:"scale3d(1.25, 0.75, 1)"}],{offset:.4,transform:"scale3d(0.75, 1.25, 1)"}],
{offset:.5,transform:"scale3d(1.15, 0.85, 1)"}],{offset:.65,transform:"scale3d(0.95, 1.05, 1)"}],
{offset:.75,transform:"scale3d(1.05, 0.95, 1)"}],{offset:1,transform:"scale3d(1, 1, 1)"}],shake=
[{offset:0,transform:"translate3d(0, 0, 0)"}],{offset:.1,transform:"translate3d(-10px, 0, 0)"}],
{offset:.2,transform:"translate3d(10px, 0, 0)"}],{offset:.3,transform:"translate3d(-10px, 0, 0)"}],
{offset:.4,transform:"translate3d(10px, 0, 0)"}],{offset:.5,transform:"translate3d(-10px, 0, 0)"}],
{offset:.6,transform:"translate3d(10px, 0, 0)"}],{offset:.7,transform:"translate3d(-10px, 0, 0)"}],
{offset:.8,transform:"translate3d(10px, 0, 0)"}],{offset:.9,transform:"translate3d(-10px, 0, 0)"}],
{offset:1,transform:"translate3d(0, 0, 0)"}],shakeX=[{offset:0,transform:"translate3d(0, 0, 0)"}],
{offset:.1,transform:"translate3d(-10px, 0, 0)"}],{offset:.2,transform:"translate3d(10px, 0, 0)"}],
{offset:.3,transform:"translate3d(-10px, 0, 0)"}],{offset:.4,transform:"translate3d(10px, 0, 0)"}],
{offset:.5,transform:"translate3d(-10px, 0, 0)"}],{offset:.6,transform:"translate3d(10px, 0, 0)"}],
{offset:.7,transform:"translate3d(-10px, 0, 0)"}],{offset:.8,transform:"translate3d(10px, 0, 0)"}],
{offset:.9,transform:"translate3d(-10px, 0, 0)"}],{offset:1,transform:"translate3d(0, 0, 0)"}],shakeY=
[{offset:0,transform:"translate3d(0, 0, 0)"}],{offset:.1,transform:"translate3d(0, -10px, 0)"}],
{offset:.2,transform:"translate3d(0, 10px, 0)"}],{offset:.3,transform:"translate3d(0, -10px, 0)"}],
{offset:.4,transform:"translate3d(0, 10px, 0)"}],{offset:.5,transform:"translate3d(0, -10px, 0)"}],
{offset:.6,transform:"translate3d(0, 10px, 0)"}],{offset:.7,transform:"translate3d(0, -10px, 0)"}],
{offset:.8,transform:"translate3d(0, 10px, 0)"}],{offset:.9,transform:"translate3d(0, -10px, 0)"}],
{offset:1,transform:"translate3d(0, 0, 0)"}],swing=[{offset:.2,transform:"rotate3d(0, 0, 1, 15deg)"}],
{offset:.4,transform:"rotate3d(0, 0, 1, -10deg)"}],{offset:.6,transform:"rotate3d(0, 0, 1, 5deg)"}],
{offset:.8,transform:"rotate3d(0, 0, 1, -5deg)"}],{offset:1,transform:"rotate3d(0, 0, 1, 0deg)"}],tada=
[{offset:0,transform:"scale3d(1, 1, 1)"}],{offset:.1,transform:"scale3d(0.9, 0.9, 0.9) rotate3d(0, 0, 1,
-3deg)"}],{offset:.2,transform:"scale3d(0.9, 0.9, 0.9) rotate3d(0, 0, 1, -3deg)"}],
{offset:.3,transform:"scale3d(1.1, 1.1, 1.1) rotate3d(0, 0, 1, 3deg)"}],
{offset:.4,transform:"scale3d(1.1, 1.1, 1.1) rotate3d(0, 0, 1, -3deg)"}],
```

```
{offset:.5,transform:"scale3d(1.1, 1.1, 1.1) rotate3d(0, 0, 1, 3deg)"},
{offset:.6,transform:"scale3d(1.1, 1.1, 1.1) rotate3d(0, 0, 1, -3deg)"},
{offset:.7,transform:"scale3d(1.1, 1.1, 1.1) rotate3d(0, 0, 1, 3deg)"},
{offset:.8,transform:"scale3d(1.1, 1.1, 1.1) rotate3d(0, 0, 1, -3deg)"},
{offset:.9,transform:"scale3d(1.1, 1.1, 1.1) rotate3d(0, 0, 1, 3deg)"},{offset:1,transform:"scale3d(1, 1, 1)"},wobble=[{offset:0,transform:"translate3d(0, 0, 0)"},{offset:.15,transform:"translate3d(-25%, 0, 0) rotate3d(0, 0, 1, -5deg)"},{offset:.3,transform:"translate3d(20%, 0, 0) rotate3d(0, 0, 1, 3deg)"},{offset:.45,transform:"translate3d(-15%, 0, 0) rotate3d(0, 0, 1, -3deg)"},
{offset:.6,transform:"translate3d(10%, 0, 0) rotate3d(0, 0, 1, 2deg)"},
{offset:.75,transform:"translate3d(-5%, 0, 0) rotate3d(0, 0, 1, -1deg)"},
{offset:1,transform:"translate3d(0, 0, 0)"},backInDown=[{offset:0,transform:"translateY(-1200px) scale(0.7)",opacity:"0.7"}},{offset:.8,transform:"translateY(0px) scale(0.7)",opacity:"0.7"}},
{offset:1,transform:"scale(1)",opacity:"1"}],backInLeft=[{offset:0,transform:"translateX(-2000px) scale(0.7)",opacity:"0.7"}},{offset:.8,transform:"translateX(0px) scale(0.7)",opacity:"0.7"}},
{offset:1,transform:"scale(1)",opacity:"1"}],backInRight=[{offset:0,transform:"translateX(2000px) scale(0.7)",opacity:"0.7"}},{offset:.8,transform:"translateX(0px) scale(0.7)",opacity:"0.7"}},
{offset:1,transform:"scale(1)",opacity:"1"}],backInUp=[{offset:0,transform:"translateY(1200px) scale(0.7)",opacity:"0.7"}},{offset:.8,transform:"translateY(0px) scale(0.7)",opacity:"0.7"}},
{offset:1,transform:"scale(1)",opacity:"1"}],backOutDown=[{offset:0,transform:"scale(1)",opacity:"1"}},{offset:.2,transform:"translateY(0px) scale(0.7)",opacity:"0.7"}},{offset:1,transform:"translateY(700px) scale(0.7)",opacity:"0.7"}],backOutLeft=[{offset:0,transform:"scale(1)",opacity:"1"}},
{offset:.2,transform:"translateX(0px) scale(0.7)",opacity:"0.7"}},
{offset:1,transform:"translateX(-2000px) scale(0.7)",opacity:"0.7"}],backOutRight=[{offset:0,transform:"scale(1)",opacity:"1"}},{offset:.2,transform:"translateX(0px) scale(0.7)",opacity:"0.7"}},{offset:1,transform:"translateX(2000px) scale(0.7)",opacity:"0.7"}],backOutUp=[{offset:0,transform:"scale(1)",opacity:"1"}},
{offset:.2,transform:"translateY(0px) scale(0.7)",opacity:"0.7"}},
{offset:1,transform:"translateY(-700px) scale(0.7)",opacity:"0.7"}],bounceIn=[{offset:0,opacity:"0",transform:"scale3d(0.3, 0.3, 0.3)"},{offset:0,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)"},{offset:.2,transform:"scale3d(1.1, 1.1, 1.1)"},{offset:.2,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)"},{offset:.4,transform:"scale3d(0.9, 0.9, 0.9)"},{offset:.4,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)"},{offset:.6,opacity:"1",transform:"scale3d(1.03, 1.03, 1.03)"},{offset:.6,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)"},{offset:.8,transform:"scale3d(0.97, 0.97, 0.97)"},
{offset:.8,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)"},{offset:1,opacity:"1",transform:"scale3d(1, 1, 1)"},{offset:1,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)"},bounceInDown=[{offset:0,opacity:"0",transform:"translate3d(0, -3000px, 0) scaleY(3)"},{offset:0,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)"},{offset:.6,opacity:"1",transform:"translate3d(0, 25px, 0) scaleY(0.9)"},{offset:.6,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)"},
{offset:.75,transform:"translate3d(0, -10px, 0) scaleY(0.95)"},{offset:.75,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)"},
{offset:.9,transform:"translate3d(0, 5px, 0) scaleY(0.985)"},
{offset:.9,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)"},
{offset:1,transform:"translate3d(0, 0, 0)"},
{offset:1,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)"},bounceInLeft=[{offset:0,opacity:"0",transform:"translate3d(-3000px, 0, 0) scaleX(3)"},{offset:0,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)"},{offset:.6,opacity:"1",transform:"translate3d(25px, 0, 0) scaleX(1)"},
{offset:.6,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)"},
{offset:.75,transform:"translate3d(-10px, 0, 0) scaleX(0.98)"},
{offset:.75,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)"},
{offset:.9,transform:"translate3d(5px, 0, 0) scaleX(0.995)"},
{offset:.9,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)"},
{offset:1,transform:"translate3d(0, 0, 0)"},
{offset:1,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)"},bounceInRight=[{offset:0,opacity:"0",transform:"translate3d(3000px, 0, 0) scaleX(3)"},
{offset:0,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)"},
{offset:.6,opacity:"1",transform:"translate3d(-25px, 0, 0) scaleX(1)"},
{offset:.6,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)"},
{offset:.75,transform:"translate3d(10px, 0, 0) scaleX(0.98)"},
{offset:.75,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)"},
{offset:.9,transform:"translate3d(-5px, 0, 0) scaleX(0.995)"},
{offset:.9,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)"},
{offset:1,transform:"translate3d(0, 0, 0)"},
{offset:1,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)"},bounceInUp=[{offset:0,opacity:"0",transform:"translate3d(0, 3000px, 0) scaleY(5)"},
{offset:0,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)"},
{offset:.6,opacity:"1",transform:"translate3d(0, -20px, 0) scaleY(0.9)"},
{offset:.6,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)"},
{offset:.75,transform:"translate3d(0, 10px, 0) scaleY(0.95)"},
{offset:.75,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)"},
{offset:.9,transform:"translate3d(0, -5px, 0) scaleY(0.985)"},
{offset:.9,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)"},
{offset:1,transform:"translate3d(0, 0, 0)"},
{offset:1,easing:"cubic-bezier(0.215, 0.61, 0.355, 1)"},bounceOut=[{offset:.2,transform:"scale3d(0.9, 0.9, 0.9)"},
{offset:.5,opacity:"1",transform:"scale3d(1.1, 1.1, 1.1)"},
{offset:.55,opacity:"1",transform:"scale3d(1.1, 1.1, 1.1)"},
{offset:1,opacity:"0",transform:"scale3d(0.3, 0.3, 0.3)"},bounceOutDown=[{offset:.2,transform:"translate3d(0, 10px, 0) scaleY(0.985)"},
{offset:.4,opacity:"1",transform:"translate3d(0, -20px, 0) scaleY(0.9)"},
{offset:.45,opacity:"1",transform:"translate3d(0, -20px, 0) scaleY(0.9)"},
{offset:1,opacity:"0",transform:"translate3d(0, 2000px, 0) scaleY(3)"},bounceOutLeft=[{offset:.2,opacity:"1",transform:"translate3d(20px, 0, 0) scaleX(0.9)"},
{offset:1,opacity:"0",transform:"translate3d(-2000px, 0, 0) scaleX(2)"},bounceOutRight=[{offset:.2,opacity:"1",transform:"translate3d(-20px, 0, 0) scaleX(0.9)"},
{offset:1,opacity:"0",transform:"translate3d(2000px, 0, 0) scaleX(2)"},bounceOutUp=[{offset:.2,transform:"translate3d(0, -10px, 0) scaleY(0.985)"},
{offset:.4,opacity:"1",transform:"translate3d(0, 20px, 0) scaleY(0.9)"},
{offset:.45,opacity:"1",transform:"translate3d(0, 20px, 0) scaleY(0.9)"},
{offset:1,opacity:"0",transform:"translate3d(0, -2000px, 0) scaleY(3)"},fadeIn=[{offset:0,opacity:"0"}},{offset:1,opacity:"1"}],fadeInBottomLeft=[{offset:0,opacity:"0",transform:"translate3d(-100%, 100%, 0)"},
{offset:1,opacity:"1",transform:"translate3d(0, 0, 0)"},fadeInBottomRight=[{offset:0,opacity:"0",transform:"translate3d(100%, 100%, 0)"},
{offset:1,opacity:"1",transform:"translate3d(0, 0, 0)"},fadeInDown=[{offset:0,opacity:"0",transform:"translate3d(0, -100%, 0)"},
{offset:1,opacity:"1",transform:"translate3d(0, 0, 0)"},fadeInDownBig=[{offset:0,opacity:"0",transform:"translate3d(0, -2000px, 0)"},
```

```
{offset:1,opacity:"1",transform:"translate3d(0, 0, 0)"}],fadeInLeft=[{offset:0,opacity:"0",transform:"translate3d(-100%, 0, 0)"}],{offset:1,opacity:"1",transform:"translate3d(0, 0, 0)"}],fadeInLeftBig=[{offset:0,opacity:"0",transform:"translate3d(-200px, 0, 0)"}],{offset:1,opacity:"1",transform:"translate3d(0, 0, 0)"}],fadeInRight=[{offset:0,opacity:"0",transform:"translate3d(100%, 0, 0)"}],{offset:1,opacity:"1",transform:"translate3d(0, 0, 0)"}],fadeInRightBig=[{offset:0,opacity:"0",transform:"translate3d(200px, 0, 0)"}],{offset:1,opacity:"1",transform:"translate3d(0, 0, 0)"}],fadeInTopLeft=[{offset:0,opacity:"0",transform:"translate3d(-100%, -100%, 0)"}],{offset:1,opacity:"1",transform:"translate3d(0, 0, 0)"}],fadeInTopRight=[{offset:0,opacity:"0",transform:"translate3d(100%, -100%, 0)"}],{offset:1,opacity:"1",transform:"translate3d(0, 0, 0)"}],fadeInUp=[{offset:0,opacity:"0",transform:"translate3d(0, 100%, 0)"}],{offset:1,opacity:"1",transform:"translate3d(0, 0, 0)"}],fadeInUpBig=[{offset:0,opacity:"0",transform:"translate3d(0, 200px, 0)"}],{offset:1,opacity:"1",transform:"translate3d(0, 0, 0)"}],fadeOut=[{offset:0,opacity:"1"},{offset:1,opacity:"0"}],fadeOutBottomLeft=[{offset:0,opacity:"1",transform:"translate3d(0, 0, 0)"}],{offset:1,opacity:"0",transform:"translate3d(-100%, 100%, 0)"}],fadeOutBottomRight=[{offset:0,opacity:"1",transform:"translate3d(0, 0, 0)"}],{offset:1,opacity:"0",transform:"translate3d(100%, 100%, 0)"}],fadeOutDown=[{offset:0,opacity:"1"},{offset:1,opacity:"0",transform:"translate3d(0, 100%, 0)"}],fadeOutDownBig=[{offset:0,opacity:"1"},{offset:1,opacity:"0",transform:"translate3d(0, 200px, 0)"}],fadeOutLeft=[{offset:0,opacity:"1"},{offset:1,opacity:"0",transform:"translate3d(-100%, 0, 0)"}],fadeOutLeftBig=[{offset:0,opacity:"1"},{offset:1,opacity:"0",transform:"translate3d(-200px, 0, 0)"}],fadeOutRight=[{offset:0,opacity:"1"},{offset:1,opacity:"0",transform:"translate3d(100%, 0, 0)"}],fadeOutRightBig=[{offset:0,opacity:"1"},{offset:1,opacity:"0",transform:"translate3d(200px, 0, 0)"}],fadeOutTopLeft=[{offset:0,opacity:"1",transform:"translate3d(0, 0, 0)"}],{offset:1,opacity:"0",transform:"translate3d(-100%, -100%, 0)"}],fadeOutTopRight=[{offset:0,opacity:"1",transform:"translate3d(0, 0, 0)"}],{offset:1,opacity:"0",transform:"translate3d(100%, -100%, 0)"}],fadeOutUp=[{offset:0,opacity:"1"},{offset:1,opacity:"0",transform:"translate3d(0, -100%, 0)"}],fadeOutUpBig=[{offset:0,opacity:"1"},{offset:1,opacity:"0",transform:"translate3d(0, -200px, 0)"}],flip=[{offset:0,transform:"perspective(400px) scale3d(1, 1, 1) translate3d(0, 0, 0) rotate3d(0, 1, 0, -360deg)",easing:"ease-out"},{offset:.4,transform:"perspective(400px) scale3d(1, 1, 1) translate3d(0, 0, 150px)\n rotate3d(0, 1, 0, -190deg)",easing:"ease-out"},{offset:.5,transform:"perspective(400px) scale3d(1, 1, 1) translate3d(0, 0, 150px)\n rotate3d(0, 1, 0, -170deg)",easing:"ease-in"},{offset:.8,transform:"perspective(400px) scale3d(0.95, 0.95, 0.95) translate3d(0, 0, 0)\n rotate3d(0, 1, 0, 0deg)",easing:"ease-in"},{offset:1,transform:"perspective(400px) scale3d(1, 1, 1) translate3d(0, 0, 0) rotate3d(0, 1, 0, 0deg)",easing:"ease-in"}],flipInX=[{offset:0,transform:"perspective(400px) rotate3d(1, 0, 0, 90deg)",easing:"ease-in",opacity:"0"},{offset:.4,transform:"perspective(400px) rotate3d(1, 0, 0, -20deg)",easing:"ease-in"},{offset:.6,transform:"perspective(400px) rotate3d(1, 0, 0, 10deg)",opacity:"1"},{offset:.8,transform:"perspective(400px) rotate3d(1, 0, 0, -5deg)"},{offset:1,transform:"perspective(400px)"}],flipInY=[{offset:0,transform:"perspective(400px) rotate3d(0, 1, 0, 90deg)",easing:"ease-in",opacity:"0"},{offset:.4,transform:"perspective(400px) rotate3d(0, 1, 0, -20deg)",easing:"ease-in"},{offset:.6,transform:"perspective(400px) rotate3d(0, 1, 0, 10deg)",opacity:"1"},{offset:.8,transform:"perspective(400px) rotate3d(0, 1, 0, -5deg)"},{offset:1,transform:"perspective(400px)"}],flipOutX=[{offset:0,transform:"perspective(400px)"}],{offset:.3,transform:"perspective(400px) rotate3d(1, 0, 0, -20deg)",opacity:"1"},{offset:1,transform:"perspective(400px) rotate3d(1, 0, 0, 90deg)",opacity:"0"}],flipOutY=[{offset:0,transform:"perspective(400px)"}],{offset:.3,transform:"perspective(400px) rotate3d(0, 1, 0, -15deg)",opacity:"1"},{offset:1,transform:"perspective(400px) rotate3d(0, 1, 0, 90deg)",opacity:"0"}],lightSpeedInLeft=[{offset:0,transform:"translate3d(-100%, 0, 0) skewX(30deg)",opacity:"0"},{offset:.6,transform:"skewX(-20deg)",opacity:"1"},{offset:.8,transform:"skewX(5deg)"},{offset:1,transform:"translate3d(0, 0, 0)"}],lightSpeedInRight=[{offset:0,transform:"translate3d(100%, 0, 0) skewX(-30deg)",opacity:"0"},{offset:.6,transform:"skewX(20deg)",opacity:"1"},{offset:.8,transform:"skewX(-5deg)"},{offset:1,transform:"translate3d(0, 0, 0)"}],lightSpeedOutLeft=[{offset:0,opacity:"1"},{offset:1,transform:"translate3d(-100%, 0, 0) skewX(-30deg)",opacity:"0"}],lightSpeedOutRight=[{offset:0,opacity:"1"},{offset:1,transform:"translate3d(100%, 0, 0) skewX(30deg)",opacity:"0"}],rotateIn=[{offset:0,transform:"rotate3d(0, 0, 1, -200deg)",opacity:"0"},{offset:1,transform:"translate3d(0, 0, 0)",opacity:"1"}],rotateInDownLeft=[{offset:0,transform:"rotate3d(0, 0, 1, -45deg)",opacity:"0"},{offset:1,transform:"translate3d(0, 0, 0)",opacity:"1"}],rotateInDownRight=[{offset:0,transform:"rotate3d(0, 0, 1, 45deg)",opacity:"0"},{offset:1,transform:"translate3d(0, 0, 0)",opacity:"1"}],rotateInUpLeft=[{offset:0,transform:"rotate3d(0, 0, 1, 45deg)",opacity:"0"},{offset:1,transform:"translate3d(0, 0, 0)",opacity:"1"}],rotateInUpRight=[{offset:0,transform:"rotate3d(0, 0, 1, -90deg)",opacity:"0"},{offset:1,transform:"translate3d(0, 0, 0)",opacity:"1"}],rotateOut=[{offset:0,opacity:"1"},{offset:1,transform:"rotate3d(0, 0, 1, 200deg)",opacity:"0"}],rotateOutDownLeft=[{offset:0,opacity:"1"},{offset:1,transform:"rotate3d(0, 0, 1, 45deg)",opacity:"0"}],rotateOutDownRight=[{offset:0,opacity:"1"},{offset:1,transform:"rotate3d(0, 0, 1, -45deg)",opacity:"0"}],rotateOutUpLeft=[{offset:0,opacity:"1"},{offset:1,transform:"rotate3d(0, 0, 1, -45deg)",opacity:"0"}],rotateOutUpRight=[{offset:0,opacity:"1"},{offset:1,transform:"rotate3d(0, 0, 1, 90deg)",opacity:"0"}],slideInDown=[{offset:0,transform:"translate3d(0, -100%, 0)",visibility:"visible"},{offset:1,transform:"translate3d(0, 0, 0)",visibility:"visible"}],slideInLeft=[{offset:0,transform:"translate3d(-100%, 0, 0)",visibility:"visible"},{offset:1,transform:"translate3d(0, 0, 0)",visibility:"visible"}],slideInRight=[{offset:0,transform:"translate3d(100%, 0, 0)",visibility:"visible"},{offset:1,transform:"translate3d(0, 0, 0)",visibility:"visible"}],slideInUp=[{offset:0,transform:"translate3d(0, 100%, 0)",visibility:"visible"},{offset:1,transform:"translate3d(0, 0, 0)",visibility:"visible"}],slideOutDown=[{offset:0,transform:"translate3d(0, 0, 0)",visibility:"hidden",transform:"translate3d(0, 100%, 0)"}],slideOutLeft=[{offset:0,transform:"translate3d(0, 0, 0)",visibility:"hidden",transform:"translate3d(-100%, 0, 0)"}],slideOutRight=[{offset:0,transform:"translate3d(0, 0, 0)",visibility:"hidden",transform:"translate3d(100%, 0, 0)"}],slideOutUp=[{offset:0,transform:"translate3d(0, 0, 0)"}],
```

```
{offset:1,visibility:"hidden",transform:"translate3d(0, -100%, 0)"}],hinge=[{offset:0,easing:"ease-in-out"},{offset:.2,transform:"rotate3d(0, 0, 1, 80deg)",easing:"ease-in-out"},{offset:.4,transform:"rotate3d(0, 0, 1, 60deg)",easing:"ease-in-out",opacity:"1"},{offset:.6,transform:"rotate3d(0, 0, 1, 80deg)",easing:"ease-in-out"},{offset:.8,transform:"rotate3d(0, 0, 1, 60deg)",easing:"ease-in-out",opacity:"1"},{offset:1,transform:"translate3d(0, 700px, 0)",opacity:"0"}],jackInTheBox=[{offset:0,opacity:"0",transform:"scale(0.1) rotate(30deg)","transform-origin":"center bottom"},{offset:.5,transform:"rotate(-10deg)"}, {offset:.7,transform:"rotate(3deg)"}, {offset:1,opacity:"1",transform:"scale(1)"}],rollIn=[{offset:0,opacity:"0",transform:"translate3d(-100%, 0, 0) rotate3d(0, 0, 1, -120deg)"}, {offset:1,opacity:"1",transform:"translate3d(0, 0, 0)"}],rollOut=[{offset:0,opacity:"1"}, {offset:1,opacity:"0",transform:"translate3d(100%, 0, 0) rotate3d(0, 0, 1, 120deg)"}],zoomIn=[{offset:0,opacity:"0",transform:"scale3d(0.3, 0.3, 0.3)"}, {offset:.5,opacity:"1"}],zoomInDown=[{offset:0,opacity:"0",transform:"scale3d(0.1, 0.1, 0.1) translate3d(0, -100px, 0)",easing:"cubic-bezier(0.55, 0.055, 0.675, 0.19)"}, {offset:.6,opacity:"1",transform:"scale3d(0.475, 0.475, 0.475) translate3d(0, 60px, 0)",easing:"cubic-bezier(0.175, 0.885, 0.32, 1)"}],zoomInLeft=[{offset:0,opacity:"0",transform:"scale3d(0.1, 0.1, 0.1) translate3d(-100px, 0, 0)",easing:"cubic-bezier(0.55, 0.055, 0.675, 0.19)"}, {offset:.6,opacity:"1",transform:"scale3d(0.475, 0.475, 0.475) translate3d(10px, 0, 0)",easing:"cubic-bezier(0.175, 0.885, 0.32, 1)"}],zoomInRight=[{offset:0,opacity:"0",transform:"scale3d(0.1, 0.1, 0.1) translate3d(100px, 0, 0)",easing:"cubic-bezier(0.55, 0.055, 0.675, 0.19)"}, {offset:.6,opacity:"1",transform:"scale3d(0.475, 0.475, 0.475) translate3d(-10px, 0, 0)",easing:"cubic-bezier(0.175, 0.885, 0.32, 1)"}],zoomInUp=[{offset:0,opacity:"0",transform:"scale3d(0.1, 0.1, 0.1) translate3d(0, 100px, 0)",easing:"cubic-bezier(0.55, 0.055, 0.675, 0.19)"}, {offset:.6,opacity:"1",transform:"scale3d(0.475, 0.475, 0.475) translate3d(0, -60px, 0)",easing:"cubic-bezier(0.175, 0.885, 0.32, 1)"}],zoomOut=[{offset:0,opacity:"1"}, {offset:.5,opacity:"0",transform:"scale3d(0.3, 0.3, 0.3)"}, {offset:1,opacity:"0"}],zoomOutDown=[{offset:.4,opacity:"1",transform:"scale3d(0.475, 0.475, 0.475) translate3d(0, -60px, 0)",easing:"cubic-bezier(0.55, 0.055, 0.675, 0.19)"}, {offset:1,opacity:"0",transform:"scale3d(0.1, 0.1, 0.1) translate3d(0, 200px, 0)",easing:"cubic-bezier(0.175, 0.885, 0.32, 1)"}],zoomOutLeft=[{offset:.4,opacity:"1",transform:"scale3d(0.475, 0.475, 0.475) translate3d(42px, 0, 0)",easing:"cubic-bezier(0.55, 0.055, 0.675, 0.19)"}, {offset:1,opacity:"0",transform:"scale(0.1) translate3d(-200px, 0, 0)"}, {offset:1,opacity:"0",transform:"scale(0.1) translate3d(200px, 0, 0)"}],zoomOutRight=[{offset:.4,opacity:"1",transform:"scale3d(0.475, 0.475, 0.475) translate3d(-42px, 0, 0)",easing:"cubic-bezier(0.55, 0.055, 0.675, 0.19)"}, {offset:1,opacity:"0",transform:"scale(0.1) translate3d(200px, 0, 0)"}, {offset:1,opacity:"0",transform:"scale(0.1) translate3d(-200px, 0, 0)"}],zoomOutUp=[{offset:.4,opacity:"1",transform:"scale3d(0.475, 0.475, 0.475) translate3d(0, 60px, 0)",easing:"cubic-bezier(0.55, 0.055, 0.675, 0.19)"}, {offset:1,opacity:"0",transform:"scale3d(0.1, 0.1, 0.1) translate3d(0, -200px, 0)",easing:"cubic-bezier(0.175, 0.885, 0.32, 1)"}],easings={linear:"linear",ease:"ease",easeIn:"ease-in",easeOut:"ease-out",easeInOut:"ease-in-out",easeInSine:"cubic-bezier(0.47, 0, 0.745, 0.715)",easeOutSine:"cubic-bezier(0.39, 0.575, 0.565, 1)",easeInOutSine:"cubic-bezier(0.445, 0.05, 0.55, 0.95)",easeInQuad:"cubic-bezier(0.55, 0.085, 0.68, 0.53)",easeOutQuad:"cubic-bezier(0.25, 0.46, 0.45, 0.94)",easeInOutQuad:"cubic-bezier(0.455, 0.03, 0.515, 0.955)",easeInCubic:"cubic-bezier(0.55, 0.055, 0.675, 0.19)",easeOutCubic:"cubic-bezier(0.215, 0.61, 0.355, 1)",easeInOutCubic:"cubic-bezier(0.645, 0.045, 0.355, 1)",easeInQuart:"cubic-bezier(0.895, 0.03, 0.685, 0.22)",easeOutQuart:"cubic-bezier(0.165, 0.84, 0.44, 1)",easeInOutQuart:"cubic-bezier(0.77, 0, 0.175, 1)",easeInQuint:"cubic-bezier(0.755, 0.05, 0.855, 0.06)",easeOutQuint:"cubic-bezier(0.23, 1, 0.32, 1)",easeInOutQuint:"cubic-bezier(0.86, 0, 0.07, 1)",easeInExpo:"cubic-bezier(0.95, 0.05, 0.795, 0.035)",easeOutExpo:"cubic-bezier(0.19, 1, 0.22, 1)",easeInOutExpo:"cubic-bezier(1, 0, 0, 1)",easeInCirc:"cubic-bezier(0.6, 0.04, 0.98, 0.335)",easeOutCirc:"cubic-bezier(0.075, 0.82, 0.165, 1)",easeInOutCirc:"cubic-bezier(0.785, 0.135, 0.15, 0.86)",easeInBack:"cubic-bezier(0.6, -0.28, 0.735, 0.045)",easeOutBack:"cubic-bezier(0.175, 0.885, 0.32, 1.275)",easeInOutBack:"cubic-bezier(0.68, -0.55, 0.265, 1.55)};var animations=Object.freeze({__proto__:null,backInDown:backInDown,backInLeft:backInLeft,backInRight:backInRight,backInUp:backInUp,backOutDown:backOutDown,backOutLeft:backOutLeft,backOutRight:backOutRight,backOutUp:backOutUp,bounce:bounce,bounceIn:bounceIn,bounceInDown:bounceInDown,bounceInLeft:bounceInLeft,bounceInRight:bounceInRight,bounceInUp:bounceInUp,bounceOut:bounceOut,bounceOutDown:bounceOutDown,bounceOutLeft:bounceOutLeft,bounceOutRight:bounceOutRight,bounceOutUp:bounceOutUp,easings:easings,fadeIn:fadeIn,fadeInBottomLeft:fadeInBottomLeft,fadeInBottomRight:fadeInBottomRight,fadeInDown:fadeInDown,fadeInDownBig:fadeInDownBig,fadeInLeft:fadeInLeft,fadeInLeftBig:fadeInLeftBig,fadeInRight:fadeInRight,fadeInRightBig:fadeInRightBig,fadeInTopLeft:fadeInTopLeft,fadeInTopRight:fadeInTopRight,fadeInUp:fadeInUp,fadeInUpBig:fadeInUpBig,fadeOut:fadeOut,fadeOutBottomLeft:fadeOutBottomLeft,fadeOutBottomRight:fadeOutBottomRight,fadeOutDown:fadeOutDown,fadeOutDownBig:fadeOutDownBig,fadeOutLeft:fadeOutLeft,fadeOutLeftBig:fadeOutLeftBig,fadeOutRight:fadeOutRight,fadeOutRightBig:fadeOutRightBig,fadeOutTopLeft:fadeOutTopLeft,fadeOutTopRight:fadeOutTopRight,fadeOutUp:fadeOutUp,fadeOutUpBig:fadeOutUpBig,flash:flash,flip:flip,flipInX:flipInX,flipInY:flipInY,flipOutX:flipOutX,flipOutY:flipOutY,headShake:headShake,heartBeat:heartBeat,hinge:hinge,jackInTheBox:jackInTheBox,jello:jello,lightSpeedInLeft:lightSpeedInLeft,lightSpeedInRight:lightSpeedInRight,lightSpeedOutLeft:lightSpeedOutLeft,lightSpeedOutRight:lightSpeedOutRight,pulse:pulse,rollIn:rollIn,rollOut:rollOut,rotateIn:rotateIn,rotateInDownLeft:rotateInDownLeft,rotateInDownRight:rotateInDownRight,rotateInUpLeft:rotateInUpLeft,rotateInUpRight:rotateInUpRight,rotateOut:rotateOut,rotateOutDownLeft:rotateOutDownLeft,rotateOutDownRight:rotateOutDownRight,rotateOutUpLeft:rotateOutUpLeft,rotateOutUpRight:rotateOutUpRight,rubberBand:rubberBand,shake:shake,shakeX:shakeX,shakeY:shakeY,slideInDown:slideInDown,slideInLeft:slideInLeft,slideInRight:slideInRight,slideInUp:slideInUp,slideOutDown:slideOutDown,slideOutLeft:slideOutLeft,slideOutRight:slideOutRight,slideOutUp:slideOutUp,swing:swing,tada:tada,wobble:wobble,zoomIn:zoomIn,zoomInDown:zoomInDown,zoomInLeft:zoomInLeft,zoomInRight:zoomInRight,zoomInUp:zoomInUp,zoomOut:zoomOut,zoomOutDown:zoomOutDown,zoomOutLeft:zoomOutLeft,zoomOutRight:zoomOutRight,zoomOutUp:zoomOutUp}),animation_styles_default=i$7`
  host {
    display: contents;
  }
},SlAnimation=class extends ShoelaceElement{constructor()
{super(...arguments),this.hasStarted=!1,this.name="none",this.play=!1,this.delay=0,this.direction="normal",this.duration=1e3,this.easing="linear",this.endDelay=0,this.fill="auto",this.iterations=1/0,this.iterationStart=0,this.playbackRate=1,this.handleAnimationFinish=()=>>
{this.play=!1,this.hasStarted=!1,this.emit("sl-finish")},this.handleAnimationCancel=()=>>
{this.play=!1,this.hasStarted=!1,this.emit("sl-cancel")}}get currentTime(){var _a,_b;return null==( _b=null==( _a=this.animation)?void 0:_a.currentTime)?0:_b}set currentTime(time){this.animation&&(this.animation.currentTime=time)}connectedCallback()
{super.connectedCallback(),this.createAnimation()}disconnectedCallback()
{super.disconnectedCallback(),this.destroyAnimation()}handleSlotChange()
```



```
{this.destroyAnimation(),this.createAnimation()}async createAnimation(){var _a,_b;const easing=null==(
_a=easings[this.easing])?this.easing:_a,keyframes=null==(b=this.keyframes)?
animations[this.name]:_b,slot=await this.defaultSlot,element=slot.assignedElements()[0];return!!
(element&&keyframes)&&(this.destroyAnimation(),this.animation=element.animate(keyframes,
{delay:this.delay,direction:this.direction,duration:this.duration,easing,endDelay:this.endDelay,fill:th
is.fill,iterationStart:this.iterationStart,iterations:this.iterations}),this.animation.playbackRate=thi
s.playbackRate,this.animation.addEventListener("cancel",this.handleAnimationCancel),this.animation.addE
ventListener("finish",this.handleAnimationFinish),this.play?(this.hasStarted=!0,this.emit("sl-
start")):this.animation.pause(),!0)}destroyAnimation(){this.animation&&
(this.animation.cancel(),this.animation.removeEventListener("cancel",this.handleAnimationCancel),this.a
nimation.removeEventListener("finish",this.handleAnimationFinish),this.hasStarted=!1)}handleAnimationCh
ange(){this.hasUpdated&&this.createAnimation()}handlePlayChange(){return!!this.animation&&
(this.play&&!this.hasStarted&&(this.hasStarted=!0,this.emit("sl-start")),this.play?
this.animation.play():this.animation.pause(),!0)}handlePlaybackRateChange(){this.animation&&
(this.animation.playbackRate=this.playbackRate)}cancel(){var _a;null==(a=this.animation)?void
0:_a.cancel()}finish(){var _a;null==(a=this.animation)?void 0:_a.finish()}render(){return x$1` <slot
@slotchange=${this.handleSlotChange}></slot> `}};SlAnimation.styles=
[component_styles_default,animation_styles_default],__decorateClass([r$4("slot")],SlAnimation.prototype
,"defaultSlot",2),__decorateClass([n$5()],SlAnimation.prototype,"name",2),__decorateClass([n$5({type:Bo
olean,reflect:!0})],SlAnimation.prototype,"play",2),__decorateClass([n$5({type:Number})],SlAnimation.pr
ototype,"delay",2),__decorateClass([n$5()],SlAnimation.prototype,"direction",2),__decorateClass([n$5({t
ype:Number})],SlAnimation.prototype,"duration",2),__decorateClass([n$5()],SlAnimation.prototype,"easing
",2),__decorateClass([n$5({attribute:"end-
delay",type:Number})],SlAnimation.prototype,"endDelay",2),__decorateClass([n$5()],SlAnimation.prototype
,"fill",2),__decorateClass([n$5({type:Number})],SlAnimation.prototype,"iterations",2),__decorateClass([
n$5({attribute:"iteration-
start",type:Number})],SlAnimation.prototype,"iterationStart",2),__decorateClass([n$5({attribute:!1})],S
lAnimation.prototype,"keyframes",2),__decorateClass([n$5({attribute:"playback-
rate",type:Number})],SlAnimation.prototype,"playbackRate",2),__decorateClass([watch(["name","delay","di
rection","duration","easing","endDelay","fill","iterations","iterationsStart","keyframes"])],SlAnimatio
n.prototype,"handleAnimationChange",1),__decorateClass([watch("play")],SlAnimation.prototype,"handlePla
yChange",1),__decorateClass([watch("playbackRate")],SlAnimation.prototype,"handlePlaybackRateChange",1)
,SlAnimation.define("sl-animation");var __decorate$f=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"==typeof Reflect&&"function"==typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};let ChromedashTypeahead=class ChromedashTypeahead
extends i$4{constructor()
{super(...arguments),this.slDropdownRef=e$1(),this.slInputRef=e$1(),this.value="",this.candidates=
[],this.prefix=null,this.chunkStart=0,this.chunkEnd=0,this.wasDismissed=!1,this.termWasCompleted=!1,thi
s.placeholder=""}}static get styles(){return[...SHARED_STYLES,i$7`
  chromedash-typeahead-dropdown {
    width: 100%;
  }
  #inputfield::part(base) {
    background: #eee;
    border: none;
    border-radius: 8px;
  }
`]}_fireEvent(eventName,detail){const event=new CustomEvent(eventName,
{bubbles:!0,composed:!0,detail});this.dispatchEvent(event)}reflectValue(event)
{event&&event.stopPropagation();const slInput=this.slInputRef.value;this.value=slInput.value}hide()
{this.slDropdownRef.value.hide()}show(){this.slDropdownRef.value.show()}focus(){const
slInput=this.slInputRef.value;slInput?.focus()}blur(){const
slInput=this.slInputRef.value;slInput?.blur()}findPrefix(){const
inputEl=this.slInputRef.value?.input;if(!inputEl)return;const
wholeStr=inputEl.value,caret=inputEl.selectionStart||0;return caret==inputEl.selectionEnd?
void(this.chunkStart=wholeStr.lastIndexOf(" ",caret-1)+1,this.chunkEnd=wholeStr.indexOf("
",caret)-1==this.chunkEnd&&
(this.chunkEnd=wholeStr.length),this.prefix=wholeStr.substring(this.chunkStart,caret)):void(this.prefix
=null)}shouldShowCandidate(candidate,prefix)
{if(null===prefix)return!1;prefix=prefix.toLowerCase();const
lowerName=candidate.name.toLowerCase(),lowerDoc=candidate.doc.toLowerCase();return
lowerName.split(/\s+/).some(w=>w.startsWith(prefix))||lowerDoc.split(/\s+/).some(w=>w.startsWith(prefix
))||lowerName.split(/\W+/).some(w=>w.startsWith(prefix))||lowerDoc.split(/\W+/).some(w=>w.startsWith(pr
efix))}shouldGroup(s){if(null===s)return!0;const COMPARE_OPS=["=",":","<",">"];return!COMPARE_OPS.some(op=>s.includes(op))}groupCandidates(candidates){const groupsSeen=new
Set,groupsSeenTwice=new Set;for(const c of candidates)groupsSeen.has(c.group)?
groupsSeenTwice.add(c.group):groupsSeen.add(c.group);const groupsSeenTwiceProcessed=new Set,result=
[];for(const c of candidates)groupsSeenTwice.has(c.group)?groupsSeenTwiceProcessed.add(c.group)||
(result.push({group:c.group,name:c.group+":",doc:c.doc}),groupsSeenTwiceProcessed.add(c.group)):result.
push(c);return result}async handleCandidateSelected(e){const
candidateValue=e.detail.item.value,inputEl=this.slInputRef.value?.renderRoot.querySelector("input");if(
!inputEl)return;const
wholeStr=inputEl.value,newWholeStr=wholeStr.substring(0,this.chunkStart)+candidateValue+wholeStr.substr
ing(this.chunkEnd,wholeStr.length);this.slInputRef.value.value=newWholeStr,this.reflectValue(),await
this.updateComplete,this.chunkStart+=candidateValue.length,this.chunkEnd=this.chunkStart,inputEl.select
ionStart=this.chunkStart,inputEl.selectionEnd=this.chunkEnd;const
possibleExtensions=this.vocabulary.filter(c=>c.name.startsWith(candidateValue));this.termWasCompleted=1
>possibleExtensions.length,this.calcCandidates(),inputEl.focus()}handleInputFieldKeyDown(event)
{if("Enter"===event.key){const slDropdown=this.slDropdownRef.value;if(!slDropdown)return;const
currentItem=slDropdown.getCurrentItem();slDropdown.open&&currentItem||(this._fireEvent("sl-
change",this),event.stopPropagation())}handleInputFieldKeyUp(event)
{return["Escape"].includes(event.key)?void(this.wasDismissed=!0):
["ArrowDown","ArrowUp","Enter"].includes(event.key)?
```

```

void(this.wasDismissed=!1):void(this.termWasCompleted=!1,this.calcCandidates())}calcCandidates(event)
{event&&event.stopPropagation(),this.findPrefix(),this.candidates=this.vocabulary.filter(c=>this.should
ShowCandidate(c,this.prefix)),this.shouldGroup(this.prefix)&&
(this.candidates=this.groupCandidates(this.candidates));const
slDropdown=this.slDropdownRef.value;slDropdown&&(!
(0<this.candidates.length)||this.wasDismissed||this.termWasCompleted?
slDropdown.hide():slDropdown.show())}renderInputField(){return x$1`
  <sl-input
    id="inputfield"
    slot="trigger"
    placeholder=${this.placeholder}
    value=${l(this.value)}
    ${n$2(this.slInputRef)}
    autocomplete="off"
    spellcheck="false"
    @keydown=${this.handleInputFieldKeyDown}"
    @keyup=${this.handleInputFieldKeyUp}"
    @focus=${this.calcCandidates}"
    @click=${this.calcCandidates}"
    @sl-change=${this.reflectValue}"
    @sl-input=${this.reflectValue}"
  >
    <slot name="prefix" slot="prefix"></slot>
    <slot name="suffix" slot="suffix"></slot>
  </sl-input>
`}renderAutocompleteMenu(){const nonselectableItem=x$1`
  <chromedash-typeahead-invisible-item></chromedash-typeahead-invisible-item>
`;return x$1`
  <sl-menu
    @click=${e=>e.preventDefault()}
    @sl-select=${this.handleCandidateSelected}
  >
    ${nonselectableItem}
    ${this.candidates.map(c=>x$1`
      <chromedash-typeahead-item
        value=${c.name}
        doc=${c.doc}
        prefix=${this.prefix??E$1}
      ></chromedash-typeahead-item>
    `)}
  </sl-menu>
`}render(){return x$1`
  <chromedash-typeahead-dropdown
    stay-open-on-select
    sync="width"
    ${n$2(this.slDropdownRef)}
  >
    ${this.renderInputField()} ${this.renderAutocompleteMenu()}
  </chromedash-typeahead-dropdown>
`}};__decorate$__$f([n$5()],ChromedashTypeahead.prototype,"value",void
0),__decorate$__$f([r$6()],ChromedashTypeahead.prototype,"candidates",void
0),__decorate$__$f([r$6()],ChromedashTypeahead.prototype,"prefix",void
0),__decorate$__$f([r$6()],ChromedashTypeahead.prototype,"chunkStart",void
0),__decorate$__$f([r$6()],ChromedashTypeahead.prototype,"chunkEnd",void
0),__decorate$__$f([r$6()],ChromedashTypeahead.prototype,"wasDismissed",void
0),__decorate$__$f([r$6()],ChromedashTypeahead.prototype,"termWasCompleted",void
0),__decorate$__$f([n$5({type:String})],ChromedashTypeahead.prototype,"placeholder",void
0),__decorate$__$f([n$5({type:Array,attribute:!1})],ChromedashTypeahead.prototype,"vocabulary",void
0),ChromedashTypeahead=__decorate$__$f([t$3("chromedash-typeahead")],ChromedashTypeahead);let
ChromedashTypeaheadDropdown=class ChromedashTypeaheadDropdown extends dropdown_default{getCurrentItem()
{const item=this.getMenu().getCurrentItem();return!item||item instanceof
ChromedashTypeaheadInvisibleItem?void 0:item}setCurrentItem(newCurrentItem){const
menu=this.getMenu();menu.setCurrentItem(newCurrentItem),newCurrentItem.scrollIntoView({block:"nearest",
behavior:"smooth"})}getAllVisibleItems(menu){const items=menu.getAllItems();return items.filter(item=>!
(item instanceof ChromedashTypeaheadInvisibleItem))}resetSelection(){const
currentItem=this.getCurrentItem();currentItem?.setAttribute("tabindex",-1)}async
handleTriggerKeyDown(event){const menu=this.getMenu();if(menu){const
menuItems=this.getAllVisibleItems(menu);if(0!==menuItems.length){const
currentItem=menu.getCurrentItem();if(["Enter"].includes(event.key)&&
(event.preventDefault(),this.open&&currentItem&&(currentItem.click(),this.resetSelection()))),
["ArrowDown","ArrowUp"].includes(event.key))if(event.preventDefault(),event.stopPropagation(),this.open
||this.show(),currentItem){const
currentItemIndex=menuItems.indexOf(currentItem);"ArrowDown"===event.key&&menuItems[currentItemIndex+1]&
&this.setCurrentItem(menuItems[currentItemIndex+1]),"ArrowUp"===event.key&&menuItems[currentItemIndex-
1]&&this.setCurrentItem(menuItems[currentItemIndex-
1])}else"ArrowDown"===event.key&&this.setCurrentItem(menuItems[1]),"ArrowUp"===event.key&&this.setCurre
ntItem(menuItems[menuItems.length-1])}}}};ChromedashTypeaheadDropdown=__decorate$__$f([t$3("chromedash-
typeahead-dropdown")],ChromedashTypeaheadDropdown);let ChromedashTypeaheadItem=class
ChromedashTypeaheadItem extends i$4{constructor()
{super(...arguments),this.value="",this.doc="",this.prefix="",this.tabindex=-1,this.role="menuitem"}sta
tic get styles(){return[...SHARED_STYLES,i$7`
  .menu-item {
    display: flex;
    flex-wrap: wrap;
    font-family: var(--sl-font-sans);
    font-size: var(--sl-font-size-medium);

```

```
font-weight: var(--sl-font-weight-normal);
line-height: var(--sl-line-height-normal);
letter-spacing: var(--sl-letter-spacing-normal);
color: var(--sl-color-neutral-700);
padding: var(--sl-spacing-2x-small) var(--sl-spacing-2x-small);
transition: var(--sl-transition-fast) fill;
user-select: none;
-webkit-user-select: none;
white-space: nowrap;
cursor: pointer;
}

.active {
  outline: none;
  background-color: var(--sl-color-primary-200);
  opacity: 1;
}
#value {
  width: 24em;
  overflow-x: hidden;
}
code {
  font-size: 85%;
  background: #eee;
  padding: var(--content-padding-quarter);
}
`}}handleMouseOver(event)
{this.parentElement&&this.parentElement.setCurrentItem(this),event.stopPropagation()}highlight(s){const
start=s.toLowerCase().indexOf(this.prefix.toLowerCase());if(-1===start)return s;const
before=s.substring(0,start),matching=s.substring(start,start+this.prefix.length),after=s.substring(star
t+this.prefix.length);return x$1` ${before}<b>${matching}</b>${after}`}render(){const
highlightedValue=this.highlight(this.value),highlightedDoc=this.highlight(this.doc);return x$1`
<div
  class="menu-item ${0===this.tabindex?"active":""}"
  @mouseover=${this.handleMouseOver}
>
  <span id="value"><code>${highlightedValue}</code></span>
  <span id="doc">${highlightedDoc}</span>
</div>
`}};__decorate$([n$5({type:String})],ChromedashTypeaheadItem.prototype,"value",void
0),__decorate$([n$5({type:String})],ChromedashTypeaheadItem.prototype,"doc",void
0),__decorate$([n$5({type:String})],ChromedashTypeaheadItem.prototype,"prefix",void
0),__decorate$([n$5({type:Number})],ChromedashTypeaheadItem.prototype,"tabindex",void
0),__decorate$([n$5({type:String,reflect:!0})],ChromedashTypeaheadItem.prototype,"role",void
0),ChromedashTypeaheadItem=__decorate$([t$3("chromedash-typeahead-item")],ChromedashTypeaheadItem);let
ChromedashTypeaheadInvisibleItem=class ChromedashTypeaheadInvisibleItem extends
ChromedashTypeaheadItem{render(){return
x$1` ${E$1}`}};ChromedashTypeaheadInvisibleItem=__decorate$([t$3("chromedash-typeahead-invisible-
item")],ChromedashTypeaheadInvisibleItem);var __decorate$e=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r,r);let ChromedashReportExternalReviewsDispatchPage=class
ChromedashReportExternalReviewsDispatchPage extends i$4{static get styles(){return
SHARED_STYLES}render(){return x$1`
<div id="subheader">Which group's reviews do you want to see?</div>
<ul>
  <li><a href="/reports/external_reviews/tag">W3C TAG</a></li>
  <li>
    <a href="/reports/external_reviews/gecko">
      >Gecko / Firefox / Mozilla</a>
    </li>
  <li>
    <a href="/reports/external_reviews/webkit">WebKit / Safari / Apple</a>
  </li>
</ul>
`}};ChromedashReportExternalReviewsDispatchPage=__decorate$e([t$3("chromedash-report-external-
reviews-dispatch-page")],ChromedashReportExternalReviewsDispatchPage);const i=Symbol();class h{get
taskComplete(){return this.t||1===this.i?this.t=new Promise((t,s)=>{this.o=t,this.h=s}):3===this.i?
this.t=Promise.reject(this.l):this.t=Promise.resolve(this.u)},this.t}constructor(t,s,i)
{this.p=0,this.i=0,(this._=t).addController(this);const h="object"===typeof s?s:
{task:s,args:i};this.v=h.task,this.j=h.args,this.m=h.argsEqual??
r$1,this.k=h.onComplete,this.A=h.onError,this.autoRun=h.autoRun??!0,"initialValue"in h&&
(this.u=h.initialValue,this.i=2,this.o=this.T?().)}hostUpdate()
{!0===this.autoRun&&this.S()}hostUpdated(){if("afterUpdate"===this.autoRun&&this.S())T(){if(void
0!==this.j){const t=this.j();if(!Array.isArray(t))throw Error("The args function must return an
array");return t}}async S(){const t=this.T(),s=this.o;this.o=t,t===s||void 0===t||void
0!==s&&this.m(s,t)||await this.run(t)}async run(t){let s,h;t?=?this.T(),this.o=t,1===this.i?
this.q?.abort():this.t=void 0,this.o=void 0,this.h=void 0),this.i=1,"afterUpdate"===this.autoRun?
queueMicrotask(()=>this._requestUpdate()):this._requestUpdate();const r=++this.p;this.q=new
AbortController;let e=!1;try{s=await this.v(t,{signal:this.q.signal})}catch(t){e=!0,h=t;if(this.p===r)
{if(s===i)this.i=0;else if(!1===e){try{this.k?.(s)}catch{}this.i=2,this.o?.(s)}else{try{this.A?.
(h)}catch{}this.i=3,this.h?.(h)}this.u=s,this.l=h}this._requestUpdate()}}abort(t)
{1===this.i&&this.q?.abort(t)}get value(){return this.u}get error(){return this.l}get status(){return
```

```
this.i}.render(t){switch(this.i){case 0:return t.initial?.();case 1:return t.pending?.();case 2:return t.complete?.(this.value);case 3:return t.error?.(this.error);default:throw Error("Unexpected status: "+this.i)}}const r$1=(s,i)=>s===i||s.length===i.length&&s.every((s,h)=>!f$3(s,i[h])),r=(r,o,t)=>{for(const t of o)if(t[0]===r)return(0,t[1])();return t?.()};var
__decorate$d=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return 3<c&&r&&Object.defineProperty(target,key,r),r};function ascendingNumberUndefinedLast(a,b){return a===b?0:void 0===a?1:void 0===b?-1:a-b}function compareOutstandingReview(a,b){return console.assert(a.current_stage===b.current_stage,`Tried to compare features at stages ${a.current_stage} and `+`${b.current_stage} using a function that ignores features` stages.`),a.estimated_end_milestone===b.estimated_end_milestone?a.estimated_start_milestone===b.estimated_start_milestone?a.review_link<b.review_link?-1:a.review_link>b.review_link:1:0:ascendingNumberUndefinedLast(a.estimated_start_milestone,b.estimated_start_milestone):ascendingNumberUndefinedLast(a.estimated_end_milestone,b.estimated_end_milestone)}let
ChromedashReportExternalReviewsPage=class ChromedashReportExternalReviewsPage extends i$4{constructor(...arguments){super(...arguments),this.reviewer=void 0,this._client=window.csOpenApiClient,this._reviewsTask=new h(this,{task:async([reviewer],[signal])=>{if(reviewer===void 0)throw new Error("Element must have \"reviewer\" attribute.\",{cause:this});if(!["tag","gecko","webkit"].includes(reviewer))throw new Error(`Reviewer (${reviewer}) must be 'tag', 'gecko', or 'webkit'.`,{cause:this});const response=await this._client.listExternalReviews({reviewGroup:reviewer},{signal});return{reviews:this.groupReviews(response.reviews),links:response.link_previews,noOutstandingReviews:0===response.reviews.length}},args:()=>[this.reviewer])}}static get styles(){return[...SHARED_STYLES,i$7`
  #subheader {
    display: block;
  }
  h3 {
    margin-top: var(--content-padding);
    margin-bottom: var(--content-padding-quarter);

    sl-skeleton {
      width: 30%;
      height: 11h;
    }
  }
  td.feature,
  td.review {
    width: 45%;
  }
  td.milestones {
    width: 10%;
  }
`]}groupReviews(reviews){const result={incubating:[],prototyping:[],"dev-trial":[],"wide-review":[],"origin-trial":[],shipping:[],shipped:[]};for(const review of reviews)review.current_stage&&result[review.current_stage].push(review);for(const list of Object.values(result))list.sort(compareOutstandingReview);return result}headerRow(){return x$1`<tr>
  <th>Feature</th>
  <th>Review</th>
  <th>Target Milestones</th>
</tr>`}renderOutstandingReviews(reviews,links){return[["Preparing to ship","shipping"],["In Origin Trial","origin-trial"],["Getting wide review","wide-review"],["In developer trials","dev-trial"],["Prototyping","prototyping"],["Incubating","incubating"],["Already shipped","shipped"]].map(([title,key])=>0<reviews[key].length?x$1`<section>
  <h3 id=${key}>${title}</h3>
  <table class="data-table">
    ${this.headerRow()}
    ${reviews[key].map(review=>x$1`
      <tr>
        <td class="feature">
          <a href="/feature/${review.feature.id}">
            ${review.feature.name}</a>
          </td>
        <td class="review">
          <chromedash-link
            href=${review.review_link}
            .featureLinks=${links}>
          </chromedash-link>
        </td>
        <td class="milestones">

${review.estimated_start_milestone?"M"+review.estimated_start_milestone:E$1}${["shipping","shipped"].includes(review.current_stage)?
E$1:x$1`${review.estimated_start_milestone|review.estimated_end_milestone?"\u2013":E$1}${review.estimated_end_milestone?"M"+review.estimated_end_milestone:E$1}`}
          </td>
        </tr>
      `)}
    </table>
  </section>`:E$1)}render(){return x$1`
<div id="subheader">
  <h2>
    Open
```

```

    ${r(this.viewer, [{"tag",()=>x$1`W3C TAG`}, {"webkit",()=>x$1`WebKit`}, {"gecko",
()=>x$1`Mozilla`}]])}
    reviews for Chromium features
  </h2>
  <p>
    Reviews are in rough order of urgency, from about-to-ship down to
    incubations. Already-shipped features are listed at the bottom.
  </p>
</div>
${this._reviewsTask.render({pending:()=>x$1`
  <section>
    <h3><sl-skeleton effect="sheen"></sl-skeleton></h3>
    <table class="data-table">
      ${this.headerRow()}
      ${[1,2,3].map(()=>x$1`
        <tr>
          <td class="feature">
            <sl-skeleton effect="sheen"></sl-skeleton>
          </td>
          <td class="review">
            <sl-skeleton effect="sheen"></sl-skeleton>
          </td>
          <td class="milestones">
            <sl-skeleton effect="sheen"></sl-skeleton>
          </td>
        </tr>
      `)}
    </table>
  </section>
  `},complete:({reviews,links,noOutstandingReviews})=>noOutstandingReviews?x$1`No outstanding
reviews. Congratulations!`:this.renderOutstandingReviews(reviews,links),error:e=>
(console.error(`Couldn't fetch ${this.viewer}'s reviews: `,e),x$1`<p>
  Some errors occurred. Please refresh the page or try again later.
</p>`))}}
`}};__decorate$d([n$5({type:String}),ChromedashReportExternalReviewsPage.prototype,"viewer",void
0),__decorate$d([n$5({type:Object}),ChromedashReportExternalReviewsPage.prototype,"_client",void
0),__decorate$d([n$5({attribute:!1}),ChromedashReportExternalReviewsPage.prototype,"_reviewsTask",void
0),ChromedashReportExternalReviewsPage=__decorate$d([t$3("chromedash-report-external-reviews-
page")],ChromedashReportExternalReviewsPage);var __decorate$c=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"==typeof Reflect&&"function"==typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};let ChromedashReportFeatureLatencyPage=class
ChromedashReportFeatureLatencyPage extends i$4{constructor(){super(...arguments),this.rawQuery=
{},this._client=window.csOpenApiClient,this.latencyList=[],this._latencyTask=new h(this,
{task:async([startAt,endAt],{signal})=>(this.latencyList=await
this._client.listFeatureLatency({startAt,endAt},{signal}),this.latencyList),args:()=>
[this.startAtDate,this.endAtDate]}),this.startAtDate=new Date("January 1, 2023"),this.endAtDate=new
Date("January 1, 2024")}}static get styles(){return[...SHARED_STYLES,i$7`
  p {
    margin: var(--content-padding) 0;
  }

  table {
    border: var(--table-divider);
  }
  td,
  th {
    padding: var(--content-padding);
    border-bottom: var(--table-divider);
    vertical-align: baseline;
  }
  th {
    background: var(--table-header-background);
  }
  tr {
    background: var(--table-row-background);
  }
`]}static get properties(){return{latencyList:{type:Array},startAtDate:{state:!0},endAtDate:
{state:!0}}connectedCallback(){super.connectedCallback(),this.initializeParams()}initializeParams()
{if(this.rawQuery){if(this.rawQuery.startAt){const
parsed=Date.parse(this.rawQuery.startAt);isNaN(parsed)||this.startAtDate=new
Date(parsed)}}if(this.rawQuery.endAt){const parsed=Date.parse(this.rawQuery.endAt);isNaN(parsed)||
(this.endAtDate=new Date(parsed))}}renderCount(){return x$1`
  <p>
    Launched ${this.latencyList.length} features between
    ${this.startAtDate.toLocaleDateString()} and
    ${this.endAtDate.toLocaleDateString()}.
  </p>
  <p>Latency is measured in calendar days.</p>
  `}renderLatencyRow(featureLatency){const latencyMs=featureLatency.shipped_date-
featureLatency.entry_created_date,latencyDays=Math.ceil(latencyMs/86400000);return x$1`
  <tr>
    <td>
      <a href="/feature/${featureLatency.feature.id}">
```

```

    ${featureLatency.feature.name}
  </a>
</td>
<td>
  ${featureLatency.owner_emails.map(addr=>x$1`<div>${addr}</div>`)}
</td>
<td>${featureLatency.entry_created_date.toLocaleDateString()}</td>
<td>${featureLatency.shipped_date.toLocaleDateString()}</td>
<td>${latencyDays}</td>
</tr>
`}renderTable(){return x$1`
<table>
  <tr>
    <th>Feature</th>
    <th>Owners</th>
    <th>Created</th>
    <th>Shipped</th>
    <th>Latency</th>
  </tr>
  ${this.latencyList.map(fl=>this.renderLatencyRow(fl))}
</table>
`}renderWhenComplete(){return x$1` ${this.renderCount()} ${this.renderTable()} `}render(){return
this._latencyTask.render({initial:()=>x$1`<p>Loading...</p>`,pending:()=>x$1`<p>Loading...
</p>`,complete:()=>this.renderWhenComplete(),error:e=>(console.error(e),x$1`<p>
  Some errors occurred. Please refresh the page or try again later.

</p>`))});__decorate$c([n$5({type:Object})],ChromedashReportFeatureLatencyPage.prototype,"rawQuery",vo
id 0),__decorate$c([n$5({attribute:!1})],ChromedashReportFeatureLatencyPage.prototype,"_client",void
0),__decorate$c([n$5({attribute:!1})],ChromedashReportFeatureLatencyPage.prototype,"latencyList",void
0),__decorate$c([n$5({attribute:!1})],ChromedashReportFeatureLatencyPage.prototype,"_latencyTask",void
0),__decorate$c([r$6()],ChromedashReportFeatureLatencyPage.prototype,"startAtDate",void
0),__decorate$c([r$6()],ChromedashReportFeatureLatencyPage.prototype,"endAtDate",void
0),ChromedashReportFeatureLatencyPage=__decorate$c([t$3("chromedash-report-feature-latency-
page")],ChromedashReportFeatureLatencyPage);var __decorate$b=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r,r);let ChromedashReportSpecMentor=class
ChromedashReportSpecMentor extends i$4{static get styles(){return[...SHARED_STYLES,i$7``]}render()
{return x$1`
  <sl-details summary="${this.mentor.email} has mentored:" open>
    <table>
      ${this.mentor.mentored_features.map(feature=>x$1`
        <chromedash-feature-row
          .feature="${feature}"
        ></chromedash-feature-row>
      `)}
    </table>
  </sl-details>
`}};__decorate$b([n$5({attribute:!1})],ChromedashReportSpecMentor.prototype,"mentor",void
0),ChromedashReportSpecMentor=__decorate$b([t$3("chromedash-report-spec-
mentor")],ChromedashReportSpecMentor);var __decorate$a=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r,r);let ChromedashReportSpecMentorsPage=class
ChromedashReportSpecMentorsPage extends i$4{constructor(){super(...arguments),this.rawQuery=
{},this._client=window.csOpenApiClient,this._mentorsTask=new h(this,{task:async([updatedAfter],
{signal})=>{const mentors=await this._client.listSpecMentors({after:updatedAfter},{signal});return
mentors.sort((a,b)=>a.email.localeCompare(b.email)),mentors},args:()=>>
[this._updatedAfter]}),this._updatedAfter=new Date(Date.now()-31536000000)}static get styles()
{return[...SHARED_STYLES,i$7``]}connectedCallback()
{super.connectedCallback(),this.initializeParams()}initializeParams()
{if(this.rawQuery&&this.rawQuery.after){const parsed=Date.parse(this.rawQuery.after);isNaN(parsed)||
(this._updatedAfter=new Date(parsed))}afterChanged(e){e.stopPropagation();const
newDate=e.target.valueAsDate;newDate&&(this._updatedAfter=newDate,this.dispatchEvent(new
CustomEvent("afterchanged",{detail:{after:this._updatedAfter},bubbles:!0,composed:!0}))}render()
{return x$1`
  <div id="subheader">
    <sl-input
      type="date"
      name="after"
      value=${isoDateString(this._updatedAfter)}
      label="List spec mentors who've worked on features that were updated after this date"
      @sl-change=${this.afterChanged}
    ></sl-input>
  </div>
  ${this._mentorsTask.render({pending:()=>x$1` <details open>
    <summary><sl-skeleton effect="sheen"></sl-skeleton></summary>
    <sl-skeleton effect="sheen"></sl-skeleton>
  </details>`,complete:specMentors=>specMentors.map(mentor=>x$1`<chromedash-report-spec-mentor
    .mentor=${mentor}
  ></chromedash-report-spec-mentor>`),error:e=>(console.error(e),x$1`<p>
    Some errors occurred. Please refresh the page or try again later.
```

```

    </p>`))}}
  `}};__decorate$a([n$5({type:Object})],ChromedashReportSpecMentorsPage.prototype,"rawQuery",void
0),__decorate$a([n$5({attribute:!1})],ChromedashReportSpecMentorsPage.prototype,"_client",void
0),__decorate$a([n$5({attribute:!1})],ChromedashReportSpecMentorsPage.prototype,"_mentorsTask",void
0),__decorate$a([r$6()],ChromedashReportSpecMentorsPage.prototype,"_updatedAfter",void
0),ChromedashReportSpecMentorsPage=__decorate$a([t$3("chromedash-report-spec-mentors-
page")],ChromedashReportSpecMentorsPage);var __decorate$9=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};let ChromedashReportReviewLatencyPage=class
ChromedashReportReviewLatencyPage extends i$4{constructor()
{super(...arguments),this._client=window.csOpenApiClient,this.reviewLatencyList=
[],this._reviewLatencyTask=new h(this,{task:async([],{signal})=>{this.reviewLatencyList=await
this._client.listReviewsWithLatency({signal})},args:()=>[]})}static get styles()
{return[...SHARED_STYLES,i$7`
  p {
    margin: var(--content-padding) 0;
  }
  table {
    border-collapse: collapse;
    border: 1px solid #888;
  }
  td,
  th {
    padding: var(--content-padding-half);
    text-align: center;
  }
  td {
    border-top: 1px solid #888;
    border-bottom: 1px solid #888;
  }
  colgroup {
    border: 1px solid #888;
  }
  th {
    background: var(--table-header-background);
  }
  tr {
    background: var(--table-row-background);
  }
  .left {
    text-align: left;
    min-width: 18em;
  }
  `}}static get properties(){return{featureReviewList:{state:!0}}}renderCount(){let
count=0;for(const rl of this.reviewLatencyList)for(const gr of
rl.gate_reviews)0<=gr.latency_days&&count++;return x$1`
  <p>
    ${count} reviews of ${this.reviewLatencyList.length} distinct features
    in the past 90 days.
  </p>
  <p>Latency is measured in weekdays from request to initial response.</p>
  `}renderFeatureReviewsRow(reviewLatency){const gateLatency={};for(const gr of
reviewLatency.gate_reviews){let display=gr.latency_days;-1===gr.latency_days?
display="":-2==gr.latency_days&&(display="Pending"),gateLatency[gr.gate_type]=display}return x$1`
  <tr>
    <td class="left">
      <a href="/feature/${reviewLatency.feature.id}">
        ${reviewLatency.feature.name}
      </a>
    </td>
    <td>${gateLatency[GATE_TYPES.PRIVACY_ORIGIN_TRIAL]}</td>
    <td>${gateLatency[GATE_TYPES.PRIVACY_SHIP]}</td>
    <td>${gateLatency[GATE_TYPES.SECURITY_ORIGIN_TRIAL]}</td>
    <td>${gateLatency[GATE_TYPES.SECURITY_SHIP]}</td>
    <td>${gateLatency[GATE_TYPES.ENTERPRISE_SHIP]}</td>
    <td>${gateLatency[GATE_TYPES.DEBUGGABILITY_ORIGIN_TRIAL]}</td>
    <td>${gateLatency[GATE_TYPES.DEBUGGABILITY_SHIP]}</td>
    <td>${gateLatency[GATE_TYPES.TESTING_SHIP]}</td>
    <td>${gateLatency[GATE_TYPES.API_ORIGIN_TRIAL]}</td>
    <td>${gateLatency[GATE_TYPES.API_SHIP]}</td>
  </tr>
  `}renderTable(){return x$1`
  <table>
    <colgroup>
      <col />
    </colgroup>
    <colgroup>
      <col />
      <col />
    </colgroup>
    <colgroup>
      <col />
    </colgroup>
  `}
```

```

    </colgroup>
    <colgroup>
      <col />
    </colgroup>
    <colgroup>
      <col />
      <col />
    </colgroup>
    <colgroup>
      <col />
    </colgroup>
    <colgroup>
      <col />
      <col />
    </colgroup>
    <tr>
      <th scope="col" rowspan="2" class="left">Feature</th>
      <th scope="col" colspan="2">Privacy</th>
      <th scope="col" colspan="2">Security</th>
      <th scope="col" colspan="1">Enterprise</th>
      <th scope="col" colspan="2">Debugability</th>
      <th scope="col" colspan="1">Testing</th>
      <th scope="col" colspan="2">API Owners</th>
    </tr>
    <tr>
      <th>OT</th>
      <th>Ship</th>
      <th>OT</th>
      <th>Ship</th>
      <th>Ship</th>
      <th>OT</th>
      <th>Ship</th>
      <th>Ship</th>
      <th>OT</th>
      <th>Ship</th>
    </tr>

    ${this.reviewLatencyList.map(rl=>this.renderFeatureReviewsRow(rl))}
  </table>
  `}renderWhenComplete(){return x$1` ${this.renderCount()} ${this.renderTable()} `}render(){return
this._reviewLatencyTask.render({initial:()=>x$1`<p>Loading...</p>`,pending:()=>x$1`<p>Loading...
</p>`,complete:()=>this.renderWhenComplete(),error:e=>(console.error(e),x$1`<p>
  Some errors occurred. Please refresh the page or try again later.

</p>`))}};__decorate$9([n$5({attribute:!1})],ChromedashReportReviewLatencyPage.prototype,"_client",voi
d
0),__decorate$9([n$5({attribute:!1})],ChromedashReportReviewLatencyPage.prototype,"reviewLatencyList",v
oid
0),__decorate$9([n$5({attribute:!1})],ChromedashReportReviewLatencyPage.prototype,"_reviewLatencyTask",
void 0),ChromedashReportReviewLatencyPage=__decorate$9([t$3("chromedash-report-review-latency-
page")],ChromedashReportReviewLatencyPage);var __decorate$8=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r);const TEMPLATE_CONTENT={stable_minus_one:
{channelLabel:"Released",h1Class:"",dateText:"was",featureHeader:"Features in this release"},stable:
{channelLabel:"Stable",h1Class:"",dateText:"was",featureHeader:"Features in this release"},stable_soon:
{channelLabel:"Stable soon",h1Class:"",dateText:"was",featureHeader:"Features planned in this
release"},beta:{channelLabel:"Next up",h1Class:"chrome_version--
beta",channelTag:"BETA",dateText:"between",featureHeader:"Features planned in this release"},dev:
{channelLabel:"Dev",h1Class:"chrome_version--
dev",channelTag:"DEV",dateText:"coming",featureHeader:"Features planned in this release"},dev_plus_one:
{channelLabel:"Later",h1Class:"chrome_version--dev_plus_one",dateText:"coming",featureHeader:"Features
planned in this release"}},DEFAULT_CHANNEL_TYPES=["stable","beta","dev"],GAPPED_CHANNEL_TYPES=
["stable","stable_soon","beta","dev"],SHOW_DATES=!0,compareFeatures=
(a,b)=>a.name.localeCompare(b.name,"fr",{ignorePunctuation:!0});let ChromedashRoadmap=class
ChromedashRoadmap extends i$4{constructor()
{super(...arguments),this.numColumns=0,this.cardWidth=0,this.channels={},this.starredFeatures=new
Set,this.futureMilestoneArray=[],this.pastMilestoneArray=[],this.highlightFeature=void
0,this.cardOffset=0,this.shownChannelNames=[]}static get styles(){return[...SHARED_STYLES,i$7`
:host {
  display: inline-flex;
  padding: 0 0em var(--content-padding-huge);
  margin-right: var(--content-padding-negative);
  position: relative;
}
`]}connectedCallback()
{super.connectedCallback(),Promise.all([window.csClient.getChannels(),window.csClient.getStars()]).then
(([channels,starredFeatures])=>{this.fetchFirstBatch(channels),this.starredFeatures=new
Set(starredFeatures)}).catch(()=>{showToastMessage("Some errors occurred. Please refresh the page or
try again later.")})}fetchFirstBatch(channels){this.shownChannelNames=channels.stable_soon?
GAPPED_CHANNEL_TYPES:DEFAULT_CHANNEL_TYPES;const
promises=this.shownChannelNames.map(channelType=>window.csClient.getFeaturesInMilestone(channels[channe
lType].version));Promise.all(promises).then(allRes=>{allRes.map((res,idx)=>
{Object.keys(res).forEach(status=>
```



```
{res[status].sort(compareFeatures)}),channels[this.shownChannelNames[idx]].features=res}},this.channels=channels,this.fetchNextBatch(channels.beta.version,!0),this.fetchPreviousBatch(channels.stable.version),this.lastMilestoneVisible=channels[this.shownChannelNames[this.numColumns-1]].version}}fetchNextBatch(nextVersion,firstTime=!1){const fetchInAdvance=3,fetchStart=firstTime?nextVersion+2:nextVersion+3+1,fetchEnd=nextVersion+3+1,versions=[...Array(fetchEnd-fetchStart+1).keys()].map(x=>x+fetchStart),milestonePromise=window.csClient.getSpecifiedChannels(fetchStart,fetchEnd),featurePromises=versions.map(ver=>window.csClient.getFeaturesInMilestone(ver));this.futureMilestoneArray=[...this.futureMilestoneArray,...versions],this.lastFutureFetchedOn=nextVersion,milestonePromise.then(newMilestonesInfo=>{Promise.all(featurePromises).then(allRes=>{allRes.map((res,idx)=>{Object.keys(res).forEach(status=>{res[status].sort(compareFeatures)});const version=versions[idx];newMilestonesInfo[version].features=res,newMilestonesInfo[version].version=version,this.milestoneInfo=Object.assign({},this.milestoneInfo,newMilestonesInfo)}))}).catch(()=>{showToastMessage("Some errors occurred. Please refresh the page or try again later.")}})}fetchPreviousBatch(version){const versionToFetch=version-1;if(2>versionToFetch)return;const milestonePromise=window.csClient.getSpecifiedChannels(versionToFetch,versionToFetch),featurePromise=window.csClient.getFeaturesInMilestone(versionToFetch),margin=16;this.cardOffset-=1,this.style.left=this.cardOffset*(this.cardWidth+margin)+"px",this.pastMilestoneArray=[versionToFetch,...this.pastMilestoneArray],this.lastPastFetchedOn=version,Promise.all([milestonePromise,featurePromise]).then(([newMilestonesInfo,features])=>{Object.keys(features).forEach(status=>{features[status].sort(compareFeatures)}),newMilestonesInfo[versionToFetch].features=features,newMilestonesInfo[versionToFetch].version=versionToFetch,this.milestoneInfo=Object.assign({},this.milestoneInfo,newMilestonesInfo)}).catch(()=>{showToastMessage("Some errors occurred. Please refresh the page or try again later.")}})}handleStarToggle(e){const newStarredFeatures=new Set(this.starredFeatures);window.csClient.setStar(e.detail.feature,e.detail.doStar).then(()=>{e.detail.doStar?newStarredFeatures.add(e.detail.feature):newStarredFeatures.delete(e.detail.feature),this.starredFeatures=newStarredFeatures}).catch(()=>{showToastMessage("Unable to star the Feature. Please Try Again.")}})}handleHighlightEvent(e){this.highlightFeature=e.detail.feature}render(){return x$1` ${c(this.pastMilestoneArray,milestone=>milestone,milestone=>x$1` <chromedash-roadmap-milestone-card style="width:${this.cardWidth}px;" .channel=${this.milestoneInfo?.[milestone]} .templateContent=${TEMPLATE_CONTENT.stable_minus_one} ?showdates=${SHOW_DATES} .starredFeatures=${this.starredFeatures} .highlightFeature=${this.highlightFeature} ?signedin=${this.signedIn} @star-toggle-event=${this.handleStarToggle} @highlight-feature-event=${this.handleHighlightEvent} > </chromedash-roadmap-milestone-card> `)} ${c(this.shownChannelNames,channelType=>channelType,channelType=>x$1` <chromedash-roadmap-milestone-card style="width:${this.cardWidth}px;" .channel=${this.channels?.[channelType]} .templateContent=${TEMPLATE_CONTENT[channelType]} ?showdates=${SHOW_DATES} .starredFeatures=${this.starredFeatures} .highlightFeature=${this.highlightFeature} ?signedin=${this.signedIn} .stableMilestone=${this.channels?.["stable"]?.version} @star-toggle-event=${this.handleStarToggle} @highlight-feature-event=${this.handleHighlightEvent} > </chromedash-roadmap-milestone-card> `)} ${c(this.futureMilestoneArray,milestone=>milestone,milestone=>x$1` <chromedash-roadmap-milestone-card style="width:${this.cardWidth}px;" .channel=${this.milestoneInfo?.[milestone]} .templateContent=${TEMPLATE_CONTENT.dev_plus_one} ?showdates=${SHOW_DATES} .starredFeatures=${this.starredFeatures} .highlightFeature=${this.highlightFeature} ?signedin=${this.signedIn} @star-toggle-event=${this.handleStarToggle} @highlight-feature-event=${this.handleHighlightEvent} > </chromedash-roadmap-milestone-card> `)} `}};__decorate$8([n$5({type:Boolean})],ChromedashRoadmap.prototype,"signedIn",void 0),__decorate$8([n$5({type:Number,attribute:!1})],ChromedashRoadmap.prototype,"numColumns",void 0),__decorate$8([n$5({type:Number,attribute:!1})],ChromedashRoadmap.prototype,"cardWidth",void 0),__decorate$8([r$6()],ChromedashRoadmap.prototype,"channels",void 0),__decorate$8([r$6()],ChromedashRoadmap.prototype,"starredFeatures",void 0),__decorate$8([r$6()],ChromedashRoadmap.prototype,"lastFutureFetchedOn",void 0),__decorate$8([r$6()],ChromedashRoadmap.prototype,"lastPastFetchedOn",void 0),__decorate$8([r$6()],ChromedashRoadmap.prototype,"lastMilestoneVisible",void 0),__decorate$8([r$6()],ChromedashRoadmap.prototype,"futureMilestoneArray",void 0),__decorate$8([r$6()],ChromedashRoadmap.prototype,"pastMilestoneArray",void 0),__decorate$8([r$6()],ChromedashRoadmap.prototype,"milestoneInfo",void 0),__decorate$8([r$6()],ChromedashRoadmap.prototype,"highlightFeature",void 0),__decorate$8([r$6()],ChromedashRoadmap.prototype,"cardOffset",void 0),__decorate$8([r$6()],ChromedashRoadmap.prototype,"shownChannelNames",void 0),
```

```
0),ChromedashRoadmap=__decorate$8([t$3("chromedash-roadmap")],ChromedashRoadmap);const
ROADMAP_MILESTONE_CARD_CSS=[SHARED_STYLES,i$7`
.layout {
  display: flex;
}
.layout.wrap {
  flex-wrap: wrap;
}
.layout.center {
  align-items: center;
}
.layout.center-center {
  align-items: center;
  justify-content: center;
}
.layout.vertical {
  flex-direction: column;
}
:host {
  padding: 16px;
  background: #fff;
  padding: 16px;
  margin-bottom: 16px !important;
  border-radius: 3px;
  margin-right: 8px !important;
  margin-left: 8px !important;
  counter-reset: featurecount;
  margin: 8px;
}
sl-icon {
  font-size: 1.4rem;
  color: #366597;
}
sl-icon:hover {
  color: #248;
}
sl-icon.pushicon {
  cursor: pointer;
}
sl-icon-button {
  font-size: 16px;
}
.popup-content {
  border: 2px solid #888;
  border-radius: 8px;
  background: #f8f8f8;
  color: black;
  font-size: 12pt;
  padding: 1em;
  width: 14em;
}
.chrome_version {
  font-size: 45px;
  margin: 8px 0 16px 0;
  white-space: nowrap;
}
.channel_label {
  font-weight: 600;
  text-transform: uppercase;
  font-size: 24px;
  text-align: center;
}
.chrome_version .chrome-logo,
.chrome_version--stable .chrome-logo {
  position: relative;
  width: 45px;
  height: 45px;
  background: url(/static/img/chrome_logo.svg) no-repeat 50% 50%;
  background-size: contain;
  margin-right: 8px;
}
.chrome_version--beta .chrome-logo {
  background-image: url(/static/img/chrome_logo.svg);
}
.chrome_version--dev .chrome-logo {
  background-image: url(/static/img/chrome_logo.svg);
}
.chrome_version--canary .chrome-logo {
  background-image: url(/static/img/chrome_logo_canary.svg);
  background-size: 42px;
}
.chrome_version--dev_plus_one .chrome-logo {
  filter: gray;
  -webkit-filter: grayscale(1);
  filter: grayscale(1);
}
```

```
.chrome-logo .channel-tag {
  position: absolute;
  right: 0;
  top: 50%;
  padding: 1px 2px;
  font-size: 10px;
  font-weight: bold;
  color: white;
  background: var(--sl-color-neutral-900);
}
.release {
  padding: 16px;
  background: #fff;
  padding: 16px;
  margin-bottom: 16px !important;
  border-radius: 3px;
  flex: 1 0 0;
  min-width: 300px;
  counter-reset: featurecount;
}
.release.no-components .feature_shipping_type {
  display: none;
}
.release.no-components .feature_shipping_type + ul {
  margin-top: 0;
}
.milestone_info {
  margin-bottom: 8px;
}
.milestone_info:nth-of-type(3) {
  border-bottom: 1px solid #e6e6e6;
  padding-bottom: 16px;
}
.milestone_info .channel_label {
  font-size: inherit;
  font-weight: 500;
  text-transform: none;
}
.no_feature_released {
  color: #737373;
}
.features_list {
  margin-top: 32px;
}
.features_list ul,
.features_list ol {
  margin-top: 8px;
  list-style: none;
  padding: 0;
}
.features_list li {
  padding: 8px;
  font-weight: 500;
}
.features_list li .icon_row {
  flex-shrink: 0;
}
.features_list .features_header {
  font-weight: 500;
  text-transform: uppercase;
  margin-bottom: 16px;
}
.feature_shipping_type {
  margin-top: 16px;
  overflow: hidden;
  text-overflow: ellipsis;
}
.highlight {
  background: var(--light-accent-color);
}
#feature_link {
  width: 100%;
}
.sl-skeleton-header-container {
  display: flex;
  width: 100%;
  gap: 10px;
  justify-content: center;
  margin-top: 10px;
}
.sl-skeleton-header-container sl-skeleton {
  width: 60%;
}
.sl-skeleton-title-container {
  width: 50%;
}
```

```
.features_list sl-skeleton {
  height: 20px;
  margin: 8px;
}
.experiment {
  font-size: 85%;
  padding: 2px 8px;
  background: #fea;
  border-radius: 8px;
}
`];var __decorate$7=function(decorators,target,key,desc){var c=arguments.length,r=3>c?
target:null===desc?desc:Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof
Reflect&&"function"===typeof Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else
for(var i=decorators.length-1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?
d(target,key,r):d(target,key))||r);return 3<c&&r&&Object.defineProperty(target,key,r),r};const
STATUS_TO_ICON_NAME={"Not started":"arrow_circle_right_20px","In-progress":"pending_20px","Needs
work":"autorenew_20px",Approved:"check_circle_filled_20px",Denied:"block_20px"};let
ChromedashReviewStatusIcon=class ChromedashReviewStatusIcon extends i$4{constructor()
{super(...arguments),this.gates=[]}static get styles(){return[...SHARED_STYLES,i$7`
  sl-icon {
    width: 26px;
    height: 18px;
  }

  sl-icon.not-started {
    color: var(--gate-preparing-icon-color);
  }
  sl-icon.in-progress {
    color: var(--gate-pending-icon-color);
  }
  sl-icon.needs-work {
    color: var(--gate-needs-work-icon-color);
  }
  sl-icon.approved {
    color: var(--gate-approved-icon-color);
  }
  sl-icon.denied {
    color: var(--gate-denied-icon-color);
  }
`}}connectedCallback(){super.connectedCallback(),this.fetchData().fetchData(){this.gates=
[],window.csClient?.getGates(this.feature?.id).then(gatesRes=>{let
featureGates=gatesRes.gates;this.gates=featureGates.filter(g=>this.feature.roadmap_stage_ids?.includes(
g.stage_id))}})calcStatus(){let status="Not started",targetGateId,apiOwnersGateId;for(const g of
this.gates)g.state!==GATE_PREPARING&&(status="In-
progress"),g.state!==VOTE_OPTIONS.APPROVED[0]&&g.state!==VOTE_OPTIONS.NA[0]&&g.state!==VOTE_NA_SELF&&
(targetGateId=g.id),"API Owners"===g.team_name&&
(apiOwnersGateId=g.id);0<this.gates.length&&this.gates.every(g=>g.state===VOTE_OPTIONS.APPROVED[0]||g.s
tate===VOTE_OPTIONS.NA[0]||g.state===VOTE_NA_SELF)&&
(status="Approved",targetGateId=apiOwnersGateId),this.feature?.feature_type_int===FEATURE_TYPES.FEATURE
_TYPE_CODE_CHANGE_ID[0]&&(status="Approved",targetGateId=void 0);for(const g of
this.gates)g.state===VOTE_OPTIONS.NEEDS_WORK[0]&&(status="Needs work",targetGateId=g.id);for(const g of
this.gates)g.state===VOTE_OPTIONS.DENIED[0]&&
(status="Denied",targetGateId=g.id);return{status,targetGateId}}render()
{if(0===this.gates.length)return x$1`<sl-icon></sl-
icon>`;const{status,targetGateId}=this.calcStatus();let className=status.toLowerCase().replace(" ","-
"),iconName=STATUS_TO_ICON_NAME[status],hoverText="Reviews: "+status;const icon=x$1`
<sl-icon
  library="material"
  title="${hoverText}"
  class="${className}"
  name="${iconName}"
>></sl-icon>
`;return targetGateId?x$1`
  <a href="/feature/${this.feature.id}?gate=${targetGateId}">${icon}</a>
  `:icon}};__decorate$7([n$5({type:Object})],ChromedashReviewStatusIcon.prototype,"feature",void
0),__decorate$7([r$6()],ChromedashReviewStatusIcon.prototype,"gates",void
0),ChromedashReviewStatusIcon=__decorate$7([t$3("chromedash-review-status-
icon")],ChromedashReviewStatusIcon);var __decorate$6=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc:Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};const REMOVED_STATUS=["Removed"],DEPRECATED_STATUS=
["Deprecated","No longer pursuing"],ORIGIN_TRIAL=["Origin trial"],DEPRECATION_TRIAL=["Deprecation
trial"],NO_FEATURE_STRING="NO FEATURES ARE PLANNED FOR THIS MILESTONE YET";let
ChromedashRoadmapMilestoneCard=class ChromedashRoadmapMilestoneCard extends i$4{constructor()
{super(...arguments),this.infoPopupRef=e$1(),this.starredFeatures=new
Set,this.showDates=!1,this.signedIn=!1,this.currentDate=Date.now()}static{this.styles=ROADMAP_MILESTONE
_CARD_CSS}_dateDiffInDays(a,b){const
utc1=Date.UTC(a.getFullYear(),a.getMonth(),a.getDate()),utc2=Date.UTC(b.getFullYear(),b.getMonth(),b.ge
tDate()),MS_PER_DAY=86400000,daysDiff=Math.floor((utc2-
utc1)/MS_PER_DAY);return{days:Math.abs(daysDiff),future:1>daysDiff}}_computeDate(dateStr,addYear=!1)
{const opts={month:"short",day:"numeric"};addYear&&(opts.year="numeric");const date=new
Date(dateStr);return new Intl.DateTimeFormat("en-US",opts).format(date)}_fireEvent(eventName,detail)
{const event=new CustomEvent(eventName,
{bubbles:!0,composed:!0,detail});this.dispatchEvent(event)}_isAnyFeatureReleased(){for(const
```

```
shippingType of
this._objKeys(this.channel?.features))if(0!=this.channel?.features[shippingType].length)return!0;return
!1}toggleStar(e){e.preventDefault(),e.stopPropagation();const
iconEl=e.target,featureId+=iconEl.dataset.featureId,newStarred=!this.starredFeatures.has(featureId);thi
s._fireEvent("star-toggle-event",{feature:featureId,doStar:newStarred})}highlight(e)
{e.preventDefault(),e.stopPropagation();const
iconEl=e.target.parentNode.parentNode,featureId+=iconEl.dataset.featureId;this._fireEvent("highlight-
feature-event",{feature:featureId})}removeHighlight(e)
{e.preventDefault(),e.stopPropagation(),this._fireEvent("highlight-feature-event",
{feature:null})}_computeDaysUntil(dateStr){const date=new Date(dateStr);if(isNaN(date.getTime()))return
E$1;const today=new Date,diff=this._dateDiffInDays(date,today);return 1>diff.days?"coming
soon":x$1`<sl-relative-time
class="no-squeeze"
date="${date.toISOString()}"
>
</sl-relative-time>`}_objKeys(obj){return obj?Object.keys(obj).sort():[]}}hidePopup(e)
{e.relatedTarget!=this.renderRoot.querySelector("#detailed-info-link")&&
(this.infoPopupRef.value.active=!1)}renderInfoIcon(){return x$1`
<sl-icon-button
name="info-circle"
id="info-button"
@click=${()=>this.infoPopupRef.value.active=!this.infoPopupRef.value.active}
@focusout=${this.hidePopup}
></sl-icon-button>

<sl-popup
anchor="info-button"
placement="bottom"
strategy="fixed"
${n$2(this.infoPopupRef)}
>
<div class="popup-content">
  New versions are offered to users gradually. <br />
  See
  <a
    @focusout=${this.hidePopup}
    id="detailed-info-link"
    href="https://chromiumdash.appspot.com/schedule"
    target="_blank"
    >detailed dates</a>
  >.
</div>
</sl-popup>
`}_renderCardHeader(){if(!this.channel)return E$1;const stableStart=110<=this.channel.version?
this.channel?.early_stable:this.channel?.stable_date,logo=x$1`
<span class="chrome-logo">
  ${this.templateContent.channelTag?x$1`
    <span class="channel-tag"
    >${this.templateContent.channelTag}</span>
  >
  `:E$1}
</span>
`;return x$1`
<div class="layout vertical center">
  <h1 class="channel_label">${this.templateContent.channellabel}</h1>
  <h1
    class="chrome_version layout horizontal center ${this.templateContent.h1Class}"
  >
    ${logo} Chrome ${this.channel?.version}
  </h1>
</div>
${this.showDates&&this.channel?.earliest_beta?x$1`
  <div class="milestone_info layout horizontal center-center">
    <h3>
      <span class="channel_label">Beta</span> ${this.templateContent.dateText}
      <span class="milestone_info-beta">
        ${this._computeDate(this.channel?.earliest_beta)} -
        ${this._computeDate(this.channel?.latest_beta)}
      </span>
    </h3>
  </div>
  <div class="milestone_info layout horizontal center-center">
    <h3>
      <span class="channel_label">Stable</span>
      ${this._computeDaysUntil(stableStart)}
      <span class="release-stable"
        >(${this._computeDate(stableStart,!0)})</span>
    >
    ${this.renderInfoIcon()}
  </h3>
  </div>
  `:E$1}
`}_isFeatureOutdated(accurateAsOf,liveChromeVersion)
{if(0===this.stableMilestone||!liveChromeVersion)return!1;if(this.stableMilestone+1!==liveChromeVersion
&&this.stableMilestone+2!==liveChromeVersion)return!1;const
isVerified=isVerifiedWithinGracePeriod(accurateAsOf,this.currentDate);return!isVerified}_cardFeatureIte
```

```
mTemplate(f,shippingType){return x$1`
  <li
    data-feature-id="{{f.id}}"
    class="hbox align-top {{f.id==this.highlightFeature?"highlight":""}}"
  >
    <chromedash-review-status-icon
      .feature={{f}}
    ></chromedash-review-status-icon>
    <span>
      <a
        id="feature_link"
        href="/feature/{{f.id}}"
        @mouseenter="{{this.highlight}}"
        @mouseleave="{{this.removeHighlight}}"
      >
        {{f.name}}
      </a>
      {{f.finch_urls?.map(url=>x$1`
        <a
          target="_blank"
          class="experiment"
          href={{url}}
          title="Deploying to some users as an experiment"
        >Exp</a>
        </a>
      `)}}
    </span>
    <span class="spacer"></span>
    <span class="icon_row">
      {{this._isFeatureOutdated(f.accurate_as_of,this.channel?.version)?x$1`
        <span
          class="tooltip"
          id="outdated-icon"
          title="Feature outdated - last checked for overall accuracy more than four weeks ago"
        >
          <sl-icon
            name="exclamation-circle-fill"
            data-tooltip
          ></sl-icon>
        </span>
        `:E$1}
      {{ORIGIN_TRIAL.includes(shippingType)?x$1`
        <span class="tooltip" title="Origin Trial">
          <sl-icon
            library="material"
            name="extension"
            class="experimental"
            data-tooltip
          ></sl-icon>
        </span>
        `:E$1}
      {{DEPRECATION_TRIAL.includes(shippingType)?x$1`
        <span class="tooltip" title="Deprecation Trial">
          <sl-icon
            library="material"
            name="extension"
            class="experimental"
            data-tooltip
          ></sl-icon>
        </span>
        `:E$1}
      {{REMOVED_STATUS.includes(shippingType)?x$1`
        <span class="tooltip" title="Removed">
          <sl-icon
            name="x-circle-fill"
            class="remove"
            data-tooltip
          ></sl-icon>
        </span>
        `:E$1}
      {{DEPRECATED_STATUS.includes(shippingType)?x$1`
        <span class="tooltip" title="Deprecated">
          <sl-icon
            name="exclamation-triangle-fill"
            class="deprecated"
            data-tooltip
          ></sl-icon>
        </span>
        `:E$1}
      {{this.signedIn?x$1`
        <span
          class="tooltip"
          title="Receive an email notification when there are updates"
        >
          <sl-icon
            name="{{this.starredFeatures.has(+f.id)?"star-fill":"star"}}"
```



```

    ${this.channel?x$1` ${this.renderCardHeader()} ${this.renderCardFeatureList()} `:x$1`
    ${this.renderSkeletons()} `}
  </section>

  `}};__decorate$6([n$5({attribute:!1})],ChromedashRoadmapMilestoneCard.prototype,"starredFeatures",void
  0),__decorate$6([n$5({attribute:!1})],ChromedashRoadmapMilestoneCard.prototype,"highlightFeature",void
  0),__decorate$6([n$5({attribute:!1})],ChromedashRoadmapMilestoneCard.prototype,"templateContent",void
  0),__decorate$6([n$5({attribute:!1})],ChromedashRoadmapMilestoneCard.prototype,"channel",void
  0),__decorate$6([n$5({type:Boolean})],ChromedashRoadmapMilestoneCard.prototype,"showDates",void
  0),__decorate$6([n$5({type:Boolean})],ChromedashRoadmapMilestoneCard.prototype,"signedIn",void
  0),__decorate$6([n$5({attribute:!1})],ChromedashRoadmapMilestoneCard.prototype,"stableMilestone",void
  0),__decorate$6([r$6()],ChromedashRoadmapMilestoneCard.prototype,"currentDate",void
  0),ChromedashRoadmapMilestoneCard=__decorate$6([t$3("chromedash-roadmap-milestone-
  card")],ChromedashRoadmapMilestoneCard);var __decorate$5=function(decorators,target,key,desc){var
  c=arguments.length,r=3>c?target:null===desc?
  desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
  Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
  1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
  3<c&&r&&Object.defineProperty(target,key,r),r};let roadmapHelpDialogEl;async function
  openRoadmapHelpDialog(){roadmapHelpDialogEl||(roadmapHelpDialogEl=document.createElement("chromedash-
  roadmap-help-dialog"),document.body.appendChild(roadmapHelpDialogEl),await
  roadmapHelpDialogEl.updateComplete),roadmapHelpDialogEl.show()}let ChromedashRoadmapHelpDialog=class
  ChromedashRoadmapHelpDialog extends i$4{static get styles(){return[...SHARED_STYLES,i$7`
    #dialog-content {
      max-width: 60rem;
    }
    #legend li {
      padding: var(--content-padding-quarter);
      white-space: nowrap;
    }
    #legend span {
      display: inline-block;
      width: 8em;
    }

    #legend sl-icon {
      width: 26px;
      height: 18px;
    }
    sl-icon.not-started {
      color: var(--gate-preparing-icon-color);
    }
    sl-icon.in-progress {
      color: var(--gate-pending-icon-color);
    }
    sl-icon.needs-work {
      color: var(--gate-needs-work-icon-color);
    }
    sl-icon.approved {
      color: var(--gate-approved-icon-color);
    }
    sl-icon.denied {
      color: var(--gate-denied-icon-color);
    }
  `]]show(){this.renderRoot.querySelector("sl-dialog")?.show()}hide()
  {this.renderRoot.querySelector("sl-dialog")?.hide()}renderDialogContent(){return x$1`
    <div id="dialog-content">
      <ul id="legend">
        <li>
          <sl-icon
            library="material"
            class="approved"
            name="check_circle_filled_20px"
          >>/sl-icon>
          <span>Approved</span>
          <td>Reviewers approved feature at this stage</td>
        </li>
        <li>
          <sl-icon
            library="material"
            class="not-started"
            name="arrow_circle_right_20px"
          >>/sl-icon>
          <span>Not started</span>
          <td>Feature owners have not requested reviews yet</td>
        </li>
        <li>
          <sl-icon
            library="material"
            class="in-progress"
            name="pending_20px"
          >>/sl-icon>
          <span>In-progress</span>
          <td>Not all reviews have finished</td>
        </li>
      </ul>
    </div>
  `}
```



```

    <sl-icon
      library="material"
      class="needs-work"
      name="autorenew_20px"
    ></sl-icon>
    <span>Needs work</span>
  </td>Reviewers have asked for changes</td>
</li>
<li>
  <sl-icon
    library="material"
    class="denied"
    name="block_20px"
  ></sl-icon>
  <span>Denied</span>
  <td>Reviewers suggested directional changes</td>
</li>
</ul>
</div>
` }render(){return x$1`
  <sl-dialog label="Roadmap legend" style="--width:fit-content">
    ${this.renderDialogContent()}
  </sl-dialog>
  `}};ChromedashRoadmapHelpDialog=__decorate$5([t$3("chromedash-roadmap-help-
dialog")],ChromedashRoadmapHelpDialog);var __decorate$4=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};let ChromedashRoadmapPage=class ChromedashRoadmapPage
extends i$4{constructor()
{super(...arguments),this.sectionRef=e$1(),this.roadmapRef=e$1(),this.cardWidth=0,this.numColumns=0,thi
s.viewOffset=0,this.boundHandleResize=this.handleResize.bind(this)}static get styles()
{return[...SHARED_STYLES,i$7`
  .animate {
    transition: margin 0.4s ease;
  }
  #help-button {
    font-size: 1.4rem;
    color: var(--unimportant-text-color);
    float: right;
  }

  #releases-section {
    overflow: hidden;
  }

  .timeline-controls {
    text-align: center;
    padding-bottom: var(--content-padding);
    margin: 0 var(--content-padding-half);
  }
`]]connectedCallback()
{super.connectedCallback(),window.addEventListener("resize",this.boundHandleResize)}disconnectedCallbac
k()
{window.removeEventListener("resize",this.boundHandleResize),super.disconnectedCallback()}firstUpdated(
){this.handleResize()}handleResize(){const
containerWidth=this.sectionRef.value.offsetWidth,margin=16;let numColumns=3;768>containerWidth?
numColumns=1:1152>containerWidth&&(numColumns=2),this.numColumns=numColumns,containerWidth&&
(this.cardWidth=containerWidth/numColumns-margin),this.updateRoadmapMargin(!1)}handleMove(e){const
roadmap=this.roadmapRef.value;roadmap?.lastFutureFetchedOn&&("next-button"===e.target.id?
(this.viewOffset-=1,roadmap.lastMilestoneVisible+=1,this.updateRoadmapMargin(!0)):
(this.viewOffset+=1,roadmap.lastMilestoneVisible-
=1,this.updateRoadmapMargin(!0)),1<roadmap.lastMilestoneVisible-roadmap.lastFutureFetchedOn?
roadmap.fetchNextBatch(roadmap.lastFutureFetchedOn+1):0>=roadmap.lastMilestoneVisible-
roadmap.lastPastFetchedOn&&roadmap.fetchPreviousBatch(roadmap.lastPastFetchedOn-
1))}updateRoadmapMargin(animated){const roadmap=this.roadmapRef.value;if(!roadmap)return;animated?
roadmap.classList.add("animate"):roadmap.classList.remove("animate");const
margin=16;roadmap.style.marginLeft=this.viewOffset*
(this.cardWidth+16)+"px",roadmap.style.left=roadmap.cardOffset*
(this.cardWidth+16)+"px"}renderHelpIcon(){return x$1`
  <sl-icon
    id="help-button"
    library="material"
    name="help_20px"
    @click="${openRoadmapHelpDialog}"
  >
</sl-icon>
` }render(){return x$1`
  <div id="subheader">
    <div>
      <h3>Roadmap</h3>
    </div>
  </div>
  <section id="releases-section" ${n$2(this.sectionRef)}>
    <div class="timeline-controls">
```

```

    <button
      id="previous-button"
      aria-label="Button to move to previous release"
      @click=${this.handleMove}
    >
      Previous
    </button>
    <button
      id="next-button"
      aria-label="Button to move to later release"
      @click=${this.handleMove}
    >
      Next
    </button>
    ${this.renderHelpIcon()}
  </div>
  <chromedash-roadmap
    ${n$2(this.roadmapRef)}
    class="animate"
    aria-label="List of milestone releases"
    .numColumns=${this.numColumns}
    .cardWidth=${this.cardWidth}
    ?signedIn=${!!this.user}
  >
  </chromedash-roadmap>
</section>
`}};__decorate$4([n$5({type:Object,attribute:!1})],ChromedashRoadmapPage.prototype,"user",void
0),__decorate$4([r$6()],ChromedashRoadmapPage.prototype,"cardWidth",void
0),__decorate$4([r$6()],ChromedashRoadmapPage.prototype,"numColumns",void
0),__decorate$4([r$6()],ChromedashRoadmapPage.prototype,"viewOffset",void
0),ChromedashRoadmapPage=__decorate$4([t$3("chromedash-roadmap-page")],ChromedashRoadmapPage);var
__decorate$3=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r,r);let ChromedashUserlist=class ChromedashUserlist extends
i$4{constructor(){super(...arguments),this.users=[]}static get styles(){return[...SHARED_STYLES,i$7`
  form {
    padding: var(--content-padding);
    background: var(--card-background);
    border: var(--card-border);
    margin-bottom: var(--content-padding);
    max-width: 20em;
  }
  form > * + * {
    margin-top: var(--content-padding-half);
  }

  ul {
    margin-top: 10px;
  }
  ul li {
    transition: opacity 600ms ease-in-out;
    margin-bottom: 5px;
  }
  ul li.faded {
    opacity: 0;
  }
  ul li a {
    margin-right: 10px;
  }
`
  ]}addUser(user){this.users.splice(0,0,user),this.users=this.users.slice(0)}removeUser(idx)
{this.users.splice(idx,1),this.users=this.users.slice(0)}sortUsers(){this.users.sort((a,b)=>
(!a.is_admin||b.is_admin)&&(!a.is_site_editor||b.is_site_editor||b.is_admin)?
(!b.is_admin||a.is_admin)&&(!b.is_site_editor||a.is_site_editor||a.is_admin)?
a.email.localeCompare(b.email):1:-1)}_onAdminToggle(){const
formEl=this.renderRoot.querySelector("form"),adminCheckbox=formEl?.querySelector("input[name=\"is_admin
\"]\"),siteEditorCheckbox=formEl?.querySelector("input[name=\"is_site_editor\"]\"),adminCheckbox.checked?
(siteEditorCheckbox.checked=!0,siteEditorCheckbox.disabled=!0):siteEditorCheckbox.disabled=!1}async
ajaxSubmit(e){e.preventDefault();const
formEl=this.renderRoot.querySelector("form");if(formEl.checkValidity()){const
emailInput=formEl.querySelector("input[name=\"email\"]\"),adminCheckbox=formEl.querySelector("input[name
=\"is_admin\"]\"),siteEditorCheckbox=formEl.querySelector("input[name=\"is_site_editor\"]\"),email=emailI
nput?.value,isAdmin=adminCheckbox?.checked,isSiteEditor=siteEditorCheckbox?.checked>window.csClient.cre
ateAccount(email,isAdmin,isSiteEditor).then(json=>{json.error_message?alert(json.error_message):
(this.addUser(json),formEl.reset(),formEl.querySelector("input[name=\"is_site_editor\"]\" ).disabled=!1)}
)}ajaxDelete(e){if(e.preventDefault(),!confirm("Remove user?"))return;const
idx=e.target.dataset.index>window.csClient.deleteAccount(e.target.dataset.account).then(()=>
{this.removeUser(idx)})}render(){return this.sortUsers(),x$1`
  <form id="form" name="user_form" method="post">
    <div>
      <input
        type="email"
        placeholder="Email address"
        name="email"
        required
      >
    </div>
  </form>
`
  }
  render() {
    return html`
      <div>
        <div>
          <button
            id="previous-button"
            aria-label="Button to move to previous release"
            @click=${this.handleMove}
          >
            Previous
          </button>
          <button
            id="next-button"
            aria-label="Button to move to later release"
            @click=${this.handleMove}
          >
            Next
          </button>
          ${this.renderHelpIcon()}
        </div>
        <chromedash-roadmap
          ${n$2(this.roadmapRef)}
          class="animate"
          aria-label="List of milestone releases"
          .numColumns=${this.numColumns}
          .cardWidth=${this.cardWidth}
          ?signedIn=${!!this.user}
        >
        </chromedash-roadmap>
      </div>
    `
  }
}

__decorate$4([n$5({type: Object, attribute: !1})], ChromedashRoadmapPage.prototype, "user", void 0);
__decorate$4([r$6()], ChromedashRoadmapPage.prototype, "cardWidth", void 0);
__decorate$4([r$6()], ChromedashRoadmapPage.prototype, "numColumns", void 0);
__decorate$4([r$6()], ChromedashRoadmapPage.prototype, "viewOffset", void 0);
ChromedashRoadmapPage = __decorate$4([t$3("chromedash-roadmap-page")], ChromedashRoadmapPage);
var __decorate$3 = function (decorators, target, key, desc) {
  var c = arguments.length, r = 3 > c ? target : null === desc ? desc = Object.getOwnPropertyDescriptor(target, key) : desc, d;
  if ("object" === typeof Reflect && "function" === typeof Reflect.decorate) r = Reflect.decorate(decorators, target, key, desc);
  else for (var i = decorators.length - 1; 0 <= i; i--) (d = decorators[i]) && (r = (3 > c ? d(r) : 3 < c ? d(target, key, r) : d(target, key)) || r);
  return 3 < c && r && Object.defineProperty(target, key, r, r);
};
let ChromedashUserlist = class ChromedashUserlist extends i$4 {
  constructor() {
    super(...arguments);
    this.users = [];
  }
  static get styles() {
    return [...SHARED_STYLES, i$7`
      form {
        padding: var(--content-padding);
        background: var(--card-background);
        border: var(--card-border);
        margin-bottom: var(--content-padding);
        max-width: 20em;
      }
      form > * + * {
        margin-top: var(--content-padding-half);
      }

      ul {
        margin-top: 10px;
      }
      ul li {
        transition: opacity 600ms ease-in-out;
        margin-bottom: 5px;
      }
      ul li.faded {
        opacity: 0;
      }
      ul li a {
        margin-right: 10px;
      }
    `];
  }
  addUser(user) {
    this.users.splice(0, 0, user);
    this.users = this.users.slice(0);
  }
  removeUser(idx) {
    this.users.splice(idx, 1);
    this.users = this.users.slice(0);
  }
  sortUsers() {
    this.users.sort((a, b) => (!a.is_admin || b.is_admin) && (!a.is_site_editor || b.is_site_editor || b.is_admin) ? (!b.is_admin || a.is_admin) && (!b.is_site_editor || a.is_site_editor || a.is_admin) ? a.email.localeCompare(b.email) : 1 : -1);
  }
  _onAdminToggle() {
    const formEl = this.renderRoot.querySelector("form");
    adminCheckbox = formEl ? formEl.querySelector("input[name=\\\"is_admin\\\"]") : null;
    siteEditorCheckbox = formEl ? formEl.querySelector("input[name=\\\"is_site_editor\\\"]") : null;
    adminCheckbox.checked ? (siteEditorCheckbox.checked = !0, siteEditorCheckbox.disabled = !0) : siteEditorCheckbox.disabled = !1;
  }
  async ajaxSubmit(e) {
    e.preventDefault();
    const formEl = this.renderRoot.querySelector("form");
    if (formEl.checkValidity()) {
      const emailInput = formEl.querySelector("input[name=\\\"email\\\"]");
      adminCheckbox = formEl ? formEl.querySelector("input[name=\\\"is_admin\\\"]") : null;
      siteEditorCheckbox = formEl ? formEl.querySelector("input[name=\\\"is_site_editor\\\"]") : null;
      email = emailInput ? emailInput.value : null;
      isAdmin = adminCheckbox ? adminCheckbox.checked : false;
      isSiteEditor = siteEditorCheckbox ? siteEditorCheckbox.checked : false;
      window.csClient.createAccount(email, isAdmin, isSiteEditor).then(json => {
        json.error_message ? alert(json.error_message) : (this.addUser(json), formEl.reset(), formEl.querySelector("input[name=\\\"is_site_editor\\\"]").disabled = !1);
      });
    }
    ajaxDelete(e) {
      if (e.preventDefault(), !confirm("Remove user?")) return;
      const idx = e.target.dataset.index;
      window.csClient.deleteAccount(e.target.dataset.account).then(() => {
        this.removeUser(idx);
      });
    }
  }
  render() {
    return html`
      <div>
        <div>
          <button id="previous-button" aria-label="Button to move to previous release" @click=${this.handleMove}>Previous</button>
          <button id="next-button" aria-label="Button to move to later release" @click=${this.handleMove}>Next</button>
          ${this.renderHelpIcon()}
        </div>
        <chromedash-roadmap ${n$2(this.roadmapRef)} class="animate" aria-label="List of milestone releases" .numColumns=${this.numColumns} .cardWidth=${this.cardWidth} ?signedIn=${!!this.user}></chromedash-roadmap>
      </div>
    `;
  }
}
```

```

    />
  </div>
  <div>
    <label
      ><input
        type="checkbox"
        name="is_admin"
        @click="${this._onAdminToggle}"
      />
      User is admin</label
    >
  </div>
  <div>
    <label
      ><input type="checkbox" name="is_site_editor" /> User is site
      editor</label
    >
  </div>
  <div>
    <input type="submit" @click="${this.ajaxSubmit}" value="Add user" />
  </div>
</form>

<ul id="user-list">
  ${this.users.map((user,index)=>x$1`
    <li>
      <a
        href="#"
        data-index="${index}"
        data-account="${user.id}"
        @click="${this.ajaxDelete}"
        >delete</a
      >
      ${user.is_admin?x$1`(admin):E$1}
      ${!user.is_admin&&user.is_site_editor?x$1`(site editor):E$1}
      <span>${user.email}</span>
    </li>
  `)}
</ul>
`}};__decorate$3([r$6()],ChromedashUserlist.prototype,"users",void
0),ChromedashUserlist=__decorate$3([t$3("chromedash-userlist"),ChromedashUserlist]);var
__decorate$2=function(decorators,target,key,desc){var c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};let ChromedashEnterprisePage=class
ChromedashEnterprisePage extends ChromedashAllFeaturesPage{renderBox(query){return x$1`
  <chromedash-feature-table
    query=${query}
    ?signedIn=${!!this.user}
    ?canEdit=${this.user&&this.user.can_edit_all}
    .starredFeatures=${this.starredFeatures}
    @star-toggle-event=${this.handleStarToggle}
    num="100"
    alwaysOfferPagination
    columns="normal"
  >
  </chromedash-feature-table>
  `}renderEnterpriseFeatures(){return this.renderBox("feature_type=\"New Feature or removal affecting
enterprises\" OR enterprise_impact>1")}}render(){return x$1`
  <h2>Enterprise features and breaking changes</h2>
  ${this.renderEnterpriseFeatures()}
  `}};ChromedashEnterprisePage=__decorate$2([t$3("chromedash-enterprise-
page"),ChromedashEnterprisePage]);var __decorate$1=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};const milestoneQueryParamKey="milestone";let
ChromedashEnterpriseReleaseNotesPage=class ChromedashEnterpriseReleaseNotesPage extends
i$4{constructor(){super(...arguments),this.currentChromeBrowserUpdates=
[],this.upcomingChromeBrowserUpdates=[],this.currentChromeEnterpriseCore=
[],this.upcomingChromeEnterpriseCore=[],this.currentChromeEnterprisePremium=
[],this.upcomingChromeEnterprisePremium=[],this.features=[],this.editingFeatureIds=new
Set,this.previewingIds=new Set}static get styles(){return[...SHARED_STYLES,i$7`
  :host > * {
    margin: 2rem 0;
  }

  *[hidden] {
    display: none;
  }

  h1 {
    font-size: 2rem;
    line-height: 2.5rem;
    margin: 0 0 0.5rem;
  }

```

```
}

h2 {
  font-size: 1.5rem;
  letter-spacing: 0rem;
  line-height: 2rem;
  margin: 2rem 0 0.5rem;
  font-weight: bold;
}

h3 {
  margin: 16px 0;
}

table {
  width: 100%;
}

tr {
  background-color: var(--table-row-background);
}

th {
  background-color: var(--table-header-background);
}

table,
th,
td {
  border: var(--table-divider);
}

table th,
.bold {
  font-weight: bold;
}

table th,
table td {
  padding: 16px 32px;
  vertical-align: top;
}

ul {
  padding-inline-start: 1rem;
}

.stage {
  margin-top: 16px;
}

.feature {
  margin: 1rem 0 2rem;
  background: var(--card-background);
  border: var(--card-border);
  border-radius: var(--default-border-radius);
  box-shadow: var(--card-box-shadow);
  padding: var(--content-padding);
}

.toremove {
  margin: 1rem 0;
}

.labels {
  margin-bottom: var(--content-padding-half);
}

.confidential::part(base) {
  background: var(--warning-background);
  font-weight: bold;
}

.reviewed::part(base) {
  background: var(--sl-color-blue-100);
}

.ready::part(base) {
  background: var(--success-background);
}

.toremove {
  font-style: italic;
}

td:not(:first-child),
th:not(:first-child) {
  text-align: center;
}
```

```
.edit-button {
  float: right;
}
.feature-summary {
  margin-bottom: var(--content-padding);
}
.rollout-milestone {
  width: 6em;
}
.rollout-platforms {
  margin-left: 2em;
  flex-grow: 1;
}

.screenshots {
  display: flex;
  flex-wrap: wrap;
  gap: 1rem;
}
```

```
.screenshots img {
  flex: 0 1 auto;
  max-height: 300px;
  max-width: calc(50% - 0.5rem);
}
```

```
`}}convertShippingStageToRolloutStages(stage){const milestones=
[stage.desktop_first,stage.android_first,stage.ios_first,stage.webview_first,stage.desktop_last,stage.a
ndroid_last,stage.ios_last,stage.webview_last],milestoneAndPlatformsMap=milestones.reduce((acc,mileston
e)=>({...acc,[milestone]:new Set()}),{});return stage.desktop_first&&
(milestoneAndPlatformsMap[stage.desktop_first].add(PLATFORM_CATEGORIES.PLATFORM_WINDOWS[0]),milestoneAn
dPlatformsMap[stage.desktop_first].add(PLATFORM_CATEGORIES.PLATFORM_MAC[0]),milestoneAndPlatformsMap[st
age.desktop_first].add(PLATFORM_CATEGORIES.PLATFORM_LINUX[0])),stage.android_first&&milestoneAndPlatfor
msMap[stage.android_first].add(PLATFORM_CATEGORIES.PLATFORM_ANDROID[0]),stage.ios_first&&milestoneAndPl
atformsMap[stage.ios_first].add(PLATFORM_CATEGORIES.PLATFORM_IOS[0]),stage.webview_first&&milestoneAndP
atformsMap[stage.webview_first].add(PLATFORM_CATEGORIES.PLATFORM_ANDROID[0]),stage.desktop_last&&
(milestoneAndPlatformsMap[stage.desktop_last].add(PLATFORM_CATEGORIES.PLATFORM_WINDOWS[0]),milestoneAnd
PlatformsMap[stage.desktop_last].add(PLATFORM_CATEGORIES.PLATFORM_MAC[0]),milestoneAndPlatformsMap[stag
e.desktop_last].add(PLATFORM_CATEGORIES.PLATFORM_LINUX[0])),stage.android_last&&milestoneAndPlatformsMa
p[stage.android_last].add(PLATFORM_CATEGORIES.PLATFORM_ANDROID[0]),stage.ios_last&&milestoneAndPlatform
sMap[stage.ios_last].add(PLATFORM_CATEGORIES.PLATFORM_IOS[0]),stage.webview_last&&milestoneAndPlatform
sMap[stage.webview_last].add(PLATFORM_CATEGORIES.PLATFORM_ANDROID[0]),Object.entries(milestoneAndPlatfor
msMap).map(([milestone,platforms])=>
({stage_type:STAGE_ENT_ROLLOUT,rollout_milestone:+milestone,rollout_platforms:Array.from(platforms).map
(String),rollout_stage_plan:ROLLOUT_STAGE_PLAN_CATEGORIES.ROLLOUT_STAGE_PLAN_CUSTOM[0],rollout_details:
"No rollout step"}))}}convertFeatureShippingStagesToRolloutStages(f){const
rollouts=f.stages.filter(s=>s.stage_type===STAGE_ENT_ROLLOUT),converted=f.stages.filter(s=>STAGE_TYPES_
SHIPPING.has(s.stage_type)).map(s=>this.convertShippingStageToRolloutStages(s)).flatMap(x=>x);let
newStages=0<rollouts.length?rollouts:converted;return
newStages=newStages.filter(s=>!!s.rollout_milestone),newStages=newStages.sort((a,b)=>a.rollout_mileston
e-b.rollout_milestone),{...f,stages:newStages}}updateFeatures(features)
{features=features.map(f=>this.convertFeatureShippingStagesToRolloutStages(f)),this.features=features.f
ilter(({stages})=>stages.some(s=>s.stage_type===STAGE_ENT_ROLLOUT)),this.categorizeFeatures()}categoriz
eFeatures(){var _Mathmin1=Math.min;const
currentFeatures=this.features.filter(({stages})=>stages.some(s=>s.rollout_milestone===this.selectedMile
stone)).sort((a,b)=>b.enterprise_impact-
a.enterprise_impact);this.currentChromeBrowserUpdates=currentFeatures.filter(f=>f.enterprise_product_ca
tegory===ENTERPRISE_PRODUCT_CATEGORY.CHROME_BROWSER_UPDATE[0]),this.currentChromeEnterpriseCore=current
Features.filter(f=>f.enterprise_product_category===ENTERPRISE_PRODUCT_CATEGORY.CHROME_ENTERPRISE_CORE[0
]),this.currentChromeEnterprisePremium=currentFeatures.filter(f=>f.enterprise_product_category===ENTERP
RISE_PRODUCT_CATEGORY.CHROME_ENTERPRISE_PREMIUM[0]);const
upcomingFeatures=this.features.filter(({stages})=>stages.some(s=>s.rollout_milestone===this.selectedMi
lestone)&&stages.some(s=>s.rollout_milestone>this.selectedMilestone)).sort((a,b)=>{const
minA=_Mathmin1(...a.stages.filter(s=>
(s.rollout_milestone|0)>this.selectedMilestone).map(s=>s.rollout_milestone))|0,minB=_Mathmin1(...b.st
ages.filter(s=>(s.rollout_milestone|0)>this.selectedMilestone).map(s=>s.rollout_milestone))|0;return
minA-
minB));this.upcomingChromeBrowserUpdates=upcomingFeatures.filter(f=>f.enterprise_product_category===ENT
ERPRISE_PRODUCT_CATEGORY.CHROME_BROWSER_UPDATE[0]),this.upcomingChromeEnterpriseCore=upcomingFeatures.f
ilter(f=>f.enterprise_product_category===ENTERPRISE_PRODUCT_CATEGORY.CHROME_ENTERPRISE_CORE[0]),this.up
comingChromeEnterprisePremium=upcomingFeatures.filter(f=>f.enterprise_product_category===ENTERPRISE_PRO
DUCT_CATEGORY.CHROME_ENTERPRISE_PREMIUM[0])}replaceOneFeature(revisedFeature){const
revisedList=this.features.map(f=>f.id===revisedFeature.id?
revisedFeature:f);this.features=revisedList,this.categorizeFeatures()}connectedCallback()
{window.csClient.getChannels().then(channels=>{this.channels=channels;const
queryParams=parseRawQuery(window.location.search);milestoneQueryParamKey in queryParams?
this.selectedMilestone=parseInt(queryParams[milestoneQueryParamKey],10):
(this.selectedMilestone=this.channels.stable.version,updateURLParams(milestoneQueryParamKey,this.select
edMilestone))).then(()=>window.csClient.getFeaturesForEnterpriseReleaseNotes(this.selectedMilestone)).
then(({features})=>this.updateFeatures(features)).catch(()=>{showToastMessage("Some errors occurred.
Please refresh the page or try again
later."))}).finally(()=>super.connectedCallback())}updateSelectedMilestone(){const
milestoneSelector=this.shadowRoot.querySelector("#milestone-
selector");this.selectedMilestone=parseInt(milestoneSelector.value),window.csClient.getFeaturesForEnter
priseReleaseNotes(this.selectedMilestone).then(({features})=>this.updateFeatures(features)).catch(()=>
{showToastMessage("Some errors occurred. Please refresh the page or try again
```

```
later."}}}update(changedProperties){this.selectedMilestone!==void
0&&updateURLParams(milestoneQueryParamKey,this.selectedMilestone),super.update(changedProperties)}rende
rMilestoneSelector(){const options=[];for(let i=0;i<this.selectedMilestone+20;++i)options.push(x$1`<sl-
option value="${i}">Chrome ${i} release summary</sl-option>`);return x$1`<sl-select
id="milestone-selector"
placement="top"
hoist
size="small"
value=${this.selectedMilestone}
@sl-change=${this.updateSelectedMilestone}
>
  ${options.map(option=>option)}
</sl-select>` }getFeatureMarkerForCategory(feature,category){return
feature.enterprise_feature_categories.includes(category.toString())?"\u2713":""}renderReleaseNotesSumma
rySection(title,features){return x$1`
<tr>
  <th>${title}</th>
  <th>Security / Privacy</th>
  <th>User productivity / Apps</th>
  <th>Management</th>
</tr>
${0===features.length?x$1`<tr>
  <td colspan="4">Nothing</td>
</tr>`:features.map(f=>x$1`
  <tr>
    <td>${f.name}</td>
    <td>
      ${this.getFeatureMarkerForCategory(f,ENTERPRISE_FEATURE_CATEGORIES.SECURITYANDPRIVACY[0])}
    </td>
    <td>
      ${this.getFeatureMarkerForCategory(f,ENTERPRISE_FEATURE_CATEGORIES.USERPRODUCTIVITYANDAPPS[0])}
    </td>
    <td>
      ${this.getFeatureMarkerForCategory(f,ENTERPRISE_FEATURE_CATEGORIES.MANAGEMENT[0])}
    </td>
  </tr>
`)}
` }renderReleaseNotesSummary(){return x$1`<table id="release-notes-summary">
  ${this.renderReleaseNotesSummarySection("Chrome Browser
updates",this.currentChromeBrowserUpdates)}
  ${this.renderReleaseNotesSummarySection("Chrome Enterprise Core
(CEC)",this.currentChromeEnterpriseCore)}
  ${this.renderReleaseNotesSummarySection("Chrome Enterprise Premium (CEP, paid
SKU)",this.currentChromeEnterprisePremium)}
  ${this.renderReleaseNotesSummarySection("Upcoming Chrome Browser
updates",this.upcomingChromeBrowserUpdates)}
  ${this.renderReleaseNotesSummarySection("Upcoming Chrome Enterprise Core
(CEC)",this.upcomingChromeEnterpriseCore)}
  ${this.renderReleaseNotesSummarySection("Upcoming Chrome Enterprise Premium (CEP, paid
SKU)",this.upcomingChromeEnterprisePremium)}
</table>` }getStageTitle(stage)
{if(0===stage.rollout_platforms.length||stage.rollout_platforms.length===Object.values(PLATFORMS_DISPLA
YNAME).length)return`Chrome ${stage.rollout_milestone}`;const
rollout_stage_plan_display=stage.rollout_stage_plan===ROLLOUT_STAGE_PLAN_CATEGORIES.ROLLOUT_STAGE_PLAN_
CUSTOM[0]?"":ROLLOUT_STAGE_PLAN_DISPLAYNAME[stage.rollout_stage_plan];return`Chrome
${stage.rollout_milestone} on `+`${stage.rollout_platforms.map(p=>PLATFORMS_DISPLAYNAME[p]).join(",
")}`+` ${rollout_stage_plan_display?`- "+rollout_stage_plan_display:""}` }userCanEdit(f){return
this.user&&(this.user.can_edit_all||this.user.editable_features.includes(f.id))}userCanReview(){return
this.user&&(this.user.is_admin||this.user.can_review_release_notes)}startEditing(featureId){const
newEditing=new
Set(this.editingFeatureIds);newEditing.add(featureId),this.editingFeatureIds=newEditing}cancel(featureI
d){const newEditing=new
Set(this.editingFeatureIds);newEditing.delete(featureId),this.editingFeatureIds=newEditing}nowString()
{const now=new Date,formatter=new Intl.DateTimeFormat("en-CA",{year:"numeric",month:"2-digit",day:"2-
digit",hour:"numeric",minute:"numeric",second:"numeric",hour12:!1,timeZone:"UTC"});let
nowStr=formatter.format(now);return nowStr=nowStr.replace(",",""),nowStr}save(f){const fieldValues=
[],addFieldValue=(name,el,originalValue,stage)=>{const value="SL-CHECKBOX"===el?.tagName?
el?.checked:el?.value;value!==void
0&&" "+value!=" "+originalValue&&fieldValues.push({name,value,touched:!0,stageId:stage?.id});let
nameEl=this.shadowRoot?.querySelector("#edit-name-"+f.id);addFieldValue("name",nameEl,f.name);let
confidentialEl=this.shadowRoot?.querySelector("#edit-confidential-
"+f.id);addFieldValue("confidential",confidentialEl,f.confidential);let
reviewedEl=this.shadowRoot?.querySelector("#edit-reviewed-
"+f.id);addFieldValue("is_releasenotes_content_reviewed",reviewedEl,f.is_releasenotes_content_reviewed)
;let readyEl=this.shadowRoot?.querySelector("#edit-ready-
"+f.id);addFieldValue("is_releasenotes_publish_ready",readyEl,f.is_releasenotes_publish_ready);let
summaryEl=this.shadowRoot?.querySelector("#edit-summary-
"+f.id);addFieldValue("summary",summaryEl,f.summary);const isMarkdown=(f.markdown_fields||
[]).includes("summary");let markdownEl=this.shadowRoot?.querySelector("#summary-is-markdown-
"+f.id);addFieldValue("summary_is_markdown",markdownEl,isMarkdown);for(const s of f.stages)if(s.id)
{const milestoneEl=this.shadowRoot?.querySelector("#edit-rollout-milestone-
"+s.id);addFieldValue("rollout_milestone",milestoneEl,s.rollout_milestone,s);const
platformsEl=this.shadowRoot?.querySelector("#edit-rollout-platforms-
"+s.id);addFieldValue("rollout_platforms",platformsEl,s.rollout_platforms,s);const
```

```
rolloutStagePlanEl=this.shadowRoot?.querySelector("#edit-rollout-stage-plan-
"+s.id);addFieldValue("rollout_stage_plan",rolloutStagePlanEl,s.rollout_stage_plan,s);const
detailsEl=this.shadowRoot?.querySelector("#edit-rollout-details-
"+s.id);addFieldValue("rollout_details",detailsEl,s.rollout_details,s)}const
submitBody=formatFeatureChanges(fieldValues,f.id);window.csClient.updateFeature(submitBody).then(resp=>
{window.csClient.getFeature(f.id).then(resp2=>
{this.replaceOneFeature(this.convertFeatureShippingStagesToRolloutStages(resp2))}}).catch(()=>>
{showToastMessage("Some errors occurred. Please refresh the page or try again later.")}).finally(()=>>
{this.cancel(f.id)}))renderToRemoveParagraph(f){return x$1`
  <p class="toremove">
    <b>< To remove</b>
    - <a target="_blank" href="/feature/${f.id}">Feature details</a> -
    <b>Owners:</b> ${f.browsers.chrome.owners?.join(", ")} -
    <b>Editors:</b> ${f.editors||[]}.join(", ")} -
    <b>Enterprise impact:</b> ${ENTERPRISE_IMPACT_DISPLAYNAME[f.enterprise_impact]}
    - <b>First notice:</b> ${f.first_enterprise_notification_milestone} -
    <b>Last updated:</b>
    <a
      href="/feature/${f.id}/activity"
      target="_blank"
      title=${o$6(f.updated.when)}
    >
      ${renderRelativeDate(f.updated.when)}
    </a>
    by ${f.updated.by}
    <b>></b>
  </p>
`}renderEditButton(f){return this.userCanEdit(f)&&!this.editingFeatureIds.has(f.id)?x$1`
  <sl-button
    @click=${{()=>{this.startEditing(f.id)}}}
    class="edit-button"
    size="small"
  >Edit</sl-button
  >
  `:x$1``}renderLabels(f){let confidentialLabel=x$1``;f.confidential&&(confidentialLabel=x$1`<sl-
tag pill size="small" class="confidential"
  >CONFIDENTIAL</sl-tag
  >);let reviewedLabel=x$1``;f.is_releasenotes_content_reviewed&&(reviewedLabel=x$1`<sl-tag pill
size="small" class="reviewed"
  >Release Notes Content Finalized</sl-tag
  >);let readyLabel=x$1``;return f.is_releasenotes_publish_ready&&(readyLabel=x$1`<sl-tag pill
size="small" class="ready"
  >Ready for Publishing</sl-tag
  >),x$1`<div class="labels">
  ${confidentialLabel} ${reviewedLabel} ${readyLabel}
</div>`}renderEditableLabels(f){let confidentialBox=x$1`
<div>
  <sl-checkbox
    class="feature-confidential"
    id="edit-confidential-${f.id}"
    ?checked=${f.confidential}
    size="small"
  >
    Confidential
  </sl-checkbox>
</div>
`,reviewedBox=x$1``;this.userCanReview()&&(reviewedBox=x$1`
<div>
  <sl-checkbox
    class="feature-reviewed"
    id="edit-reviewed-${f.id}"
    ?checked=${f.is_releasenotes_content_reviewed}
    size="small"
  >
    Release Notes Content Finalized
  </sl-checkbox>
</div>
`);let readyBox=x$1``;return this.userCanReview()&&(readyBox=x$1`<div>
  <sl-checkbox
    class="feature-ready"
    id="edit-ready-${f.id}"
    ?checked=${f.is_releasenotes_publish_ready}
    size="small"
  >
    Ready for Publishing
  </sl-checkbox>
</div> `),x$1`${confidentialBox} ${reviewedBox} ${readyBox}`}renderFeatureName(f){return
x$1`<strong>${f.name}</strong>`}renderEditableFeatureName(f){return x$1`
  <sl-input
    class="feature-name"
    id="edit-name-${f.id}"
    value=${f.name}
    size="small"
  >
  </sl-input>
`}renderFeatureSummary(f){const isMarkdown=(f.markdown_fields||
```

```
[[]].includes("summary"),markup=autolink(f.summary,[],isMarkdown);return isMarkdown?
x`1``${markup}`:x`1``<p class="summary preformatted">`${markup}
</p>`}`handlePreviewChecked(e,featureOrStageId){const newPreviewing=new
Set(this.previewingIds);e.target.checked?
newPreviewing.add(featureOrStageId):newPreviewing.delete(featureOrStageId),this.previewingIds=newPrevie
wing}renderEditableFeatureSummary(f){const isMarkdown=(f.markdown_fields||
[[]].includes("summary"),isPreviewing=this.previewingIds.has(f.id),editor=x`1``<sl-textarea
?hidden=${isPreviewing}
class="feature-summary"
id="edit-summary-${f.id}"
value=${f.summary}
size="small"
resize="auto"
>
</sl-textarea>`,previewText=this.shadowRoot?.querySelector("#edit-summary-"+f.id)?.value??
f.summary,markdownChecked=this.shadowRoot?.querySelector("#summary-is-markdown-"+f.id)?.checked??
isMarkdown,preview=x`1``
<div
id="preview"
?hidden=${!isPreviewing}
style="border:var(--card-border); padding:0 var(--content-padding); min-height:14em;
background:var(--table-alternate-background)"
>
${autolink(previewText,[],markdownChecked)}
</div>
`,controls=x`1``
<sl-checkbox
class="markdown-checkbox"
id="summary-is-markdown-${f.id}"
size="small"
?checked=${isMarkdown}
>Use markdown</sl-checkbox
>
<sl-icon-button
name="info-circle"
id="info-button"
title="GitHub flavored markdown docs"
href="https://docs.github.com/en/get-started/writing-on-github/getting-started-with-writing-
and-formatting-on-github/basic-writing-and-formatting-syntax"
target="_blank"
></sl-icon-button>
<sl-checkbox
id="show-preview-${f.id}"
size="small"
?checked=${isPreviewing}
@sl-change=${e=>this.handlePreviewChecked(e,f.id)}
>
Preview
</sl-checkbox>
`;return x`1``${preview} ${editor} ${controls}
`renderEditableStageItem(f,s,shouldDisplayStageTitleInBold){const
platforms=s.rollout_platforms,choices=PLATFORM_CATEGORIES,availableOptions=Object.values(choices).filte
r(([value,label,obsolete])=>!obsolete||platforms.includes(""+value)),isPreviewing=this.previewingIds.ha
s(s.id),editor=x`1``<sl-textarea
?hidden=${isPreviewing}
class="rollout-details"
id="edit-rollout-details-${s.id}"
value=${s.rollout_details}
size="small"
rows="1"
resize="auto"
>
</sl-textarea>`,previewText=this.shadowRoot?.querySelector("#edit-rollout-details-"+s.id)?.value??
s.rollout_details,preview=x`1``
<div
?hidden=${!isPreviewing}
id="preview"
style="border:var(--card-border); padding:0 var(--content-padding); min-height:14em;
background:var(--table-alternate-background)"
>
${autolink(previewText,[],!0)}
</div>
`,controls=x`1``
<sl-checkbox class="markdown-checkbox" size="small" checked disabled
>Use markdown</sl-checkbox
>
<sl-icon-button
name="info-circle"
id="info-button"
title="GitHub flavored markdown docs"
href="https://docs.github.com/en/get-started/writing-on-github/getting-started-with-writing-
and-formatting-on-github/basic-writing-and-formatting-syntax"
target="_blank"
></sl-icon-button>
<sl-checkbox
id="show-preview-${s.id}"
```



```

    size="small"
    ?checked=${isPreviewing}
    @sl-change=${e=>this.handlePreviewChecked(e,s.id)}
  >
    Preview
  </sl-checkbox>
`;return x$1`
<li class="stage">
  <div class="hbox">
    <sl-input
      class="rollout-milestone"
      id="edit-rollout-milestone-${s.id}"
      type="number"
      value=${s.rollout_milestone}
    ></sl-input>

    <sl-select
      class="rollout-platforms"
      multiple
      clearable
      id="edit-rollout-platforms-${s.id}"
      .value=${platforms}
    >
      ${availableOptions.map(([value,label])=>x$1`
        <sl-option value="${value}"> ${label} </sl-option>
      `)}
    </sl-select>
  </div>
  <sl-select
    class="rollout-stage-plan"
    id="edit-rollout-stage-plan-${s.id}"
    value=${s.rollout_stage_plan}
  >
    ${Object.values(ROLLOUT_STAGE_PLAN_CATEGORIES).map(([value,label])=>x$1`<sl-option
value=${value}>${label}</sl-option>`)}
  </sl-select>
  ${preview} ${editor} ${controls}
</li>
`}renderStageItem(f,s,shouldDisplayStageTitleInBold){let details=x$1``;if(s.rollout_details){const
markup=autolink(s.rollout_details,[],!0);details=x$1`${markup}`}return x$1`
  <li class="stage">
    <span

class="${shouldDisplayStageTitleInBold(s.rollout_milestone,f.stages.map(s=>s.rollout_milestone).sort())
?"bold":""}"
  >
    ${this.getStageTitle(s)}
  </span>
  ${details}
</li>
`}renderSaveAndCancel(f){return this.editingFeatureIds.has(f.id)?x$1`
  <sl-button
    class="save-button"
    @click=${()=>{this.save(f)}}
    size="small"
    variant="primary"
  >Save</sl-button
  >
  <sl-button
    class="cancel-button"
    @click=${()=>{this.cancel(f.id)}}
    size="small"
  >Cancel</sl-button
  >
  `:x$1``}renderFeatureReleaseNote(f,shouldDisplayStageTitleInBold){const
isEditing=this.editingFeatureIds.has(f.id);return x$1` <section class="feature">
  ${this.renderEditButton(f)}
  ${isEditing?this.renderEditableLabels(f):this.renderLabels(f)}
  ${isEditing?this.renderEditableFeatureName(f):this.renderFeatureName(f)}
  ${this.renderToRemoveParagraph(f)}
  ${isEditing?this.renderEditableFeatureSummary(f):this.renderFeatureSummary(f)}
  <ul class="stages">
    ${f.stages.map(s=>isEditing&&s.id?
this.renderEditableStageItem(f,s,shouldDisplayStageTitleInBold):this.renderStageItem(f,s,shouldDisplayS
tageTitleInBold))}
  </ul>
  ${this.renderSaveAndCancel(f)}

  <div class="screenshots">
    ${f.screenshot_links.map((url,i)=>x$1``)}
  </div>
</section>`}renderReleaseNotesDetailsSection(title,features,shouldDisplayStageTitleInBold){return
x$1` <div class="note-section">
  <h2>${title}</h2>
  ${features.map(f=>this.renderFeatureReleaseNote(f,shouldDisplayStageTitleInBold))}
</div>`}renderReleaseNotesDetails(){return x$1` ${this.renderReleaseNotesDetailsSection("Chrome
```

```
Browser updates",this.currentChromeBrowserUpdates,m=>m===this.selectedMilestone)}}
  ${this.renderReleaseNotesDetailsSection("Chrome Enterprise Core
(CEC)",this.currentChromeEnterpriseCore,m=>m===this.selectedMilestone)}}
  ${this.renderReleaseNotesDetailsSection("Chrome Enterprise Premium (CEP, paid
SKU)",this.currentChromeEnterprisePremium,m=>m===this.selectedMilestone)}}
  ${this.renderReleaseNotesDetailsSection("Upcoming Chrome Browser
updates",this.upcomingChromeBrowserUpdates,
(m,milestones)=>milestones.find(x=>parseInt(x)>this.selectedMilestone)===m)}}
  ${this.renderReleaseNotesDetailsSection("Upcoming Chrome Enterprise Core
(CEC)",this.upcomingChromeEnterpriseCore,
(m,milestones)=>milestones.find(x=>parseInt(x)>this.selectedMilestone)===m)}}
  ${this.renderReleaseNotesDetailsSection("Upcoming Chrome Enterprise Premium (CEP, paid
SKU)",this.upcomingChromeEnterprisePremium,
(m,milestones)=>milestones.find(x=>parseInt(x)>this.selectedMilestone)===m)}}` }render(){return x$1`
  <h1>Chrome Enterprise and Education release notes</h1>
  ${this.renderMilestoneSelector()} ${this.renderReleaseNotesSummary()}
  ${this.renderReleaseNotesDetails()}
  `}};__decorate$1([n$5({attribute:!1})],ChromedashEnterpriseReleaseNotesPage.prototype,"user",void
0),__decorate$1([r$6()],ChromedashEnterpriseReleaseNotesPage.prototype,"currentChromeBrowserUpdates",vo
id
0),__decorate$1([r$6()],ChromedashEnterpriseReleaseNotesPage.prototype,"upcomingChromeBrowserUpdates",v
oid
0),__decorate$1([r$6()],ChromedashEnterpriseReleaseNotesPage.prototype,"currentChromeEnterpriseCore",vo
id
0),__decorate$1([r$6()],ChromedashEnterpriseReleaseNotesPage.prototype,"upcomingChromeEnterpriseCore",v
oid
0),__decorate$1([r$6()],ChromedashEnterpriseReleaseNotesPage.prototype,"currentChromeEnterprisePremium"
,void
0),__decorate$1([r$6()],ChromedashEnterpriseReleaseNotesPage.prototype,"upcomingChromeEnterprisePremium"
,void
0),__decorate$1([r$6()],ChromedashEnterpriseReleaseNotesPage.prototype,"features",void
0),__decorate$1([r$6()],ChromedashEnterpriseReleaseNotesPage.prototype,"channels",void
0),__decorate$1([r$6()],ChromedashEnterpriseReleaseNotesPage.prototype,"selectedMilestone",void
0),__decorate$1([r$6()],ChromedashEnterpriseReleaseNotesPage.prototype,"editingFeatureIds",void
0),__decorate$1([r$6()],ChromedashEnterpriseReleaseNotesPage.prototype,"previewingIds",void
0),ChromedashEnterpriseReleaseNotesPage=__decorate$1([t$3("chromedash-enterprise-release-notes-
page")],ChromedashEnterpriseReleaseNotesPage);var __decorate=function(decorators,target,key,desc){var
c=arguments.length,r=3>c?target:null===desc?
desc=Object.getOwnPropertyDescriptor(target,key):desc,d;if("object"===typeof Reflect&&"function"===typeof
Reflect.decorate)r=Reflect.decorate(decorators,target,key,desc);else for(var i=decorators.length-
1;0<=i;i--)(d=decorators[i])&&(r=(3>c?d(r):3<c?d(target,key,r):d(target,key))||r);return
3<c&&r&&Object.defineProperty(target,key,r),r};const
WPT_RESULTS_REGEX=/((https?:\\\/wpt\\.fyi\\/results[^\s?]+)/g,COOLDOWN_MS=180000,HANGING_TIMEOUT_MS=36000
00;let ChromedashWPTEvalPage=class ChromedashWPTEvalPage extends i$4{constructor()
{super(...arguments),this.featureId=0,this.feature=null,this.loading=!1,this.isRequirementsFulfilled=!1
,this.completedInThisSession=!1,this._cooldownRemaining=0,this._reportContentChanged=!1,this._pollInter
valId=null,this._cooldownIntervalId=null,this._previousReportContent=null}static get styles()
{return[...SHARED_STYLES,i$7`
  :host {
    display: block;
    min-height: 100vh;
    background: var(--sl-color-neutral-50);
    padding: 2em;
  }

  h1 {
    font-size: 2rem;
    font-weight: 300;
    margin-bottom: 1.5rem;
    padding-bottom: 0.5rem;
  }

  h2 {
    font-size: 1.5rem;
    font-weight: 400;
    margin-top: 0;
    margin-bottom: 1rem;
  }

  h3 {
    margin-top: 1.5em;
  }

  .experimental-tag {
    font-size: 0.6em;
    font-weight: normal;
    vertical-align: middle;
    background: var(--sl-color-neutral-200);
    padding: 2px 8px;
    border-radius: 12px;
    margin-left: 8px;
  }

  .card {
    background: var(--sl-color-neutral-0);
    border: 1px solid var(--sl-color-neutral-200);
    border-radius: var(--sl-border-radius-medium);
```

```
padding: var(--sl-spacing-x-large);
box-shadow: var(--sl-shadow-x-small);
margin-bottom: var(--sl-spacing-large);
}

.description ul {
  line-height: 1.6;
}
.description li {
  margin-bottom: 0.5em;
}

.requirements-list {
  display: flex;
  flex-direction: column;
  gap: 12px;
}

.requirement-item {
  display: flex;
  align-items: center;
  gap: 12px;
  font-size: 16px;
  padding: 8px;
  border-radius: var(--sl-border-radius-medium);
  transition: background 0.2s ease;
}
.requirement-item:hover {
  background: var(--sl-color-neutral-50);
}

.requirement-item sl-icon {
  font-size: 1.4em;
  flex-shrink: 0;
}
.requirement-item .success {
  color: var(--sl-color-success-600);
}
.requirement-item .danger {
  color: var(--sl-color-danger-600);
}

.edit-link {
  font-size: 0.9em;
  margin-left: auto;
  padding: 4px 12px;
  background: var(--sl-color-primary-50);
  border-radius: 12px;
  text-decoration: none;
  font-weight: 600;
}
.edit-link:hover {
  background: var(--sl-color-primary-100);
}

.url-list-container {
  margin-left: 44px;
}
.url-list {
  list-style: none;
  margin: 0;
  padding: 12px;
  font-size: 0.85em;
  background: var(--sl-color-neutral-100);
  border-radius: 4px;
  border: 1px solid var(--sl-color-neutral-200);
  max-height: 150px;
  overflow-y: auto;
}
.url-list li {
  margin-bottom: 4px;
  white-space: nowrap;
  overflow: hidden;
  text-overflow: ellipsis;
}
.url-list a {
  text-decoration: none;
}
.url-list a:hover {
  text-decoration: underline;
}

.action-section {
  display: flex;
  flex-direction: column;
  align-items: center;
```

```
    justify-content: center;
    text-align: center;
    min-height: 120px;
  }

  .generate-button {
    font-size: 1.1rem;
    padding-left: 2rem;
    padding-right: 2rem;
  }
  .generate-button sl-icon {
    font-size: 1.3em;
  }

  .cooldown-message {
    margin-top: 12px;
    color: var(--sl-color-neutral-600);
    font-size: 0.9em;
    display: flex;
    align-items: center;
    gap: 6px;
  }

  .help-text {
    margin-top: 8px;
    color: var(--sl-color-neutral-600);
    font-size: 0.9rem;
    max-width: 400px;
    line-height: 1.4;
  }

  .status-in-progress,
  .status-complete {
    display: flex;
    flex-direction: column;
    align-items: center;
    gap: 16px;
    font-size: 1.1rem;
  }
  .status-in-progress {
    color: var(--sl-color-primary-600);
  }
  .status-in-progress sl-spinner {
    font-size: 3rem;
    --track-width: 4px;
  }
  .status-complete {
    color: var(--sl-color-success-700);
  }
  .status-complete sl-icon {
    font-size: 3rem;
    color: var(--sl-color-success-600);
  }

  .report-content {
    overflow-wrap: break-word;
    line-height: 1.6;
  }
  .report-content h1,
  .report-content h2,
  .report-content h3 {
    margin-top: 1.5em;
    margin-bottom: 0.75em;
    color: var(--sl-color-neutral-1000);
  }
  .report-content *:first-child {
    margin-top: 0;
  }
  .report-content pre {
    background: var(--sl-color-neutral-900);
    padding: 16px;
    border-radius: 6px;
    overflow-x: auto;
  }
  .report-content code {
    background: var(--sl-color-neutral-200);
    padding: 2px 4px;
    border-radius: 4px;
    font-size: 0.9em;
    font-family: monospace;
  }
  .report-content pre code {
    background: transparent;
    padding: 0;
    color: inherit;
  }
}
```

```
.prewrap {
  white-space: pre-wrap;
}

@keyframes fadeIn {
  from {
    opacity: 0;
    transform: translateY(20px);
  }
  to {
    opacity: 1;
    transform: translateY(0);
  }
}

.fade-in {
  animation: fadeIn 0.8s ease-out forwards;
}

.delay-title {
  animation-delay: 0.1s;
}

.delay-content {
  animation-delay: 0.4s;
}

.sl-alert {
  margin-bottom: var(--sl-spacing-large);
}

`]]async fetchData(){this.feature||(this.loading=!0);try{this.feature=await
window.csClient.getFeature(this.featureId),this.checkRequirements(),this.managePolling(),this.updateCool
down()}catch(error){showToastMessage("Some errors occurred. Please refresh the page or try again
later.")}finally{this.loading=!1}}updated(changedProperties){
if(changedProperties.has("feature")&&this.feature){const
currentReport=this.feature.ai_test_eval_report||null;currentReport&&currentReport!==this._previousReportContent&&(this._reportContentChanged=!0,setTimeout(()=>
{this._reportContentChanged=!1},100)),this._previousReportContent=currentReport}}connectedCallback(){
super.connectedCallback(),this.fetchData()}disconnectedCallback(){
super.disconnectedCallback(),this.stopPolling(),this.stopCooldownTimer()}checkRequirements(){
if(!this.feature)return void(this.isRequirementsFulfilled=!1);const
hasSpecLink=!!this.feature.spec_link,hasWptDescr=!!this.feature.wpt_descr,hasValidUrls=null!==(
this.feature.wpt_descr||"").match(WPT_RESULTS_REGEX);this.isRequirementsFulfilled=hasSpecLink&&hasWptD
escr&&hasValidUrls}updateCooldown(){
if(this.feature?.ai_test_eval_run_status===AITestEvaluationStatus.COMPLETE&&this.feature.ai_test_eval_
status_timestamp){const completedAt=new
Date(this.feature.ai_test_eval_status_timestamp).getTime(),now=Date.now(),elapsed=now-
completedAt;elapsed<COOLDOWN_MS?(this._cooldownRemaining=COOLDOWN_MS-
elapsed,this.startCooldownTimer()):this._cooldownRemaining=0,this.stopCooldownTimer()}else
this._cooldownRemaining=0,this.stopCooldownTimer()}startCooldownTimer(){this._cooldownIntervalId||
(this._cooldownIntervalId=window.setInterval(()=>{this.updateCooldown(),6e4})}stopCooldownTimer()
{this._cooldownIntervalId&&
(window.clearInterval(this._cooldownIntervalId),this._cooldownIntervalId=null)}managePolling(){const
status=this.feature?.ai_test_eval_run_status;status===AITestEvaluationStatus.IN_PROGRESS?
this.startPolling():this._pollIntervalId&&status===AITestEvaluationStatus.COMPLETE&&
(this.completedInThisSession=!0),this.stopPolling()}startPolling(){this._pollIntervalId||
(this._pollIntervalId=window.setInterval(()=>{this.fetchData(),5e3})}stopPolling()
{this._pollIntervalId&&(window.clearInterval(this._pollIntervalId),this._pollIntervalId=null)}async
handleGenerateClick(){if(this.isRequirementsFulfilled&&this.feature&&
(0<this._cooldownRemaining))try{this.feature=
{...this.feature,ai_test_eval_run_status:AITestEvaluationStatus.IN_PROGRESS,ai_test_eval_status_timesta
mp:new Date().toString(),this.completedInThisSession=!1,this.managePolling(),await
window.csClient.generateWPTCoverageEvaluation(this.featureId)}catch(e){showToastMessage("Failed to
start evaluation. Please try again
later."),this.fetchData()}}renderRequirementItem(isFulfilled,label,urlHash){const icon=isFulfilled?
x$1`<sl-icon
  class="success"
  library="material"
  name="check_circle_20px"
  ></sl-icon>`:x$1`<sl-icon name="x-circle-fill" class="danger"></sl-icon>`,text=isFulfilled?
`${label} provided`:`Missing ${label}`;return x$1`
<div class="requirement-item">
  ${icon}
  <span>${text}</span>
  <a class="edit-link" href="/guide/editall/${this.featureId}#${urlHash}">
    Edit
  </a>
</div>
`}_renderPreformattedText(content){return content?x$1`<div class="url-list prewrap">${content}
</div>`:E$1}renderRequirementsChecks(){if(!this.feature)return x$1`${E$1}`;const
hasSpecLink=!!this.feature.spec_link,hasWptDescr=!!this.feature.wpt_descr,wptUrls=
(this.feature.wpt_descr||"").match(WPT_RESULTS_REGEX)||[],hasValidUrls=0<wptUrls.length;return x$1`
<section class="card">
  <h2>Prerequisites Checklist</h2>
  <div class="requirements-list">
    <!-- Name and summary are assumed to always be filled -->
    ${this.renderRequirementItem(!0,"Feature name","id_name")}
```

```

    <div class="url-list-container">
      <div class="url-list">${this.feature.name}</div>
    </div>
    ${this.renderRequirementItem(!0,"Feature summary","id_summary")}
    <div class="url-list-container">
      ${this._renderPreformattedText(this.feature.summary)}
    </div>
    ${this.renderRequirementItem(hasSpecLink,"Spec URL","id_spec_link")}
    ${hasSpecLink?x$1`
      <div class="url-list-container">
        <div class="url-list">
          <a
            href="${o$6(this.feature.spec_link)}"
            target="_blank"
            >${this.feature.spec_link}</a>
          >
        </div>
      </div>
    `:E$1}
    ${this.renderRequirementItem(hasWptDescr,"WPT description","id_wpt_descr")}
    ${hasWptDescr?x$1`
      <div class="url-list-container">
        ${this._renderPreformattedText(this.feature.wpt_descr)}
      </div>
    `:E$1}
    ${this.renderRequirementItem(hasValidUrls,"Valid wpt.fyi results URLs","id_wpt_descr")}
    ${hasValidUrls?x$1`
      <div class="url-list-container">
        <ul class="url-list">
          ${wptUrls.map(url=>x$1`
            <li>
              <a href="${url}" target="_blank" title="${url}"
                >${url}</a>
            >
          </li>
        `)}}
        </ul>
      </div>
    `:E$1}
  </div>
</section>
`}renderActionSection(){var _Mathceil4=Math.ceil;if(!this.feature)return x$1`${E$1}`;const
status=this.feature.ai_test_eval_run_status;let
isHanging=!1;if(status===AITestEvaluationStatus.IN_PROGRESS&&this.feature.ai_test_eval_status_timestamp
){const startedAt=new Date(this.feature.ai_test_eval_status_timestamp).getTime(),now=Date.now();now-
startedAt>HANGING_TIMEOUT_MS&&
(isHanging=!0)}if(status===AITestEvaluationStatus.IN_PROGRESS&&!isHanging)return x$1`
  <section class="card action-section">
    <div class="status-in-progress">
      <sl-spinner></sl-spinner>
      <span>Evaluation in progress... This may take a few minutes.</span>
    </div>
  </section>
`;if(this.completedInThisSession&&status!==AITestEvaluationStatus.IN_PROGRESS)return x$1`
  <section class="card action-section">
    <div class="status-complete fade-in">
      <sl-icon library="material" name="check_circle_20px"></sl-icon>
      <span>Evaluation complete! The report is available above.</span>
    </div>
  </section>
`;const
isCooldownActive=0<this._cooldownRemaining,minutesRemaining=_Mathceil4(this._cooldownRemaining/6e4);let
buttonLabel="Evaluate test coverage";return isHanging?buttonLabel="Retry evaluation (Process timed
out)":this.feature.ai_test_eval_report&&(buttonLabel="Discard this report and reevaluate test
coverage"),x$1`
  <section class="card action-section">
    ${status===AITestEvaluationStatus.FAILED?x$1`
      <sl-alert variant="danger" open>
        The previous evaluation run failed. Please try again.
      </sl-alert>
    `:E$1}

    <sl-button
      variant="${this.feature.ai_test_eval_report?"danger":"primary"}"
      size="large"
      class="generate-button"
      ?disabled=${!this.isRequirementsFulfilled||isCooldownActive}
      @click=${this.handleGenerateClick}
    >
      ${buttonLabel}
    </sl-button>

    ${isHanging?x$1`
      <div class="help-text">
        The previous evaluation seems to be stuck. You can try starting
        a new one.
      </div>
    `:E$1}
  </section>
`}
```

```

    </div>
    `:E$1}
    ${isCooldownActive?x$1`
      <div class="cooldown-message">
        <sl-icon name="hourglass-split"></sl-icon>
        Available in ${minutesRemaining}
        minute${1===minutesRemaining?"":"s"}
      </div>
    `:E$1}
  </section>
  `}renderReport(){if(!this.feature?.ai_test_eval_report)return x$1`${E$1}`;const
  rawHtml=d.parse(this.feature.ai_test_eval_report),titleClass=this._reportContentChanged?"fade-in delay-
  title":"","contentClass=this._reportContentChanged?"fade-in delay-content":"","return x$1`
    <section class="card report-section">
      <h2 class="${titleClass}">Evaluation Report</h2>
      <div class="report-content ${contentClass}">${o$2(rawHtml)}</div>
    </section>
  `}renderSkeletonSection(){return x$1`
    <section class="card">
      <h3><sl-skeleton effect="sheen" style="width: 50%"></sl-skeleton></h3>
      <p>
        <sl-skeleton effect="sheen"></sl-skeleton>
        <sl-skeleton effect="sheen"></sl-skeleton>
        <sl-skeleton effect="sheen"></sl-skeleton>
      </p>
    </section>
  `}renderSkeletons(){return x$1`
    <div style="margin-top: 2em;">
      ${this.renderSkeletonSection()} ${this.renderSkeletonSection()}
    </div>
  `}render(){return x$1`
    <div>
      <h1>
        AI-powered WPT coverage evaluation
        <span class="experimental-tag">Experimental</span>
      </h1>

      <sl-alert variant="primary" open>
        <sl-icon slot="icon" name="info-circle"></sl-icon>
        This feature is experimental and reports may be inaccurate. Please
        <a
          href="https://github.com/GoogleChrome/chromium-dashboard/issues/new?labels=Feedback,WPT-AI"
          target="_blank"
        >file an issue</a>
        <br>
        if you have feedback or suggestions.
      </sl-alert>

      <section class="card description">
        <h2>About</h2>
        <p>
          Here you can generate an AI-powered test coverage report for your
          feature using Gemini. Gemini will analyze your feature's details,
          specification, and listed Web Platform Tests to evaluate if it meets
          standard minimum test coverage criteria.
        </p>

        <h3>Before you begin</h3>
        <p>
          To ensure an accurate report, please verify the following feature
          details:
        </p>
        <ul>
          <li>
            <strong>Metadata:</strong> Ensure the feature name and summary are
            accurate.
          </li>
          <li>
            <strong>Specification:</strong> A valid Spec URL must be provided.
          </li>
          <li>
            <strong>Test Results:</strong> Add relevant
            <code>wpt.fyi</code> URLs to the
            <i>Web Platform Tests</i> description field.
            <ul>
              <li>
                URLs must begin with <code>https://wpt.fyi/results/</code>.
              </li>
              <li>
                Individual test file URLs are accepted (e.g.,
                <code>dom/historical.html</code>).
              </li>
              <li>
                Directory URLs are accepted, but <strong>only</strong> if
                every test in that directory is relevant to your feature.
              </li>
            </ul>
          </li>
        </ul>
      </section>
    </div>
  `}

```

```

    <li>
      There is a limit of <strong>50 individual test files</strong>
      In the Web Platform Tests repository. If more than 50 relevant
      test files are found via the listed URLs, the test suite size
      is too big for automated test coverage evaluation.
    </li>
    <li>
      <em>
        >Note: Subdirectories within listed directories are not
        scanned.</em>
      >
    </li>
  </ul>
</li>
</ul>
</section>

    ${this.loading?this.renderSkeletons():x$1`
      ${this.renderRequirementsChecks()} ${this.renderReport()}
      ${this.renderActionSection()}
    `}
  </div>
  `}};__decorate([n$5({type:Number})],ChromedashWPTEvalPage.prototype,"featureId",void
0),__decorate([r$6()],ChromedashWPTEvalPage.prototype,"feature",void
0),__decorate([r$6()],ChromedashWPTEvalPage.prototype,"loading",void
0),__decorate([r$6()],ChromedashWPTEvalPage.prototype,"isRequirementsFulfilled",void
0),__decorate([r$6()],ChromedashWPTEvalPage.prototype,"completedInThisSession",void
0),__decorate([r$6()],ChromedashWPTEvalPage.prototype,"_cooldownRemaining",void
0),__decorate([r$6()],ChromedashWPTEvalPage.prototype,"_reportContentChanged",void
0),ChromedashWPTEvalPage=__decorate([t$3("chromedash-wpt-eval-
page")],ChromedashWPTEvalPage),setBasePath("/static/shoelace"),registerIconLibrary("material",
{resolver:name=>`/static/shoelace/assets/material-
icons/${name}.svg`,mutator:svg=>svg.setAttribute("fill","currentColor")});//#
sourceMappingURL=components.js.map
```