



Machine Introduction

Features :


- * Resin sand casting, High strength cast iron HT250.
- * Enhanced nodular pulling arm.
- * All the bearings and electrical parts are imported.
- * IR safety device.
- * Automatic central lubrication system.

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

36 YEARS
SERVING
INDONESIA

	Hi strength cast iron
	Integrated shaft sleeve
	QSn6.5-01 Copper bushing
	Imported electrical parts and bearing
	IR Safety
	Automatic oil pump

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
 Jl. Terusan Bandengan Utara No.16 / B 3-4
 Jakarta, 14450, Indonesia
 Tel. (021) 660 2665, 661 8255.
 Fax. (021) 668 5874, 660 2657

36 YEARS
SERVING
INDONESIA

Technical Specifications

Model	ML-930A
Frame inner size	930x670mm
Dimension	1960x1760x1720mm
Speed	25±2/min
Rule length	<38m
Weight	3700kg
Total power	4KW
Configuration	Automatic oil pump, copper bushing, stainless steel plate, infrared safety, imported electrical parts, imported bearing

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

36 YEARS
SERVING
INDONESIA