



Scan for YouTube video



**OPTIONAL:
TAPE RACK ATTACHMENT**

Machine Introduction

CQK-A3 automatic strapping machine is a paper using tape or OPP transparent tape strapping machine, the use of hot melt bonding process, touch screen interface design and operation is simple and convenient especially suitable for light goods packaging, suitable for pharmaceutical, food, printing, finance, IT, daily chemical industry and other industries. Can be on the paper box conjoined bundling, but also for many pieces, many, many roots, many boxes of small hard and soft products to implement group bundling.

OPTIONAL: TAPE RACK ATTACHMENT

This attachment is used for making the machine more efficient with longer tape (500m length tape), thus lowering the frequency of tape changing.

Features:

Use touch screen interface design, easy to operate, especially suitable for the packaging of light goods, use paper tape or transparent tape, use hot melt adhesive, beautiful and generous product.

Schematic diagram of package form correlation



* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657



Technical Specifications

Model	CQK-A3
Power Supply	220V/50Hz
Strapping tape	OPP
Control system	PLC
Coil size	Inner diameter: $\Phi 40\text{mm}$; Outer diameter: $\Phi 180\text{mm}$ Thickness: 0.12mm ; Coil width: 30mm/20mm
Shelf size	Inner diameter: W360*H160mm
Packing range	Max: W360*H160mm , Min: W30*H10mm
Packing speed	20~26pcs/min
power	80W
Bonding mode	Hot melt
Tighten force	5-99N (adjustable)
Machine size	L560*W380*H500 (mm)
Machine weight	40Kg

Product Application Samples:



* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657



Product Application:

This machine is suitable for pharmaceutical, food, printing, finance, IT, daily chemical and other industries. Can be divided into single bundle, double bundle, three bundles, well glyphs and soft goods abnormality bales. High quality low cost: bundle moderately, adhesive, each bundle package cost takes only about 5 cents. Energy saving material, low power consumption, packaging material province. For heat-sensitive drugs (suppositories, injection, biological agents) bales more appropriate available ordinary paper tape, film, also can use color, anti-counterfeiting, anti-static belt.(note: in addition to paper tape and film tape, other types of tape shall be provided according to customer's requirements.)

Function:

The whole stack of products before packaging (can also be used as final packaging) is tightly fixed to ensure smooth appearance, no friction, no scattering and no deformation of products, which is conducive to packaging, transportation and packing. Function: the whole stack of products before packaging (can also be used as final packaging) is tightly fixed to ensure smooth appearance, no friction, no scattering and no deformation of products, which is conducive to packaging, transportation and packing.

Description Consumables of Automatic Belt Binding Machine:

Imported white kraft paper tape

Name: White craft paper banding tape

Width: 20/30mm; Length: 120/150m

Glue: Hot melt adhesive

Inner diameter: 40/50/76mm



Customization: length/width: can be customized, LOGO can be printed on the surface of strands, to protect your brand.

Use: Mainly used for the overall bundling of products such as multiple names, multiple sheets, multiple roots, multiple boxes, the bundling and packaging of cards, manuals, tags and books are widely used in printing and packaging, electronic products, medical equipment, pharmaceutical, daily necessity and other industries.


Transparent band of OPP film

Name: OPP transparent strapping

Width: 20/30mm, other widths can be customized

Glue: Hot melt adhesive

Inner diameter: 40/50/76mm



Customization: length/width can be customized, LOGO can be printed on the surface of strands, to protect your brand.


Use: Mainly used for the overall bundling of products such as multiple names, multiple sheets, multiple roots, multiple boxes, the bundling and packaging of cards, manuals, tags and books are widely used in printing and packaging, electronic products, medical equipment, pharmaceutical, daily necessity and other industries.

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657







Strong stretching, high bonding strength.
Using materials from regular manufacturers,
transparent, good brightness



Good transparency and strong stickiness



Thickness: 0.08 / 0.10 / 0.12 mm



Refuse to cut corners

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

