



### Machine Introduction

#### Paper Feeding Part:

1. Each station is equipped with 4 blowing nozzles and 4 paper separators
2. Each station is equipped with 1 set of Japanese ultrasonic double sheet detector for function of double sheet, missing sheet and counting.
3. Each feeder head is mounted with 3-6 suction nozzles.
4. The paper separators are made of aluminum and fixed on both sides.
5. The paper feeding lift table is equipped with compression bearing to ensure stable feeding, no shaking.
6. Each station can be loaded paper per pallet.



\* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



**PT. EKA MAJU MESININDO**  
Jl. Terusan Bandengan Utara No.16 / B 3-4  
Jakarta, 14450, Indonesia  
Tel. (021) 660 2665, 661 8255.  
Fax. (021) 668 5874, 660 2657



## Program control part:

1. After the collation reaches the set number, the machine will stop for few seconds, so that the operator can collect the paper.
2. At the beginning and end of collation, there is paper circulation program. To ensure that a complete set of paper is delivered from the delivery end, and it's convenient to clean up the paper on the conveying belts.
3. There is a counting function in the program, which is convenient for counting the workload of a day.
4. Equipped with remote controller for easy operation
5. The touch screen has Chinese and English operation interface



## End delivery part:

1. The end delivery part is Pneumatic lifting collection, buyer need to have an air compressor or a centralized air supply.
2. The collated paper can be taken out per pallet.



\* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



**PT. EKA MAJU MESININDO**  
Jl. Terusan Bandengan Utara No.16 / B 3-4  
Jakarta, 14450, Indonesia  
Tel. (021) 660 2665, 661 8255.  
Fax. (021) 668 5874, 660 2657




### Driven part:

1. The machine is driven by servo motor
2. Equipped with 80 cubic dry rotary vane vacuum compound silent air pump to ensure sufficient blowing volume.
3. There are 6-8 synchronous belts in the transmission part.



### Diagram



\* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



**PT. EKA MAJU MESININDO**  
Jl. Terusan Bandengan Utara No.16 / B 3-4  
Jakarta, 14450, Indonesia  
Tel. (021) 660 2665, 661 8255.  
Fax. (021) 668 5874, 660 2657



### Technical Specifications

|                   |                                  |
|-------------------|----------------------------------|
| <b>Model</b>      | <b>XH-XP6 Gathering Collator</b> |
| Type              | 6 stations collating             |
| Max. paper size   | 1110x600mm                       |
| Min. paper size   | 297x210mm                        |
| Paper thickness   | 120-1000gsm                      |
| Speed             | 1400 pile/hour                   |
| Machine power     | 380V/50Hz/7kw                    |
| Machine weight    | 6000kg                           |
| Overall dimension | 7.3x2.54x2.1m                    |

### Picture



\* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



**PT. EKA MAJU MESININDO**  
Jl. Terusan Bandengan Utara No.16 / B 3-4  
Jakarta, 14450, Indonesia  
Tel. (021) 660 2665, 661 8255.  
Fax. (021) 668 5874, 660 2657

