



Machine Introduction

Autoprint is committed to bring modern cutting-edge technology to its customers. A result of this commitment is Autoprint Repetto 80 an Automatic Sheet-fed Flat Bed Die-Punching and Creasing Machine designed to handle even the most intricate and detailed designs. This reliable and high precision die punching machine is the perfect answer to meet the growing demand of medium and large format printers as well as packaging units.

Features:



Delivery Unit: After punching, the paper is delivered smoothly to the Delivery Unit. Automatic pile movement is assured with the Motorised Pile 'Up' and 'Down' mechanism provided. The delivery pile is automatically lowered based on the speed of the machine and controlled by a limit switch to avoid excess loading. Side and back stoppers are provided for perfect stacking of paper.





Die Punching Unit: After registering the paper in the Front Lay, the sheet is fed into the Die Punching Unit with the help of the rigid Grippers. The Gripper in-feed Mechanism is servo-driven for precise positioning of paper in the Die Punching Unit. The Die Punching Unit applies uniform pressure on the paper and ensures precise punching as per the desired profile. The chase turn-over mechanism enables easy removal of the Die Unit and quick change-over for the next job. These grippers are provided with a patented software which can be used to compensate chain elongation / wear and maintains precise register for a long time.

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

34 YEARS
SERVING
INDONESIA

 CENTRALISED TOUCH SCREEN CONTROL PANEL	Centralized Touch Screen Control Panel: The Autoprint repetto 80 has a soft feather touch PLC Control Panel. The advanced technology incorporated with pre-programmable software does the functions sequentially by just touch of a button. Various controls are indicated in the Digital display of the control panel for convenience in operation. Touch screen is equipped with a maintenance program where periodically the operator is reminded of any maintenance to be performed.
	Double Sheet and Cross Feed Sensor: Double Sheet Detector and Cross Feed Sensors are provided to prevent the feeding of any excess or cross sheet into the Punching Unit. When this happens, the sheet feeding stops instantly and a warning message appears on the Touch Screen Panel.
	Stream Feeder: Autoprint Repetto 80 has a Stream Feeding System, which ensures continuous sheet feeding of a wide range of paper stock from 80-450 gsm with ease. It's suction device separates and lift the paper precisely from the tail-end, while the mechanical device feeds the paper into the register board through pull in rollers, continuously as a stream. The machine is equipped with motorized pile for smooth 'Up' and 'Down' movement. The feeder table is equipped with a pre-pile facility for loading of paper stacks on the second pile, while the machine is running. This reduces the down time of the machine, increasing productivity.
	Register Board: The conveyor board is provided with adequate runners, brush rollers and paper guides to ensure smooth and trouble free feeding of stock from thin paper to thick board ranging from 80-450 gsm. A pull type side lay on both sides ensures precise registration of the paper. The front lay is adjustable for cross up to 2 mm and front register up to 6 mm precisely.

Features:

1. Compact Machine
2. Stream feeder
3. Box Type Base frame for stability of machine
4. Pull type side lay on both sides
5. Double sheet detector
6. Cross feed sensor
7. Safety switch for machine manual drive
8. High speed PLC based control with digital input/output modules
9. Automatic switching program
10. Motorized pile for smooth up and down movement
11. Pre-pile facility loading by fork lift
12. Early sheet sensing for minimum wastage
13. Servo controlled gripper for smooth paper gripping and delivery
14. Centralized touch screen control panel with PLC
15. Patented software for maintaining excellent register quality for a long life
16. Full oil bath for punching unit
17. Maintenance guidance program on touch screen panel
18. Guards provided for operator safety
19. Protection of electronic circuits through UPS
20. Easy removal of die unit by chase turn over mechanism
21. Quick change-over of dies

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

34 YEARS
SERVING
INDONESIA

- 22. Foldable chase turnover assembly
- 23. Automatic delivery stacker
- 24. Batch counter at delivery
- 25. Extra delivery pile board
- 26. Enhanced productivity
- 27. Provision for taking sample sheet at delivery while working
- 28. Motorized centralized lubrication system
- 29. Three point register at front lay & punching station for precise positioning
- 30. Single line punching system to reduce the cutting load for increasing the total cutting length and reduce the load on machine

Technical Specifications

Model	Autoprint Repetto 80
No. of punching unit	One
Max. paper size	560x880 mm (22"x32")
Min. paper size	254x380 mm (10"x15")
Max. punching area	540x790 mm
Paper thickness	80-450 gsm (0.1 to 0.6 mm)
Feeder pile height	960mm
Delivery pile height	825mm
Punching speed max.	4500 sph
Die height	23.8 mm
Gripper margin setting	12-14 mm
Punching load	180 Ton
Punching stroke	70 mm
Total power	13.5 Kw (18hp)
Chase interior size	850x582 mm
Weight	8500 Kgs (approx)
Overall size (LxWxH)	3600x2350x1680 mm

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

34 YEARS
SERVING
INDONESIA