



Machine Introduction


Best Chen company has introduced the latest thread sewing machine. It has the latest equipment and performance to make it easy for beginners to operate.

Features:

- The machine's performance design is extremely compact, with a distance of only 1 meter between feeder and core book station.
- Ergonomic design and one-security door solution allow machine operators to provide simple and convenient performance.
- The 10-inch color touch screen is equipped with a PLC system that controls all the functions of the machine.



- The large-capacity feeder ensures comfortable operation when the machine operator put the signatures.



* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.




PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657



- To maximize the need for signature opening, there are three programmable vacuum signature opening heads and built-in long and short signature openers with both sides.



- The reshaper can pre-process the signature spine before sewing, and this device and technology can not only effectively reduce the frequency of equipment shutdowns, but also enable the thread sewing to further improve the quality.



- Sewing stitching and crochet can be easily inserted into the hole that the bottom needle punches along the spine, ensuring the highest sewing thread's quality.



- The core books after the thread sewing is transferred to a large, easy-to-operate book output table, and the trimmer at the book out table automatically trims the tail thread to approximately 10 mm



* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.

BCL-170 Automatic Book Sewing Machine



北宸

北宸装订机械科技有限公司
BEST CHEN BINDING MACHINERY TECHNOLOGY CO., LTD.

- BCL-170 Fully Automatic Book Sewing Machine is CE-Marked.

Technical Specifications

Model	BCL-170
Maximum machine speed	170 spin/min
Minimum signature size	75 *120 mm
Maximum signature size	320*420 mm
The number of signatures opening head	Upper three, lower three with long and short signature openers.
Number of sewing stitch	10
Pitch of sewing stitch	19 mm
Rated power	4.5 kw
Standard voltage	380 v, 220 v, 50/60 Hz 3 phases
Air consumption	Max 450l/min (6P)
Net weight	3000 kg



* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

