




Machine Introduction

It is mainly used for cutting material like hardboard, industrial cardboard, grey cardboard, etc. It is necessary for hardcover books, boxes, etc.

Features:

1. Feeding large size cardboard by hand and small size cardboard automatically. Servo controlled and setup via touch screen.
2. Pneumatic cylinders control the pressure, easy adjustment of cardboard thickness.
3. The safety cover is designed according to European CE standard.
4. Adopt the concentrated lubrication system, easy to maintain.
5. Main structure is made of casting iron, stable without bending.
6. The crusher cuts the waste into small pieces and discharges them with conveyor belt.
7. Finished production output: with a 2-meter conveyor belt for collecting.

Production Flow:



* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657



Technical Specifications


Model	FD-KL1300A
Cardboard width	W≤1300mm, L≤1300mm W1=150-600mm, W2≥60mm
Cardboard thickness	1-3mm
Production speed	≤50m/min
Precision	+/-0.05mm
Motor power	5kw/380v 3phase
Air supply	10L/min 0.6Mpa
Machine weight	1250kg
Machine dimension	L3260×W1815×H1225mm

Some details of the machine



Auto feeder

It adopts bottom-drawn feeder which feeding the material without stopping. It's available to feed small size of board automatically.



Servo and Ball Screw

The feeders are controlled by the ball screw, driven by the servo motor which efficiently improves the precision and makes adjustment easy.



8 sets of High-Quality knives

Adopt alloy round knives which reduce the abrasion and improve the cutting efficiency. Durable.

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO

Jl. Terusan Bandengan Utara No.16 / B 3-4

Jakarta, 14450, Indonesia

Tel. (021) 660 2665, 661 8255.

Fax. (021) 668 5874, 660 2657




FD-KL1300A

Cardboard Cutter Machine



Auto knife distance setting

The distance of cut lines can be set by touch screen. According to the setting, the guide will automatically move to the position. No measurement required.



CE standard safety cover

The safety cover is designed according to the CE standard which efficiently prevents the disoperation and ensures the personal safety.



Waste crusher

The waste will be automatically crushed and collected when cutting the large sheet of cardboard.



Pneumatic pressure control device

Adopt air cylinders for the pressure control which reduce the operational requirement for workers.



Touch screen

Friendly HMI helps the adjustment easy and fast. With Auto counter, alarm and knife distance setting, language switch.

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.




PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657



FD-KL1300A

Cardboard Cutter Machine

Layout



* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

