




Technical Specifications

Line speed	0-300m/min, Continuous adjustment
Usage paper	250-600 g/ms, paperboard,
Box forming	Bottom-lock, straight line box, double walls box,
Fold method	1st fold at 180°, 3rd folds 135°, 2nd & 4th folds 180°
Paper feeding	Automatic feeding, grinding unit
Electric Power	11.5 kw
Dimension	11.5*1.5 *1.5m (1x40' Container)
Voltage	380V, 3Phase
Weight	3800kgs

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

36 YEARS
SERVING
INDONESIA

Box

Box Type	Picture	A Max	A Min	B Max	B Min	C Max	C Min	D Max	D Min
Crash-lock Bottom Box		520-210mm		500-180mm		80mm			
Straight Line box		580-110mm		580-70mm					
Double Walls Box		500mm		100mm		10mm		100mm	

Machine Section & Design



Features	Picture
Thicknesses 20mm, sides are protected with cover on both sides.	
Feeder with vibration motor	
Correction Part / Alignment station	
Grinder on both sides, to processor the surface of box.	

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
 Jl. Terusan Bandengan Utara No.16 / B 3-4
 Jakarta, 14450, Indonesia
 Tel. (021) 660 2665, 661 8255.
 Fax. (021) 668 5874, 660 2657

36 YEARS
SERVING
INDONESIA

Pre-folding section, 135° pre-folding, easy open for further work.	 
Crash-lock bottom section, bottom glue unit have, 2 upper glue buckets	
Lower glue unit, 2 side glue buckets	
Folding and forming section	
Compressing section	
Long pressing section: Air pressure adjustment. With soft foam belt, pneumatic kicking.	 
Single electric cabinet controlled	 

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

36 YEARS
SERVING
INDONESIA

Equipped with wireless remote control	
PLC and panels usually by Chinese and English, other language can be programmed in PLC.	
Collection Table	
China Origin Gluing system – 3 Heads	

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

36 YEARS
SERVING
INDONESIA

Configuration Parts

Parts Sourced Area/Brand	Item
Siemens Beide	Engine motor
Schneider	Transducer
	PLC
	Touch Screen
	Relay
	Air switch
	AC Contactor
Taiwan Mean Well	Power Switch
Germany LEUZE Electronic	Counting photoelectricity Sensor
Japan NITTA	Belt
Germany Continental	Timing Belt
SHANGHAI WIC	Wireless Remote Control
Japan YHY/NSK	Bearing (Main part)

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

**36 YEARS
SERVING
INDONESIA**