




Machine Introduction

This machine is specially used for paperboard shaping and adhesive processing after cutting horizontally. Its universality is strong and suitable scope is wide, which can fold and paste various straight seaming box. It is widely used in food, medicine, cosmetics, stationery and other ordinary cartons. perfectly combining the requirements of auto packaging together.

Features:



Feeding

5-6pcs Adjustable feeding belts to ensure easy adjustment, stable and smoothly feeding. Continuously Variable Speeder to ensure feeding internal and stable transmission. One-touch Pneumatic knife, easy for the adjustment of feeding belts.



Folding

Lengthened folding to avoid the unevenness while the rapid forming of cartons and make it come to perfection.



Full Pressing

2-board structure. Two modes for pressing belt speeding:

Auto: set distance between boxes, pressing belt speed is the same as the machine, belt removes while sensor detect it.

Manual: pressing belt conveys in a fixed speed and machine speed will not put any effect on it. With counting device to count the finished boxes to match with boxes regulating, easy to count and pack.

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

36 YEARS
SERVING
INDONESIA



Transmission

Equipped with feeding paper inspection device. Equipped with impacting device to press the paper after accounting and make it easy to pack paper.



Option Patting Part

Common Box Type and Size (mm)

Model	1050B2	1250B2	1450B2	1650B2	1850B2	2050B2	
A	150-800	150-800	150-800	150-800	150-800	150-800	
B	240-1050	240-1250	240-1450	240-1650	240-1850	240-2050	
C	Min: 15	Min: 15	Min: 15	Min: 15	Min: 15	Min: 15	
D	Min: 120	Min: 120	Min: 120	Min: 120	Min: 120	Min: 120	
F	Min: 120	Min: 120	Min: 120	Min: 120	Min: 120	Min: 120	

The Patting Size (mm)

Model	1050B2	1250B2	1450B2	1650B2	1850B2	2050B2	
A	300-800	300-800	300-800	300-800	300-800	300-800	
F	200-500	200-600	200-700	200-800	200-900	200-1000	


* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

36 YEARS
SERVING
INDONESIA

Product Samples:




* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

36 YEARS
SERVING
INDONESIA

Machine Configuration List:


Picture	Name	Picture	Name
	Main Board 16MM hot and cold processed standard steel plate		Contactor Germany SIEMENS
	Board for conveyor 6MM hot and cold processed standard steel plate		Switch power supply DELIXI
	Main motor Taili		Photo electricity Bedook
	Feed motor Oubang		Travel Switch TENGGEN
	Conveying motor Oubang		Counter TESHOW
	Converter EASYDRIVER		Press Switch + Remote controller Telecrane
	Button France Schneider		Conveying belt WUTONG

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

36 YEARS
SERVING
INDONESIA

	Head conveyor belt WUTONG		Bearing HRB
	Main conveyor belt XINBEX		Transmission bearing HRB
	Chrome bar Through quenching-tempering		Mound layer, roller Special section bar, hot processed

Technical Specifications

Model	SHH-1050/1250/1450/1650/1850/2050B2
Paper material	Cardboard 250-800g E-flute/F-flute
Max. linear speed	Max. 220m/min
Feeding way	Automatically and continuously feeding
Way of folding	Fold 2 and fold 4 are 180°
Glue material	Water-base cold glue
Electric power	7KW 380V 3P
Weight	3200(3600) (4000) (4400) (4800) KG
Dimension	7500x1450 (1650) (1850) (2050) (2250)x1400mm

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

36 YEARS
SERVING
INDONESIA